

KATALÓGUS

500+ válogatott kínai beszállító

EGÉSZSÉG SZÉPSÉG - PERSONAL HEALTH CARE

2024.05.

v.1.0.

Milyen beszállítók termékeit tartalmazza a Kimport katalógus?

500+ válogatott kínai gyártó termékeiből összeállított termékkatalógus. **A beszállítók nem az aktív vagy korábbi ügyfeleink beszállítói**, hanem a következő nagyvállalatok (aktív vagy korábbi) beszállítói (kékre kattintva a forrás): [LIDL](#) (DE), [ALDI](#) (DE), [KMART](#) (AU), [JOHN LEWIS](#) (UK) A forrásokon összesen közel 3000 kínai gyártó cégnevét találjuk. Ezen cégek hátterét leellenőriztük ([így](#)), és az 1000 általunk legjobbnak (legkisebb kockázat) ítélt vállalattal felvettük a kapcsolatot. Ezek közül 513 volt nyitott az együttműködésre. Ezen válogatott beszállítók termékeit tartalmazza ez és a többi Kimport katalógus.

Ár? MOQ? Gyártási idő? CE?

A termékek az esetek 99%-ában nincsenek készleten! A gyártási idő beszállítónként és termékcsopontonként változik! A rendelhető minimum mennyiségek beszállítónként és termékcsopontonként eltérőek, az árak pedig a gyártási kapacitás, alapanyag árak és árfolyam (USD/RMB) ingadozása miatt változnak, ezért minden esetben egyedi ajánlatot kell kérni! A termékek nagy részéhez van érvényes CE certifikát, de nem minden esetben, viszont megfelelnek a CE sztenderdeknek. Egyes esetekben elképzelhető, hogy külön kell CE-t csináltatni!

Szállítás?

Korlátlan mennyiségű beszállítótól (minden oldalon bal alul található az adott beszállító kódja) lehet rendelni és konszolidáljuk a rendelést úgy, hogy egy (vagy minél kevesebb) rendelésként lehessen kezelni az importfolyamat során. Segíti az ügymenetet, amennyiben egy beszállítótól minél több terméket választunk, és összesen minél kevesebb különböző beszállítótól vásárolunk. Shenzhen, Ningbo, Qingdao, Jinhua és Xi'an városokban is rendelkezünk olyan raktárral ahol az áruk konszolidációját és feladását, igény szerint további címkézési műveleteket végre tudunk hajtani.

Mennyibe kerül ez?

Dijunk az SKU-k száma, áruérték és a kiválasztott beszállítók mennyiségétől függ, jellemzően az áruérték 3-6%-a.

Vámkezelésben, betarifálásban, előzetes szállítási díj kalkulációban is állunk rendelkezésükre, tehát segítünk megállapítani az egy termékre eső megközelítő beszerzési árat (a szállítási díjak előzetesen nem határozhatóak meg 100% pontossággal).

Árajánlatkéréshez kérjük megadni a beszállító kódját és amennyiben van a termékkép mellett termékkód, úgy azt is megjelölni!





Household Hair Removal

|| HR1014-N ||
Rotary Sapphire Hair Removal



|| HR02 ||
Ice-cooling IPL Hair Removal



|| HR4100 ||
IPL Hair Removal



High-speed Hair Dryer

|| HC1601 ||
Foldable hair dryer



|| HC1602 ||
Hair Dryer



|| HC1604 ||
Hair Dryer



|| HC1611 ||
Portable Hair Dryer



|| HC1612 ||
Hair Dryer



Hair Clippers & Trimmers

|| HT01 ||
Hair Clipper



|| NHT01 ||
Mini Electric Shaver and
Nose Trimmer



|| NHT03 ||
Nose Trimmer



|| NHT04 ||
Nose Trimmer



|| NHT05 ||
Multifunctional
Eyebrow Trimmer



Radio Frequency Beauty Device

RE3201

RF,EMS,LED colorful light
 Battery lasting time : 900mAh
 Working time : about 40 minutes
 Size: 166.5*47.5*24mm
 Material: ABS
 Charging way: inductive charging



temperature sensor



Smart RF Beauty Device



RF+ ion export
 Deep Clean

EMS
 Nutrient Solution
 Input

RF+EMS+LED
 Pulling And
 Firming Skin

RF-S1

RF + ion export mode
 EMS mode
 RF + EMS + LED colorful light mode
 Input voltage: DC 8V 1.5A
 Product size: 158.8*41.5*43.8mm
 Net weight: about 350g
 Main material: ABS + PC + stainless steel

|| RF3201 ||
 RF Beauty Device



|| RF-S1 ||
 RF Beauty Device



|| RF2013 ||
 RF Beauty Device



|| RF-S2 ||
 Double-Head RF Beauty Device



|| FC1204 ||
 Blackhead Remover



|| ZN-01 ||
 Cold and Hot Double Jet Facial Steamer



|| ZN-02 ||
 Cold and Hot Double Jet Facial Steamer



|| EM-Y1 ||
 Eye Cream Introducer



|| EM3013 ||
 Eye Care Beauty Paste



|| MC1300 ||
 Micro Current Magnetic Induction Device



|| EM2101 ||
 Eye Massage Device



|| EM2302 ||
 Beauty Stick



Micro Current Magnetic Induction Device

MC1300

- Working time: ≥ 25 hours
- Power supply : 1.5V AAA battery
- Vibration frequency: 8200 times / min
- Weight: About 30g
- Size: 87.6 *Φ 42



Eye Massage Device EM2101

- Motor: 13000 RPM (without load)
- Size: 138.5 * 20 * 19.5mm
- Power supply: USB charging (lithium battery)
- Charging rated power: 1.5W
- Vibration massage
- Warm vibration massage

Beauty Stick EM2302

- Power supply: DC 1.5V AAA battery*1 pc;
- Dimension: 122*27*27mm
- Weight (without battery): about 45 g
- Motor speed: 8000 rpm, 1.5V vibration frequency: 130 Hz
- IPX4 waterproof
- Three kinds of massage heads: T-type, O-type and roller



|| RE1001-3C ||
Cool & Warm
Mini Beauty Fridge



|| RE1002-3C ||
Cool & Warm
Mini Beauty Fridge



|| CA-M1 ||
Smart Beauty
Makeup Mirror



|| CA7100 ||
Beauty Makeup Mirror



|| CA7201 ||
Desktop Led
Cosmetic Mirror



|| CA7302 ||
Desktop Led
Cosmetic Mirror



|| EP1178-CE ||
Nail Polisher



|| EP1150 ||
Electric Massage
Comb



|| EP1149 ||
Electric Shampoo
Massage Comb



|| ER2010 ||
Mini Portable
Hydration Spray



|| EP1292 ||
Massage Gun



|| FC1144 ||
Body Cleansing
Brush



|| FC1114 ||
Silicone Facial
Cleansing Brush



|| FC1132 ||
Facial Cleansing
Brush



|| EP01 ||
Automatic Induction
Cleaning Machine



|| EP02 ||
Mouthwash
Machine



DC-MOTOR HAIR DRYER

KIMPORT DC-MOTOR HAIR DRYER

HD-816 Professional Hair Dryer

- 220-240Vac 50-60Hz 2000W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC CB Approved



HD-819 Professional Hair Dryer

- 220-240Vac 50-60Hz 2000W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC/CB Approved



HD-818 Professional Hair Dryer

- 220-240Vac 50-60Hz 2000W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC/CB Approved



HD-821 Professional Hair Dryer

- 220-240Vac 50-60Hz 2200W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC/CB Approved



HD-801
Professional Hair Dryer

- 220-240Vac 50-60Hz 2200W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC Approved



HD-807
Professional Hair Dryer

- 220-240Vac 50-60Hz 2200W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC Approved



HD-803
Professional Hair Dryer

- 220-240Vac 50-60Hz 2200W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC Approved



HD-810
Professional Hair Dryer

- 220-240Vac 50-60Hz 2000W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- CE/GS/EMC Approved



HD-822
Professional Hair Dryer

- 220-240Vac 50-60Hz 2200W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC/CB Approved



HD-806
Travel Hair Dryer

- HD-806A 220-240Vac 50-60Hz 1200W
- HD-806B 120/220-240Vac 50/60Hz 1200W
- DC-Motor
- 2 speed & 2 heats settings
- Foldable handle
- With concentrator
- CE/GS/EMC Approved



HD-826
Compact Hair Dryer

- 220-240Vac 50-60Hz 2000W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC Approved



HD-808
Travel Hair Dryer

- HD-808A 220-240Vac 50-60Hz 1500W
- HD-808B 120/220-240Vac 50/60Hz 1500W
- DC-Motor
- Cool Shot Function
- 2 speed & 2 heats settings
- Foldable handle
- With concentrator
- Dual voltage for choice
- Ionic feature for choice
- CE/EMC Approved



HD-809
Travel Hair Dryer

- HD-809 220-240Vac 50-60Hz 1400-1600W
- HD-809B 120/220-240Vac 50/60Hz 1200/1400-1600W
- DC-Motor
- Cool Shot Function
- 2 speed & 2 heats settings
- Foldable handle
- With concentrator
- Dual voltage for choice
- Ionic feature for choice
- CE/EMC Approved



HD-825
Travel Hair Dryer

- HD-825A 220-240 Vac 50-60Hz 1200W
- HD-825B 120/220-240 Vac 50/60Hz 1200W
- DC-Motor
- 2 speed & 2 heats settings
- Foldable handle
- With concentrator
- Dual voltage for choice
- Ionic feature for choice
- CE/EMC Approved



HD-815
Travel Hair Dryer

- HD-815 220-240Vac 50-60Hz 1200W
- HD-815B 120/220-240Vac 50/60Hz 1200W
- DC-Motor
- 2 speed & 2 heats settings
- Foldable handle
- CE/EMC Approved



HD-829
Compact Hair Dryer

- 220-240Vac 50-60Hz 1800-2100W
- DC-Motor
- Cool Shot Function
- 2 speed & 2 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- CE/GS/EMC Approved



DC-MOTOR HAIR DRYER

KIMPORT DC-MOTOR HAIR DRYER

HD-817 Travel Hair Dryer

- HD-817 220-240Vac 50-60Hz 1600W
- HD-817B 120/220-240Vac 50/60Hz 1200/1400-1600W
- DC-Motor
- Cool Shot Function
- 2 speed & 2 heats settings
- Foldable handle
- With concentrator
- Dual voltage for choice
- Ionic feature for choice
- CE/EMC Approved



HD-812 Travel Hair Dryer

- HD-812 220-240Vac 50-60Hz 2000W
- HD-812B 120/220-240Vac 50/60Hz 1500/1900W
- DC-Motor
- Cool Shot Function
- 2 speed & 2 heats settings
- Foldable handle
- Removable filter cover
- With concentrator
- Dual voltage for choice
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC Approved



HD-805 Medium Hair Dryer

- 220-240Vac 50-60Hz 1800W
- DC-Motor
- Cool Shot Function
- 2 speed & 2 heats settings
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/GS/EMC Approved



HD-831 Professional Hair Dryer

- 220-240Vac 50-60Hz 1800-2200W
- DC-Motor
- Cool Shot Function
- 2 rocker switch provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice



DC-MOTOR HAIR DRYER

KIMPORT DC-MOTOR HAIR DRYER

HD-888 Speed style Hair Dryer

- HD-888 220-240Vac 50-60Hz 1600-2000W
- 3 speed and 3 temperature settings, including a cool shot to set your style.
- Optimum temperature control.
- Compact design.
- Removable and rotatable Concentrator nozzle for controlled styling
- Accessories include Turbo Concentrator and diffuser
- Ionic conditioning locks in moisture to keep hair healthy and frizz-free.



HD-830 Travel Hair Dryer

- 220-240Vac 50-60Hz 1900-2300W
- DC-Motor
- Cool Shot Function
- 0-1-2-3 Heats settings
- Removable filter cover
- Foldable handle
- With concentrator
- Ionic feature for choice
- Diffuser for choice



HD-833 Professional Hair Dryer

- 220-240Vac 50-60Hz 1900-2300W
- DC-Motor
- Cool Shot Function
- 2 rocker switches provide 2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice



AC-MOTOR HAIR DRYER

KIMPORT AC-MOTOR HAIR DRYER

HD-901 Professional Hair Dryer

- 220-240Vac 50-60Hz
1900-2300W
- AC-Motor
- Cool Shot Function
- 2 rocker switches provide
2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/EMC Approved



HD-903 Professional Hair Dryer

- 220-240Vac 50-60Hz
1800-2200W
- AC-Motor
- Cool Shot Function
- 2 rocker switches provide
2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/EMC Approved



HD-902 Professional Hair Dryer

- 220-240Vac 50/60Hz
1900-2300W
- AC-Motor
- Lockable Cool Shot Function
- 2 rocker switches provide
2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/EMC Approved



HD-906 Professional Hair Dryer

- 220-240Vac 50-60Hz
2000-2400W
- AC-Motor
- Cool Shot Function
- 2 rocker switches provide
2 speed & 3 heats settings
- Removable filter cover
- With 2 concentrator
(6*70MM & 6*90MM)
- Ionic feature for choice
- CE/EMC Approved



AC-MOTOR HAIR DRYER

KIMPORT AC-MOTOR HAIR DRYER

HD-905 Professional Hair Dryer

- 220-240Vac 50-60Hz
2000-2400W
- AC-Motor
- Cool Shot Function
- 2 rocker switches provide
2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/EMC Approved



HD-908 Professional Hair Dryer

- 220-240Vac 50-60Hz
2000-2400W
- AC-Motor
- Cool Shot Function
- 2 rocker switches provide
2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice
- CE/EMC Approved



HD-909 2600W Hair Dryer

- 220-240Vac 50-60Hz
2200-2600W
- AC-Motor
- Cool Shot Function
- 2 rocker switches provide
2 speed & 3 heats settings
- Removable filter cover
- With 2 concentrator
- (6*70MM & 6*90MM)
- Ionic feature for choice
- Diffuser for choice
- CE/EMC Approved



HD-909 Professional Hair Dryer

- 220-240V 50-60Hz
2200-2600W
- Professional 5415 AC-Motor
- Cool Shot Function
- 2 rocker switch provide
2 speed & 3 heats settings
- Removable filter cover
- With concentrator
- Ionic feature for choice
- Diffuser for choice



HAIR STRAIGHTENER & CURLER 2 IN 1 WITH IONIC COOL AIR

HC-210/211/212

Curling iron

- 100-240V 50-60Hz 25W
- PTC heater , NTC control.
- On/off button and Optimum temperature control
- LED display for temperature 120°C-130°C.....200°C
- 30 seconds heat-up time
- Heat ready indicator
- Automatic safety shut-off after 60 minutes

HC-211 10mm Curling tong
 HC-212 13-25mm conical iron
 HC-222 25mm Curling tong



HC-230/231

Curling iron comb

- 100-240V 50-60Hz 35W
- Curling tong with ceramic coating.
- PTC heater , NTC control.
- On/off button and Optimum temperature control
- LED display for temperature 120°C-130°C.....200°C
- 30 Seconds heat-up time
- Heat ready indicator
- Automatic safety shut-off after 60 minutes

HC-230 26mm curling iron comb
 HC-231 32mm curling iron comb



HC-201 2 in 1 Curl style

- 100-240Vac 50-60Hz 50W
- One button for ON/OFF and temperature control.
- 3 heat settings, 160C, 180C and 200C
- LED display to 3 heat settings, 160C, 180C and 200C
- PTC heater
- 1 hours auto-off protection
- 360°swivel cord with hanging loop
- Split-barrel hair styler with ceramic plates
- Large round barrel to form the hair into loose waves
- Cool air technology to set the curl immediately after it is formed



HC-240/241

Curling iron

- 100-240V 50-60Hz 35W
- Curling tong with ceramic coating.
- PTC heater , NTC control.
- On/off button and Optimum temperature control
- LED display for temperature 120°C-130°C.....200°C
- 30 Seconds heat-up time
- Heat ready indicator
- Automatic safety shut-off after 60 minutes

HC-240 25mm curling iron
 HC-241 32mm curling iron



HAIR STRAIGHTENER & CURLER 2 IN 1 WITH IONIC COOL AIR

KIMPORT

HC-220/221

Curling iron

- On/off button and +/- button for temperature control from 120-220°C
- LED digital display to provide digital temperature selections
- PTC heater
- Max temperature :220°C
- Stay cool tip for safer use.
- 1 hours auto-off protection
- 360°swivel cord with hanging loop
- Curling tong with ceramic coating

HC-220 19-25mm conical iron
HC-221 32mm curling iron comb



LD-0853

HAIR DRYER

HOT AIR STYLER

HAIR STRAIGHTENER

HA-608
Hot Air Styler

- 220-240Vac 50-60Hz 1000W
- DC-Motor
- 0-1-2-C heat settings
- Hanging Loop
- 360° swivel cord
- More attachments for choice
- Ionic feature for choice
- CE/GS/EMC/CB Approved

- A. Concentrator
- B. 21mm Bristle Brush
- C. 25mm Thermal Brush
- D. 30mm Shrinkable Brush
- E. 38 mm Thermal Brush
- F. 38 mm Plastic Brush
- G. Half Brush A
- H. Center Air Brush
- I. 50mm Bristle Brush



HA-602
Hot Air Styler

- 220-240Vac 50-60Hz 1000W
- DC-Motor
- 0-1-2-C heat settings
- Hanging Loop
- 360° swivel cord
- More attachments for choice
- Ionic feature for choice
- CE/GS/EMC/CB Approved

- A. Concentrator
- B. 21mm Bristle Brush
- C. 25mm Thermal Brush
- D. 30mm Shrinkable Brush
- E. 38 mm Thermal Brush
- F. 38 mm Plastic Brush
- G. Half Brush A
- H. Center Air Brush
- I. 50mm Bristle Brush



HA-601
Hot Air Styler

- 220-240Vac 50-60Hz 550W
- DC-Motor
- 0-1-2-C heat settings
- Hanging Loop
- 360° swivel cord
- More attachments for choice
- CE/GS/EMC/CB Approved

- A. Concentrator
- B. 21mm Bristle Brush
- C. 25mm Thermal Brush
- D. 30mm Shrinkable Brush
- E. 38 mm Thermal Brush
- F. 38 mm Plastic Brush
- G. Half Brush A
- H. Center Air Brush
- I. 50mm Bristle Brush



HA-603
Hot Air Styler

- 220-240Vac 50-60Hz 1000-1200W
- DC-Motor
- 2 speed & 3 heat settings
- Hanging Loop
- 360° swivel cord
- More attachments for choice
- Ionic feature for choice
- CE/GS/EMC/CB Approved

- A. Concentrator
- B. 21mm Bristle Brush
- C. 25mm Thermal Brush
- D. 30mm Shrinkable Brush
- E. 38 mm Thermal Brush
- F. 38 mm Plastic Brush
- G. Half Brush A
- H. Center Air Brush
- I. 50mm Bristle Brush



HA-605 Oval Brush

- 220-240Vac 50-60Hz 1000W
- DC-Motor
- 0-1-2-C heat settings
- Hanging Loop
- 360° swivel cord
- Ionic feature for choice
- CE/GS/EMC/CB Approved



HA-607 Paddle Brush

- 220-240Vac 50-60Hz 1000W
- DC-Motor
- 0-1-2-C heat settings
- Hanging Loop
- 360° swivel cord
- Removable filter cover
- Ionic feature for choice
- CE/GS/EMC/CB Approved



HA-606 Rotating Hot Air Styler

- 220-240Vac 50-60Hz 850-1000W
- DC-Motor
- 0-1-2-C heat settings
- Overload protect function to prevent hair to be strained
- Release button for attachment
- Soft switch to control attachment left/right turning
- Hanging Loop
- 360° swivel cord
- Two accessories: Ø50 and Ø38
- CE/GS/EMC/CB Approved



HA-616 Rotating Hot Air Styler

- 220-240Vac 50-60Hz 850-1000W
- DC-Motor
- 0-1-2-C heat settings
- Overload protect function to prevent hair to be strained
- Release button for attachment
- Soft switch to control attachment left/right turning
- Hanging Loop
- 360° swivel cord
- 3 accessories: Ø50 / Ø38 and Paddle
- CE/GS/EMC/CB Approved
- 6 accessories for Choice



HOT AIR STYLER

HA-636 Rotating hot air style

- 220-240Vac
50-60Hz1000W
- DC-Motor
- 0-1-2-C heats settings
- Overload protect function to prevent hair to be strained
- Soft switch to control attachment left/right turning
- Removable filter cover
- 360°swivel cord with
- Hanging Loop
- Ionic feature for choice



HA-501 Hot Air Styler

- 100Vac 50-60Hz 700W
- DC-Motor
- OFF-COOL-HOT heat settings
- Hanging Loop
- 360° swivel cord
- With half brush
- PSE standard



HA-503 Hot Air Styler

- 100Vac 50-60Hz 700W
- DC-Motor
- OFF-5ET-TURBO heat settings
- Cool shot function
- Hanging Loop
- 360° swivel cord
- With half brush
- PSE standard



HA-502 Hot Air Styler

- 100V/240Vac 50-60Hz 450W/650W
- DC-Motor
- Cool shot function
- 0-1-2 heat settings
- Dual Voltage
- Hanging Loop
- 360° swivel cord
- With half brush
- PSE standard



HA-603

HA-601

HA-608

HA-602

HS-100 Hair straightener comb

- 4330573Y 83-93K} 83Z
- fr p e z lvk ceramic coating
- SWF khdvhu
- Z lvk r n/off vz lvk button
- LED digital display to provided digital temperature selections 4730553 Z
- Max temperature : 250°C
- 30 Min auto-off protection
- 360°swivel cord with hanging loop
- Ionic feature for choice
- Heating comb with protective cover



HS-308 Professional hair straightener

- 25*110mm ceramic coating plate
- Floating plates
- On/off button and +/- button for t emperature control from140-230°C
- LED digital display to provide digial temperature selections
- Ceramic Infused with Argon Oil & Keratin
- PTC heater
- Lockable handle
- 30 Min auto-off protection
- 360°swivel cord with hanging loop
- Ionic feature for choice
- 100-240Vac 50-60Hz 50W



HS-307 Cordless Mini hair straightener

- 16*65mm ceramic coating plate
- On/off power button
- Max temperature :200°C
- LED display Temperature : 160°C,180°C,200°C.
- Auto-shut-off function within 15minutes
- Usages time: 30 minutes
- Charge time: 3-4 hours
- Lockable handle



HS-309 Professional hair straightener

- 25*110mm ceramic coating plate
- Floating plates
- On/off button and +/- button for temperature control from140-230°C
- LED digital display to provide digial temperature selections
- Ceramic Infused with Argon Oil & Keratin
- PTC heater
- Lockable handle
- 30 Min auto-off protection
- 360°swivel cord with hanging loop
- 100-240Vac 50-60Hz 50W



HS-301 Professional hair straightener

- 28*110mm ceramic coating plate
- Floating plates
- On/off button and +/- button for temperature control from 130-230°C
- LED digital display to provide digital temperature selections
- PTC heater
- Max temperature : 230°C
- Lockable handle
- 30 Min auto-off protection
- 360°swivel cord with hanging loop
- Ionic feature for choice
- 220-240Vac 50-60Hz 50W



HS-302 Hair straightener

- 25*90mm ceramic coating plate
- Floating plates
- On/off button with power indicator light
- PTC heater
- Max temperature : 220°C
- Lockable handle
- 360°swivel cord with hanging loop
- 30 Min auto-off protection
- 220-240Vac 50-60Hz 40W



HS-305 Professional hair straightener

- 25*110mm ceramic coating plate
- Floating plates
- 0-1-2-3 heat setting for temperature control
- LED display to provide digital temperature selections
- 1 for temperature 160°C, 2 for temperature 190°C, 3 for temperature 220°C
- PTC heater
- Max temperature : 220°C
- Lockable handle
- 30 Min auto-off protection
- 360°swivel cord with hanging loop
- 220-240Vac 50-60Hz 50W



HS-303 Mini hair straightener

- 20*80mm ceramic coating plate
- On/off button with power indicator light
- PTC heater
- Max temperature : 200°C
- Lockable handle
- 360°swivel cord with hanging loop
- 100-240Vac 50-60Hz 20W



HS-310/311/312 Hair straightener

- On/off button and +/- button for temperature control from 120-220°C
- LED digital display to provide digital temperature selections
- PTC heater
- Max temperature :220°C
- Lockable handle
- 1 hours auto-off protection
- 360°swivel cord with hanging loop

HS-310 25*110mm ceramic coating plate
HS-311 13*110mm ceramic coating plate
HS-312 32*110mm ceramic coating plate



HOT AIR STYLER

RW1012

220-240V 50/60Hz 600-700W
110-127/220-240V 50/60Hz 600-800/600-740W

Two speed with cool function

Hang up hook

360 swivel cord

Optional detachable attachment:

A3: Concentrator

B3: Half brush

C3: Comb

D3: Long tooth brush

E3: Round brush

F3: Curling

G3: Short tooth brush

C4: Vent soften brush

D4: 45mm bristle brush

E4: 65mm bristle brush

F4: curling iron

G4: Crocodile straightening brush



HOT AIR STYLER

RW1017

220-240V 50/60Hz 800W

Two speed with cool function

Hang up hook

360 swivel cord

Optional detachable attachment:

A3: Concentrator

B3: Half brush

C3: Comb

D3: Long tooth brush

E3: Round brush

F3: Curling

G3: Short tooth brush

C4: Vent soften brush

D4: 45mm bristle brush

E4: 65mm bristle brush


F4: curling iron

G4: Crocodile straightening brush



**HOT AIR STYLER
RW2001**

220-240V 50/60Hz 1000W
120/230V 50/60Hz 1000W
Two speed with cool function
360 swivel cord
Optional detachable attachments :
A5: Concentrator
B5: Half brush
C5: Vent soften brush
D5: Small bristle brush
E5: Big bristle brush
F5: Flat brush
G5: Round twist brush



**HOT AIR STYLER
RW2002**

220-240V 50/60Hz 1000W
120/230V 50/60Hz 1000W
Two speed with cool function
360 swivel cord
Optional detachable attachments :
A5: Concentrator
B5: Half brush
C5: Vent soften brush
D5: Small bristle brush
E5: Big bristle brush
F5: Flat brush
G5: Round twist brush



**ALL-IN-ONE HAIR BRUSH
RW2007**

ERGONOMIC DESIGN
DC MOTOR
220-240V - 50/60HZ 1200W
ALL-IN-ONE HEAD, NON-DETACHABLE BRUSH HEAD
TANGLE-FREE COMBINATION BRISTLES
COOL TIPS
THREE SPEED & TEMPERATURE
ROTATION SWITCH
OVERHEAT PROTECTION
360 SWIVEL CORD FOR TANGLE FREE AND EASY STYLING
IONIC FUNCTION FOR OPTIONAL
DUAL VOLTAGE FOR OPTIONAL




HAIR CURLER
RW1015

100-240V 50/60Hz 25W
ON/OFF switch with LED indicator light
Temperature: 188-200°C
360 degree swivel cord
Giftbox: 34.5*6.5*5.0Cm
CTN:52.5*27.5*36.0Cm
Qty:40pcs/ctn
G.W/N.W: 12.6/12.0Kgs
20'40'/40'HQ:21500/43000/52400Pcs




HOT AIR STYLER
RW1018

100-240V 50/60Hz 25W
ON/OFF switch with LED indicator light
Temperature: 188-200°C
360 degree swivel cord
Giftbox: 34.5*6.5*5.0Cm
CTN:52.5*27.5*36.0Cm
Qty:40pcs/ctn
G.W/N.W: 12.6/12.0Kgs
20'40'/40'HQ:21500/43000/52400Pcs



HAIR CURLER
RW1016

100-240V 50/60Hz 25W
ON/OFF switch with LED indicator light
Temperature: 188-200°C
360 degree swivel cord
Giftbox: 34.5*6.5*5.0Cm
CTN:52.5*27.5*36.0Cm
Qty:40pcs/ctn
G.W/N.W: 12.6/12.0Kgs
20'40'/40'HQ:21500/43000/52400Pcs



MINI HAIR CURLING IRON
RW1019

100-240V 50/60Hz 25W
PTC heating
Stainless steel fever
On/off switch
LED indicator light
360 degree swivel cord
Temperature: 180°C
Giftbox :24.8*7.2*4.8cm
Qty: 40pcs/ctn
Carton box:51.0*16.0*25.5cm
20'40'/40'HQ:27000/54000/66000Pcs



MINI HAIR STRAIGHTENER
RW3001

100-240V 50/60Hz 25W
PTC heating
Aluminum plate
On/off switch
Temperature: 180-200°C
Giftbox: 6.4*4.2*22.5cm
Carton box : 27.6*23.0*24.5cm
Qty:20pcs/ctn
20'40'/40'HQ:36000/72000/88000 Purchase



HAIR CURLER
RW1020

100-240V 50/60HZ 30W
PTC heating
On/off switch
With working indicator
Temperature: 180-200°C
360°C swivel cord



HAIR STRAIGHTING BRUSH
RW3006

100-240V 50/60HZ 55W
PTC heating
On/off switch
With working indicator
Temperature: 180-200°C



MIST HAIR STRAIGHTENER
HS3002

100-240V AC 50/60HZ 50W
PTC heating
Ceramic coated aluminum floating plate
With LED display
Mist On/Off switch
Power On/Off switch
Adjustable temperature control
Detachable water tank
With a locker
With 360°C swivel cord





HAIR STRAIGHTING BRUSH
RW3007

RW3007
100-240V 50/60Hz 25W
PTC heating
On/off switch
With working indicator
Temperature : 180-200°C



HAIR DRYER
RW829

220-240V 50/60Hz 1000W
Two speed with cool shot
Removable filter
Giftbox : 18.0*11.5*7.0cm
Qty: 20pcs/ctn
Carton box:37.5*24.5*36.5 cm
20'40'/40'HQ:16680/33360/40500Pcs



HAIR CURLER
RW1021

100-240V 50/60Hz 30W
PTC heating
Press On/off switch
With working indicator
Temperature : 180-200°C



HAIR DRYER FOR HOTEL
RW717

220-240V 50/60Hz 1200W
Two speed with cool function
Giftbox: 23.5*15.5*7.5cm
Qty: 20pcs/ctn
Carton box :39.0*32.5*25.0cm
20'40'/40'HQ:11000/22000/28400Pcs



HAIR DRYER FOR HOTEL

RW727

220-240V 50/60Hz 1200W
 Two speed with cool function
 Giftbox: 23.0*20.0*9.8cm
 Qty: 10pcs/ctn
 Carton box :49.5*42.0*25.0cm
 20'40'40'HQ:53200/10640/12920Pcs



TRAVEL HAIR DRYER

RW601

220-240V~ 50/60Hz 1000W
 110-120V/220-240V~ 50/60Hz 1000W
 Single or Dual Voltage
 Two Speed
 Foldable Handle For Easy Carrying
 Hang Up Hook
 Diffuser A For Option
 Giftbox: 11.5*7.8*16.4cm
 CTN:39.5*24.0*34.0cm
 Qty:20pcs/ctn
 G.W/N.W:7.8/6.9Kgs
 20'40'40'HQ:17500/35000/42600Pcs



HAIR DRYER

RW300

220-240V 50/60Hz 1300W, 1400W
 Two speed with Cool shot
 Removable filter
 Giftbox: 29.5*10.5*26.0
 Qty: 10pcs/ctn
 Carton box: 54.0*31.0*53.5cm
 20'40'40'HQ:3120/6240/7560Pcs



MEDIUM HAIR DRYER

RW609

220-240V~ 50/60Hz 1400,1600W
 Two Speed,three temperature
 Cool Shot
 Hang Up Hook
 Diffuser B for option
 Over Heating Protection
 Giftbox: 17.5*8.5*25.0cm
 CTN:44.0*36.5*51.5cm
 Qty:20pcs/ctn
 G.W/N.W:12.9/11.9Kgs
 20'40'40'HQ:6800/13600/16500Pcs



TRAVEL HAIR DRYER

RW610

220-240V~ 50/60Hz 1000-1200W
 Two Speed
 Diffusor A For Option
 Giftbox:11.0*7.0*16.5cm
 CTN:36.5*23.5*34.5cm
 Qty:20pcs/ctn
 G.W/N.W:7.8/6.9Kgs
 20'/40'/40'HQ:18800/37600/44000Pcs



TRAVEL HAIR DRYER

RW618

RW618A/B 220-240V~ 50/60Hz 1000/1200W
 RW618S 120V/230V~ 50/60Hz 1200W
 Single or Dual Voltage
 Two Speed
 Hang Up Hook
 Diffusor A for option
 Giftbox:11.8*7.8*16.5cm
 CTN:40.5*25.0*34.5cm
 Qty:20pcs/ctn
 G.W/N.W:9.0/8.6Kgs
 20'/40'/40'HQ:16000/32000/39000Pcs



HIGH-POWER HAIR DRYER

RW617

220-240V~ 50/60Hz 1800-2000W
 Two Speed,three temperature
 cool Shot
 Hang Up Hook
 Diffusor B for option
 Giftbox:22.8*9.8*27.5cm
 CTN:50.5*47.0*29.0cm
 Qty:10pcs/ctn
 G.W/N.W:9.0/8.2Kgs
 20'/40'/40'HQ:4100/8200/9800Pcs



HIGH-POWER HAIR DRYER

RW619

220-240V~ 50/60Hz 1800W, 2000W
 Two Speed,three temperature
 Cool Shot
 With turbo feature
 Hang Up Hook
 With removable filter
 Diffusor B for option
 Giftbox:22.6*9.2*26.0cm
 CTN:47.5*47.0*27.5cm
 Qty:10pcs/ctn
 G.W/N.W:8.2/7.5Kgs
 20'/40'/40'HQ:4600/9200/11200Pcs



**TRAVEL HAIR DRYER
RW709**

220-240V~ 50/60Hz 1000W, 1200W
Two Speed
Hang Up Hook
Giftbox:11.5*7.70*18.0cm
CTN:40.0*24.5*37.5cm
Qty:20pcs/ctn
G.W/N.W:9.2/8.4Kgs
20'/40'/40'HQ:15000/31300/36700Pcs



**TRAVEL HAIR DRYER
RW710**

220-240V~ 50/60Hz 1000W, 1200W
120V/230V~ 50/60Hz 1200W
Single or Dual Voltage
Two Speed
Hang Up Hook
Giftbox:11.0*7.20*17.0cm
CTN:37.5*23.5*36.0cm
Qty:20pcs/ctn
G.W/N.W:8.4/7.6Kgs
20'/40'/40'HQ:17900/35800/43400Pcs



**HIGH-POWER HAIR DRYER
RW716**

220-240V~ 50/60Hz 2000W, 2200W
Two Speed, three temperature
cool Shot
Hang Up Hook
Diffuser B for option
Giftbox:22.8*9.5*27.5cm
CTN:49.5*47.0*29.0cm
Qty:10pcs/ctn
G.W/N.W:8.4/7.7Kgs
20'/40'/40'HQ:4100/8500/10000Pcs



**MEDIUM HAIR DRYER
RW718**

220-240V~ 50/60Hz 1400W, 1600W
120V/230V~ 50/60Hz 1400W
Single or Dual Voltage
Two Speed cool shot
Hang Up Hook
Diffuser A for option
Giftbox:16.0*9.0*24.0cm
CTN:46.5*33.5*25.5cm
Qty:10pcs/ctn
G.W/N.W:6.9/5.9Kgs
20'/40'/40'HQ:7000/14600/17100Pcs



**HIGH-POWER HAIR DRYER
RW719**

220-240V~ 50/60Hz 2000W, 2200W
Two Speed, three temperature
cool Shot
Hang Up Hook
With removable filter
Diffusor D for option
Giftbox: 22.8*11.5*28.5cm
CTN: 59.0*47.0*30.0cm
Qty: 10pcs/ctn
G.W/N.W: 8.8/8.0Kgs
20'/40'/40' HQ: 3300/7000/8200Pcs




**HIGH-POWER HAIR DRYER
RW801**

220-240V~ 50/60Hz 2000W, 2200W
Two Speed, three temperature
cool Shot
Hang Up Hook
With removable filter
Diffusor B for option
Giftbox: 24.0*9.8*27.5cm
CTN: 51.5*49.5*29.0cm
Qty: 10pcs/ctn
G.W/N.W: 8.2/7.5Kgs
20'/40'/40' HQ: 3700/7400/9100Pcs



**HIGH-POWER HAIR DRYER
RW803**

220-240V~ 50/60Hz 1800W, 2000W
Two Speed, cool Shot
Hang Up Hook
With removable filter
Giftbox: 22.8*9.8*28.5cm
CTN: 51.5*47.0*28.0cm
Qty: 10pcs/ctn
G.W/N.W: 7.4/6.7Kgs
20'/40'/40' HQ: 4200/8500/10000Pcs



**HIGH-POWER HAIR DRYER
RW805**

220-240V~ 50/60Hz 1800W, 2000W
Two Speed, three temperature
cool Shot
Hang Up Hook
Over Heating Protection
Giftbox: 22.8*9.5*27.5cm
CTN: 49.5*47.0*29.0cm
Qty: 10pcs/ctn
G.W/N.W: 9.5/8.5Kgs
20'/40'/40' HQ: 4100/8500/10000Pcs



**HIGH-POWER HAIR DRYER
RW807**

220-240V~ 50/60Hz 2000W, 2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Diffusor B for option
Giftbox:22.8*9.8*28.0cm
CTN:50.5*47.0*29.0cm
Qty:10pcs/ctn
G.W/N.W:8.2/7.4Kgs
20'/40'/40'HQ:3900/8100/8500Pcs




**HIGH-POWER HAIR DRYER
RW809**

220-240V~ 50/60Hz 1800--2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Diffusor B for option
Giftbox:21.8*9.8*28.0cm
CTN:51.5*44.5*29.5cm
Qty:10pcs/ctn
G.W/N.W:8.1/7.4Kgs
20'/40'/40'HQ:4100/8500/10000Pcs



**TRAVEL HAIR DRYER
RW808**

220-240V~ 50/60Hz 1400W, 1600W
Two Speed with cool Shot
Hang Up Hook
Giftbox:13.2*7.5*19.8cm
CTN:39.5*28.0*41.0cm
Qty:20pcs/ctn
G.W/N.W:9.8/9.2Kgs
20'/40'/40'HQ:12300/25600/30000Pcs



**HIGH-POWER HAIR DRYER
RW810**

220-240V~ 50/60Hz 1800-2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Diffusor B for option
Giftbox:22.8*9.8*27.5cm
CTN:51.5*44.5*29.0cm
Qty:10pcs/ctn
G.W/N.W:7.9/6.9Kgs
20'/40'/40'HQ:4000/8200/9600Pcs



**HIGH-POWER HAIR DRYER
RW812**

220-240V~ 50/60Hz 1800-2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Diffusor B for option
Giftbox:22.8*9.8*28.0cm
CTN:51.5*47.0*29.0cm
Qty:10pcs/ctn
G.W/N.W:7.9/6.9Kgs
20'/40'/40'HQ:3980/9250/9680Pcs



**HIGH-POWER HAIR DRYER
RW816**

220-240V~ 50/60Hz 1800-2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Diffusor B for option
Giftbox:24.0*9.8*27.5cm
CTN:51.5*49.5*29.0cm
Qty:10pcs/ctn
G.W/N.W:8.3/7.8Kgs
20'/40'/40'HQ:3800/7800/9200Pcs



**HIGH-POWER HAIR DRYER
RW813**

220-240V~ 50/60Hz 1800-2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Diffusor B for option
Giftbox:24.0*9.8*28.0cm
CTN:51.5*49.5*29.0cm
Qty:10pcs/ctn
G.W/N.W:7.9/6.9Kgs
20'/40'/40'HQ:3700/7800/9200Pcs



**HIGH-POWER HAIR DRYER
RW820**

220-240V~ 50/60Hz 2000W, 2200W
Two Speed,three temperature
cool Shot
With turbo feature
Power Indicator Light
Hang Up Hook
With removable filter
Diffusor B for option
Giftbox:23.0*10.0*27.5cm
CTN:51.5*47.5*29.0cm
Qty:10pcs/ctn
G.W/N.W:8.9/8.2Kgs
20'/40'/40'HQ:3950/8200/9600Pcs



TRAVEL HAIR DRYER

RW827

220-240V~ 50/60Hz 1200W, 1400W
 120/230V 50/60Hz 1200W
 cool Shot for option
 Hang Up Hook
 Giftbox:12.0*8.5*20.5cm
 CTN: 44.0*25.5*42.5 cm
 Qty:20pcs/ctn
 20'/40'/40'HQ:11740/23500/28600Pcs



HIGH POWER HAIR DRYER WITH FOLDABLE HANDLE

RW830

220-240V 50/60Hz 1800W, 2000W
 Two speed, three temperature
 Cool shot function
 With foldable handle
 Giftbox size: 25.0*13.0*9.0cm
 Carton box: 46.5*27.5*26.5cm
 Qty: 10pcs/ctn
 20'/40'/40'HQ:8300/12600/15300Pcs



HIGH-POWER HAIR DRYER

RW828

220-240V~ 50/60Hz 2000W, 2200W
 Two Speed,three temperature
 LED indicator or decoration for option
 cool Shot and Hang Up Hook
 Diffuser B for option
 Giftbox:23.0*10.0*27.5cm
 CTN:51.5*47.5*29.0cm
 Qty:10pcs/ctn
 G.W/N.W:8.5/7.5Kgs
 20'/40'/40'HQ:3950/7900/9600Pcs



HIGH POWER HAIR DRYER WITH FOLDABLE HANDLE

RW831

220-240V 50/60Hz 1800W, 2000W
 Two speed, three temperature
 Cool shot function
 With foldable handle
 Giftbox size: 25.0*13.0*9.0cm
 Carton box: 46.5*27.5*26.5cm
 Qty: 10pcs/ctn
 20'/40'/40'HQ:8300/12600/15300Pcs



HAIR DRYER
RW836

220-240V 50/60HZ 1800W
DC motor
Two speeds and three temperatures
Cool shot function
With foldable handle
With hang hook
Giftbox: 250*138*95cm 20pcs/ctn
Carton: 51.5*29.0*49.0cm
20'/40'/40'HQ:7700/15400/19000Pcs



HIGH-POWER HAIR DRYER
RW839

220-240V~ 50/60Hz 2000W, 2200W
Two Speed,three temperature
cool Shot function
Hang Up Hook
With removable black cover
Diffuser B for option
Giftbox:22.8*10.0*30.0cm
CTN:47.0*51.5*31.5cm
Qty:10pcs/ctn
20'/40'/40'HQ:3700/7400/9000Pcs




HIGH-POWER HAIR DRYER
RW837

220-240V~ 50/60Hz 2000W, 2200W
Two Speed,three temperature
Ionic function with on/off switch
cool Shot function
Hang Up Hook
With removable black cover
Diffuser B for option
Giftbox:22.8*10.0*30.0cm
CTN:47.0*51.5*31.5cm
Qty:10pcs/ctn
20'/40'/40'HQ:3700/7400/9000Pcs



HIGH-POWER HAIR DRYER
RW851

220-240V~ 50/60Hz 2000-2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Giftbox:22.8*9.8*28.0cm
CTN:50.5*47.0*29.0cm
Qty:10pcs/ctn
G.W/N.W: 8.2/7.5Kgs
20'/40'/40'HQ:3900/8000/9700Pcs



HIGH-POWER HAIR DRYER
RW852

220-240V- 50/60Hz 2000-2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Giftbox:22.8*9.8*28.0Cm
CTN:50.5*47.0*29.0Cm
Qty:10pcs/ctn
G.W/N.W: 8.2/7.5Kgs
20'/40'/40'HQ:3900/8000/9700Pcs




HAIR DRYER
RW856

Ergonomic design
DC motor
220-240V ~ 50/60Hz 1200W
110-120V ~ 50/60Hz 1200W
Dual voltage for option
Two speed & temperature
Slide switch
Overheat protection
Foldable handle for easy carrying
Hang up hook
Removable filter cover
With concentrator
Diffuser for option



HIGH-POWER HAIR DRYER
RW853

220-240V- 50/60Hz 2000W, 2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Diffuser B for option
Giftbox:24.0*10.5*28cm
CTN:54.0*49.5*29.5cm
Qty:10pcs/ctn
G.W/N.W:8.5/7.5Kgs
20'/40'/40'HQ:3550/7350/8600Pcs



HAIR DRYER
RW855

220-240V- 50/60Hz 2000-2200W
Two Speed,three temperature
cool Shot
Hang Up Hook
With removable filter
Giftbox:22.8*9.8*28.0Cm
CTN:50.5*47.0*29.0Cm
Qty:10pcs/ctn
G.W/N.W: 8.2/7.5Kgs
20'/40'/40'HQ:3900/8000/9700Pcs




HAIR DRYER
RW858

Ergonomic design
DC motor
220-240V ~ 50/60Hz 2200W
Two speed, three temperature
Cool shot
Toggle switch
Overheat protection
Straight handle
Hang up hook
Removable filter cover
With concentrator
Diffuser for option



MEDIUM HAIR DRYER
RW861

220-240V~ 50/60Hz 1400/1600W
120/230V~ 50/60hz 1200/1500w
Single or dual voltage
Two Speed and cool shot
Hang Up Hook
Giftbox:13.5*8.5*21.5cm
CTN:44.5*28.5*44.5cm
Qty:20pcs/ctn
G.W/N.W:10.9/9.9Kgs
20'/40'/40'HQ:9920/19840/24100Pcs



HAIR DRYER
RW859

Ergonomic design
DC motor
220-240V ~ 50/60Hz 1350-1600W
100-127V ~ 50/60Hz 750-1200W
Dual voltage for option
Two speed & temperature
Slide switch
Overheat protection
Foldable handle for easy carrying
Hang up hook
With concentrator



HAIR DRYER
RW863

Ergonomic design
DC motor
220-240V ~ 50/60Hz 1600W
110-120V ~ 50/60Hz 1200W
Dual voltage for option
Two speed & temperature
Slide switch
With cool shot function
Overheat protection
Foldable handle for easy carrying
Hang up hook
Removable filter cover
With concentrator
Ionic function for option



**HIGH-POWER HAIR DRYER
RW868**

220-240V~ 50/60Hz 2000W, 2200W
Two Speed, three temperature
cool Shot
Hang Up Hook
With removable filter
Diffuser B for option
Giftbox: 24.0*9.8*27.5cm
CTN: 51.5*49.5*29.0cm
Qty: 10pcs/ctn
G.W/N.W: 8.5/7.5Kgs
20'/40'/40' HQ: 3800/7800/9200Pcs



**MINI HAIR DRYER FOR PROMOTION
RW7110**

220-240V~ 50/60Hz 500W
Two Speed
Hang Up Hook
Giftbox: 10.5*6.0*15.5cm
CTN: 31.5*22.5*32.5cm
Qty: 20pcs/ctn
G.W/N.W: 6.8/5.9Kgs
20'/40'/40' HQ: 24300/50000/59000Pcs



**HAIR DRYER
RW922**

Ergonomic design
Ultra-light weight design
BLDC motor with 11000RPM
220-240V ~ 50/60Hz 1600W
Three speed & four temperature
Electronic switch
With cool shot function
With LED indicator to show air speed and temperature
With ionic function
Overheat protection
Straight handle
Removable filter cover
With concentrator
Diffuser for option



**STRAIGHT HANDLE HAIR DRYER
RW7510**

220-240V~ 60/80Hz 1000W, 1200W
Two Speed
Giftbox: 17.5*7.0*22.5cm
CTN: 36.5*36.5*45.5cm
Qty: 20pcs/ctn
G.W/N.W: 9.8/8.9Kgs
20'/40'/40' HQ: 9200/19000/22000Pcs



MEDIUM HAIR DRYER

RW7610

220-240V~ 50/60Hz 1400/1600W
 Two Speed and cool shot
 Hang Up Hook
 Giftbox:12.0*8.7*20.0cm
 CTN:45.0*25.5*41.5cm
 Qty:20pcs/ctn
 G.W/N.W: 10.5/10.0Kgs
 20'/40'/40'HQ:11700/24300/28500Pcs



TRAVEL HAIR DRYER

RW865

Ergonomic design
 DC motor
 220-240V ~ 50/60Hz 1200W
 Two speed & temperature
 Slide switch
 Overheat protection
 Foldable handle for easy carrying
 Hang up hook
 With concentrator



Giftbox: 235*235*68mm 10pcs/ctn
 Carton box: 485*365*250mm

HAIR DRYER

RW835


220V 50/60HZ 750W
 127V 50/60HZ 1000W
 DC motor
 With dual voltage function
 Two speeds
 With foldable handle
 With hang hook
 Giftbox: 11.5*7.0*18.0cm
 Ctn size: 36.5*24.5*37.5cm
 Qty per ctn: 20PCS/CTN
 20'/40'/40'HQ:16800/22600/41000pCS



TRAVEL HAIR DRYER

RW712

220-240V- 50/60Hz 1000W, 1200W
 Two Speed
 Hang Up Hook
 Giftbox:11.8*7.8*16.5cm
 CTN:40.5*25.0*34.5cm
 Qty:20pcs/ctn
 G.W/N.W:7.6/6.2Kgs
 20'/40'/40'HQ:16000/33100/38800Pcs



DIFFUSER



Diffusor A



Diffusor B



Diffusor C



Diffusor D



Diffusor E



ZERO-CUTTING HAIR CLIPPER
RFCD-F11D

Ergonomic & low noise design
Operation time: approx. 1 hours
Charging time: approx. 90 mins
Corded or cordless using
On/off switch with 2 speed
LED indicator
Full steel alloy fixed blade & moving blade
Removable cutting set for easy cleaning
4 guide comb attachments: 1.0/1.5/2.0/3.0mm
Battery: 3.7V 700mAh lithium
Accessories: Adaptor, 4 guide combs, oil, cleaning brush, charging base



DETAILED TRIMMER
RFCD-F12

2 hours using and 3 hours charging
1600mAh Li-Ion battery
speed regulation by touch panel
With charge base
Five speeds with LED indicator light
Stainless steel fixed blade
Ergonomic & Low noise Design
Cord or Cordless function
Attachment: 1 adaptor, 4 guide combs, 1 brush,
1 oil



PROFESSIONAL HAIR CLIPPER
RFCDF-F11L

1.5 hour using and 1.5 hour charging
600mAh Li-on battery
With charge base
Two speed with LED display
Stainless steel fixed blade
Low noise design
Cord and cordless function
Attachment: 1 Adaptor, 4 guide comb, 1 brush,
1 oil



DETAILED TRIMMER
RFCD-F12B

1.5 hours using and 1.5 hours charging
700mAh Li-ion battery
On/off switch and two speeds
With charge base
Stainless steel fixed blade
Ergonomic & Low noise Design
Cord or Cordless function
Attachment: 1 adaptor, 4 guide combs, 1
brush, 1 oil



**PRO T OUTLINER HAIR TRIMMER
RFCD-F13**

Ergonomic & low noise design
 Operation time: approx. 2.5 hours
 Charging time: approx. 120 mins
 Corded or cordless using
 On/off switch
 Full steel alloy fixed blade & moving blade
 Special cutting set for easy cleaning
 With blade axle guard for safety
 4 guide comb attachments: 1.0/1.5/2.0/3.0mm
 Battery: 3.7V 1400mAh Lithium
 Accessories: Type C cable, 4 guide combs, oil, cleaning brush



**PROFESSIONAL HAIR CLIPPER
RFCD-F16**

Ergonomic & low noise design
 Operated by 2000mAh lithium battery
 3 hours fast charging & 4 hours using
 With 360° rotation charging base
 Cord and cordless using function
 Titanium coated S.Steel fixed blade
 Ceramic moving blade
 Charging indicator
 On/off switch with 2 speeds
 5 adjustable cutting size setting by rotary body
 High performance DC motor
 Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil



Giftbox: 235*235*68mm 10pcs/ctn
 Carton box: 485*365*250mm

**PROFESSIONAL HAIR CLIPPER
RFCD-F15**


1.5 hour using and 1.5 hour charging
 600mAh Li-ion battery
 With charge base
 Two speed with LED display
 Stainless steel fixed blade
 Low noise design
 Cord and cordless function
 Attachment: 1 Adaptor, 4 guide comb, 1 brush, 1 oil



Giftbox: 242*62*233mm 20pcs/ctn
 Carton box: 505*330*486mm

**PROFESSIONAL HAIR CLIPPER
RFCD-F17B**

Ergonomic & low noise design
 Operated by 700mAh lithium battery
 1.5 hours fast charge & 1.0 hours using
 With 360° rotation charging base
 Cord and cordless using function
 Titanium coated S.Steel fixed blade
 Ceramic moving blade
 Charging indicator
 On/off switch with 2 speeds
 With LED display
 5 adjustable cutting size setting by rotary body
 High performance DC motor
 Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil



Giftbox: 235*235*68mm 10pcs/ctn
 Carton box: 485*365*250mm

PROFESSIONAL HAIR CLIPPER
RFCD-F19

1.5 hours using and 1 hours charging
700mAh lithium battery
With LCD display
With charge base
Ceramic moving blade
Ergonomic & Low noise Design
Cord or Cordless & Tita-Plated stationary blade
The cutting height can be adjusted from 1.0 to 1.9mm
Blade can be easy to take out and clean
Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil



PROFESSIONAL HAIR CLIPPER
RFCD-F22B

Ergonomic & low noise design
Operated by 700mAh lithium battery
1.5 hour fast charging and 1 hour using
With 360° rotation charging base
Ergonomic & low noise design
Cord or cordless using function
Titanium coated S.Steel fixed blade
Ceramic moving blade
On/off switch with 2 speeds
With LED display
5 adjustable cutting size setting by rotary body
High performance DC motor
Attachment: adaptor, 4 guide combs, brush, oil



Giftbox: 235*235*68mm 10pcs/ctn
Carton: 485*365*250mm

PROFESSIONAL HAIR CLIPPER
RFCD-F21

4 hours using and 4 hours charging
2200mAh lithium battery
With charge base
Ceramic moving blade
Ergonomic & Low noise Design
Cord or cordless function
Titi-plated stationary blade
The cutting height can be adjusted from 0.8 to 2.0mm
Blade can be easy to take out and clean
Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil



Giftbox: 234*235*68mm 20pcs/ctn
Carton box: 490*490*360mm

PROFESSIONAL HAIR CLIPPER
RFCD-F23

Ergonomic & low noise design
Operated by 700mAh lithium battery
1.5 hours fast charging and 1 hour using
With 360° rotation charging base
Cord or cordless using function
Titanium coated S.Steel fixed blade
Ceramic moving blade
3 colors LED light indicator to show working and charging status
On/off switch with 2 speeds
5 adjustable cutting size setting by rotary body
High performance DC motor
Attachment: adaptor, 4 guide combs, brush, oil



Giftbox: 235*235*68mm 10pcs/ctn
Carton: 485*365*250mm

PROFESSIONAL HAIR CLIPPER
RFCD-F26

Ergonomic & low noise design
 Operated by 2000mAh lithium battery
 3 hours fast charging & 4 hours using
 With 360°C rotation charging base
 Cord and cordless using function
 Titanium coated S Steel fixed blade
 Ceramic moving blade
 Charging indicator
 3 cutting size selection: 0.8, 1.4, 2.0mm
 RPM control system: 5500-6500rpm
 High performance DC motor
 Attachment: adaptor, 4 guide combs, brush, oil

Giftbox: 235*235*68mm 10pcs/ctn
 Carton: 485*365*250mm



PROFESSIONAL HAIR CLIPPER
RFCD-F28

4 hours using and 4 hours charge
 2000mAh lithium battery
 LED Display
 Stainless steel and Aluminium shell
 Stainless steel moving blade
 Ergonomic & Low noise Design
 Cord or Cordless function
 The cutting height can be adjusted from 0.8 to 2.0mm
 Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil

Giftbox: 220x225x60 mm 20pcs/ctn
 Carton box: 480*480*320mm



PROFESSIONAL HAIR CLIPPER
RFCD-F27

Ergonomic & low noise design
 Operated by 2000mAh lithium battery
 3 hours fast charging & 4 hours using with LCD display
 With 360°C rotation charging base
 Cord and cordless using function
 Titanium coated S Steel fixed blade
 Ceramic moving blade
 Charging indicator
 3 cutting size selection: 0.8, 1.4, 2.0mm
 RPM control system: 5500-6500rpm
 High performance DC motor
 Attachment: adaptor, 4 guide combs, brush, oil

Giftbox: 235*235*68mm 10pcs/ctn
 Carton box: 485*365*250mm



PROFESSIONAL HAIR CLIPPER
RFCD-F29

PROFESSIONAL HAIR CLIPPER
 2.5 hours fast charge with 5V 2A input
 7hours long time use
 3500mAh Samsung lithium battery
 Infinity variable speeds
 Stainless steel and Aluminium shell
 Two LED Display show motor speed and power left
 Cord or Cordless function
 Stainless steel moving blade
 Ergonomic & Low noise Design
 The cutting height can be adjusted from 0.8 to 2.0mm
 Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil

Giftbox: 230x68x235 mm 20pcs/ctn
 Carton box: 480*360*490mm



PROFESSIONAL HAIR CLIPPER
RFCD-F30/F30B

Ergonomic & low noise design
 Operation time: approx. 7 hours (F30); approx.1 hour (F30B)
 Charging time: approx. 150 mins (F30); approx. 90 mins (F30B)
 Corded or cordless using
 On/off switch with 2 speeds
 LED displays
 -To show the speed, battery capacity, and charging status.
 5 Cut setting from 0.8 to 2.0 mm by turning the device (0.3mm graduation)
 Full steel alloy fixed blade & silver Ti-coated moving blade (F30)
 Titanium coated steel alloy fixed blade & white ceramic moving blade (F30B)
 Removable cutting set for easy cleaning
 6 guide comb attachments: 1.5/3.0/4.5/6.0/9.0/12.0mm (F30)
 6 guide comb attachments: 3.0/6.0/9.0/12.0/20.0/30.0mm (F30B)
 Mains adaptor with universe voltage adjustment
 Battery: 3400mAh Samsung lithium (F30); 700mAh lithium (F30B)
 Accessories: adaptor, 6 guide combs, oil, cleaning brush, 360° rotation charging base



Giftbox: 235*235*68mm 10pcs/ctn
 Carton box: 485*365*250mm

PROFESSIONAL HAIR CLIPPER
RFCD-F31

Ergonomic & low noise design
 Operation time: approx. 4.5 hours
 Charging time: approx. 90 mins
 Corded or cordless using
 On/off switch with 2 speeds
 LED displays
 -To show the speed, battery capacity, and charging status.
 5 adjustable blade cutting size:0.4/0.6/0.8/1.0/1.2mm
 Full steel alloy fixed blade & silver Ti-coated moving blade
 Special cutting set for easy cleaning
 4guide comb attachments: 13.0/6.0/9.0/12.0mm
 Mains adaptor with universe voltage adjustment
 Battery: 3.7V 2500mAh lithium
 Accessories: adaptor, 4 guide combs, oil, cleaning brush, charging base



Giftbox: 235*235*68mm 10pcs/ctn
 Carton box: 485*365*250mm

PROFESSIONAL HAIR CLIPPER
RFCD-V310/V310B


Ergonomic & low noise design
 Operation time: approx. 4 hours (V310); approx.1 hour (V310B)
 Charging time: approx. 180 mins (V310); approx. 90 mins (V310B)
 Corded or cordless using
 On/off switch with 2 speeds
 LED displays
 -To show the speed, battery capacity, and charging status.
 5 Cut setting from 0.8 to 2.0 mm by turning the device (0.3mm graduation)
 Full steel alloy fixed blade & silver Ti-coated moving blade (V310)
 Titanium coated steel alloy fixed blade & white ceramic moving blade (V310B)
 Removable cutting set for easy cleaning
 6 guide comb attachments: 1.5/3.0/4.5/6.0/9.0/12.0mm (V310)
 6 guide comb attachments: 3.0/6.0/9.0/12.0/20.0/30.0mm (V310B)
 Mains adaptor with universe voltage adjustment
 Battery: 2000mAh lithium (V310); 700mAh lithium (V310B)
 Accessories: adaptor, 6 guide combs, oil, cleaning brush, 360 rotation charging base



Giftbox: 235*235*68mm 10pcs/ctn
 Carton box: 485*365*250mm

PROFESSIONAL HAIR CLIPPER
RFCD-F35

Ergonomic & low noise design
 Operated by 2000mAh lithium battery
 3 hours fast charging and 4 hours using
 Cord and cordless using function
 Titanium coated 5.Steel fixed blade
 Ceramic moving blade
 Charging indicator
 On/off switch with 2 speeds
 5 adjustable cutting size setting by rotary body
 High performance DC motor
 Attachments: adaptor, 4 guide combs, brush, oil



Giftbox: 235*235*68mm 10pcs/ctn
 Carton: 485*365*250mm

PROFESSIONAL HAIR CLIPPER
RFCD-F50

Ergonomic & low noise design
 Operation time: approx. 3 hours
 Charging time: approx. 3 hours
 Corded or cordless using
 On/off switch with 2 speeds
 LED displays
 -To show the speed, battery capacity, and charging status.
 Adjustable blade cutting size
 Full steel alloy fixed blade & moving blade
 6 guide comb attachments: 3.0/6.0/9.0/12.0/20.0/30.0mm
 Mains adaptor with universe voltage adjustment
 Battery: 2000mAh lithium
 Accessories: adaptor, 6 guide combs, oil, cleaning brush



PROFESSIONAL HAIR CLIPPER
RFCD-F55

3 hours using and 3 hours charging
 2000mAh lithium battery
 Stainless steel and Aluminium shell
 LED indicator light
 Stainless steel moving blade
 Ergonomic & Low noise Design
 Cord or Cordless function
 The cutting height can be adjusted from 0.8 to 2.0mm
 Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil



Gift box: 220x225x60 mm 20pcs/ctn
 Carton box: 460*460*320mm

PROFESSIONAL HAIR CLIPPER
RFCD-F51

Ergonomic & low noise design
 Operation time: approx. 3 hours
 Charging time: approx. 3 hours
 Corded or cordless using
 On/off switch with 2 speeds
 LED displays
 -To show the speed, battery capacity, and charging status.
 Adjustable blade cutting size
 Full steel alloy fixed blade & moving blade
 6 guide comb attachments: 3.0/6.0/9.0/12.0/20.0/30.0mm
 Mains adaptor with universe voltage adjustment
 Battery: 2000mAh lithium
 Accessories: adaptor, 6 guide combs, oil, cleaning brush



PROFESSIONAL HAIR CLIPPER
RFCD-F56

Ergonomic & low noise design
 Operation time: approx. 3 hours
 Charging time: approx. 3 hours
 Corded or cordless using
 On/off switch with 2 speeds
 LED displays
 -To show the speed, battery capacity, and charging status.
 Adjustable blade cutting size
 Full steel alloy fixed blade & moving blade
 4 guide comb attachments: 3.0/6.0/9.0/12.0mm
 Mains adaptor with universe voltage adjustment
 Battery: 2000mAh lithium
 Accessories: adaptor, 4 guide combs, oil, cleaning brush



ZERO-CUTTING HAIR CLIPPER

RFCD-V150

Ergonomic & low noise design
 Waterproof design in IPX7
 Operation time: approx. 3 hours
 Charging time: approx. 120 mins
 Corded or cordless using
 On/off switch with 2 speed
 LED displays
 -To show the speed, battery capacity, and charging status.
 Full steel alloy fixed blade & silver Ti-coated moving blade
 Special cutting set for easy cleaning
 4 guide comb attachments: 1.0/1.5/2.0/3.0mm
 Battery: 3.7V 1400mAh lithium
 Accessories: Type C cable, 4 guide combs, oil, cleaning brush, charging base



BODY GROOMER

RFCD-102

Ergonomic & low noise design
 Waterproof design IPX7
 Operation time: approx. 2 hours
 Charging time: approx. 60 mins
 Corded or cordless using
 On/off switch with 2 speed
 With LED Indicator & travel lock function
 Precision & detachable cutting set with S.S fixed blade and ceramic moving blade
 2 guide comb attachments: 1-2mm & 3-4mm
 Battery: 3.7V 600mAh lithium
 Accessories: Type C cable, 2 guide combs, oil, cleaning brush, charging base



HAIR TRIMMER

RFCD-101

Ergonomic & low noise design
 Waterproof design
 Operation time: approx. 2 hours
 Charging time: approx. 120 mins
 Corded or cordless using
 On/off switch
 Precision polished stainless steel cutting set, detachable for easy cleaning
 2 slide comb attachments: 0.5-10mm & 10.5-20mm
 Adjustable size knob (40 settings with 2 slide combs, 0.5mm graduation for each)
 Battery: 3.7V 800mAh lithium
 Accessories: Type C cable, 2 slide combs, oil, cleaning brush



PROFESSIONAL HAIR CLIPPER

RFCD-901

8 Hours charging and 1 hour using
 Ergonomic & low noise design
 Operated by 2*1000mAh Ni-Mh battery
 Cord and cordless using function
 Ceramic moving blade
 Charging indicator
 5 level adjustable setting
 Blade can be easy to take out to clean
 Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil



Giftbox: 278*210*61mm
 Carton box: 575*440*320mm
 20pcs/cn

PROFESSIONAL HAIR CLIPPER
RFCD-902

8 Hours charging and 1 hour using
Ergonomic & low noise design
Operated by 2*1200mAh Ni-Mh battery
Cord and cordless using function
Ceramic moving blade
Charging indicator
5 level adjustable setting
Blade can be easy to take out to clean
Attachment: 1 adaptor, 4 guide combs, 1 brush, 1 oil



Giftbox: 278*210*81mm 20pcs/ctn
Carton box: 575*440*325mm

DETAILED TRIMMER
RFCD-1760

1500mAh Lithium battery
1.5 hour fast charging and 6.0 using
LED display
Cord or cordless for extra mobility
Stainless steel moving blade
Ergonomic & Low noise Design
Professional designed appearance
With charge indicator light



Giftbox: 135*45*190mm 20pcs/ctn
Carton box: 285*240*395cm

DETAILED TRIMMER
RFCD-1750

8 hours charging and 1.0 hour using
Cord or cordless for extra mobility
Stainless steel moving blade
Ergonomic & Low noise Design
High precision chrome blade round angle design
Professional designed appearance
With charge indicator light



Giftbox: 135*45*190mm 20pcs/ctn
Carton box: 285*240*395cm



5 IN 1 GROOMING KIT
RFCD-510

Detachable blade
Input: 100-240V 50/60HZ
Output: 4.5V 0.2A
8 hours charging and 1 hour using
3 colors LED light indicator to show working and charging status
On/off switch
Adjustable blade cutting size
2*600mAh Ni-MH batteries
Attachment: 1 clipper head, 1 T-shape clipper head, 1 shaver head, 1 nose trimmer head, 1 precision trimmer head (L), 1 clean brush, 1 scissors, 1 styling comb, 7 guide combs, 1 slide comb, 1 stand base

HAIR & BERAD TRIMMER
RFCD-508

Charging: 8 hours 2.4V 1.2A
Operated by 2*600mAh Ni-Mh battery
8 hours charging and 1 hour using
Adjustable cutting size
Hair thinning function
With charging base
Accessory: brush,oil,adaptor,comb



HAIR & BERAD TRIMMER
RFCD-509

Charging: 8 hours 2.4V 1.2A
Operated by 2*600mAh Ni-Mh battery
8 hours charging and 1 hour using
Adjustable cutting size
Hair thinning function
With charging base
Accessory: brush,oil,adaptor,comb



Giftbox: 185*85*232mm 12pcs/ctn
Ctn: 858*385*247mm NW/GW: 4.8/5.5KG

HAIR & BERAD TRIMMER
RFCD-508L

Fashion design
Operated by 1*600mAh Lithium battery
1.5 hours charging and 1 hour using
On/Off switch
Adjustable cutting size
Hair thinning function
With LED display
With charging base
Accessory: brush,oil,adaptor,comb



Giftbox: 185*85*232mm 12pcs/ctn
Ctn: 858*385*247mm Nw/gw: 4.8/5.5KG

HAIR & BEARD TRIMMER
RFCD-515

Fashion design
Operated by 2*600mAh Ni-Mh batteries
8 hours charging and 1 hour using
On/Off switch
Adjustable cutting size
Hair thinning function
With charging base
Accessory: brush,oil,adaptor,comb



Giftbox: 185*85*232mm 12pcs/ctn
Ctn: 858*385*247mm NW/GW: 4.8/5.5KG



**HAIR & BEARD TRIMMER
RFCD-516**

Fashion design
Operated by 2*600mAh Ni-Mh batteries
8 hours charging and 1 hour using
On/Off switch
Adjustable cutting size
Hair thinning function
With charging base
Accessory: brush, oil, adaptor, comb

Giftbox: 185*85*232mm 12pcs/ctn
Ctn: 858*385*247mm NW/GW: 4.8/6.5KG



**ELECTRIC HAIR CLIPPER FOR BABY
RFCD-8510**

Charging :8 hour, 5.0V 150mA
Using time :1.0 hour
2*600mAh Ni-mh battery
Ergonomic & low noise design
Waterproof design
Double color indicator light
Cord or cordless for extra mobility
Blade can be easy to take out and clean
Eight tapes of comb
High-capacity battery
High-performance motor
Attachment: adaptor, 3 combs, brush, oil
Powder puff, hair cutting cape for option

Giftbox: 23.5*6.2*24.5cm 10pcs/ctn
Carton: 48.5*32.5*26.0cm

**HAIR & BEARD TRIMMER
RFCD-F528**

Li-Ion battery 3.7V 600mAh
3.7V DC motor
2 Vario attachment combs for 12 different cutting lengths, (1/3/6/9/12/15mm and 18/21/24/27/30/33mm)
Integrated thinning function via sliding switch
Charging time: approx. 90 minutes
Operating time at full charge: approx. 60 minutes
Precision polished stainless steel cutting set, detachable for easy cleaning
On / Off sliding switch
Ergonomically shaped handle
LED symbol to indicate battery capacity and charge
Plug symbol red when charging
Plug symbol flashing red with low battery
Battery symbol blue steady at full charge + red connector symbol lit
No Symbols during mains operation
Accessories: 2 slide combs, 1 oil, 1 cleaning brush



**ELECTRIC HAIR CLIPPER FOR BABY
RW8511**

Charging :1.5 hour, 4.5V 1.0A
Using time :1.0 hour
2*600mAh Lithium battery
Ergonomic & low noise design
Waterproof design
Double color indicator light
Cord or cordless for extra mobility
Blade can be easy to take out and clean
Eight tapes of comb
High-capacity battery
High-performance motor
Attachment: adaptor, 3 combs, brush, oil
Powder puff, hair cutting cape for option

Giftbox: 23.5*6.2*24.5cm 10pcs/ctn
Carton: 48.5*32.5*26.0cm

ANIMAL HAIR TRIMMER
RFGD-901P

Ergonomic & low noise design
 Operation time: approx. 2 hours
 Charging time: approx. 90 mins
 Corded or cordless using
 On/off switch
 LED displays
 -To show battery status, and charging status.
 2 changeable heads for option: paw trimmer, hair trimmer
 Steel alloy fixed blade & moving blade (paw trimmer cutting unit)
 Titanium coated steel alloy fixed blade & ceramic moving blade
 (hair trimmer cutting unit)
 Battery: 3.7V 800mAh lithium
 6 guide comb attachments: 3.0/6.0/9.0/12.0/15.0/18.0mm
 Mains adaptor with universe voltage adjustment
 Accessories: adaptor, 6 guide combs, oil, cleaning brush



PET GROOMING KIT 3 IN 1
RFGD-P20

Ergonomic & low noise design
 Waterproof design
 Operation time: approx. 2 hours
 Charging time: approx. 90 mins
 Corded or cordless using
 On/off switch with 2 speed
 3 changeable heads for option: nail grinder, paw trimmer,
 hair trimmer
 Battery: 3.7V 800mAh lithium
 Mains adaptor with universe voltage adjustment
 Accessories: adaptor, 2 guide combs, oil, cleaning brush



CLIPPER FOR PETS
RFCF-F23P

PROFESSIONAL CLIPPER FOR PETS
 4 hours using and 5 hours charge
 2500mAh lithium battery
 With charge base
 Ceramic moving blade
 Ergonomic & Low noise Design
 Cord or Cordless & Tita-Plated stationary
 blade
 The cutting height can be adjusted from 0.8 to
 2.0mm
 Blade can be easy to take out and clean
 Attachment: 1 adaptor, 4 guide combs, 1 brush,
 1 oil



AC HAIR CLIPPER
RFJZ-1725

100-127V/220-240V 50/60HZ 15W
 S.Steel moving blade & S.Steel fixed blade
 Blade cutting size adjustment with click sound
 Super silent design
 Attachment: clean brush, oil, 4 guide combs



Gift box: 234*235*68mm 20pcs/ctn
 Carton box: 490*490*360mm

Gift box: 160*60*235mm 20pcs/ctn
 GW/INW: 10.0/8.2KG Carton box: 495*340*320mm
 20/40/40 HQ: 10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1726

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
GW/NW: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1727

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
GW/NW: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1728

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
GW/NW: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1720

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
GW/NW: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1721

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
GW/NW: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1722

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
GW/NW: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1723

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
GW/NW: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1729

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment
Super silent design
Heavy weight with bakelite bottom cover
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
GW/NW: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1730

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
G.W.N.W: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1731

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment with click sound
Super silent design
Attachment: clean brush, oil, 4 guide combs



Giftbox: 160*60*235mm 20pcs/ctn
G.W.N.W: 10.0/9.2KG Carton box: 495*340*320mm
20/40/40HQ:10400/20800/26000Pcs

AC HAIR CLIPPER

RFJZ-1732

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment
Supper silent design
Attachment: cleaning brush, oil, 4 guide combs



AC HAIR CLIPPER

RFJZ-1733

100-127V/220-240V 50/60HZ 15W
S.Steel moving blade & S.Steel fixed blade
Blade cutting size adjustment
Supper silent design
Attachment: cleaning brush, oil, 4 guide combs



SHAVER
RSCF-750

Operated by 2*600mAh Ni-Mh battery
3 floating double ring net cover
Pop-up trimmer
8.0 hours charging time and 1.0 hour using
Accessory: brush, adaptor



Giftbox: 12.2*7.0*20.5cm 20pcs/ctn
Carton : 36.5*26.0*42.5cm

SHAVER
RSCX-T1

Ergonomic & low noise design
Waterproof design
Operation time: approx. 1.5 hours
Charging time: approx. 90 mins
Corded or cordless using
LED display
On/off switch with travel lock function
3 floating head
Detachable head for easy cleaning
Battery: 3.7V 800mAh lithium
Accessories: Type C cable, cleaning brush, protection cover



SHAVER
RSCF-751

Operated by 2*600mAh Ni-Mh battery
3 floating double ring net cover
Pop-up trimmer
8.0 hours charging time and 1.0 hour using
Accessory: brush, adaptor



Giftbox: 12.2*7.0*20.5cm 20pcs/ctn
Carton : 36.5*26.0*42.5cm

MINI SHAVER
RSCF-T2

Ergonomic & low noise design
Waterproof design
Operation time: approx. 1.5 hours
Charging time: approx. 90 mins
Corded or cordless using
On/off switch
1 head with big size blade
Removable net for easy cleaning
Battery: 3.7V 400mAh lithium
Accessories: Type C cable, cleaning brush, protection cover



**LINT REMOVER
RSC212**

LINT REMOVER
USB charge
Operated by 2*600mAh Ni-Mh battery
8 hours charging and 1 hour using



Giftbox: 9.1*9.0*8.7cm 20pcs/ctn
Carton: 45.0*20.0*19.5cm

**LINT REMOVER
RSC218D**

Easy carrying
Operated by 2*AA battery
Detachable lint catcher
Cap for height adjustment to protect sensitive textiles
Attachment: cleaning brush, protection cover



**LINT REMOVER
RSC218**

LINT REMOVER
USB charge
Operated by 2*600mAh Ni-Mh battery
8 hours charging and 1.5 hour using



Giftbox: 11.0*11.0*1.0cm 20pcs/ctn
Carton: 58.5*23.5*23.5cm

**LINT REMOVER
RSC208**

Operated by 2*AA dry battery
Attachments: clean brush, protection cover
with Two speeds



Color box: 92*72*145mm 20pcs/ctn
Carton box: 375*200*305mm

LINT REMOVER
RSC330

USB charge
Operated by 2*600mAh Ni-Mh battery
8 hours charging and 1.5 hour using



LINT REMOVER
RSC317

Easy carrying
Operated by 2*600mAh batteries
Charging time: 8 hours
Using time:45 minutes
Attachment: brush, one extra blades, protection cover, adaptor
Adaptor Input: 220-240V 50/60Hz
Output: 3V 300mA



Color box: 18.4*7.0*11.4cm 20pcs/ctn
Carton box: 24.5*36.5*38.5cm

LINT REMOVER
RSC360

USB charge
Operated by 2*600mAh Ni-Mh battery
8 hours charging and 1.5 hour using



LINT REMOVER
RSC309

Easy carrying
Operated by 2*AA batteries
Using time:45 minutes
Attachment: brush, protection cover



Color box: 10.0*7.0*16.0cm 20pcs/ctn
Carton box: 36.5*21.5*33.5cm

FOOT CALLUS REMOVER

Solve foot problems

RS790

EASY CARRYING
OPERATED BY 2*AA BATTERY
WATERPROOF DESIGN IPX7
WITH LED LIGHT
ATTACHMENT: CLEANING BRUSH,
2 GRINDING HEAD,
PROTECTION COVER



CALLUS REMOVER

RS590

Easy carrying
Operated by 2*AA dry battery
Water-proof design IPX5
Attachment: clean brush, 2 grinding head,
protection cover
Roller speed: 3500RPM



CALLUS REMOVER

RS591

Easy carrying
Operated by 2*600mAh NI-MH battery
Water-proof design IPX5
Charging time: 6 hours
Using time: 45 minutes
Attachment: clean brush, 2 grinding head,
protection cover
Roller speed: 3500RPM
Adaptor input: 100-127V/ 220-240V 50/60Hz
Out put: 3V 300mA



BEAUTY SET 4 IN 1

RS592

Callus remover
 Lady epilator
 Manicure
 Lady shaver
 Operated by 2*AA dry battery
 Attachment : 1 epilator head, 2 callus remover,
 1 manicure, 1 shaver head, 1 comb, 1 cover, 1
 clean brush



NOSE & EAR TRIMMER

RFCD-525

Super mini design
 S.Stainless moving blade
 On/off switch
 Operated by 1 AA battery (not included)



Giftbox: 146*38*38mm 20pcs/ctn
 Ctn box: 205*195*165 1.7/2.0kgs

CALLUS REMOVER

RS596

Operated by 2*AA batteries (not ncluded)
 Water-proof design
 Roller speed: 3500-4000RPM
 Accessory: brush, 2 grinding heads, protection
 cover



MEN GROOMING KIT 3 IN 1

RFCD-529

Ergonomic & low noise design
 Waterproof design
 Operation time: approx. 1 hours
 Charging time: approx. 90 mins
 Corded or cordless using
 On/off switch
 3 changeable heads for option: nose trimmer, eyebrow
 trimmer, hair trimmer
 Battery: 3.7V 320mAh lithium
 Accessories: Type C cable, 4 guide combs, oil, cleaning brush



RW2009

ONE-STEP HAIR DRYER & HOT AIR BRUSH

- Ergonomic design
- DC motor
- 220-240V-50/60HZ 1200W
- Detachable all-in-one brush head, hair dryer head
- Tangle-free combination bristles cool tips
- Two speed & four temperature rotation switch
- Overheat protection
- 360 swivel cord for tangle free and easy styling
- Ionic function for optional
- Dual voltage for optional



KIMPORT

RW2011

ALL IN ONE HAIR BRUSH

- Ergonomic design
- DC motor
- 220-240V-50/60HZ 1200W
- All-in-one head, non-detachable brush head
- Tangle-free combination bristles cool tips
- Two speed & three temperature rotation switch
- Overheat protection
- 360 swivel cord for tangle free and easy styling
- Ionic function for optional
- Dual voltage for optional



RW2010

ONE-STEP HAIR DRYER & HOT AIR BRUSH

- Ergonomic design
- DC motor
- 220-240V-50/60HZ 1200W
- Detachable all-in-one brush head, hair dryer head
- Tangle-free combination bristles cool tips
- Two speed & four temperature rotation switch
- Overheat protection
- 360 swivel cord for tangle free and easy styling
- Ionic function for optional
- Dual voltage for optional



RW06

HAIR DRYER

- Ergonomic design
- Ultra-light weight design
- BLDC motor with 110000RPM
- 220-240V ~ 50/60Hz 1600W
- Two speed & five Temperature mode
- With Hot, cool shot, warm mode
- With Children's mode
- With Hot and cold circulating air mode
- With ionic function
- Overheat protection
- Magnetic concentrator and air inlet cover
- Magnetic wall hanging and diffuser for option



RW925

HAIR DRYER

- Ergonomic design
- Ultra-light weight design
- BLDC motor with 110000RPM
- 220-240V ~ 50/60Hz 1600W
- Two speed & four Temperature mode
- With Hot, cool shot, warm mode
- With Hot and cold circulating air mode
- With ionic function
- Overheat protection
- Magnetic concentrator and air inlet cover
- Magnetic wall hanging and diffuser for option



KIMPORT

RFCD-F57

PROFESSIONAL HAIR CLIPPER

- Ergonomic & low noise design
- Operation time: approx. 3 hours
- Charging time: approx. 3 hours
- Corded or cordless using
- On/off switch
- Charging indicator
- Adjustable blade cutting size
- Full steel alloy fixed blade & moving blade
- Mains adaptor with universe voltage adjustment
- Battery: 2000mAh lithium
- High performance DC motor
- Guide comb size: 3.0/6.0/9.0/12.0/20.0/30.0mm
- Accessories: adaptor, 6 guide combs, oil, cleaning brush



RW926

HAIR DRYER

- Ergonomic design
- Ultra-light weight design
- BLDC motor with 110000RPM
- 220-240V ~ 50/60Hz 1600W
- Two speed & four Temperature mode
- With Hot, cool shot, warm mode
- With Hot and cold circulating air mode
- With ionic function
- Overheat protection
- Magnetic concentrator and air inlet cover
- Magnetic wall hanging and diffuser for option



RFCD-F58

PROFESSIONAL HAIR CLIPPER

- Ergonomic & low noise design
- Operation time: approx. 3 hours
- Charging time: approx. 3 hours
- Corded or cordless using
- On/off switch with 2 speeds
- LED displays-To show the speed, battery capacity, travel lock, and charging status.
- Adjustable blade cutting size
- Full steel alloy fixed blade & moving blade
- Mains adaptor with universe voltage adjustment
- Battery: 2000mAh lithium
- High performance DC motor
- Guide comb size: 3.0/6.0/9.0/12.0/20.0/30.0mm
- Accessories: adaptor, 6 guide combs, oil, cleaning brush



RFCD-F59

PROFESSIONAL HAIR CLIPPER

Ergonomic & low noise design
Operation time: approx. 3 hours
Charging time: approx. 3 hours
Corded or cordless using
On/off switch with 2 speeds
LED displays - To show the speed, battery capacity, travel lock, and charging status.
Adjustable blade cutting size
Full steel alloy fixed blade & moving blade
Mains adaptor with universe voltage adjustment
Battery: 2000mAh lithium
High performance DC motor
Guide comb size: 3.0/6.0/9.0/12.0/20.0/30.0mm
Accessories: adaptor, 6 guide combs, oil, cleaning brus



KIMPORT

RFCD-F62

PROFESSIONAL HAIR CLIPPER

Ergonomic & low noise design
Operated by 2000mAh lithium battery
Operation time: approx. 4 hours
Charging time: approx. 3 hours
Cord and cordless using function
Titanium coated S.Steel fixed blade
Ceramic moving blade
On/off switch with 2 speeds
Charging indicator
5 cut setting size from 0.8 to 2.0mm by turning the device (0.3mm graduation)
High performance DC motor
Guide comb size: 3.0/6.0/9.0/12.0/20.0/30.0mm
Attachments: adaptor, 6 guide combs, brush oil



RFCD-F61

PROFESSIONAL HAIR CLIPPER

Ergonomic & low noise design
Operated by 2000mAh lithium battery
Operation time: approx. 4 hours
Charging time: approx. 3 hours
Cord and cordless using function
Titanium coated S.Steel fixed blade
Ceramic moving blade
On/off switch with 2 speeds
With LED display - To show the speed, battery capacity, travel lock, and charging status.
5 cut setting size from 0.8 to 2.0mm by turning the device (0.3mm graduation)
High performance DC motor
Guide comb size: 3.0/6.0/9.0/12.0/20.0/30.0mm
Attachments: adaptor, 6 guide combs, brush oil



RFCD-F63

PROFESSIONAL HAIR CLIPPER

Ergonomic & low noise design
Operated by 2000mAh lithium battery
Operation time: approx. 4 hours
Charging time: approx. 3 hours
Cord and cordless using function
Titanium coated S.Steel fixed blade
Ceramic moving blade
Charging indicator
On/off switch with 2 speeds
5 cut setting size from 0.8 to 2.0mm by turning the device (0.3mm graduation)
High performance DC motor
Guide comb size: 3.0/6.0/9.0/12.0/20.0/30.0mm
Attachments: adaptor, 6 guide combs, brush, oil



RFCD-F65

PROFESSIONAL HAIR CLIPPER

Ergonomic & low noise design
Operated by 2000mAh lithium battery
Operation time: approx. 4 hours
Charging time: approx. 3 hours
Cord and cordless using function
Titanium coated S.Steel fixed blade
Ceramic moving blade
On/off switch with 2 speeds
With LED display -To show the speed, battery capacity, travel lock, and charging status.
5 cut setting size from 0.8 to 2.0mm by turning the device (0.3mm graduation)
High performance DC motor
Guide comb size: 3.0/6.0/9.0/12.0/20.0/30.0mm
Attachments: adaptor, 6 guide combs, brush, oil



KIMPORT

RFCD-F89

PROFESSIONAL HAIR CLIPPER

Ergonomic and low noise design
Cord or cordless using
Operated by 2500 mAh lithium battery
Operation time:4.5 hours
Charging time:3.5 hours
With DLC coating and Ceramic blade
With all-metal body
With high performance long life motor(337)
8 guide combs: 1.5/3.0/4.5/6.0/9.0/12.0/16.0/19.0 mm
Accessories:adaptor(or USB recharge cable for option), 8 combs.oil.cleaning brush



RFCD-F88

PROFESSIONAL HAIR CLIPPER

Ergonomic and low noise design
Cord or cordless using
Operated by 2500 mAh lithium battery
Operation time:4.5 hours
Charging time:3.5 hours
With recharge base
With DLC coating and Ceramic blade
With all-metal body
With high performance long life motor(337)
6 guide combs:1.5/3.0/4.5/6.0/9.0/12.0 mm
Accessories:adaptor(or USB recharge cable for option), 6 combs,oil,cleaning brush



RFCD-F90

PROFESSIONAL HAIR CLIPPER

Ergonomic and low noise design
Cord or cordless using
Operated by 2000 mAh lithium battery
Operation time:4hours
Charging time:3hours
With DLC coating and Ceramic blade
With all-metal body
With high performance long life motor(337)
Accessories:adaptor(or USB recharge cable for option), oil,cleaning brush



RFCD-F92

PROFESSIONAL HAIR CLIPPER

Ergonomic and low noise design
Operated by 1200 mAh lithium battery
Cord or cordless using
Operation time: 2 hours
Charging time: 3 hours
Waterproof design in IPX7
With powder metallurgy and ceramic blade
With high performance motor
4 guide combs: 3.0/6.0/9.0/12.0 mm
Accessories: adaptor (or USB recharge cable for option),
4 combs, oil, cleaning brush



KIMPORT

RFCD-9001A (THIN BLADE WITH LED DISPLAY)

RFCD-9001C (THICK BLADE WITH LED DISPLAY)

HAIR CLIPPER

Ergonomic & low noise design
Operation time: approx. 2 hours
Charging time: approx. 2.5 hours
On/off switch
Adjustable blade cutting size
Full steel alloy fixed blade & moving blade
Battery: 1200mAh Lithium
Type-C charging port
High performance DC motor
Standard guide comb size: 3.0/6.0/9.0/12.0mm
(more comb sizes are available)
Accessories: Type-C charging cable, 4 guide combs, oil, cleaning brush



RFCD-9001 (THIN BLADE WITH LED INDICATOR)

RFCD-9001B (THICK BLADE WITH LED INDICATOR)

HAIR CLIPPER

Ergonomic & low noise design
Operation time: approx. 2 hours
Charging time: approx. 2.5 hours
On/off switch
Adjustable blade cutting size
Full steel alloy fixed blade & moving blade
Battery: 1200mAh Lithium
Type-C charging port
High performance DC motor
Standard guide comb size: 3.0/6.0/9.0/12.0mm
(more comb sizes are available)
Accessories: Type-C charging cable, 4 guide combs, oil, cleaning brush



RFCD-9002

HAIR CLIPPER

Ergonomic & low noise design
Operation time: approx. 2 hours
Charging time: approx. 2.5 hours
On/off switch
LED display
Adjustable blade cutting size
Full steel alloy fixed blade & moving blade
Battery: 1200mAh Lithium
Type-C charging port
High performance DC motor
Standard guide comb size: 3.0/6.0/9.0/12.0mm
(more comb sizes are available)
Accessories: Type-C charging cable, 4 guide combs, oil, cleaning brush



RFCD-9003

HAIR CLIPPER

Ergonomic & low noise design
Operation time: approx. 2 hours
Charging time: approx. 2.5 hours
On/off switch
LED display
Adjustable blade cutting size
Full steel alloy fixed blade & moving blade
Battery: 1200mAh Lithium
Type-C charging port
High performance DC motor
Standard guide comb size: 3.0/6.0/9.0/12.0mm
(more comb sizes are available)
Accessories: Type-C charging cable, 4 guide combs, oil, cleaning brush



KIMPORT

RFCD-106 (WITH LED DISPLAY)

RFCD-106A (WITH LED INDICATOR)

BODY GROOMER WITH LED DISPLAY

Ergonomic & low noise design
Waterproof design IPX5
Operation time: approx. 1 hours
Charging time: approx. 90 mins
Cord or cordless using
On/off switch with 2 speed
Travel lock function
Precision & detachable cutting set with
S.S fixed blade and ceramic moving blade
2 guide comb attachments: 2-4mm & 5-7mm
Battery: 3.7V 600mAh lithium
Accessories: Type C cable, 2 guide combs, oil, cleaning brush, charging base



RFCD-105 (WITH LED DISPLAY)

RFCD-105A (WITH LED INDICATOR)

BODY GROOMER WITH LED DISPLAY

Ergonomic & low noise design
Waterproof design IPX5
Operation time: approx. 1 hours
Charging time: approx. 90 mins
Cord or cordless using
On/off switch with 2 speed
Travel lock function
Precision & detachable cutting set with
S.S fixed blade and ceramic moving blade
2 guide comb attachments: 2-4mm & 5-7mm
Battery: 3.7V 600mAh lithium
Accessories: Type C cable, 2 guide combs, oil, cleaning brush, charging base



RFCD-107 (WITH LED DISPLAY)

RFCD-107A (WITH LED INDICATOR)

BODY GROOMER WITH LED DISPLAY

Wide blade for more cutting efficiency
Ergonomic & low noise design
Waterproof design IPX7
Operation time: approx. 1 hours
Charging time: approx. 90 mins
Cord or cordless using
On/off switch with 2 speed
Travel lock function
Precision & detachable cutting set with
S.S fixed blade and ceramic moving blade
2 guide comb attachments: 2-4mm & 5-7mm
Battery: 3.7V 600mAh lithium
Accessories: Type C cable, 2 guide combs, oil, cleaning brush, base



RFGD-108 (WITH LED DISPLAY)
RFGD-108A (WITH LED INDICATOR)

BODY GROOMER WITH LED DISPLAY

Ergonomic & low noise design
 Waterproof design IPX7
 Operation time: approx. 1 hours
 Charging time: approx. 90 mins
 Cord or cordless using
 On/off switch with 2 speed
 Travel lock function
 Precision & detachable cutting set with
 S.S fixed blade and ceramic moving blade
 2 guide comb attachments: 2-4mm & 5-7mm
 Battery: 3.7V 600mAh lithium
 Accessories: Type C cable, 2 guide combs, oil, cleaning brush, base



RS570

Lady Facial Trimmer

Ergonomic & low noise design
 IPX 5 Waterproof design
 Operated by 1xAAA Alkaline Battery
 On/off switch with travel lock system
 With LED illuminator
 1 rotary shaving blade
 Detachable blade for easily cleaning
 Accessories: protection cap, cleaning brush



P20

LADY HAIR KIT 3 IN 1

Ergonomic & low noise design
 Waterproof design
 Operation time: approx. 2 hours
 Charging time: approx. 90 mins
 Corded or cordless using
 On/off switch with 2 speed
 3 changeable heads for option: lady facial
 trimmer, body trimmer, eyebrow trimmer
 Battery: 3.7V 800mAh lithium
 Accessories: type-C charging cable, oil,
 cleaning brush



RS571

Lady Facial Trimmer

Ergonomic & low noise design
 Operated by 2xAAA Alkaline Batteries
 On/off switch with travel lock system
 With 2 x LED illuminators
 2 rotary shaving blades
 Detachable blade for easily cleaning
 Accessories: protection cap, cleaning brush



RS572

Lady Facial Trimmer

- Ergonomic & low noise design
- Operated by 400mAh Lithium battery
- Operation time: approx. 1 hour
- Charging time: approx. 1.5 hours
- On/off switch with travel lock system
- With 2 x LED illuminators
- With LED indicator for charging
- 2 rotary shaving blades
- Detachable blade for easily cleaning
- Accessory: Type-C charging cable, protection cap, cleaning brush



KIMPORT

RS599

CALLUS REMOVER

- Easy carrying
- Operated by 2*AA battery
- On/off switch with 2 speed
- Non-waterproof
- With travel lock function
- Big roller size for efficient
- Attachment: Cleaning brush, 2 Grinding head, protection cover



RS792

CALLUS REMOVER

- Easy carrying
- Operated by 1*600mAh Lithium battery
- On/off switch
- Waterproof design IPX5
- With LED light
- Attachment: Cleaning brush, 2 Grinding head, protection cover



T1

MEN GROOMING KIT 4 IN 1

- Ergonomic & low noise design
- Waterproof design
- Operation time: approx. 1.5 hours
- Charging time: approx. 90 mins
- Corded or cordless using LED display -To show the speed, cleaning reminder, travel lock, battery capacity, and charging status.
- On/off switch with travel lock function
- 4 changeable heads for option: nose trimmer, shaver, facial cleaner, hair trimmer
- Detachable head for easy cleaning
- Battery: 3.7V 800mAh lithium
- Accessories: Type C cable, cleaning brush, protection cover



VT1

SHAVER

- Zinc alloy main body
- Ergonomic & low noise design
- Waterproof design
- Operation time: approx. 1.5 hours
- Charging time: approx. 90 mins
- Corded or cordless using LED display
- On/off switch with travel lock function
- Magnetic cutting unit
- Detachable head for easy cleaning
- Battery: 3.7V 800mAh lithium
- Accessories: Type C cable, cleaning brush, protection cover



KIMPORT

T5

SHAVER

- Ergonomic & low noise design
- Waterproof design
- Operation time: approx. 1.5 hours
- Charging time: approx. 90 mins
- With LED indicator light
- On/off switch with travel lock function
- 2 floating head
- Battery: 700mAh lithium
- Accessories: Type C cable, cleaning brush, protection cover



VT3

SHAVER

- Zinc alloy main body
- Ergonomic & low noise design
- Waterproof design
- Mini size for travelling
- Large shaving surface blade
- Suitable for long and short body hair and beard
- Magnetic cutting unit to be removed easily
- Operation time: approx. 1.0 hours
- Charging time: approx. 90 mins
- Corded or cordless using
- On/off switch
- Battery: 3.7V 400mAh lithium
- Accessories: Type C cable, cleaning brush, protection cover



RFGD-8002

SHAVER

- Ergonomic & low noise design
- Waterproof design IPX7
- Cord and cordless using
- With magnet blade head and protective cover
- Protective cover with mirror function
- Operation time: approx. 60 mins
- Charging time: approx. 60 mins
- With LED indicator light
- On/off switch with travel lock function
- 2 floating head
- Battery: 400mAh lithium
- Accessories: Type-C charging cable, cleaning brush, protection cover



RFCD-8003

SHAVER

Ergonomic & low noise design
Waterproof design IPX7
Cord and cordless using
With magnet blade head and protective cover
Protective cover with mirror function
Operation time: approx. 60 mins
Charging time: approx. 60 mins
With LED indicator light
On/off switch with travel lock function
2 floating head
Battery: 400mAh lithium
Accessories: Type-C charging cable, cleaning brush, protection cover



KIMPORT

RSC216

LINT REMOVER

Easy carrying
With 2 speeds slide switch
Operated by 2*600mAh Ni-Mh batteries
Charging time: 8 hours
Using time: 60 minutes
Accessories: Type C cable, cleaning brush,



RS550

NOSE TRIMMER

Super mini design
Waterproof design
Stainless steel moving blade
Removable blade set for easy cleaning
ON/OFF switch
Operated by 1 AAA battery(not included)



RSC361


LINT REMOVER

Easy carrying
With magnetic detachable fluff container
Operated by 1200mAh lithium battery
Charging time: 2 hours
Using time: 150 minutes
Accessories: Type C cable, cleaning brush



KIMPORT

PROFESSIONAL HAIR CLIPPER



RCR-813H

New

- Detachable ceramic moving blade and titanium coating fix blade
- Blade 5-steps fine adjustment: 0.8,1.1,1.4, 1.7,2.0mm, IPX7 waterproof
- 6 pcs attached combs: 3, 6, 9,12, 15 and 18mm
- DC 3.7V powerful #390 motor, Smart- touch on/off switch
- Alternative U blade and detail trimmer for multiple cutting purpose
- Lithium battery 700mA (Max. 1600mA for option), 1.5 hours fast charge
- 5-steps motor turbo function(5000, 5500, 6000, 6500 and 7000rpm)
- LED Icons with remaining power display, charging, working, lower power indicator
- Turbo function, washing reminding indicator, traveling lock function
- Cord and cordless operation, over-charging and deep discharging protection
- Charging Voltage:100-240V~ 50/60Hz, 5.0W, **Type-C** charging port
- Free accessories: GS Adaptor, Cleaning Brush, attached 6 Combs, and 1 U blade attached comb with 10 steps precision trimming from 1 to 10mm, styling comb, Oil and charging base(for operation)



RCR-813



LD-0871

70



RCR-817H



3mm



6mm



9mm



12mm

NEW

- Detachable ceramic moving blade and big Stainless steel professional fix blade
- Blade 5-steps fine adjustment: 0.8,1.1,1.4, 1.7,2.0mm, **IPX7** waterproof
- 4 pcs attached combs: 3, 6, 9 and 12mm
- DC 3.7V powerful #390 motor, Smart- touch on/off switch
- Lithium battery 700mA (Max. 1600mA for option), 1.5 hours fast charge
- 5-steps motor turbo function(5000, 5500, 6000, 6500 and 7000rpm)
- LED Icons with remaining power display, charging, working, lower power indicator
- Turbo function, washing reminding indicator, traveling lock function
- Cord and cordless operation, over-charging and deep discharging protection
- Charging Voltage:100-240V~ 50/60Hz, 5.0W, **Type-C** charging port
- Free accessories: GS Adaptor, Cleaning Brush, attached 4 Combs, styling comb, Oil and charging base(for operation)



RCR-817





RCR-883H



- Detachable ceramic moving blade and titanium coating professional fix blade
- Blade 4-steps fine adjustment: 0.8,1.2,1.6, 1.8mm
- 2pcs attached combs: 3 & 6mm, 9 & 12mm
- DC 3.7V powerful #390 motor , Smart- touch on/off switch
- Lithium battery 700mA(Max. 1600mA for option) with over 70 minutes' operation
- LED Icons with remaining power display, charging, working, lower power indicator
- Turbo function, adding oil reminding indicator, traveling lock function
- Over-charging and deep discharging protection
- Cord and cordless operation, 1.5hours fast charging time
- Charging Voltage:100-240V~ 50/60Hz, 5.0W
- Free accessories: Adaptor, Cleaning Brush, attached 2 Combs, styling comb, Oil



RCR-883



RCR-882H

- Big detachable 420J2# stainless steel blade set
- Blade 4-steps fine adjustment: 0.8,1.2, 1.6, 1.8mm
- 4pcs attached combs: 3, 6, 9,12 mm (left and right ear combs for option)
- DC 3.7V powerful #390 motor
- Lithium battery 700mA (Max. 1600mA for option) with 70 minutes' operation
- 3 LED Icons indicate: power display, charge(red plug light up), lower power(the red plug symbol will flash),
- adding oil reminding indicator
- Over-charging and deep discharging protection
- Cord and cordless operation, 1.5hours fast charging time
- Charging Voltage:100-240V~ 50/60Hz, 5.0W
- Free accessories: Adaptor, Cleaning Brush, attached 4 Combs, styling comb, Oil


KIMPORT

HOUSEHOLD HAIR CLIPPER



New

RC-02H



Sculpture



Gradient



Oil head



Bald



2mm

3mm

- Zero cut T-blade hair trimmer & ball hair clipper
- Whole body **IPX7** waterproof with integrated lighting
- 3 pcs attached combs: 1,2,3mm
- DC 3.7V powerful motor, **Type-C** charging port
- Lithium battery 700mA (Max. 1600mA for option) for 80 minutes' operation
- Smart- touch on/off switch with 5-steps motor turbo function(5000~7000rpm)
- LED Icons with remaining power display, charging, working, lower power indicator
- Turbo function, traveling lock function, with over-charging and deep discharging protection
- Cord & cordless, 1.5 hours fast charging time
- Charging Voltage:100-240V~ 50/60Hz, 5.0W
- Free accessories: GS Adaptor, Cleaning Brush, attached 4 attached Combs, Oil





- Detachable precision hair trimmer blade set
- Whole body **IPX7** waterproof
- 3pcs full size attached combs: 1 mm, 2~10mm and 12~20mm(6-steps adjustment for each comb)
- DC 3.7V powerful motor, **Type-C** charging port
- Lithium battery 700mA for 80 minutes' operation
- Smart- touch on/off switch with decorative lighting
- 2 LED Icons display with over-charging and deep discharging protection
- Cord and cordless operation, 1.5 hours fast charging time
- Charging Voltage:100-240V~ 50/60Hz, 5.0W
- Free accessories: GS Adaptor, Cleaning Brush, 3pcs attached Combs, Oil



RCR-816



- 1pc Precision attachment comb with 6 steps adjustment cutting length (3,6,9,12,15,18mm)
- "Easy clean" system to detach the blade set for convenient cleaning
- DC 3.7V powerful motor
- Lithium 700mA battery, Cord & cordless operation
- 2 LED Icons indicate: charge(red plug light up), working and full charge(the green batter symbol will light up), lower power(the red plug symbol will flash)
- 1.5 hours full charge for 70 minutes operation
- Charging Voltage:100-240V~ 50/60Hz, 5W
- Free accessories: GS Adaptor, Cleaning Brush, 1pc attached Comb and Oil



RCR-806H

Lithium battery
1.5 hours charging time
80 minutes
LED icon display
IPX 7 whole body



RCR-806

2×Ni-Mh batteries
8 hours charging time
50 minutes operation



- 2pcs Precision attachment combs for different cutting sizes (3,6,9,12,15,18mm) and (21,24,27,30,33,36mm)
- Detachable Stainless steel blade for easy cleaning
- Button for "Thinning out" Function, 3.7V powerful motor
- Blade 2 steps fine adjustment (0.8~1.8mm)
- 700mA lithium battery for 90 minutes operation
- Cord and cordless operation, 1.5 hours full charge
- Charge, working and full charge indicator (light from red to green)
- Charging Voltage:100-240V~ 50/60Hz, 5.0W
- Free accessories: Charging Stand (for option), Adaptor, Cleaning Brush, attached Combs and Oil

RCR-805D



RCR-805

- 2×Ni-Mh 600mA batteries
- 8 hours charging time
- 60 minutes operation
- Cord & cordless
- Full charge indicator
- 2pcs attached comb(3~36mm)



RCR-809B

- 1×Ni-Mh 800mA battery
- 8 hours charging time
- 40 minutes operation
- cordless only
- None
- 1pc attached comb(3~18mm)



ES-915

- Sneaker cleaner brush
- 4pcs AA battery operated
- DC motor 500rpm
- **IPX5** for whole body
- Smart on/off switch
- 3pcs interchangeable attachments:
 - hard brush
 - soft brush
 - Sponge attachment



RCM-811



Model: RCM-801



RCM-802



RCM-803



RCM-815

MULTIFUNCTIONAL SET



NEW

RCR-820H



- High performance DC 3.7V powerful motor
- 4 in 1 Interchangeable trimmer heads , with U blade trimmer, T blade trimmer, detail trimmer, nose trimmer and foil shaver head
- U blade attaching small comb 2,4,6,8 & 10mm and large comb 12,14,16,18 & 20mm, T blade with 4 attached combs: 3,6,9 and 12mm
- Lithium battery 700mA, Waterproof **IPX 7** whole body
- 1.5 hours full charge for over 80 minutes operation time
- LED Icons with remaining power display, charging, working, lower power indicator traveling lock function, over-charging and deep discharging protection
- Input: 100-240V~ 50/60Hz, 5W, **Type-C** charging port
- Free clean brush, oil, GS adaptor, 2pcs U blade attached comb, 4pcs T blade attached combs



RCR-821

- High performance DC 3.7V powerful motor
- 3 settings fine adjusting blade cutting length from 0.6 / 0.9 / 1.2mm
- 5 in 1 Interchangeable trimmer heads, with U blade trimmer, T blade trimmer, detail trimmer, nose trimmer and foil shaver head
- U blade attaching one comb offering 3,6,9,12mm various cutting length, T blade with 3 attached combs: 3,6,9mm
- Lithium battery 700mA, Waterproof **IPX6**
- 1.5 hours full charge for over 60 minutes operation time
- 2 LED Icons indicate: charge(red plug light up), working and full charge (the green batter symbol will light up), lower power(the red plug symbol will flash)
- Input: 100-240V~ 50/60Hz, 5W, **Type-C** charging port
- Special design with detachable charging base
- Free clean brush, oil, adaptor, 1pc U blade attached comb, 3pcs T blade attached combs

ELECTRIC PET CLIPPERS



RCR-812H



New



- Detachable ceramic moving blade and titanium coating fix blade
- Blade 5-steps fine adjustment: 0.8,1.1,1.4, 1.7,2.0mm
- 6 pcs attached combs: 3, 6, 9, 12, 15 and 18mm
- DC 3.7V powerful #390 motor, long life lower noise
- Alternative detail trimmer for detail trimming
- Lithium battery 700mA (Max. 1600mA for option) for 70 minutes' operation
- Pushing-on switch, **Type-C** charging port
- LED Icons indicate: remaining power display, charging, working, lower power indicator and traveling lock function
- Over-charging and deep discharging protection
- Cord & cordless operation, 1.5 hours fast charging time
- Charging voltage: 100-240V~ 50/60Hz, 5.0W

Free accessories: GS Adaptor, Cleaning Brush, 6 attached Combs, As styling comb, scissors, detail trimmer, Oil and charging base(for operation)





RCR-882

- Big detachable 420J2# stainless steel blade set
- Blade 4-steps fine adjustment: 0.9,1.2,1.5, 1.8mm
- 4pcs attached combs: 3, 6, 9,12 mm (left and right ear combs for option)
- DC 3.7V powerful #390 motor
- Lithium battery 700mA (Max. 1500mA for option) with 70 minutes' operation
- 2 LED Icons indicate: charge(red plug light up), working and full charge(the green batter symbol will light up), lower power(the red plug symbol will flash)
- Over-charging and deep discharging protection
- Cord and cordless operation, 1.5hous fast charging time
- Charging Voltage:100-240V~ 50/60Hz, 5.0W
- Free accessories: Adaptor, Cleaning Brush, attached 4 Combs, styling comb, Oil

NOSE HAIR TRIMMER



ES-901C



- Rechargeable 4 in 1 nose trimmer set
- Washable **IPX5** , Ni-Mh battery 400mA
- 170# motor, powerful, long life time, lower noise
- 4pcs interchangeable heads: rotary nose & ear trimmer, beard trimmer,eyebrow trimmer and mustache trimmer
- Illuminating light , stainless steel housing
- 8 hours charging time, with charging indicator
- 1 clean brush, protection cap for nose trimmer, USB cable

KIMPORT



ES-901



ES-902



ES-906



ES-909



ES-910



ES-912

Model No	Battery Type	Housing material	Motor Spec.	Integrated lighting	IPX 5
ES-901 noss trimmer	1 AA	SUS 304	170	YES	YES
ES-902 noss trimmer	1 AA	ABS	130	NO	YES
ES-906 noss trimmer	1 AA	ABS	130	YES	YES
ES-909 noss trimmer	1 AA	ABS	130	YES	NO
ES-910 noss trimmer	1 AA	ABS	130	NO	YES
ES-912 noss trimmer	1 AA	ABS	130	YES	YES

KIMPORT



ES-906(2 IN 1)
Nose & beard trimmer



ES-909(2 IN 1)
nose and beard trimmer



ES-906L
(2 in 1 lady trimmer)



ES-906ML
Male & female trimmer



ES-901



ES-903



ES-909



ES-910

Model No	Battery Type	Housing material	Motor Spec.	Integrated lighting	IPX 5	Remark
ES-901 3 in 1	1 AA	SUS 304	170	YES	YES	Stock case
ES-903 3 in 1	1 AA	ABS	170	YES	YES	Stock base
ES-909 3 in 1	1 AA	ABS	130	YES	NO	Stock base
ES-910 3 in 1	1 AA	ABS	130	NO	YES	Stock base

RSR-102

- Three cutting system blades adjust to your face
- Long hair trimmer, electronic switch, waterproof **IPX6**
- DC 3.7V rotary motor, lithium battery 700mA
- 2 LED Icons indicate: charge (red plug light up), working and full charge (the green batter symbol will light up), lower power (the red plug symbol will flash)
- 1.5 hours fast charge for over 50 minutes operation, Cord & cordless
- Input power: 100-240V~50/60Hz, 5.0W
- Free head cover, 1 clean brush and adapter



RSR-102H

- Three cutting system blades adjust to the face
- Long hair trimmer, electronic switch, waterproof **IPX7**
- DC 3.7V Japan Mabuchi rotary motor, lithium battery 700mA
- LED Icons with remaining power display, charging, working, lower power, wash and travel lock symbol
- Over-charge and deep discharge protection, cord & cordless
- 1.5 hours fast charge for over 65 minutes' operation, five minutes fast charge for a shave
- Input power: 100-240V~50/60Hz, 5.0W
- Free head cover, 1 clean brush and adapter

Rs966

4 IN 1 GROOMING KITS

Washable
 Worldwide voltage 100-240V~
 90 minutes fast charge
 60 minutes running time
 Lithium battery operation (1 X 600mAh – 14430)
 3.7V motor
 Pop-up trimmer
 Plug and play
 LED
 Travel lock function

Optional attachments
 Rotary shaving head
 Hair trimmer with 3 detachable combs (3,6,9mm)
 Nose trimmer
 Facial cleaning brush

Accessories
 Adapter
 Multifunctional charge base
 Cleaning brush
 Oil
 Travel bag



•3mm



• 6mm



• 9mm



Cleansing containment nursing brush

Nose hair trimmer

clipper




Rs1102



LED display 3D floating electrical shaver

Material: ABS Body
 Triple Blades
 Battery: 1x800 mAh Li-ion
 Charging time: 1.5 hour fast charge
 Working time: ≥ 60 minutes
 LED Display: battery capacity, working light, wash remind, travel lock.
 Voltage: 100~240V
 Input: 5V 1A,
 Charging interface: Type-C
 Plug and Play
 Travel Lock / Child Lock Function
 Washable
 Package: color box + blister
 1x clean brush, 1x manual, 1x USB cable



Rs998



Multi-function 4 in 1 grooming sets for men

1. 4 interchangeable shaving heads:
 1xNose trimmer
 1xHair trimmer
 1x3D floating 3blades Shaver head
 1xFacial Brush
2. Battery: 600mAh ~1800mAh Li-ion;
3. Charging time: 1 ~2.5hours,
4. Working time: 1 hour ~ 3 hours
5. Charging interface: ICE-C8
8. Washable



Electric Shaver - Rotary Type



Rs992 LED Display Electric Rotary Shaver

- Triple Blades
 - Battery: 800mAh Li-ion Battery
 - Charging time: 60 minutes
 - Working time: ≥ 60 minutes
 - Charging Interface: ICE-C8
 - Plug and Play
 - Travel Lock Function
 - Washable
- Additional Options:
Big cleaning & charging base (Disinfection & Drying)



Rs983 2 IN 1 Grooming Kits

- LCD Display Electric Rotary Shaver
 - Triple Blades
 - Battery: 600mAh Li-ion
 - Charging time: 90minutes
 - Working time: ≥ 60 minutes
 - Charging Interface: ICE-C8
 - Pop-up Trimmer
 - Plug and Play
 - Travel Lock Function
 - Washable
- 2 Interchangeable Operation Heads:
1x Rotary Shaving Head
1x Hair Clipper Head with 3 Combs (3/6/9mm)

Electric Shaver - Rotary Type

Rs968 4 in 1 Men's Grooming Kit

- Triple Blades
- Battery: 600mAh Li-ion
- Charging time: 90 minutes
- Working time: ≥ 50 minutes
- Charging Interface: ICE-C8
- Washable
- Cord or cordless with big charging base
- Optional Interchangeable Heads:
1x Triple Floating Rotary Shaving Head
1x Hair Clipper with 3 combs (3/6/9mm)
1x Ear & Nose Trimmer
1x Facial Cleaning Brush





Rs8993

Professional men's rechargeable shaver
 New international patent triple-track blade
 Washable
 Worldwide voltage 100-240V~
 90 minutes fast charge
 60 minutes running time
 Lithium battery operation
 3.7V motor
 Pop-up trimmer
 Plug and play
 LED



Rs918

Men's rechargeable shaver
 Speed-XL dual-track blade (Floating)
 Washable
 Worldwide voltage 100-240V~
 60 minutes fast charge
 50 minutes running time
 Ni-mH batteries operation
 2.4V motor
 Pop-up trimmer
 Plug and play
 4 led indicator
 Travel lock function



Charging base



Rs8998 

Professional men's rechargeable shaver
 New international patent triple-track blade
 Washable
 Worldwide voltage 100-240V~
 90 minutes fast charge
 60 minutes running time
 Lithium battery operation
 3.7V motor
 Pop-up trimmer
 Plug and play
 LED



Rs1003

LED Display Electric Rotary Shaver

Triple Blades
 Battery: 600mAh Li-ion
 Charging time: 1.5 hour
 Working time: ≥ 60 minutes
 Charging interface: ICE-C8
 Travel Lock
 Washable



Rs192

Rotary Electric Shaver

Triple Blade;
1x800mAh Li-ion battery;
Charging time: 90minutes;
Running Time: 60 minutes;
Charging interface: Type-C



Rs933



Rotary Electric Shaver

Battery: 1x600mAH Li-ion;
Triple Blades
Charging time: 1.8 hours
Working time: 50 mins
Power: 100-240V
Charging interface: IEC-C8



Rs193

Rotary Electric Shaver

Triple Blade;
1x800mAh Li-ion battery;
Charging time: 90minutes;
Running Time: 60 minutes;
Charging interface: Type-C



Rs198



Rotary Electric Shaver

Triple Blade;
1x800mAh Li-ion battery;
Charging time: 90minutes;
Running Time: 60 minutes;
Charging interface: Type-C





Rs303A 
Rotary Electric Shaver
 Dual Blade;
 1x250mAh Li-ion battery;
 Charging time: 1.5 hour;
 Running Time: 60 minutes;
 Charging interface: Type-C
 Washable



Rs305
Rotary Electric Shaver
 Dual Blade;
 1x250mAh Li-ion battery;
 Charging time: 1.5 hour;
 Running Time: 60 minutes;
 Charging interface: Type-C
 Washable



Rs508

Dual blade Rotary shaver
 1x600 Li-ion Battery;
 Charging time: 1.5 hour;
 Running Time: 60 minutes;
 Charging interface: Type-C
 Unwashable



Rs503


Men's rechargeable shaver
 Speed-XL dual-track blade
 5V- USB
 8 hours charge
 50 minutes running time
 Ni-mH batteries operation
 2.4V motor



Rs759 
DOUBLE FOIL SHAVER

Men's Rechargeable shaver
 Double Blade
 1x600mAh Li-ion battery
 Charging time: 90 minutes;
 Running Time: 60 minutes
 Charging interface: ICE-C8
 3.7V Motor



Rs758 
DOUBLE FOIL SHAVER

Men's Rechargeable shaver
 Double Blade
 1x600mAh Li-ion battery
 Charging time: 90 minutes;
 Running Time: 60 minutes
 Charging interface: ICE-C8
 3.7V Motor



Rs740 
Dual Foil Shaver

Titanium foil
 Battery: 2x600mAh Li-ion;
 8800rpm/min
 Charging time: 2.5hours,
 Working time: ≥ 3.5hours
 Power: 100-240V
 Charging interface: ICE-C8



Rs752 
LED Display Titanium Foil Shaver

Titanium Foil + normal stamping process
 blade+Middle Blade
 35 degree, the best shaving angle
 on/off button
 3 speeds (high / middle / low)
 Double row bidirectional middle blade + Dual Foil
 blade
 LED display: speed, battery capacity, working light
 Battery: 1x1000mAH Li-ion
 Motor: 8000Rpm
 Charging time: 2.5 hours
 Working time: 120 minutes,
 Voltage: 100-240V, input: 5V1A adaptor,
 Charging interface: IEC-C8
 Product size: 65x42x125mm





Rs7100 
SINGLE FOIL SHAVER

Single Foil Shaver
Men's Rechargeable shaver
Single Blade
1x320mAh Li-ion battery
Charging time: 90minutes;
Running Time: 45 minutes
Charging interface: Type-C
3.7V Motor



Rs727
DOUBLE FOIL SHAVER

Men's Rechargeable shaver
Double Blade
Back with pop-up trimmer
1x600mAh Li-ion battery
Charging time: 90 minutes;
Running Time: 60 minutes
Charging interface: ICE-C8
3.7V Motor



Rs718
DOUBLE FOIL SHAVER WITH
MIDDLE T BLADE

Men's Rechargeable shaver
Triple Blades
5 battery level display
Back with pop-up trimmer
1x600mAh Li-ion battery
Charging time: 90 minutes;
Running Time: 60 minutes
Charging interface: ICE-C8
3.7V Motor



Rs728
DOUBLE FOIL SHAVER

Double Foil Shaver
Men's Rechargeable shaver
Double Blade
Back with pop-up trimmer
2x1.5V Dry Battery



Rs103

Travel Mini Shaver

Smart self-cleaning,
auto stop in 30 seconds, finished cleaning,
Rotate counterclockwise for cleaning,
rotary cleaning port design.
single blade,
1x250mAh Li-ion battery;
charging time: 1.5 hour
Running time: 60 minutes
Charging interface: type-C
washable IPX6



Rs89

Travel Mini Electric Shaver

Features: Patented safety cutter head,
rotary three-leaf cutter head, sharp cut,
Single head ,size as a egg , portable and painless
Size: 4x4x6 cm
Suitable for: face/ body
Washing: Head washable
Hi Speed Engine: 6500 r.p.m.
Battery: Li-ion battery
Charging 1.5 hours, working for ≥ 45 minutes
30 days standby for one time charging.
Charging interface: Type-C



Rs100



Travel Mini Electric Shaver

Single Blade
1x250mAh Li-ion Battery
Charging time: 1.5 hour
Running time: 45 minutes
Charging interface: Type-C
Washable IPX6



Rs102

Travel Mini Shaver

Smart self-cleaning,
auto stop in 30 seconds,
finished cleaning,
Rotate counterclockwise for cleaning,
rotary cleaning port design.
single blade,
1x250mAh Li-ion battery;
charging time: 1.5 hour
Running time: 60 minutes
Charging interface: type-C
washable IPX6





Rs91

Travel Mini Electric Shaver

Features: Patented safety cutter head, rotary three-leaf cutter head, sharp cut, Single head ,size as a egg , portable and painless
 Suitable for: face/ body
 Washable
 Hi Speed Engine: 6500 r.p.m.
 Battery: Li-ion battery
 Charging 1.5 hours, working for ≥ 45 minutes
 30 days standby for one time charging.
 Charging interface: Type-C



Rs97

Travel Mini Electric Shaver

Features: Patented safety cutter head, rotary three-leaf cutter head, sharp cut, Single head ,size as a egg , portable and painless
 Size: 4x4x6 cm
 Suitable for: face/ body
 Washing: Head washable
 Battery: Li-ion battery
 Charging 1.5 hours, working for ≥ 45 minutes
 30 days standby for one time charging.
 Charging interface: Type-C



Rs9369

**HAIR TRIMMER
HAIR CLIPPERS**



Rechargeable Professional Barber Hair Clipper
 Transparent front shell of motor frame
 DLC (Diamond-like Carbon) hypoallergenic high strength blade
 Constant voltage output motor
 1x1800mAh Li-ion Battery (can extend to 2500mAh)
 Charging time: 3 hours
 Working time: ≥ 180 minutes
 LED light indication
 Blade trimmer length adjustable
 Charging interface: IEC-C8;
 Cord / Cordless Operation / Plug and play
 8 guide combs (1.5, 3, 4.5, 6, 10,13, 16, 19mm)
 Accessories:
 1x clean brush, 1x oil, 1x manual, 1x USB cable
 Metal panel



Rs9368

**HAIR TRIMMER
HAIR CLIPPERS**



T blade Professional hair trimmer
 Transparent front shell of motor frame
 T - Blade (Screw Detachable blade, could coat DLC)
 Detachable head, and wash head only.
 1x1800mAh Li-ion Battery (can extend to 2500mAh)
 Charging time: 3 hours
 Working time: ≥ 180 minutes
 Charging interface: IEC-C8
 Cord / Cordless Operation
 Accessories: manual, clean brush, oil, 1x USB Cable;
 Metal panel

Rs9355
HAIR TRIMMER
HAIR CLIPPERS



Rechargeable Professional Barber Hair Clipper
 DLC (Diamond-like Carbon) hypoallergenic high strength blade
 Constant voltage output motor
 1x1800mAh Li-ion Battery (can extend to 2500mAh)
 Charging time: 3 hours
 Working time: ≥ 180 minutes
 LED light indication
 Blade trimmer length adjustable
 Charging interface: IEC-C8;
 Cord / Cordless Operation / Plug and play
 8 guide combs (1.5, 3, 4.5, 6, 10,13, 16, 19mm)
 Accessories:
 1x clean brush, 1x oil, 1x manual, 1x USB cable

Rs9352
HAIR TRIMMER
HAIR CLIPPERS



Rechargeable Professional Barber Hair Clipper
 Transparent front shell of motor frame
 DLC (Diamond-like Carbon) hypoallergenic high strength blade
 Constant voltage output motor
 1x1800mAh Li-ion Battery (can extend to 2500mAh)
 Charging time: 3 hours
 Working time: ≥ 180 minutes
 LED light indication
 Blade trimmer length adjustable
 Charging interface: IEC-C8;
 Cord / Cordless Operation / Plug and play
 8 guide combs (1.5, 3, 4.5, 6, 10,13, 16, 19mm)
 Accessories:
 1x clean brush, 1x oil, 1x manual, 1x USB cable



Rs9360
HAIR TRIMMER
HAIR CLIPPERS



T blade Professional hair trimmer
 DLC T-Blade zero Gap
 Detachable head, and wash head only.
 1x1800mAh Li-ion Battery (can extend to 2500mAh)
 Charging time: 3 hours
 Working time: ≥ 180 minutes
 Charging interface: IEC-C8
 Cord / Cordless Operation
 Accessories: manual, clean brush, oil, 1x USB Cable;

Rs9361
HAIR TRIMMER
HAIR CLIPPERS



T blade Professional hair trimmer
 Transparent front shell of motor frame
 DLC T-Blade zero Gap
 Detachable head, and wash head only.
 1x1800mAh Li-ion Battery (can extend to 2500mAh)
 Charging time: 3 hours
 Working time: ≥ 180 minutes
 Charging interface: IEC-C8
 Cord / Cordless Operation
 Accessories: manual, clean brush, oil, 1x USB Cable;



Rs9351
HAIR CLIPPERS TRIMMER 

T blade Professional hair trimmer
Transparent front shell of motor frame
DLC T-Blade zero Gap
Detachable head, and wash head only.
1x1800mAh Li-ion Battery (can extend to 2500mAh)
Charging time: 3 hours
Working time: ≥ 180 minutes
Charging interface: IEC-C8
Cord / Cordless Operation
Accessories: manual, clean brush, oil, 1x USB Cable;



Rs9337
HAIR TRIMMER
HAIR CLIPPERS 

T blade Professional hair trimmer
Transparent front shell of motor frame
DLC T-Blade zero Gap
Detachable head, and wash head only.
1x1800mAh Li-ion Battery (can extend to 2500mAh)
Charging time: 3 hours
Working time: ≥ 180 minutes
Charging interface: IEC-C8
Cord / Cordless Operation
Accessories: manual, clean brush, oil, 1x USB Cable;



Rs9316
HAIR TRIMMER
HAIR CLIPPERS 

LED Display Ceramic Blade Hair Clipper
LED display power capacity, RPM,
Charging indication, oil reminder.
Stainless Steel Blade+Gray Ceramic moving Blade
1x1800mAh Li-ion Battery (can extend to 2500mAh)
Charging time: 3 hours
Working time: ≥ 180 minutes
3 speed adjustable
Blade trimmer length adjustable
Charging interface: Type-C
Cord / Cordless Operation
Adjustable cutting length (from 0.8 - 2 mm
(4 adjust intervals, each of 0.3mm)
5 guide combs: (3/6/9/12/15mm)
Accessories: manual, clean brush, oil, 1x TYPE-C USB Cable



Rs9306
HAIR TRIMMER
HAIR CLIPPERS

Ceramic Blade Hair Clipper
Stainless Steel Blade+Gray Ceramic moving Blade
1x1800mAh Li-ion Battery (can extend to 2500mAh)
Charging time: 3 hours
Working time: ≥ 180 minutes
Battery level indication
3 speed adjustable
Blade trimmer length adjustable
Charging interface: Type-C
Cord / Cordless Operation
Adjustable cutting length (from 0.8 - 2 mm,
4 adjust intervals, each of 0.3mm)
2 guide combs: (3-6, 9-12mm)
Accessories: manual, clean brush, oil, 1x TYPE-C USB Cable;

Hair Trimmer & Hair Clippers



Rs9325

HAIR TRIMMER
HAIR CLIPPERS

Rechargeable Professional Barber Hair Clipper
Taper blade 500 torque 390 motor
1x1800mAh Li-ion Battery (can extend to 2500mAh)
Charging time: 3 hour fast charge
Working time: \geq 180 minutes
1 Toggle Switch
LED light indication
Blade trimmer length adjustable
Charging interface: IEC-C8;
Cord / Cordless Operation / Plug and play
Accessories:
1x clean brush, 1x oil, 1x manual, 1x USB cable
6 guide combs (1.5,3,4.5,6,10,13mm)



Rs9312C

HAIR TRIMMER
HAIR CLIPPERS

Rechargeable Professional Barber Hair Clipper
Taper blade
1x1800mAh Li-ion Battery (can extend to 2500mAh)
Charging time: 3 hour fast charge
Working time: \geq 180 minutes
1 Toggle Switch
LED light indication shift
Blade trimmer length adjustable
Charging interface: IEC-C8;
Cord / Cordless Operation / Plug and play
Accessories:
1x clean brush, 1x oil, 1x manual
1x USB cable
6 guide combs (1.5,3,4.5,6,10,13mm)



Rs9333

HAIR TRIMMER
HAIR CLIPPERS

Rechargeable Professional Barber Hair Clipper
Transparent front shell of motor frame
"DLC (Diamond-like Carbon) hypoallergenic high strength blade"
Constant voltage output motor
1x1800mAh Li-ion Battery (can extend to 2500mAh)
Charging time: 3 hours
Working time: \geq 180 minutes
LED light indication
Blade trimmer length adjustable
Charging interface: IEC-C8;
Cord / Cordless Operation / Plug and play
8 guide combs (1.5, 3, 4.5, 6, 10,13, 16, 19mm)
Accessories:
1x clean brush, 1x oil, 1x manual, 1x USB cable



Rs9335

HAIR TRIMMER
HAIR CLIPPERS

T blade Professional hair trimmer
Transparent front shell of motor frame
T - Blade (Screw Detachable blade, could coat DLC)
Detachable head, and wash head only.
1x1800mAh Li-ion Battery (can extend to 2500mAh)
Charging time: 3 hours
Working time: \geq 180 minutes
Charging interface: IEC-C8
Cord / Cordless Operation
Accessories: manual, clean brush, oil, 1x USB Cable;



Rs9302
HAIR TRIMMER
HAIR CLIPPERS

5 in 1 Household Hair Clipper Kits
1x600mAh Li-ion battery
3.7V Motor
Charging time: 1 hour fast charge
Working time: ≥ 60 minutes
Charging interface: ICE-C8
Cord / Cordless Operation
Plug and play

1x foil shaver
1x beard trimmer
1x hair trimmer
1x nose trimmer
1x styling etching trimmer
2 attachment combs (1-10, 1-6)



Rs9317
HAIR TRIMMER
HAIR CLIPPERS

T blade hair trimmer
T - Blade (Hand Detachable blade)
Detachable head, and wash head only.
1x600mAh Li-ion Battery (can extend to 1000mAh)
Charging time: 1.5 hours
Working time: ≥ 60 minutes
Charging interface: Type-C
Cord / Cordless Operation
5 guide combs (1,2,3,4,5mm)
Accessories: manual, clean brush, oil, 1x USB Cable;



Rs9303
HAIR TRIMMER
HAIR CLIPPERS

Hair Trimmer
Stainless Steel Blade (Hand Detachable blade)
Detachable head, and wash head only.
Battery: 1x600mAh Li-ion; (can extend to 1000mAh)
Charging time: 1.5 hours,
Working time: ≥ 60 minutes
Power: 100-240V
Charging port: Type-C / IEC-C8 dual charge mode
4 guide combs (3,6,9,12)
Accessories: manual, clean brush, USB cable



Rs9305
HAIR TRIMMER
HAIR CLIPPERS

T blade hair trimmer
T - Blade (Screw Detachable blade)
Detachable head, and wash head only.
1x600mAh Li-ion Battery (can extend to 1000mAh)
Charging time: 1.5 hours
Working time: ≥ 60 minutes
Charging interface: Type-C / IEC-C8 dual charge mode
Cord / Cordless Operation
5 guide combs (1,2,3,4,5mm)
Accessories: manual, clean brush, oil, 1x USB Cable;

51

5 in 1
Lady Care Set

RI6005 
LADY CARE SET

- 4 in 1 men's care set
- Washable (IPX4)
- 1.5V AA battery operation
- Powerful motor
- Shaver attachment
- Trimmer hair attachment
- Eye-brow hair attachment
- Nose trimmer attachment



Nose Trimmer Series

Rs5206 
NOSE TRIMMER

- Nose trimmer
- Stainless blade
- Comfortable slide switch
- Protective cap
- 1.5V AA battery operation



51

5 in 1
Lady Care Set



RI6001
LADY CARE SET

- 5 in 1 lady care set
- Washable (IPX6)
- 1.5V AA battery operation
- Powerful motor
- Finger hair attachment
- Trimmer hair attachment
- Eye-brow hair attachment
- Nose trimmer attachment
- Facial brush attachment

Optional function:
USB rechargeable version for choice

RI6002
LADY CARE SET

- Lady shaver
- Shaving face hair
- Shaving finger hair
- Shaving bikini line
- 1.5V AA battery operation
- Golden blade
- Lipstick design
- LED light
- Working Indicator light



Lint Remover Series



Rr6210 LINT REMOVER

Professional rechargeable lint remover
220V/110V
8 hours charge
Sharp blade
Safety lock function
Adjustable remover ring
Large size foil & blade
Charging indicator

Rc3000

One Click Desk Vacuum Cleaner
Model# Rc3000
360-degree upward air duct, strong wind, fast suction, do not scatter dust, prevent debris drifting
Surface: Spray with anti-fingerprint nanometre paint
Motor: 290 torsion, speed: 1.85m/s
Power: 3.7V 1500mAh Lithium battery
Charging time: 120 minutes, Running time: continues using 120 minutes, 3 minutes one time for every 3 days, could last for 100 days.
200 mesh vacuum cleaner filter screen, filter size $\leq 0.075\text{mm}$, (diameter of the hair is 0.05mm)



Rr6211 LINT REMOVER


Professional rechargeable lint remover
220V/110V
8 hours charge
Sharp blade
Safety lock function
Adjustable remover ring
Large size foil & blade
Charging indicator




upwards wind



Powerful sucking



One Button Operation



Rotary Fan Blade



High Frequency Sonic Toothbrush

|| TB9433 ||
Sonic Toothbrush



|| TB9102 ||
Sonic Toothbrush



|| TB9414 ||
Ice-Cream-Shaped
Electric Toothbrush



|| TB9314 ||
|| TB9314A ||
Gum Care High Frequency
Sonic Toothbrush



|| TB9344 ||
Mini Travel High Frequency
Sonic Toothbrush



|| TB9273 ||
Mini Travel High Frequency
Sonic Toothbrush



|| TB9302 ||
Sonic Toothbrush



|| TB9131 ||
Simple High Frequency
Sonic Toothbrush



|| TB9101 ||
Rmoantic High Frequency
Sonic Toothbrush



High Frequency Sonic Toothbrush

|| TB9212 ||
Simple Design High
Frequency Sonic Toothbrush



|| TB9283 ||
High Frequency
Sonic Toothbrush



|| TB9031 ||
Ultra Clean High Frequency
Sonic Toothbrush



|| TB9031A ||
Bluetooth High Frequency
Sonic Toothbrush



|| TB9021 ||
Comfortable High Frequency
Sonic Toothbrush



|| TB9011 ||
Classic High Frequency
Sonic Toothbrush



|| TB-E1 ||
Intelligent Sonic
Toothbrush



Sonic Pulse Toothbrush

|| TB8122 ||

Gentle Care Sonic Pulse Toothbrush



|| TB8132 ||

Student Sonic Pulse Toothbrush



|| TB8021 ||

Simple Sonic Toothbrush with Rechargeable UV Sanitizer



Portable Travel Toothbrush

|| TB8060 ||

Battery Toothbrush



|| TB8153 ||

Lipstick Style Portable Toothbrush
声波款口红牙刷



|| TB8040 ||

Lipstick Style Portable Toothbrush
电池款口红牙刷



|| TB7123B ||

Simple Oscillating Toothbrush



|| TB7133 ||

Simple Oscillating Toothbrush



|| TB7143 ||

Simple Oscillating Toothbrush



|| TB7153 ||

Battery powered Toothbrush



Oscillating Toothbrush

|| TB7154 ||

Battery powered Toothbrush



|| TB7155 ||

Battery powered Toothbrush



|| TB-X1 ||

Intelligent Oscillating Toothbrush



|| TB-X2 ||

Intelligent Oscillating Toothbrush



Kids Toothbrush

|| TB9383 ||

Rocket-Shaped Kids Electric Toothbrush



|| TB8220 ||

Rabbit Kids Electric toothbrush



|| TB-K1 ||

Space Series Toothbrush For Kids



|| TB-K2 ||

Oscillating Toothbrush For Kids



|| TB8203 ||

Cuckoo Kids Electric Toothbrush



|| TB9113/TB9183 ||

Dinosaur Sonic Toothbrush for Kids



Bubble Fish Sonic Toothbrush for Kids

|| TB9100 ||

Small Fish Kids Sonic Toothbrush



|| TB8051 ||

Frog Themed Kids Sonic Toothbrush



|| TB8041 ||

Simple Portable Toothbrush



|| TB8081 ||

Egg Shell Shape Kids Sonic Toothbrush



Toothbrush Head Set

KIMPORT

Toothbrush Head Set

TH1909

Rubberised Brush Head



For model TB9113 / TB9183

TH1910

Rhombus-Shape Brush Head



For model TB9131 / TB9141 / TB9151 / TB9161 / TB917

TH1811

Standard Brush Head



For model TB8122 / TB8132

TH1901 Standard Brush Head



Brush head: 4 pcs
Dupont bristle

For all high frequency sonic toothbrush models

- Qty / 20GP CNTR: 13920 pcs - Qty / 40GP CNTR: 28320 pcs - Qty / 40HQ CNTR: 31680 pcs

TH1903

Powerful Brush Head



Brush head: 4 pcs
Dupont bristle

Fit for toothbrush model TB9031

TH1702 || TH1703

Oscillating Brush Head



For model TB7031 For model TB7133/Compatible to Oral-B

TH1907

Silicone Tongue Scraper



For all high frequency sonic toothbrush models

TH1502

Interdental Brush Head



For all high frequency sonic toothbrush model

TH1826

Dupont bristle



For model TB8233

TH-1

Rubberized Brush Head



Dupont bristle
For model TB9483

TH1911

Dupont bristle



For model TB9011/TB9141/
TB9071/TB9071A/TB9314/
TB9273

TH1905 || TH1905A

Rubberized Brush Head



Rubberised brush head designed
to protect your teeth
Brush head: 4 pcs
Dupont bristle
Fit for toothbrush model TB9051

KIMPORT

Oral Irrigator

|| WJ5073 ||



|| WJ5063 ||

Portable Oral Irrigator



|| TB5012 ||

Contractible Portable Oral Irrigator



|| WJ01 ||

Milk-canister Portable Oral Irrigator



|| TB5011 ||

Classic Type Portable Oral Irrigator



|| WJ5094 ||

Classic Type Portable Oral Irrigator



|| WJ02 ||

Portable desktop oral irrigator



|| Tips ||

Various nozzles



Electronic Oral Spray

Jelly Electronic Oral Spray



Portable Electronic Oral Spray



Portable Electronic Oral Spray



Portable electronic oral spray



Travel Case

|| TC1901 ||

Travel Charging Case



|| TC1902/TC1902A ||

UV Travel Charging Case



|| TC2900 ||

Fashion Travel Charging Case



|| TC2902 ||

Simple Travel Case



UV Sanitizer || Teeth Whitening/Lip beauty

|| TB4012 ||

Rechargeable UV Sanitizer



|| TB3011 ||

Standard Type Teeth Whitening



|| TB3011A ||

Portable Teeth Whitening



|| TW1000 ||

Portable Teeth Whitening



|| TW2000 ||

Portable Teeth Whitening



JS3-1



Functional parameters
 Rated voltage: 3.7V
 Rated power: 1.8W
 Vibration frequency: about 38000 times / min
 Charging mode: USB/DC interface
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS5-1



Functional parameters
 Rated voltage: 3.7V
 Rated power: 1.5W
 Vibration frequency: about 38000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS3-2



Functional parameters
 Rated voltage: 3.7V
 Rated power: 1.5W
 Vibration frequency: about 38000 times / min
 Charging mode: USB/DC interface
 Charging time: about 5 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7




JS5-1 For kid's



Functional parameters
 Rated voltage: 3.7V
 Rated power: 0.6W
 Vibration frequency: about 36000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS5-2



Functional parameters
 Rated voltage: 3.7V
 Rated power: 1.5W
 Vibration frequency: about 38000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7

Accessories selection



JS10-1



Functional parameters
 Rated voltage: 3.7V
 Rated power: 1.5W
 Vibration frequency: about 38000 times / min
 Charging mode: USB/DC interface
 Charging time: about 5 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7

JS5-3



Functional parameters
 Rated voltage: 3.7V
 Rated power: 1.5W
 Vibration frequency: about 38000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS15-1



Functional parameters
 Rated voltage: 3.7V
 Rated power: 1.5W
 Vibration frequency: about 38000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS508

Type-C



Functional parameters

Rated voltage: 3.7V
 Rated power: 1.8W
 Vibration frequency: about 38000 times / min
 Charging mode: Type-C / USB DC
 Charging time: about 3 hours
 Specification: lithium battery 18650-1200mAh
 Power reminder: low power charging lamp flashes
 Duration: about 50 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS509



Functional parameters

Rated voltage: 3.7V
 Rated power: 1.5W
 Vibration frequency: about 38000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS508



Functional parameters

Rated voltage: 3.7V
 Rated power: 1.8W
 Vibration frequency: about 38000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 9 hours
 Specification: lithium battery 18650-1200mAh
 Power reminder: low power charging lamp flashes
 Duration: about 50 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS510



Functional parameters

Rated voltage: 3.7V
 Rated power: 1.2W
 Vibration frequency: about 38000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS515

Functional parameters

Rated voltage: 3.7V
 Rated power: 1.5W
 Vibration frequency: about 38000 times / min
 Charging mode: Induction charging (USB/DC)
 Charging time: about 6 hours
 Specification: lithium battery 14500-600mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JS511

under development



JS515



JS517

Type-C

under development



JS518

under development



JS520

under development



JS519

under development



JS516

Functional parameters
 Rated voltage: 3.7V
 Rated power: 0.9W
 Vibration frequency: about 15000 times / min
 Charging mode: USB/DC interface
 Charging time: about 5 hours
 Specification: lithium battery 14500-500mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



New item

under development



JM3-1

Functional parameters

Rated voltage: 3.7V
 Rated power: 0.5W
 Vibration frequency: about 20500 times / min
 Charging mode: USB/DC interface
 Charging time: about 5 hours
 Specification: lithium battery 14500-500mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



New item

under development



R03

For kid's

Functional parameters

Rated voltage: 3.7V
 Rated power: 0.4W
 Vibration frequency: about 19000 times / min
 Charging mode: USB/DC interface
 Charging time: about 4 hours
 Specification: lithium battery 14500-500mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JM303



Functional parameters
 Rated voltage: 3.7V
 Rated power: 0.5W
 Vibration frequency: about 20500 times / min
 Charging mode: USB/DC interface
 Charging time: about 5 hours
 Specification: lithium battery 14500-500mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JM5-1



Functional parameters
 Rated voltage: 3.7V
 Rated power: 0.5W
 Vibration frequency: about 20500 times / min
 Charging mode: Type-C / USB DC
 Charging time: about 5 hours
 Specification: lithium battery 14500-500mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JM304



Functional parameters
 Rated voltage: 3.7V
 Rated power: 0.5W
 Vibration frequency: about 20500 times / min
 Charging mode: Type-C / USB DC
 Charging time: about 5 hours
 Specification: lithium battery 14500-500mAh
 Power reminder: low power charging lamp flashes
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX7



JD1-1



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.2W
 Vibration frequency: about 19000 times / min
 Battery specification: AA1.5V (NO.5 Battery)
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5



JD105



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.4W
 Vibration frequency: about 9000 times / min
 Battery specification: AA1.5V (NO.5 Battery)
 Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5



JD102



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.2W
 Vibration frequency: about 13500 times / min
 Battery specification: AAA1.5V (NO.7 Battery) Duration:
 about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

JD1-2




Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.2W
 Vibration frequency: about 14000 times / min
 Battery specification: AAA1.5V (NO.7 Battery) Duration:
 about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

JD104



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.4W
 Vibration frequency: about 15000 times / min
 Battery specification: AA1.5V (NO.5 Battery) Duration:
 about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

JD107



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.4W
 Vibration frequency: about 9000 times / min
 Battery specification: AA1.5V (NO.5 Battery) Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

JD106



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.4W
 Vibration frequency: about 8000 times / min
 Battery specification: AAA1.5V (NO.7 Battery) Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

JD110



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.37W
 Vibration frequency: about 16000 times / min
 Battery specification: AA1.5V (NO.7 Battery) Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

Travel box under development

JD108



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.5W
 Vibration frequency: about 7500 times / min
 Battery specification: AAA1.5V (NO.7 Battery) Duration: about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

R01



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.3W
 Vibration frequency: about 6200 times / min
 Battery specification: AA1.5V (NO.5 Battery) Duration:
 about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

JD111



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.3W
 Vibration frequency: about 6200 times / min
 Battery specification: AA1.5V (NO.5 Battery) Duration:
 about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

R02



Functional parameters
 Rated voltage: 1.5V
 Rated power: 0.3W
 Vibration frequency: about 6200 times / min
 Battery specification: AA1.5V (NO.5 Battery) Duration:
 about 30 days
 (calculated by using 2 minutes each morning and evening)
 Waterproof grade: IPX5

JS512



under development

New item

under development



S1

Functional parameters
 Rated voltage: 3.7V
 Rated power: 6.84W
 Specification: 14500-800mAh
 Frequency: 1400-1600
 Charging mode: USB
 Water capacity: 180 ml
 Waterproof grade: IPX7




JJC203

Functional parameters
 Rated voltage: 3.7V
 Rated power: 8W
 Specification: 18650-3C2000mAh
 Frequency: 1800
 Charging mode: Type-C
 Water capacity: 200 ml
 Waterproof grade: IPX7
 5 modes
 Standard mode soft
 mode
 Comfort mode Pulse
 mode Variable
 speed mode



JJC202

under development



Functional parameters
 Rated voltage: 3.7V
 Rated power: 6W
 Specification: 500mAh
 Frequency: 1400-1600
 Charging mode: Type-C
 Water capacity: 100 ml
 Waterproof grade: IPX7

brush head



for electric toothbrush








for sonic electric toothbrush








JJ01



Toothbrush disinfection rack





















KIMPORT







KIMPORT





SM353
Size: 19x25.2x2.4cm
1000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/3X+5Xmagnifier



SM161A-DL
Size: 19x25.2x2.4cm
1000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



SM355A/D
Size: 26x19.2x15.5cm
2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



RM312
Size: 10x10.2x2.25cm
600mAh lithium battery
Angle adjustable+brightness
dimmable/10Xmagnifier



RM242-S
Size: Φ15cm
1X/2X/3X/5X/7X/10Xmagnifier



SM357
Size: 26.2x20.2x11.8cm
2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



SM241A-DL/SM217D-DL
Size: 27.8x18x12cm
AAA battery*4pcs
Angle adjustable+3 color light+
brightness dimmable/2X+3Xmagnifier



SM363
Size: L16x14.3x2.1cm
1000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/3X+7Xmagnifier



SM216-DL
Size: 27.8x18x12cm
AAA battery *4pcs
Angle adjustable+brightness dimmable



RM223-DL
Size: 18.8(h) 30cm
1000mAh Li-polymer battery
Angle adjustable+3 color light+
brightness dimmable/5Xmagnifier



RM299-DL(Lithium Battery)
Size: 23.5x40x13.5cm
2000 mah battery * 1pcs
Angle adjustable+3 color light+brightness
dimmable/10Xmagnifier



SM367
Size:L19.35xW13xH1.82cm
1000mAh lithium battery
Angle adjustable+3 color light
+brightness dimmabler /5Xmagnifier



SM372
Size:L19.35xW13xH1.82cm
1000mAh lithium battery
Angle adjustable+3 color light+brightness
dimmabler / 3X+5Xmagnifier



SM296A-SL
Size:19.3x13x1.45cm
1000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmabler



DP330
Size: W36.5*H47.5 cm, W14.4**H18.7"
By adapter connected
Angle adjustable+3 color light+
brightness dimmable



DP331
Size: W30.5*H36.5 cm, W12**H14.3"
By adapter connected
Angle adjustable+3 color light+
brightness dimmable



SM145D-SL
Size: 26.5x16.5x12cm
AA battery *4pcs
3 color light+brightness dimmable+
Angle adjustable



RM364

Size: 13.7x15.3x2.7cm

1000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/5X magnifier



RM369

Size: 9.9x9x1.8cm

600mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/5Xmagnifier



RM342

Size: L9.12xW9.12x1.8cm

4pcs CR2032 batteries
brightness dimmable/5Xmagnifier



RM343

Size: 15.6x3.7x26.3cm

700mAh lithium battery
Angle adjustable+brightness
dimmable/5Xmagnifier



RM341

Size: 20.5x18x29cm

1000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



SM362A/D

Size: L28xW15.8xH2.35cm

AAA battery *4pcs
brightness dimmable



SM354

Size: L23+8.43xW18+2.5cm

4pcs AA
Grade 4 waterproof + anti-fog
+ adjustable brightness



RM359

Size: 17.2X4.3cm

AAA battery *4pcs
3X/5X/7X/10Xmagnifier



RM378

Size: 17X21.4X11.9CM


AAA battery *4pcs



RM360

Size: 21.8x40.3x2.6cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/7X magnifier



RM361

Size: 21.8x24x2.6cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/7X magnifier



RM388

Size: 41.2x13x50cm

By adapter connected
Angle adjustable+3 color light
+brightness dimmable



RM381

Size: 23.6X39.8X2.74cm

1800mAh lithium battery
Angle adjustable+3 color light+brightness
dimmable/10Xmagnifier



RM289-DL

Size: 31x10x27cm

1200mAh Lithium battery
Angle adjustable+3 color light+
brightness dimmable



RM271-DL

Size: 31x19x9.7cm

1800mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/
5Xmagnifier/Humidifier function



RM268-SL

Size: 25x12.8x23cm

3000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/
5Xmagnifier/Humidifier function



RM318

Size: 21x35x18.4cm

2000mAh lithium battery
3 color light+ brightness dimmable



RM282-SL

Size: 21x9x34cm

4pcs AAA or USB cable/Dry cell
Angle adjustable+3 color light+
brightness dimmable/10X magnifier



RM288-DL

Size: 21x17x36.3cm

4pcs AAA or USB cable/Lithium battery
Angle adjustable+3 color light+
brightness dimmable/10X magnifier



RM321 with human sensor switch

Size: 35.8x25.8x11.7cm

3600/2400mAh
Angle adjustable+3 color light+
brightness dimmable



RM318 with wireless charger

Size: 25x12.8x23cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



RM318B with bluetooth speaker

Size: 21x35x18.4cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



RM313

Size: 19.5x21.8x2.7cm

1800mAh battery
Angle adjustable+3 color light+
brightness dimmable/10Xmagnifier



RM231-DL

Size: 18.8(h) 30cm

1000mAh Li-polymer battery
Angle adjustable+3 color light+
brightness dimmable



RM225-DL

Size: 18.8(h) 30cm

AAA battery*4pcs
Angle adjustable+3 color light+
brightness dimmable



RM351

Size:20.05x11.65x1.48cm

USB rechargeable or 1000mah lithium battery
High Configuration Can Be Flipped 90 Degrees/
brightness dimmable



RM249-DL

Size: 23.1x10.5x34cm

3000mAh Lithium Battery
Angle adjustable+3 color light+brightness
dimmable/with bluetooth speaker



RM310

Size: L39.2 x W25.7 x H17cm

5200mAh Lithium Battery
Angle adjustable+3 color light+brightness
dimmable/5Xmagnifier



RM323/324

Size: 20x13x5cm

AAA battery*4pcs
Angle adjustable+3 color light+
brightness dimmable/10Xmagnifier



RM222-DL

Size: 34.3x24.4x16.4cm

AAA battery*4pcs
Angle adjustable+3 color light+
brightness dimmable/5Xmagnifier



RM201-DL/RM202-DL

Size: 29.5x23.2x6.2cm

1000mAh Li-polymer battery
Angle adjustable+3 color light+
brightness dimmable/10Xmagnifier



SM326A/SM326D

Size: L36.3xW20xH14cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



SM261A-DL

Size: 22.8x15x37.2cm

4pcs AA or USB cable
Angle adjustable+3 color light+
brightness dimmable



SM190-SL

Size: 28X23X2.3cm

AA battery *4pcs
Standing/ Wall Hanging Multi-Use



SM145A-SL(magnifying mirror)

Size:27.05x16.5x12cm

4pcs*AA or USB cable
Angle adjustable+3 color light+brightness dimmable



SM145-SL

Size: 16.5x12x27cm

4pcs AA or USB cable
3 color light+brightness dimmable+
Angle adjustable



RM259-DL

Size: 23.5x5x24.6cm

2000mAh Li-polymer battery
Angle adjustable+brightness
dimmable/7Xmagnifier



RM291-SL

Size: 20.5x18x29cm

1000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



SM279D

Size: 45x30x6.4cm
width of base 21.5cm

Angle adjustable+3 color light+
brightness dimmable



SM279C

Size: 45x30x6.4cm
width of base 21.5cm

Angle adjustable+3 color light+
brightness dimmable



RM318

Size: 21x21x10.5cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



SM320

Size: 20.2x13.6x1.6cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



RM162-SL

Size: 15x18.3x4.6cm

AAA battery*4pcs
Angle adjustable+3 color light+
brightness dimmable/5Xmagnifier



SM344

Size: 32.8x20.5x3.5cm

2000mAh lithium battery
3 color light+brightness dimmable



SM329

Size: 32.8x20.5x3.5cm



SM261A-DL+SM257
Size: 34x19x43cm

AAA battery *4pcs
3 color light+brightness dimmable



RM241D-DL+SM257
Size: 34x19x33.5cm

AAA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable/2X+3Xmagnifier



RM238A-DL+SM257
Size: 34x19x43cm

AAA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable/
3X+5X+10Xmagnifier



SM334
Size: 23.6x10.5x33.8cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable/2X+3Xmagnifier



SM238C-DL
Size: 37x24x31.2cm

AA battery *4pcs
ngle adjustable+brightness dimmable
3X+5X+10X magnifier



SM145D-SL+SM265
Size: 35x22.5x17.3cm

AAA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable



SM261E+257
Size: 34x19x43cm

AA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable



DP330+Organiser
Size: 36.8x8.5x48cm

By adapter connected
Bluetooth speaker



SM239A-DL
Size: 37x24x31.2cm

AA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable



SM248E-DL
Size: 27.8x18x12cm

AA battery *4pcs
Angle adjustable+brightness
dimmable



RM255A/SM255D
Size: 24.5x20x7.4cm

AAA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable/2X+3Xmagnifier




SM328
Size: 22.1x14.8x6.5cm

2000mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



SM261E+257
Size: 34x19x43cm

AAA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable



SM215-DL
Size: 17.8x23.8x5cm

AAA battery *4pcs
Angle adjustable
+brightness dimmable /2X+3Xmagnifier




SM213D-DL
Size: 17.8x23.8x5cm

AAA battery *4pcs
Angle adjustable+brightness dimmable



SM266A-DL
Size: 27.8x18x12cm

AA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable/10X+7Xmagnifier



SM228-D
Size: 17.8x23.8x5cm

3X+2Xmagnifier



SM227-D
Size: 17.8x23.8x5cm



RM338-DL(AAA Battery)
RM337-DL(Lithium Battery)
Size: 23.6x2.6x36.1cm

1800mah rechargeable battery
AAA battery *4 or USB data cables
Angle adjustable+3 color light+brightness
dimmable/10Xmagnifier



RM306-DL(AAA Battery)
RM307-DL(Lithium Battery)
Size: φ20cm

AAA battery *4pcs
2000 mah battery * 1pcs
Angle adjustable+3 color light+brightness
dimmable/10Xmagnifier



SM229-D
Size: 17.8x27.3x12cm

Angle adjustable



SM144-DL
Size: 15.4x12.2x1.3cm

CR2032*2PCS
brightness dimmable



SM119-D
Size: 15.4x12.2x1.3cm



RM366 RM368
Size: L21.8xW13.5xH40.74cm

2000mAh lithium battery
1000mAh lithium battery
Angle adjustable+3 color light+brightness
dimmable/10Xmagnifier



RM298-DL(AAA Battery)
RM299-DL(Lithium Battery)
Size: 23.5x40x13.5cm

AAA battery *4pcs
2000 mah battery * 1pcs
Angle adjustable+3 color light+brightness
dimmable/10Xmagnifier



SM171-DL
Size: 11.5x9.5x1.3cm

CR2032*2PCS
brightness dimmable / 2Xmagnifier



SM230-D
Size: 17.8x27.3x5cm

Angle adjustable
3X+2Xmagnifier



SM118-D
Size: 11.5x9.5x1.3cm

2Xmagnifier



RM331-DL(AAA Battery)
RM330-DL(Lithium Battery)
Size: 23.6x14x37cm

AAA battery *4 or USB data cables
1800mah rechargeable battery
Angle adjustable+3 color light+brightness
dimmable/10Xmagnifier



RM160-DL(AAA Battery)
Size: 33x22.8x16.2cm

Angle adjustable+3 color light+brightness
dimmable/10Xmagnifier



RM159-DL
Size: 11.45x12.48x3.34cm

AAA battery*4pcs
Angle adjustable+3 color light+
brightness dimmable



SM170-DL
Size: 10x10x2.4cm

3000mAh lithium battery *1pc
Angle adjustable+3 color light+
brightness dimmable/5Xmagnifier/
Mirror with Power Bank



SM113-DL
Size: 10.7x7.9x1.5cm

23A,12V battery *1pc
brightness dimmable/2Xmagnifier



RM295-SL
Size: Dia12.5x12x1.5cm

4pcs cell button batteries
Angle adjustable+brightness dimmable



RM333-DL
Size: 11.5x12.95x2.6cm

600mAh lithium battery
Angle adjustable+brightness
dimmable/10Xmagnifier




RM333-SL
Size: 11.5x12.95x2.6cm

600mAh lithium battery
Angle adjustable+3 color light+
brightness dimmable



RM191-DL
Size: 9.1x1.7cm

Lr44 *4pcs
brightness dimmable/5Xmagnifier



SM142-DL
Size: 6.9x6.9x1.2cm

CR2032 *2
brightness dimmable/2Xmagnifier



RM155-DL
Size: 11.4x13.33x4.49cm

AAA battery *3pcs
Angle adjustable+3 color light+
brightness dimmable



HM250-SL
Size:16x26x1.6cm

AAA battery *4pcsNatural LED L
ighting+ brightness dimmable



HM002-DL
Size: 12.8x24.6x2cm

AAA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable/5Xmagnifier



RM285
Size: 31.5x13cm

2600mAh lithium battery
brightness dimmable



RM186
Size: 9.1x1.7cm

2600mAh lithium battery *1pc
Mirror with Power Bank



RM206-DL
Size: 8x10x1.5cm

2600mAh
Lithium battery *1pc
3 color light+brightness dimmable/5Xmagnifier



RM205-DL
Size: 8x10x1.5cm

2600mAh Lithium battery *1pc
3 color light+brightness dimmable
/5Xmagnifier/Mirror with Power Bank



SM176-SL
Size: 22x15x2.6cm

Standing& Wall Hanging Multi-Use/
brightness dimmable




RM175-DL
Size: 12.6x2.2cm

CR2032 *4pcs
3 color light+brightness dimmable/
10X+5Xmagnifier



RM247-SL
Size: 22.3x18.2x2.2cm

1000mAh Lithium battery
brightness dimmable/10X magnifier



RM101-DL
Size: 16.8x17.8x4.2cm

AAA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable



RM236-DL (Button Battery)
RM237-DL (Lithium Battery)
Size: 10x11x2.5cm

4pcs CR2032 lithium battery
300 mAh rechargeable battery
Angle adjustable+3 color light+
brightness dimmable/5X+10Xmagnifier




RM155-DL
Size: 11.4x13.33x4.49cm

AAA battery *3pcs
Angle adjustable+3 color light+
brightness dimmable




SM128-4D
Size : 12.9x7.0x2.4cm



SM180-D
Size : 5.5x5.5x1cm
2Xmagnifier



RM106-D
Size: 6.56x1.57cm



RM292-DL
Size: Dia 9x1.7cm
600mAh lithium battery
3 color light+brightness dimmable
/5Xmagnifier



HM003-D
Size: 15.9x26x1.2cm



HM001-S
Size: 13.3x26.3cm



RM304-DL
Size: 10x10x1.95cm
1000mAh lithium battery
3 color light+brightness dimmable
/5Xmagnifier



RM140-D
Size: 6.2x5.82x1.7cm



SM193-D
Size: 6.2x5.82x1.7cm
2Xmagnifier



RM152-D
Size: 8x5.4x2cm



RM146-D
Size: 7.5x2.07cm
10Xmagnifier



SM103-D
Size: 7.12x7.07x1.1cm



RM189-D
Size: 10.0x1.3cm
10Xmagnifier



SM220-S
Size: 12x21.6x0.7cm



SM116-S
Size: 11.45x9.45x0.6cm




SM117-S
Size: 17.08x11.7x0.65cm



SM177-S
Size: 22x15x2cm
Standing/
Wall Hanging Multi-Use



RM138-D
Size: 8.0x1.3cm
2Xmagnifier



SM105-D
Size: 8.4x7.6x1.0cm



SM134-D
Size: 6.8x6.8x0.85cm
2Xmagnifier



RM148
Size: 12.8x9.6x1.5cm
CR2032*2PCS
2X/3X/5X/7X/10Xmagnifier



RM297-S
Size: Φ11cm
2X/3X/5X/7X/10X/15X/20Xmagnifier



RM151
size:ø7.6*1.5cm
2X/3X/5X/7X/10Xmagnifier



RM172-S
Size: 8.8X1.0cm
2X/3X/5X/7X/10X/15X/20Xmagnifier



RM283
Size: Φ10cm
10Xmagnifier



SM156-SL
Size: 21.8X28X3cm
brightness dimmable/3Xmagnifier



SM145-hollywood
Size: 16.5x12x27cm
AA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable



SM279-SL
Size: 30x45x21.5cm
By adapter connected
Angle adjustable+3 color light+
brightness dimmable



SM270-SL
Size: 40x56x21.5cm
By adapter connected
Angle adjustable+3 color light+
brightness dimmable



SM261-hollywood
Size: 23x14.5x37.5cm
AA battery *4pcs
Angle adjustable+3 color light+
brightness dimmable




SM272-SL
Size: 56x40x22cm
By adapter connected
3 color light+ brightness dimmable



SM279B
Unit Size: 45x30x6.4cm width of base
21.5cm
By adapter connected
Angle adjustable+3 color light+
brightness dimmable




DP311D
Size: 40x56.9X25cm
Built-in LED driver, EU/US/AU power plug
3 color light+brightness dimmable
/with bluetooth



DP328-B

Bluetooth

Size: W102*H90cm, W40.1**H35"
Material: Metal Frame、PVC Cover+MDF Base



DP328-W

Bluetooth

Size: W102*H90cm, W40.1**H35"
Material: Metal Frame、PVC Cover



DP327

Size: W100*H80cm, W39.4**H31.5"
Material: Aluminum Frame、With MDF Base



DP326


Size: W80*H60cm, W31.5**H23.6"
Material: ABS Plastic Frame、MDF Base



DP316-A

Bluetooth

Size: W80xH60cm, W32"xH24"
Material: ABS Plastic Frame



DP314-C


Bluetooth

Size: W80xH60cm, W32"xH24"
Material: ABS Plastic Frame




DP357

Size: W58*H46cm, W22.8**H18.11"
Material: Aluminum Frame,With MDF Base



DP358


Size: W80*H60cm, W31.5**H23.6"
Material: Aluminum Frame,With MDF Base



DP316-B

Bluetooth/蓝牙功能

Size: W80xH60cm, W32"xH24"
Material: ABS Plastic Frame



DP314-D

Bluetooth

Size: W80xH60cm, W32"xH24"
Material: ABS Plastic Frame



DP355

Size: W60*H57.5cm, W23.6**H22.6"
Material: Metal Frame&Base



DP336

Size: W65*H56.5cm, W25.6**H22.2"
Material: Metal Frame+MDF Base



DP330

Size: W36.5*H47.5cm, W14.4**H18.7"
Material: Metal frame、 PVC backboard



DP330S

Size: W36.5*H47.5cm, W14.4**H18.7"
Material: Metal frame、 PVC backboard



DP330A-E

Size: W33*H47.5cm, W13**H18.7"
Material: Metal Frame&Base




DP330A-F

Size: W33*H47.5cm, W13**H18.7"
Material: Metal Frame+MDF Base



DP330A

Size: W32.8*H47.4cm, W13**H18.6"
Material: Metal frame、 PVC backboard



DP331

Size: W30.5*H36.5cm, W12**H14.3"
Material: Metal frame、 PVC backboard



DP226

Size: W60*H63cm, W23.6**H24.8"
Material: With iron frame and base, PVC cover



DP230

Size: W30.5*H36.5cm, W12**H14.3"
Material: With iron frame and base, PVC cover



DP330A-H

Size: W32.5*H47.5cm, W12.7**H18.7"
Material: Metal Frame&Base



DP330A-B

Size: W33*H47.5cm, W13**H18.7"
Material: Metal Frame+MDF Base



DP210

Size: W46*H50cm, W18.1**H19.7"
Material: Metal Frame 32pcs crystal deco on the mirror + 52pcs on the frame



DP211

Size: W46*H50cm, W18.1**H19.7"
Material: Metal Frame 36pcs crystal deco on the mirror + 60pcs



DP364A

Size: Dia 30cm(Optional: 30cm/40cm/50cm)Material: Iron、PVC backboard



DP364B

Size: Dia 30cm(Optional: 30cm/40cm/50cm)Material: Iron、PVC backboard



Size: W60*H80cm, W23.6"*H31.4"
Material: Metal Frame



Size: W60*H90cm, W23.6"*H35.4"
Material: Metal Frame



DP216

Size: W60*H52cm, W23.6"*H20"
Material: Metal frame&base,PVC cover



DP219

Size: W60*H52cm, W23.6"*H20"
Material: Metal frame、PVC backboard



DP368

Size: Dia 81.3cm, Dia 32"
With iron frame and base, PVC cover



Size: Dia 70cm, Dia 27.6"
Material: Metal frame



DP330A-H

Size: Dia 40cm
Material: With Iron fame and base + MDF cover



DP214

Size: W45*H53cm, W17.7"*H20.8"
/Material: Metal Frame+MDF Base



DP369

Size: W61 x H61cm, W24"xH24"
Material: With iron frame and base, PVC cover



DP370

Size: W50.8 x H71.1cm, W20"xH28"
Material: With iron frame and base, PVC cover



DP325
 Size: Dia 60cm, Dia 23.6"
 Material: Aluminum Alloy Frame and PVC Cover



DP340
 Size: W60*H80cm, W23.6"xH31.5"
 Material: Aluminum Alloy Frame and PVC Cover



DP324
 Size: W91.4xH91.4cm, W36"xH36"
 Material: Aluminum Alloy Frame and PVC Cover




DP329
 Size: W91.4xH109.2cm, W36"xH43"
 Material: Aluminum Alloy Frame and PVC Cover



DP342
 Size: W50xH80cm, W19.7"xH31.5"
 Material: Aluminum Alloy Frame and PVC Cover




DP343
 Size: W60xH100cm, W23.6"xH39.4"
 Material: Aluminum Alloy Frame and PVC Cover



DP319
 Size: W60xH80cm, W23.6"xH31.5"
 Material: Aluminum Alloy Frame and PVC Cover



DP323
 Size: Dia 100cm, Dia 39.4"
 Material: Aluminum Alloy Frame and PVC Cover



DP350
 Size: W50xH70cm, W19.7"xH27.6"
 Material: Aluminum Alloy Frame and PVC Cover



DP349
 Size: W60xH80cm, W23.6"xH31.5"
 Material: Aluminum Alloy Frame and PVC Cover



DP322
 Size: W130xH75cm, W51.2"xH29.5"
 Material: Aluminum Alloy Frame and PVC Cover



DP346
 Size: Dia 60cm, Dia 23.6"
 Material: Aluminum Alloy Frame and PVC Cover



DPJG-07
 Size: L50*W14.5*H70cm, L19.6"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-08B
 Size: L80*W14.5*H70cm, L31.5"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-02A
 Size: L50*W14.5*H70cm, L19.6"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-02B
 Size: L80*W14.5*H70cm, L31.5"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-09A
 Size: L80*W14.5*H70cm, L31.5"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-10A
 Size: L50*W14.5*H70cm, L19.6"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-02A
 Size: L50*W14.5*H70cm, L19.6"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-02B
 Size: L80*W14.5*H70cm, L31.5"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-10B
 Size: L80*W14.5*H70cm, L31.5"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-09B
 Size: L80*W14.5*H70cm, L31.5"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-03A
 Size: L80*W14.5*H70cm, L31.5"xW5.7"xH27.5"
 Material: Space aluminum frame



DPJG-03B
 Size: L80*W14.5*H70cm, L31.5"xW5.7"xH27.5"
 Material: Space aluminum frame

Beauty Care
Series

KIMPORT

VK-2701
LED Mirror



LD-1269

USB

6500K light
12000 rpm fan

138

KIMPORT

Eye Skin Hot Treatment



VK-9019

Facial Skin Treatment



VK-9020

Hot Eyelash



VK-9021

Anion vibration comb



LD-1269

VK-2707/2708
120min

3 in 1 Shaver



139
VK-2705
50min

KIMPORT



LD-1269



140



BEFORE

AFTER

KIMPORT

HANDHELD RECHARGEABLE TANNING SPRAY GUN

(Model with power cord optional)



Power input	13.2V2A adapter
Function	<ol style="list-style-type: none"> 1. Long pressed the button over 2s, the machine starts, it is in the first gear to spray delicate mist, which is suitable for repairing and coloring the fine spots; 2. Press the button again for the second gear for stronger spray (23-27) ml/min. 3. Press the button the third time for the third gear with large spray amount is (23-27) ml/min, the spray distance is 0.8-1.2m, with dryer blow. 4. Press the button again for the 4-speed, only fan is working for drying (with a high wind pressure of 75000RPM), wind pressure distance is 1.5-2m.
Spray particle size	56um
Fan pressure	6.8kpa (4th gear)
Fan flow rate	15L/MIN (4th gear)
Working current	12V5A
Charging current	2A
Charging time	60min(2A), 38min(5A)
Using time	30min(the third and forth gear), 120min(the first and second gear)

Powerful Compressor

KIMPORT

60500

Product Size: 148X134X69.3mm
Power Supply: DC12V/1.5A
Air Pressure: 40PSI, stepless speed change
Dual action



Wireless Charging Airbrush Kit New Technology

- High performance,
- comfortable handheld

Product Size: 180X119X48mm
Power Supply: 3.7v, 1600mAh
Air Pressure: 18-25PSI
Charge Time: about 8 hours
Discharging Time: 1 hour continuously

67017



Precise Application,
Better Absorption.



BEFORE



AFTER





paint repair

CORDLESS AIRBRUSH

67014

Product Size: 145X185mm
Power Supply: 3.7v, 1200mAh
Air Pressure: 20-25PSI
Charge Time: about 3-4 hours
Discharging Time: 45min continuously

67014 B

Product Size: 145X185mm
Power Supply: 3.7v, 1200mAh
Air Pressure: 35PSI
Charge Time: about 3-4 hours
Discharging Time: 45min continuously
5 speeds



Yellow Leopard

White Leopard

Marble Pink



Starry green

White

Marble Green



Gold Black

Black

Printing designs can be customized.

Pocket Oxygen Injection Sprayer

Airbrush Nano Meter Level
Better Absorbed

67002

Product Size: 57X52X175mm
Power Supply: 7.4V, 500mAh
Air Pressure: 18-25PSI
Charge Time: about 2 hours
Discharging Time: 35min continuously



67018

Product Size: 48X185mm
Power Supply: 3.7V, 1000mAh
Air Pressure: ≥ 20 psi
Charge Time: About 2-3.5 hours
Discharging Time: 30min continuously



67018A

Product Size: 48X185mm
Power Supply: 3.7V, 1000mAh
Air Pressure: ≥ 20 psi
Charge Time: About 2-3.5 hours
Discharging Time: 30min continuously



67009C

Product Size: 44X129mm
 Power Supply: 3.7v, 1600mAh
 Air Pressure: 20-25PSI
 Charge Time: about 2-3 hours
 Discharging Time: 45min continuously



67004

Product Size: 44X129mm
 Power Supply: 7.4V, 500mAh
 Air Pressure: 20-25PSI
 Charge Time: about 2 hours
 Discharging Time: 35min continuously



**Ideal for facial spray,
 disinfectant spray,
 DIY ...**

67021B

Product Size: 173 X 110 X 42mm
 Power Supply: 3.7V, 2000mAh
 Charge Time: about 2.5 hours
 Discharge Time: 1.8 hours



BEST SALE MINI COMPRESSOR

Product Size: 136X102X66mm
Power Supply: DC12V
Max Air Pressure: 40PSI, 5 speeds
Single action / dual action

60001



LD-0861

BEST SALE MINI COMPRESSOR

MINI SIZE & PORTABLE
DURABLE QUALITY
SATISFY DIFFERENT USING AREAS

69100

Product Size: 145X110X57mm
Power Supply: DC12V/15A
Max Air Pressure: 30PSI, 5 speeds
Single action / dual action



AIRBRUSH EASY COLOR SYSTEM

Painting pen size: 93*52*171mm
Air flow: 4-6L/min
Rated voltage: 3V
Applicable battery: 2*AA battery(not included)
Color pen: 12pcs
Stencils: 6pcs
Spray amount: changeable

67025



60300B

Product Size: 110 X 75 X 43mm
Power Supply: DC5V/2A
Air Pressure: 18-25PSI



60600A

Product Size: 110X73X55mm
Power Supply: DC12V/1.5A
Air Pressure: 25PSI



60600B

Product Size: 110X73X55mm
Power Supply: DC12V/1.5A
Air Pressure: 25PSI



60800

Product Size: 95x65X110mm
Power Supply: DC12V/1.5A
Air Pressure: 25-35PSI



High end airbrush Perfect quality to do extreme detail

BDA ZL530

Nozzle Dia: 0.2mm&0.3mm
Cup Capacity: 1.5ml&7ml
Carton Dimensions: 39*43*21.5cm
PCS/CTN: 40
N.W./G.W.: 9.66/10.66kg

Airbrush color can be customized.
Make your own special color.



63005

Nozzle Dia: 0.2-0.6mm
Cup Capacity: 5CC/7CC
Carton Dimensions: 18.8*9.8*3.5cm
PCS/CTN: 50
N.W./G.W.: 15/16.5kg



4163S

Nozzel dia.: 1.0mm; 1.3mm; 1.5mm; 1.8mm;
 Spraying swath: oval shape, width around 35mm, length
 around 220-280mm
 Max inlet air pressure: 8 bar
 Working pressure: 2 bar
 Air consumption: 280L/min.
 Cup capacity: 560ml
 Connector size: 1/4"



LD-0861

KIMPORT**R2-1**

Coating supply method: gravity type
 Nozzel dia: 0.5mm
 Work air pressure: 1.5-4.0Kg/CM2
 Air consumption: 35L/min
 Paint flow rate: 60mL/min
 Spraying swath: about 5cm
 Connector size: 1/4"
 Cup capacity: 150ml

**R2-2**

Coating supply method: gravity type
 Nozzel dia: 0.5mm
 Work air pressure: 1.5-4.0Kg/CM2
 Air consumption: 35L/min
 Paint flow rate: 60mL/min
 Spraying swath: about 5cm
 Connector size: 1/4"
 Cup capacity: 150ml



150

**61001**

Nozzle Dia: 0.2-0.6mm
 Cup Capacity: 2CC
 Carton Dimensions: 19.8*10.5*3cm
 PCS/CTN: 50
 N.W./G.W.: 12.5/14kg

**61002**

Nozzle Dia: 0.2-0.6mm
 Cup Capacity: 20CC/40CC
 Carton Dimensions: 18.8*9.8*4cm
 PCS/CTN: 50
 N.W./G.W.: 14.2/16.5kg

**61008**

Nozzle Dia: 0.2mm/0.3mm
 Cup Capacity: 9CC
 Carton Dimensions: 55.5*42*25cm
 PCS/CTN: 50
 N.W./G.W.: 15/17kg

**62002**

Nozzle Dia: 0.2mm/0.3mm
 Cup Capacity: 9CC
 Carton Dimensions: 55.5*42*25cm
 PCS/CTN: 50
 N.W./G.W.: 15/17kg

**61003**

Nozzle Dia: 0.2-0.6mm
 Cup Capacity: 7CC
 Carton Dimensions: 18.8*9.8*3.5cm
 PCS/CTN: 50
 N.W./G.W.: 15/16.5kg

**61005**

Nozzle Dia: 0.2mm/0.3mm
 Cup Capacity: 2CC
 Carton Dimensions: 55.5*42*25cm
 PCS/CTN: 50
 N.W./G.W.: 13/15kg

**62005**

Nozzle Dia: 0.2mm/0.3mm
 Cup Capacity: 13CC
 Carton Dimensions: 55.5*42*25cm
 PCS/CTN: 50
 N.W./G.W.: 15/17kg

**63001**

Nozzle Dia: 0.2mm/0.3mm
 Cup Capacity: 22CC
 Carton Dimensions: 58.5*40.5*32.5cm
 PCS/CTN: 50
 N.W./G.W.: 15/17kg

**61006**

Nozzle Dia: 0.2mm/0.3mm
 Cup Capacity: 2CC
 Carton Dimensions: 55.5*42*25cm
 PCS/CTN: 50
 N.W./G.W.: 13/15kg

**61007**

Nozzle Dia: 0.2mm/0.5mm
 Cup Capacity: 5CC
 Carton Dimensions: 55.5*42*25cm
 PCS/CTN: 50
 N.W./G.W.: 15/17kg

**63002**

Nozzle Dia: 0.2mm/0.3mm
 Cup Capacity: 7CC
 Carton Dimensions: 55.5*42*25cm
 PCS/CTN: 50
 N.W./G.W.: 13/15kg

**63003**

Nozzle Dia: 0.3-0.5mm
 Cup Capacity: 5CC/20CC
 Carton Dimensions: 58.5*4.5*32.5cm
 PCS/CTN: 50
 N.W./G.W.: 16/18kg

**63005**

Nozzle Dia: 0.2-0.6mm
Cup Capacity: 7CC
Carton Dimensions: 18.8*9.8*3.5cm
PCS/CTN: 50
N.W./G.W.: 15/16.5kg

**64002**

Nozzle Dia: 0.3mm@0.5mm
Cup Capacity: 20CC
Carton Dimensions: 40.5*36*31.5cm
PCS/CTN: 30
N.W./G.W.: 11/12kg

**65006**

Nozzle Dia: 0.2mm@0.3mm
Cup Capacity: 20CC
Carton Dimensions: 55.5*42*25cm
PCS/CTN: 50
N.W./G.W.: 15/17kg

**BDA203**

Nozzle Dia: 0.2mm@0.3mm
Cup Capacity: 7CC
Carton Dimensions: 55.5*42*25cm
PCS/CTN: 50
N.W./G.W.: 15/17kg

**65001**

Nozzle Dia: 0.3mm@0.5mm
Cup Capacity: 2CC@5CC@13CC
Carton Dimensions: 40.5*36*31.5cm
PCS/CTN: 30
N.W./G.W.: 12/14kg

**65002**

Nozzle Dia: 0.3-0.5mm
Cup Capacity: 2CC@7CC@12CC
Carton Dimensions: 40.5*36*31.5cm
PCS/CTN: 30
N.W./G.W.: 12/14kg

**BDA182**

Nozzle Dia: 0.3mm@0.5mm@0.8mm
Cup Capacity: 22CC
Carton Dimensions: 58.5*40.5*32.5cm
PCS/CTN: 50
N.W./G.W.: 16/18kg

**BDA183**

Nozzle Dia: 0.3mm@0.5mm@0.8mm
Cup Capacity: 2CC@5CC@13CC
Carton Dimensions: 45*38*31.5cm
PCS/CTN: 30
N.W./G.W.: 11/12kg

**65003**

Nozzle Dia: 0.3mm@0.5mm
Cup Capacity: 7CC@10CC
Carton Dimensions: 40.5*36*31.5cm
PCS/CTN: 30
N.W./G.W.: 12/14kg

**65004**

Nozzle Dia: 0.3-0.5mm
Cup Capacity: 20CC
Carton Dimensions: 22*15.5*3.8cm
PCS/CTN: 40

**BDA185**

Nozzle Dia: 0.2mm@0.3mm@0.5mm
Cup Capacity: 9CC
Carton Dimensions: 62*52*45cm
PCS/CTN: 50
N.W./G.W.: 18kg

**BDA186**

Nozzle Dia: 0.3mm
Cup Capacity: 9CC
Carton Dimensions: 55.5*42*25cm
PCS/CTN: 50
N.W./G.W.: 13kg



BDA187

Cup Capacity: 5CC/20CC
 Carton Dimensions: 55*42.5*25cm
 PCS/CTN: 5
 N.W./G.W.: 14kg



BDA188

Nozzle Dia: 0.3mm
 Cup Capacity: 2cc/5cc/13cc
 Carton Dimensions: 50*39*32cm
 PCS/CTN: 20
 N.W./G.W.: 0.67kg



BDA601

Nozzle Dia: 0.2/0.3/0.5mm
 Product+package weight: 456g
 Package size: 24*18*4.5cm



BDA60001

Product Size: 136X102X66mm
 Power Supply: DC12V
 Max Air Pressure: 40PSI, 5 speeds
 Single action / dual action



BDA101

Mini Filter
 Carton Dimensions: 49*30.5*51cm
 PCS/CTN: 300



BDA103

Braided Air House
 Color: Blue / Black
 Carton Dimensions: 41*35*22cm
 PCS/CTN: 100
 N.W./G.W.: 8.5/10KG(18m)



BDA119

Air House
 Carton Dimensions: 49*30.5*51cm
 PCS/CTN: 200
 N.W./G.W.: 18/19KG



BDA105

Airbrush Wash-Needle



BDA106

Airbrush Wash-Needle



BDA121

Clean Brush



BDA104

Airbrush Holder
 Carton Dimensions: 58*45*36cm
 PCS/CTN: 20
 N.W./G.W.: 10/12KG



BDA117

Airbrush Holder
 Carton Dimensions: 41*35*27cm
 PCS/CTN: 20
 N.W./G.W.: 6/6.7KG



BDA111

Airbrush Holder
 Carton Dimensions: 49*30.5*51cm
 PCS/CTN: 300
 N.W./G.W.: 13/14KG



BDA112

Airbrush Quilk Release Coupler
Carton Dimensions: 43.5*27.5*15cm
PCS/CTN: 200
N.W./G.W.:5/6KG



BDA113

Quilk Release
Carton Dimensions: 43.5*27.5*15cm
PCS/CTN: 200
N.W./G.W.:5/6KG



BDA114

Hose Joint
One 1/8"BSP female-
Three 1/8"BSP male



BDA124

Airbrush Holder
Carton Dimensions: 25*42cm



BDA125

Airbrush Project Holder
Carton Dimensions: 26*17*45cm
N.W.:0.33KG



BDA115

Hose Joint



BDA120

Airbrush Cleaning Pot
Carton Dimensions: 39*39*51cm
PCS/CTN: 27
N.W./G.W.: 14/16KG



BDA118

Airbrush 3 IN 1 Cleaning Pot
Carton Dimensions: 42*45*44cm
PCS/CTN: 27
N.W./G.W.: 20/22KG



BDA128

Features

This 4-Airbrush holders set with 4 Splitters, fits most of up-pot airbrushes. You can connect one air hose to the air compressor and it is very convenient for you to use four different colors of airbrushes simultaneously. Every splitter is with a switch,you can control on or off for every connector. 1/8 male for every connector.



BDA116

Airbrush Holder



BDA122

Airbrush Holder
Carton Dimensions: 13.8*8cm
G.W.: 0.0364KG



BDA123

Airbrush Holder
Carton Dimensions: 48*45*39cm
PCS/CTN: 50
N.W./G.W.: 19/18KG



Airbrush Makeup



Foundation



Stencil

Face Painting



Airbrush Dye for Barbershop



for hairline beard enhancement



Stencil



Temporary Tattoo





Airbrush Food Color

for baking, DIY plasticine, DIY handmade soap, bubble bath ball, DIY crystal mud etc.

Acrylic Paint

on fabric, metal, wood, ceramic, plastic, leather, wall and other arts and crafts



Airbrush Tanning

DHA8%, 10%, 12%, 14%, 16% optional. The higher the DHA value, the darker the color.



Before

After



Nail Paint



Nail Ink



Nail Gel



■ BLOOD PRESSURE MONITOR

XY-B08-PET

Oscillographic testing mode
 Measurement of pressure compression
 Quick & Accurate measurement tech
 IHB arrhythmia detection
 Low-Noise design
 3 buttons
 LCD size: 35,4 x 62 mm
 Pulse display
 With 1 x 90 groups memory function
 Irregular Heartbeat indication
 Time display
 Power by 4 x1.5V AAA batteries(Not included) or USB charge
 Product size:104x85x53mm
 Colorbox size: 118x88x158mm
 QTY/CTN: 20pcs
 Carton size: 45,5 x 25,1 x 33,6cm



BLOOD PRESSURE MONITOR ■

XY-B09

Oscillographic testing mode
 Measurement of pressure compression
 IHB arrhythmia detection
 LCD size:71x32mm
 Quick & Accurate measurement tech
 With 1x10 groups memory function
 Time display
 Low-Noise design
 Power by 4x1.5V AAA batteries or USB charge



XY-B07-PET-USB

Oscillographic testing mode
 Measurement of pressure compression
 Quick & Accurate measurement tech
 IHB arrhythmia detection
 Low-Noise design
 3 buttons
 LCD size: 35,4 x 62 mm
 Pulse display
 With 1 x 90 groups memory function
 Irregular Heartbeat indication
 Power by 4 x1.5V AAA batteries (Not included) or USB charge
 Product size:104x85x53mm
 Colorbox size: 118x88x158mm
 QTY/CTN: 20pcs
 Carton size: 45,5 x 25,1 x 33,6cm



■ BLOOD PRESSURE MONITOR

XY-B03

Oscillographic testing mode
 Measurement of pressure compression
 IHB arrhythmia detection
 LCD size:53x76mm
 Quick & Accurate measurement tech
 With 2x60 groups memory function
 Time display
 Low-Noise design
 Power by 4x1.5V batteries AAA or USB charge
 Product size:100x125x61mm
 Color box:118x88x158mm
 Caton size:455x331x258mm
 QTYCTN:20PCS



Arm
Type



BLOOD PRESSURE MONITOR ■

XY-B05

Oscillographic testing mode
 Measurement of pressure compression
 IHB arrhythmia detection
 LCD size:142x28mm
 Quick & Accurate measurement tech
 With 2x60 groups memory function
 Time display
 Low-Noise design
 Power by 4x1.5V batteries AAA or USB charge
 Product size:205x54x41mm
 Color box:70x70x254mm
 Caton size:155x365x510mm
 QTYCTN:20PCS

Arm
Type



XY-B02

Oscillographic testing mode
 Measurement of pressure compression
 IHB arrhythmia detection
 Super-large LCD display
 LCD size:54x91mm
 Quick & Accurate measurement tech
 With 1x90 groups memory function
 Time display
 Low-Noise design
 Power by 4x1.5V AAA batteries or USB charge
 Product size:110x140x85mm
 Color box:118x118x158mm
 Caton size:615x495x178mm
 QTYCTN:20PCS

Arm
Type



XY-B06

Oscillographic testing mode
 Measurement of pressure compression
 IHB arrhythmia detection
 LCD size: Φ83mm
 Quick & Accurate measurement tech
 With 2x60 groups memory function
 Time display
 Low-Noise design
 Power by 4x1.5V batteries AAA or USB charge
 Product size: Φ160x76mm
 Color box:160x82x148mm
 Caton size:435x335x316mm
 QTYCTN:20PCS

Arm
Type



■ BLOOD PRESSURE MONITOR

XY-B01

Oscillographic testing mode
 Measurement of pressure compression
 IHB arrhythmia detection
 Super-large LCD display
 LCD size:54x91mm
 Quick & Accurate measurement tech
 With 1x90 groups memory function
 Time display

Low-Noise design
 Power by 4x1.5V batteries AAA or USB charge
 Product size:74x158x31mm
 Color box:88x69x172mm
 Caton size:367x360x192mm
 QTYCTN:20PCS



Arm
Type



BLOOD PRESSURE MONITOR ■

XY-W01A

Oscillographic testing mode
 Measurement of pressure compression
 IHB arrhythmia detection
 LCD size: 40x36mm
 Quick & Accurate measurement tech
 With 1x90 groups memory function
 Time display
 Low-Noise design
 Power by 2x1.5V AAA batteries or USB charge
 Product size: 75x70x34mm
 Color box: 82x82x88mm
 Caton size:435x351x110mm
 QTYCTN:20PCS

Wrist
Type



XY-W01B

Oscillographic testing mode
 Measurement of pressure compression
 IHB arrhythmia detection
 LCD size: 40x36mm
 Quick & Accurate measurement tech
 With 1x90 groups memory function
 Time display
 Low-Noise design
 Power by 2x1.5V AAA batteries or USB charge
 Product size: 75x70x34mm
 Color box: 84x82x88mm
 Caton size:435x351x110mm
 QTYCTN:20PCS


Wrist
Type





Blood Pressure Monitor

New Validated for Pregnancy & Diabetic



TMB-2273-BT
Upper Arm Type

- Medical grade accuracy
- BP Trend with 24H & weekly
- Voice announcement
- Innovative design
- Super large screen

Dimension: 150×129×44mm
 LCD V.A.: 124×76mm
 Power source: Chargeable lithium battery
 Cuff size: 22-32/22-42/22-45/cm

			40-52cm <small>New Cuff</small>

New



TMB-2271-BK

Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Impressive shape and design

Dimension: 100×129×45mm
 LCD V.A.: 60×64mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm



New




TMB-2271-A

Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Impressive shape and design

Dimension: 100×129×45mm
 LCD V.A.: 46×57mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm



New




To start triple measurement by one click

TMB-2275-B


Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Triple measurement

Dimension: 100×138×48.6mm
 LCD V.A.: 70×82mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm



New




To start triple measurement by one click

TMB-2275-K

Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Triple measurement

Dimension: 100×138×48.6mm
 LCD V.A.: 70×82mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm



New




TMB-2284-BT

Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Voice announcement

Dimension: 100.2×138.2×51mm
 LCD V.A.: 59×72.5mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm



New




TMB-2284-BTK


Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Voice announcement

Dimension: 100.2×138.2×51mm
 LCD V.A.: 59×72.5mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm



New Validated for Pregnancy & Diabetic



It is easier to know the blood pressure status, comparing the new measurement to the previous one


TMB-2288-C

Upper Arm Type

- Medical grade accuracy
- Data comparison
- Voice announcement
- Innovative design
- Super large screen

Dimension: 178×101×35.3mm
 LCD V.A.: 124×76mm
 Power source: 4×AA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm

New Validated for Pregnancy & Diabetic



Speaker hole

TMB-2288-BT

Upper Arm Type

- Medical grade accuracy
- BP trend
- Voice announcement
- Innovative design
- Super large screen

Dimension: 178×101×35.3mm
 LCD V.A.: 124×76mm
 Power source: 4×AA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm

New



TMB-2283 Upper Arm Type

- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Impressive shape and design

Dimension: 110x110x41mm
 LCD V.A.: 40.5x60mm
 Power source: 4xAAA batteries
 Cuff size: 22-32/22-42cm



Hot



TMB-1970-ZY Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Big buttons, comfortable experience

Dimension: 102x107x40mm
 LCD V.A.: 52x58mm
 Power source: 4xAAA batteries
 Cuff size: 22-32/22-42cm



New



TMB-2272-A

Upper Arm Type

- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator

Dimension: 122x122x62mm
 LCD V.A.: 43x62mm
 Power source: 4xAAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm

New




TMB-2272

Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator

Dimension: 122x122x62mm
 LCD V.A.: 60.5x92.5mm
 Power source: 4xAAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm

New



Toggle button select a user

TMB-2287-B Upper Arm Type

- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons, and 1 switch for users selection

Dimension: 140×130×50mm
 LCD V.A.: 60.5×92.5mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42cm

New



TMB-2287-K Upper Arm Type

- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 4 buttons, friendly user experience

Dimension: 140×130×50mm
 LCD V.A.: 60.5×92.5mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42cm


Hot 🔥



TMB-1775-ZY Upper Arm Type

- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator

Dimension: 108×120×68.5mm
 LCD V.A: 50×85mm
 Power source: 4×AAA batteries
 Cuff size: 22-32/22-42/22-45cm



Hot 🔥



TMB-1776-BZY Upper Arm Type

- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- Equipped with silent pump, offers quiet comfortable measurement experience to users

Dimension: 140×110×65mm
 LCD V.A: 58.5×80mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42cm



tuya[®] Hot 🔥



TMB-1872-B

Upper Arm Type

- Intelligent data management
- Powered by Tuya

Dimension: 93×130×32.5mm
 LCD V.A.: 60×74mm
 Power source: 4×AAA or 5VIA Micro USB Cable
 Cuff size: 22-32/22-42cm



TMB-1490-BS

Upper Arm Type

- Intelligent data management
- Powered by Tuya

Dimension: 140×130×50mm
 LCD V.A.: 60.5×92.5mm
 Power source: 4×AAA or 6VIA DC adaptor
 Cuff size: 22-22/22-42cm



tuya[®] Hot 🔥



LS808-BS

Upper Arm Type

- BP classification indicator
- Movement indicator
- Irregular heartbeat indicator

Dimension: 131×73×29mm
 LCD V.A.: 24×86mm
 Power source: Chargeable lithium battery
 Cuff size: 22-42cm



tuya[®] Hot 🔥



Hot Unique design, touch control



TMB-1583-BS

Upper Arm Type

- Unique desktop design
- Movement indicator
- Irregular heartbeat indicator
- Touchable keys with keylock

Dimension: 107×103×118mm
 LCD V.A: 84×73mm
 Power source: 4×AAA or 6VIA DC adaptor
 Cuff size: 22-32/22-42cm

New Small and exquisite



TMB-2276-BT

Upper Arm Type

- Medical grade accuracy
- Cuff fit indicator
- Movement indicator
- Voice announcement

Dimension: 93×130×32.5mm
 LCD V.A: 60×74mm
 Power source: 4×AAA or 5VIA Type-C USB Cable
 Cuff size: 22-32/22-42/22-45cm

New Small and exquisite



22mm

Super slim design



START STOP SYS < 140 ; DIA < 90
Green LED flashing

START STOP SYS ≥ 140 ; DIA ≥ 90
Orange LED flashing


START STOP Battery charging

TMB-2296-BT

Wrist Type

- Medical grade accuracy
- Innovative compact design
- Voice announcement
- LED display
- Dual-color LED BP indicator

Dimension: 123×44×22mm
LCD V.A.: 72×22mm
Power source: Chargeable Lithium battery
Cuff size: 22-32/22-42cm




TMB-1117-SN

Wrist Type

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values

Dimension: 62×88×28mm
LCD V.A.: 31.5×44mm
Power source: 2×AAA batteries
Cuff size: 13.5-21.5cm



New



TMB-2285-BT

Wrist Type

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values
- Voice announcement

Dimension: 85×60×23mm
 LCD V.A.: 43×48mm
 Power source: 2×AAA batteries
 Cuff size: 13.5–21.5cm

New



TMB-2285-BK

Wrist Type

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values
- Position sensor detection

Dimension: 85×60×23mm
 LCD V.A.: 43×48mm
 Power source: 2×AAA batteries
 Cuff size: 13.5–21.5cm



TMB-1975

Wrist Type

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values

Dimension: 79×60×20mm
 LCD V.A.: 29×36mm
 Power source: 2×AAA batteries
 Cuff size: 13.5–21.5cm




TMB-988-S

Wrist Type

- BP classification indicator
- Irregular heartbeat indicator
- ESH clinically validated

Dimension: 73×67.5×22.5mm
 LCD V.A.: 35×41mm
 Power source: 2×AAA batteries
 Cuff size: 13.5–21.5cm





TMB-1581-ZY Wrist Type

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values


Dimension: 85×67×23mm
 LCD V.A.: 32×45mm
 Power source: 2×AAA batteries
 Cuff size: 13.5–21.5cm



LS810-BS Wrist Type

- Chargeable Lithium battery

Dimension: 80×73×13mm
 LCD V.A.: 36.5×46.5mm
 Power source: Chargeable lithium battery
 Cuff size: 13.5–21.5cm



TMB-1598-BS Wrist Type

- Position sensor detection, which assists user to test at correct wrist position

Dimension: 86×66×22mm
 LCD V.A.: 33×45mm
 Power source: 2×AAA batteries
 Cuff size: 13.5–21.5cm



KIMPORT

Upper Arm Type



Model Number	TMB-2296-BT	TMB-2273-BT	TMB-2271-BK	TMB-2271-A	TMB-2275-B	TMB-2275-K
Measurement Type	Inflation	Inflation	Inflation	Inflation	Inflation	Inflation
Dimensions (mm)	123×44×22	150×129×44	100×129×45	100×129×45	100×138×48.6	100×138×48.6
Cuff Size (cm)	22-32/22-42	22-32/22-42/22-45/40-52	22-32/22-42/22-45	22-32/22-42/22-45	22-32/22-42/22-45	22-32/22-42/22-45
Screen V.A. (mm)	72×22	124×76	60×64	46×57	70×82	70×82
Backlight	LED	•	•	•	•	•
Background (Color)	black	white	white	—	black	white
Segment (Color)	white (LED)	black	black	black	white	black
Memory Capacity	2×199	2×250+Guest	2×199+Guest	2×199+Guest	2×199+Guest	2×199+Guest
Power Source	Lithium battery , 5VIA Type-C USB Cable	Lithium battery , 5VIA Type-C USB Cable	4×AAA batteries , 5VIA Type-C USB Cable	4×AAA batteries , 5VIA Type-C USB Cable	4×AAA batteries , 5VIA Type-C USB Cable	4×AAA batteries , 5VIA Type-C USB Cable
WHO	Green & Orange LED	•	•	•	•	•
Wireless	Bluetooth	Bluetooth 5.0	Bluetooth	—	Bluetooth	—
APP	MedM	MedM	MedM	—	MedM	—
Guest Model	—	•	•	•	•	•
Irregular heartbeat indicator	•	•	•	•	•	•
AVG	•	•	•	•	•	•
Triple measurement	—	—	—	—	—	—
BP Trend	—	•	—	—	—	—
Data Comparison	—	—	—	—	—	—
24h/12h Switching	—	•	•	•	•	•
MD/DM Switching	—	•	•	•	•	•
Clock function	—	—	—	—	—	—
Alarm Setting	—	—	—	—	—	—
Voice Announcement	•	•	—	—	—	—
Movement indicator	•	•	•	•	•	•
Cuff Fit Indicator	•	•	•	•	•	•
Automatic shutdown	•	•	•	•	•	•
Low Voltage Reminder	•	•	•	•	•	•
Fault reminder	•	•	•	•	•	•
Pregnant woman	—	•	•	—	—	—
Diabetes	—	•	•	—	—	—
Model of cuff (22-42)	AC2242-33	AC2242-17	AC2242-17	AC2242-17	AC2242-17	AC2242-17
Model of cuff (22-32)	AC2232-14	AC2232-10	AC2232-10	AC2232-10	AC2232-10	AC2232-10
Model of cuff (22-45)	—	AC2245-05	AC2245-05	AC2245-05	AC2245-05	AC2245-05
Model of cuff (40-52)	—	AC4052-05	—	—	—	—
CE	•	•	•	•	•	•
FDA	•	•	•	•	•	•
NMPA	★	★	★	★	★	★

Upper Arm Type



Model Number	TMB-2284-BT	TMB-2284-BTK	TMB-2288-C	TMB-2288-BT	TMB-2283	TMB-1970-ZY
Measurement Type	Inflation	Inflation	Inflation	Inflation	Inflation	Inflation
Dimensions (mm)	100.2×138.2×51	100.2×138.2×51	178×101×35.3	178×101×35.3	110×110×41	102×107×40
Cuff Size (cm)	22-32/22-42/22-45	22-32/22-42/22-45	22-45/22-32/22-42	22-45/22-32/22-42	22-32/22-42	22-32/22-42
Screen V.A. (mm)	59×72.5	59×72.5	124×76	124×76	40.5×60	52×58
Backlight	•	•	•	•	—	—
Background (Color)	white	white	black	white	—	—
Segment (Color)	black	black	white	black	—	—
Memory Capacity	2×199+Guest	2×199+Guest	2×250+Guest	2×250+Guest	2×99+Guest	2×199+Guest
Power Source	4×AAA batteries , 5VIA Type-C USB Cable	4×AAA batteries , 5VIA Type-C USB Cable	4×AA batteries , 5VIA TYPE-C USB cable	4×AA batteries , 5VIA TYPE-C USB cable	4×AAA batteries	4×AAA batteries
WHO	•	•	•	•	•	•
Wireless	Bluetooth	Bluetooth	Bluetooth	Bluetooth	—	—
APP	MedM	MedM	MedM	MedM	—	—
Guest Model	•	•	•	•	•	•
Irregular heartbeat indicator	•	•	•	•	•	•
AVG	•	•	•	•	—	•
Triple measurement	—	—	—	—	—	—
BP Trend	—	—	—	•	—	—
Data Comparison	—	—	—	—	—	—
24h/12h Switching	•	•	•	•	•	•
MD/DM Switching	•	•	•	•	•	•
Clock function	—	—	—	—	—	—
Alarm Setting	•	•	—	—	—	—
Voice Announcement	•	•	—	•	—	—
Movement indicator	•	•	•	•	—	—
Cuff Fit Indicator	•	•	•	•	—	•
Automatic shutdown	•	•	•	•	•	•
Low Voltage Reminder	•	•	•	•	•	•
Fault reminder	•	•	•	•	•	•
Pregnant woman	—	—	•	•	—	—
Diabetes	—	—	•	•	—	—
Model of cuff (22-42)	AC2242-17	AC2242-17	AC2242-17	AC2242-17	AC2242-11	AC2242-17
Model of cuff (22-32)	AC2232-10	AC2232-10	AC2232-10	AC2232-10	AC2232-03	AC2232-10
Model of cuff (22-45)	AC2245-05	AC2245-05	AC2245-05	AC2245-05	—	—
Model of cuff (40-52)	—	—	—	—	—	—
CE	•	•	•	•	•	•
FDA	•	•	•	•	•	•
NMPA	★	★	★	★	•	★

KIMPORT

Upper Arm Type



Model Number	TMB-2272-A	TMB-2272	TMB-2287-B	TMB-2287-K	TMB-1775-ZY	TMB-1776-BZY
Measurement Type	Inflation	Inflation	Inflation	Inflation	Inflation	Inflation
Dimensions (mm)	122×122×62	122×122×62	140×130×50	140×130×50	108×120×68.5	140×110×65
Cuff Size (cm)	22-32/22-42/22-45	22-32/22-42/22-45	22-32/22-42	22-32/22-42	22-32/22-42/22-45	22-32/22-42
Screen V.A. (mm)	43×62	60.5×92.5	60.5×92.5	60.5×92.5	50×65	58.5×80
Backlight	•	—	•	•	—	•
Background (Color)	blue	—	blue	white	—	black
Segment (Color)	black	black	white	black	—	white
Memory Capacity	2×199+Guest	2×199+Guest	2×199	2×199	2×199	2×199+Guest
Power Source	4×AAA batteries , 5VIA Type-C USB Cable	4×AAA batteries , 5VIA Type-C USB Cable	4×AAA batteries , 5VIA Type-C USB Cable	4×AAA batteries , 5VIA Type-C USB Cable	4×AAA batteries	4×AAA batteries , 5VIA TYPE-C USB cable
WHO	•	•	•	•	•	•
Wireless	—	—	Bluetooth	—	—	Bluetooth
APP	—	—	MedM	—	—	MedM
Guest Model	•	•	—	—	—	•
Irregular heartbeat indicator	•	•	•	•	•	•
AVG	•	•	•	•	•	•
Triple measurement	—	—	—	—	—	—
BP Trend	—	—	—	—	—	—
Data Comparison	—	—	—	—	—	—
24h/12h Switching	•	•	•	•	•	•
MD/DM Switching	•	•	•	•	•	•
Clock function	—	—	—	—	—	—
Alarm Setting	—	—	—	—	—	—
Voice Announcement	—	—	—	—	—	—
Movement indicator	•	•	•	•	•	•
Cuff Fit Indicator	•	•	•	•	•	•
Automatic shutdown	•	•	•	•	•	•
Low Voltage Reminder	•	•	•	•	•	•
Fault reminder	•	•	•	•	•	•
Pregnant woman	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—
Model of cuff (22-42)	AC2242-17	AC2242-17	AC2242-17	AC2242-17	AC2242-17	AC2242-17
Model of cuff (22-32)	AC2232-10	AC2232-10	AC2232-10	AC2232-10	AC2232-10	AC2232-10
Model of cuff (22-45)	AC2245-05	AC2245-05	—	—	AC2245-05	—
Model of cuff (40-52)	—	—	—	—	—	—
CE	•	•	•	•	•	•
FDA	•	•	•	•	•	•
NMPA	•	•	★	★	★	—

Upper Arm Type



Model Number	TMB-1872-B	TMB-1490-BS	LS808-BS	TMB-1583-BS	TMB-2276-BT
Measurement Type	Inflation	Inflation	Inflation	Inflation	Inflation
Dimensions (mm)	93×130×32.5	140×130×50	131×73×29	107×103×118	93×130×32.5
Cuff Size (cm)	22-32/22-42	—	22-42	22-32/22-42	22-32/22-42/22-45
Screen V.A. (mm)	60×74	60.5×92.5	24×86	84×73	60×74
Backlight	•	•	•	•	•
Background (Color)	blue	blue	blue	black	blue
Segment (Color)	black	white	white	white	black
Memory Capacity	2×60	2×250	2×60	2×60	2×199+Guest
Power Source	4×AAA batteries , 5VIA Micro USB cable	4×AAA batteries , 6VIA DC	Lithium battery , 6VIA DC	4×AAA batteries , 6VIA DC	4×AAA batteries , 5VIA Type-C USB Cable
WHO	•	•	•	•	•
Wireless	Bluetooth	Bluetooth	Bluetooth	Bluetooth	Bluetooth
APP	MedM	MedM/Tuya	MedM	MedM	MedM
Guest Model	—	—	—	—	•
Irregular heartbeat indicator	•	•	•	•	•
AVG	•	•	•	•	•
Triple measurement	—	—	—	—	—
BP Trend	—	—	—	—	—
Data Comparison	—	—	—	—	—
24h/12h Switching	•	•	—	—	•
MD/DM Switching	—	—	—	—	—
Clock function	—	—	—	•	—
Alarm Setting	—	—	—	—	—
Voice Announcement	—	—	—	—	•
Movement indicator	•	•	•	•	•
Cuff Fit Indicator	—	—	•	—	•
Automatic shutdown	•	•	•	•	•
Low Voltage Reminder	•	•	•	•	•
Fault reminder	•	•	•	•	•
Pregnant woman	—	—	—	—	—
Diabetes	—	—	—	—	—
Model of cuff (22-42)	AC2242-10	AC2242-10	AC2242-21	AC2242-10	AC2242-17
Model of cuff (22-32)	AC2232-03	AC2232-03	—	AC2232-03	AC2232-10
Model of cuff (22-45)	—	—	—	—	AC2245-05
Model of cuff (40-52)	—	—	—	—	—
CE	•	•	•	•	•
FDA	•	•	•	•	•
NMPA	—	•	—	—	★

KIMPORT

Wrist Type




Model Number	TMB-1117-SN	TMB-2285-BT	TMB-2285-BK	TMB-1975	TMB-988-S	TMB-1581-ZY
Measurement Type	Inflation	Inflation	Inflation	Inflation	Inflation	Inflation
Dimensions (mm)	62×88×28	85×60×23	85×60×23	79×60×20	73×67.5×22.5	85×67×23
Cuff Size (cm)	13.5-21.5	13.5-21.5	13.5-21.5	13.5-21.5	13.5-21.5	13.5-21.5
Screen V.A. (mm)	31.5×44	43×46	43×46	29×36	35×41	32×45
Backlight	—	•	•	—	•	—
Background (Color)	—	white	black	—	Blue	—
Segment (Color)	black	black	white	black	white	black
Memory Capacity	2×99	2×199+Guest	2×199+Guest	2×99	1×60	1×199
Power Source	2×AAA batteries	2×AAA batteries	2×AAA batteries	2×AAA batteries	2×AAA batteries	2×AAA batteries
WHO	•	•	•	•	•	•
Wireless	—	Bluetooth	Bluetooth	—	—	—
APP	—	MedM	MedM	—	—	—
Guest Model	—	•	•	—	—	—
Irregular heartbeat indicator	•	•	•	•	•	•
AVG	•	•	•	•	—	•
24h/12h Switching	•	•	•	•	•	•
MD/DM Switching	•	•	•	•	—	•
Voice Announcement	—	•	•	—	—	—
Movement indicator	•	•	•	•	•	•
Advanced positioning indicator	—	•	•	—	—	—
Automatic shutdown	•	•	•	•	•	•
Low Voltage Reminder	•	•	•	•	•	•
Fault reminder	•	•	•	•	•	•
Model of cuff	WC1321-40	WC1321-04	WC1321-03	WC1321-20	WC1321-20	WC1321-40
Cuff Color	Grey	Grey	Black	Grey	Grey	Grey
CE	—	•	•	•	•	•
FDA	—	•	•	•	•	•
NMPA	—	★	★	—	•	★

Wrist Type



Model Number	LS810-BS	TMB-1598-BS
Measurement Type	Inflation	Inflation
Dimensions (mm)	80×73×13	86×66×22
Cuff Size (cm)	13.5-21.5	13.5-21.5
Screen V.A. (mm)	36.5×46.5	33×45
Backlight	•	•
Background (Color)	Blue	Blue
Segment (Color)	white	white
Memory Capacity	2×60	2×60
Power Source	m battery , 5VIA Micro USB	2×AAA batteries
WHO	•	•
Wireless	Bluetooth	Bluetooth
APP	MedM	MedM
Guest Model	—	—
Irregular heartbeat indicator	•	•
AVG	•	•
24h/12h Switching	—	—
MD/DM Switching	—	—
Voice Announcement	—	—
Movement indicator	—	•
Advanced positioning indicator	—	•
Automatic shutdown	•	•
Low Voltage Reminder	•	•
Fault reminder	•	•
Model of cuff	WC1321-05	WC1321-40
Cuff Color	Grey	Grey
CE	•	•
FDA	•	•
NMPA	—	—

Blood Glucose Meter



TeleBGM Gen 1 Blood Glucose Meter

- **Auto coding**
Easy and accurate
- **Wide HCT range**
HCT 20-70%
- **Rechargeable**
Rechargeable lithium battery, more portable

Test Measured	Glucose in fingertip capillary whole blood
Sample	Fresh capillary whole blood
Measurement Range	20 to 600 mg/dL
Sample Volume	0.8 µL
Test Time	5 seconds
Battery Type	Rechargeable, non-serviceable, 250mAh, 3.7 Volt DC nominal, lithium polymer battery (5V input charge voltage)
Memory	Up to 500 records with date and time
Automatic Shutoff	2 minutes after last action
Dimensions	83mm x 52mm x 18.7mm
Display Size	32mm x 32mm
Weight	Approximately 53g
Operating Temperature	41-113°F
Operating Relative humidity	10-90% (non-condensing)
Hematocrit Range	20-70%



5 seconds test time




0 electrodes



Bluetooth 4.1



0.8 µL blood sample



Scale



GBF-2005-B1 Body Fat Scale



ITO Electrodes
The first full-glass surface electrodes without drilling a hole in glass.




Well-knit Design
The glass panel is protected by the surrounded plastic cases.



Bluetooth Connect
All measurements managed on Hapi Health app.

Product Size	300×300×22.5mm
Display VA	B2+42mm
Display Type/Backlight Type	LED
Units	kg/lb





Color:



GBF-2108-B

Body Fat Scale



Non-tipping Over
Safe to step on for measuring



Hidden LED
Bright LED with big digits for measurements



Bluetooth Connect
All measurements managed on Hapi Health app

Product Size	280*280*23.5mm
Display VA	80*40 mm
Display Type/Backlight Type	LED
Units	kg/lb



GBF-830-M1

Body Fat Scale



Tough styling design




Split screen design
of 5 area display



Ultra-thin design
330*320.6*19.4mm, big and thin

Product Size	330*320*19.4mm
Display VA	129*51mm
Display Type/Backlight Type	LCD/TN negative/white backlight
Units	kg/st.lb/lb





GBF-2008-B3 Body Fat Scale

- **ITO electrodes**
The full-glass surface electrodes, which makes it look more intact and nicer.
- **Hidden LED**
Bright LED with big digits for measurements.
- **Bluetooth Connect**
All measurements managed on Hapi Health app.

Product Size	300*300*27.6mm
Display VA	82*42mm
Display Type/Backlight Type	LED
Units	kg/lb




GBF-2008-B1 Body Fat Scale

- **Hidden LED**
Bright LED with big digits for measurements
- **More accurate**
Feel the weight of a glass of water
- **More users**
Manage more than 10 users

Product Size	300*300*25.5mm
Display VA	82*42 mm
Display Type/Backlight Type	LED
Units	kg/lb





GBF-1525 Body Fat Scale

- **Larger LCD Display**
Bright LCD with big digits for measurements.
- **Multi-user management**
Support for managing up to 8 users.
- **Auto-on for measuring**
Just step on and the scale immediately starts measuring without waiting.

Product Size	306.5x306.5x23.5mm
Display VA	81x39mm
Display Type/Backlight Type	LCD/TN positive/white backlight
Units	kg/st/lb/lb



New



GBF-2218 Body Fat Scale

- **Large LCD display**
- **Multi-user management**
- **Body Composition Measurement**
Body fat / water / muscle / bone.

Product Size	300x300x20.9mm
Display VA	93x43mm
Display Type/Backlight Type	LCD
Units	kg/lb/st/lb



Economical

Hot 🔥



GBF-1716 Body Fat Scale

- **tough appearance**
- **Multi-user management**
Support for managing up to 8 users.
- **Auto-on for measuring**
Just step on and the scale immediately starts measuring without waiting.

Product Size	300×300×22.2mm
Display VA	69×32mm
Display Type/Backlight Type	LCD/TN reflection
Units	kg/st.lb/lb



Color:



GBF-1719-B Body Fat Scale

- Automatically DATA SYNC via BLE connection.
- SUS electrodes design.
- Measuring body weight only on scale. Other body composition data including: body fat rate, water rate, muscle & bone mass, BMI displays on APP.

Product Size	300×300×23.9mm
Display VA	69×32mm
Display Type/Backlight Type	LCD
Units	kg/lb



New



GBS-2215

Body Scale



Ultra Thin Design

It's just 12mm thin, reducing the volume by 40% and allowing to fit into tighter spaces.



Rechargeable

With embedded battery and USB Type-C interface, it is easy to charge for long-term use.



Extremely Stable

Thanks to the patented X-shape structure, the scale is extremely stable and never tilting for measurements.

Product Size	300x300x12mm
Display VA	75x27mm
Display Type/Backlight Type	LED
Units	kg / lb



GBS-2109-B

Body Scale



Bluetooth 5.0

Connect to your cell phone app to manage your weight.



Non-tipping Over

Safe to step on for measuring.



More Accurate

G-shaped sensor, weighing more accurately.

Product Size	280*280*23.5mm
Display VA	80*40mm
Display Type/Backlight Type	LED
Units	kg/lb





GBS-2012-B1

Body Scale

- Classic Size**
300x300mm classic size.
- Hidden LED**
Bright LED with big digits for measurements.
- Bluetooth Connect**
All measurements managed on Hapi Health app.

Product Size	300*300*25.1mm
Display VA	82*42mm
Display Type/Backlight Type	LED
Units	kg/lb



BS-1809

Body Scale

- Skin-friendly design with cloth-like feature.**
- Removable and replaceable appearance style.**

Product Size	300*300*28.2mm
Display VA	78*37mm
Display Type/Backlight Type	LED
Units	kg/st.lb/lb



BS-1711 Baby Scale



Monitoring your baby grow healthy

Monitoring your baby's growth. As we all know, weight is an important indicator of growth for babies. Parents need to pay attention to baby's weight growth to keep their health. It is a versatile and cost-effective scale that allows your baby to weigh from newborn to toddler, or as your daily weight scale to accompany your baby.

Product Size	300*300*22mm
Display VA	58*26mm
Display Type/Backlight Type	LCD
Units	lb/oz/kg/lb



Hot 🔥



Color:



GBS-1620-A Body Scale

- Fashionable appearance
- More accurate weighing
Weight capacity/division
0.05kg/0.1lb
- Larger display screen
90 × 50mm LCD display screen.

Product Size	300*300*23.5mm
Display VA	90*50mm
Display Type/Backlight Type	LCD
Units	kg/st.lb/lb





GBS-1319

Body Scale

- **Memory scale**
Memorize 20 groups of body weight values and visually show how far away from the target.
- **Clock**
You can see the time.

Product Size	300×300×23mm
Display VA	73×48mm
Display Type/Backlight Type	LCD
Units	kg/lb/stlb



New



Color: 

GBS-2216

Body Scale

- Much Bigger
- More Stable
- Much Lighter
- Large Display

Product Size	380×330×20.9mm
Display VA	96×53mm
Display Type/Backlight Type	LCD
Units	kg / lb / st:lb



New



GBS-2217 Body Scale

- Large LCD display
- Anti-tilting design
- Pure white glass panel

Product Size	300x300x20.9mm
Display VA	92x43mm
Display Type/Backlight Type	LCD
Units	kg / lb / st / lb



Economical



Color:



LS112 Body Scale

- Classic weight scale.
- Backlit LCD display screen.
- Accurate weighing.

Product Size	300x270x21.6mm
Display VA	69x32mm
Display Type/Backlight Type	LCD
Units	kg/st/lb/lb



GBS-810 Body Scale

- Safety glass platform, classic design.
- Accurate measurement with auto-on/off function.

Product Size	300x300x19mm
Display VA	72x35mm
Display Type/Backlight Type	LCD
Units	kg/st/lb/lb




Wearables



TRANSTEK SMART WATCH C1

Smart Watch

Screen	1.75 inch TFT display
Resolution	320*385
Body size	45.6*38.9*10.4
MCU	Apollo 3.5
Sensors	heart rate sensor, blood oxygen sensor, three-axis accelerometer
Space storage	64Mbit/1Gbit
Battery capacity	280mAh
Charging method	magnetic charging cable
Data transmission	BLE 5.0
Appearance material	aluminum alloy middle frame, PC bottom shell, transparent PC+Fineier pattern
Wrist strap	solid silicone wrist strap





TRANSTEK MAMBO HR6

SMART BRACELET

Essential Features :

- All day activity tracker records steps, distance, consumed calories and sleep quality
- Heart rate and SpO2 monitor your health status, send alerts when your heart rate is too high or too low.
- Record your sleep status and divide it into different zones, helping you to adjust your lifestyle
- Multiple sport modes accompany you when you are exercising.
- Smart features such as timer, clock, music control, incoming calls and message reminder make you life easier

Dimensions	240*22*12mm (including the wristband)
Display	1.05 inch TFT LCD
Weight	22g (including the wristband)
Charging Time	About 2.5 hours
Battery Life	9 days for basic mode
Data Storage	7 days off line data
G-Sensor	✓
Heart Rate Chip	✓
ECG Chip	✓
Motor	Vibration remind
Lighthen & Switch Screen	Touch screen
Touch Sensor Screen	Full screen
Communication Technology	Bluetooth 5.0



TRANSTEK FITHOOD SMART HEARTRATE BRACELET

SMART HEARTRATE BRACELET

Essential Features :

- Continuous Heart Rate Monitoring
- All day activity monitoring
- Sleep monitoring
- No charging cable
- IP67 waterproof
- Incoming call
- Silent alarm clock
- LED
- Bluetooth transmission
- Long-lasting battery life

Weight	20g
Wristband material	TPU wristband
Wristband wearing range	14-20cm
Machine size	250*17*10.8MM (including chest strap)
Working temperature	0-40 degrees
Screen type	OLED
Screen size	0.87 inches
Screen material	PC
Screen resolution	128*32 pixels
Screen operation mode	touch button
Battery type:	78mA polymer lithium battery
Charging time	1 hour
Continuous flight time	10 days (only step counting ability) 5 days (continuously open heart rate monitoring)



Oximeter



Color:



TK-2201-D Oximeter

Display	OLED
SpO2	Detection scope: 35%~100% Accuracy: +2% 80%~100% ±3% 70%~79%
Working Voltage	D.C. 2.2 V ~ D.C. 3.4V
Pulse Rate	Rate: 25~250BPM Accuracy: ±2BPM Resolution: 1BPM
Weight	50g (include 2AAA alkaline batteries)
Size	58(H) * 34(W) * 30(D) mm Temperature: 5°C ~ 40°C
Operation Environment	Relative humidity: 15%~80% Air pressure: 860HPA ~ 1060HPA
Battery Type	Two 1.5V AAA alkaline batteries

Certified by CE0123 ANVISA ISO13485 INMETRO



Portable convenient



Lower voltage reminder



Lower consumption



One-touch operation



Thermometer



TK-2100 Thermometer

Measurement Range	Ear&Forehead	32.0°C~42.9 °C (89.6°F~109.2°F)
	Object	0°C~100 °C (32°F~212°F)
Measuring Accuracy	Ear&Forehead mode	±0.2°C/±0.4 °F
	Object mode	±1.0°C/±1.8 °F
Display	LCD backlight	
Automatic Shutdown	10±1s	
Memory	Memory 35 groups of measured temperature	
Fever alarm	Normal green	32°C<T<37.3°C (89.6°F~99.14°F)
	Low fever	37.4°C<T<37.9°C (99.3°F~100.3°F)
	High fever	38°C<T<42.9°C (100.4°F~109.2°F)
Operational Conditions	Temperature	10°C~40°C (55°F~104°F)
	Humidity	15~95%RH, non-condensing
	Atmospheric pressure	86~106kPa
Battery	2*AAA, can be used for more than 3000 times	
Weight	66g(without battery); 81g(with battery)	
Product Dimension	39*27.3*160mm	
Packing Size	46.5*46.5*169mm	
Full set weight	113g(including products/bags/instructions/batteries)	



TK-2002
Thermometer

Measurement Range	Human body	34.0°C~43.0°C
	Object	0°C~100°C
Measuring Accuracy	0.0~33.9°C	±2°C
	34.0~34.9°C	±0.3°C
	35.0~42.0°C	±0.2°C
	42.1~42.9°C	±0.3°C
	43.0~100°C	±2°C
Measuring Distance	<1cm	
Measuring Interval	Continuous measuring	
Display	Object mode	Green
	Temperature mode	34.0~37.3°C: Green
		37.4~38.0°C (Set value=0.1°C): Yellow
	38.1 (Set value)~42.9°C: Red	
Automatic Shutdown	10s/ls	
Memory	Memory 35 groups of measured temperature	
Operational Conditions	Temperature	10°C~40°C for working time, -10°C~40°C for storage
	Humidity	15~80% RH for working time, 10~80%RH for storage
	Atmospheric pressure	70~106kPa
Battery	2*AAA x 2	



TK-2202
Thermometer

Measurement Range	Ear&Forehead	32.0°C~42.9°C (89.6°F~109.2°F)
	Object	0°C~100°C (32°F~212°F)
Measuring Accuracy	Ear&Forehead mode	±0.2°C/±0.4°F
	Object mode	±1.0°C/±1.8°F
Measuring Distance	1~3cm	
Display	LCD backlight	
Automatic Shutdown	10s/ls	
Memory	Memory 35 groups of measured temperature	
Fever Alarm	Low fever	37.4°C<T<37.9°C (99.3°F~100.3°F)
	High fever	38°C<T<42.9°C (100.4°F~109.2°F)
	Temperature	10°C~40°C (55°F~104°F)
Operational Conditions	Humidity	15~95%RH, non-condensing
	Atmospheric pressure	86~106kPa
Battery	2*AAA, can be used for more than 3000 times	
Weight	66g(without battery), 81g(with battery)	
Product Dimension	36*42*153.5mm	
Packing Size	46.5*46.5*169mm	
Full set weight	115g(including products/bags/instructions/batteries)	



TK-2206
Thermometer

Measurement Range	Ear&Forehead	32.0°C~42.9 °C (89.6°F~109.2°F)
	Object	0°C~100 °C (32°F~212°F)
Measuring Accuracy	Ear&Forehead mode	±0.2°C/±0.4 °F
	Object mode	±1.0°C/±1.8 °F
Display		LCD backlight
Automatic Shutdown		10s±1s
Memory		Memory 35 groups of measured temperature
Fever alarm	Low fever	37.4°C<T<37.9°C (99.3°F~100.3°F)
	High fever	38°C<T<42.9°C (100.4°F~109.2°F)
	Temperature	10°C~40°C (55°F~104°F)
Operational Conditions	Humidity	15~95%RH, non-condensing
	Atmospheric pressure	86~106kPa
Battery		2*AAA, can be used for more than 3000 times
Weight		80g(without battery); 95g(with battery)
Product Dimension		150*50*39mm
Packing Size		45*60*160mm
Full set weight		136g(including products/bags/instructions/batteries)



TK-2207
Thermometer

Measurement Range	Ear&Forehead	32.0°C~42.9 °C (89.6°F~109.2°F)
	Object	0°C~100 °C (32°F~212°F)
Measuring Accuracy	Ear&Forehead mode	±0.2°C/±0.4 °F
	Object mode	±1.0°C/±1.8 °F
Display		LCD backlight
Automatic Shutdown		10s±1s
Memory		Memory 35 groups of measured temperature
Fever alarm	Low fever	37.4°C<T<37.9°C (99.3°F~100.3°F)
	High fever	38°C<T<42.9°C (100.4°F~109.2°F)
	Temperature	10°C~40°C (55°F~104°F)
Operational Conditions	Humidity	15~95%RH, non-condensing
	Atmospheric pressure	86~106kPa
Battery		2*AAA, can be used for more than 3000 times
Weight		69g(without battery); 85g(with battery)
Product Dimension		35*36*157mm
Packing Size		46*46*168mm
Full set weight		136g(including products/bags/instructions/batteries)

BATHROOM SCALE

BATHROOM SCALE ■



XY-3025

- >Equipped with 4 high precision sensor system
- >LCD size: 66X44mm
- >Capacity/division: 150kg/100g,
- >Backlight: YES
- >Unit: kg/lb/st
- >Auto on/Auto off
- >Overload/ Low power indication
- >Power: 2x3V CR2032 Lithium batteries

Scales size: 302x302x13.5mm

Colorbox size: 317x32x320mm

Carton size: 332x148x340mm | QTY/CTN: 4pcs

20'GP/6352pcs | 40'GP/13176pcs | 40'HQ/15056pcs



BATHROOM SCALE

XY-3108



- > High precision strain gauge sensors systems
- > Tempered glass platform: 280 x 280 x 5mm, R28
- > Capacity: 2-180KG (Unit: kg lb st)
- > Graduation: <100kg-0.05kg; ≥100kg-0.1kg
- > LED display size: 65 x 25 mm
- > Power: 2 x 1.5V AAA carbon batteies

Product size:280x280x20mm		
Colorbox size: 302 x 34 x 292mm		
Carton size: 320 x 292x 310mm		
Qty/ctn: 8 PCS N.W/scale:1.35 kg		
7733 PCS/20'GP	16019 PCS/40'GP	18780 PCS/40'HQ

XY-3099

- Scale size: 302 x 25 x 272mm
- LCD size: 78 x 42mm
- Backlight: Yes
- Power: 4 x 1.5V AAA batteries



XY-3029

- Scales size : 290x 240x 18mm
- LED size: 60x 25mm
- USB rechargeable battery
- Capacity/ Division: 150kg/100g
- Colorbox size: 303x36x257mm
- Carton size: 318x164x277mm 4pcs/ctn



BATHROOM SCALE

XY-3106

Tempered glass platform: 260 x 260 x 5mm, R28

Product size: 260 x 260 x 20mm	20GP: 8960pcs
Colorbox size: 282x 34 x 272mm	40GP: 18560pcs
Carton size: 297x292x292mm	40HQ: 21760pcs
Qty/ctn: 8 PCS	N.W/scale:1.25kg




XY-3092A

- Scale size : 300x300x19mm
- LCD size: 81x43mm
- Backlight: YES
- Battery type: 2x3V CR2032 lithium batteries



XY-3092A Anti Slip

- Scale size :300x300x19mm
- LCD size: 81x43mm
- Backlight: YES
- Battery type:2x3V CR2032 lithium batteries
- Anti-slip tech



BATHROOM SCALE

XY-3107

- > High precision strain gauge sensors systems
- > Tempered glass platform: 260 x 260 x 5mm, R28
- > Capacity: 2-180KG (Unit: kg/lb/st)
- > Graduation: <100kg-0.05kg; ≥100kg-0.1kg
- > LCD display size: 53 x 26 mm, with backlight
- > Auto on
- > Auto zero-Auto off
- > Over load indication
- > Low battery indication
- > Power: 2 x 1.5V AAA carbon batteries

Product size: 260 x 260 x 20mm	20GP: 8960pcs
Colorbox size: 282 x 34 x 272mm	40GP: 18560pcs
Carton size: 297 x 292 x 292mm	40HQ: 21760pcs
Qty/ctn: 8 PCS	N.W/scale: 1.25kg



XY-3009



- > Equipped with 4 high precision sensor system
- > LCD size: 81.5 x 40.8mm
- > Capacity/division: 150kg/100g,
- > Backlight: YES
- > Unit: kg/lb/st
- > Auto on/Auto off
- > Overload/ Low power indication
- > Power: 2 x 3V CR2032 lithium batteries

Scales size: 330 x 300 x 21mm		
Color box size: 333 x 34 x 313mm		
Carton size: 358 x 170 x 333mm		
QTY/CTN: 4pcs		
20'GP/4000pcs	40'GP/8000pcs	40HQ/9000pcs

XY-3030A-BIG



- > Equipped with 4 high precision sensor system
- > LCD size: 78 x 42mm
- > Capacity/division: 150kg/100g
- > Backlight: YES
- > Power: 2 x 3V CR2032 lithium batteries
- > Scale size & LCD size can be adjustable

Scales size: 330 x 300 x 21mm		
Color box size: 316 x 36 x 318mm		
Carton size: 330 x 230 x 338mm	6pcs/ctn	
20'GP/5598pcs	40'GP/11196pcs	40HQ/13596pcs



XY-3092-SS

Scale size: 300 x 300 x 23mm
 LCD size: 81.2 x 43.4 mm
 Backlight: Yes
 Power: 2 x 3V CR2032 lithium batteries



XY-3168A

Scale size : 300x300x26mm
 LCD size: 164x36mm
 Backlight: NO
 Battery type: 2x3V CR2032 lithium batteries

BATHROOM SCALE

XY-3062

- >High precision strain gauge sensors system
- >Strong bamboo platform : 300x300x15mm
- >Capacity:6-150kg (Unit:kg lb st)
- >Graduation:d=100g
- >Large LCD display size:80x43mm
- >Auto on
- >Auto zero-Auto off
- >Backlight function
- >Over load indication
- >Low battery indication
- >Power: 2x3V CR 2032 lithium batteries

Colorbox : 327x53x324mm

Carton size : 340x280x344mm		5PCS/Ctn:
4090PCS /20'GP	8480PCS/40'GP	10300PCS/40'HQ



XY-3015A/B

Scales size :320x300x28.5mm

Colorbox :350x50x332mm

Carton size :365x215x352mm		4 PCS/Ctn
20'/5184 pcs	40'/10968 pcs	40'HQ/12964 pcs



XY-3015B

Scale size: 350x 300x 28.5mm
 LCD size: 95x 55mm
 Backlight: YES
 Battery: 4x 1.5V AAA batteries

XY-3017



Scales size : 310X300X25mm

LCD size: Ø57mm

Carton size :350x225x332mm		6PCS/Ctn
20'/5400pcs	40'GP/11196pcs	40'HQ/13596pcs

XY-3016



Scale size: 380 x 330 x 30mm

LCD size: Φ100mm

Backlight: Yes

Power: 4 x 1.5V AAA batteries



XY-3052

Scale size :350x300x23mm

LCD size:Φ76mm

Backlight:YES

Battery type:4x1.5V AAA batteries



XY-3067

Scale size : 300X300X24mm

LCD size : 78x42mm

Backlight : YES

Battery type : 2x3V CR2032 lithium batteries



Your weight< target price and last weight, purple backlight.
 Your weight< target weight, blue backlight.
 Your weight= target weight, green backlight.
 Last weight> target weight, orange backlight.
 Your weight> target price and last weight, red backlight.

■ BATHROOM SCALE

BATHROOM SCALE ■



XY-3033

Tempered glass platform: 280 x 260 x 5mm
Product size: 280 x 260 x 20mm
LCD display size: 53 x 26 mm
Power: 1X3V CR2032 lithium battery



XY-3037A

Tempered glass platform: 290X280X6mm
Product size: 280x290x21mm
LCD display size: 73X28mm
Power: 1X3V CR2032 lithium battery



XY-3019

Tempered glass platform: 300X300mm
Product size: 300x300x22mm
LCD display size: 73X28mm
Power: 1X3V CR2032 lithium battery



XY-3036

Tempered glass platform: 280X280X5mm
Product size: 280x280x22mm
LCD display size: 73X28mm
Power: 1X3V CR2032 lithium battery

Healthy living starts now

Control your weight



BODY FAT SCALE

BODY FAT SCALE ■

Digital Clinical Scale



XY-M01B

- > Equipped with 4 high precision sensor system
- > Large LCD : 95x57 mm
- > Capacity/division: 180kg/100g
- > Unit: kg, lb, st
- > Scale size : 310 x 310 x 1020mm
- > Foldable tube, adjusted display view

■ BODY FAT SCALE

XY-6110




- > Equipped with 4 high precision sensor system
- > Plastic platform: 280x280mm R35
- > Capacity: 6-180KG (Unit: kg/lb/st)
- > Graduation: d=100g
- > Reverse LCD display, view size: 62 x 27mm
- > Power: 4 x 1.5V AAA batteries

Product size: 280x280x20mm

Color box size: 290 x 30 x 290mm

Carton size: 305 x 310 x 260mm 8 PCS/CTN

8320 PCS/20'GP | 12608 PCS/40'GP | 12608 PCS/40'HQ



XY-6101

- Equipped with 4 high precision sensor system
- Tempered glass platform: 290 x 270mm
- LED size: 75x30mm
- Capacity/division: 150kg/100g
- Power: 3 x 1.5V AAA batteries

Scales size: 290x270x25mm

Color box size: 298x32x280mm

Carton size: 318x266x300mm 8pcs/ctn

20'GP/7500pcs | 40'GP/14000pcs | 40HQ/14000c



■ BODY FAT SCALE

XY-6002

- Equipped with 4 high precision sensor system
- 6mm safety tempered glass and stainless steel platform
- LCD size: 62x37mm
- Capacity/division: 150kg/100g, Unit: kg/lb/st
- Auto on/Auto off
- Overload/ Low power indication
- Power: 1x200mAh rechargeable battery

Scale size: 280x260x20mm

Color box: 294x33x281mm

Carton Size: 309x218x301mm, 6pcs/ctn

20' GP/8100pcs | 40' GP/ 16800pcs | 40HQ' / 19200pcs



XY-6010A

Product size: 310x310x23mm | LCD size: 62x61mm

Color box: 334x40x346mm

Carton size: 350x220x366mm 5 PCS/CTN

20'/4500pcs | 40'/9330pcs | 40'HQ/10665pcs



XY-6010A

XY-6010B

Product size: 310x310x23mm | LCD size: 77x91mm

Color box: 334x40x346mm

Carton size: 350x220x366mm 5 PCS/CTN

20'/4500pcs | 40'/9330pcs | 40'HQ/10665pcs



■ BODY FAT SCALE

XY-6008



Scales size: 300 x 300 x 32mm
 LCD size: 80 x 43mm
 Capacity/division: 150kg/100g
 Backlight: YES
 Power: 3 x 1.5V AAA batteries



**Feeling like floor
 Could be LED**

XY-6026

Scales size : 310x300x 12mm
 LCD size: Ø80mm, with backlight
 Battery: 2x3V CR2032 lithium batteries
 Capacity/division: 180kg/100g
 Colorbox : 328x 30x 340mm
 Carton size : 340x 196x 362mm 6PCS/CTN



XY-6052

Product size : 350X300X23mm | LCD size:Ø76mm
 Colorbox : 377X43X325mm
 Carton size : 392X230X345mm 5 PCS/CTN
 20'/4200 pcs | 40'/9000 pcs | 40'HQ/10500 pcs



BODY FAT SCALE ■

XY-6016

- > Equipped with 4 high precision sensor system
- > LCD size: Ø100mm
- > Capacity/division: 200kg/100g, with backlight
- > Unit: kg/lb/st
- > Auto on/Auto off
- > Overload/ Low power indication
- > Power: 4x1.5V AAA batteries
- > Memory: 10 persons
- > Body fat measure range: 5.0-50%
- > Body hydration measure range: 10-85%
- > Muscle measure range: 20~65%
- > BMI:10-80
- > Kcal.: 500~9999
- > Fat/ water/muscle rate graduation: 0.1%
- > Bone graduation: 0.1kg
- > Age range:10-80
- > Height: 100~240CM

Scales size : 380x330x30mm
 Colorbox : 410x52x362mm
 Carton size : 425x223x382mm 4 PCS/CTN
 20'/2872 pcs | 40'/6076 pcs | 40'HQ/ 7180 pcs



■ BODY FAT SCALE

XY-6009



- > Equipped with 4 high precision sensor system
- > LCD size: 81.5 x 40.8mm
- > Capacity/division: 150kg/100g
- > Backlight: YES
- > Power: 2 x 3V CR2032 lithium batteries

Scales size: 330 x 300 x 21mm

Color box size: 345 x 35 x 317mm

Carton size: 360 x 155 x 337mm 4pcs/ctn

20'GP/5400pcs | 40'GP/11200pcs | 40'HQ/12800pcs



XY-6027



- > Scales size: 297 x 210 x 23mm
- > Glass size: 297 x 210 x 5mm
- > LCD size: 72 x 28mm
- > Capacity/division: 150kg/100g
- > Power: 3 x 1.5V AAA carbon batteries

BODY FAT SCALE ■

XY-6035



- > Scales size: 260 x 260 x 20mm
- > Glass size: 260 x 260 x 5mm
- > LCD size: 72 x 28mm
- > Capacity/division: 150kg/100g
- > NO backlight
- > Power: 1 X 3V CR 2032 lithium battery



XY-6092

Scale size : 300x300x18.5mm
LCD size: 91.2x43.5mm
Backlight: YES

Battery type: 2x3V CR2032 lithium batteries



XY-6063

Scale size : 267X256X24mm
LCD size: 69x33mm
Backlight: NO

Battery type: 4x1.5V AAA batteries



XY-6039

Scale size : 310x270x26mm
LCD size: 110x110mm
Backlight: YES

Battery type: 4x1.5V AAA batteries



XY-6069

Scale size : 300x300x25mm
LCD size: 78x42mm
Backlight: YES

Battery type: 2x3V CR2032 lithium batteries



XY-6168A

Scale size : 300x300x26mm
LCD size: 158.8x29mm
Backlight: NO

Battery type: 2x3V CR2032 lithium batteries



XY-6068

Scale size : 290x300x22mm
LCD size: 73x28mm
Backlight: NO

Battery type: 2x3V CR2032 lithium batteries

■ BODY FAT SCALE

XY-6025

- > Equipped with 4 high precision sensor system
- > LCD size: 66 x 44mm
- > Capacity/division: 150kg/100g
- > Backlight: YES
- > Unit: kg/lb/st
- > Auto on/Auto off
- > Overload/ Low power indication
- > Power: 2 x3V CR2032 lithium batteries

Scales size: 302 x 302 x 13.5mm

Color box size: 317 x 32 x 320mm

Carton size: 332 x 148 x 340mm 4pcs/ctn

20'GP/6352pcs | 40'GP/13176pcs | 40HQ/ 15056pcs



XY-6005



- > Scales size: 280x260x20mm
- > 6mm safety tempered glass
- > LED size: 62x27 mm, red LED
- > Capacity/division: 150kg/100g,
- > Power: 1x200mAh 3.7V rechargeable battery

XY-6066

- > Product size: 320x300x25mm
- > Tempered glass platform: 320x300mm
- > Capacity: 6-150kg (Unit: Kg Lb St)
- > Graduation: d=100g
- > Large LCD: 93x55mm with blue backlight
- > Power: 4x1.5V AAA batteries



XY-6015A/B

XY-6015A

Scale size: A: 320x300x28.5mm B: 350x320x28.5mm

LCD size: 95x55mm

Backlight: YES

Battery type: 4x1.5V AAA batteries

XY-6015B



Scale size: 350x 300x 28.5mm

LCD size: 95x 55mm

Backlight: YES

Battery: 4x 1.5V AAA batteries

■ BODY FAT SCALE

XY-6029

- >Equipped with 4 high precision sensor system
- >LED size: 60x25mm or LCD with backlight
- >Capacity: 150kg, 180kg
- >Division: 5-100kg/50g, 100kg/100g
- >Auto on/Auto off
- >Overload/Low power indication
- >Power: USB Charge battery

Scales size : 290x 240x 18mm

Colorbox : 310x 40x 265mm

LED size: 60x 25mm

USB rechargeable battery

Capacity/ Division: 150kg/100g

Carton size : 420x 325x 285 mm | 10PCS/CTN



XY-6062

Scale size : 300X300X32mm

LCD size: 81x43mm

Backlight: YES

Battery type: 2x3V CR2032 lithium batteries

BLUETOOTH BODY FAT SCALE

■ BLUETOOTH FAT BODY SCALE

XY-6005-BT

LED Bluetooth



Bluetooth



- > Equipped with 4 high precision sensor system
- > 6mm safety tempered glass
- > LED size: 62x27 mm, red LED
- > Capacity/division: 150kg/100g,
- > Unit: kg/stlb
- > Auto on/ Auto off
- > Overload/Low power indication
- > Power: 3x1.5 V AAA batteries

Scales size: 280x260x20mm

Color box: 294x33x281mm


Carton size: 309x218x301mm

Qty/ctn: 6 PCS

8100PCS/20'GP | 16800PCS/40'GP | 19200CS/40'HQ

BLUETOOTH FAT BODY SCALE ■

XY-6109



Bluetooth



- > High precision strain gauge sensors systems
- > Tempered glass platform: 280x280mm R35
- > Capacity: 6-180KG (Unit: kg lb st)
- > BT 5.0 and Heart rate test function
- > Graduation: d=100g
- > Red LCD display size: 62x27 mm
- > Over load indication
- > Low battery indication
- > Power: 4 x 1.5V AAA batteries


Product size: 280x280x20mm

Color box size: 336 x 42 x 325mm

Carton size: 356 x 350 x 345mm

Qty/ctn: 8 PCS

5400 PCS/20'GP | 11200 PCS/40'GP | 12800 PCS/40'HQ



TM-901

High precision sensors
Unit: Kg, lb, St
LCD Display
Display size: 75x30mm

A:
Glass size: \varnothing 330x6mm
Package: 340x340x34mm
Carton: 370x350x355mm (10pcs)
G.W: 18.5kg

B:
Glass size: 300x330x6mm
Package: 310x310x34mm
Carton: 370x325x327mm (10pcs)
G.W: 17kg



TM-903

High precision sensors
Unit: Kg, lb, St
LCD Display
Display size: 75x30mm

A:
Glass size: 300x300x6mm
Package: 310x310x34mm
Carton: 370x325x327mm (10pcs)
G.W: 17kg

B:
Glass size: 300x200x6mm
Package: 310x210x34mm
Carton: 370x225x327mm (10pcs)
G.W: 12.5kg



TM-905

High precision sensors
Unit: Kg, lb, St
LCD Display
Display size: 46x28mm

Glass size: 260x260x4mm
Package: 267x267x24mm
Carton: 285x260x290mm (10pcs)
G.W: 10.5kg



TM-906

High precision sensors
Unit: Kg, lb, St
LED or LCD Display
Display size: 75x30mm
Glass size: 300x300x6mm
Package: 307x307x27mm
Carton: 325x300x327mm (10pcs)
G.W: 16.5kg





TM-908

High precision sensors
Unit: Kg, lb, St
LED or LCD Display
Display size: 75x30mm
Glass size: 280x280x5mm
Package: 290x290x26mm
Carton: 305x290x310mm (10pcs)
G.W: 12kg



TM-909

High precision sensors
Unit: Kg, lb, St
LED or LCD Display
Display size: 75x30mm
Glass size: Ø330x6mm
Package: 340x340x27mm
Carton: 360x360x290mm (10pcs)
G.W: 18.5kg



TM-906V

High precision sensors
Unit: Kg, lb, St
LCD Display
Display size: 75x30mm
Glass size: 300x300x6mm
Package: 307x307x27mm
Carton: 325x300x325mm (10pcs)
G.W: 16.7kg



TM-908V

High precision sensors
Unit: Kg, lb, St
LCD Display
Display size: 75x30mm
Glass size: 280x280x5mm
Package: 290x290x26mm
Carton: 305x290x310mm (10pcs)
G.W: 12.2kg





TM-902L

High precision sensors
 Unit: Kg, lb, St
 12 Storager
 LCD Display
 Display size: 60x60mm
 Glass size: 280x280x6mm
 Package: 290x290x29mm
 Carton: 305x290x305mm (10pcs)
 G.W: 13.5kg



TM-906F

High precision sensors
 Unit: Kg, lb, St
 12 Storager
 LCD Display
 Display size: 75x30mm
 Glass size: 300x300x6mm
 Package: 307x307x27mm
 Carton: 325x300x325mm (10pcs)
 G.W: 17kg



TM-908F

High precision sensors
 Unit: Kg, lb, St
 12 Storager
 LCD Display
 Display size: 75x30mm
 Glass size: 280x280x5mm
 Package: 290x290x26mm
 Carton: 305x290x310mm (10pcs)
 G.W: 12.5kg





TM-906B

High precision sensors
Unit: Kg, lb, St
LCD Display
Display size: 75x30mm
Glass size: 300x300x6mm
Package: 307x307x27mm
Carton: 325x300x325mm (10pcs)
G.W: 17kg




TM-801

High precision sensors
Unit: g, lb, oz, ml, fl.oz
LCD Display
Glass size: 195x141x3mm
Display size: 40.5x19mm
Package: 147x20x201mm
Carton: 315x220x420mm (40pcs)
G.W: 15kg
Battery: 1*CR2032



TM-908B

High precision sensors
Unit: Kg, lb, St
LCD Display
Display size: 75x30mm
Glass size: 280x280x5mm
Package: 200x290x26mm
Carton: 305x290x310mm (10pcs)
G.W: 12.5kg



TM-802

High precision sensors
Unit: Kg, g, lb, oz
LCD Display
Display size: 45x17mm
Battery: 2*AAA

A:
Bowl size: 198x125x47mm
Package: 208x135x57mm
Carton: 458x290x380mm (20pcs)
G.W: 9.5kg

B:
Glass size: 198x125x47mm
Package: 208x135x57mm
Carton: 430x285x270mm (20pcs)
G.W: 11.5kg



TM-909B

High precision sensors
Unit: Kg, lb, St
LCD Display
Display size: 75x30mm
Glass size: Ø330x6mm
Package: 340x340x27mm
Carton: 360x360x290mm (10pcs)
G.W: 18.5kg



TM-805

High precision sensors
Unit: Kg, g, lb, oz
LCD Display
Display size: 60x23mm
Glass size: 222x152x3mm
Package: 225x155x25mm
Qty/Carton: 20pcs
Carton: 325x240x245mm
G.W: 12kg
Battery: 2*AAA



DRS-206A

MULTIFUNCTIONAL MASSAGER



Details

Model: DRS-206A

Material: ABS, PU

Rated Power: 15W

Rated Voltage: DC5V 1A

Working Time: 15 minutes

Charging Form: Type-C

Heating Temperature: L: 40±5°C,

H: 45±5°C

Modes: Automatic, Positive turn,

Reverse turn, Circulate

Charging Time: 4 hours

Motor: Brushless motor

Strength: L-M-G

Battery: 2000mAh

Function: Kneading massage, heating

Net Weight: 0.90kg

Product Size: 270x89x90mm

Color Box Size: 317x120x100mm

Mail Box Size: 322x125x105mm

Carton Size: 525x332x335mm

Feature

- Made of Skin friendly cloth texture.
- Adjustable shoulder strap design.
- Three different massage modes and massage intensity to meet people's different needs.
- Wireless use, without limited by charging methods.
- Small size, easy to carry on business trips/travel.

KIMPORT



KIMPORT



LD-1262

DRS-206D

NECK & SHOULDER MASSAGER



Details

Model: DRS-206D

Material: PU

Rated Power: 26W

Working Time: 15 minutes

Charging Form: Type-C

Heating Temperature: 40°C / 45°C

Battery: 1800mAh

Function: Kneading massage, heating

Rated Voltage: DC5V 2A

Charging Time: 4.5 hours

Motor: Brushless motor

Strength: Two different gears

Modes: Two different modes

Net Weight: 1.35kg

Product Size: 710x110x155mm

Feature

- Unique imitation human hand grasping and pinching massage head, relieve shoulder and neck pain accurately.
- Adjustable handle design, release your hands.

213

DRS-206B

NECK MASSAGER



Details

Model: DRS-206B

Material: PU

Rated Power: 15W

Working Time: 15 minutes

Charging Form: Type-C

Heating Temperature: 40°C / 45°C

Battery: 2000mAh

Function: Rotary kneading massage, heating

Rated Voltage: DC5V 1A

Charging Time: 4 hours

Motor: Brushless motor

Strength: L-M-G

Modes: Automatic, Positive turn,

Reverse turn, Circulate

Net Weight: 0.86kg

Product Size: 285x115x100mm

Feature

- Roller kneading, deeper massage "pain" points.
- Adjustable handle design, release your hands.

KIMPORT



KIMPORT



LD-1262

DRS-201A

PEA MASSAGE PILLOW



Details

Model: DRS-201A
Rated Voltage: DC5V
Rated Power: 5W
Time: Massage: 15 minutes,
Heating: 15 minutes
Heating Temperature: L: 40±2°C,
M: 45±2°C, H: 50±2°C
Modes: Massage: forward, reverse

Battery: 2900mAh
Material: Memory foam
Charging Time: 5.5 hours
Charging Form: Type-C
Net Weight: 0.65kg
Product Size: 445x145x110mm
Color Box Size: 450x150x115mm
Carton Size: 460x160x125mm

Feature

- Multifunctional neck massage pillow.
- Made of skin-friendly fabric, removable and washable pillowcase.
- Graphene far-infrared rapid heating.
- Library grade silent massage movement.

215

DRS-208B

U SHAPE NECK MASSAGER



Details

Model: DRS-208B

Rated Power: 5W

Material: high resilience memory foam,

same fabric as yoga clothes

Rated Voltage: DC5V 1A

Charging Form: Type-C

Heating Temperature: L: 40±5°C,

H: 45±5°C

Battery: 2000mAh

Product Size: S: 32-36cm / M: 37-41cm

Working Time: 10 minutes

Charging Time: 3 hours

Function: Heating

Net Weight: 0.41kg

Color Box Size: 230x215x130mm

Mail Box Size: 245x250x147mm

Carton Size: 750x520x510mm

Feature

- Same fabric as yoga clothes, light, breathable and not stuffy.
- 360° full package, multi-dimensional support.
- 5 seconds quick heating, warming neck maintenance.
- 112c m² super large heating area, relax stiff cervical muscles.
- Dual-layer core for softness and support.
- Hoodie snap closure for easy fit adjustment.
- Removable and washable pillowcase, clean and hygienic.
- Small and light, easy to store & carry, zero burden.

KIMPORT




KIMPORT



LD-1262

DRS-208C

U SHAPE NECK MASSAGER



Details

Model: DRS-208C	Working Time: 10 minutes
Rated Power: 5W	Charging Time: 3 hours
Material: high resilience memory foam	Battery: 2000mAh
Rated Voltage: DC5V 1A	Function: Kneading massage, heating
Charging Form: Type-C	Net Weight: 0.39kg
Heating Temperature: L: 40±3°C, H: 45±3°C	Product Size: S: 32-36cm / M: 37-41cm
Modes: Vitality mode, soothing mode	Color Box Size: 230x235x131mm Mail Box Size: 237x242x138mm

Feature

- Comes with 4 vibrating heads, with 2 different vibration modes and heating functions.
- Hoodie snap closure for easy fit adjustment.
- Removable and washable pillowcase, clean and hygienic.
- Small and light, easy to store & carry, zero burden.

217

DRS-3610

LEG MASSAGER



Details

Model: DRS-3610
Rated voltage: DC12V
Rated power: 24W

Rated time: 15 minutes
Temperature: 0-35°C

Feature

- Both kneading, massage, heating and a variety of forces, a variety of modes of combination can be used for legs, feet.
- Multiple parts available with high cost performance.

KIMPORT



KIMPORT



LD-1262

DRS-800A1/A2

HAND MASSAGER



Details

Model: DRS-800A1/A2
Material: ABS
Net weight: 0.9kg/1kg
Gross weight: 1.15kg/1.2kg

Power: 6W/5W
Input power: 110-240V
Output power: DC5V 1A
Product size: 26x16x10cm

Feature

- Three time Settings, three mode, three airbag strength, one heating model.
- Raised point massage to promote blood circulation, wrap air bag kneading.
- warm heating all/local can be taken care of, give hard hands to do a SPA.

219

DRS-207D1/D2

MINI BACK MASSAGER



Details

Model: DRS-207D1
Rated voltage: DC11.6V
Rated power: 24W
Net weight: 1.2kg
Rated time: 15 minutes

Charger: Input 100-240V to 50/60Hz 0.8A
Output DC12.6V 1A
Standard battery: 18650 11.1V 2000mAh
Battery life: >90min
Charging time: <200min

Details

Model: DRS-207D2
Rated voltage: DC12V
Rated power: 24W
Net weight: 1.39kg

Rated time: 15 minutes
Adaptor: Input 100-240V to 50/60Hz 0.8A
Output DC12V 2A

Feature

- With massage, kneading and warm massage functions.
- Can be used for waist, back, neck, shoulders, legs, hips and other parts.

LD-1262

KIMPORT



220

KIMPORT



DRS-207J

MINI BACK MASSAGER



Details

Model: DRS-207J
Charging Time: 3.5 hours
Timing: 15 minutes
Working Time: 1.5 hours

Battery: 2000mAh
Charging Form: Type-C
Rated voltage: DC 7.4V
Heating Temperature: 40°C / 45°C

Feature

- With massage, kneading and warm massage functions.
- Can be used for waist, back, neck, shoulders, legs, hips and other parts.

KIMPORT



LD-1262

DRS-8000KB

MINI MASSAGE GUN



Details

Model: DRS-8000KB
Material: Aluminum alloy
Charging Time: 50 minutes
Function: Strong massage

Battery: 1200mAh
Massager head quantity: 4
Net Weight: 0.32kg
Product Size: 70x36x128mm

Feature

- Small professional fascial gun.
- Special storage bag.

DRS-8000MR

PROFESSIONAL MASSAGE GUN



Details

Model: DRS-8000MR

Material: ABS

Timing: 10 minutes

Working Time: 4 hours

Charging Time: 4 hours

Battery: 2400mAh

Massager head quantity: 4

Function: 5 speed strength

Net Weight: 0.65kg

Product Size: 162x58x184mm

Feature

- Small professional fascial gun.
- Special storage bag.

KIMPORT



LD-1262

KIMPORT



LD-1262

DRS-8120D

MINI MASSAGE GUN



Details

Model: DRS-8120D
Material: ABS
Timing: 10 minutes
Working Time: 5 hours
Charging Time: 3.5 hours

Battery: 2400mAh
Massager head quantity: 3
Heating Temperature: 40°C / 45°C
Net Weight: 0.435kg
Product Size: 136x65x170mm

Feature

- 3 seconds quick heat.
- Massage is synchronized with hot compress.
- 7mm deep strike.

DRS-8100

MINI MASSAGE GUN



Details

Model: DRS-8100

Material: ABS, PC

Timing: 10 minutes

Working Time: 5 hours

Charging Time: 3.5 hours

Massager head quantity: 4

Battery: 2400mAh

Function: 3 intensity frequency modulation

Net Weight: 0.38kg

Product Size: 112x43x155mm

Feature

- Tiny and convenient.
- Warm feeling.
- Use Type-C to charge power.
- Timing protection.
- Massage with lower noise.

LD-1262



225

KIMPORT



LD-1262

DRS-8110

MINI MASSAGE GUN



Details

Model: DRS-8110
Material: ABS
Timing: 10 minutes
Working Time: 0.8 hours
Charging Time: 2 hours

Battery: 1100mAh
Massager head quantity: 3
Net Weight: 0.26kg
Product Size: 147x38x77.5mm

Feature

- Brushless Motor, ultra-quiet
- Type-C fast charging
- 4 replaceable massage heads

226

DRS-8000K

MINI MASSAGE GUN



Details

Model: DRS-8000K

Material: ABS, Aluminum alloy

Timing: 10 minutes

Working Time: 1 hours

Charging Time: 3.5 hours

Battery: 1100mAh

Massager head quantity: 4

Heating Temperature: 40°C / 45°C

Product Size: 99.4x36x148.4mm

Feature

- Small metal fascia gun with heating function.

KIMPORT



DRS-7000B

LEG MASSAGER



Details

Model: DRS-7000B

Rated Voltage: DC24V 2.5A

Rated Power: 55W

Timing: 15 minutes

Modes: Leg, scraping, intensity, vibration, heating

Function: Roller massage, air bag massage, vibration, heating

Material: ABS

Working Time: 30 minutes

Heating Temperature: 55°C

Charging Form: Adapter

Intensity: Weak, middle, powerful

Net Weight: 11.00kg

Folding Size: 460x440x260mm

Inner Box Size: 496x481x335mm

Carton Size: 507x492x349mm

Feature

- Two-in-one design, realize leg and foot massage at the same time.
- Unique foldable design, space-saving for daily storage.
- Detachable and washable foot cloth cover, easy to clean and replace.
- Multifunctional massager, integrating vibration, roller, airbag massage and heating functions.
- Human body induction light touch control panel, dual-screen control.

LD-1262



228

KIMPORT

DRS-7000A

LEG MASSAGER



Details

Model: DRS-7000A

Rated Voltage: DC24V 2.5A

Rated Power: 55W

Timing: 15 minutes

Modes: Leg, scraping, intensity, vibration, heating

Function: Roller massage, air bag massage, vibration, heating
Charging Form: Adapter

Material: ABS

Working Time: 30 minutes

Heating Temperature: 55°C

Intensity: Weak, middle, powerful

Net Weight: 11.00kg

Folding Size: 400x430x250mm

Inner Box Size: 490x475x320mm

Carton Size: 500x488x330mm

Feature

- Two-in-one design, realize leg and foot massage at the same time.
- Unique foldable design, space-saving for daily storage.
- Detachable and washable foot cloth cover, easy to clean and replace.
- Multifunctional massager, integrating vibration, roller, airbag massage and heating functions.
- Human body induction light touch control panel, dual-screen control.

LD-1262

229

DRS-3200A

FOOT MASSAGER



Details

Model: DRS-3200A

Rated Voltage: DC12V 3A

Rated Power: 24W

Charging Form: Adapter

Heating Temperature: 40°C / 45°C

Working Time: 15 minutes

Modes: Forward, reverse

Function: Roller kneading massage, heating

Net Weight: 1.22kg

Product Size: 355x320x168mm

Inner Box Size: 465x410x275mm

Carton Size: 475x420x285mm

Feature

- Made of fabric material, make the product light weight.
- Unique handle design, easy to move.
- Professional simulation massage techniques, effective massage reflex points.

KIMPORT



KIMPORT



LD-1262

DRS-3000E

FOOT MASSAGER



Details

Model: DRS-3000E

Rated Voltage: DC12V 3A

Rated Power: 36W

Working Time: 15 m / 20 m /
30 m, can be set freely

Heating Temperature: L: 43±3°C,

H: 48±3°C

Material: ABS

Intensity: L-M-H

Vibration: L-M

Charging Form: Adapter

Function: Roller massage, vibration,
heating

Net Weight: 4.00kg

Product Size: 420x380x240mm

Inner Box Size: 465x410x275mm

Carton Size: 475x420x285mm

Feature

- Multifunctional massager, integrating vibration, roller, airbag massage and heating functions.
- Equipped with airbags on the top of feet and ankles to achieve a full-wrapping massage.
- Detachable and washable foot cloth cover, easy to clean and replace.

231

DRS-331A / B

MASSAGE MATTRESS



Details

Model: DRS-331A / B
Rated Voltage: DC12V 3A
Rated Power: 36W

Working Time: 10 minutes,
20 minutes, 30 minutes

Heating Temperature: 55±10°C

Modes: Stretch, wrap, relax, active,
neck, waist, back

Material: Leather

Strength: weak-middle-powerful

Charging Form: Adapter

Function: Airbags massage, heating
Net Weight: 4.5kg

Product Size: 1200x636x75mm

Inner Box Size: 660x150x415mm

Carton Size: 675x160x430mm

Feature

- Multifunctional massage cushion, suitable for office lunch break and home relaxation.
- Foldable design is stylish on the appearance and space-saving.
- With a simple remote control, elderly can also easy to get started.
- Provide multi-zone massage for back, shoulder, neck, waist and leg, big space for full body.

LD-1262

KIMPORT



KIMPORT



LD-1262

DRS-209A

DETACHABLE MASSAGE PILLOW



Details

Model: DRS-209A
Rated Voltage: DC12V 2A
Rated Power: 24W
Time: Massage: 15 minutes,
Heating: 15 minutes
Heating Temperature: L: 40±2°C,
H: 45±2°C
Modes: Massage: forward, reverse

Material: Memory foam
Function: Massage, heating
Charging Form: Adapter
Net Weight: 2.20kg
Product Size: 485x410x110mm
Inner Box Size: 430x210x290mm
Carton Size: 440x220x305mm

Feature

- Multifunctional neck massage pillow.
- Made of skin-friendly fabric, removable and washable pillowcase.
- Carbon fiber far infrared heating rapidly.
- Simulation human hand massage head, bring comfortable massage experience.

233

DRS-3000C-1

FOOT MASSAGER



Details

Model: DRS-3000C-1

Rated Voltage: DC24V 2A

Rated Power: 45W

Working Time: 30 minute

Intensity: weak-middle-powerful

Charging Form: Adapter

Function: Ozone sterilization,
roller massage, air bag massage,
heating

Material: ABS

Timing: 15 minutes

Heating Temperature: 40°C

Modes: Forward, reverse

Net Weight: 4.30kg

Product Size: 430x380x240mm

Color Box Size: 480x275x405mm

Carton Size: 488x215x415mm

Feature

- Full wrap massage.
- Negative ion sterilization, one-key freshness.
- Professional simulation massage techniques, effective massage reflex points.

KIMPORT



KIMPORT

DRS-5000A / B

VIBRATION MACHINE



Details

Model: DRS-5000A / B
Rated Voltage: DC24V 5A
Rated Power: 45W
Working Time: 12 minutes
Modes: Automatic program,
manual mode
Function: Vibration

Material: ABS, silica gel
Charging Form: Adapter
Speed: Total 12 speeds adjustable
Net Weight: 16.00kg
Product Size: 776x443x125mm
Carton Size: 815x475x195mm

Feature

- Enhance the sense of balance of the human body and promote blood circulation.
- Equipped with remote control and drawstring, easy to operate.
- Body sculpting and fat loss, yoga partner.
- Intelligent mute.
- Overvoltage protection, overcurrent protection, short circuit protection, over power protection.

LD-1262

235

MG-616

Product
Features



FIG.1




FIG.2



Product
Description

item no.	MG-616
Patent No	ZL202330454723.9
Power	8W
Motor type	Brushless
Amplitude	6mm
Motor Turn Speed	750-2800RPM
Speeds	1-4Speed Setting
Massage head	4
Battery power	7.4V
Battery Capacity	1300mAh
Endurance time	2~3h
Charging mode	Type-C
Battery charging time	2~3h
Input voltage	5V 2A
Shell material	ABS
Massage head material	PP
Product weight	295g
Storage	Carry case
Product size	11X4.5X15cm
Single Packing Size	
package size	
Quantity	



MG-618



MG-618

Model: MG-618 | Item No: KIM-001

- Product
- ◇ Features



☰ Product Description ✔

item no.	MG-618
Patent No	ZL202330619102.1
Power	8W
Motor type	Brushless
Amplitude	6mm
Motor Turn Speed	700-2800RPM
Speeds	1-4 Speed Setting
Massage head	2-4
Battery power	7.4V
Battery Capacity	1000mAh
Endurance time	2~2.5h
Charging mode	Type-C
Battery charging time	2h
Input voltage	5V 2A
Shell material	ABS
Massage head material	PP
Product weight	210g
Storage	Carry case
Product size	7.1X3.5X11cm
Single Packing Size	
package size	
Quantity	20 pcs/ctn



MG-311



MG-311

Product Features



Product Description

item no.	MG-311
Patent No	ZL2022 30612129.3
Power	8W
Motor type	Brushless
Amplitude	6mm
Motor Turn Speed	650-2800RPM
Speeds	1-4 Speed Setting
Massage head	4
Battery power	7.4V
Battery Capacity	1300mAh
Endurance time	2~3h
Charging mode	Type-C
Battery charging time	2h
Input voltage	5V 2A
Shell material	ABS
Massage head material	PP
Product weight	279g
Storage	Carry case
Product size	9X4.2X13.5cm
Single Packing Size	11.2X15.4X5.5cm
package size	55X31.5X14cm
Quantity	20 pcs/ctn



RC-MR-01



MG-112

Product Features



Product Description

item no.	MG-112
Product name	MASSAGE RING
Power	15W
Motor type	Brush motor
Warranty	1year
Motor Turn Speed	980-1950RPM
Battery power	7.4V
Battery Capacity	1500mAh
Endurance time	4~5h
Charging mode	Type-C
Battery charging time	4~5h
Input voltage	5V 2A
Shell material	ABS with soft painting
Massage head material	PP
Product weight	510g
Storage	Carry case
Product size	12.5X4.4X14.2cm
Single Packing Size	15.9X8.5X19.5cm
Package size	N0
Quantity	20 pcs/ctn
Features	①5 levels ②LCD display③ Touch Button



MG-717

- Product
- Features



Product Description

item no.	MG-717
Patent No	ZL2019 21931687.5
Power	8W
Motor type	Brushless
Amplitude	6mm
Motor Turn Speed	1200-2500RPM
Speeds	1-6 Speed Setting
Massage head	4
Battery power	7.4V
Battery Capacity	1500mAh
Endurance time	2~3h
Charging mode	Type-C
Battery charging time	2~3h
Input voltage	5V 2A
Shell material	ABS
Massage head material	PP
Product weight	375g
Storage	Carry case
Product size	11.7X4.7X18.2cm
Single Packing Size	
package size	
Quantity	20 pcs/ctn



MG-205

Product
Features



Product
Description 


item no.	MG-205
Patent No	ZL 2020 3 0393831.6
Power	12W
Motor type	Brushless
Amplitude	6mm
Motor Turn Speed	1500-2500RPM
Speeds	1-6 Speed Setting
Massage head	4
Battery power	7.4V/12.6V
Battery Capacity	1500/2000/2500mAh
Endurance time	2~3h
Charging mode	Type-C
Battery charging time	2~3h
Input voltage	5V 2A
Shell material	ABS
Massage head material	PP
Product weight	423g
Storage	Carry case
Product size	11.7X4.7X14.9cm
Single Packing Size	22X8X17.5cm
package size	45.5X43X37cm
Quantity	20 pcs/ctn



MG-208



MG-212



 Product Description 



Item no.	MG-208/ MG-212	Charging mode	Type-C
Product name	Massage gun	Charging time	2~3h
Power	12W	Input voltage	5V 2A
Motor type	Brushless	Shell material	ABS
Amplitude	6mm	Massage head material	PP
Motor Turn Speed	1500-2700RPM	Product weight	MG-212:384g / MG-208:419g
Speeds	1-6 Speed Setting	Storage	Carry case
Massage head	4	Product size	9.9X4.7X15.1cm / 9.9X4.9XX14.8cm
Battery power	7.4V/12.6V	Single Packing Size	22X8X17.5cm
Battery Capacity	1500/2000/2500mAh	Package size	45.5X43X37cm
Endurance time	2~3h	Quantity	20 pcs/ctn

MG-201



MG-202



 Product Description 

Item no.	MG-201/ MG-202	Charging mode	Type-C
Product name	Massage gun	Charging time	2~3h
Power	12W	Input voltage	5V 2A
Motor type	Brushless	Shell material	ABS
Amplitude	6mm	Massage head material	PP
Motor Turn Speed	1500-2500RPM	Product weight	MG-201:425g / MG-202:399g
Speeds	1-6 Speed Setting	Storage	Carry case
Massage head	4	Product size	9.6X4.7X15.3cm / 9.8X4.7X15.5cm
Battery power	7.4V/12.6V	Single Packing Size	22X8X17.5cm
Battery Capacity	1500/2000/2500mAh	Package size	45.5X43X37cm
Endurance time	2~3h	Quantity	20 pcs/ctn

MG-305



MG-316



 Product Description 

Item no.	MG-305 / MG-316	Charging mode	Type-C
Product name	Massage gun	Charging time	2~3h
Power	12W	Input voltage	5V 2A
Motor type	Brushless	Shell material	ABS
Amplitude	6mm	Massage head material	PP
Motor Turn Speed	1500-2700RPM	Product weight	MG-305:380g / MG-316:378g
Speeds	1-6 Speed Setting	Storage	Carring case
Massage head	4	Product size	10. 7X5. 7X16. 1m / 13. 2X4. 8X14. 7cm
Battery power	7. 4V/12. 6V	Single Packing Size	22X8X17. 5cm
Battery Capacity	1500/2000/2500mAh	Package size	45. 5X43X37cm
Endurance time	2~3h	Quantity	20 Pcs/ctns

MG-312

Product Features



Product Description

item no.	MG-312
Patent No	202330374897.4
Power	8W
Motor type	Brushless
Amplitude	6mm
Motor Turn Speed	650-2800RPM
Speeds	1-4 Speed Setting
Massage head	4
Battery power	7.4V
Battery Capacity	1000mAh
Endurance time	2~3h
Charging mode	Type-C
Battery charging time	2h
Input voltage	5V 2A
Shell material	ABS
Massage head material	PP
Product weight	265g
Storage	Carry case
Product size	8.6X5X13.5cm
Single Packing Size	11.2X15.4X5.5cm
package size	55X31.5X14cm
Quantity	20 pcs/ctn



MG-AT1

- Product
- Features




Product Description

Item no.	MG-AT1
Power	30W
Motor speed	1400-2600RPM
Speed gear	8th gear
Voice	<55dB
Amplitude	16mm
Battery capacity	16.8V/2600mAh
Endurance time	min 3.5hours
Shell material	ABS
Massage head material	PP
Product weight	1216g
Storage	Carry case
Product size	26.7X8.9X24cm
Parts	4Xmassage heads
	1Xhandbag
	manual



MG-021

Product Features



Product Description

Item no.	MG-021
Patent No	201930478892. X
Motor Diameter	55mm
Power	20W
Motor Turn Speed	1200-3300RPM
Noise Level	50db
Speeds	1-6 Speed Setting
Amplitude	12mm
Battery Capacity	16.8V/2600mAh
Battery	non-detachable
Battery Life	300 mins per battery
Charger	16.8V
Charging Time	2.5~4h
Massage Head	4
Battery Quantity	4
Main Material	304SS+ ABS+Silica gel
Storage	Carry case
Container Quantity	2700/5400/6100pcs
Product weight	934g
Product Size	25.8X7.6X24.4cm
Single Packing Size	34.6X10.5X25cm
Package Size	53X36.5X51cm
Quantity	10 pcs/ctn



MG-017

Product Features



Product Description 

Item no.	MG-017
Patent No	201930420330. X
Motor Diameter	38mm
Power	12W
Motor Turn Speed	1200-2800RPM
Noise Level	50db
Speeds	1-3 Speed Setting
Amplitude	8mm
Battery Capacity	16.8V/1500mAh
Battery Life	270 mins
Charging Time	2.5~4h
Massage Head	4Xadjustable
Battery Quantity	4
Main Material	304SS+ ABS+Silica gel
Storage	Carry case
Container Quantity	5000/10000/11800pcs
Product weight	773g
Product Size	16.9X6.3X21.1cm
Single Packing Size	26.5X9.3X22.5cm
Package Size	48.5X27.5X47cm
Quantity	10 pcs/ctn



MG-018

-  Product
-  Features



 Product Description 

Item no.	MG-018
Patent No	201930426130.5
Motor Diameter	38mm
Power	12W
Motor Turn Speed	1200-2800RPM
Noise Level	50db
Speeds	1-3 Speed Setting
Amplitude	8mm
Battery Capacity	16.8V/1500mAh
Battery Life	270 mins
Charging Time	2.5~4h
Massage Head	4Xadjustable
Battery Quantity	4
Main Material	304SS+ ABS+Silica gel
Storage	Carry case
Container Quantity	5000/10000/11800pcs
Product weight	795g
Product Size	18.6X6.3X21.1cm
Single Packing Size	26.5X9.3X22.5cm
Package Size	48.5X27.5X47cm
Quantity	10 pcs/ctn



M1

Product Features



FIG.1



FIG.2

Product Description 

item no.	MG-M1
Product name	Massage gun
Power	15W
Motor type	Brushless
Amplitude	10mm
Motor Turn Speed	1600-2800RPM
Speeds	1-4 Speed Setting
Massage head	4pcs
Battery power	12.6V
Battery Capacity	1500mAh
Endurance time	2~3h
Charging mode	Type-C
Battery charging time	2~3h
Input voltage	5V 2A
Shell material	ABS
Massage head material	PP
Product weight	485g
Storage	Carry case
Product size	11.2X6.1X13.8cm
Single Packing Size	
Package size	
Quantity	

MASSAGE GUN



M10

Product Features



FIG.1



FIG.2



Product Description 

item no.	M10
Product name	Massage gun
Power	15W
Motor type	Brushless
Amplitude	10mm
Motor Turn Speed	1600-2800RPM
Speeds	1-4 Speed Setting
Massage head	4
Battery power	12.6V
Battery Capacity	1500mAh
Endurance time	2~3h
Charging mode	Type-C
Battery charging time	2~3h
Input voltage	5V 2A
Shell material	ABS
Massage head material	PP
Product weight	466g
Storage	Carry case
Product size	10.9X5.4X12.8cm
Single Packing Size	
Package size	
Quantity	



MG-105



MG-106



Product Description 



Item no.	MG-105 / MG-106	Storage	Carry case
Power	12W	Product weight	MG-105:649g / MG-106:654g
Noise level	50db	Motor type	Brushless
Speeds	1-20Speed Setting	Product size	MG-105:15.1X5.6X18.9cm
Amplitude	6mm		MG-106:16.9X5.6X18.9cm
Battery Capacity	12.6V/1500mAh	Single Packing Size	MG-105:25.1X8.6X22.1cm
Battery	non detachable		MG-106:26.6X9.5X22.6cm
Endurance time	2-3.5h	Package Size	MG-105:46X36.5X46.5cm
Massage head	6		MG-106:49.5X28X47.5cm
Main Material	ABS+Silica gel	Quantity	10 pcs/ctn

MG-101



MG-102



 Product Description 

Item no.	MG-101 / MG-102	Main Material	ABS
Power	12W	Storage	Carry case
Noise level	50db	Product weight	MG-101:648g
Speeds	1-20Speed Setting		MG-102:650g
Amplitude	6mm	Product size	MG-105:20X5.8X15.7cm
Battery Capacity	12.6V/1500mAh		MG-105:19.6X5.8X15.7cm
Battery	non detachable	Single Packing Size	25.1X8.6X22.1cm
Endurance time	2-3.5h	Package size	46X36.5X46.5cm
Massage head	6	Quantity	20 Pcs/ctns

MG-028



MG-029



 **Product Description**





Item no.	MG-028 / MG-029	Motor diameter	48mm
Patent No	MG-028:201930668465.8	Cover	ABS
Patent No	MG-029:201930701886.6	Massage head	PP+EVA
Speed	20 levels	Power	15W
Screen	LCD Touch screen	Storage	Carry case
Rated voltage	AC110-220V, 50/60Hz	Motor type	Brushless
Rated power	20-30W	Product weight	MG-028:822g
Speed	1200-2800RPM		MG-029:765g
Beat Range	10mm	Product size	MG-028:19.2X6.6X23.6cm
Torque	0.2N/W		MG-029:17.9X6.6X24.2cm
Battery	16.8V	Single Packing Size	MG-028:24X9.3X31.5cm
Li-battery capacity	2000mAh		MG-029:28.5X10.8X24cm
Charger	16.8V/0.6A	Package size	MG-028:56X34X52.5cm
Charge time	3 hours		MG-029:56X29.5X50cm
Endurance time	3-4h	Quantity	10 Pcs/ctns

MG-082-1



MG-016



 Product Description 

Item no.	MG-082-1 / MG-016	Massage head	4
Power	15W	Charging mode	Adaptor
Motor speed	1200-2700RPM	Input voltage	110-240V
Speed gear	4th gear	Product size	15.5X8.5X24.1cm / 18.8X6.6X23.6cm
Noise level	55db	Product weight	MG-082-1:835g / MG-016:822g
amplitude	10mm	Motor type	Brushless
Battery capacity	1500/2000/2500mAh	Parts	1 handbag
Number of batteries	2000mAh		Adaptor
Endurance time	3.5h		manual

MG-Pro2

Product Features



Product Description

Item no.	MG-Pro2
Motor Diameter	55mm
Power	20W
Motor Turn Speed	1300-2800RPM
Amplitude	12mm
Motor type	Brushless
Speeds	1-6 Speed Setting
Massage head	4
Battery power	16.8V
Battery Capacity	2500mAh
Endurance time	4~5h
Charging mode	Adaptor
Battery charging time	4~5h
Input voltage	110-240V
Shell material	ABS
Massage head material	PP
Product weight	983g
Storage	Carring case
Product size	19.9X9.3X29.3cm
Part	1 handbag
	Adaptor
	manual





MG-Pro3



MG-008



 Product Description 

Item no.	MG-Pro3 / MG-008	Charging mode	Adaptor
Motor Diameter	48mm	Output	16.8V
Power	15W	Input voltage	100-240V
Motor Turn Speed	1400-2600RPM	Shell material	ABS
Amplitude	10mm	Massage head material	PP
Storage	Carring case	Product weight	MG-Pro3:910g / MG-008:839g
Speeds	1-20 Speed Setting	Product size	MG-008:18.6X6.8X26cm
Massage head	4/6		MG-Pro3:17.2X6.5X24.2cm
Battery power	16.8V	Parts	1 handbag
Battery Capacity	2600mAh		Adaptor
Endurance time	4~5h		manual

MG-010



MG-011



Product Description

Item no.	MG-010 / MG-011	Battery Life	300mins per battery
Patent No	MG-010:201930293762.9	Charger	16.8V/25.2V
Patent No	MG-011:201930315148.8	Charging Time	5-6h
Motor Diameter	48mm	Massage Head	4
Power	15W	Battery Quantity	4/6
Motor Turn Speed	1200-3300RPM	Main Material	ABS
Noise Level	50db	Storage	Carry case
Speeds	1-20 Speed Setting	Product weight	MG-010:885g / MG-011 887g
Amplitude	10mm	Product Size	18X7X23.7cm / 17.3X6.5X23.8cm
Battery Capacity	1500/2000/2600mAh	Package Size	54.5X29.5X48.5cm
Battery	detachable	Container Quantity	2700/5400/6100pcs

MG-001



MG-005




 **Product Description** 


Item no.	MG-001 / MG-005	Battery Life	300mins per battery
Patent No	MG-001:201930147010.1	Charger	16.8V/25.2V
Patent No	MG-005:201930244296.5	Charging Time	5-6h
Motor Diameter	48mm	Massage Head	4
Power	15W	Battery Quantity	4/6
Motor Turn Speed	1200-3300RPM	Main Material	ABS
Noise Level	50db	Storage	Carry case
Speeds	1-20 Speed Setting	Product weight	MG-001:890g / MG-005:853g
Amplitude	10mm	Product Size	17.3X6.8X24.3cm / 17.3X6.6X24.3cm
Battery Capacity	2600mAh	Package Size	54.5X29.5X48.5cm
Battery	detachable	Container Quantity	2700/5400/6100pcs

MG-006



MG-007




Product Description 

Item no.	MG-006 / MG-007	Battery Life	300mins per battery
Patent No	MG-006:201930213546.9	Charger	25.2V 0.6A
Patent No	MG-007:201930236439.8	Charging Time	5-6h
Motor Diameter	55mm	Massage Head	6
Power	20W	Battery Quantity	6
Motor Turn Speed	1200-3300RPM	Main Material	Aluminum alloy+ABS
Noise Level	50db	Storage	Carry case
Speeds	1-20 Speed Setting	Product weight	MG-006:1119g / MG-007:1092g
Amplitude	12mm	Product Size	24X7X23cm / 24.5X7X22.5cm
Battery Capacity	2600mAh	Package Size	53.5X35.5X55.5 / 67X36.8.51cm
Battery	non-detachable	Container Quantity	2700/5400/6100pcs

MG-003

MG-020



Product Description 



Item no.	MG-003 / MG-020	Battery Life	300mins per battery
Patent No	MG-003:201930183976.0	Charger	25.2V 0.6A
Patent No	MG-020:201930458886.8	Charging Time	5-6h
Motor Diameter	55mm	Massage Head	6
Power	20W	Battery Quantity	6
Motor Turn Speed	1200-3300RPM	Main Material	Aluminum alloy+ABS+Silica gel
Noise Level	50db	Storage	Carry case
Speeds	1-20 Speed Setting	Product weight	MG-003:1099g / MG-020:1034g
Amplitude	12mm	Product Size	17.9X6.8X22.2cm / 24.5X7X22.5cm
Battery Capacity	2600mAh	Package Size	34.5X12X24.5cm
Battery	non-detachable	Container Quantity	2700/5400/6100pcs

MG-026



MG-060



 Product Description 



Item no.	MG-026 / MG-060	Battery Life	300mins per battery
Patent No	MG-026:201930500746.2	Charger	USB charge
Motor type	Brush	Charging Time	1-1.5h / 2-3h
Motor Diameter	42mm	Massage Head	4 6
Power	40W	Battery Quantity	3
Motor Turn Speed	1200-2800RPM	Main Material	ABS
Noise Level	50db	Storage	Carry case
Speeds	1-20 Speed Setting	Product weight	MG-026:876g / MG-060:884g
Amplitude	6mm	Product Size	16.8X6.3X21.1cm / 17.2X6.8X23.2cm
Battery Capacity	1500mAh	Package Size	48.5X27.5X47cm
Battery	non-detachable	Container Quantity	2700/5400/6100pcs

MG-008-1



MG-057



 Product Description 

Item no.	MG-008-1/ MG-057	Input voltage	DC
Power	40W	Battery charging time	2.5~3h
Motor type	Brush	Input voltage	12.6V 0.4A
Amplitude	6mm	Main material	ABS
Motor Turn Speed	1200-2800RPM / 1700-2700RPM	Product weight	MG-008-1:960g / MG-057:865g
Speeds	1-20 Speed Setting	Product size	MG-008-1:876g / MG-057:899g
Massage head	6	Single Packing Size	17X6.5X25.4 / 18.2X6.3X23.3cm
Battery Capacity	1500/2000/2500mAh	Package size	54X49X29cm
Endurance time	2-5h	Quantity	10 Pcs/ctns

MG-111

Product Features



Product Description

item no.	MG-111
Massage gun	Massage gun
Power	12W
Motor type	Brush
Amplitude	5mm
Motor Turn Speed	1800-2800RPM
Speeds	1-6 Speed Setting
Massage head	4
Battery Capacity	7.4v/1500mAh
Endurance time	2~3h
Charging mode	Type-C
Battery charging time	2~3h
Shell material	ABS
Massage head material	PP
Product weight	420g
Storage	Colorbox
Product size	14.3X5.5X15cm
Single Packing Size	
package size	
Quantity	



Massage Heads





Led Cosmetic Mirror

Product Size: 190*365*200mm

- DC5V / 1A
- Max power rate: 3W
- Battery power: 4*3AAA
- led bulbs : SMD 2835 44pcs*0.2W
- 180° free rotation
- Material: ABS+Glass
- Warm and cold light temperature adjustable



FWD-LCM-07



Automatic Sanitizer Dispenser

- Infrared sensor automatic induction
- Power supply mode: 4 AAA alkaline batteries (DC6V)
- Max. capacity 280ML
- Support liquid soap and hand sanitizer
- Work time 2.5 seconds
- Volume dispensed ranges from 2-5g

FWD-KS002-GEL



Auto Foam Soap Dispenser

- Features & Specs
- 4*AAA battery powered
- Infrared sensor
- 0.25s quick bubble
- 250ml capacity
- IPX4 Waterproof

FWD-SDYD-01

KIMPORT



Automatic soap Dispenser

Powered by 4 AAA batteries;
Infrared sensor intelligent soap /gel dispenser;
ABS,PET material (alcohol resistant)
Maximum capacity 250ML
One volume mode, working time 1.5 seconds
Red light warning for low power

KIMPORT

Cylindrical Foam Dispenser

Infrared sensor automatic induction
Power supply mode: 4 AAA alkaline batteries (DC6V)
Max. capacity 300ML
Support foam hand wash
Work time 2.5 seconds
Volume dispensed adjustable
ABS and PET material

FWD-YTS-FOAM





IC 111 Automatic Soap Dispenser

- Size: 123x77x199mm.
- Max capacity: 350ml.
- LCD display for level of soap/lotion remaining.
- 4 levels of drops, 4 level of battery life remaining.
- 4 levels to adjust how much soap/lotion comes out.
- Automatic cleaning function.
- Ideal for soaps, lotions or other liquids.
- It's not recommended to use alcohol type hand rub sterilizer.



IC 113 Automatic Soap Dispenser

- Size: 85x126x189mm.
- Max capacity: 330ml.
- Easy operation.
- Energy and liquid saving with single level output.
- Built-in infrared smart sensor, fully automatic to keep clean and safe.
- Ideal for soaps, lotions or other liquids.
- It's not recommended to use alcohol type hand rub sterilizer.



IC 112 Automatic Soap Dispenser

- Size: 85x132x183mm.
- Max capacity: 280ml.
- IPX4 Waterproof.
- LCD display for level of soap/lotion remaining.
- 4 levels of drops, 4 levels of battery life remaining.
- 4 levels to adjust how much soap/lotion comes out.
- Ideal for soaps, lotions or other liquids.
- It's not recommended to use alcohol type hand rub sterilizer.



IC 117 Automatic Foam Dispenser

- Size: 98x77x174mm.
- Max capacity 250ml.
- Easy operation.
- Fine and smooth foam output in 2 levels.
- Built-in infrared smart sensor, fully automatic to keep clean and safe.
- Accurate and high-speed activation.



IC 118 Automatic Soap/Foam Dispenser

- Size: 81x109x186mm.
- Max capacity: 280ml.
- On/Off button to adjust 3 levels output.
- Polished SUS304 body.
- IPX4 Waterproof.
- Could be defined as Soap or Foam dispenser with same outlook.



IC 121 Alcohol Spray Dispenser

- Size: 98x77x174mm.
- Max capacity: 250ml.
- Output in 2 levels.
- Designed to spray alcohol and provide automatic dosing of spray.
- Fully automatic inductive alcohol dispenser machine, no contact, more sanitary.



IC 119 Automatic Soap/Foam Dispenser

- Size: 85x106x186mm.
- Max capacity: 280ml.
- On/Off button to adjust 3 levels output.
- Semi transparent body.
- IPX4 Waterproof.
- Could be defined as Soap or Foam dispenser with same outlook.



IC 122 Automatic Foam Dispenser

- Size: 110x78.5x179mm.
- Max capacity: 250ml.
- Easy Operation.
- Fine and smooth foam output in 2 levels.
- Built-in infrared smart sensor, fully automatic to keep clean and safe.
- Accurate and high-speed activation.

IC 8000 Jewelry Ultrasonic Cleaner

- Size: 176x210x140mm.
- Super ultrasonic cleaning effect:46K MHz.
- 90/180/300/480/600 seconds cleaning mode.
- 600ml stainless steel container.
- Watch/CD/basket holder.
- Rating voltage:220-240V-50Hz(EU)/110-120V-60Hz(US).
- Power rating: 50W.



IC 8002 Portable Ultrasonic Cleaner

- Size: 199x116x82mm.
- Super ultrasonic cleaning effect:46K MHz.
- 90/180/300/480/600 seconds cleaning mode.
- 300ml stainless steel container.
- Power Supply : DC 12V --- 2,0A.



IC 8003 Portable Ultrasonic Cleaner

- Size: 199x116x82mm.
- Super ultrasonic cleaning effect:46K MHz.
- 90/180/300/480/600 seconds cleaning mode.
- 300ml stainless steel container.
- Power Supply : DC 12V --- 2,0A.



KIMPORT

VK-6089

176CFM
300m³/h



VK-6090

94CFM
160m³/h



LD-1269



KIMPORT



VK-6020A
59CFM
100m³/h



VK-6020B
59CFM
100m³/h

UVC



LD-1269

VK-6011A
41CFM
75m³/h



VK-6030A
129CFM
220m³/h

KIMPORT



VK-6105A
88CFM
150m³/h



VK-6081A
106CFM
180m³/h



VK-6070A
76CFM
130m³/h



VK-6070B
76CFM
130m³/h

LD-1269

KIMPORT



395mm

LD-1269

VK-6115
59CFM
100m³/h



404mm

VK-6116
147CFM
250m³/h



524mm

VK-6117
235CFM
400m³/h

306

KIMPORT



VK-6067A
117CFM
200m³/h



VK-6067B
117CFM
200m³/h

UVC 99%
Sterilization



LD-1269

VK-6080A
88CFM
150m³/h



VK-6069B
88CFM
150m³/h

KIMPORT

VK-6126
59CFM
100m³/h



LD-1269

308

Portable type



VK-6062A

KIMPORT

Portable type



VK-6032A



LD-1269

VK-6118A
59CFM
100m³/h



VK-6205
47CFM
80m³/h

KIMPORT

VK-6059A
470CFM
800m³/h

VK-6052
265CFM
420m³/h

VK-6066
235CFM
400m³/h



KIMPORT

507mm

737mm



VK-6125
LD-1269
588CFM
800m³/h



VK-6123
570
212CFM
380m³/h

WiFi
version

KIMPORT



VK-6006
206CFM
350m³/h



VK-6008
265CFM
450m³/h



VK-6018
LD-1269
206CFM
350m³/h



VK-6068
265CFM
312
450m³/h

Humidifier
Series

KIMPORT

PTC Warm mist
Digital display



LD-1269

VK-8516
313
6L

UVC/PTC
Warm mist



VK-8513
3L

KIMPORT



VK-8519
6L

Aroma



LD-1269

VK-8515
2.2L



314
VK-8517
4L

Evaporate
Digital display

KIMPORT


VK-8518
3L



LD-1269

315

KIMPORT



LD-1269


VK-1502
Tower fan **316**

Air circulating fan
7 inches

KIMPORT



VK-1701A



VK-1802
2600mAh

Air circulating fan
9 inches.



LD-1269

VK-1705

VK-1803
2000mAh



Neck fan
VK-1805
4000mAh

317

KIMPORT

Aroma Diffuser -Plastic Series 100ml



M60121-1



M60122-1

- Power: Adaptor DC24V
- Semitransparent plastic, Wood grain is available.
- Ultrasound humidification technology : energy-efficient and quiet
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- Adjustable 7 LED lights
- 100ml/ Water tank 100ml
- Automatic switch-off when shortage
- G/B size: 94*94*213mm
20ft: 12320pcs; 40ft:24640pcs; 40HQ:27104pcs



M60105



M60121



M60123



M60122

Aroma Diffuser -Plastic Series 100ml

- Power: Adaptor DC24V
- Ultrasound humidification technology : energy-efficient and quiet
- LED light on base
- Water tank 100ml
- Automatic switch-off when shortage
- Touch operation
- G/B size: 119*96*250mm
20ft: 7884pcs; 40ft:15768pcs; 40HQ:17344pcs



M60141



M60187

KIMPORT

Aroma Diffuser -Plastic Series

- Power: Adaptor DC24V
- Semitransparent plastic
- Ultrasound humidification technology : energy-efficient and quiet
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- Adjustable 7 LED lights
- Water tank 140ml
- Automatic switch-off when shortage

M60340

G/B size: 130*130*211mm
20ft: 5868pcs; 40ft:11736pcs;
40HQ:12908pcs

M60230

G/B size: 127*127*239mm
20ft: 2128pcs; 40ft:4256pcs;
40HQ:4680pcs



M60340

M60230

Aroma Diffuser -Plastic Series M60330

- Power: Adaptor DC24V
- Semitransparent plastic
- Ultrasound humidification technology : energy-efficient and quiet
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- Adjustable 7 LED lights
- Water tank 145ml
- Automatic switch-off when shortage
- G/B size: 139*139*174mm
- 20ft: 6140pcs; 40ft:12280pcs; 40HQ:13508pcs



M60330

Aroma Diffuser -Plastic series M60430

- Power: Adaptor DC24V
- Semitransparent plastic
- Ultrasound humidification technology : energy-efficient and quiet
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- Adjustable 7 LED lights
- Water tank 175ml
- Automatic switch-off when shortage
- Music: Three music and adjustable volume
- G/B size: 144*144*180mm
- 20ft:5444pcs; 40ft:10888pcs; 40HQ:11976pcs



M60430

KIMPORT

Aroma Diffuser -Plastic series 300ml

- Power: Adaptor DC24V
- Smitransparent plastic, Optional wood grain base.
- Ultrasound humidification technology : energy-efficient and quiet
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- LED color changes
- Water tank 300ml
- Automatic switch-off when shortage
- Time setting: 1H, 3H, 6H
- G/B size: 172*172*230mm
20ft: 2646pcs; 40ft: 5292pcs; 40HQ: 5820pcs



M60172-2



M60172-1



M60173



M60172

Aroma Diffuser -Ceramic series 120ml

- Power: Adaptor DC24V
 - Ceramic cover.
 - Continuous mist and intermittent mist 30S ON/30S OFF option
 - Adjustable 7 LED lights.
 - Water tank 120ml
 - Automatic switch-off when shortage
- G/B size: 128*128*228mm
- 20ft:5740pcs; 40ft:11480pcs; 40HQ:12628pcs



M60194



ARM-033



ARM-032



ARM-031

KIMPORT

Aroma Diffuser -Ceramic series 120ml

- Power: Adaptor DC24V
- Ceramic cover, Wood grain base.
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- Adjustable 7 LED lights.
- 120ml Water tank.
- Automatic switch-off when shortage

- G/B size: 134*134*259mm
- 20ft:4768pcs; 40ft:9536pcs; 40HQ:10488pcs



M6021502



M6021500



M6021503



M6021501

KIMPORT



M6021602

M6021603

Aroma Diffuser - Ceramic series 120ml

- Power: Adaptor DC24V
- Ceramic cover, Optional wood grain base.
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- Adjustable 7 LED lights.
- 120ml Water tank.
- Automatic switch-off when shortage
- G/B size: 134*134*259mm
20ft:4768pcs; 40ft:9536pcs; 40HQ:10488pcs



M6021601

M6021600

KIMPORT

Aroma Diffuser -Ceramic series M60207



- Power: Adaptor DC24V
- Hollow ceramic housing, Wood top cover.
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- Adjustable 7 LED lights.
- 220ml Water tank.
- Automatic switch-off when shortage
- With remote, Easy operation
- G/B size:208*208*246mm
20ft:2148pcs; 40ft:4296pcs; 40HQ:4724pcs

Aroma Diffuser -Ceramic series M60196



- Power: Adaptor DC24V
- Ceramic cover
- Continuous mist and intermittent mist 30S ON/30S OFF option.
- Adjustable 7 LED lights.
- 120ml Water tank.
- Automatic switch-off when shortage
- G/B size:152*152*226mm
20ft:4200pcs; 40ft:8400pcs; 40HQ:9240pcs



KIMPORT

Cordless Ozone Spray H60101

- USB powered, built-in battery.
- Generate Ozone water for sterilizing, with a sterilization rate of 99%.
- 45ml water tank, full power can be used more than 60 times.
- Portable, easy to carry and use outside.
- Automatic shutdown after work.
- With light indicator
- Use tap water to generate the O3, lowest cost way.

G/B size:80*58*166mm
20ft:13434pcs; 40ft:26868pcs; 40HQ:29550pcs

Ozone Spray H60100

- Power: Adaptor DC24V 0.5A
- Generate Ozone water for sterilizing, with a sterilization rate of 99%.
- Touch operation, water tank capacity 100ml.
- Detachable design, Unit can be take away from the base for easy use.
- Two time setting: 2min & 4min
- With light indicator
- Use tap water to generate the O3, lowest cost way.

G/B size: 236*164*110mm
20ft:4272pcs; 40ft:8544pcs; 40HQ:9396pcs



KIMPORT

Pet Deodorizer H40003

- Plastic cover
- One-click operation with light indicator.
- UV+ photocatalyst sterilization and deodorization.
- Suitable for rest room and pet room to remove odor
- G/B size: 82*76*134mm
20ft:2070pcs; 40ft:4140pcs; 40HQ:4560pcs



Sounds Therapy H60153

- 8 soothing white sounds to aid sleep.
- Blue breathing light to aid sleep.
- Timer setting function.
- Adjustable Volumes.
- Sounds button
- G/B size: 118*100*100mm
20ft:17640pcs; 40ft:35280pcs;
40HQ:38808pcs



LD-1425



328

KIMPORT

Facial Cleaning M60271

- Power: 12V/2A adaptor, 2000mAh Li-battery;
- Exfoliate, clean pores, make pores look smaller, reduce skin oil production, reduce dry dead skin, reduce acne.
- Stripping suction mode: 3 intensity level, 5-min reminder, 10-min timing. Equipped with special turbid cleaning liquid.
- Moisturizing mode: heating & EMS, 3-min, 5-min timing. It can be used with pore contraction essence.
- Equipped with automatic cleaning head.
- Replaceable accessories: t-zone cleaning, face cleaning, moisturizing mode special head, instrument self-cleaning head.
- Water recovery sensor design, water full reminder and water shortage reminder, recovery sensor detects full water or water shortage
- Three-color LED lights to be used in different scenes and controlled separately.
- G/B size: 362*320*256mm
20ft: 545pcs; 40ft: 1090pcs; 40HQ: 1200pcs



KIMPORT

Freezing IPL hair remover M60269

- Power:24VDC adaptor, 60W
 - Aluminum alloy cover to enhance heat dissipation efficiency and texture.
 - 5 gear of strong and weak energy control, with skin color recommendation function, LCD screen display.
 - Contact capacitance induction, skin color and distance reaction, LED working light reminder
 - Lamp life: more than 300,000 times.
 - Freezing point design to achieve comfortable skin-free, heat-insensitive design, so that consumers have an ice-feeling hair removal experience
-
- G/B size: 277*201*99mm
20ft:1788pcs; 40ft:3576pcs; 40HQ:3936pcs



Silica Facial Cleaner M60104

- Close to the face design, super skin-friendly silica gel material. Meet the needs of neutral and sensitive skin.
- High-tech micro-vibration technology, roundly and deeply permeates the skin and clean the skin.
- 7 grade waterproof design. For different facial areas, sub-area contact design to make skin cleaning more thorough.
- High/Low setting: PRM 2000~8000, With 12 setting.
- 15 Minute Timing. 2*AAA battery can keep use for 9 hours.

- G/B size:78*38*182mm
20ft:36144pcs; 40ft:72288pcs; 40HQ:79504pcs



KIMPORT

Facial Brush M60338

- Power: Built-in Li-battery;
- Exfoliating and full clean for skin pore to make it smaller, reduce skin oil, reduce dry dead skin
- Patent mechanism for 5-10 degree swing, good cleaning effect, about 6000 frequency/min.
- Replaceable brush head accessories: common brush, sensitive brush and eye cleaning (sensitive) IPX7 waterproof design.
- Control level: Low setting: 3K times; High setting: 6K times
- Full charge time 3H, use for 70min.
- G/B size: 161*56*200mm
20ft: 11262pcs; 40ft: 22524pcs; 40HQ: 24774pcs
- IPX7 waterproof design.



KIMPORT

IPL hair remover M60164

- Power:12VDC adaptor, 24W
- IPL photonic hair removal
- 6 gear of strong and weak energy control, with skin color recommendation function, LCD screen display.
- Contact capacitance induction, skin color and distance reaction, LED working light reminder
- Lamp life: more than 300,000 times.
- Optional adjusted accessories to meet the needs of different areas.
- G/B size: 288*238*95mm
20ft:3108pcs; 40ft:6216pcs; 40HQ:6840pcs





Eye massager M03013

- Power: DC 3.7V 1800mAh 12W
- Function: Cold/hot compress,vibration,voice,LED indicator
- With Typc-C USB cable.
- Two separate buttons control

G/B size:206*143*70mm

- 20ft:10344pcs; 40ft:20688pcs; 40HQ:22752pcs



EMS Massager M60216

- EMS pulse 20-115Hz effectively exercises muscle and to relieve neck fatigue.
- 4 modes, 15 levels of intensity adjustment.
- USB charging, built-in lithium battery 3.7V, 1350mA;3.5H -4H fully charged,can be used f or15 minutes a day for one week.
- With Heat, NTC control 42 degrees constant temperature.
- 15 minutes timing, Auto turn off with no operation in 60 seconds
- With remote easy to use.



Low cycle wave massager M61035

- EMS pulse 20-115Hz effectively exercises muscles and shapes ideal figure.
- 5 models, 10 levels of intensity adjustment.
- Auto off 15mins.
- USB charging, built-in lithium battery 3.7V;40mAh;
- Full charge time:2.5-3H and can be used for a week for 15 minutes a day.

Japanese imported gel tablets, Main body screen-printed.

- G/B size:160*160*30mm
20ft:21120pcs; 40ft:42240pcs; 40HQ:46464pcs



KIMPORT

Ion Facial Steamer M60032

- Power: 230V/260W
- Built-in nano ionizer, spary nano ions steam.
- Adjustable 45°C sprayer nozzle.
- Removeable water tank, use 15mins a time.
- Touch panel operation. Timing setting: 15mins
- G/B size:184*168*293mm
20ft:2526pcs; 40ft:5052pcs; 40HQ:5556pcs



Cordless LED Cosmetic Mirror M60055

- LED soft light.
 - Doube face mirror, flat glass and 5X magnifying.
 - 360°C rotating for easy use.
- One button operation.
- 2000mAh Li-battery can charged up to 500 times. Charge 2-3H, Use 4-5H.
 - G/B size:184*W114*H219mm
20ft:5088pcs; 40ft:10176pcs; 40HQ:1

1184pcs

KIMPORT



Foldable Hair Dryer M62040

- Power: 1200W
 - Folding handle
 - Ionic Conditioning
 - 3 heat Settings
 - Chrome ring
- G/B size: 130*92*245mm
20ft:8016pcs; 40ft:16032pcs; 40HQ:17636pcs

Foldable Hair Dryer M62039

- Power: 1200W
 - Folding handle
 - Ionic Conditioning
 - 3 heat Settings
- G/B size: 118*77*242mm
20ft:10460pcs; 40ft:20920pcs; 40HQ:23012pcs



KIMPORT

Brushless Hair Dryer M62073

- Power: 1000W
- Blow-dry hair
- 110,000 RPM High speed brushless motor.
- Heating coil+temperature control+fuse.
- Cool shot button.
- Temperature and speed button.
- Portable& Light Weight.
- G/B size: 229*101*267mm
20ft:3708pcs; 40ft:7416pcs; 40HQ:8160pcs



KIMPORT

Brushless Hair Dryer A

- Power: 1600W
 - Function: blow-dry hair/ionic
 - 110,000 RPM High speed brushless motor
 - Heating coil+temperature control+fuse
 - New patent wind speed adjustment system, sliding wind speed adjustment structure.
 - New patent removable nozzle design.
 - Coanda effect, prevents broken hair from spreading when styling.
- G/B size: 229*101*267mm
20ft:3708pcs; 40ft:7416pcs; 40HQ:8160pcs



KIMPORT

Brushless Hair Dryer M62080

- Power: DC 11.1V , 50W
- Function: hair blowing, dust removal, inflation. Source and cooling
- 100000 rpm brushless turbine high speed motor
- Patented mini heating mechanism design,
- Integrated blowing and suction system
- Dust removal: slender nozzle design, 100000 rpm brushless vortex. The high speed motor of the wheel produces a large air volume that is sufficient to meet the requirements of the steamboat use of air source;
- G/B size: 220*80*55mm
20ft:3570pcs; 40ft:7140pcs; 40HQ:7854pcs



Hot Air Brush M62041

- Power: 100V/700W
- Function: Dry hair, Hair styling, Ionic, 3 levels heats.
- Operation: Main switch (3 levels)
- G/B size: 136*57*275mm
20ft: 10840pcs; 40ft: 21680pcs; 40HQ: 23848pcs



Ionic Massager Comb M62015

- Working voltage: DC 3.0V (2*AAA batteries)
- Power: 0.45W
- Function: vibration massage, hair combing, anion
- Size: L110*W66*H60mm
- Weight: 125g (150g include batteries)
- One-click anion, vibration switch button
- Theoretical working time: 2.1H



Hair Straightener M62014

- Power: 45-47W
- Functions: Hair straightener/LDC Digital display
- 5 Temperature setting:130°C,150°C,170°C,190°C,210°C
- Heating method: PTC & NTC technology for fast heating
- Control: ON/OFF; Heats
- G/B size: 108*74*332mm
20ft:8280pcs; 40ft:16560pcs; 40HQ:1821pcs



Straigh Hair Comb M62010

- Power: AC100-240V 50Hz; 47W
- Functions:Multi-function usage Hair straightener /LDC Digital display/ionic massage
- Temperature adjustable:140°C,150°C,160°C,170°C,180°C, 190°C,200°C,210°C,220°C
- Heating method: PTC & NTC technology for fast heating
- G/B size: 108*74*332mm
20ft:8280pcs; 40ft:16560pcs; 40HQ:18216pcs

KIMPORT

Hair Straightener M62008

- Power: AC100V 60Hz, 28W
- Functions: Hair straightener/LDC Digital display /Touch operation
- 7 Temperature setting:140°C, 150°C, 160°C, 170°C, 180°C, 190°C, 200°C.
- Control: ON/OFF; Heats
- Auto shut down after 45mins.
- G/B size:114*54*318mm
20ft:11418 pcs; 40ft:22836 pcs; 40HQ:25119 pcs



Hair Straightener M62004

- Power: 20W
- Function: Hair straightening; LED indicator;
- One temperature setting at 200°C.
- G/B size: 164*61*80mm
20ft:2406pcs; 40ft:4812pcs; 40HQ:5292pcs



KIMPORT



Rechargeable Hair Straightener M62011

- Power: DC 3.7V 2600mAh; 20W
- Function: Hair straightening; LED indicator;
- One temperature setting at 160°C
- Work time: Charge 2–3H, Use 25mins.
- G/B size: 164*61*80mm
20ft:2406pcs; 40ft:4812pcs; 40HQ:5292pcs

Rechargeable Hair Straightener M62017

- Operating voltage:AC220 : 50Hz
- Power: 35W
- Functionality: hair straightening, LED indicator
- Heating mode:PTC+NTC
- Heating panel material: inner–aluminum pipe, surface finishing–tourmaline+High temperature resistant ceramic oil
- Temperature gear: 5 switches (140°C, 160°C, 180°C, 200°C, 220°C)
- Heating pad size:L110*W30mm
- Operating method: power , temperature adjustable high / low(three in one)
- Auto Power –Off: 60mins
- Power cord: 360 Anti–winding
- G/B size: 273*38*32mm
20ft: 11418pcs; 40ft:22836pcs; 40HQ:25120pcs





Hair Curler M62006

- Power: AC220–240V 50Hz; 50W
- Functions: Hair curling; Digital display
- 5 Temperature setting: 140°C, 160°C, 180°C, 200°C, 220°C
- Control: ON/OFF; Heats
- Auto off: 60 mins
- 360 Anti-winding power cord
- G/B size: 114*54*318mm
20ft:11418pcs; 40ft:22836pcs; 40HQ:25119 pcs



KIMPORT

Hair Curler M62016

- Power: AC220-240V 50Hz; 50W
- Functions: Hair curling; Digital display
- 5 Temperature setting: 140°C, 160°C, 180°C, 200°C, 220°C
Control: ON/OFF; Heats
- Auto off: 60 mins

- 360 Anti-winding power cord

- Control: ON/OFF; Heats

- G/B size: 114*54*318mm
20ft:11418pcs; 40ft:22836pcs; 40HQ:25119 pcs



PU GEL

Heel liner, soothing spots, heel pad to prevent foot pains caused by friction



R13



R04



R11



R29



R22



R42



R05



R16



R35



R14



R02



R21

PU GEL

Customizable TPU printing



KIMPORT

PU GEL

Heel liner, soothing spots, heel pad, arch support insoles




R14



R35



With different attractive pattern to choose or use your logo



KIMPORT



PU GEL

With different attractive pattern to choose or use your logo



PU GEL

Ball of foot cushion



F01



F04



F10



F05



F09



F11 (2)



F11



F12



F49



FK39



F16



KIMPORT

PU GEL

Thong sandal insoles




F18



F22



F23



F20



F19



F21



F51



F28




F38

KIMPORT

PU GEL

Heel cushions, heel cups



PF055



H020



H36



H09



H04



H05



H06



H01




H12



H15



H16



H24

KIMPORT PU GEL

Heel cushions, heel cups



H02-S



H22-S

H02-L



H19



H31



H32



H25



H30



H34



H35



H26

KIMPORT

PU GEL

Arch support insoles, make you stand long easily



A01



A02



A03



A18



A04



A12



A13



A14



A08



A07



A06



A06 (2)

PU GEL

Double colour appearance, more attractive



PU GEL

3/4 length insoles Ideal for ladies high heels shoes to relieve pain and pressure on foot



W11



W27



W05



W67



W12



W13



W15



W16



W17



W18



W19



W20

KIMPORT

PU GEL 3/4 length insoles



W66



W68



W54



W28



W30



W52



W06



W04



W51



KIMPORT

PU GEL
Full length insoles



M01



M15



M06



M14



M05



M13



M03



M10



M11

SEBS GEL FOOT CARE PRODUCTS KIMPORT

Toe separation, correction & Foot moisturizing and nourishing





S09



S045



S05



S06



S07



S046



SEBS GEL FOOT CARE PRODUCTS



S053



S040



S041



S024



S014



S08



S018



S012



S030



S037

KIMPORT

SEBS GEL FOOT CARE PRODUCTS

Toe separation, correction & Foot moisturizing and nourishing



S039



S015



S016



S044



S025



S049



S052



S019



S023

SEBS GEL FOOT CARE PRODUCTS

Foot & hand care

KIMPORT



SM19



S055



S030



S017



S028



SM077



S056



S054



S068



S036



SM105

KIMPORT

SEBS GEL FOOT CARE PRODUCTS

Made with extra soft gel that can resolve corns, callus, and other issues with feet; these insoles work by reducing adverse effects caused by weight and friction when moving



SM074



S064



SA063



S069



S065



S059



S060



S066

KIMPORT

SEBS GEL FOOT CARE PRODUCTS

Intensive care to moisturize and soften hard, soft, dry, rough cuticles of hand & feet



SE01



SE14



SE12




SE17



S026

TPE GEL INSOLES



TM015

TPE GEL INSOLES



TW01



TW02



TH01



TH02



TH02A



TH03



TW03



TH06



TH07



TH08



TH14

TPE GEL INSOLES



TM36



TM34



TM30



TM33A



TM35



TM37



TMB21




TM39



TM38

TPE GEL INSOLES

Sweat-absorbent & shock-absorbing sport insole



TM08

KIMPORT

TPE GEL INSOLES



TM01



TM02



TM03



TMB21



TM08



TM33



TM40

TPE GEL INSOLES



TM32



TM23



TM19



TM04



TM05



TM10



TM17



TM20



TM28



TM26

TPE GEL INSOLES

HONEYCOMB SERIES

Unique honeycomb design, lighter weight and better breathability, special ortholite layer, super soft and high rebound



TM07



TM06



TW01



TH04

KIMPORT

PU FOAM INSOLES



KIMPORT

**PU FOAM
ORTHOTIC INSOLES**



PF050



PB036



PF041



PB039



PF056



PF049



PF048



PF046

KIMPORT

PU FOAM

Sport & Orthotic Insoles



PB033



PB037



PF044



PF020




PF018



PB025



PB026



PU FOAM

Sport & Orthotic Insoles

KIMPORT



PF007



PF012



PF006



PF014



PF015



PB034



PB032



PF043



PF023

PU FOAM

Sport & Orthotic Insoles

KIMPORT



PM01



PF001



PF022



PB019



PF003



PF024



PB029



PF002



PF005



PF017



PB031

EVA

ORTHOTIC INSOLES



KIMPORT

Gel Spacer

Absorbs shock and reduces impact



Orthotic and arch support
Poron Pad

Prevents and alleviates pains on front position
Latex Pad



KIMPORT

EVA
ORTHOTIC INSOLES



EM03



EM05



EM013



EM09



EM20



EM34



EM35



EM36



EM39

EVA
ORTHOTIC INSOLES



EM40



EM49



EM51



EM45



EM41



EM031



EM065



EM44

KIMPORT

EVA

ORTHOTIC INSOLES



EM059



EM060



EM061




EM062



EM063



EM064



KIMPORT

EVA
ORTHOTIC INSOLES



EM06



EM08



EM42



EM07



EM33



EM04



EM37

KIMPORT
LATEX
AND OTHER INSOLES



YM01



YM02



YM03



YM04




YM06



YM07



YM09



YM16



YM15



YM19



YM46

EVA
ORTHOTIC INSOLES



EVA layer

Providing the soft and flexible support

Poron minipads

Cushioning the forefoot

Poron minipads


Cushioning the heel

Nylon plate

Strong arch support & foot orthotics

PU Foam layer

Better cushion energy absorbing property



MEMORY

FOAM INSOLES



YM18



YM14



YM18



YM13



EM48



EM47



YM019

KIMPORT

EVA,LATEX **AND OTHER INSOLES**

Adjustable height,increases the comfort of your shoes
Invisible design,makes nobody notice you wearing them



LH01



LF02



LM01



LM04



LW02



LW04



EM016



EM021




EM017



EM010

KIMPORT

SILICONE INSOLES



SH012



SH008



SH018



ST003



SH004



SH16



SF004



ST001



ST002



SW001



SW003



SM002



SW002



SW004



SW005



**Medical grade silicone,
helps to relieve plantar
fasciitis and reduce
foot pains**

KIMPORT



POWDER PUFFS FOR MAKEUP



SC04



PP02

SC08



SC10



SC09



SC05



SC06



SC07



SC06



**Double sides can be usable
Logo printing & different colour are available**



KIMPORT



POWDER PUFFS FOR MAKEUP



KIMPORT

Silicone Brushes



SD01



SD04



SD05



SD03

SD02

Customized color and shape

HOT **CoRip**




CoRip Cotton Flexible Cohesive Bandage

- Cotton fabric cohesive bandage.
- Tears easily for immediate application.
- Opened smoothly and easily, good unwind tension.
- Good tensile strength.
- Self-adhering, sticks to itself, no need of clips or fasteners.
- Sweat and water resistant.
- Well flexible and breathable.
- Quick and easy removal by hand, with no sticky residue.

C Cotton	Latex	NR	Size	W	B	R	P
No Sterile	EO STERILE	HT Tearable	2.5cmx4.5m	DG	RB	LS	LS
			3.8cmx4.5m	O	S	G	NB
			5cmx4.5m	WR			
			6cmx4.5m				
			7.5cmx4.5m				
			10cmx4.5m				
			15cmx4.5m				

FlexGrip



FlexGrip Deluxe Cotton Flexible Cohesive Bandage

- A heavy cotton fabric cohesive bandage.
- Can be torn easily, excellent tensile strength.
- Can be opened smoothly and easily, good unwind tension.
- Can be used in different thickness.
- Well flexible and ventilative.
- Quick and easy removal by hand, without sticky residue.

C Cotton	Latex	NR	Size	B	S	P
No Sterile	EO STERILE	HT Tearable	2.5cmx4.5m			
			5cmx4.5m			
			7.5cmx4.5m			
			10cmx4.5m			
			15cmx4.5m			

EcoRip



EcoRip Economic Cotton Flexible Cohesive Bandage

- An economic cotton fabric cohesive bandage.
- Can be torn very easily and smoothly.
- Self-adhering, no need of clips or fasteners.
- Sweat and water resistant.
- Well flexible and breathable.
- Quick and easy removal by hand, with no sticky residue.

C Cotton	Latex	NR	Size	W	B	R	P
No Sterile	EO STERILE	HT Tearable	2.5cmx4.5m	DG	RB	LS	LS
			5cmx4.5m	O	S	G	WR
			7.5cmx4.5m	NB			
			10cmx4.5m				
			15cmx4.5m				

NEW **HeavyGrip**



Double Weft Cotton Cohesive Bandage

- Convenient to use with even tension to unwind.
- Self-adhering, no need of clip or fasteners.
- Comfortable and breathable.
- Quick and easy removal by hand, with no sticky residue.
- NO glue residue after use.

C Cotton	Latex	NR	Size	W	B	LS
No Sterile	EO STERILE	HT Tearable	2.5cm x 1.8m			
			5cm x 1.8m			
			7.5cm x 1.8m			
			10cm x 1.8m			
			15cm x 1.8m			

NEW MeshGrip



Sewing Edge Cotton Cohesive Bandage

- Fit and comfortable with cotton material.
- Finished-edge to avoid splitting.
- self-adhesive, no need of the buckle.
- Superior elasticity, good tensile strength.
- No glue residue after use.

C Cotton	Latex	NR
No Sterile	EO STERILE	

Size
5cm x 1.3m
7.5cm x 1.3m
10cm x 1.3m

W	LS
----------	-----------

CoCom



CoCom Flexible Cohesive Bandage

- Non-tearable and economic, non-woven fabric.
- Good unwind tension.
- Can be torn easily, very good unwind tension.
- Can be used in different thickness and at any body area.
- Self-adhering, no need of clips or fasteners.
- Well flexible and breathable.
- Quick and easy removal by hand, with no sticky residue.

N Nonwoven	Latex	NR
No Sterile	EO STERILE	

Size
2.5cmx4.5m
5cmx4.5m
7.5cmx4.5m
10cmx4.5m
15cmx4.5m

W	B	R	DV
DG	MG	DB	HO
Y	HP	DS	

ComRip



ComRip Non-woven Flexible Cohesive Bandage

- Two layers non-woven fabric cohesive bandage.
- Can be torn easily, very good unwind tension.
- Can be used in different thickness and at any body area.
- Self-adhering, no need of clips or fasteners.
- Well flexible and breathable.
- Quick and easy removal by hand, with no sticky residue.

N Nonwoven	Latex	NR
No Sterile	EO STERILE	HT Tearable

Size
2.5cmx4.5m
3.8cmx4.5m
5cmx4.5m
7.5cmx4.5m
10cmx4.5m
15cmx4.5m

W	B	R	P
LV	LS	MG	GG
MB	DV	DS	HG
Y	BR	DG	RB
HP	HO		

CoFoam



CoFoam Cohesive Foam Bandage

- Wounds wrap such as small wounds, abrasions, and cuts.
- Easy wrap and can be torn by hand.
- Protective barrier.

S Sponges	Latex	NR
HT Tearable		

Size
6cmx1m
6cmx5m
9cmx75cm

B	V	S
----------	----------	----------

HOT FlexBand




Flexband Non-woven Flexible Cohesive Bandage

- Excellent non-woven fabric cohesive bandage.
- Good unwind tension and tearable.
- Self-adhering, no need of clips or fasteners.
- Excellent tensile strength.
- Good Breathability .
- Quick and easy removal by hand, with no sticky residue. Maintain the original size, do not constrict.

N Nonwoven	Latex	NR	Size	W	B	R	P
No Sterile	EO STERILE	HT Tearable	2.5cmx4.5m	DV	LV	LS	DS
			5cmx4.5m	GG	RB	LB	HO
			7.5cmx4.5m	Y	BR	B187	O
			10cmx4.5m	DG	MG	NG	DR
			15cmx4.5m	HP	HG		

HOT SuperFlex 3L



SuperFlex Three-Layer Flexible Cohesive Bandage

- Convenient to use with even tension to unwind.
- Self-adhering, no need of clip or fasteners.
- Comfortable and breathable.
- Quick and easy removal by hand, with no sticky residue.
- NO glue residue after use.
- Suitable for different parts of the human body and can adjust different pressure freely.

N Nonwoven	Latex	NR	Size	W	B	R	P
No Sterile	EO STERILE	HT Tearable	2.5cm x 1.8m	LS	DS	GG	RB
			5cm x 1.8m	LB	HP		
			7.5cm x 1.8m				
			10cm x 1.8m				
			15cm x 1.8m				

SuperFlex 2L



SuperFlex Two-Layer Flexible Cohesive Bandage

- Two layers of terylene and non-woven fabric bandage.
- Torn easily and smoothly, strong tensile strength.
- Excellent unwind tension.
- Can be used in different thickness and on any body area.
- Self-adhering, no need of clips or fasteners.
- Maintains the original size, do not constrict.
- Well flexible and breathable.
- Quick and easy removal by hand, with no sticky residue.

N Nonwoven	Latex	NR	Size	W	B	R	P
No Sterile	EO STERILE	HT Tearable	2.5cmx4.5m	LS	DS	GG	RB
			3.8cmx4.5m	LB	HP		
			5cmx4.5m				
			7.5cmx4.5m				
			10cmx4.5m				
			15cmx4.5m				

NEW ProFlex



ProFlex Three-Layer Flexible Cohesive Bandage

- Non-woven fabric and gauze ensure the superior tensile strength
- Suitable for different parts of the human body and can adjust different pressure freely
- Self-adhesive , no need of the buckle
- Comfortable and breathable, no extra tools, easy to tear by hand
- No glue residue after use

N Nonwoven	Latex	NR	Size	W	B	R	P
No Sterile	EO STERILE	HT Tearable	2.5cm x 4.5m	LS	DS	GG	RB
			3.8cm x 4.5m	LB	HP		
			5cm x 4.5m				
			7.5cm x 4.5m				
			10cm x 4.5m				
			15cm x 4.5m				

CoGauze



CoGauze Cohesive Gauze Bandage

- A cotton gauze with latex free glue.
- Can be torn easily.
- Can be used in different thickness and at any body area.
- Self-adhering, no need of clips or fasteners.
- Very soft, absorbent and extremely gentle.
- Quick and easy removal by hand, with no sticky residue.

G Gauze	Latex	NR	Size	W	B	R	GG
HT Tearable			2.5cmx9.1m		B		
			3.8cmx9.1m				
			5cmx9.1m				
			7.5cmx9.1m				

CoFix



CoFix Cutting Edge PBT Cohesive Bandage

- High elasticity woven with polyester fiber.
- Comfortable and breathable with mesh structure and soft texture.
- Rough edges can effectively prevent skin chafing.
- Suitable for different parts of the human body and can adjust different pressure freely.
- Self-adhesive, no need of the buckle.
- No glue residue after use.

PBT	Latex	NR	Size	W
HT Tearable			2.5cm x 4.5m	
			4cm x 4.5m	
			5cm x 4.5m	
			6cm x 4.5m	
			7.5cm x 4.5m	
			8cm x 4.5m	
			10cm x 4.5m	
			12cm x 4.5m	
			15cm x 4.5m	

ComFree



ComFree Non-woven Flexible Cohesive Bandage

- Two layers heavy non-woven fabric with latex free glue.
- Excellent unwind tension and tensile strength.
- Self-adhering, no need of clips or fasteners.
- Special bounding by two layers non-woven fabric.

N Nonwoven	Latex	NR	Size	W	LB	B	P
No Sterile	EO STERILE	HT Tearable	2.5cmx2.1m	S	HP		
			5cmx2.1m				

CrepeFix



Crepe Finished Edge PBT Cohesive Bandage

- High elasticity woven with polyester fiber.
- Finished-edge to avoid splitting.
- Comfortable and breathable with mesh structure and soft texture.
- Self-adhesive, no need of the buckle.
- Suitable for different parts of the human body and can adjust different pressure freely.
- Superior elasticity, good tensile strength.
- No glue residue after use.

PBT	Latex	NR	Size	W	Y	R	LB
No Sterile	EO STERILE		4cm x 4.5m				
			5cm x 4.5m				
			6cm x 4.5m				
			8cm x 4.5m				
			10cm x 4.5m				
			12cm x 4.5m				

PlainFix



Plain Finished Edge PBT Cohesive Bandage

- High elasticity woven with polyester fiber.
- Finished-edge to avoid splitting .
- Comfortable and breathable with mesh structure and soft texture.
- Self-adhesive , no need of the buckle.
- Suitable for different parts of the human body and can adjust different pressure freely.
- Superior elasticity, good tensile strength.
- No glue residue after use.

PBT	Latex	NR	Size 4cm x 4.5m 5cm x 4.5m 6cm x 4.5m 8cm x 4.5m 10cm x 4.5m 12cm x 4.5m
No Sterile	EO STERILE		

W Y R LB

Wound padding, absorb exudate.



Only for cotton, non-woven, PBT material products.

Customized printing, infinite performance.



Only for non-woven material products.

ElastoPlus HM



ElastoPlus HM Elastic Adhesive Bandage

- A heavy cotton fabric with hot-melt glue.
- High quality extensible tension for correct positioning.
- Air permeable adhesive to help prevent skin maceration.
- Fluffy non-fray edges to prevent the bandage from marking the skin.
- Maintains the original size, do not constrict.
- Yellow line to simplify accurate overlap during application.



Size

2.5cmx4.5m
3.8cmx4.5m
5cmx4.5m
7.5cmx4.5m
10cmx4.5m
15cmx4.5m



ElastiTape



ElastiTape KOB Fabric Elastic Adhesive Bandage

- Extreme tensile strength with cotton material.
- Adhesive layer effectively prevents skin from soaking.
- Rough edges can effectively prevent skin from chafing.
- Suitable for human joints and can provide strong fixed force.
- A line in the middle of the material surface, which can be used as an indicator for precise multi-layer dressing.
- Latex free.
- Porous hot melt adhesive to enhance air permeability.



Size

2.5cm x 4.5m
5cm x 4.5m
7.5cm x 4.5m
10cm x 4.5m



ElastoTape AU



ElastoTape AU KOB Fabric Elastic Adhesive Bandage

- A KOB 134 fabric with hot-melt glue.
- Heavy weight bandage, high quality extensible tension for correct positioning.
- Opened smoothly and easily, good unwind tension.
- Latex free.
- Very good adhesive property for using.
- Well flexible.



Size

2.5cmx4.5m
5cmx4.5m
7.5cmx4.5m



NEW

ElastoPlus ZO

ElastoPlus ZO Elastic Adhesive Bandage

C
Cotton

ZO

Size

2.5cm x 4.5m
5cm x 4.5m
7.5cm x 4.5m
10cm x 4.5m

W

S

ElastoTape EA



ElastoTape EA Elastic Adhesive Bandage

- A heavy cotton fabric with hot-melt glue.
- Heavy weight bandage, high quality extensible tension for correct positioning.
- Opened smoothly and easily, good unwind tension.
- Latex free.
- Very good adhesive property for using.
- Plain cutting edge.



Size
2.5cmx4.5m
5cmx4.5m
7.5cmx4.5m

BR

LightRip



LightRip Tear-Light Elastic Adhesive Bandage

- A normal cotton fabric with transparent hot-melt glue.
- Tender and can be torn easily.
- Unfolded smoothly and easily, good tensile strength.
- Can be used in different thickness and at any body areas when need.
- Adhering, no need of clips or fasteners.
- Maintains the original size, do not constrict.
- Quick and easy removal by hand, with no sticky residue.



Size
2.5cmx4.5m
5cmx4.5m
7.5cmx4.5m
10cmx4.5m
2.5cmx5.4m
5cmx5.4m
7.5cmx5.4m

W B

LightWrap



LightWrap Tear-Light Elastic Adhesive Bandage

- A normal cotton fabric with hot-melt glue.
- Tender and can be torn easily.
- Unfolded smoothly and easily, good tensile strength.
- Can be used in different thickness and at any body areas when need.
- Adhering, no need of clips or fasteners.
- Maintains the original size, do not constrict.
- Quick and easy removal by hand, with no sticky residue.



Size
2.5cmx4.5m
5cmx4.5m
7.5cmx4.5m
5cmx6.9m
7.5cmx6.9m

W

ElastiPlus HM



ElastiPlus HM KOB fabric Elastic Adhesive Bandage

- A KOB heavy cotton fabric with hot-melt glue.
- High quality extensible tension for correct positioning.
- Air permeable adhesive to help prevent skin maceration.
- Fluffy non-fray edges to prevent the bandage from marking the skin.
- Maintains the original size, do not constrict.
- Red line to simplify accurate overlap during application.



Size
5cmx4.5m
7.5cmx4.5m
10cmx4.5m
5cmx3m
7.5cmx3m
10cmx3m

S&H

ElastoTape



ElastoTape Elastic Adhesive Bandage

- A heavy cotton fabric with hot-melt glue.
- High extensible tension for correct positioning.
- Opened smoothly and easily, good unwind tension.
- Latex free.
- Very good adhesive property for using.
- Plain cutting edge.

 Cotton	 HM	 Size	 S  W
		2.5cmx4.5m	
		5cmx4.5m	
		7.5cmx4.5m	
		2.5cmx3m	

Silicone paper, free to peel.




NEW **Moleskin**



Anti Friction Moleskin Tape

- Easy to use.
- Relieve painful, blister prevention.
- Self-stick adhesive.

 Composites	 HM	 Size	 S
		5cm x 4.5m	

SerTape M



SerTape M Serrated Edge Non-porous Rigid Sports Tape

- Regular sports tape for all sports protection and support.
- Excellent tensile strength and superior conformability.
- Good unwind and good adhesive.
- 100% cotton back cloth.
- Serrated Edge.



Size

- 1.25cmx13.7m
- 2.5cmx13.7m
- 3.8cmx13.7m
- 5cmx13.7m
- 2.5cmx9.1m
- 3.8cmx9.1m
- 5cmx9.1m
- 1.25cmx10m
- 2.5cmx10m
- 3.8cmx10m
- 5cmx10m



RegTape M



RegTape M Plain Edge Non-porous Rigid Sports Tape

- Regular sports tape for all sports protection and support.
- Excellent tensile strength and superior conformability.
- Good unwind and good adhesive.
- 100% cotton back cloth.
- Plain cutting edge.



Size

- 1.25cmx13.7m
- 2.5cmx13.7m
- 3.8cmx13.7m
- 5cmx13.7m
- 2.5cmx9.1m
- 3.8cmx9.1m
- 5cmx9.1m
- 2.5cmx10m
- 3.8cmx10m
- 5cmx10m
- 3.8cmx7.36m
- 1.3cmx9.1m
- 1.9cmx9.1m



HOT

Underwrap



Underwrap Foam Wrap

- Underwrap can be applied before taping job to prevent chafing - ideal for sensitive skin.
- The thin lightweight foam provides a barrier between the skin and the tape in order to protect the skin from friction and chafing.



Size

- 7cm x 20m
- 7cm x 27m



RegTape C



RegTape C Plain Edge Non-porous Rigid Sports Tape

- Regular sports tape for all sports protection and support.
- Excellent tensile strength and superior conformability.
- Good unwind and strong adhesive.
- 100% cotton back cloth.
- Slitting cutting edge.



Size

- 1.25cmx13.7m
- 2.5cmx13.7m
- 3.8cmx13.7m
- 5cmx13.7m
- 2.5cmx9.1m
- 3.8cmx9.1m
- 5cmx9.1m
- 2.5cmx10m
- 3.8cmx10m
- 5cmx10m
- 3.8cmx7.36m
- 1.3cmx9.1m
- 1.9cmx9.1m



PorTape C



PorTape C Plain Edge Porous Rigid Sports Tape

- Porous feature reduces irritation.
- Opened smoothly and easily, good unwind tension.
- Good tensile strength.
- 100% cotton zinc oxide tape.
- Well flexible and breathable.

C Cotton	HM	Size 1,25x13,7m 2,5cmx13,7m 3,8cmx13,7m 5cmx13,7m 2,5cmx9,1m 3,8cmx9,1m 5cmx9,1m	W
HT Tearable			

SorTape EU



SorTape EU Serrated Edge Porous Rigid Sports Tape

- Porous feature reduces irritation.
- Opened smoothly and easily, good unwind tension.
- Good tensile strength.
- 100% cotton zinc oxide tape.
- Well flexible and breathable.
- More glue and stickiness.
- Serrated edge tears easily

C Cotton	HM	Size 2,5cmx13,7m 3,8cmx13,7m 5cmx13,7m 2,5cmx9,1m 3,8cmx9,1m 5cmx9,1m	W
HT Tearable			

PorTape EU



PorTape EU Plain Edge Porous Rigid Sports Tape

- Porous feature reduces irritation.
- Opened smoothly and easily, good unwind tension.
- Good tensile strength.
- 100% cotton zinc oxide tape.
- Well flexible and breathable.
- More glue and stickiness.

C Cotton	HM	Size 1,25x13,7m 2,5cmx13,7m 3,8cmx13,7m 5cmx13,7m 2,5cmx9,1m 3,8cmx9,1m 5cmx9,1m	W
HT Tearable			

RegTape EU



RegTape EU Plain Edge Non-porous Rigid Sports Tape

- Hot melt adhesive sports tape for all sports protection and support.
- Good tensile strength.
- 100% cotton back cloth.
- More hot melt adhesive provides stronger adhesion.
- Slitting cutting edge.

C Cotton	HM	Size 1,25cm x 13,7m 2,5cm x 13,7m 3,8cm x 13,7m 5cm x 13,7m	W
HT Tearable			

SerTape EU



SerTape EU Serrated Edge Non-porous Rigid Sports Tap

- Hot melt adhesive sports tape for all sports protection and support.
- Good tensile strength.
- 100% cotton back cloth.
- More hot melt adhesive provides stronger adhesion.
- Serrated Zigzag edge for easy hand tear.



HM

Size
1.25cm x 13.7m
2.5cm x 13.7m
3.8cm x 13.7m
5cm x 13.7m

W

LineTape



LineTape Serrated Edge Non-porous Rigid Sports Tape

- Serrated edge tears easily.
- Opened smoothly and easily, good unwind tension.
- Good tensile strength.
- Latex free formula, hypoallergenic zinc oxide adhesive with line coating.
- 100% high quality cotton.



HM

Size
1.25cmx10m
2.5cmx10m
3.8cmx10m
5cmx10m
1.25cmx13.7m
2.5cmx13.7m
3.8cmx13.7m
5cmx13.7m

W

ColTape



ColTape Plain Edge Non-porous Color Rigid Sports Tape

- Opened smoothly and easily, good unwind tension.
- Good tensile strength.
- Latex free formula, with transparent hot-melt glue.
- 100% high quality cotton.



HM

Size
1.25cmx13.7m
2.5cmx13.7m
3.8cmx13.7m
5cmx13.7cm
3.8cmx9.1m

W	B	DB	NB
R	S	P	HG
HO	BL	RB	LV
V	V	LG	O
Y	BP	LP	FP
L			

ColTape S



ColTape S Serrated Edge Non-porous Color Rigid Sports Tape

- Serrated edge tears easily.
- Opened smoothly and easily, good unwind tension.
- Good tensile strength.
- Latex free formula, with transparent hot-melt glue.
- 100% high quality cotton.



HM

Size
1.25cmx13.7m
2.5cmx13.7m
3.8cmx13.7m
5cmx13.7cm
3.8cmx9.1m

W	B	DB	NB
R	S	P	HG
HO	BL	RB	LV
V	V	LG	O
Y	BP	LP	FP
L			

ProRigid



ProRigid Plain Edge Porous Sports Tape

- After a special weaving process, the fabric is thicker.
- Good tensile strength.
- 100% cotton back cloth.
- Slitting cutting edge.



HM

Size

1.25cm x 13.7m
2.5cm x 13.7m
3.8cm x 13.7m
5cm x 13.7m

W

MicroPlaster ZOP



MicroPlaster ZOP Cotton Fabric Rigid Sports Tape

- Good tensile strength.
- Aggressive zinc oxide adhesive assures security.
- Micro hole of adhesive.



ZO

Size

1.25cmx13.7m
2.5cmx13.7m
3.8cmx13.7m
5cmx13.7cm

W

Rayon SerTape



Rayon Serrated Edge Non-porous Rigid Sports Tape



HM

Size

1.25cm x 13.7m
2.5cm x 13.7m
3.8cm x 13.7m
5cm x 13.7m

W

LockerTape



LockerTape Rayon Plain Edge Micro Porous Rigid Sports Tape


- Good tensile strength.
- Aggressive zinc oxide adhesive assures security.
- Micro hole of adhesive.

		Size	
		1.25cmx13.7m	
		2.5cmx13.7m	
		3.8cmx13.7m	
		5cmx13.7cm	

Customized printing, infinite performance.







HockeyTape



Hockey Tape

- Strong cotton cloth tape.
- Can be used for taping blades, grips, handles and equipment.
- Thick and consistent coating of adhesive creates a moisture barrier between the ice and your stick.
- No glue residue on your stick.

		Size	
		2.4cmx23m	
		2.4cmx25m	
		2.4cmx27m	

HOT KineTape



KineTape Cotton Fabric Kinesiology Tape

- A high quality cotton fabric with acrylic glue from Toyoink.
- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.

C Cotton	NR	Size	W	S	R	HP	FG
		2.5cmx5m	O	HO	Y	HG	It
		3.8cmx5m	GG	LS	DS	S	Acid
		5cmx5m	OG	LB	DB	Alomic	
		7.5cmx5m	SB	LP	B	LP	Acid
			Sky	Water	PB	DB	MG
			DB	MG	RW	BA	PB
			WE				

KineTape ST



KineTape Synthetic Fabric Kinesiology Tape

- A high quality synthetic fabric with acrylic glue.
- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.

C Composites	NR	Size	HP	BO	R	P
		2.5cmx5m	HO	BG	B	O
		3.8cmx5m	S	LB	LS	DB
		5cmx5m	W			
		7.5cmx5m				

KineTape E



KineTape Economic Cotton Fabric Kinesiology Tape

- A cotton fabric with Acrylic glue from China.
- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.

C Cotton	NR	Size	W	S	R	HP	FG
		2.5cmx5m	O	HO	Y	HG	It
		3.8cmx5m	GG	LS	DS	S	Acid
		5cmx5m	OG	LB	DB	Alomic	
		7.5cmx5m	SB	LP	B	LP	Acid
			Sky	Water	PB	DB	MG
			DB	MG	RW	BA	PB
			WE				

KineTape NY



KineTape 160g Thin Nylon Fabric Kinesiology Tape

- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.

N Nylon	NR	Size	W	B	P	R
		2.5cm x 5m	LS	LP	B	S
		5cm x 5m	DS	DS	LB	DB
		3.8cm x 5m				
		7.5cm x 5m				

KineTape NT



KineTape 230-250g Thick Nylon Fabric Kinesiology Tape

- Use thicker nylon fabric.
- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.



Size
2.5cm x 5m
3.8cm x 5m
5cm x 5m
7.5cm x 5m



KineTape PY




KineTape Y Shape Precut Cotton Fabric Kinesiology Tape

- A high quality cotton fabric with acrylic glue from Toyoink.
- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.
- Y shape and precut for easily using.



Size
5cmx5m



KineTape PX




KineTape X Shape Precut Cotton Fabric Kinesiology Tape

- A high quality cotton fabric with acrylic glue from Toyoink.
- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.
- X shape and precut for easily using.



Size
5cmx5m



KineTape PI



KineTape I Shape Precut Cotton Fabric Kinesiology Tape

- A high quality cotton fabric with acrylic glue from Toyoink.
- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.
- I shape and precut for easily using.



Size
5cmx5m



KineTape MA



KineTape Massage Cotton Fabric Kinesiology Tape

- Special silicon dots which help body massage.
- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.



Size
5cmx5m

W	B	R	HP	FG
O	HO	Y	HG	G
GG	LS	DS	S	Acid
LP	OG	LB	DB	Atomic
SB	LP	B	LY	Acid
Sky	Water	PB	DB	MG
DB	MG	RW	BA	PB
WE				

KineTape DC



KineTape Die-cut Cotton Fabric Kinesiology Tape


- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.



Size
5cmx5m

W	B	R	HP	FG
O	HO	Y	HG	G
GG	LS	DS	S	Acid
LP	OG	LB	DB	Atomic
SB	LP	B	LY	Acid
Sky	Water	PB	DB	MG
DB	MG	RW	BA	PB
WE				

KinePatch



KinePatch Diecut Cotton Fabric Kinesiology Patch

- Specially designed for different body parts.
- Easily applying for tape.



Size
I
Y
X
W
Elbow
Shoulder
Wrist
Waist&Back
Knee
Ankle
Arch
Neck

W	B	R	HP	FG
O	HO	Y	HG	G
GG	LS	DS	S	Acid
LP	OG	LB	DB	Atomic
SB	LP	B	LY	Acid
Sky	Water	PB	DB	MG
DB	MG	RW	BA	PB
WE				

KineTape ME



KineTape Menthol Cotton Fabric Kinesiology Tape

- Provides good support to muscles, joints with full comfort.
- Good elasticity, basically same as that of skin, muscles.
- Use to prevent injury, to control edema and pain management.
- Adhering, no need of clips or fasteners.
- Well flexible and breathable.
- For best results, apply 30minutes prior to activity.
- The glue with menthol that can help body feel cool.



Size
5cmx5m

W	B	R	HP	FG
O	HO	Y	HG	G
GG	LS	DS	S	Acid
LP	OG	LB	DB	Atomic
SB	LP	B	LY	Acid
Sky	Water	PB	DB	MG
DB	MG	RW	BA	PB
WE				

TitaniumTape




Titanium Tape

- Titanium Therapy Tape is constructed from a combination of a strength elastic fibres and coated with small granule of titanium.
- It is great protection products for athletes with the abilities of air permeability.

C Cotton	NR	Size 2.5cmx5m 3.8cmx5m 5cmx5m	S
--------------------	-----------	---	----------

HOT
CrossTape




Cross Tape

- Cross Tape is made of crossing 3-4 lines of non-elastic fabric tape with a specific direction.
- Use the tape as a measuring instruments to analyze what part of the body to tape, and then they choose to work on whole body balance, or on selected parts.
- It can be used without using the measuring instruments for coughing, asthma, and gastroenteric disorders. Cross tape is also be complementary used for adjusting muscles and acupoints to relieve many kinds of pain.

C Composites	NR	Size 3cmx4cm(8pcs/sheet) 3cmx4cm(9pcs/sheet) 3cmx4cm(6pcs/sheet) 5cmx6cm(2pcs/sheet)	W P S DS LB DS
------------------------	-----------	---	---

TitaniumPatch



Titanium Tape Round Patch

- Titanium Therapy Tape is constructed from a combination of a strength elastic cotton fibres and coated with small granule of titanium.
- It is great protection products for athletes.

C Cotton	NR	Size 5cmx10cm	S
--------------------	-----------	-------------------------	----------

FoamHeel Plaster



Foam Heel Plaster

- Foam heel plaster is made of adhesive foam.
- Water proof and comfortable.
- Available in tan or white color.

S Sponges	NR	126x76(4pcs/sheet) 67x76(2pcs/sheet)	S
---------------------	-----------	---	----------

Bowling Tape



Bowling Tape Cotton Fabric

- Comfortable and breathable
- Effectively protect the fingers from friction with bowling
- Hypoallergenic with medical acrylic glue

C Cotton	NR	Size 6.4x2.5(2pcs/sheet)	S W DB G
--------------------	-----------	------------------------------------	--------------------------------------

Boob Tape



Breast Lifting Tape

- Strong Hold & Adhesion
- Breathable & Sweat Proof
- Discreet & Natural Looking Hold
- Hypoallergenic with medical acrylic glue

C Cotton	NR	Size 5cm x 5m 7.5cm x 5m	S W B B DS LS
--------------------	-----------	---------------------------------------	--

Sleep Strips



Mouth Sleep Strips

- Switch to nasal breathing
- Improve the quality of sleep
- Prevent snoring
- Hypoallergenic and Skin-Friendly

C Cotton	NR	Size 55mm x 40mm 60mm x 43mm 75mm x 48mm	OEM
--------------------	-----------	--	------------

NEW Sensor Patch



Sensor Patch for CGM System

- Long durability after sports or exposing to water
- Changeable at any time without damaging the sensor
- Can hold up to 2 weeks.

C Cotton NR Size 6.99cm x 6.99cm / 8.36cm x 9.98cm S DS LS B B

NEW KinePatch Pro




KinePatch Professional Diecut Cotton Fabric Acrylic Adhesive Kinesiology Patch

- Customized and more convenient to use
- Provides good support to muscles, joints with full comfort
- Good elasticity, basically same as that of skin, muscles
- Prevents injury, controls edema and pain management
- Well flexible and breathable

AC Size 25.5cm x 36.5cm / 22cm x 25cm S DS W LS B B

NEW KineTape Vet



Veterinary Kinesiology Tape

- Relieve muscle pain and tension.
- Reduce inflammation and increase circulation.
- Re-educate muscle memory and improve body awareness.
- Decrease recovery and rehabilitation time.

C Cotton NR Size 7.5cm x 15m / 10cm x 15m W O GG LF SB Sky DB WE B HO LS LP Water MG R Y DS S Acid HP HG Acid FG

NEW Nipple Cover



Acrylic Adhesive Nipple Cover

- Hypoallergenic and safe to use on even the most sensitive skin
- Can be used by men in the long-distance running to avoid friction

N Nonwoven NR Size 45mm x 45mm / 75mm x 75mm S DS W LS B B

NEW KineTape PES



KineTape Polyester Fabric Acrylic Adhesive Kinesiology Tape

- High quality cotton fabric with acrylic adhesive
- Provide good support with full comfort
- Sweat Proof with natural looking
- Well flexible and breathable
- Hypoallergenic and skin-friendly

AC

Size
5cm x 5m
7.5cm x 5m

S W B B
DS LS

NEW Turf Tape



Turf Tape

- Designed to withstand tackles, falls, and all other frequent contact on the field
- Ultra sticky, wrap does not come off during games
- The waterproof tape stays on all game long no matter the intensity of the play

AC

Size
10cm x 6.4m

S W B B
DS LS

NEW Sensor Patch



Sensor Patch for CGM System

- The unique manufacturing process ensures the patch sticks longer with less irritation.
- The soft diabetic patch is comfortable & breathable which makes it suitable for all skin types.
- Made from 100% medical-grade sweatproof acrylic that are latex-free

AC

Size
8.36cm x 9.98cm
6.99cm x 6.99cm

S W B B
DS LS

NEW Functional KineTape



Face Tape


- Ingredients with Collagen added
- Hypoallergenic & Latex-Free
- 100% Drug free
- For sensitive skin

AC

Size
2.5cm x 5m
5cm x 5m

S W B B
DS LS

NEW Functional KineTape



Copper Infused Kinesiology Tape

- Designed to provide increased support and stability for some common sport injuries such as elbow, shoulder, knee, and wrists without sacrificing the range of motion.
- Comfortable to wear, easy to apply and can be worn for up to three days.
- Increases mobility by providing support where you need it.

AC

Size
2.5cm x 5m
5cm x 5m
7.5cm x 5m

S W B B
DS LS

NEW Functional KineTape



Thermal Kinesiology Tape

- Through the unique heating technology, the product continues to warm the skin during use for up to 8 hours

AC

Size
2.5cm x 5m
5cm x 5m
7.5cm x 5m

S W B B
DS LS

NEW Functional KineTape



Wrinkle Lifting Patch

- Ingredients with Collagen added
- Hypoallergenic & Latex-Free
- 100% Drug free
- For sensitive skin

AC

Size
15.5cm x 17cm

S W B B
DS LS

NEW Functional KineTape






Hypoallergenic Kinesiology Tape

- Hypoallergenic and suitable for those with sensitive skins

AC	Size	S	W	B	B
	2.5cm x 5m	DS	LS		
	5cm x 5m				
	7.5cm x 5m				
	10cm x 5m				

Customized printing, infinite performance.

HOT

Nonpore P



Nonpore Premium Non-woven Surgical Tape

- Excellent performance non-woven.
- Excellent adhesive property.
- Great adaptation.

N Nonwoven	NR	HM	Size 1.25cmx9.1m 2.5cmx9.1m 5cmx9.1m 7.5cmx9.1m	W
HT Tearable				

HOT

Ecopore



Ecopore Paper Surgical Tape

- Economical surgical paper tape.
- Excellent adhesive property.
- Great adaptation.

N Nonwoven	HM	HT Tearable	Size 1.25cmx9.1m 2.5cmx9.1m 5cmx9.1m 7.5cmx9.1m	W
----------------------	-----------	-----------------------	--	----------

HOT

Pepore S



Pepore Shining Laminated Film Transparent Surgical Tape

- Excellent adhesive property.
- Various styles and complete specification.
- Air permeable.
- Can be torn from both directions.

PE	NR	HT Tearable	Size 1.25cmx9.1m 2.5cmx9.1m 5cmx9.1m 7.5cmx9.1m	TRN
-----------	-----------	-----------------------	--	------------

Pepore M



Pepore Matt Laminated Film Transparent Surgical Tape

- Excellent adhesive property.
- Various styles and complete specification.
- Air permeable.
- Can be torn from both directions.

PE	NR	HT Tearable	Size 2.5cmx0.46m 2.5cmx0.92m 2.5cmx1.3m 5cmx1.3m 1.25cmx9.1m 2.5cmx9.1m 5cmx9.1m 7.5cmx9.1m	TRN
-----------	-----------	-----------------------	--	------------

NEW

Nonpore W



Nonpore Breathable Non-woven Surgical Tape

- Porous texture makes it breathable and comfortable
- Gently remove from
- Easy removal by hand, with no sticky residue

N Nonwoven	HM	HT Tearable	Size 1.25cm x 9.1m 2.5cm x 9.1m 5cm x 9.1m 7.5cm x 9.1m	W LB S P
				GG

NEW

Pepore P

KIMPORT



Pepore Premium Transparent Surgical Tape

- Excellent adhesive property.
- Various styles and complete specification.
- Air permeable.
- Can be torn from both directions.
- Holds well to dry or damp skin.

PE	NR	HT Tearable	Size 1.25cm x 9.1m 2.5cm x 9.1m 5cm x 9.1m 7.5cm x 9.1m	TRN
-----------	-----------	-----------------------	--	------------

Silkpore



Silkpore Silk-like Surgical Tape

- Excellent adhesive property.
- Serrated edge can prevent break fiber appearing on both sides.
- High anti-tension performance.
- Can be torn from both directions.

S Silk-like	NR	HT Tearable	Size 1.25cmx9.1m 2.5cmx9.1m 5cmx9.1m 7.5cmx9.1m	W
-----------------------	-----------	-----------------------	--	----------

HOT

Silkpore EC



Silkpore EC Economic Silk-like Surgical Tape

- Excellent adhesive property.
- Serrated edge can prevent break fiber appearing on both sides.
- High anti-tension performance.
- Can be torn from both directions.

S Silk-like	HM	HT Tearable	Size 1.25cmx9.1m 2.5cmx9.1m 5cmx9.1m 7.5cmx9.1m	W
-----------------------	-----------	-----------------------	--	----------

NEW

Silkpore P



Silkpore Premium Silk-like Surgical Tape

- Excellent adhesive property.
- High strength, conformable, taffeta-backed tape with convenient bi-directional tear.
- Adheres well to dry skin.
- High anti-tension performance.

S Silk-like	NR	HT Tearable	Size 1.25cm x 9.1m 2.5cm x 9.1m 5cm x 9.1m 7.5cm x 9.1m	W
-----------------------	-----------	-----------------------	--	----------

WaterTape



Waterproof First Aid Tape

- Can be used in different thickness and at any body area.
- Adhering, no need of clips or fasteners.
- Water proof.
- Quick and easy removal by hand.

C Cotton	HM	HT Tearable	Size 1.25cmx9.1m 2.5cmx9.1m 1.25cmx4.5m 2.5cmx4.5m 5cmx4.5m	W
--------------------	-----------	-----------------------	---	----------



EcoZop C



Ecozop Economic Hot Melt Adhesive Plaster

- Fits the human skin to protect against bleeding and infection.
- Comfortable adhesion, painless peeling and no glue residue.
- Can be used for dressing fixation and catheter fixation.



HM



Size
1.25cmx5m
2.5cmx5m
5cmx5m
7.5cmx5m
10cmx5m



FoamTape



Foam Tape

- Foam tape, is available as a single-sided adhesive tape.
- Water proof and comfortable.



NR



Size
2.5cmx5m
5cmx5m
7.5cmx5m
10cmx5m



EcoZop



Ecozop Economic Plaster

- Strong adhesive property.
- Various styles and complete specification.
- Packed in tin, plastic tin or paper cylinder.



HM



Size
1.25cmx5m
2.5cmx5m
5cmx5m
7.5cmx5m
10cmx5m



NEW

SilicTape



SilicTape Silicone Adhesive Surgical Tape

- It is constructed from a combination of a PE film and nonwoven material with a medical grade silicone which allows adhesive properties. It anchors wound dressings on fragile or at-risk skin and secures tubing and devices on fragile or at-risk skin gentle yet secure. Water-resistant and snug fit.



Size
2.5cmx5m



NEW

ProFoamTape



ProFoamTape

- Available as a single-sided adhesive tape.
- Water proof and comfortable.
- Good conformability, cushioning & vibration damping.
- High ultimate adhesion to a wide variety of surfaces.
- Conformable tape bonds to irregular surfaces.



NR



Size
1.25cm x 9.1m
2.5cm x 9.1m
5cm x 9.1m
7.5cm x 9.1m



LightFix



LightFix Non-woven Dressing Roll


- High elasticity woven with polyester fiber
- Comfortable and breathable with mesh structure and soft texture
- Rough edges can effectively prevent skin chafing
- Suitable for different parts of the human body and can adjust different pressure freely
- Self-adhesive, no need of the buckle
- No glue residue after use



Size
2.5cm x 10m
5cm x 10m
10cm x 10m
15cm x 10m



LightFix EC



LightFix EC Economic Non-woven Dressing Roll


- A plain paper or printing paper on the adhesive side.
- Applies gentle compression to wide areas.
- Replaces surgical tape for primary retention.
- Excellent choice where flexibility, additional adhesive strength are essential.
- Hypoallergenic, translucent.



Size
2.5cm x 10m
5cm x 10m
10cm x 10m
15cm x 10m



SoftDerm



SoftDerm Adhesive Non-woven Wound Dressing


- Non-woven wound pad with sterilization.
- Hypoallergenic.
- Soft Absorbent Pad.
- Radio transparent.



Size
6cmx8cm
7cmx10cm



SoftPad



SoftPad Adhesive Non-woven Wound Dressing with Pad

- Non-woven wound pad with sterilization.
- Hypoallergenic.
- Soft Absorbent Pad.
- Radiotransparent.

N
Nonwoven

NR

No Sterile


EO
STERILE

Size

6cmx7cm
10cmx10cm
10cmx15cm
10cmx20cm
10cmx25cm
10cmx30cm
10cmx35cm

W

TransDerm



TransDerm Transparent PU Wound Dressing

- Made of a thin film dressing.
- Sterile and waterproof, clear.
- Provides a breathable bacterial and viral barrier to outside contaminants.

PU

NR

No Sterile


EO
STERILE

Size

4.4cm x 4.4cm
5cm x 9cm
6cm x 7cm
9cm x 10cm
10cm x 10cm

TRN

TransPad



TransPad Transparent PU Wound Dressing with Pad

- Made of a thin film dressing.
- Sterile and waterproof, clear.
- Provides a breathable bacterial and viral barrier to outside contaminants.
Applied for I.V. cannula fixation with exudates on the injection site

PU

NR

No Sterile

EO
STERILE

Size

4.4cm x 4.4cm
5cm x 9cm
6cm x 7cm
9cm x 10cm
10cm x 10cm

TRN

WouClosure



WouClosure Skin Closure Strips

- Aids in healing lacerations and surgical lesions.
- Can be used with staples and sutures.
- Hypoallergenic.
- Sterile.



Size
3mmx75mm
6mmx100mm
12mmx125mm



HydroPatch



HydroPatch Hydrocolloid Plaster in Patch

- Hydrocolloid plaster/patch is made of stickiness material, CMC and elastomer. The stickiness material provides self-adhesive with dressing. The CMC is the basic for absorbency. And the elastomer ensures the dressing has elasticity.



Size
5cmx5cm
10cmx10cm
2.8cmx4.6cm
4.4cmx6.9cm
2cmx6cm



FoamIV



FoamIV IV Wound Dressing

- Low profile, transparent.
- Breathable membrane dressing with high moisture and oxygen permeability.
- Provide optimal anchoring of the needle or catheter.
- Latex free.



Size
9.6cmx7.4cm



NEW

ScarGel



Silicone Gel

- Scar treatment
- Family care
- Safe and convenient
- All-day protection



Size
6g / 15g

NEW HydroPatch



HydroPatch Hydrocolloid Plaster in Patch

- Made of hydrocolloid gel which could absorb vesicle effusion
- Provide a moist healing environment to promote the wound recovering

AC

Size

5cm x 5cm	S	W	B
10cm x 10cm	DS	LS	TP
2.8cm x 4.6cm			
4.4cm x 6.9cm			
2cm x 6cm			

NEW FoamIV



FoamIV IV Wound Dressing


- Absorb lots of exudate from the wound and prevent it from infiltrating the surrounding skin
- Effectively isolate external liquids and prevent the wound from being infected

AC

Size

9.6cm x 7.4cm	S	W	B
	DS	LS	TP

NEW Adhesive Bandage



Primer Bandages (TPU Fabric)

- Flexible to use
- Waterproof and breathable
- Promoting wound healing

AC

Size

8.36cm x 9.98cm	S	W	B
6.99cm x 6.99cm	DS	LS	TP

NEW Adhesive Bandage



Transparent Bandages

- Transparent Film Dressing is composed of a layer of adhesive transparent polyurethane film and release paper.
- Pre-cut design is easy to apply and remove, saving you both time and effort.
- Waterproof and breathable
- Promoting wound healing

AC

Size

2.5cm x 5m	S	W	B
5cm x 5m	DS	LS	TP

NEW Adhesive Bandage



Plastic Bandages

- The backing of the PE bandages provides superior breathability
- waterproof and more economical
- Offer comfortable, everyday protection for minor cuts and scrapes.

AC	<p>Size</p> <p>2.5cm x 5m 5cm x 5m 7.5cm x 5m 10cm x 5m</p>	<table border="0"> <tr> <td style="border: 1px solid black; padding: 2px;">S</td> <td style="border: 1px solid black; padding: 2px;">W</td> <td style="border: 1px solid black; padding: 2px;">B</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">DS</td> <td style="border: 1px solid black; padding: 2px;">LS</td> <td style="border: 1px solid black; padding: 2px;">TP</td> </tr> </table>	S	W	B	DS	LS	TP
S	W	B						
DS	LS	TP						

NEW Adhesive Bandage



Cotton Bandages

- Breathable
- Offer comfortable, everyday protection for minor cuts and scrapes.

AC	<p>Size</p> <p>2.5cm x 5m 5cm x 5m 7.5cm x 5m 10cm x 5m</p>	<table border="0"> <tr> <td style="border: 1px solid black; padding: 2px;">S</td> <td style="border: 1px solid black; padding: 2px;">W</td> <td style="border: 1px solid black; padding: 2px;">B</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">DS</td> <td style="border: 1px solid black; padding: 2px;">LS</td> <td style="border: 1px solid black; padding: 2px;">TP</td> </tr> </table>	S	W	B	DS	LS	TP
S	W	B						
DS	LS	TP						

NEW ScarTape



Cotton Bandages

- Made of high-grade silicone, which is safe for your skin even for sensitive skin types.
- Improve the appearance of old and new scars.
- Lightweight and easy to use
- Soften old and new scars

AC	<p>Size</p> <p>2.5cm x 5m 5cm x 5m 7.5cm x 5m 10cm x 5m</p>	<table border="0"> <tr> <td style="border: 1px solid black; padding: 2px;">S</td> <td style="border: 1px solid black; padding: 2px;">W</td> <td style="border: 1px solid black; padding: 2px;">B</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">DS</td> <td style="border: 1px solid black; padding: 2px;">LS</td> <td style="border: 1px solid black; padding: 2px;">TP</td> </tr> </table>	S	W	B	DS	LS	TP
S	W	B						
DS	LS	TP						

Hotcoldplus



Hotcoldplus Resuable Hot Cold Pack

- Cold compress: physical therapy for traumatic hemorrhage, heatstroke, itch, headache, strain, scald, fatigue.
- Hot compress: alleviate rheumatic pain, neural pain, sciatica, vertebral pain, improve mucous membrane scar after surgery.

Size

19cmx9.4cm, 150g
28cmx13cm, 300g
28cmx18cm, 350g

Instcoldplus



Instcoldplus Instant Cold Pack

- Tears easily for immediate application and light weight.
- Opened smoothly and easily, good unwind tension.
- Good tensile strength.
- Self-adhering, sticks to itself, no need of clips or fasteners.
- Sweat and water resistant.
- Well flexible and breathable.
- Quick and easy removal by hand, with no sticky residue.

Size

17.5cmx11.5cm, 130g
23cmx15.5cm, 280g
24cmx12cm, 280g

Insthotplus



Insthotplus Instant Hot Pack

- Hot packs are widely used as portable, long-lasting therapy. Just open the package to start the process of activating. It provides soothing comfort for minor aches and pains, as well as extended warmth to your body during outdoor activities; It also applies to various conditions caused by cold, such as arthritis, rheumatism and so on.

Size

17.5cmx11.5cm, 100g
23cmx15.5cm, 170g
24cmx12cm, 170g

Icecap



Icecap PVC Ice Bag

- Ice bag can help speed healing reduce pain or swelling fill bag two-thirds full with ice, securely screws cap on and places where it is needed. It is great for tension headaches, sinus pain and swelling.

Size

6"
9"
11"

Woolroll



Woolroll Cotton Wool Roll

- Cotton Wool & Gauze Roll is a highly absorbent cotton wool encased in a low-adherent, tubular non-woven cover.
- Cushion pad provides support for fetlocks, hocks and tendons.
- Insulation helps keep tendons and muscles warm when exercising, eventing and travelling.
- Used as a wound dressing for infected and discharging wounds and protective wound padding. Suitable for use on all animals.



Size
30cmx10m, 1200g
45cmx10m, 1800g



Gauwoolroll



Gauwoolroll Cotton and Gauze Wool Roll

- 100% cotton.
- White, soft and highly absorbent.
- Suitable for use on all animals.



Size
30cmx10m, 1200g
45cmx10m, 1800g
45cmx12m, 1750g



BanScissor



BanScissor Bandage Scissor

- Blade: 2Cr13
- Handle: ABS
- Surface with Teflon coating, for cutting bandages and tapes, etc

Size
18.5cm
19cm
21cm



Hairmat



Hairmat Artificial Hair on Silicone Mat

- The hair mats are used for testing the sharpness of the clips.
- They are (combinations of natural hair(the length of hair:3.5cm.) and silicon mat (Specification of silicon dioxide: 14.3*21.5cm ,thickness: 2mm).

Size
14.3cmx21.5cm



FIRST AID KITS

First Aid Kit



Outdoor First Aid Kit

Whether you're backpacking in the mountains or hiking in the state park with your families, this kit won't weigh you down while keeping you ready to give fast and effective first aid. Ideal kit for family outings, camping and hiking.

Home First Aid Kit

This First-Aid Kit meets international standards of FDA and CE. With this kit you will feel prepared and safe for your family travel or at home with a truly useful emergency supplies selection exceeding the usual bandages & wipes. Lightweight, compact and yet still holds everything you need for life's unexpected events. Extensive inner pockets keep the contents stored neatly and safely between uses



Auto First Aid Kit

Designed specially for auto, with high-tech first aid blanket, it can effectively prevent cold, heat, especially in winter, to win more time for the injured. It is also equipped with various types of dressings, bandages, artificial respiration mask and other professional first aid supplies so that you can help injured or patient effectively in a timely manner in emergency situations, to win precious time to save lives and greatly improve the chance of survival. Strongly recommended for driving, travel, mountain climbing, etc.



We provide a variety of first aid kits with different configurations for outdoor, home or auto use. We are also pleased to do OEM according to specific requirement.

Disposable Mask



Mask (Hanging Ear Type)

- Composed of 3-layer non-woven fabric
- Effectively block bacteria with melt-blown fabric
- Convenient to use

Size 175mm x 95mm



Polowrap



Polowrap Horse Leg Wrap

- High quality double sided short pile fleece.
- Extra long hook and loop closure.
- Set of four.

Size 12cmx2.75m



Compression System

2-layer Compression System



- Strong pressure is provided by 2 rolls of bandages.
- Provide sustained therapeutic compression for up to 7 days.
- Clinically proven to significantly reduce slippage, to encourage longer wear.
- The compression layer is designed to be applied at full stretch, reducing application variability.
- The thin, lightweight, breathable sleeve allows patients to wear their own shoes, so they can return to activities of daily living.

3-layer Compression System

- Strong pressure is provided by 3 rolls of bandages.
- Provide sustained therapeutic compression for up to 7 days.
- Clinically proven to significantly reduce slippage, to encourage longer wear.
- The compression layer is designed to be applied at full stretch, reducing application variability.
- The thin, lightweight, breathable sleeve allows patients to wear their own shoes, so they can return to activities of daily living.



4-layer Compression System



- Strong pressure is provided by 4 rolls of bandages.
- Provide sustained therapeutic compression for up to 7 days.
- Clinically proven to significantly reduce slippage, to encourage longer wear.
- The compression layer is designed to be applied at full stretch, reducing application variability.
- The thin, lightweight, breathable sleeve allows patients to wear their own shoes, so they can return to activities of daily living.



New products



TISSUE MANAGEMENT

Tissue assessment and the management of nonviable tissue or tissue deficits



INFECTION OR INFLAMMATION CONTROL

Infection or inflammation control



MOISTURE BALANCE

Maintenance of Moisture balance



EDGE OF WOUND

The promotion of epithelial advancement of wound edges.



SUPPORT & SERVICE

We also provide additional dressings and services to promote wound healing and care.



WOUND DRESSING/BANDAGES

WOUND DRESSING



**DRESSING TAPE
(SPUNLACE NONWOVEN/PU)**



BANDAGES



CUSTOMIZED BANDAGES





SURGICAL TAPE

PAPER TAPE



TRANSPARENT TAPE



CLOTH TAPE



ZINC OXIDE ADHESIVE PLASTER





SPORTS TAPE

SPORTS TAPE



FABRIC STRAPPING



COHESIVE BANDAGE



KINESIOLOGY TAPE



KIMPORT



FIRST AID KIT

FAMILY



VEHICLE



OUTDOOR



INDUSTRY





ITEM NO:YS-NSD62
size:11*6(cm)
weight:62g



ITEM NO:YS-NSD75
size:12*7.5(cm)
weight:75g



ITEM NO:YS-NSD60A
size:10.8*9.2(cm)
weight:60g



ITEM NO:YS-NSD640
size:27.5*18(cm)
weight:640g



ITEM NO:YS-NSD1000
size:43*27(cm)
weight:1000g




ITEM NO:YS-NSD90
size:12*8(cm)
weight:90g



ITEM NO:YS-SR35
Size:20*8CM
Weight:35G



ITEM NO:YS-SR30
Size:10*8CM
Weight:30G



ITEM NO:YS-SR40
Size:13*9.5CM
Weight:40G



ITEM NO:YS-LR300
size:30*10(cm)
weight:300g



JOINT PAIN



MINOR SPRAINS



SPORTS INJURIES



POST-SURGERY



FIRST AID



Hot / Cold Pack

- 1.It is available for hot or cold compress. Necessary as a first-aid for every family.
- 2.For hot compress, please put in the microwavable container or cover completely with water at medium power setting for 30 seconds interval each time until reaching the required temperature or soak into hot water approx.80-90 degree Celsius for 3-5 minutes.
- 3.For cold compress, please keep it in the freezer for an hour before using.
- 4.Non-toxic, Non-caustic.



ITEM NO:YS-LR320
size:30.5*20(cm)
weight:320g



ITEM NO:YS-LR745
size:65*35.5(cm)
weight:745g



ITEM NO:YS-LR715
size:67*37.5(cm)
weight:715g



ITEM NO:YS-LR135
size:78*9(cm)
weight:135g



ITEM NO:YS-LR520
size:112*14(cm)
weight:520g



ITEM NO:YS-LR140
Size:23.5*13.5CM
Weight:140G



ITEM NO:YS-LR225
Size:20*12CM
Weight:225G



ITEM NO:YS-LR275
Size:24.5*12CM
Weight:275G



ITEM NO:YS-LR75
size:10.9*10(cm)
weight:75g



ITEM NO:YS-LR305
size:45*14.5(cm)
weight:305g



ITEM NO:YS-LR200
size:20*10(cm)
weight:200g



ITEM NO:YS-TX150
size:26.5*33.5(cm)
weight:150g



ITEM NO:YS-LR160
size:18.5*9.5(cm)
weight:160g



ITEM NO:YS-LR220
size:24*12(cm)
weight:220g



ITEM NO:YS-LR250
size:23*13(cm)
weight:250g



ITEM NO:YS-LR70A
size:10*10(cm)
weight:70g



ITEM NO:YS-LR45
size:14*6.5(cm)
weight:45g



ITEM NO:YS-LR70B
size:10*12(cm)
weight:70g



ITEM NO:YS-MH1700
Size:55*39CM
Weight:1700G



ITEM NO:YS-MH745
Size:52*11CM
Weight:745G



ITEM NO:YS-MH1000
Size:25*18CM
Weight:1000G

Hot & Cold Gel Compression Sleeve

1. Wearable hot & cold therapy
2. Slip-on design for easy & convenient use
3. Streamlined design for extended wear



INSTRUCTIONS FOR PROPER APPLICATION ON KNEE:



1. Pull sleeve over foot



2. Position over knee and adjust for comfort

INSTRUCTIONS FOR PROPER APPLICATION ON ELBOW:



1. Pull sleeve up onto elbow



2. Position over elbow and adjust for comfort



ITEM NO:YS-BM

size:S/M/L

weight:570G/600G/680G



ITEM NO:YS-LR165

Size:22*13CM

Weight:165G



ITEM NO:YS-LR900

Size:40*21CM

Weight:900G



ITEM NO:YS-LR560

Size:28*12CM

Weight:560G



ITEM NO:YS-LR765

Size:46*29CM

Weight:765G



ITEM NO:YS-LR1700

Size:65*25CM

Weight:1700G



ITEM NO:YS-LR155

Size:14.5*9.5CM

Weight:155G



ITEM NO:YS-LR730

size:28*15(cm)

weight:730g



ITEM NO:YS-LR940

Size:28.5*22.5CM

Weight:940G

Eye Mask / Facial Mask

1. It is available for cold compress . Necessary as a good assistant in daily life.
2. Can subside black eyes and wrinkles of eyes and keep eyes young and beautiful.
3. Can relieve tiredness and recover readily.
4. Can be used to relieve high fever by placing the eye mask on the brow.
5. For cold compress, please keep it in the freezer for 15 minutes before using.



ITEM NO:YS-MZ220

size:67*21(cm)
weight:220g



ITEM NO:YS-YZ60

size:21.5*7(cm)
weight:60g



ITEM NO:YS-YZ58

size:25*7(cm)
weight:58g



ITEM NO:YS-YT20

size:7*7(cm)
weight:20g



ITEM NO:YS-YZ120

size:68.5*10.5(cm)
weight:120g



ITEM NO:YS-YZ30

size:20.5*5.5(cm)
weight:30g



ITEM NO:YS-YZ60A

size:19*6.6(cm)
weight:60g



ITEM NO:YS-YZ125

size:20.5*9.5(cm)
weight:125g



ITEM NO:MZ200

size:67*21(cm)
weight:200g



ITEM NO:YS-YZ65

size:64*7.5(cm)
weight:65g



ITEM NO:YS-YZ101

size:64*10.5(cm)
weight:101g



ITEM NO:YS-YZ99

Size:69*9CM
Weight:99G



ITEM NO:YS-YZ100

size:69*9(cm)
weight:100g

Instant cold Pack

1. Instant cold pack, supply, instant cold reduces heat and relieve pain and swelling.
2. More convenient and useful for driving, traveling, fishing, mountaineering and camping.
3. Disposable within no pre-chilling.
4. Get cold within 2 seconds.
5. Non-toxic, Non-caustic

ITEM NO:YS-SL100

size:16*10(cm)

weight:100g



ITEM NO:YS-SL120
size:17*11(cm)
weight:130g



ITEM NO:YS-SL225
size:21.5*15.3(cm)
weight:225g



ITEM NO:YS-SL200
size:28.5*13.5(cm)
weight:200g



ITEM NO:YS-SL260
size:23*15(cm)
weight:260g



ITEM NO:YS-SL281
size:24*12(cm)
weight:280g



ITEM NO:YS-SL133
size:17.5*11.5(cm)
weight:130g



ITEM NO:YS-SL160
size:19.5*12(cm)
weight:160g



ITEM NO:YS-SL280
size:22.8*15.3(cm)
weight:280g

Cool Mat / Pillow

- 1.Reusable cold products.
- 2.Can put in freezer or use it directly.
- 3.Non-toxic, Non-caustic.

ITEM NO:YS-BD600

Size:30*40CM

Weight:600G



ITEM NO:YS-BD5000

Size:90*140CM

Weight:5000G



ITEM NO:YS-BD1000

Size:30*50CM

Weight:1000G



ITEM NO:YS-BZ600

size:30*40(cm)

weight:600g



ITEM NO:YS-BD800

size:30*40(cm)

weight:800g



ITEM NO:YS-BD2800

size:90*60(cm)

weight:2800g



ITEM NO:YS-BD550

size:37*37(cm)

weight:550g



ITEM NO: YS-BBD
size: 7inch-10inch

Super Ice Pack

1. Reusable for cold use.
2. Maintain long-time low temperature.
3. Fit for cold storing transportation, keeping food fresh and so on .
4. Freeze for 12 hours before using.
5. Non-toxic, Non-caustic.



ITEM NO: YS-BJ15
size: 100*5(cm)
weight: 15g



ITEM NO: YS-SW251
size: 18*13(cm)
weight: 250g



ITEM NO: YS-SW200
size: 17.5*11.5(cm)
weight: 200g



ITEM NO: YS-SW50
size: 10*8(cm)
weight: 50g



ITEM NO: YS-SW250
size: 18.5*12.5(cm)
weight: 250g



ITEM NO: YS-BLJ50
size: 12*7(cm)
weight: 50g



ITEM NO: YS-SW245
Size: 17.5*17.8CM
Weight: 245G



ITEM NO: YS-SW300
size: 18.5*15(cm)
weight: 300g



ITEM NO: YS-BLJ101
size: 14*10(cm)
weight: 100g



ITEM NO: YS-BLJ60
size: 12*8(cm)
weight: 60g

Super Ice Box

1. Reusable for cold use.
2. Maintain long-time low temperature.
3. Fit for cold storing transportation,keeping food fresh and so on .
4. Freeze for 12 hours before using.
5. Non-toxic,Non-caustic.

ITEM NO:YS-BH350

size:17*8.8*3.5(cm)
weight:410g



ITEM NO:YS-BH40
size:6.6*6.6*2cm
weight:40g



ITEM NO:YS-BH150
size:12*8*3(cm)
weight:150g



ITEM NO:YS-BH200
size:15*10*2(cm)
weight:210g



ITEM NO:YS-BL12A
size:2.5*2.5*2.5cm
weight:12-14(g)



ITEM NO:YS-BH560
Size:22*14.5*2.5CM
Weight:560G



ITEM NO:YS-BH1100
Size:33*23*2CM
Weight:1100G



ITEM NO:YS-BH450
Size:21.5*10*5.2CM
Weight:550G



ITEM NO:YS-BH95
size:10.8*5.8*2(cm)
weight:100g

BH011 – Simple Stick



Adjustable Walking stick

LD-0842



KIMPORT
Comfortable
Rubber Coating Derby Handle



Durable & Non-Slip Rubber
Works for all terrain, support for life time



Length Adjustable
9 levels different length fitting people



Various Fashion Design Options
Color Coating; Image Printing; Rhinestone Treated

BH012 – Slim Stick

Folding Design



Folding Adjustable Walking Stick
 canne pliante réglable
 klappbarer verstellbarer Gehstock
 bastón plegable ajustable
 opvouwbare verstellbare wandelstok
 bastone da passeggio regolabile pieghevole

Adjustable Walking stick

KIMPORT

Comfortable
 Rubber Coating Derby Handle



Durable & Non-Slip Rubber
 Works for all terrain, support for life time

5 length
 Adjustable
 From 85~95 cm



Various Fashion Design Options
 Color Coating; Image Printing; Rhinestone Treated

Packing details	
Carton Qty.	24 pcs per carton
Carton Size:	57x31x33 cm
N.W./G.W.:	9.5 / 10.4 kgs
Loading Qty.:	10296/24192/29184 (20gp/40gp/40hq)

BH016 – Smart Cane



Stands by itself!

KIMPORT



Pivoting Base



Folding Design



Packing details

Carton Qty.	12 pcs per carton
Carton Size:	59x38.5x33 cm
N.W./G.W.:	5.5 / 6.4 kgs
Loading Qty.:	5028/10056/12204 (20gp/40gp/40hq)

BH018 – Magic Cane

KIMPORT



Stands by itself!



Bright LED Light



Comfort Handle



Pivoting Base



Folding Design



Customized Pattern Coating is available




Packing details

Carton Qty.	12 pcs per carton
Carton Size:	59x38.5x33 cm
N.W./G.W.:	6.1 / 7.0 kgs
Loading Qty.:	5028/10056/12204 (20gp/40gp/40hq)



Stands by itself!

- Bright LED Light
- Built-in SOS Alarm
- Foldable for Storage
- All-Terrain Pivot Base



Packing details

Carton Qty.	12 pcs per carton
Carton Size:	60x40x34 cm
N.W./G.W.:	6.6 / 7.5 kgs
Loading Qty.:	4680/9360/10080 (20gp/40gp/40hq)

BH033 – Clever Cane



Stands by itself!

4 LED LIGHTS
> to ensure visibility

SAFE AND SECURE BUILT-IN ALARM
> Push button in case of emergency

PUSH HANDLE 90° DOWN
> To get up easy

STRAP TO KEEP THE CANE TOGETHER
> When folded up

2ND HANDLE
> Comfortable with soft foam layer

GRIP BY FLEXIBLE 360° PIVOTING BASE

GET UP SAFE & EASY

① Spread handles ② Lean forward ③ Push yourself up

KIMPORT

CLEAR VIEW LED LIGHTS



SAFE WITH ALARM

SECURE NON-SLIP FEET



UNIQUE 2ND HANDLE



GET UP SAFE & EASY WITH TWO HANDLES



Packing details

Carton Qty.	12 pcs per carton
Carton Size:	60x40x34 cm
N.W./G.W.:	7.12 / 8.05 kgs
Loading Qty.:	4680/9360/10080 (20gp/40gp/40hq)


BH034 – Twin-Grip Cane

KIMPORT



Stands by itself!

- DOUBLE HANDLE DESIGN** (Illustrated with a person using the cane)
- SOFT FOAM GRIP** (Illustrated with a close-up of the handle)
- BUILT-IN ADJUSTABLE LED LIGHT** (Illustrated with the cane's light)
- FOLDS IN SECOND / FOLDABLE STICK** (Illustrated with the cane being folded)
- PIVOTING BASE** (Illustrated with the cane's base)
- 5 Length Adjustable from 85.5cm to 95.5cm**



This Double Handle designed more convenient to stand up!



Packing details

Carton Qty.	12 pcs per carton
Carton Size:	60x40x34 cm
N.W./G.W.:	6.6 / 7.5 kgs
Loading Qty.:	4680/9360/10080 (20gp/40gp/40hq)

SS01 – Stylish Stick



Fashion Pattern



KIMPORT



More Design and Customized Design
is available

BH037 – Kandy Cane

KIMPORT



Stands by itself!

- Bright 6xLED Light
- Built-in 115dB SOS Alarm
- Colorfull & Shiny Rhinestone Applied
- All-Terrain Pivot Base



Packing details

Carton Qty.	4 pcs per carton
Carton Size:	55x22x33 cm
N.W./G.W.:	3.04 / 3.5 kgs
Loading Qty.:	3024/6048/7056 (20gp/40gp/40hq)

BH039 – Quad Base Cane

KIMPORT

Most Stable Cane with Quad Base



LD-0842



9 Levels Height

Adjustable



Wide Quad Feet



Foamy Handle Sleeve

MD001 – Adjustable Axillary Crutcher

KIMPORT

Adjustable Support Crutcher for disabled



LD-0842



9 Levels Height Adjustable



Flexiable & Non-Slip Foot



Foamy Axillary & Handle Support



Packing details

Carton Qty.	10 Pairs per carton
Carton Size:	124x28x33 cm
N.W./G.W.:	12.4 / 13.2 kgs
Loading Qty.:	2520/5040/6120 pairs ⁴⁸

MD003 – Adjustable Elbow Crutcher

KIMPORT

Adjustable Support Crutcher for disabled



LD-0842



13 Levels Height Adjustable



Flexiable & Non-Slip Foot



Ergonomic Elbow & Handle Support

Packing details

Carton Qty.	20 Pcs per carton
Carton Size:	92x52x25 cm
N.W./G.W.:	10.5 / 11.5 kgs
Loading Qty.:	4320/8640/10480pcs ₄₄₉

MD005 – Folding Rollator

KIMPORT

Folding Walking Support for disabled



6 Levels Height Adjustable



Foot & Wheel Interchangeable



Easy Folding Design for save space storage



Foamy Handle

Packing details	
Carton Qty.	6 Pcs per carton
Carton Size:	57x35x77.5 cm
N.W./G.W.:	14 / 15.3 kgs
Loading Qty.:	1080/2160/2640 pcs ₄₅₀

Ajánlatkéréshez szíveskedjen elküldeni KIMPORT-os kapcsolattartója részére (vagy az arajanlat@kimport.hu-ra) kitöltve az ajánlatkérő excel fájlt.

[Ajánlatkérő excel](#)



**Kimport Purchasing Kft.
1112 Budapest, Tippan utca 2.
HU23490495
Tel.: +36-1-249-46-22
arajanlat@kimport.hu**

KIMPORT