KATALÓGUS

500+ válogatott kínai beszállító

SZERSZÁMOK - TOOLS

2024.05.
v.1.0.

Milyen beszállítók termékeit tartalmazza a Kimport katalógus?

500+ válogatott kínai gyártó termékeiből összeállított termékkatalógus. A beszállítók nem az aktív vagy korábbi ügyfeleink beszállítói, hanem a következő nagyvállalatok (aktív vagy korábbi) beszállítói (kékre kattintva a forrás): LIDL (DE), ALDI (DE), KMART (AU), JOHN LEWIS (UK)
A forrásokon összesen közel 3000 kínai gyártó cégnevét találjuk. Ezen cégek hátterét leelenőriztük (így), és az 1000 általunk legjobbnak (legkisebb kockázat) ítélt vállalattal felvettük a kapcsolatot. Ezek közül 513 volt nyitott az együttműködésre. Ezen válogatott beszállítók termékeit tartalmazza ez és a többi Kimport katalógus.

Ár? MOQ? Gyártási idő? CE?

A termékek az esetek 99%-ában nincsenek készleten! A gyártási idő beszállítónként és termékcsoportonként változik! A rendelhető minimum mennyiségek beszállítónként és termékcsportonként eltérőek, az árak pedig a gyártási kapacitás, alapanyag árak és árfolyam (USD/RMB) ingadozása miatt változnak, ezért minden esetben egyedi ajánlatot kell kérni! A termékek nagy részéhez van érvényes CE certifikát, de nem minden esetben, viszont megfelelnek a CE sztenderdeknek. Egyes esetekben elképzelhető, hogy külön kell CE-t csináltatni!

Szállítás?

Korlátlan mennyiségű beszállítótól (minden oldalon bal alul található az adott beszállító kódja) lehet rendelni és konszolidáljuk a rendelést úgy, hogy egy (vagy minél kevesebb) rendelésként lehessen kezelni az importfolyamat során. Segíti az ügymenetet, amennyiben egy beszállítótól minél több terméket választunk, és összesen minél kevesebb különböző beszállítótól vásárolunk. Shenzhen, Ningbo, Qingdao, Jinhua és Xi'an városokban is rendelkezünk olyan raktárral ahol az áruk konszolidációját és feladását, igény szerint további címkézési műveleteket végre tudunk hajtani.

Mennyibe kerül ez?

Díjunk az SKU-k száma, áruérték és a kiválasztott beszállítók mennyiségétől függ, jellemzően az áruérték 3-6%-a.

Vámkezelésben, betarifálásban, előzetes szállítási díj kalkulációban is állunk rendelkezésükre, tehát segítünk megállapítani az egy termékre eső megközelítő beszerzési árat (a szállítási díjak előzetesen nem határozhatóak meg 100% pontossággal).

Árajánlatkéréshez kérjük megadni a beszállító kódját és amennyiben van a termékkép mellett termékkód, úgy azt is megjelölni!



AIR SCREWDRIVER

Forged Aluminum Body,
excellent polished and anodized.



LD-0025



AT01

AIR SCREWDRIVER

SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	1/4"/6mm
Free Speed	11000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	2.0 cfm
Max Torque	60N.m
Net Weight	1.54 lbs(0.70Kgs)



AT02

AIR SCREWDRIVER

SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	1/4"/6mm
Free Speed	11000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	2.0 cfm
Max Torque	38ft.lb/52N.m
Net Weight	1.54 lbs(0.70Kgs)



AT03

AIR SCREWDRIVER

SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	1/4"/6mm
Free Speed	11000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	2.0 cfm
Max Torque	38ft.lb/52N.m
Net Weight	1.54 lbs(0.70Kgs)



AT04

AIR SCREWDRIVER

SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	1/4"/6mm
Free Speed	11000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	2.0 cfm
Max Torque	38ft.lb/52N.m
Net Weight	1.54 lbs(0.70Kgs)



AT05
AIR SCREWDRIVER
SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	1/4"/6mm
Free Speed	11000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	2.0 cfm
Max Torque	38ft.lb/52N.m
Net Weight	1.54 lbs(0.70Kgs)



AT06
AIR SCREWDRIVER
SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	1/4"/6mm
Free Speed	11000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	2.0 cfm
Max Torque	38ft.lb/52N.m
Net Weight	1.54 lbs(0.70Kgs)



AT07
AIR SCREWDRIVER
SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	5/16"/8mm
Free Speed	8500rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	3.0 cfm
Max Torque	118ft.lb/160N.m
Net Weight	2.20 lbs(1.0Kgs)



AT08
AIR SCREWDRIVER
SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	1/4"/6mm
Free Speed	11000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	2.0 cfm
Max Torque	38ft.lb/52N.m
Net Weight	1.54 lbs(0.70Kgs)



AT09
AIR SCREWDRIVER
SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	1/4"/6mm
Free Speed	11000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	2.0 cfm
Max Torque	38ft.lb/52N.m
Net Weight	1.54 lbs(0.70Kgs)



AT10
1/4 AIR DIE GRINDER
SPECIFICATIONS

Free Speed	22000rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	4 cfm
Net Weight	1.32 lbs(0.60Kgs)



AT11
AIR SCREWDRIVER
SPECIFICATIONS

Hex Shank	1/4"/6.35mm
Capacity Bolt Size	5/16"/8mm
Free Speed	8500rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	3.0 cfm
Max Torque	118ft.lb/160N.m
Net Weight	2.20 lbs(1.0Kgs)



AT12
AIR SCREWDRIVER
SPECIFICATIONS

Hex Shank	1/4"6.35(mm)
Capacity Bolt Size	5/16"/8mm
Free Speed	8500rpm
Air inlet	1/4"PT
Air Hose	3/8"I.D
Air Consumption	3.0 cfm
Max Torque	118ft.lb/160N.m
Net Weight	2.20 lbs(1.0Kgs)

AIR POWER DIAPHRAGM PUMP

Main Feature

Small and Easy Operate

Safty and Fireproof.

High Paint Flow Design

Starts with low pressure but high sensitivity



Application:

1.Spray Paint/Baking Finish/ vamp /furniture/feather

2.Transfer Chemical liquid/Food/adhesive and etc.

LD-0025

AIR POWER BEATER AND DIAPHRAGM PUMP



Flat Bed Air Agitator
Power: 1/8HP
Air Pressure:0.63Mpa
Free Speed: 2500r/min
Max.Torque: 1.07N.m
Air Cons.: 180L/min
Paint Barrel: 20L
Axes Size: 12X500mm
Vane Size: 4"
Net Weight:6.0kgs
Color:Black,Silver,Glod

AP-1
Air beater



Clamping Air Agitator
Power: 1/8HP, 1.4HP
Air Pressure:0.63Mpa
Free Speed: 2500r/min,1500r/min
Max.Torque: 1.07N.m,3.43N.m
Air Cons.: 180L/min,310L/min
Paint Barrel: 200L
Axes Size: 15X960mm
Vane Size: 6"x2
Net Weight: 6.0kgs,7.0kgs

AP-500
Extension bar beater




Air power diaphragm pump
Specification:
Air pressure operate range:1-8bar
Max discharge pressure:8bar
Max material output:15L/min
Max pump speed:300 Cycles/min

AP-3B



Flat Bed Double DP Pump
Press Rate: 1:1
Caliber:3/8"
Paint Barrel: 5-50L
Allow Granule:1mm
Max material output:15L/min
Pump Speed: 80-160cpm
Air Pressure:0.1-0.6
Mpa color:Black,Silver,Blue

AP-4



AP-3

Flat Bed Double DP Pump
Press Rate: 1:1
Caliber:3/8"
Paint Barrel: 5-50L
Allow Granule:1mm
Max material output:15L/min
Pump Speed: 80-160cpm
Air Pressure:0.1-0.6
Mpa color:Black,Silver,Blue


AP-3A

Flat Bed Double DP Pump
Press Rate: 1:1
Caliber:3/8"
Paint Barrel: 5-50L
Allow Granule:1mm
Max material output:15L/min
Pump Speed: 80-160cpm
Air Pressure:0.1-0.6
Mpa color:Black,Silver,Blue



AP-6

Flat Bed Double DP Pump
Press Rate: 1:1
Caliber:3/8"
Paint Barrel: 5-50L
Allow Granule:1mm
Max material output:15L/min
Pump Speed: 80-160cpm
Air Pressure:0.1-0.6
Mpa color:Black,Silver,Blue



AP-7

Round Pin Double-DP Pump
Press Rate: 1:1
Paint Barrel: 5-50L
Allow Granule: <1.5mm
Air Inlet: 1/4"
Max material output:15L/min
Pump Speed: 80-160cpm
Air Pressure:0.1-0.6Mpa

AP-8

Double-suction DP Pump
Press Rate: 1:1
Caliber:3/8"
Paint Barrel: 5-50L
Allow Granule:1mm
Air Inlet: 1/4"
Max material output:15L/min
Pump Speed: 80-160cpm
Air Pressure:0.1-0.6Mpa



AP-9

Flat Bed Double DP Pump
Press Rate: 1:1
Caliber:3/8"
Paint Barrel: 5-50L
Allow Granule:1mm
Air Inlet: 1/4"
Max material output:15L/min
Pump Speed: 80-160cpm
Air Pressure:0.1-0.6Mpa

AIR POWER BEATER AND DIAPHRAGM PUMP



AP-10





AP-11



AP-15

AIR POWER BEATER AND DIAPHRAGM PUMP



AP-20



YZ-818
AIRLESS SPRAY GUN

Airless spray guns, accomodate reversible spray tips, each gun includes an in-line filter and tip can be sold separately, mainly used for painting steamships and other widespread things.



YZ-818A
AIRLESS SPRAY GUN

Airless spray guns, accomodate reversible spray tips, each gun includes an in-line filter and tip can be sold separately, mainly used for painting steamships and other widespread things.



YZ-90C
AIRLESS SPRAY GUN WITH HOSE



517 SPRAY TIPS



521 SPRAY TIPS



625 SPRAY TIPS



YZ-90RTG
Reversible tip guard




YZ-90S FILTER

AUTOMATIC/MANUAL PRESSURE BARREL

10L/20L/30L/40L/60L



Structure analysis of water in water colorful spray paint pressure barrel





Quality Assurance





PAINTING TANK



2L





PT-2

Air inlet:	1/4
Paint export:	3/8*1
Spray gun caliber:	2.5/3.0/3.5/4.0
Work pressure:	22-43psi
Maximum pressure:	50psi
Capacity:	2L

- Light and portable, high temperature resistance, corrosion resistance, no rust
- Sealing without leakage paint,stable working performance, specially for wall, automobile, steel structure and other spraying



10L output of paint from the top



10L output of paint from the bottom





PT-10

Air inlet:	1/4
Paint export:	3/8*1
Spray gun caliber:	2.5/3.0/3.5/4.0
Work pressure:	22-43psi
Maximum pressure:	50psi
Capacity:	10L

- High temperature resistant, corrosion resistant, rust resistant, high viscosity, provincial paint
- Easy to operate, efficient, save trouble, good effect, exquisite and uniform.



15L output of paint from the top



15L output of paint from the bottom





PT-15

Air inlet:	1/4
Paint export:	3/8*1
Spray gun caliber:	2.5/3.0/3.5/4.0
Work pressure:	22-43psi
Maximum pressure:	50psi
Capacity:	15L

- High temperature resistant, corrosion resistant, rust resistant, high viscosity, provincial paint
- Easy to operate, efficient, save trouble, good effect, exquisite and uniform.

PAINTING TANK



PT-10MT

Two agitating ways: Pneumatic and hand-operate
Hand-operated agitation : PT-10MT,PT-20MT,PT-40MT,PT-60MT



PT-20MT

Rated air pressure: 22-50psi
Max air pressure: 80psi
Mixing type: automatic/hand
Capacity: 10L,20L,40L,60L



PT-10AT

Two agitating ways : Pneumatic and hand-operate
Pneumatic agitation : PT-10AT,PT-20AT,PT-40AT,PT-60AT



PT-20AT

Rated air pressure: 22-50psi
Max air pressure: 80psi
Mixing type: automatic/hand
Capacity: 10L,20L,40L,60L



PT-40MT



PT-60MT



PT-40AT



PT-60AT

Spray gun for grouting mortar

4 Fluid nozzles

water-save and easy operatation
High efficiency,well use for large range of painting



YZ-7180



PS-36
Color box:20pcs/57.5×42.5×30cm



DS-2(PS-6A)
Color box:20pcs/57.5×42.5×30cm



PS-3A
Color box:20pcs/57.5×42.5×30cm

LD-0025

AIR DUST GUN SET



DG-10B




YZ-989




DG-10-1A



DG-10-1B



DG-10-2



DG-10-2B

AIR DUST GUN SET



DG-10K



DG-10KP



K601



AR-20



AR-60



AR-TS




DO-10KA



DO-10KB



DO-9K



YZ-T07

AIR DUST GUN SET




YZ-T01



YZ-T02



YZ-T03



YZ-T04



YZ-T05



YZ-T06

AIR FOAM GUNS



A-028



A-130F



A-120F



A-120



A-100A



A-211



A-100B

PAINT SPRAYER



YZ8000P

Voltage:	220V
Power:	5000W
Max.working pressure:	200bar
Flow rate:	18L/min
Hose length:	13m
Meas:	37x31x36cm



YZ5500

Voltage:	220V
Power:	3500W
Max.working pressure:	200bar
Flow rate:	15L/min
Hose length:	8m
Meas:	63x43x46cm



YZ6000

Voltage:	220V
Power:	4500W
Max.working pressure:	200bar
Flow rate:	18L/min
Hose length:	13m
Meas:	62x43x51cm



YZ8000

Voltage:	220V
Power:	6000W
Max.working pressure:	200bar
Flow rate:	22L/min
Hose length:	13m
Meas:	62x43x51cm

AIR RIVETOR





YZ2000

Operating range:	16mm
Available size:	2.4/3.2/4.0/4.8mm
Pulling force:	1300kg
Working pressure:	6-8bar
Recommended hose:	5-8mm
Net weight:	1.26kg



YZ3000

Operating range:	16mm
Available size:	3.2/4.0/4.8mm
Pulling force:	1900kg
Working pressure:	6-8bar
Recommended hose:	8mm
Net weight:	1.4kg

AIR COMPRESSOR

PROFESSIONAL

QUALITY ASSURANCE

LD-0025



YZ-1HP

Voltage:	220V
Power:	1100W
Max.working pressure:	0.8Mpa
Air consumption:	80L/min
No-Load speed :	2800r/min
Capacity:	9L



YZ-3HP

Voltage:	220V
Power:	1500W
Max.working pressure:	0.8Mpa
Air consumption:	110L/min
No-Load speed :	2850r/min
Capacity:	30L



YZ-5HP

Voltage:	220V
Power:	1700W
Max.working pressure:	0.8Mpa
Air consumption:	130L/min
No-Load speed :	2850r/min
Capacity:	40L



YZ5501-9L

Voltage:	220V
Power:	550W/750W
Max.working pressure:	0.8Mpa
Air consumption:	40/60L/min
No-Load speed :	1420r/min
Capacity:	9L



YZ5501-30L

Voltage:	220V
Power:	550W/750W
Max.working pressure:	0.8Mpa
Air consumption:	40/60L/min
No-Load speed:	1420r/min
Capacity:	30L



YZ5502-50L

Voltage:	220V
Power:	1100W/1500W
Max.working pressure:	0.8Mpa
Air consumption:	80/120L/min
No-Load speed:	1420r/min
Capacity:	50L



YZ5503-100L

Voltage:	220V
Power:	1650W/2200W
Max.working pressure:	0.8Mpa
Air consumption:	120/180L/min
No-Load speed:	1420r/min
Capacity:	100L



YZ5504

Voltage:	220V
Power:	2.2KW
Max.working pressure:	0.8Mpa
Air consumption:	160/240L/min
No-Load speed:	1440r/min
Capacity:	120L



YZ-0.5/8

Voltage:	380V
Power:	2.2KW
Max.working pressure:	0.8Mpa
Air consumption:	0.26M^3/min
Capacity:	100L
Weight:	85kg



YZ-0.36/8

Voltage:	380V
Power:	3KW
Max.working pressure:	0.8Mpa
Air consumption:	0.36M^3/min
Capacity:	120L
Weight:	100kg



YZ-0.6/8

Voltage:	380V
Power:	4KW
Max.working pressure:	0.8Mpa
Air consumption:	0.52M^3/min
Capacity:	160L
Weight:	134kg



YZ-0.9/8

Voltage:	380V
Power:	7.5KW
Max.working pressure:	0.8Mpa
Air consumption:	0.95M^3/min
Capacity:	210L
Weight:	186kg



YZ-1.0/8

Voltage:	380V
Power:	7.5KW
Max.working pressure:	0.8Mpa
Air consumption:	1.08M^3/min
Capacity:	250L
Weight:	213kg



YZ-1.2/8

Voltage:	380V
Power:	7.5KW
Max.working pressure:	0.8Mpa
Air consumption:	1.3M^3/min
Capacity:	300L
Weight:	266kg



YZ-0.25/8

Voltage:	220V
Power:	2.2KW
Max.working pressure:	0.8Mpa
Air consumption:	0.25M^3/min
Capacity:	80L
Weight:	65kg



YZ-0.36/8

Voltage:	380V
Power:	3.0KW
Max.working pressure:	0.8Mpa
Air consumption:	0.36M^3/min
Capacity:	110L
Weight:	80kg

ELECTRIC BELT-DRIVEN AIR COMPREESOR



YZ-0.6/8

Voltage:	220V
Power:	4.0KW
Max.working pressure:	0.8Mpa
Air consumption:	0.6M^3/min
Capacity:	100L
Weight:	100/105kg




YZ-0.9/8

Voltage:	380V
Power:	7.5KW
Max.working pressure:	0.8Mpa
Air consumption:	0.9M^3/min
Capacity:	170L
Weight:	146kg



YZ-1.05/12.5

Voltage:	380V
Power:	7.5KW
Max.working pressure:	1.25Mpa
Air consumption:	1.05M^3/min
Capacity:	300L
Weight:	246kg



Plasma cutting machine pump head

BASE PLATE SERIES



YZ1051DP
YZ1065DP



YZ2051DP
YZ2065DP



YZ3080DP
YZ3090DP



YZ3065DP



YZ2080DP
YZ2090DP

MODEL	MOTOR POWER		CAPACITY	SPEED	PRESSURE		WEIGHT	DIMENSION
	HP	KW	L/min	RPM	BAR	PSI	Kg	LXWXH
YZ1051DP	1	0.75	36	1180	8	115	27.5	42.5x35x31.5
YZ1065DP	1.5	1.1	80	1180	8	115	29	42.5x35x31.5
YZ2051DP	2.0	1.5	170	1180	8	115	42	57x36x45.5
YZ2065DP	3	2.2	250	1180	8	115	47	57x36x45.5
YZ3065DP	4	3	360	1180	8	115	64	75x37x43
YZ2080DP	4	3	480	900	8	115	110	85x41x44
YZ2090DP	5.5	4	600	900	8	115	115	85x41x44
YZ3080DP	7.5	5.5	670	850	8	115	125	90x45x53
YZ3090DP	10	7.5	900	850	8	115	130	90x45x53

LITHIUM ELECTRIC SPRAY GUN

- Wireless lithium battery, free spraying.

(1)Strong power. (2)Sufficient power.
(3)Safe environment. (4)Durable.
(5)Do not overcharge. (6)Long life.



YZ-5000A

Battery capacity:	2000mA
Output voltage:	18-24V
Rated power:	200W
Nozzle size:	1.0/1.8/2.5mm(0.8/1.2mm)
Maximum flow:	280-850ml/min
Greatest pressure:	0.1-0.2Bar
Rotating speed:	18000rmp
Capacity:	800ml



YZ-5000B

Battery capacity:	4000mA
Output voltage:	18-24V
Rated power:	200W
Nozzle size:	1.0/1.8/2.5mm(0.8/1.2mm)
Maximum flow:	280-850ml/min
Greatest pressure:	0.1-0.2Bar
Rotating speed:	18000rmp
Capacity:	900ml

ELECTRIC SPRAY GUN



NEW YZ-4000

Output voltage:	230V/50Hz 110V/60Hz
Rated power:	650W
Nozzle size:	2.5mm
Maximum flow:	0-1200ml/min
Greatest pressure:	0.1-0.2Bar
Capacity:	1000ml



YZ-4000D

Output voltage:	230V/50Hz 110V/60Hz
Rated power:	650W
Nozzle size:	2.5mm
Maximum flow:	0-1200ml/min
Greatest pressure:	0.1-0.2Bar
Capacity:	1000ml



YZ-3000

Output voltage:	220-240V/50-60Hz 110V-130V
Rated power:	450-550W
Nozzle size:	1.0/1.8/2.5mm(0.8/1.2mm)
Maximum flow:	550ml/min
Greatest pressure:	0.1-0.2Bar
Capacity:	800/900ml



YZ-5000D

Output voltage:	220-240V/110V-130V
Rated power:	650-850W
Nozzle size:	1.0/1.8/2.5mm(0.8/1.2mm)
Maximum flow:	0-1200ml/min
Greatest pressure:	0.1-0.2Bar
Capacity:	900ml

SPLIT TVPE ELECTRIC SPRAY GUN

- Poewrful two stage turbine sprays latex, as well as thinner materials such as lacquers and stains

Variable air pressure control means less overspray with thin materials

20 Foot height flex air hose extends your reach

3 Spray patterns-select the best pattern for your job

Variable flow control covers large spray surface down to detail work

Spray Control 1. 2. 3.
Spray shape comtrol the selection round.
horizontal fan & vertical fan





YZ-1808

Voltage/Frequency:	230-240V / 50Hz
Rated power:	650W
Nozzle size:	2.5mm
Max.Viscosity capacity:	40din/sec
Max.Water consumption:	300ml/min
Hose Length:	1.5m
Capacity:	800ml



YZ-1805

Voltage/Frequency:	230-240V / 50Hz
Rated power:	650W
Nozzle size:	1.0mm
Max.Viscosity capacity:	50din/sec
Max.Water consumption:	1000ml/min
Hose Length:	1.5m
Capacity:	1000ml











HIGH PRESSURE AIR OILER

- Ultra-high pressure
- Quick oil injection
- Strong pressure
- Save time and effort
- Easy to move
- Multi-purpose



HL-8

Pressure ration:	50:1
Compressed air:	0.6-0.8Mpa
Coveying pressure:	30-40Mpa
The amount of oil:	0.85L/min
Conveying amount of oil:	35mm
Dia of cylinder:	70mm
Capacity:	12L



HL-9

Pressure ration:	50:1
Compressed air:	0.6-0.8Mpa
Coveying pressure:	30-40Mpa
The amount of oil:	0.85L/min
Conveying amount of oil:	35mm
Dia of cylinder:	70mm
Capacity:	40L



MODEL:FR-3

Air regulator
Port size:1/4(NPT/BSP)



MODEL:AR-800

Air regulator
Port size:1/4(NPT/BSP)



MODEL:FR-2

Air regulator
Port size:1/4(NPT/BSP)



AF-3



MF80



AR10





AH-02



AH 5M-15M



7.6M HOSE



10M HOSE



PE AIR HOSE



PU AIR HOSE



PVC WEAVE HOSE



RESIN AIR HOSE



PU AIR HOSE




PU AIR HOSE



PU AIR HOSE



PU 80-100M




PU 80-100M



PU 80M



PU 160M



PU 160M



PU 100M



PVC 30M ∅8x13



PVC 20M ∅8x13



PVC 10M ∅8x13



PU 6M




PU 20M




PU 9M




PU 12M



PVC 30M ∅6x11



PVC 20M ∅6x11



PVC 10M ∅6x11

AIR COUPLER


YZ-S1


YZ-S2


YZ-S3


YZ-S4


YZ-M1


YZ-M2


YZ-M3


YZ-M4



YZ-S5



YZ-S6



YZ-S7



YZ-S8



YZ-O1



YZ-O2



YZ-O3



YZ-O4



YZ-O5



YZ-S9



YZ-S10



YZ-S11



YZ-S12



YZ-O6



YZ-O7



YZ-O8



YZ-O9



YZ-10

AIR COUPLER



YZ-O11 YZ-O12 YZ-O13 YZ-O14




YZS-2



YZS-3



YZ-MH2



YZ-MH5



YZ-MH3



YZ-MH4



YZ-SH2



YZ-SH5



YZ-OH2



YZ-OH5



YZ-SH3



YZ-SH4



YZ-OH3



YZ-OH4


QS-30
QS-29
QS-24
QS-27B
AQ-1


JS-3
JS-2
QS-63A
YZ-1
YZ-2


YZ-3
YZ-4
YZ-5
YZ-6
YZ-7
YZ-8


YZ-9
YZ-10
YZ-11
YZ-12
YZ-13
YZ-14

AIR COUPLER


YZ-15
YZ-16
YZ-17
YZ-18
YZ-19


QS-29
JSN
JPN
ES20A
QS-69


EH-20
EF-20
EF20
EM20
ESH20A


EM20A
EP20
EP20A
FM-20
FM-20A


FM-30
FM-40
FM-50
DUAL-HEAD TIRE CHUCK
T-1G

AIR COUPLER



E-5PCS



J-5PCS



A-5PCS



US-20 QS-21 QS-28 QS-27 QS-26 JPH-20

PAINTING CUP



EX-600CC PC-125AL PC-502G PT-1000AL



PC-200G PC-400 PC-400G PC-400P



PC-125P PC-600C PC-600D PC-600E



PC-600P



PC-600PA



EX-1000S



E-600CC



EX-1000S



EX-1000SA



PC-200S



PC-502S



PC-600



PC-750CC



PC-1000N



PC-1000P



PC-1000S



PC-1000T



PC-900I



PC-1000I



PC-750



PC-1000SA



PC-1000SD



PC-5000AL



PC-5000P

72T
Plough quick release pressed triangle extension bar
72T 犁形快脫壓三角伸縮杆

編號	規格	表面處理	材質
RSS-214J-001-1	1/4	霧面/鏡面	鉻釩鋼
RSS-318J-001-2	3/8	霧面/鏡面	鉻釩鋼
RSS-420J-001-3	1/2	霧面/鏡面	鉻釩鋼



45T
8-Point c ratchet wrench
45T 小八C快脫棘輪扳手

編號	規格	表面處理	材質
RPB-214J-004-1	1/4×14	霧面/鏡面	鉻釩鋼
RPB-318J-004-2	3/8×18	霧面/鏡面	鉻釩鋼
RPB-420J-004-3	1/2×20	霧面/鏡面	鉻釩鋼



48T
8-Point quick release ratchet wrench
48T 小八快脫棘輪扳手

編號	規格	表面處理	材質
RXB-214J-002-1	1/4×14	霧面/鏡面	鉻釩鋼
RXB-318J-002-2	3/8×18	霧面/鏡面	鉻釩鋼
RXB-420J-002-3	1/2×20	霧面/鏡面	鉻釩鋼



22T/30T/32T
8-Point c ratchet wrench
22T/30T/32T 閉三角小八快脫棘輪扳手

編號	規格	表面處理	材質
RBB-214J-005-1	1/4×14	霧面/鏡面	鉻釩鋼
RBB-318J-005-2	3/8×18	霧面/鏡面	鉻釩鋼
RBB-420J-005-3	1/2×20	霧面/鏡面	鉻釩鋼



48T
8-Point quick release cucurbited handle
48T 小八快脫葫蘆柄

編號	規格	表面處理	材質
RXB-214H-003-1	1/4×14	霧面/鏡面	鉻釩鋼
RXB-318H-003-2	3/8×18	霧面/鏡面	鉻釩鋼
RXB-420H-003-3	1/2×20	霧面/鏡面	鉻釩鋼



36T
8-Point c ratchet wrench
36T 封閉小八棘輪扳手

編號	規格	表面處理	材質
RFB-214H-006-1	1/4×14	霧面/鏡面	鉻釩鋼
RFB-318H-006-2	3/8×18	霧面/鏡面	鉻釩鋼
RFB-420H-006-3	1/2×20	霧面/鏡面	鉻釩鋼



45T/72T
Plough closed triangle quick release ratchet wrench
45T/72T 犁形閉三角快脫棘輪扳手

編號	規格	表面處理	材質
RLB-214J-007-1	1/4*14	霧面/鏡面	鉻釩鋼
RLB-318J-007-2	3/8*18	霧面/鏡面	鉻釩鋼
RLB-420J-007-3	1/2*20	霧面/鏡面	鉻釩鋼



72T
Plough pressed triangle cucurbited handle
72T 犁形壓三角快脫葫蘆柄

編號	規格	表面處理	材質
RLY-214H-010-1	1/4*14	霧面/鏡面	鉻釩鋼
RLY-318H-010-2	3/8*18	霧面/鏡面	鉻釩鋼
RLY-420H-010-3	1/2*20	霧面/鏡面	鉻釩鋼



45T/72T
Plough closed triangle ratchet wrench with cucurbited handle
45T/72T 犁形閉三角快脫葫蘆柄棘輪扳手

編號	規格	表面處理	材質
RLB-214H-008-1	1/4*14	霧面/鏡面	鉻釩鋼
RLB-318H-008-2	3/8*18	霧面/鏡面	鉻釩鋼
RLB-420H-008-3	1/2*20	霧面/鏡面	鉻釩鋼



72T
Plough pressed triangle ratchet wrench with bent flat handle
72T 犁形壓三角快脫彎扁柄棘輪扳手

編號	規格	表面處理	材質
RWB-2J-011-1	1/4	霧面/鏡面	鉻釩鋼
RWB-3J-011-2	3/8	霧面/鏡面	鉻釩鋼
RWB-4J-011-3	1/2	霧面/鏡面	鉻釩鋼



72T
Plough pressed triangle ratchet ratchet wrench
72T 犁形壓三角快脫棘輪扳手

編號	規格	表面處理	材質
RLY-214J-009-1	1/4*14	霧面/鏡面	鉻釩鋼
RLY-318J-009-2	3/8*18	霧面/鏡面	鉻釩鋼
RLY-420J-009-3	1/2*20	霧面/鏡面	鉻釩鋼



45T/72T
Plough open triangle ratchet wrench
45T/72T 犁形開三角快脫棘輪扳手

編號	規格	表面處理	材質
RLK-214J-012-1	1/4*14	霧面/鏡面	鉻釩鋼/碳鋼
RLK-316J-012-2	3/8*16	霧面/鏡面	鉻釩鋼/碳鋼
RLK-418J-012-3	1/2*18	霧面/鏡面	鉻釩鋼/碳鋼



45T72T
Plough open triangle ratchet wrench with cucurbited handle
45T72T 犁形開三角快脫葫蘆柄棘輪扳手

編號	規格	表面處理	材質
RLK-214H-013-1	1/4*14	霧面/鏡面	鉻釩鋼/碳鋼
RLK-318H-013-2	3/8*16	霧面/鏡面	鉻釩鋼/碳鋼
RLK-418H-013-3	1/2*18	霧面/鏡面	鉻釩鋼/碳鋼



45T72T
Plough open triangle ratchet wrench with one groove in front,one groove at rear and knurling in the minddle
45T72T 犁形開三角快脫前后一溝中間滾花棘輪扳手

編號	規格	表面處理	材質
RLK-214GH-014-1	1/4*14	霧面/鏡面	鉻釩鋼/碳鋼
RLK-316GH-014-2	3/8*16	霧面/鏡面	鉻釩鋼/碳鋼
RLK-418GH-014-3	1/2*18	霧面/鏡面	鉻釩鋼/碳鋼



72T
Plough open triangle ratchet wrench with one groove in front,one groove at rear and knurling in the minddle
72T 犁形屋三角快脫搖頭葫蘆柄棘輪扳手

編號	規格	表面處理	材質
RHF-214H-015-1	1/4	霧面/鏡面	鉻釩鋼
RHF-318H-015-2	3/8	霧面/鏡面	鉻釩鋼
RHF-420H-015-3	1/2	霧面/鏡面	鉻釩鋼



72T
Plough pressed triangle flexible rachet wrench
72T 犁形屋三角快脫搖頭棘輪扳手

編號	規格	表面處理	材質
RHF-214J-016-1	1/4	霧面/鏡面	鉻釩鋼
RHF-318J-016-2	3/8	霧面/鏡面	鉻釩鋼
RHF-420J-016-3	1/2	霧面/鏡面	鉻釩鋼



Plough pressed triangle flexible rachet wrench
鐵蓋/黑蓋 搖頭H柄棘輪扳手

編號	規格	表面處理	材質
RYT-2GHJ-017-1	1/4*12	霧面/鏡面	碳鋼
RYT-3GHJ-017-2	3/8*12	霧面/鏡面	碳鋼
RYT-3GHJ-017-3	3/8*16	霧面/鏡面	碳鋼
RYT-4GHJ-017-4	1/2*12	霧面/鏡面	碳鋼
RYT-4GHJ-017-5	1/2*16	霧面/鏡面	碳鋼



72T
Plough head quick release ratchet wrench with round-head bent handle
72T 犁頭快脫圓頭彎柄棘輪扳手

編號	規格	表面處理	材質
RA8-2J-018-1	1/4	霧面/鏡面	鉻釩鋼
RA8-3J-018-2	3/8	霧面/鏡面	鉻釩鋼
RA8-4J-018-3	1/2	霧面/鏡面	鉻釩鋼



72T
Plough head quick release ratchet wrench with round-head bent handle
72T 圓頭快脫棘輪扳手

編號	規格	表面處理	材質
RA6-2J-019-1	1/4	霧面/鍍面	鉻釩鋼
RA6-3J-019-2	3/8	霧面/鍍面	鉻釩鋼
RA6-4J-019-3	1/2	霧面/鍍面	鉻釩鋼



Plough-head quick release flexible short handle
犁頭快脫搖頭短柄

編號	規格	表面處理	材質
RDB-2J-020-1	1/4	霧面/鍍面	鉻釩鋼/碳鋼
RDB-3J-020-2	3/8	霧面/鍍面	鉻釩鋼/碳鋼
RDB-4J-020-3	1/2	霧面/鍍面	鉻釩鋼/碳鋼



Plough-head double-head ratchet wrench
犁頭快脫棘輪扳手

編號	規格	表面處理	材質
RDB-2J-021	1/4	霧面/鍍面	鉻釩鋼碳鋼
RDB-3J-021	3/8	霧面/鍍面	鉻釩鋼碳鋼
RDB-4J-021	1/2	霧面/鍍面	鉻釩鋼碳鋼



Plough-head double-head short handle cucurbited handle with knurling front and rear
犁頭快脫短柄葫蘆柄前后滾花

編號	規格	表面處理	材質
RDB-316GH-022	3/8×16	霧面/鍍面	鉻釩鋼/碳鋼



Screwdriver mini short handleratchet wrench
螺絲批頭迷你短柄棘輪扳手

編號	規格	表面處理	材質
RPT-2J-023	1/4	霧面/鍍面	鉻釩鋼/碳鋼



Round-head red-point quick release mini cucurbited handle
圓頭紅點快脫迷你葫蘆柄

編號	規格	表面處理	材質
RMN-315H-024	3/8×15	霧面/鍍面	鉻釩鋼



Round-head red-point quick release mini cucurbited handle
迷你DISC元寶蓋葫蘆柄棘輪扳手

編號	規格	表面處理	材質
RMN-315H-025	3/8×15	霧面/鍍面	鉻釩鋼



DISC
Round-head red-point quick release mini cucurbited handle
DISC黑三角PUSH快脫葫蘆柄棘輪扳手

編號	規格	表面處理	材質
RPH-212H-026-1	1/4*12	霧面/鏡面	鉻釩鋼
RPH-314H-026-2	3/8*14	霧面/鏡面	鉻釩鋼
RPH-416H-026-3	1/2*16	霧面/鏡面	鉻釩鋼



DISC
Iron-cap ratchet wrench with cucurbited handle
DISC 元寶蓋滾花/葫蘆棘輪扳手

編號	規格	表面處理	材質
RDS-212H-027-1	1/4*12	霧面/鏡面	鉻釩鋼/碳鋼
RDS-314H-027-2	3/8*14	霧面/鏡面	鉻釩鋼/碳鋼
RDS-416H-027-5	1/2*16	霧面/鏡面	鉻釩鋼/碳鋼



DISC
Round-head red-point quick release mini cucurbited handle
DISC 元寶蓋直扁柄棘輪扳手

編號	規格	表面處理	材質
RZB-2J-028-1	1/4	霧面/鏡面	鉻釩鋼/碳鋼
RZB-3J-028-2	3/8	霧面/鏡面	鉻釩鋼/碳鋼
RZB-4J-028-3	1/2	霧面/鏡面	鉻釩鋼/碳鋼



Lron-cap quick release
ratchet wrench with cucurbited handle
PUSH快脫葫蘆柄棘輪扳手

編號	規格	表面處理	材質
RPH-212H-029-1	1/4*12	霧面/鏡面	鉻釩鋼/碳鋼
RPH-213H-029-2	1/4*13	霧面/鏡面	鉻釩鋼/碳鋼
RPH-315H-029-3	3/8*15	霧面/鏡面	鉻釩鋼/碳鋼
RPH-316H-029-4	3/8*16	霧面/鏡面	鉻釩鋼/碳鋼
RPH-416H-029-5	1/2*16	霧面/鏡面	鉻釩鋼/碳鋼
RPH-419H-029-6	1/2*19	霧面/鏡面	鉻釩鋼/碳鋼



Lron-cap quick release
ratchet wrench with cucurbited handle
鐵蓋/白蓋/黑蓋/滾花/葫蓋/膠把棘輪扳手


編號	規格	表面處理	材質
RHB-2GHJ-030-1	1/4*12	霧面/鏡面	鉻釩鋼/碳鋼
RHB-3GHJ-030-2	3/8*13	霧面/鏡面	鉻釩鋼/碳鋼
RHB-3GHJ-030-3	3/8*14	霧面/鏡面	鉻釩鋼/碳鋼
RHB-3GHJ-030-4	3/8*15	霧面/鏡面	鉻釩鋼/碳鋼
RHB-4GHJ-030-5	1/2*12	霧面/鏡面	鉻釩鋼/碳鋼
RHB-4GHJ-030-6	1/2*13	霧面/鏡面	鉻釩鋼/碳鋼
RHB-4GHJ-030-7	1/2*14	霧面/鏡面	鉻釩鋼/碳鋼
RHB-4GHJ-030-8	1/2*15	霧面/鏡面	鉻釩鋼/碳鋼
RHB-4GHJ-030-9	1/2*16	霧面/鏡面	鉻釩鋼/碳鋼



Ratchet wrench rubber handle
棘輪扳手膠把



TOOL KIT
組套系列



EX-5120

120 Pieces manual tools kit

EX-5120 120件手動組套工具



品名	件数	规格
6.3mm系列公制套筒	10	4、5、6、7、8、9、10、11、12、13、14mm
6.3mm系列英制套筒	10	5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"
6.3mm系列公制长套筒	4	8、9、10、12mm
10mm系列公制套筒	11	8、10、12、13、14、15、16、17、18、19mm
10mm系列英制套筒	7	3/8" 7/16" 1/2" 9 16" 5/8" 11 16" 3/4"
10mm系列公制长套筒	4	12、14、15、17mm
10mm系列花形套筒	8	E-8、E-10、E-11、E-12、E-14、E-15、E-18、E-20
10mm系列一字形旋具套筒	2	5.5、6.5mm
10mm系列十字形旋具套筒	2	1#、2#
10mm系列花形旋具套筒	7	T-20、T-30、T-40、T-45、T-50、T-55、T-60
10mm系列六角形旋具套筒	4	3、4、5、6mm
10mm系列米字形旋具套筒	2	1#、2#
6.3mm系列中孔形花形旋具头	7	T-40、T-15、T-20、T-25、T-27、T-30、T-40
6.3mm系列旋具头接头	1	适用6.3mm系列中孔形花形旋具头，长75mm
6.3mm系列旋杆	1	150mm
6.3mm系列接杆	1	50mm
10mm系列接杆	2	75、150mm
12.5mm系列接杆	2	125、250mm
10mm系列火花塞套筒	2	18、21mm
12.5mm系列公制套筒	7	20、21、22、24、27、30、32mm
12.5mm系列英制套筒	6	7/8" 15/16" 1" 1-1/16" 1-1/4"
12.5mm系列风动套筒	4	17、19、21、24mm
12.5mm系列快速脱落棘轮扳手	1	梨形快脱，胶把
10mm系列快速脱落棘轮扳手	1	梨形快脱，胶把
6.3mm系列快速脱落棘轮扳手	1	梨形快脱，胶把
6.3mm系列万向接头	1	1/4"
10mm系列万向接头	1	3/8"
12.5mm系列万向接头	1	1/2"
公制防滑扳手	10	8、9、10、12、13、14、17、18、19mm

EX-5094

94 Pieces manual tools kit

EX-5094 94件手動組套工具



品名	件数	规格
12.5mm系列棘轮扳手	1	快脱胶把
6.3mm系列棘轮扳手	1	快脱胶把
12.5mm系列接杆	2	125、250mm
6.3mm系列接杆	2	75、150mm
12.5mm系列火花塞套筒	2	18、21mm
12.5mm系列公制套筒	1	1/2"
6.3mm系列万向接头	1	1/4"
6.3mm系列软轴万向接头	1	150mm
6.3mm系列滑行杆	1	100mm
6.3mm系列旋杆	1	150mm
12.5mm系列公制套筒	20	8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、23、24、27、30、32mm
12.5mm系列公制长套筒	8	14、15、17、19mm
6.3mm系列公制套筒	13	4、4.5、5、5.5、6、7、8、9、10、11、12、13、14mm
6.3mm系列公制长套筒	8	6、7、8、9、10、11、12、13mm
6.3mm系列一字形旋具套筒	3	4、4.5、7mm
6.3mm系列十字形旋具套筒	2	1#、2#
6.3mm系列米字形旋具套筒	2	1#、2#
6.3mm系列花形旋具套筒	6	T-8、T-10、T-15、T-20、T-25、T-30
6.3mm系列六角形旋具套筒	4	3、4、5、6mm
8mm系列一字形旋具套筒	3	8、10、12mm
8mm系列十字形旋具套筒	2	3#、4#
8mm系列米字形旋具套筒	2	3#、4#
8mm系列花形旋具头	4	T-40、T-45、T-50、T-55
8mm系列六角形旋具头	4	8、10、12、14mm
12.5mm系列旋具头接头	1	1/2" x8mm 5x16" 用于连接8mm旋具头
12.5mm系列三用接头	1	3/8" 方孔和1/2" 方榫
12.5mm系列三用接头	1	弹套

EX-5032A
32 Pieces red-band manual tools kit
EX-5032A 32件滚红带手動組套工具



品名	件数	規格
12.5mm系列公制六角套筒	19	8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、24、27、30、32mm
12.5mm系列公制十二角套筒	6	10、12、14、15、17、19mm
12.5mm系列接杆	2	125、250mm
12.5mm系列萬向接頭	1	1/2"
12.5mm系列三用接頭	1	1/2"
12.5mm系列火花塞接頭	2	16、21mm
12.5mm系列快速脫落棘輪扳手	1	Φ18mm

EX-5032B
32 Pieces manual tools kit
EX-5032B 32件手動組套工具



品名	件数	規格
12.5mm系列公制六角套筒	19	8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、24、27、30、32mm
12.5mm系列公制十二角套筒	6	10、12、14、15、17、19mm
12.5mm系列接杆	2	125、250mm
12.5mm系列萬向接頭	1	1/2"
12.5mm系列三用接頭	1	1/2"
12.5mm系列火花塞接頭	2	16、21mm
12.5mm系列棘輪扳手	1	Φ18mm

EX-5032C
32 Pieces mirror knurling manual tools kit
EX-5032C 32件鏡面滾花手動組套工具



品名	件数	規格
12.5mm系列公制六角套筒	19	8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、24、27、30、32mm
12.5mm系列公制十二角套筒	6	10、12、14、15、17、19mm
12.5mm系列接杆	2	125、250mm
12.5mm系列萬向接頭	1	1/2"
12.5mm系列三用接頭	1	1/2"
12.5mm系列火花塞接頭	2	16、21mm
12.5mm系列自動脫落棘輪扳手	1	Φ18mm

EX-5032D
32 Pieces manual tools kit
EX-5032D 32件手動組套工具



品名	件数	規格
12.5mm系列公制六角套筒	26	8、9、10、10、11、12、12、13、14、14、15、16、17、17、18、19、20、21、22、23、24、26、27、28、30、32mm
12.5mm系列接杆	2	125、250mm
12.5mm系列彎柄	1	9"
12.5mm系列快速摇柄	1	420mm
12.5mm系列快速器	1	1/2"
12.5mm系列棘輪扳手	1	Φ18mm

EX-5032E
32 Pieces manual tools kit
EX-5032E 32件手動組套工具



品名	件数	規格
12.5mm系列公制六角套筒	26	8、9、10、10、11、12、12、13、14、14、15、16、17、17、18、19、20、21、22、23、24、26、27、28、30、32mm
12.5mm系列接杆	2	125、250mm
12.5mm系列加速杆	1	1/2"
12.5mm系列彎柄	1	9"
12.5mm系列快速器	1	1/2"
12.5mm系列棘輪扳手	1	Φ18mm

EX-5028
28 Pieces manual tools kit
EX-5028 28件手動組套工具



品名	件数	規格
12.5mm系列公制六角套筒	22	8、9、10、11、12、13、14、15、16、17、18、19、20、21、22、23、24、26、27、28、30、32mm
12.5mm系列接杆	2	125、250mm
12.5mm系列彎柄	1	9"
12.5mm系列快速摇柄	1	420mm
12.5mm系列快速器	1	1/2"
12.5mm系列棘輪扳手	1	Φ18mm

EX-5026

1/2 26 Pieces pneumatic tools kit

EX-5026 1/2 26件氣動組套工具

品名	件數	規格
12.5mm系列公制套筒	25	8、9、10、10、11、12、13、14、14、15、16、17、17、18、19、20、21、22、23、24、26、27、28、30、32mm
扳手	1	1/2自動脫落棘輪柄



EX-5010

1/2 10 Pieces pneumatic tools kit

EX-5010 1/2 10件氣動組套工具

品名	件數	規格
12.5mm系列公制套筒	10	10、11、12、14、16、17、19、20、21、22mm



EX-5003

3 Pieces tyre wrench

EX-5003 3件輪胎扳手

品名	件數	規格
伸縮杆輪胎扳手	1	1/2"
雙頭套筒	2	1/2" 17-19 1/2" 21-23



EX-5011

11 Pieces open-end manual tools kit

EX-5011 11件開口手動組套工具

品名	件數	規格
開口兩用棘輪扳手	11	8、10、11、12、13、14、15、16、17、18、19mm



EX-5005A

5 Pieces open-end manual tools kit

EX-5005A 5件開口手動組套工具

品名	件數	規格
開口兩用棘輪扳手	5	10、12、14、17、19mm




EX-5005B

5 Pieces open-end manual tools kit

EX-5005B 5件開口手動組套工具

品名	件數	規格
開口兩用棘輪扳手	5	10、12、14、17、19mm





EX-S2021
充电/数据传输数显扭力扳手



EX-S2021

精准度	±2%
記憶	999組
解析度	0.1
適用範圍	40-200牛/米（3.9-20公斤/公分）
驅動頭	1/2"
操作模式	峰值（最大扭力保持）、扭旋
單位選項	牛/米、公斤/公分、英寸/磅、英尺/磅
長度	530mm
重量	1.4公斤
齒輪數	36
按键数	6
電池規格	充電電池AA1.2V×2顆 Ni-MH2300Ah
傳輸線	1.5m(L)
充電座	100-240AC
存放温度	攝氏度-20度-60度（華氏-4.0-139.9）
環境温度	15-90%
自動關機	60秒


EX-S3021

精准度	±2%
記憶	999組
解析度	0.1
適用範圍	68-340牛/米（6.7-33.3公斤/公分）
驅動頭	1/2"
操作模式	峰值（最大扭力保持）、扭旋
單位選項	牛/米、公斤/公分、英寸/磅、英尺/磅
長度	650mm
重量	1.6公斤
齒輪數	36
按键数	6
電池規格	充電電池AA1.2V×2顆 Ni-MH2300Ah
傳輸線	1.5m(L)
充電座	100-240AC
存放温度	攝氏度-20度-60度（華氏-4.0-139.9）
環境温度	15-90%
自動關機	60秒

EX-S1083

精准度	±2%
記憶	999組
解析度	0.1
適用範圍	27-125牛/米（2.8-12.2公斤/公分）
驅動頭	3/8"
操作模式	峰值（最大扭力保持）、扭旋
單位選項	牛/米、公斤/公分、英寸/磅、英尺/磅
長度	460mm
重量	1.6公斤
齒輪數	36
按键数	6
電池規格	充電電池AA1.2V×2顆 Ni-MH2300Ah
傳輸線	1.5m(L)
充電座	100-240AC
存放温度	攝氏度-20度-60度（華氏-4.0-139.9）
環境温度	15-90%
自動關機	60秒

电子扭力扳手



EX-N2021

精准度	±2%
記憶	50組
解析度	0.1
適用範圍	40-200牛/米 (4.1-21.6公斤/米)
驅動頭	1/2"
操作模式	峰值(最大扭力保持)、棘破
單位選項	牛/米, 公斤/公分, 英寸/磅, 英尺/磅
長度	530mm
重量	1.6公斤
齒輪數	36
按鍵數	6
電池規格	7號x3顆
電池壽命	110小時
操作溫度	攝氏度-10度-60度 (華氏13.9-139.9)
存放溫度	攝氏度-20度-60度 (華氏-4.0-139.9)
濕場溫度	15-90%
自動關機	60秒

EX-N3021

精准度	±2%
記憶	50組
解析度	0.1
適用範圍	68-340牛/米 (6.9-34.6公斤/米)
驅動頭	1/4"
操作模式	峰值(最大扭力保持)、棘破
單位選項	kg-cm, kg-m, lb-in, lb-ft, N-m
長度	680mm
重量	1.5公斤
齒輪數	36
按鍵數	6
電池規格	7號X3顆
電池壽命	110小時
操作溫度	攝氏度-10度-60度 (華氏13.9-139.9)
存放溫度	攝氏度-20度-60度 (華氏-4.0-139.9)
濕場溫度	15-90%
自動關機	60秒

机械式扭力扳手



編號	規格	N-m
EX-NJ0350	3/8"	10-50
EX-NJ3100	3/8"	20-100
EX-NJ4100	1/2"	20-100
EX-NJ4200	1/2"	40-200
EX-NJ4300	1/2"	60-300

291

Torque wrench

24t 可調式扭力扳手



編號	規格	表面處理	材質
EX-N0021-01	1/2 5KG	鏡面	鉻釩鋼
EX-N0021-02	1/2 10KG	鏡面	鉻釩鋼
EX-N0021-03	1/2 20KG	鏡面	鉻釩鋼
EX-N0021-04	1/2 30KG	鏡面	鉻釩鋼
EX-N0021-05	1/2 40KG	鏡面	鉻釩鋼
EX-N0021-06	1/2 50KG	鏡面	鉻釩鋼

数显扭力接头组





編號.	EX-S5021
1. 精確度：+/-2%	
2. 解析度：0.1	
3. 扭力範圍：40-200Nm	
顯示範圍： 1-100% 2-200 牛/米	
警報範圍： 5-100% 10-200牛/米	
精度範圍： 10-100% 20-200牛/米	
4. 接杆尺寸：1/2" dr，2.5" 長	
5. LED 警示燈 1pcs	
6. 單位選項：公斤/公分，英尺/磅，牛/米	
7. 電池：7號 * 3pcs	
8. 電池壽命：110小時	
9. 操作溫度：0°C ~ 60°C	
10. 儲存溫度：-10°C~ 70°C	
11. 自動關機：60 秒	
含：	
1. 17mm 1/2" 長套長筒* 1pcs	
2. 19mm 1/2" 長套筒* 1pcs	
3. 21mm 1/2" 長套筒* 1pcs	
4. 7號電池 3顆	
5. 吹氣皮	

3/4" dr 数字扭力接头




編號	EX-S7543
精確度	+/- 2%
解析度	0.1
記憶	50組
扭力範圍	200-1000牛/米 (20.4-102公斤/米) (147.6 -738尺/磅)
3pcs LED	警示燈 1pcs
單位選項	牛/米，公斤/米，尺/磅
電池	5號 * 2顆
電池壽命	100 小時(連續使用)
操作溫度	0°C ~ 50°C
儲存溫度	-10°C~ 60°C
自動關機	80 秒

1/2"dr 数字扭力接头

編號.	EX-S7521
精確度	+/-2%
解析度	0.1
扭力範圍	40-200Nm
顯示範圍	1-100% 2-200 牛/米
警報範圍	5-100% 10-200牛/米
精度範圍	10-100% 20-200牛/米
接杆尺寸	1/2" dr，75mm" 長
LED 警示燈	1pcs
單位選項	公斤/公分，英尺/磅，牛/米
電池	CR2032 * 1pc
電池壽命	110小時
操作溫度	0°C ~ 60°C
儲存溫度	-10°C~ 70°C

SOCKET SERIES

套筒系列



1/2 CR-V

single-groove long socket,double color, mirror,sandblasting,hexagonal,double-hexagonal

1/2 CR-V 單溝長套筒 雙色、鏡面、噴砂 六角 十二角

編號	規格
EX-05308	8
EX-05309	9
EX-05310	10
EX-05311	11
EX-05312	12
EX-05313	13
EX-05314	14
EX-05315	15

編號	規格
EX-05316	16
EX-05317	17
EX-05318	18
EX-05319	19
EX-05320	20
EX-05321	21
EX-05322	22

編號	規格
EX-05323	23
EX-05324	24
EX-05326	26
EX-05326	27
EX-05327	28
EX-05330	30
EX-05332	32



1/2 CR-V

mirror knurling long socket,hexagonal, double-hexagonal

1/2 CR-V 鏡面滾花長套筒 六角 十二角

編號	規格
EX-05408	8
EX-05409	9
EX-05410	10
EX-05411	11
EX-05412	12
EX-05413	13
EX-05414	14
EX-05415	15

編號	規格
EX-05416	16
EX-05417	17
EX-05418	18
EX-05419	19
EX-05420	20
EX-05421	21
EX-05422	22

編號	規格
EX-05423	23
EX-05424	24
EX-05426	26
EX-05426	27
EX-05427	28
EX-05430	30
EX-05432	32



1/2 CR-V double-color,double-groove long socket, hexagonal, double-hexagonal

1/2 CR-V 雙色單溝長套筒 六角 十二角

編號	規格	編號	規格	編號	規格
EX-05608	8	EX-05618	18	EX-05623	23
EX-05609	9	EX-05617	17	EX-05624	24
EX-05610	10	EX-05616	16	EX-05626	26
EX-05611	11	EX-05619	19	EX-05628	27
EX-05612	12	EX-05620	20	EX-05627	28
EX-05613	13	EX-05621	21	EX-05630	30
EX-05614	14	EX-05622	22	EX-05632	32
EX-05615	15				



1/2 CR-V double-color,knurling long socket, hexagonal,double-hexagonal

1/2 CR-V 雙色滾花長套筒 六角 十二角

編號	規格	編號	規格	編號	規格
EX-05608	8	EX-05616	16	EX-05623	23
EX-05609	9	EX-05617	17	EX-05624	24
EX-05610	10	EX-05618	18	EX-05626	26
EX-05611	11	EX-05619	19	EX-05628	27
EX-05612	12	EX-05620	20	EX-05627	28
EX-05613	13	EX-05621	21	EX-05630	30
EX-05614	14	EX-05622	22	EX-05632	32
EX-05615	15				



1/2 CR-V short socket(red band,blue hand,green hand) hexagonal,double-hexagonal

1/2 CR-V 短套筒(紅帶, 藍帶, 綠帶) 六角 十二角

編號	規格	編號	規格	編號	規格	編號	規格	編號	規格
EX-04208	8	EX-04213	13	EX-04218	18	EX-04222	22	EX-04227	27
EX-04209	9	EX-04214	14	EX-04219	19	EX-04223	23	EX-04228	28
EX-04210	10	EX-04215	15	EX-04220	20	EX-04224	24	EX-04230	30
EX-04211	11	EX-04216	16	EX-04221	21	EX-04226	26	EX-04232	32
EX-04212	12	EX-04217	17						



1/2 CR-V short socket(matt surface,black), hexagonal,double-hexagonal

1/2 CR-V 短套筒(霧面, 發黑) 六角 十二角

編號	規格	編號	規格	編號	規格	編號	規格	編號	規格
EX-05008	8	EX-05013	13	EX-05018	18	EX-05022	22	EX-05027	27
EX-05009	9	EX-05014	14	EX-05019	19	EX-05023	23	EX-05028	28
EX-05010	10	EX-05015	15	EX-05020	20	EX-05024	24	EX-05030	30
EX-05011	11	EX-05016	16	EX-05021	21	EX-05026	26	EX-05032	32
EX-05012	12	EX-05017	17						



1/2 CR-V single-groove short socket,double color, mirror,sandblasting,hexagonal,double-hexagonal

1/2 CR-V 單溝短套筒 雙色，鏡面，噴砂 六角 十二角

編號	規格	編號	規格	編號	規格	編號	規格
EX-04308	8	EX-04314	14	EX-04320	20	EX-04327	27
EX-04309	9	EX-04315	15	EX-04321	21	EX-04328	28
EX-04310	10	EX-04316	16	EX-04322	22	EX-04330	30
EX-04311	11	EX-04317	17	EX-04323	23	EX-04332	32
EX-04312	12	EX-04318	18	EX-04324	24		
EX-04313	13	EX-04319	19	EX-04326	26		



1/2 CR-V mirror knurling short socket,hexagonal, double-hexagonal

1/2 CR-V 鏡面滾花短套筒 六角 十二角

編號	規格	編號	規格	編號	規格	編號	規格
EX-04408	8	EX-04414	14	EX-04420	20	EX-04427	27
EX-04409	9	EX-04415	15	EX-04421	21	EX-04428	28
EX-04410	10	EX-04416	16	EX-04422	22	EX-04430	30
EX-04411	11	EX-04417	17	EX-04423	23	EX-04432	32
EX-04412	12	EX-04418	18	EX-04424	24		
EX-04413	13	EX-04419	19	EX-04426	26		



1/2 CR-V double-color,double-groove short socket, hexagonal, double-hexagonal

1/2 CR-V 雙色雙溝短套筒 六角 十二角

編號	規格	編號	規格	編號	規格	編號	規格
EX-04608	8	EX-04614	14	EX-04620	20	EX-04627	27
EX-04609	9	EX-04615	15	EX-04621	21	EX-04628	28
EX-04610	10	EX-04616	16	EX-04622	22	EX-04630	30
EX-04611	11	EX-04617	17	EX-04623	23	EX-04632	32
EX-04612	12	EX-04618	18	EX-04624	24		
EX-04613	13	EX-04619	19	EX-04626	26		



1/2 CR-V double-color,knurling short socket, hexagonal,double-hexagonal

1/2 CR-V 雙色滾花短套筒 六角 十二角

編號	規格	編號	規格	編號	規格	編號	規格
EX-04608	8	EX-04614	14	EX-04620	20	EX-04627	27
EX-04609	9	EX-04615	15	EX-04621	21	EX-04628	28
EX-04610	10	EX-04616	16	EX-04622	22	EX-04630	30
EX-04611	11	EX-04617	17	EX-04623	23	EX-04632	32
EX-04612	12	EX-04618	18	EX-04624	24		
EX-04613	13	EX-04619	19	EX-04626	26		



1/2 CR-V pneumatic long socket hexagonal

1/2 CR-V 氣動電泳長套筒

編號	規格	編號	規格	編號	規格	編號	規格	編號	規格
EX-05208	8	EX-05213	13	EX-05218	18	EX-05222	22	EX-05227	27
EX-05209	9	EX-05214	14	EX-05219	19	EX-05223	23	EX-05228	28
EX-05210	10	EX-05215	15	EX-05220	20	EX-05224	24	EX-05230	30
EX-05211	11	EX-05216	16	EX-05221	21	EX-05226	26	EX-05232	32
EX-05212	12	EX-05217	17						



1/2 CR-V pneumatic short socket hexagonal

1/2 CR-V 氣動電泳短套筒

編號	規格	編號	規格	編號	規格	編號	規格	編號	規格
EX-04008	8	EX-04013	13	EX-04018	18	EX-04022	22	EX-04027	27
EX-04009	9	EX-04014	14	EX-04019	19	EX-04023	23	EX-04028	28
EX-04010	10	EX-04015	15	EX-04020	20	EX-04024	24	EX-04030	30
EX-04011	11	EX-04016	16	EX-04021	21	EX-04026	26	EX-04032	32
EX-04012	12	EX-04017	17						



CR-V spark-plug socket, knurling hexagonal
CR-V 火花塞套筒 滾花 六角

編號	規格	表面處理	材質
TH2001	1/2" 16mm	霧面/鏡面/滾紅帶	鉻釩鋼/碳鋼



CR-V spark-plug socket, knurling hexagonal
CR-V 火花塞套筒 滾花 六角

編號	規格	表面處理	材質
TH2001-1	1/2" 21mm	霧面/鏡面/滾紅帶	鉻釩鋼/碳鋼



CR-V universal joint
CR-V 萬象接頭

編號	規格	表面處理	材質
TX4001	1/4"	霧面/鏡面/滾紅帶	鉻釩鋼
TX8001	3/8"	霧面/鏡面/滾紅帶	鉻釩鋼
TX2001	1/2"	霧面/鏡面/滾紅帶	鉻釩鋼



CR-V tee joint
CR-V 三用接頭

編號	規格	表面處理	材質
TH3001	1/2x3/8	霧面/鏡面	鉻釩鋼/碳鋼



pneumatic long socket
3/8" 氣動套筒



編號	規格	材質
EX-D6207	7	鉻鉬鋼
EX-D6208	8	鉻鉬鋼
EX-D6209	9	鉻鉬鋼
EX-D6210	10	鉻鉬鋼

編號	規格	材質
EX-D6211	11	鉻鉬鋼
EX-D6212	12	鉻鉬鋼
EX-D6213	13	鉻鉬鋼
EX-D6214	14	鉻鉬鋼

編號	規格	材質
EX-D6215	15	鉻鉬鋼
EX-D6216	16	鉻鉬鋼
EX-D6217	17	鉻鉬鋼
EX-D6218	18	鉻鉬鋼

編號	規格	材質
EX-D6219	19	鉻鉬鋼
EX-D6220	20	鉻鉬鋼
EX-D6221	21	鉻鉬鋼
EX-D6222	22	鉻鉬鋼

pneumatic long socket
1/2" 氣動套筒



編號	規格	材質
EX-D6008	8	鉻鉬鋼
EX-D6009	9	鉻鉬鋼
EX-D6010	10	鉻鉬鋼
EX-D6015	10	鉻鉬鋼
EX-D6012	12	鉻鉬鋼
EX-D6013	13	鉻鉬鋼
EX-D6014	14	鉻鉬鋼
EX-D6015	15	鉻鉬鋼
EX-D6016	16	鉻鉬鋼

編號	規格	材質
EX-D6017	17	鉻鉬鋼
EX-D6018	18	鉻鉬鋼
EX-D6019	19	鉻鉬鋼
EX-D6020	20	鉻鉬鋼
EX-D6021	21	鉻鉬鋼
EX-D6012	22	鉻鉬鋼
EX-D6023	23	鉻鉬鋼
EX-D6024	24	鉻鉬鋼
EX-D6025	25	鉻鉬鋼


編號	規格	材質
EX-D6026	26	鉻鉬鋼
EX-D6027	27	鉻鉬鋼
EX-D6028	28	鉻鉬鋼
EX-D6029	29	鉻鉬鋼
EX-D6030	30	鉻鉬鋼
EX-D6031	31	鉻鉬鋼
EX-D6032	32	鉻鉬鋼
EX-D6033	33	鉻鉬鋼


編號	規格	材質
EX-D6034	34	鉻鉬鋼
EX-D6035	35	鉻鉬鋼
EX-D6036	36	鉻鉬鋼
EX-D6037	37	鉻鉬鋼
EX-D6038	38	鉻鉬鋼
EX-D6039	39	鉻鉬鋼
EX-D6040	40	鉻鉬鋼
EX-D6041	41	鉻鉬鋼

Electric Hoist

KIMPORT

Mini-Electric Hoist with BADA brand has compact and exquisite appearance and has the features of easy installation, security and reliability. It is the important tool for hoisting in workshops, household garages and warehouses etc. It is suitable for DIY market and is also the ideal equipment for hotels, shops, repairing, material handling, industrial assembly lines and large industrial equipments etc. It adopts single-phase power and is widely used.





1 Mounting clamps

2pcs included in the product, to fit for the support arm (an optional accessory) which it's size 45 x 45mm square tube and the thickness should be more than 1.8cm. If not using the fixing ring, please fix the electric hoist through 4 screw holes on the motor housing

2 Lower limit lever

When the wire rope is going down to the position we designed, the wire rope will automatically act the limit lever to stop the hoist. The lower limit lever also prevent the wire rope improperly winding in the reverse direction on the drum

3 Upper limit lever

When the load is lifting at the position we designed, the counter weight and limit stopper will automatically act the upper limit lever to stop the hoist

4 Wire rope

19 x 7 structure and anti-twist aircraft rope, with breaking force up to at lease 4 times than the rated lifting capacity. If the wire rope has become worn or is beginning to show signs of strands breakin, it must be replaced before being used again. (please refer to the manual for details)

5 Pulley hook

Included in the product. When the load exceeds the lifting capacity of the single hook butless than max. lifting capacity, use the pulley hook to lift the load

6 Power plug

All of plug styles are available in all over countries and regions, and approved by VDE or UL

7 Motor

With automatic brake system and thermal protection function. The thermal protection terminal will be automatically disconnected to protect the motor when the motor becomes overheated

8 Gland


To fasten the power cord and prevent bending of the power cord to extend the lifetime

9 Emergency stop switch

With TUV approval. In case of a failure or accident occurred, to press the red emergency stop switch to immediately stop the machine for safety

10 Positive and negative switch

With TUV approval, controlling up and down functionof the hoist, it is simple to use and easy to be replaced.



Electric Hoist

KIMPORT

Features

Compling with latest EU standard EN14492-2
Copper winding motor

Upper and Lower limit device
Thermal protection terminal

Anti-reverse winding device
Protection class IP54

18M OPTIONAL



PA100D PA200D
PA250D PA300D



PA400D PA500D
PA600D PA800D




PA1000D

+



WIRELESS CONTROLLER
OPTIONAL




Symbol	PA100D	PA200D PA250D	PA300D	PA400D PA500D	PA600D	PA400D-18M PA500D-18M PA600D-18M PA800D	PA1000D
A(mm)	260	325	336	372	393	418	481
B(mm)	94	131		145	146	147	170
C(mm)	260	332			365		555
D(mm)	145	190			190		250
E(mm)	61	90			100		110
F(mm)	4-M6	4-M8			4-M10		4-M12

Model	Rated volt (V)	Input power (W)	Method of use	Rated lifting weight (kg)	Lifting speed (m/min)	Lifting height (m)	Qty/CTN (PCS)	Packing dimension (cm)	G.W./N.W. (kg)
PA100D	220-240	180	Single hook	50	8	8	4	47.5x33x31	21/20
			Double hook	100	4	4			
PA200D		450	Single hook	100	8	12	2	47x36.5x16	
			Double hook	200	4	6			
PA250D		500	Single hook	125	8	12			
			Double hook	250	4	6			
PA300D		550	Single hook	150	8	12			22/21
			Double hook	300	4	6			
PA400D		750	Single hook	200	8	12		51.8x39x17	33/31
			Double hook	400	4	6			
PA500D		900	Single hook	250	8	12			34/32
			Double hook	500	4	6			
PA600D		1050	Single hook	300	8	12		52x41x17	36/34
			Double hook	600	4	6			
PA800D		1350	Single hook	400	8	12		52x44x17	41/39.5
			Double hook	800	4	6			
PA1000D		1600	Single hook	500	8	12	1	56.5x24.5x32.5	34/32
			Double hook	999	4	6			

Features

Compling with latest EU standard EN14492-2
Upper and lower limit device
Thermal protection terminal
Anti-reverse winding device
Copper winding motor
Protection class IP54





18M OPTIONAL



HH200D HH250D HH300D HH400D HH500D HH600D

WIRELESS CONTROLLER OPTIONAL

Symbol	HH200D - HH300D	HH400D - HH600D
A(mm)	144	154
B(mm)	233.5	270
C(mm)	412	453
D(mm)	750	760

Model	Rated volt (V)	Input power (W)	Method of use	Rated lifting weight (kg)	Lifting speed (m/min)	Lifting height (m)	Qty/CTN (PCS)	Packing dimension (cm)	G.W./N.W. (kg)
HH200D	220-240	450	Single hook	100	8	12	1	43.5x30x29.5	14/13
			Double hook	200	4	6			
HH250D		500	Single hook	125	8	12			14.5/13.5
			Double hook	250	4	6			
HH300D		550	Single hook	150	8	12			15/14
			Double hook	300	4	6			
HH400D		750	Single hook	200	8	12		43.5x36.5x30.5	19/18
			Double hook	400	4	6			
HH500D		900	Single hook	250	8	12			20/19
			Double hook	500	4	6			
HH600D		1050	Single hook	300	8	12			21/20
			Double hook	600	4	6			

Electric Hoist

KIMPORT

CE

Features

Copper winding motor
Upper limit device
Emergency stop switch
Thermal protection terminal
Protection class IP54

18M OPTIONAL



PA100A PA200A PA250A PA300A



PA400A PA500A PA600A PA800A




PA1000A PA1200A

+



WIRELESS CONTROLLER
OPTIONAL




Symbol	PA100A	PA200A PA250A	PA300A	PA400A PA500A	PA600A	PA400A-18M PA500A-18M PA600A-18M PA800A	PA1000A	PA1200A
A(mm)	260	325	336	372	393	418	481	498
B(mm)	94	131		145	146	147	170	
C(mm)	260	332			365		555	
D(mm)	145	190			190		250	
E(mm)	61	90			100		110	
F(mm)	4-M6	4-M8			4-M10		4-M12	

Model	Rated volt (V)	Input power (W)	Method of use	Rated lifting weight (kg)	Lifting speed (m/min)	Lifting height (m)	Qty/CTN (PCS)	Packing dimension (cm)	G.W./N.W. (kg)
PA100A	220-240	180	Single hook	50	10	8	4	47.5x33x31	21/20
			Double hook	100	5	4			
PA200A		450	Single hook	100	10	12	2	47x36.5x16	
			Double hook	200	5	6			
PA250A		500	Single hook	125	10	12			
			Double hook	250	5	6			
PA300A		550	Single hook	150	10	12			22/21
			Double hook	300	5	6			
PA400A		750	Single hook	200	10	12		51.8x39x17	33/31
			Double hook	400	5	6			
PA500A		900	Single hook	250	10	12			34/32
			Double hook	500	5	6			
PA600A		1050	Single hook	300	10	12		52x41x17	36/34
			Double hook	600	5	6			
PA800A		1350	Single hook	400	10	12		52x44x17	41/39.5
			Double hook	800	5	6			
PA1000A		1600	Single hook	500	10	12	1	56.5x24.5x32.5	34/32
			Double hook	999	5	6			
PA1200A		1900	Single hook	1498	0	0		56.5x24.5x32.6	35/33
			Double hook	1997	-5	-6			

Features

Copper winding motor
Upper limit device
Emergency stop switch
Thermal protection terminal
Protection class IP54

18M OPTIONAL







HH200A HH250A HH300A HH400A HH500A HH600A

WIRELESS CONTROLLER OPTIONAL

Symbol	HH200A - HH300A	HH400A - HH600A
A(mm)	144	154
B(mm)	233.5	270
C(mm)	412	453
D(mm)	750	760

Model	Rated volt (V)	Input power (W)	Method of use	Rated lifting weight (kg)	Lifting speed (m/min)	Lifting height (m)	Qty/CTN (PCS)	Packing dimension (cm)	G.W./N.W. (kg)
HH200A	220-240	450	Single hook	100	10	12	1	43.5x30x29.5	14/13
			Double hook	200	5	6			
HH250A		500	Single hook	125	10	12			14.5/13.5
			Double hook	250	5	6			
HH300A		550	Single hook	150	10	12			15/14
			Double hook	300	5	6			
HH400A		750	Single hook	200	10	12		48.5x36.5x30.5	19/18
			Double hook	400	5	6			
HH500A		900	Single hook	250	10	12			20/19
			Double hook	500	5	6			
HH600A		1050	Single hook	300	10	12			21/20
			Double hook	600	5	6			

Electric Hoist

KIMPORT

Features

ETL/CETL approval
Copper winding motor
Upper limit device
Thermal protection terminal
Protection class IP40



PA100B PA200B PA250B PA300B



PA400B PA500B PA600B PA800B




PA1000B

+



WIRELESS CONTROLLER
OPTIONAL




Symbol	PA100B	PA200B PA250B	PA300B	PA400B PA500B	PA600B	PA800B	PA1000B
A(mm)	260	325	336	372	393	418	481
B(mm)	94	131		145	146	147	170
C(mm)	260	332			365		555
D(mm)	145	190			190		250
E(mm)	61	90			100		110
F(mm)	4-M6	4-M8			4-M10		4-M12

Model	Rated volt (V)	Input power (W)	Method of use	Rated lifting weight (kg)	Lifting speed (m/min)	Lifting height (m)	Qty/CTN (PCS)	Packing dimension (cm)	G.W./N.W. (kg)
PA100B	110-127	220	Single hook	50	10	8	4	47.5x33x31	21/20
			Double hook	100	5	4			
PA200B		460	Single hook	100	10	12	2	47x36.5x16	24/22
			Double hook	200	5	6			
PA250B		560	Single hook	125	10	12			25/23
			Double hook	250	5	6			
PA300B		660	Single hook	150	10	12			26/24
			Double hook	300	5	6			
PA400B		850	Single hook	200	10	12		51.8x39x17	35/33
			Double hook	400	5	6			
PA500B		1000	Single hook	250	10	12			36/34
			Double hook	500	5	6			
PA600B		1180	Single hook	300	10	12		52x41x17	37/35
			Double hook	600	5	6			
PA800B		1350	Single hook	400	10	12		52x44x17	41/39
			Double hook	800	5	6			
PA1000B		1500	Single hook	500	10	12	1	56.5x24.5x32.5	32/20
			Double hook	999	5	6			

Features

Copper winding motor
Upper limit device
Thermal protection terminal
Protection class IP40





HH200B HH250B HH300B
HH400B HH500B HH600B



WIRELESS CONTROLLER
OPTIONAL

Symbol	HH200B - HH300B	HH400B - HH600B
A(mm)	144	154
B(mm)	233.5	270
C(mm)	412	453
D(mm)	750	760

Model	Rated volt (V)	Input power (W)	Method of use	Rated lifting weight (kg)	Lifting speed (m/min)	Lifting height (m)	Qty/CTN (PCS)	Packing dimension (cm)	G.W./N.W. (kg)
HH200B	110-127	460	Single hook	100	10	12	1	43.5x30x29.5	14/13
			Double hook	200	5	6			
HH250B		560	Single hook	125	10	12			14.5/13.5
			Double hook	250	5	6			
HH300B		660	Single hook	150	10	12			15/14
			Double hook	300	5	6			
HH400B		850	Single hook	200	10	12		48.5x36.5x30.5	19/18
			Double hook	400	5	6			
HH500B		1000	Single hook	250	10	12			20/19
			Double hook	500	5	6			
HH600B		1180	Single hook	300	10	12			21/20
			Double hook	600	5	6			

Electric Hoist

KIMPORT



DH400D

Features

DC-powered
Overload limit device
Upper and lower limit device
Protection from incorrect connection of battery poles



Method of use	Single hook	Double hook
Voltage	12/24V DC	
Input Power(W)	400	
Rated Lifting weight(Kg)	200	400
Lifting speed(m/min)	4	2
Lifting height(m)	6	3
Rope diameter(mm)	3.8	
Qty/CTN(PCS)	2	
Packing dimension(cm)	50x40x17	
N.W.(kg)	22	


DH400D

Features

DC-powered
Overload limit device
Upper limit device
Protection from incorrect connection of battery poles



Method of use	Single hook	Double hook
Voltage	12/24V DC	
Input Power(W)	400	
Rated Lifting weight(Kg)	200	400
Lifting speed(m/min)	4	2
Lifting height(m)	6	3
Rope diameter(mm)	3.8	
Qty/CTN(PCS)	2	
Packing dimension(cm)	50x40x17	
N.W.(kg)	22	



BH250D

Features

Suspended style
Upper and lower limit device
60m extended wire rope
Fast lifting speed



Method of use	Single hook
Voltage	230V~50Hz
Input Power(W)	1300
Rated Lifting weight(Kg)	250
Lifting speed(m/min)	15
Lifting height(m)	60
Rope diameter(mm)	4.5
Qty/CTN(PCS)	1
Packing dimension(cm)	50x29x36.5
N.W.(kg)	32

BH250A

Features

Suspended style
Upper limit device
60m extended wire rope
Fast lifting speed



Method of use	Single hook
Voltage	230V~50Hz
Input Power(W)	1300
Rated Lifting weight(Kg)	250
Lifting speed(m/min)	15
Lifting height(m)	60
Rope diameter(mm)	4.5
Qty/CTN(PCS)	1
Packing dimension(cm)	50x29x36.5
N.W.(kg)	32

Electric Chain Hoist

KIMPORT

BDH150



Method of use	Single hook
Voltage	120/230V
Input Power(W)	250/205
Lifting weight(Kg)	150
Lifting speed(m/min)	3/2.3
Lifting height(m)	3
Chain diameter(mm)	4
Qty(PCS)	1
Packing dimension(cm)	31.4 x 30 x 24.4
N.W.(kg)	7.9

BDH300



Method of use	Single hook
Voltage	120/230V
Input Power(W)	420/410
Lifting weight(Kg)	300
Lifting speed(m/min)	4/3
Lifting height(m)	3
Chain diameter(mm)	5
Qty(PCS)	1
Packing dimension(cm)	36.6 x 36.6 x 28.3
N.W.(kg)	14.3

BDH500



Method of use	Single hook
Voltage	120/230V
Input Power(W)	650/540
Lifting weight(Kg)	500
Lifting speed(m/min)	4/2.8
Lifting height(m)	3
Chain diameter(mm)	6.3
Qty(PCS)	1
Packing dimension(cm)	47.5 x 36.5 x 32
N.W.(kg)	18.5

BDH1000



Method of use	Single hook
Voltage	120/230V
Input Power(W)	1400/1100
Lifting weight(Kg)	999
Lifting speed(m/min)	3/3.2
Lifting height(m)	3
Chain diameter(mm)	7.1
Qty(PCS)	1
Packing dimension(cm)	48.5 x 48.5 x 32
N.W.(kg)	32.5

Hand Winch

KIMPORT

HW2000



HW2500



HW2000S



HW2500S



Model	HW2000 HW2000S	HW2500 HW2500S
Capacity(lbs)	2000	2500
Cable length(ft)	7.6(25)	
Strap length(ft)	6.0(20)	
Qty/CTN(PCS)	6	
Packing dimension(cm)	49.5×44.5×17.5	
G.W./N.W.(kg)	30/28	32/30

Rotary Hoist Frame

HST-600-750B




Rated hanging weight(kg)	600
Rated Lifting length(mm)	750
Qty/CTN(PCS)	4
Packing dimension(cm)	86x19x21
G.W./N.W.(kg)	19/18


HST-300-1100B



Rated hanging weight(kg)	300
Rated Lifting length(mm)	1100
Qty/CTN(PCS)	4
Packing dimension(cm)	86x19x21
G.W./N.W.(kg)	27.2/25.2

Schematic






Electric Trolley

KIMPORT









WIRELESS CONTROLLER
OPTIONAL

4 WAY WIRED CONTROLLER
OPTIONAL







MANUAL TROLLEY TD1M
OPTIONAL


TD1

Features

120V or 230Vpower supply
Simple to install and easy to use
To be used with electric hoist or chain block etc.
With balance wheel for smooth running on the "I" beam, patent design
Widely used in workshop, mine, dock, warehouse and construction sites etc.

Rated loading weight(kg)	1000				
Tested loading weight(kg)	1250				
Rated volt(V)	230V/52Hz		120V/60Hz		
Input power(W)	180/220				
Moving speed(m/min)	15/16.4				
Assembling height(m)	3				
Min radius of crooked track(m)	1				
Main measurement	A(mm)	B(mm)	C(mm)	D(mm)	F(mm)
	301	178	350	253	5
steel beam recommended	Model of steel beam		Width of track(mm)		
	10-22		68-110		
N.W.(kg)	14.5				
Packing dimension(cm)	35.5x30.5x21				





TD1D

Rated loading weight(kg)	999	
Tested loading weight(kg)	1250	
Rated volt(V)	230V/50Hz	
Input power(W)	200	
Moving speed(m/min)	16	
Assembling height(m)	3	
Min radius of crooked track(m)	1	
steel beam recommended	Model of steel beam	Width of track(mm)
	10-22	68-110
N.W.(kg)	15	
Packing dimension(cm)	36.5x32.5x27	

Features

120V or 230Vpower supply
Simple to install and easy to use
To be used with electric hoist or chain block etc.
With balance wheel for smooth running on the "I" beam, patent design
Widely used in workshop, mine, dock, warehouse and construction sites etc.



FEATURES:

Powerful brushless motor, more energy-saving and efficient, small size with powerful.

Infinitely Variable speed control, smoothly start and stop, free lifting.

All-aluminum body, light weight and compact appearance. Net weight is 10kg only without chain.

With emergency stop switch and overload protection, long service life and more safe.

CNC machining 6-groove sprocket with high-precision, free lifting without chain skipping.

Low voltage contactless magnetic switch, more safe and durable

SPECIFICATIONS	TSH-100	TSH-200	TSH-250	TSH-500
Voltage	AC 220 V, 50 Hz	AC 220 V, 50 Hz	AC 220 V, 50 Hz	AC 220 V, 50 Hz
Rated power	460 W	450 W	1350W	1350 W
Rated current	3.5A	3.3A	9A	9A
Rated load	100 kg	200 kg	250 kg	500kg
Lifting speed	0-16.0 m/min	0-8.0 m/min	0-22.0 m/min	0-12.0 m/min
Lifting height	5 m	5 m	5 m	5 m
Insulation grade	B	B	B	B
Chain diameter	4.0 mm	4.0 mm	6.3mm	6.3 mm
Duty classes	M5	M5	M5	M5
Chain tensile strength	≥ 900 N/mm	≥ 900 N/mm	≥ 900 N/mm	≥ 900 N/mm
Protection class	Ip54	Ip54	Ip54	Ip54
Working duty	S3 50% -10 min	S3 50% -10 min	S3 50% -10 min	S3 50% -10 min
Operating temperature	0-40 ° C	0-40 ° C	0-40 ° C	0-40 ° C
Speed ratio	34.3: 1	72.3: 1	27.9: 1	46.3: 1
Net weight	13kg	13kg	32.5kg	32.5kg



NEW GENERATION
TSHX SERIES
IN-LINE SLIDE INFINITELY VARIABLE SPEED ELECTRIC CHAIN HOIST

FEATURES:

Powerful brushless motor, more energy-saving and efficient, small size with powerful.

In-Line Slide, Infinitely variable speed control, smoothly start and stop, free lifting.

All-aluminum body, light weight and compact appearance. Net weight is 10kg only without chain.

With emergency stop switch and overload protection, long service life and more safe.

CNC machining 6-groove sprocket with high precision, free lifting without chain skipping.

Low voltage contactless magnetic slide switch, more safe and durable

APPLICATIONS:

Auto assembly (engines, transmissions, instrument boards, auto seats, glass, chassis components etc.)

Natural gas, oil and other energy industries (valve, drilling components etc.)

Aerospace, military and other industries heavy equipment manufacturing and processing

Tool & die changeouts

Equipment maintenance and repair

Finish machining

Parts assembly

Repetitive lifting jobs

Product packaging

Workshop and warehouse loading and unloading



TSHXI

SPECIFICATIONS	TSHX/TSHXI-100	TSHX/TSHXI-200	TSHX/TSHXI-250	TSHX/TSHXI-500
Voltage	AC 220 V, 50 Hz	AC 220 V, 50 Hz	AC 220 V, 50 Hz	AC 220 V, 50 Hz
Rated power	460 W	450 W	1350W	1350W
Rated current	3.5A	3.3A	9A	9A
Rated load	100 kg	200 kg	250 kg	500 kg
Lifting speed	0-16.0 m/min	0-8.0 m/min	0-22.0 m/min	0-12.0 m/min
Lifting height	5 m	5 m	5 m	5 m
Insulation grade	B	B	B	B
Chain diameter	4.0 mm	4.0 mm	6.3 mm	6.3 mm
Duty classes	M5	M5	M5	M5
Chain tensile strength	≥ 900 N/mm	≥ 900 N/mm	≥ 900 N/mm	≥ 900 N/mm
Protection class	Ip54	Ip54	Ip54	Ip54
Working duty	S3 50% -10 min	S3 50% -10 min	S3 50% -10 min	S3 50% -10 min
Operating temperature	0-40 ° C	0-40 ° C	0-40 ° C	0-40 ° C
Speed ratio	34.3: 1	72.3: 1	27.9: 1	46.3: 1
Net weight	13kg	13kg	32.5kg	32.5kg



NEW GENERATION
TSHi AND QH SERIES INTELLIGENT ELECTRIC CHAIN HOIST

BADA's new generation TSHi and QH seris Intelligent Electric Chain Hoists use an industrial processor controlled drive system, and consist of motor, driver, load sensor, limit switch, photoelectric switch etc., with in-line slide, float, pinpoint precision of three modes, the operators can efficiently and freely lift and handle materials. TSHi and QH has the characteristics of ergonomic industrial design, high precision, speed controllability, low headroom, intelligence, simple operation, high efficiency, safety and reliability.



APPLICATIONS:

Auto assembly (engines, transmissions, instrument boards, auto seats, glass, chassis components etc.)

Natural gas, oil and other energy industries (valve, drilling components etc.)

Aerospace, military and other industries heavy equipment manufacturing and processing

Tool & die changeouts

Equipment maintenance and repair

Finish machining

Parts assembly

Repetitive lifting jobs

Product packaging

Workshop and warehouse loading and unloading

SPECIFICATIONS	TSHi-100	TSHi-200	TSHi-250	TSHi-500
Voltage	220 V, 50 Hz	220 V, 50 Hz	220 V, 50 Hz	220 V, 50 Hz
Rated power	460W	450W	1350W	1350W
Rated current	3.5A	3.3A	9A	9A
Rated load	100kg	200kg	250kg	500kg
Lifting speed	0-16m/min	0-8m/min	0-22m/min	0-12m/min
Lifting height	5m	5m	5m	5m
Insulation grade	B	B	B	B
Chain diameter	4.0mm	4.0mm	6.3mm	6.3mm
Duty classes	M5	M5	M5	M5
Chain tensile strength	≥900 N/mm²	≥900 N/mm²	≥900 N/mm²	≥900 N/mm²
Protection class	Ip54	Ip54	Ip54	Ip54
Working duty	S3 50% - 10 min	S3 50% - 10 min	S3 50% - 10 min	S3 50% - 10 min
Operating temperature	0-40℃	0-40℃	0-40℃	0-40℃
Net weight	16kg	16kg	35.5kg	35.5kg

SPECIFICATIONS	QH-250	QH-500
Voltage	220 V, 50 Hz	220 V, 50 Hz
Rated power	1200W	1200W
Rated current	7.9A	7.9A
Rated load	250kg	500kg
Lifting speed	0-22m/min	0-12m/min
Lifting height	5m	5m
Insulation grade	B	B
Chain diameter	6.3mm	6.3mm
Duty classes	M5	M5
Chain tensile strength	≥900 N/mm²	≥900 N/mm²
Protection class	Ip54	Ip54
Working duty	S3 50% - 10 min	S3 50% - 10 min
Operating temperature	0-40℃	0-40℃
Speed ratio	27.9：1	46.3：1
Net weight	37kg	37kg

Electric Winch

KIMPORT

Electric winches are most commonly used to pull an automobile, boat, crane, truck, or other piece of equipment from a problematic area. If a car goes off the road and down into a ravine, for example, trucks with electric winches are used to hook the car and pull it back to the road. Electric winches can also be used to tug boats to safety. There have even been rare instances in which electric winches have helped save large animals from tricky holes and pits



1 Power cord

For DC motor use only. Connect the red power cord to the positive (+) terminal of the battery and connect the black power cord to the negative (-) terminal of the battery

2 Permanent magnet DC motor

With the features of high torque and speed.

3 Control box

Solenoid assembly, controlling power in and out to wind and release the wire rope.

4 Wire rope

7 x 19 structure, Periodically check the wire rope, if the wire rope has become worn or is beginning to show signs of strands breaking, it must be replaced before being used again. (Please refer to the manual for details)

5 Roller fairlead


When using the winch at an angle the roller fairlead acts to guide the wire rope onto the drum and minimizes damage to the wire rope from abrasion on the winch mount or bumper

6 NGW planetary

Three-stage planetary gearing with the features of compact design and high efficiency.

7 Free-spooling clutch

The clutch allows the operator to manually disengage ("Out") the spooling drum from the gear train, free spool Engaging the clutch ("In") locks the winch to the gear system





Ideal for ATV' S, snow-mobiles. and other recreational uses

Great loading tool for pickups and trailer


Electric Winch

Electric winches come in different shapes and sizes. A cable is attached to a spool, which is attached to the motor. A gear lever turns the spool in order to release the cable. Once the cables of an electric winch are extended to the vehicle or object in need of towing, the gear levers are pushed in the opposite direction of the object. This causes the spool to wind up. As the spool winds, the cables are pulled back in. This causes the object to be pulled safely to where it belongs. Electric winches also come standard with an automatic brake and a handheld remote control. Electric winches can be easily installed to the back of a truck, boat, or solid surface.

Electric Winch

KIMPORT

DW750






Rated line pull	750lbs(340kgs)
Motor data	12V DC 0.4KW/0.53HP
Gear reduction ratio	153:1
Cable(Dia.×L)	Φ0.12"×25'(Φ3mm×7.6m)
Drum size(Dia.×L)	Φ1.26"×2.87"(Φ32mm×73mm)
Mounting bolt pattern	3.15"(80mm)2-M8
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	750(340)	8.46(2.58)					
2	640(291)	18.37(5.6)	0	10(3.05)	12(3.65)	4	2.5
3	558(253)	25(7.6)	500(227)	8.2(2.5)	10(3.05)	12	7
–	–	–	750(340)	5.9(1.8)	8(2.44)	25	14

DW1500






Rated line pull	1500lbs(682kgs)
Motor data	12V DC 0.6KW/0.8HP 24V DC 0.7KW/0.9HP
Gear reduction ratio	153:1
Cable(Dia.×L)	Φ0.156"×25'(Φ4mm×7.6m)
Drum size(Dia.×L)	Φ1.26"×2.87"(Φ32mm×73mm)
Mounting bolt pattern	3.15"(80mm)2-M8
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	1500(682)	6.5(1.98)					
2	1227(558)	14.44(4.4)	0	14(4.26)	15.5(34.72)	4	2.5
3	1038(472)	23.82(7.26)	500(227)	10(3.05)	11(3.35)	12	7
4	900(409)	25(7.6)	1000(454)	8(2.44)	9(2.74)	25	15
–	–	–	1500(682)	4(1.52)	5(1.52)	40	25

DW2000 CE






Rated line pull	2000lbs(909kgs)
Motor data	12V DC 0.7KW/0.95HP 24V DC 0.8KW/1.1HP
Gear reduction ratio	253:1
Cable(Dia.×L)	Φ0.19"×25'(Φ4.8mm×7.6m)
Drum size(Dia.×L)	Φ1.5"×3.15"(Φ38mm×80mm)
Mounting bolt pattern	4.84"×3"(123mm×76mm)4-M8
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	2000(909)	7.2(2.2)					
2	1633(742)	16(4.9)	0	9(2.74)	10(3.05)	8	5
3	1380(627)	25(7.6)	1000(454)	5.9(1.8)	6.5(1.98)	25	14
–	–	–	1500(682)	4(1.22)	5(1.52)	40	22
–	–	–	2000(909)	2(0.6)	2.2(0.67)	62	35

DW2500 CE






Rated line pull	2500lbs(1136kgs)
Motor data	12V DC 0.9KW/1.2HP 24V DC 1.0KW/1.36HP
Gear reduction ratio	253:1
Cable(Dia.×L)	Φ0.2"×46'(Φ5.1mm×14m)
Drum size(Dia.×L)	Φ1.5"×3.15"(Φ38mm×80mm)
Mounting bolt pattern	4.84"×3"(123mm×76mm)4-M8
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	2500(1136)	6.56(2)	0	9(2.74)	10(3.05)	13	6.5
2	2021(918)	14.76(4.5)	500(227)	7.5(2.28)	8.2(2.5)	40	20
3	1696(771)	24.6(7.5)	1000(454)	5.9(1.8)	6.5(1.98)	68	35
4	1462(664)	36(11)	2000(909)	2(0.6)	2.2(0.67)	95	52
5	1284(583)	46(14)	2500(1136)	1(0.3)	1.2(0.36)	150	82

DW3000






Rated line pull	3000lbs(1363kgs)
Motor data	12V DC 0.95KW/1.3HP 24V DC 1.05KW/1.4HP
Gear reduction ratio	253:1
Cable(Dia.×L)	Φ0.22"×46'(Φ5.6mm×14m)
Drum size(Dia.×L)	Φ1.5"×3.15"(Φ38mm×80mm)
Mounting bolt pattern	4.84"×3"(123mm×76mm)4-M8
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	3000(1363)	6.07(1.85)	0	9(2.74)	10(3.05)	14	7
2	2386(1084)	13.68(4.17)	500(227)	7.5(2.28)	8.2(2.5)	50	30
3	1981(900)	22.96(7)	1000(454)	5.9(1.8)	6.5(1.98)	100	55
4	1694(770)	33.8(10.3)	2000(909)	2(0.6)	2.2(0.67)	160	86
5	1479(672)	46(14)	3000(1363)	1(0.3)	1.2(0.36)	200	110

DW3500 CE






Rated line pull	3500lbs(1591kgs)
Motor data	12V DC 1.2KW/1.6HP 24V DC 1.3KW/1.8HP
Gear reduction ratio	145:1
Cable(Dia.×L)	Φ0.22"×46'(Φ5.6mm×14m)
Drum size(Dia.×L)	Φ2.16"×2.95"(Φ55mm×75mm)
Mounting bolt pattern	4.84"×3"(123mm×76mm)4-M8
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	3500(1591)	7.8(2.38)	0	16(4.88)	18(5.48)	15	7
2	2954(1343)	17.06(5.2)	500(227)	12.5(3.81)	14(4.26)	50	20
3	2555(1161)	27.76(8.46)	1000(909)	9.6(2.92)	10.5(3.2)	130	75
4	2251(1023)	39.7(12.1)	2000(909)	4(1.22)	4.5(1.37)	200	110
5	2021(919)	46(14)	3500(1591)				

Electric Winch

KIMPORT

DW4000






Rated line pull	4000lbs(1818kgs)
Motor data	12V DC 1.3KW/1.75HP 24V DC 1.4KW/1.9HP
Gear reduction ratio	145:1
Cable(Dia.×L)	Φ0.24"×39'(Φ6.0mm×12m)
Drum size(Dia.×L)	Φ2.16"×2.95"(Φ55mm×75mm)
Mounting bolt pattern	4.84"×3"(123mm×76mm)4-M8
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	4000(1818)	7.87(2.4)					
2	3376(1534)	17.26(5.26)	0	16(4.88)	18(5.48)	16	8
3	2920(1327)	28.2(8.59)	500(227)	12.5(3.81)	14(4.26)	50	20
4	2573(1169)	39(12)	2000(909)	9.6(2.92)	10.5(3.2)	130	75
–	–	–	4000(1818)	4(1.22)	4.5(1.37)	220	120

DW4500 CE






Rated line pull	4500lbs(2045kgs)
Motor data	12V DC 1.5KW/2.0HP 24V DC 1.6KW/2.2HP
Gear reduction ratio	145:1
Cable(Dia.×L)	Φ0.24"×39'(Φ6.0mm×12m)
Drum size(Dia.×L)	Φ2.16"×2.95"(Φ55mm×75mm)
Mounting bolt pattern	4.84"×3"(123mm×76mm)4-M8
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	4500(2045)	7.87(2.4)					
2	3798(1726)	17.26(5.26)	0	16(4.88)	18(5.48)	17	9
3	3285(1493)	28.2(8.59)	500(227)	12.5(3.81)	14(4.26)	50	20
4	2895(1316)	39(12)	2000(909)	9.6(2.92)	10.5(3.2)	130	75
–	–	–	4500(2045)	3(0.914)	3.5(1.07)	245	130

DW5000 CE






Rated line pull	5000lbs(2272kgs)
Motor data	12V DC 1.7KW/2.3HP 24V DC 1.8KW/2.45HP
Gear reduction ratio	294:1
Cable(Dia.×L)	Φ0.24"×79'(Φ6.0mm×24m)
Drum size(Dia.×L)	Φ2.48"×5.5"(Φ63mm×140mm)
Mounting bolt pattern	6.5"×4.5"(165mm×114mm)4-M10
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	5000(2272)	15.98(4.87)					
2	4259(1936)	34.78(10.6)	0	15(4.57)	17(5.18)	18	10
3	3709(1686)	56.43(17.2)	1000(454)	11(3.35)	13(3.96)	100	55
4	3285(1493)	79(24)	3000(1363)	8(2.44)	10(3.05)	200	110
–	–	–	5000(2272)	5(1.52)	6(1.83)	290	150

DW6000






Rated line pull	6000lbs(2727kgs)
Motor data	12V DC 1.9KW/2.6HP 24V DC 2.0KW/2.7HP
Gear reduction ratio	294:1
Cable(Dia.×L)	Φ0.24"×92'(Φ6.0mm×28m)
Drum size(Dia.×L)	Φ2.48"×8.98"(Φ63mm×228mm)
Mounting bolt pattern	10"×4.5"(254mm×114mm)4-M10
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	6000(2727)	26.67(8.13)	0	13(3.96)	17(5.18)	20	10
2	5111(2323)	57.97(17.67)	2000(909)	11(3.35)	13(3.96)	160	85
3	4451(2023)	92(28)	4000(1818)	9(2.74)	10(3.05)	220	120
–	–	–	6000(2727)	6(1.83)	7(2.13)	320	175

DW8000 CE






Rated line pull	8000lbs(3636kgs)
Motor data	12V DC 2.8KW/3.8HP 24V DC 3.0KW/4.1HP
Gear reduction ratio	294:1
Cable(Dia.×L)	Φ0.32"×95'(Φ8mm×29m)
Drum size(Dia.×L)	Φ2.48"×8.98"(Φ63mm×228mm)
Mounting bolt pattern	10"×4.5"(254mm×114mm)4-M10
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	8000(3636)	20.87(6.36)	0	13(3.96)	15(4.57)	20	16
2	6528(2967)	46.42(14.15)	2000(909)	11(3.35)	13(3.96)	100	60
3	5514(2506)	76.67(23.37)	4000(1818)	9(2.74)	10.5(3.2)	150	95
4	4773(2169)	95(29)	6000(2727)	6(1.83)	7(2.13)	200	125
–	–	–	8000(3636)	4.5(1.37)	5(1.52)	220	175

DW8500






Rated line pull	8500lbs(3863kgs)
Motor data	12V DC 3.0KW/4.1HP 24V DC 3.2KW/4.35HP
Gear reduction ratio	294:1
Cable(Dia.×L)	Φ0.36"×92'(Φ9.2mm×28m)
Drum size(Dia.×L)	Φ2.48"×8.98"(Φ63mm×228mm)
Mounting bolt pattern	10"×4.5"(254mm×114mm)4-M10
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	8500(3863)	18.24(5.56)	0	13(3.96)	15(4.57)	30	16
2	6773(3078)	41.11(12.53)	2000(909)	11(3.35)	13(3.96)	120	60
3	5630(2559)	68.63(20.92)	4000(1818)	9(2.74)	10.5(3.2)	180	95
4	4817(2189)	92(28)	6000(2727)	6(1.83)	7(2.13)	230	125
–	–	–	8500(3863)	5(1.52)	6(1.83)	350	185

Electric Winch

KIMPORT

DW9000






Rated line pull	9000lbs(4091kgs)
Motor data	12V DC 3.5KW/4.8HP 24V DC 3.7KW/5.0HP
Gear reduction ratio	294:1
Cable(Dia.×L)	Φ0.36"×92'(Φ9.2mm×28m)
Drum size(Dia.×L)	Φ2.48"×8.98"(Φ63mm×228mm)
Mounting bolt pattern	10"×4.5"(254mm×114mm)4-M10
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
			lbs(kgs)	12V DC	24V DC	12V DC	24V DC
1	9000(4091)	18.24(5.56)	lbs(kgs)	12V DC	24V DC	12V DC	24V DC
2	7172(3260)	41.11(12.53)	0	13(3.96)	15(4.57)	32	18
3	5961(2709)	68.63(20.92)	2000(909)	11(3.35)	13(3.96)	120	60
4	5100(2318)	92(28)	4000(1818)	9(2.74)	10.5(3.2)	180	95
–	–	–	6000(2727)	6(1.83)	7(2.13)	230	125
–	–	–	9000(4091)	4.5(1.37)	5(1.52)	380	205

DW10000 CE






Rated line pull	10000lbs(4545kgs)
Motor data	12V DC 4.0KW/5.0HP , 24V DC 4.5KW/5.5HP , Series Wound
Gear reduction ratio	265:1
Cable(Dia.×L)	Φ0.36"×92'(Φ9.2mm×28m)
Drum size(Dia.×L)	Φ2.52"×8.82"(Φ64mm×224mm)
Mounting bolt pattern	10"×4.5"(254mm×114mm)4-M10
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull lbs(kgs)	Line speed Ft/min(m/min)	Current A	
					12V DC	12V DC
1	10000(4545)	16.67(5.08)	0	25.5(7.75)	70	40
2	7969(3622)	37.8(11.52)	2000(907)	14.9(4.55)	120	85
3	6623(3010)	63.32(19.3)	6000(2727)	8.8(2.7)	220	160
4	5667(2576)	92(28)	8000(3636)	7(2.15)	280	180
–	–	–	10000(4545)	5.9(1.8)	320	200

DW12000 CE





Rated line pull	12000lbs(5454kgs)
Motor data	12V 4.5KW/5.0HP , 24V 5.0KW/5.5HP , DC Series Wound
Gear reduction ratio	265:1
Cable(Dia.×L)	Φ0.36"×92'(Φ9.2mm×28m)
Drum size(Dia.×L)	Φ2.52"×8.82"(Φ64mm×224mm)
Mounting bolt pattern	10"×4.49"(254mm×114mm)4-M12
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull lbs(kgs)	Line speed Ft/min(m/min)	Current A	
					12V DC	12V DC
1	12000(5454)	16.67(5.08)	0	21.3(6.5)	70	40
2	9485(4311)	37.8(11.52)	6000(2727)	7.9(2.4)	220	160
3	7842(3564)	63.32(19.3)	8000(3636)	6.5(2)	260	180
4	6684(3038)	92(28)	10000(4545)	5.8(1.75)	320	200
–	–	–	12000(5454)	4.4(1.35)	350	220


DW1000



Rated line pull	1000lbs(454kgs)
Motor data	12V DC 0.6KW/0.8HP
Gear reduction ratio	153:1
Strap(W.×L)	0.98"×17.7'(25mm×4.5m)
Drum size	1.5"(d)×1.1"(L)/38(D)×28(L)mm

Line pull lbs(kgs)	Line speed Ft/min(m/min)	Current(A)
0	13.0(4.0)	2
1000(454)	3.3(1.0)	50

DW1





Rated line pull	2000lbs(909kgs)
Motor data	12V DC 0.8KW/1.1HP 24V DC 0.9KW/1.2HP
Gear reduction ratio	153:1
Cable(Dia.×L)	Φ0.19"×25'(Φ4.8mm×7.6m)
Drum size(Dia.×L)	Φ1.26"×2.87"(Φ32mm×73mm)
Mounting bolt pattern	3.15"(80mm)2-M18
Line Pull And Rope Capacity Inlayer	Pull,Speed,Amperes,Volts(First layer)

Layer	Rated Line Pull (Lbs/kgs)	Total Rope On Drum ft (m)	Line Pull	Line speed Ft/min(m/min)		Current A	
1	2000(909)	5.5(1.68)	lbs(kgs)	12V DC	24V DC	12V DC	24V DC
2	1586(721)	12.43(3.79)	0	14(4.26)	15.5(4.72)	8	5
3	1314(597)	20.8(6.34)	1000(454)	10(3.05)	11(3.35)	35	20
4	1121(509)	25(7.6)	1500(682)	8(2.44)	9(2.74)	58	35
–	–	–	2000(909)	4(1.22)	5(1.52)	85	45

DW3 CE



12V DC,Max.40A,0.4hp(0.30kw)Permanent magnet motor
Capactity: 6000lb(2722kg) Rolling
5000lb(2268kg)Marine
2000lb(907kg)Pulling capacity
Line speed: 6'(1.8m/min)with load
Wire rope (Dia.x L): 0.2"× 30'(5.1mm x 9m)
Power cord: 15'(4.5);Remote control cable:9.9'(3.0m)
Mounting plate and Hand crank included
Overall dimensions(LXWXH): 9.5"×10"×7.5"(240mm×254×190mm)
Packing Dimension: 60×37×26.5cm
G.W./N.W.:24/22kg


DW4 CE



12V DC,Max.50A,0.6hp(0.48kw)Permanent magnet motor
Capactity: 9000lb(4082kg) Rolling
7000lb(3175kg)Marine
3000lb(3161kg)Pulling capacity
Line speed: 6'(1.8m/min)with load
Wire rope (Dia.x L): 0.22"× 30'(5.6mm x 9m)
Power cord: 15'(4.5);Remote control cable:9.9'(3.0m)
Mounting plate and Hand crank included
Overall dimensions(LXWXH): 10.25"×12"×7.6"(260mm×305×193mm)
Packing Dimension: 35×33.5×24.5cm
G.W./N.W.:16/15kg

Tie Mounts

自粘式定位片
Self-adhesive Tie Mounts




◆材质：采用ABS及UL认可之尼龙66料制成，防火等级94V-2。背附进口双面海棉胶，绝缘性能良好、耐久性、不易老化。
◆使用方法：将定位片海棉胶撕开，贴于机板固定，再用扎带捆扎电线。
◆用途：省时、简便，供面板不可以钻孔时使用。

◆Material: ABS、Nylon 66, 94V-2 ,certificated by UL, the back attached sponge glue imported .
◆Usage: Peel the sponge glue and stick on the wall then, bundle the wire with cable ties.
◆Application: for bundling wires and other things save time and convenient , used for the wall which can't be made a hole in.

Underwriters
Laboratories Inc.
File E 359184
TYPE 21

编 号 Item NO.	长×宽(L×W) (mm)	高(H) (mm)	T (mm)	螺丝孔 Screw Hole(mm)
TM-20	20×20	6.1	5.0	2.9
TM-25	25×25	7.5	6.2	3.5
TM-30	30×30	8.7	6.4	4.5
TM-40	40×40	6.4	10.8	/
AAM-1	19×19	4.6	4.4	/
AAM-2	28×28	6.4	5.4	5.5




TM　　AAM-1　　AAM-2


自粘式定位线夹
Self-adhesive Tie Mounts




◆Material: Nylon 66, (C-1;C-2).certificated by UL, high grade steel or stainless steel ; sponge double side sticker.
◆Usage: remove the sticker protect paper, stick the clip on the wall, then put the wire through the clip..
◆Character:convenient for use, it is especial suit for the no-holes of wall.



C-1



C-2



CB

编 号 Item NO.	长×宽(L×W) (mm)	材料 Matrial	背胶 Gum
C-1	17×12	PA66	3M
C-2	20×14	PA66	
CB-3	20×10	Steel	
CB-4	25×15		
CB-5	30×20		

Expand Plugs

膨胀管


◆材质：采用PE料制成。

◆颜色：白、灰

Expand Plugs

◆Material：made of PE.

◆Color：White 、Grey.



RT型膨胀管


◆材质：采用PE料制成。

◆颜色：白、灰、彩色

RT Expand Plugs

◆Material：made of PE.

◆Color：White 、Grey、Color.





膨胀管

编 号 Item NO.	长(L) (mm)	外 径(D) (mm)	内 径(d) (mm)	螺丝钉 Screw (mm)
EN–06 × 30	30.0	6.0	5.0	Φ4 × 30
EN–07 × 30	30.0	7.0	5.6	Φ5 × 30
EN–08 × 40	39.0	8.0	5.4	Φ5 × 40
EN–08 × 80	80.0	8.0	6.0	Φ5.5 × 80
EN–10 × 45	44.0	10.0	5.8	Φ5 × 45
EN–10 × 100	100.0	10.0	7.5	Φ6.5 × 100
EN–12 × 50	48.3	11.6	6.3	Φ6 × 50
EN–12 × 60	58.6	12.0	9.8	Φ6 × 60
EN–14 × 70	70.0	14.0	11.5	Φ10 × 70

RT型膨胀管

编 号 Item NO.	长(L) (mm)	外 径(D) (mm)	内 径(d) (mm)	螺丝钉 Screw (mm)
RT–06 × 30	30.0	6.0	5.0	Φ4 × 30
RT–06 × 50	50.0	6.0	4.6	Φ4 × 50
RT–07 × 35	35.0	7.0	5.8	Φ4 × 35
RT–08 × 40	39.0	8.0	6.5	Φ5 × 40
RT–08 × 65	65.0	8.0	6.2	Φ6 × 65
RT–10 × 50	50.0	10.0	8.5	Φ6 × 50
RT–10 × 80	80.0	10.0	8.0	Φ8 × 80
RT–12 × 60	58.8	11.7	10.1	Φ7 × 60
RT–14 × 70	70.0	14.0	11.2	Φ10 × 70

长型膨胀管

◆材质：采用PE料制成。

◆颜色：白、灰

Expand Plugs

◆Material：made of PE.

◆Color：White 、Grey.



编 号 Item NO.	长(L) (mm)	外 径(D) (mm)	内 径(d) (mm)	螺丝钉 Screw (mm)
EN–08L	78.0	8.0	6.0	Φ5.5 × 85
EN–10L	99.0	10.0	7.5	Φ7.0 × 102

Cable Tie Holder


P型膨胀管夹

◆材质： PPR
◆用于固定适合外径的管材，若 PPR 管， PVC 管，PE 管等。

P Type Clips

★ NEW

◆Material: PPR
◆Used to fix pipes suitable for outer diameter, such as PPR pipes, PVC pipes,PE pipes, etc.






编 号 Item NO.	尺寸Size			螺钉尺寸Nail size (mm)	备注 Remark
	A	B	L		
Am16	6	16	25.5	M4-45	
AM20	8	20	30	M4-50	
AM24	10	24	40.5	M6-60	
AM32	10	32	40.5	M6-70	

扎带固定座

◆材质：采用PA料制成。
◆颜色：白、黑

Cable Tie Holder


◆Material：made of PA.
◆Color：White 、Black.





编 号 Item NO.	A(mm)	B(mm)	H1(mm)	H2(mm)	外 径(D)(mm)
CTH-1	10	14.8	40.2	5.9	10

扎带固定座 Cable Tie Holder






编 号 Item NO.	H(mm)	L(mm)	W(mm)	孔 径 D(mm)
CTH-2A	9.5	22	16	4.5
CTH-2B	9.5	22	16	6.8
CTH-2C	9.5	22	16.5	5.8
CTH-2D	11.8	29	15	5.2
CTH-2E	7	16	10.8	3.8
CTH-2F	12	25	14.5	6.5

Saddle Type Clip


扎带固定头 Cable Tie Holder






编 号 Item NO.	L(mm)	L1(mm)	A(mm)	孔 径 D(mm)
CTH-3A	38	6	10	M7 x 1.5
CTH-3B	39	7	10	M6 x 1.5

马鞍型管夹 Saddle Type Clip





编 号 Item NO.	A(mm)	B(mm)	H(mm)	+ CTH-3A
SCP-16	16	22	26	ECP-16
SCP-20	20	26	28	ECP-20
SCP-25	25	30	35	ECP-25


马鞍型管夹（可连接） Saddle Type Clip



编 号 Item NO.	A(mm)	B(mm)	H(mm)
CCP-16	16	21	24.5
CCP-20	20	25.4	28
CCP-25	25	31	30.2
CCP-32	32	44	43.2

R-type Cable Clamps


马鞍型线夹 Sq Wire Holder





编 号 Item NO.	L1(mm)	L2(mm)	H(mm)	孔径(Φ) Hole Dia.(mm)
SQ-1	28	17.5	15.5	5.0
SQ-2	36	26	15.5	5.0

固定锁式管夹 Saddle Mounting Clip






编 号 Item NO.	A(mm)	B(mm)	L(mm)	卡管圆径(mm)
SMT-1	15.4	12.4	74	16\20
SMT-2	15.4	12.4	90	25

R型固定夹 R-type Cable Clamps

◆材质：UL认可之尼龙66，防火等级94V-2。
◆使用方法：将电缆置于固定扣内，再以螺丝固定。
◆Material：Nylon 66 94v-2 agreed by UL.
◆Usage： put cable in, fix by screw.






编 号 Item NO.	A(mm)	B(mm)	C(mm)		D(mm)
			mm	Inch	
CHS-1/8R	9.5	9.6	3.2	1/8"	19.8
CHS-3/16R	9.6	9.6	4.8	3/16"	19.8
CHS-1/4R	12.0	10.0	6.35	1/4"	22.0
CHS-5/16R	12.0	10.0	7.9	5/16"	22.0
CHS-3/8R	12.5	12.0	9.5	3/8"	24.0
CHS-1/2R	15.2	12.0	12.7	1/2"	31.0
CHS-5/8R	18.2	12.0	15.8	5/8"	34.3
CHS-3/4R	18.2	12.0	19.4	3/4"	35.0
CHS-1R	22.0	12.0	25.4	1"	43.0

Twist Lock


扭式束线扣 Twist Lock






编 号 Item NO.	A(mm)	D(mm)
TL-5	20	5.0
TL-8	26	8.3
TL-11	30	11.0
TL-13	30	13.3
TL-18	40	17.9
TL-23	43	22.7


隔离束线扣 Standoff Twist Lock



STL-11




STL-17



编 号 Item NO.	A(mm)	B(mm)	D(mm)	安装孔径 Hole Dia.(mm)
STL-11	68	14.3	11.0	Φ5.8
STL-17	51.5	14.3	17.0	Φ5.8

可调式固定座 Adjustable Cable Clamp







编 号 Item NO.	A(mm)	B(mm)	C(mm)	L(mm)	(最大)捆扎范围 Max.bundle Dia.(mm)
ADC-70	25.5	18.0	8.0	70	17.0
ADC-85	25.5	18.0	8.0	85	21.0

Security Cover

F型管夹 F-TYPE Clips



FTC–25SG




FTC–25DB




编 号 Item NO.	H(mm)	A(mm)	B(mm)	D(mm)
FTC–25SG	62.5	35	–	6.6
FTC–25DB	62.5	–	61	6.6

保护盖 Security Cover




SCR–3–1




SCF–1



电缆牌 Cable Tag



CTG–S




CTG–R



U-type Cable Clamps


U型线类 U-type Cable Clamps





编号 Item NO.	管径范围(mm)	L(mm)	R1(mm)	R2(mm)
UT3-6	3-6	32	8.0	-
UT5-10	5-10	45	12.0	-
UT11-18	11-18	55	16.0	-
UT19-25	19-25	65	23.0	-
UWP6-10	6-10	42	13.5	10.5
UWP6-12	6-12	43.5	15.5	12.5
UWP6-16	6-16	43	19.5	16.5
UWPPB6-12	6-12	42.5	30.0	-


自粘式分位固定座 Cable Clamp





编号 Item NO.	A(mm)	B(mm)	位数 Digit
SWC-1	22.5	12.5	1
SWC-3	54.0	14.2	3
SWC-6	87.0	14.2	6

配线固定座 Cable Clamp





编号 Item NO.	A ϕ (mm)	B(mm)	C(mm)	D(mm)
TS-0608	06-08	9.0	25.5	10
TS-1013	10-13	7.5	37.0	12.4
TS-1722	17-22	21.5	41.5	11

Corrugated Pipe


波纹管


◆材质：尼龙(PA6)/ 聚乙烯(PE)/ 聚丙烯(PP)阻燃等级HB，参照UL94。
◆环境温度：尼龙(PA6)-40℃~+115℃+150℃、聚乙烯(PE)-50℃~+80℃+100℃
聚丙烯(PP)-40℃~+110℃+130℃
◆供货颜色：黑色和灰色，其它颜色可询问。
◆产品特性：防止灰色、防止液体；耐油、耐酸、耐溶剂；不含卤素、硅、镉；柔软有韧性，表面优良的光泽，耐摩擦；抗扭曲，高机械强度；黑色耐紫外线。
◆应用领域：对工业电气装置进行绝缘、隔热、隔离保护。

Corrugated pipe

◆Material: polyamide (PA6) / polyethylene (PE) / polypropylene (PP) / HB according to UL 94.
◆Temp: polyamide (PA6)-40℃~+115℃+150℃
polyethylene (PE)-50℃~+80℃+100℃
polypropylene (PP)-40℃~+110℃+130℃
◆Colour: Black and grey.
◆Properties: Liquid and Dust proof; Highly resistant to oil, acid and solvents; Free of silicon, cadmium, halogen; Flexible, luster On Surface, abrasion resistant; Racking resistant high mechanical strength; Black tubings are UV-resistant.
◆Application: For protectively insulated electrical installations.







PA尼龙波纹管 PA Polyamide corrugated pipe

规 格 Thread	内径 × 外径 int. × ext.(mm)	弯曲半径 Dimensions mm ± 10%		每卷米数 米/卷 Lengths in rings m/roll
		静态 Stat	动态 Dyn	
AD10.0	6.5 × 10.0	14.0	35.0	100
AD11.6	8.00 × 11.6	17.0	40.0	100
AD13.0	9.50 × 13.0	20.0	45.0	100
AD15.8	12.0 × 15.8	27.0	55.0	100
AD18.5	14.3 × 18.5	35.0	65.0	100
AD21.2	17.0 × 21.2	40.0	75.0	100
AD25.5	21.0 × 25.5	43.0	85.5	100
AD28.5	23.0 × 28.5	47.0	100.0	50
AD34.5	29.0 × 34.5	58.0	120.0	50
AD42.5	36.0 × 42.5	69.0	150.0	50
AD54.5	48.0 × 54.5	83.0	190.0	25

PE聚乙烯波纹管 PE Polyethylene corrugated pipe

规 格 Thread	内径 × 外径 int. × ext.(mm)	弯曲半径 Dimensions mm ± 10%		每卷米数 米/卷 Lengths in rings m/roll
		静态 Stat	动态 Dyn	
AD10.0	6.5 × 10.0	13.0	33.0	100
AD11.6	8.00 × 11.6	15.0	37.0	100
AD13.0	9.50 × 13.0	18.0	41.0	100
AD15.8	12.0 × 15.8	22.0	50.0	100
AD18.5	14.3 × 18.5	33.0	61.0	100
AD21.2	17.0 × 21.2	38.0	72.0	100
AD25.5	21.0 × 25.5	40.0	80.0	100
AD28.5	23.0 × 28.5	44.0	92.0	50
AD34.5	29.0 × 34.5	53.0	113.0	50
AD42.5	36.0 × 42.5	61.0	140.0	50
AD54.5	48.0 × 54.5	78.0	180.0	25

Spiral Wrapping Bands

PP聚丙烯波纹管 PP Polyprogylene corrugated pipe

规 格 Thread	内径 × 外径 int. × ext.(mm)	弯曲半径 Dimensions mm ± 10%		每卷米数 米/卷 Lengths in rings m/roll
		静态 Stat	动态 Dyn	
AD10.0	6.5 × 10.0	16.0	37.0	100
AD11.6	8.00 × 11.6	18.0	43.0	100
AD13.0	9.50 × 13.0	21.0	48.0	100
AD15.8	12.0 × 15.8	26.0	56.0	100
AD18.5	14.3 × 18.5	37.0	70.0	100
AD21.2	17.0 × 21.2	44.0	79.0	100
AD25.5	21.0 × 25.5	49.0	88.0	100
AD28.5	23.0 × 28.5	52.0	104.0	50
AD34.5	29.0 × 34.5	58.0	123.0	50
AD42.5	36.0 × 42.5	68.0	152.0	50
AD54.5	48.0 × 54.5	84.0	193.0	25


卷式结束保护带(缠绕管)



◆材质：采用PE料制成。
◆使用方法：先用保护带固定起点一端，然后按顺时针方向环绕束紧，即可将电线束为一体。
◆用途：作为保护电线不受磨损及绝缘用，并可改进电线弯曲的美观。

Spiral Wrapping Bands

◆Material: made from PE.
◆Usage: fix one end with safety belt first, then circle the wires clockwise to make them tighen.
◆Application: a protection wear for electric wires, and make them insulation and look nice.



编 号 Item NO.	内 径(D) (mm)	外 径(D) (mm)	螺距(W) (mm)	捆扎范围 Wrapping Range (mm)	包 装 Packing
SWB–03	1.5	3.0	4.0	1.5–10	10M/ROLL
SWB–06	4	6	7.0	4–50	
SWB–08	6	8	10.8	6–60	
SWB–10	7.5	10	11.4	7.5–60	
SWB–12	9	12	13.9	9–65	
SWB–15	12	15	15.0	12–75	
SWB–19	15	19	18.2	15–100	
SWB–24	20	24	19.6	20–130	
SWB–30	26	30	43.0	26–150	

Spiral Cable Zip Wrap

实用型保护带(附夹子)

◆材质：采用PE料制成。
◆用途：作为保护电线不受磨损及绝缘用，并可改进电线弯曲的美观。

Spiral Cable Zip Wrap

◆Material: made from PE.
◆Application: a protection wear for electric wires, and make them insulation and look nice.



编 号 Item NO.	内 径 (mm)	包 装 Packing
CHT-15A	15	2M or 10M
CHT-20A	20	
CHT-25A	25	
CHT-30A	30	

扁型号码管

◆材质：采用优质PVC制成，能防止油性及其他物质侵蚀。
◆特点：适用于线径3.5MM到7.0MM之圆线或扁线用。

Flat Cable Markers

◆Material：made from PVC, oil and erosion control.
◆Feature：used for circle of flat wire size from 3.5mm-7.0mm.



编 号 Item NO.	适用电线 Approx Wire		号码 Markers	包 装 Packing
	SQ(mm^2)	mm		
EC-J	2~8	0.5~7.0	0~9 A~Z + - / \	500PCS/ROLL



号码带 Cable Markers Strips

编 号 Item NO.	长(L) (mm)	宽(W) (mm)	包 装 Packing
MS-65	65	10	100
MS-90	90	10	100
MS-130	130	10	100

Cable Markers

圆型号码管

◆材质：采用优质PVC制成，能防止油性及其他物质侵蚀，耐温至85℃

◆构造：号码管内部成凹型，具有弹性。内径能随着电线大小而伸缩。

Cable Markers

◆Material： made from PVC, oil and erosion control, heat resisting up to 85oC.

◆Struction： the inside is hollow, but elastic, The diameter can change with the needed wire.





编 号 Item NO.	适用电线 Approx Wire		号码 Markers	包 装 Packing
	SQ(mm²)	mm		
EC-0	0.75~1.5	2.0~3.2	0~9 A~Z + - /\	1000PCS/ROLL
EC-1	0.75~3.5	3.0~4.2		1000PCS/ROLL
EC-2	3.5~8.0	3.6~7.4		500PCS/ROLL
EC-3	5.2~10.0	5.2~10.0		350PCS/ROLL
EC-4	8~22	6.2~10.0		250PCS/ROLL



圆型号码管

Cable Markers

编 号 Item NO.	适用电线 Approx Wire		号码 Markers	包 装 Packing
	SQ(mm²)	mm		
MEC-0	0.75~1.5	2.0~3.2	0~9 A~Z + - /\	450PCS/ROLL
MEC-1	0.75~3.5	3.0~4.2		400PCS/ROLL
MEC-2	3.5~8.0	3.6~7.4		300PCS/ROLL
MEC-3	5.2~10.0	5.2~10.0		250PCS/ROLL

Vinyl Wire End Caps


绝缘套管 Vinyl Wire End Caps




◆材质：采用高级软质PVC制成。
◆用途：适用于各种配电盘，机械中复杂配线之分色处理，使线路能一目了然。软质弹性使能适合于各种不同形状的端子，使用时著脱容易。
◆特点：电机电子用高级绝缘套管、色泽清晰、光亮、弹性佳、绝缘性良好。

◆Material：Made from PVC.
◆ Usage：devide the colorful cable in machine, used to various terminals as soft feature, easy to take off.
◆Character：clearly color, shine, soft, insulated.
◆Color: red white blue yellow ,black green, brown available upon special request.

编 号 Item NO.	适用端子 SQ(mm²)	尺寸 Dimension D1(mm)	D2(mm)	包 装 Packing
V-1.25	1.25	3.3	3.1	100PCS
V-2	2	4.5	3.7	
V-3.5	3.5	5.7	4.1	
V-5.5	5.5	5.7	5.2	
V-8	8	7.2	6.2	
V-14	14	10.0	8.0	
V-22	22	12.0	9.5	
V-38	38	14.0	11.8	
V-60	60	16.8	13.5	
V-80	80	19.0	16.0	
V-100	100	22.0	18.0	
V-125	125	24.0	20.0	50PCS
V-150	150	24.4	22.0	
V-200	200	32.0	24.0	
V-250	250	38.0	26.5	25PCS
V-325	325	38.0	29.0	
V-400	400	44.0	37.0	
V-500	500	45.0	40.4	
V-630	630	52.0	45.0	





热收缩套管



◆功能：1.材质：EXA。
2.电线之保护与绝缘。
3. 端子与电线接头之绝缘与保护。
4. 分色作用。
5. 防水。
5. 电阻电容器之保护与绝缘。

Heat Shrinkable Tubings

◆Function：1.Material：EXA.
2. wire coat and insulation.
3. make the joint of terminal block and wire insulated.
4. divide the colors.
5. water-proof.
6. protection and insulation of insistors and electrical capacitors.
◆Standard color : black, white, red, blue, yellow, green, brown, grey, orange and purple.

Heat Shrinkable Tubings

编 号 Item NO.	收缩前As Supplied		收缩后After Shrinkang		包装 Packing (m/roll)
	内 径 I.D (mm)	厚度 Thickness(mm)	内 径 I.D (mm)	厚度 Thickness(mm)	
DRS-1	1.0	0.2 ± 0.05	0.5	0.4 ± 0.05	
DRS-1.5	1.5	0.2 ± 0.05	0.75	0.4 ± 0.05	
DRS-2	2.0	0.25 ± 0.05	1.0	0.45 ± 0.1	
DRS-2.5	2.5	0.25 ± 0.05	1.25	0.45 ± 0.1	200m/roll
DRS-3	3.0	0.25 ± 0.05	1.5	0.45 ± 0.1	
DRS-3.5	3.5	0.25 ± 0.05	1.75	0.45 ± 0.1	
DRS-4	4.0	0.25 ± 0.05	2.0	0.45 ± 0.1	
DRS-5	5.0	0.35 ± 0.05	2.5	0.55 ± 0.1	
DRS-6	6.0	0.35 ± 0.05	3.0	0.55 ± 0.1	
DRS-7	7.0	0.35 ± 0.05	3.5	0.55 ± 0.1	
DRS-8	8.0	0.35 ± 0.05	4.0	0.55 ± 0.1	
DRS-9	9.0	0.35 ± 0.05	4.5	0.55 ± 0.1	
DRS-10	10.0	0.35 ± 0.05	5.0	0.60 ± 0.1	
DRS-11	11.0	0.35 ± 0.05	5.5	0.60 ± 0.1	
DRS-12	12.0	0.35 ± 0.1	6.0	0.70 ± 0.1	100m/roll
DRS-13	13.0	0.35 ± 0.1	6.5	0.70 ± 0.1	
DRS-14	14.0	0.35 ± 0.1	7.0	0.70 ± 0.1	
DRS-15	15.0	0.35 ± 0.1	7.5	0.70 ± 0.1	
DRS-16	16.0	0.35 ± 0.1	8.0	0.70 ± 0.1	
DRS-18	18.0	0.4 ± 0.1	9.0	0.80 ± 0.1	
DRS-20	20.0	0.5 ± 0.1	10.0	0.90 ± 0.1	
DRS-22	22.0	0.5 ± 0.1	11.0	0.90 ± 0.1	
DRS-25	25.0	0.5 ± 0.1	12.5	0.90 ± 0.1	50m/roll
DRS-28	28.0	0.5 ± 0.1	14.0	0.90 ± 0.1	
DRS-30	30.0	0.5 ± 0.1	15.0	1.00 ± 0.2	
DRS-35	35.0	0.5 ± 0.1	17.5	1.00 ± 0.2	
DRS-40	40.0	0.5 ± 0.1	20.0	1.00 ± 0.2	
DRS-50	50.0	0.5 ± 0.1	25.0	1.00 ± 0.2	
DRS-60	60.0	0.6 ± 0.1	30.0	1.20 ± 0.2	25m/roll
DRS-70	70.0	0.6 ± 0.1	35.0	1.20 ± 0.2	
DRS-80	80.0	0.6 ± 0.1	40.0	1.20 ± 0.2	
DRS-90	90.0	0.6 ± 0.1	45.0	1.30 ± 0.2	
DRS-100	100.0	0.7 ± 0.1	50.0	1.30 ± 0.2	
DRS-120	120	0.7 ± 0.1	60.0	1.30 ± 0.2	
DRS-150	150	0.8 ± 0.1	75.0	1.60 ± 0.2	

Heat Shrinkable Tubings

编 号 Item NO.	规格 Size(mm)	颜色 Color	数量 Q' ty	长 度 L(mm)
HST-100C	DRS-1.5	黑 Black	30	100mm
	DRS-2.5	黄 Yellow	30	
	DRS-4.0	红 Red	20	
	DRS-6.0	绿 Green	10	
	DRS-10.0	兰 Blue	6	
	DRS-13.0	白 White	4	
HST-100B	DRS-1.5	黑 Black	30	
	DRS-2.5	黑 Black	30	
	DRS-4.0	黑 Black	20	
	DRS-6.0	黑 Black	10	
	DRS-10.0	黑 Black	6	
	DRS-13.0	黑 Black	4	



绝缘胶带 PVC Insulating Tape

0.13mm × 15mm × 6yds	0.15mm × 15mm × 10m
0.13mm × 15mm × 8yds	0.15mm × 15mm × 15m
0.13mm × 15mm × 10yds	0.15mm × 15mm × 20m
0.13mm × 15mm × 20yds	0.15mm × 15mm × 25m
0.13mm × 19mm × 5m	0.15mm × 19mm × 5m
0.13mm × 15mm × 10m	0.15mm × 19mm × 10m
0.13mm × 15mm × 15m	0.15mm × 19mm × 15m
0.13mm × 15mm × 20m	0.15mm × 19mm × 20m
0.13mm × 15mm × 25m	0.15mm × 19mm × 25m
0.13mm × 19mm × 6yds	0.15mm × 25mm × 5m
0.13mm × 19mm × 8yds	0.15mm × 25mm × 10m
0.13mm × 19mm × 10yds	0.15mm × 25mm × 15m
0.13mm × 19mm × 20yds	0.15mm × 25mm × 20m
0.13mm × 19mm × 5m	0.15mm × 25mm × 25m
0.13mm × 19mm × 10m	0.19mm × 19mm × 5m
0.13mm × 19mm × 15m	0.19mm × 19mm × 10m
0.13mm × 19mm × 20m	0.19mm × 19mm × 15m
0.13mm × 19mm × 25m	0.19mm × 19mm × 20m
0.15mm × 15mm × 5m	0.19mm × 19mm × 25m



Cable Ties

自锁式尼龙扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-40℃—85℃

◆安装温度范围：-10℃—85℃

◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。


Self-locking Nylon Cable Ties

◆Material：Polyamide 6.6, 94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature：-40℃—85℃

◆Installation temperature：-10℃—85℃

◆Color：Natural,Black,UV black, other colors are available as requested.



Underwriters Laboratories Inc.
File E 359184
TYPE 21

UK CA CE DNV TÜV RoHS Reach PAHS

编号 Item NO.	L(长)		W(宽) (mm)	最大捆扎范围 Max.Bundle Dia. E (mm)	最小拉力 Min.Loop Tensile Strength	
	Inch	mm			LBS	KGS
CHS-3×60	2 3/8"	60	2.5	11	18	8
CHS-3×80	3 3/16"	80	2.5	16	18	8
CHS-3×90	3 5/8"	90	2.5	18	18	8
CHS-3×96	3 25/32"	96	2.5	20	18	8
CHS-3×100	4"	100	2.5	22	18	8
CHS-3×120	4 3/4"	120	2.5	28	18	8
CHS-3×140	5 1/2"	140	2.5	33	18	8
CHS-3×150	6"	150	2.5	35	18	8
CHS-3×160	6 1/4"	160	2.5	40	18	8
CHS-3×200	8"	200	2.5	53	18	8
CHS-3×250	10"	250	2.5	65	18	8
CHS-4×100	4"	100	3.6	22	40	18
CHS-4×120	4 3/4"	120	3.6	30	40	18
CHS-4×140	5 1/2"	140	3.6	33	40	18
CHS-4×150	6"	150	3.6	35	40	18
CHS-4×180	7"	180	3.6	44	40	18
CHS-4×200	8"	200	3.6	53	40	18
CHS-4×220	8 5/8"	220	3.6	58	40	18
CHS-4×250	10"	250	3.6	65	40	18
CHS-4×280	11"	280	3.6	70	40	18
CHS-4×300	11 5/8"	300	3.6	80	40	18
CHS-4×370	14 1/2"	370	3.6	102	40	18
CHS-5×120	4 3/4"	120	4.6	26	50	22
CHS-5×160	6 1/4"	160	4.8	39	50	22
CHS-5×180	7"	180	4.6	46	50	22
CHS-5×190	7 1/2"	190	4.6	48	50	22
CHS-5×200	8"	200	4.8	53	50	22
CHS-5×250	10"	250	4.8	65	50	22
CHS-5×280	11"	280	4.8	70	50	22
CHS-5×300	11 5/8"	300	4.8	82	50	22

Cable Ties

编号 Item NO.	L(长)		W(宽) (mm)	最大捆扎范围 Max.Bundle Dia. E (mm)	最小拉力 Min.Loop Tensile Strength	
	Inch	mm			LBS	KGS
CHS-5 x 350	13 3/4"	350	4.8	90	50	22
CHS-5 x 380	15"	380	4.8	105	50	22
CHS-5 x 400	15 3/4"	400	4.8	108	50	22
CHS-5 x 430	17"	430	4.8	115	50	22
CHS-5 x 450	17 3/4"	450	4.8	130	50	22
CHS-5 x 500	19 11/16"	500	4.8	150	50	22
CHS-5 x 650	25 19/32"	650	4.8	190	50	22
CHS-7 x 150	6"	150	6.8	33	85	38
CHS-7 x 180	7"	180	6.8	42	85	38
CHS-7 x 200	8"	200	6.8	50	85	38
CHS-7 x 250	10"	250	6.8	65	85	38
CHS-7 x 370	14 1/2"	370	7.0	98	85	38
CHS-8 x 200	8"	200	7.6	50	120	55
CHS-8 x 250	10"	250	7.6	63	120	55
CHS-8 x 300	11 5/8"	300	7.6	80	120	55
CHS-8 x 350	13 3/4"	350	7.6	90	120	55
CHS-8 x 370	14 1/4"	370	7.6	98	120	55
CHS-8 x 400	15 3/4"	400	7.6	105	120	55
CHS-8 x 450	17 3/4"	450	7.6	125	120	55
CHS-8 x 500	19 11/16"	500	7.6	145	120	55
CHS-8 x 550	21 1/16"	550	7.6	160	120	55
CHS-8 x 600	23 5/8"	600	7.6	170	120	55
CHS-8 x 650	25 9/16"	650	7.6	190	120	55
CHS-8 x 750	29 9/16"	750	7.6	220	120	55
CHS-9 x 185	7 9/32"	185	9.0	42	175	80
CHS-9 x 200	8"	200	9.0	50	175	80
CHS-9 x 265	10 7/16"	265	9.0	66	175	80
CHS-9 x 300	11 5/8"	300	9.0	78	175	80
CHS-9 x 355	13 31/32"	355	9.0	90	175	80
CHS-9 x 400	15 3/4"	400	9.0	105	175	80
CHS-9 x 450	17 3/4"	450	9.0	120	175	80
CHS-9 x 530	20 3/4"	530	9.0	150	175	80
CHS-9 x 550	21 1/16"	550	9.0	160	175	80
CHS-9 x 600	23 5/8"	600	9.0	170	175	80
CHS-9 x 650	25 9/16"	650	9.0	190	175	80
CHS-9 x 700	27 1/2"	700	9.0	205	175	80
CHS-9 x 760	30"	760	9.0	225	175	80
CHS-9 x 812	32"	812	9.0	243	175	80
CHS-9 x 920	36 1/4"	920	9.0	265	175	80
CHS-9 x 1020	40 1/6"	1020	9.0	295	175	80
CHS-9 x 1150	45 1/4"	1150	9.0	310	175	80
CHS-9 x 1220	48"	1210	9.0	340	175	80
CHS-9 x 1350	53"	1350	9.0	380	175	80
CHS-9 x 1550	61"	1550	9.0	470	175	80
CHS-10 x 450	17 3/4"	450	10.0	125	200	91
CHS-10 x 500	19 11/16"	500	10.0	145	200	91
CHS-12 x 300	11 5/8"	300	12.7	80	250	114
CHS-12 x 400	15 3/4"	400	12.7	105	250	114
CHS-12 x 650	25 9/16"	650	12.0	190	250	114
CHS-12 x 750	29 9/16"	750	12.0	220	250	114
CHS-12 x 780	30 3/4"	780	12.7	230	250	114
CHS-12 x 1000	39 3/8"	1000	12.0	275	250	114
CHS-13 x 540	21 1/4"	540	13.0	155	250	114

Cable Ties

编号 Item NO.	L(长)		W(宽) (mm)	最大捆扎范围 Max.Bundle Dia. E (mm)	最小拉力 Min.Loop Tensile Strength	
	Inch	mm			LBS	KGS
CHS-1.8×100	4"	100	1.8	22	14	6.5
CHS-1.9×120	4 3/4"	120	1.9	28	14	6.5
CHS-1.9×150	6"	150	1.9	35	14	6.5
CHS-2.0×200	8"	200	2.0	50	14	6.5
CHS-2.2×60	2 3/8"	60	2.2	11	18	8
CHS-2.2×80	3 3/16"	80	2.2	18	18	8
CHS-2.2×100	4"	100	2.2	22	18	8
CHS-2.2×120	4 3/4"	120	2.2	28	18	8
CHS-2.2×150	6"	150	2.2	35	18	8
CHS-2.2×200	8"	200	2.2	50	18	8
CHS-2.9×150	6"	150	2.9	35	33	15
CHS-2.9×200	8"	200	2.9	50	33	15
CHS-2.7×250	10"	250	2.7	65	33	15
CHS-2.9×300	11 5/8"	300	2.9	80	33	15
CHS-3.2×150	6"	150	3.2	35	40	18
CHS-3.2×180	7"	180	3.2	42	40	18
CHS-3.2×200	8"	200	3.2	50	40	18
CHS-3.2×250	10"	250	3.2	65	40	18
CHS-3.2×300	11 5/8"	300	3.2	80	40	18
CHS-3.7×350	13 3/4"	350	3.7	90	40	18
CHS-3.7×400	15 3/4"	400	3.7	108	40	18
CHS-4.2×180	7"	180	4.2	42	50	22
CHS-4.2×200	8"	200	4.2	50	50	22
CHS-4.2×250	10"	250	4.2	65	50	22
CHS-4.2×300	11 5/8"	300	4.2	80	50	22
CHS-4.2×350	13 3/4"	350	4.2	90	50	22
CHS-4.2×380	15"	380	4.2	102	50	22
CHS-4.2×400	15 3/4"	400	4.2	105	50	22
CHS-5.2×180	7"	180	5.2	42	65	30
CHS-5.2×200	8"	200	5.2	50	65	30
CHS-5.2×250	10"	250	5.2	65	65	30
CHS-5.2×300	11 5/8"	300	5.2	80	65	30
CHS-5.5×350	13 3/4"	350	5.5	90	65	30
CHS-5.5×400	15 3/4"	400	5.5	105	65	30
CHS-5.5×500	19 11/16"	500	5.5	150	65	30
CHS-6.0×270	10 5/8"	270	6.0	65	65	30
CHS-6.5×200	8"	200	6.5	50	85	38
CHS-6.5×250	10"	250	6.5	65	85	38
CHS-6.5×300	11 5/8"	300	6.5	80	85	38
CHS-6.5×350	13 3/4"	350	6.5	90	85	38
CHS-6.5×400	15 3/4"	400	6.5	105	85	38
CHS-6.5×450	17 3/4"	450	6.5	125	85	38
CHS-6.5×500	19 11/16"	500	6.5	145	85	38

Cable Ties

双面齿扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-40℃—85℃

◆安装温度范围：-10℃—85℃

◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。

◆特点：双面齿设计，拉力比普通扎带强20%

Super Tensile Cable Ties

◆Material: Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature: -40℃—85℃

◆Installation temperature: -10℃—85℃

◆Color: Natural,Black,UV black, other colors are available as requested.

◆Features: Double-sided tooth design,the tension is 20% stronger than ordinary cable ties.

编号 Item NO.	L(长) (mm)	W(宽) (mm)	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Min.Loop Tensile Strength	
				LBS	KGS
DTS-4×150	150	3.6	35	50	22
DTS-4×200	200	3.6	50	50	22
DTS-4×250	250	3.6	65	50	22
DTS-4×300	300	3.6	80	50	22
DTS-5×180	180	4.8	42	60	27
DTS-5×200	200	4.8	50	60	27
DTS-5×250	250	4.8	65	60	27
DTS-5×280	280	4.8	70	60	27
DTS-5×300	300	4.8	82	60	27
DTS-5×350	350	4.8	90	60	27
DTS-5×400	400	4.8	108	60	27
DTS-5×450	450	4.8	130	60	27
DTS-5×500	500	4.8	150	60	27
DTS-8×200	200	7.6	50	145	65
DTS-8×300	300	7.6	90	145	65
DTS-8×400	400	7.6	105	145	65
DTS-8×450	450	7.6	125	145	65
DTS-8×500	500	7.6	145	145	65
DTS-9×600	600	9.0	170	210	95
DTS-9×700	700	9.0	205	210	95
DTS-9×920	920	9.0	265	210	95
DTS-9×1020	1020	9.0	295	210	95

Cable Ties

耐寒级扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-50℃—85℃

◆安装温度范围：-40℃—85℃

◆颜色：本色，抗紫外线之黑色。

Cold Resistant Cable Ties

◆Material：Polyamide 6.6,, 94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature：-50℃—85℃

◆Installation temperature：-40℃—85℃

◆Color：Natural,UV black

编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-3×100CRT	4"	100	2.5	22	18	8
CHS-4×150CRT	6"	150	3.6	35	40	18
CHS-4×200CRT	8"	200	3.6	53	40	18
CHS-5×200CRT	8"	200	4.8	53	50	22
CHS-5×250CRT	10"	250	4.8	65	50	22
CHS-5×300CRT	11 5/8"	300	4.8	82	50	22
CHS-5×380CRT	15"	380	4.8	105	50	22
CHS-8×300CRT	11 5/8"	300	7.6	80	120	55
CHS-8×350CRT	13 3/4"	350	7.6	90	120	55
CHS-8×400CRT	15 3/4"	400	7.6	105	120	55
CHS-8×500CRT	19 11/16"	500	7.6	145	120	55



Cable Ties

耐候级扎带



◆材质：采用UL认可之尼龙耐候级66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—105℃
◆安装温度范围：-10℃—105℃
◆特点：适合户外及室内受紫外线照射的场所使用。
◆颜色：抗紫外线之黑色。

Weather Reststant Cable Ties

◆Material: Polyamide 6.6W/UV, 94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature: -40℃—105℃
◆Installation temperature: -10℃—105℃
◆Features: Suitable for outdoor and indoor places exposed to ultraviolet radiation
◆Color: UV black

编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-3×100HSW	4"	100	2.5	22	18	8
CHS-4×150HSW	6"	150	3.6	35	40	18
CHS-4×200HSW	8"	200	3.6	53	40	18
CHS-5×200HSW	8"	200	4.8	53	50	22
CHS-5×250HSW	10"	250	4.8	65	50	22
CHS-5×300HSW	11 5/8"	300	4.8	82	50	22
CHS-5×380HSW	15"	380	4.8	105	50	22
CHS-8×300HSW	11 5/8"	300	7.6	80	120	55
CHS-8×350HSW	13 3/4"	350	7.6	90	120	55
CHS-8×400HSW	15 3/4"	400	7.6	105	120	55
CHS-8×500HSW	19 11/16"	500	7.6	145	120	55



Cable Ties

耐高温扎带



◆材质：采用UL认可之尼龙46料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—120℃
◆安装温度范围：-10℃—120℃
◆颜色：本色

High Temperture Resistant Cable Ties

◆Material: Polyamide46HR,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature: -40℃—120℃
◆Installation temperature: -10℃—120℃
◆Color: Natural

编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-3×100HTR	4"	100	2.5	22	18	8
CHS-4×150HTR	6"	150	3.6	35	40	18
CHS-4×200HTR	8"	200	3.6	53	40	18
CHS-5×200HTR	8"	200	4.8	53	50	22
CHS-5×250HTR	10"	250	4.8	65	50	22
CHS-5×300HTR	11 5/8"	300	4.8	82	50	22
CHS-5×380HTR	15"	380	4.8	105	50	22
CHS-8×300HTR	11 5/8"	300	7.6	80	120	55
CHS-8×350HTR	13 3/4"	350	7.6	90	120	55
CHS-8×400HTR	15 3/4"	400	7.6	105	120	55
CHS-8×500HTR	19 11/16"	500	7.6	145	120	55

UL 94V-0阻燃扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-0，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：乳白色

UL 94V-0 Cable Ties

◆Material: Polyamide 6.6, 94V-0 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature: -40℃—85℃
◆Installation temperature: -10℃—85℃
◆Color: Milk White

编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-3×100-V0	4"	100	2.5	22	18	8
CHS-4×150-V0	6"	150	3.6	35	40	18
CHS-4×200-V0	8"	200	3.6	53	40	18
CHS-5×200-V0	8"	200	4.8	53	50	22
CHS-5×250-V0	10"	250	4.8	65	50	22
CHS-5×300-V0	11 5/8"	300	4.8	82	50	22
CHS-5×380-V0	15"	380	4.8	105	50	22
CHS-8×300-V0	11 5/8"	300	7.6	80	120	55
CHS-8×350-V0	13 3/4"	350	7.6	90	120	55
CHS-8×400-V0	15 3/4"	400	7.6	105	120	55
CHS-8×500-V0	19 11/16"	500	7.6	145	120	55

Cable Ties

金属可探测扎带



◆材质：金属可探尼龙料,防火等级UL94-HB。
◆适用温度范围：-30℃—120℃
◆安装温度范围：-10℃—120℃
◆颜色：蓝色
◆特点：适用于食品和医药行业，可被金属传感器检测出。

Metal Detectable cable Ties

◆Material：Polyamide with metal powder, UL94-HB.
◆Application temperature：-30℃—120℃
◆Installation temperature：-10℃—120℃
◆Color：Blue
◆Features： Apply for Food and Medical industrial, can be detected by Metal sensor.

编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-3×100MD	4"	100	2.5	22	18	8
CHS-4×150MD	6"	150	3.6	35	40	18
CHS-4×200MD	8"	200	3.6	53	40	18
CHS-5×200MD	8"	200	4.8	53	50	22
CHS-5×250MD	10"	250	4.8	65	50	22
CHS-5×300MD	11 5/8"	300	4.8	82	50	22
CHS-5×380MD	15"	380	4.8	105	50	22
CHS-8×300MD	11 5/8"	300	7.6	80	120	55
CHS-8×350MD	13 3/4"	350	7.6	90	120	55
CHS-8×400MD	15 3/4"	400	7.6	105	120	55
CHS-8×500MD	19 11/16"	500	7.6	145	120	55

双孔扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。

Double Loop Cable Ties

◆Material：Polyamide 6.6, 94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black,UV black, other colors are available as requested.

编号 Item NO.	L(长) (mm)		W(宽) (mm)	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Min.Loop Tensile Strength	
					LBS	KGS
CHS-200DLT	8"	200	4.8	45	50	22
CHS-300DLT	11 5/8"	300	4.8	70	50	22

Cable Ties

不锈钢嵌片（船用）扎带
Stainless Steel Pawl Cable Ties(Marine Cable Ties)



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。
◆特点：头部嵌入不锈钢片，产品使用更稳定，性能更持久。

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black,UVblack, othercolorsare available as requested.
◆Features：The head is embedded with stainless steel,which makes cable ties more stable and durable.

编号 Item NO.	L(长)		W(宽) (mm)	最大捆扎范围 Max.Bundle Dia. E (mm)	最小拉力 Min.Loop Tensile Strength	
	Inch	mm			LBS	KGS
NZ-3×100	4"	100	3.0	25	18	8
NZ-4×150	6"	150	4.0	35	45	20
NZ-4×200	8"	200	4.0	50	45	20
NZ-4×280	11"	280	4.0	70	45	20
NZ-4×370	14 1/2"	370	4.0	102	45	20
NZ-5×250	10"	250	5.0	65	50	22
NZ-5×300	12"	300	5.0	80	50	22
NZ-5×350	13 3/4"	350	5.0	90	50	22
NZ-5×430	17"	430	5.0	115	50	22
NZ-8×145	5 3/4"	145	8.0	32	120	55
NZ-8×175	7"	175	8.0	42	120	55
NZ-8×200	8"	200	8.0	50	120	55
NZ-8×240	9 1/2"	240	8.0	56	120	55
NZ-8×300	12"	300	8.0	80	120	55
NZ-8×400	15 3/4"	400	8.0	100	120	55
NZ-10×300	12"	300	10.0	80	135	60
NZ-10×350	14"	350	10.0	90	135	60
NZ-10×400	15 3/4"	400	10.0	105	135	60
NZ-10×450	17 3/4"	450	10.0	115	135	60
NZ-10×500	17 11/16"	500	10.0	150	135	60
NZ-10×600	23 5/8"	600	10.0	170	135	60

圆头扎带 Round Head Cable Ties



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black,UV black, other colors are available as requested.

编号 Item NO.	L(长) (mm)		W(宽) (mm)	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Min.Loop Tensile Strength	
					LBS	KGS
CHS-350RH	13 3/4"	350	7.6	90	120	55
CHS-400RH	15 3/4"	400	7.6	105	120	55

Cable Ties


可松式扎带（活用型）

◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。
◆特点：可以松开反复使用。

Releasable Cable Ties

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black, UV black, other colors are available as requested.
◆Features：Can be released for repeated use.





TYPE A

编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-150RT	6"	150	7.5	35	50	22
CHS-200RT	8"	200	7.5	45	50	22
CHS-202RT	8"	200	4.6	45	40	18
CHS-250RT	10"	250	7.5	60	50	22
CHS-300RT	12"	300	7.5	75	50	22
CHS-350RT	13 3/4"	350	4.6	98	40	18
CHS-370RT	14 1/4"	370	7.5	95	50	22
CHS-400RT	15 3/4"	400	7.5	100	50	22
CHS-505RT	19 11/16"	500	8.5	140	75	34


可松式扎带（反穿型）

◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。
◆特点：可以松开反复使用。

Releasable Cable Ties

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black,UV black, other colors are available as requested.
◆Features：Can be released for repeated use.





TYPE B

编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-350RCT	13 5/8"	350	7.3	90	50	22
CHS-400RCT	15 3/4"	400	8.0	105	50	22
CHS-450RCT	17 3/4"	450	8.0	118	50	22
CHS-490RCT	19 1/3"	490	9.5	135	65	30
CHS-500RCT	19 11/16"	500	9.0	140	65	30

Cable Ties


可松式扎带（外扣型）

◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。
◆特点：可以松开反复使用。



Releasable Cable Ties

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black,UV black, other colors are available as requested.
◆Features： Can be released for repeated use.



TYPE C

编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-100RWT	4"	100	2.5	22	18	8
CHS-150RWT	6"	150	3.5	35	40	18


可松式扎带（双孔型）

◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。
◆特点：可以松开反复使用。



Releasable Cable Ties

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black,UV black, other colors are available as requested.
◆Features： Can be released for repeated use.




TYPE D

编号 Item NO.	L(长) (mm)	W(宽) (mm)	捆扎范围 Bundle Diameter E (mm)	最小拉力 Min.Loop Tensile Strength	
				LBS	KGS
CHS-280 RLT	280	4.8	8-60	40	18

Cable Ties

标牌式扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-40℃—85℃

◆安装温度范围：-10℃—85℃

◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。

◆特点：扎带前端的空白标牌可以标志记号。

Marker Cable Ties


◆Material: Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature: -40℃—85℃

◆Installation temperature: -10℃—85℃

◆Color: Natural, Black,UV black, other colors are available as requested.

◆Features: The blank sign at the front of the ties can be marked.



编号 Item NO.	L(长)		W(宽) (mm)	最小拉力 Tensile Strength		标牌尺寸 Sticker Size
	Inch	mm		LBS	KGS	
CHS-100MKT	4"	100	2.5	18	8.0	25×8
CHS-200MKT	8"	200	2.5	18	8.0	25×8
CHS-205MKT	8 1/16"	205	3.6	40	18.0	25×8

编号 Item NO.	L(长)		W(宽) (mm)	最小拉力 Tensile Strength		标牌尺寸 Sticker Size
	Inch	mm		LBS	KGS	
CHS-110MKT	4 1/3"	110	2.5	18	8.0	21×10
CHS-115MKT	4 1/2"	115	2.5	18	8.0	27×13
CHS-190MKT	8 1/2"	190	4.5	40	18.0	27×13
CHS-215MKT	8 1/2"	215	3.2	40	18.0	25×15

珠形扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-40℃—85℃

◆安装温度范围：-10℃—85℃

◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。


Bead Cable Ties

◆Material: Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature: -40℃—85℃

◆Installation temperature: -10℃—85℃

◆Color: Natural, Black, UV black, other colors are available as requested.



编号 Item NO.	L(长)		(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm		LBS	KGS
CHS-100BT	4"	100	20	11	5.0

Cable Ties

珠孔形扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-40℃—85℃

◆安装温度范围：-10℃—85℃

◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。


Knot Cable Ties

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature：-40℃—85℃

◆Installation temperature：-10℃—85℃

◆Color：Natural, Black,UV black, other colors are available as requested.



编号 Item NO.	L(长)		(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm		LBS	KGS
CHS-120KT	4 3/4"	120	25	18	8
CHS-150KT	6"	150	35	18	8
CHS-180KT	7"	180	45	18	8

外侧齿扎带

★ NEW



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-40℃—85℃

◆安装温度范围：-10℃—85℃

◆特点：束紧时光滑面向内，齿列状向外，故不会伤及被扎物件表面，没有压痕。


Outside serreted Cable Ties

◆ Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature：-40℃—85℃

◆Installation temperature：-10℃—85℃

◆Features: When tightening, the smooth surface is inward and the teeth are outward, so it will not damage the surface of the tied object and there is no indentation.



编号 Item NO.	L(长)		W(宽) mm	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			LBS	KGS
CHS-4.8×200 OST	8"	200	4.8	50	50	22
CHS-7.6×380 OST	15"	380	7.6	102	120	55

Cable Ties

平扣式扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-40℃—85℃

◆安装温度范围：-10℃—85℃

◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。


In-Line Cable Ties

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature：-40℃—85℃

◆Installation temperature：-10℃—85℃

◆Color：Natural, Black,UV black, other colors are available as requested.



编号 Item NO.	L(长)		W(宽) (mm)	捆扎范围 Bundle Diameter E (mm)	最小拉力 Min.Loop Tensile Strength	
	Inch	mm			LBS	KGS
CHS-200 LT	8"	200	4.5	8-45	50	22
CHS-280 LT	11"	280	4.5	8-65	50	22

双扣式扎带



◆材质：采用UL认可之尼龙66或尼龙12料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。

◆适用温度范围：-40℃—85℃（PA66），-40℃—65℃(PA12)

◆安装温度范围：-10℃—85℃（PA66），-10℃—65℃(PA12)

◆颜色：黑色，另有抗紫外线之黑色。

◆特点：拉力更强，不易脱扣。

Double Locking Cable Ties


◆Material：Polyamide 6.6 or Polyamide 12, 94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature：-40℃—85℃（PA66），-40℃—65℃(PA12)

◆Installation temperature：-10℃—85℃（PA66），-10℃—65℃(PA12)

◆Color：Black,UV black

◆Features：Tensile strong and not easy to trip.



编号 Item NO.	L(长)		W(宽) (mm)	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Tensile Strength	
	Inch	mm			PA12(KGS)	PA66(KGS)
CHS-115DL	5 1/8"	115	6.0	22	18	35
CHS-180DL	7"	180	6.0	45	18	35
CHS-180DDL	7"	180	9.0	45	25	40
CHS-260DL	10 1/4"	260	9.0	66	40	50
CHS-350DL	13 5/8"	350	9.0	90	40	50

Cable Ties


膨胀管式扎带



◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。
◆使用方法：可直接将头部膨胀管嵌入墙体，使用方便。

Expand Plug Cable ties

◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black,UV black, other colors are available as requested.
◆Usage：Can insert the head (Expand plug) into wall, easy to use.



编号 Item NO.	L(长)		W (mm)	A (mm)	B (mm)	(最大)捆扎范围 Max.bundle Dia.(mm)	最小拉力 Min.Loop Tensile Strength	
	Inch	mm					LBS	KGS
CHS-150EP	6"	150	7	79	128	35	85	38


塑料安全条




◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做。
◆特点：金融、航运、电力等行业的保密用途。标牌上可按要求印上名称、商标、日期、流水号等内容。

Plactic Security Seals


◆Material：Polyamide 6.6,94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-10℃—85℃
◆Color：Natural, Black,UV black, other colors are available as requested.
◆Features：For confidential use in finance, shipping, electric power and other industries. name,trademark,date and serial number can be printed on the sign as required .



PGS-350



PSS-230



SFS-450

编号 Item NO.	L(长) (mm)	W(宽) (mm)	(最大)捆扎范围 Max.bundle Dia.(mm)	标牌尺寸 Sticker Size(mm)
PSS-230	230	3.5	42	12 x 30
PGS-350	350	7.7	70	20 x 45
SFS-450	495	9.3	66	55 x 106

Cable Ties


卡扣式扎带



◆材质：采用UL认可之尼龙12料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—65℃
◆安装温度范围：-10℃—65℃
◆颜色：黑色、乳白色、另有抗紫外线之黑色。
◆特点：拉力更强，不易脱扣。


Buckle Cable Ties

◆Material：Polyamide 12, 94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—65℃
◆Installation temperature：-10℃—65℃
◆Color： Black,Milk white,UV black
◆Features：Tensile strong and not easy to trip.




编号 Item NO.	L (mm)	L1 (mm)	W (mm)	(最大)捆扎范围 Max.bundle Dia.(mm)	最小拉力 Min.Loop Tensile Strength	
					LBS	KGS
CHS-158 BCT	193	158	9	35	175	80
CHS-173 BCT	208	173	9	40		
CHS-215 BCT	250	215	9	52		
CHS-251 BCT	286	251	9	63		
CHS-341 BCT	376	341	9	85		

PE带 PE Ties



◆材质：采用PE料制成.
◆适用温度范围：-40℃—85℃
◆安装温度范围：0℃—85℃
◆颜色：标准颜色为本色、黑色，另有抗紫外线之黑色。特殊颜色欢迎定做
◆Material：PE
◆Application temperature：-40℃—75℃
◆Installation temperature：0℃—85℃
◆Color：Natural,Black,UV black, other colors are available as requested.



编号 Item NO.	Length (mm)	Width (mm)	Thickness (mm)
AST-170	170	5.4	1.5

Cable Ties

手铐式扎带

◆材质：采用UL认可之尼龙66料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。


◆适用温度范围：-40℃—85℃

Handcuffs Ties


◆ Material: Polyamide 6.6,, 94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.

◆Application temperature：-40℃—85℃





CHS-850HCT



CHS-900HCT

编 号 Item NO.	L(长) (mm)	W(宽) (mm)	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力Min.Loop Tensile Strength	
				LBS	KGS
CHS-850HCT	850	7.0	90.0	85	38
CHS-900HCT	900	13.0	98.0	250	114

粘扣式扎带

◆材质：母面PP，公面NYLON黑色（备有红、黄、蓝、绿）。

◆用途：适用于网络线(UTP/STP/Fiber)、讯号线、电源线之束绑，避免使用传统尼龙扎线带时，因过紧而影响传输速度，可重复使用。

Magic Cable Ties

◆Material: Female side is made of PP, male side is made of Polyamide.

◆Application: Resusable; suitable for bundling LAN cable(UTP/STP/Fiber), signal line, powe line, avoiding the transmission rate effected by nylon cable tie of tightening too much.



编 号 Item NO.	L(长) mm	W(宽) mm	最大束线径 Max. Bundle Dia (mm)	备 注 Remark
MGT-125	125	12	30	特殊规格可定做 Other size are available as requsted.
MGT-135	135	12	33	
MGT-150	150	12	35	
MGT-180	180	12	40	
MGT-210	210	16	50	
MGT-250	250	16	65	
MGT-310	310	16	85	
MGT-400	400	16	105	
MGT-500	500	16	145	

Cable Ties

汽车防滑扎带


◆材质：采用尼龙改性材料制成，防火等级UL94V-2，耐酸、耐蚀、绝缘性能好、不易老化、承受力强。
◆适用温度范围：-40℃—85℃
◆安装温度范围：-10℃—85℃
◆特点：防滑耐磨，使用方便，适合于结冰路段和雪地。

Antiskid Ties


◆Material：Modified Polyamide, 94V-2 certificated by UL. Acid & erosion control,insulate well and not easy to aging、tensile strong.
◆Application temperature：-40℃—85℃
◆Installation temperature：-20℃—85℃
◆Features: Anti-skidding, wear – resisting, easy operating, used upon icy roads and snowfield.







CHS-900ADT



CHS-900AST

编号 Item NO.	L(长) (mm)		W(宽) (mm)	(最大)捆扎范围 Max.Bundle DIA.(mm)	最小拉力 Min.Loop Tensile Strength	
	Inch	mm			LBS	KGS
CHS-900AST	35 1/2"	900	12.0	251	175	80
CHS-900ADT	35 1/2"	900	9.0	251	175	80

本公司热忱欢迎新老客户来样，来图或来模委托加工各种扎带和塑料件。

We welcome OEM orders for cable ties or plastic parts by samples, drawing or molds.

◆来样、来图或来模不得涉及任何专利问题
◆右图仅供参考

◆The OEM orders for wire connectors by samples, drawing or molds shouldn't involve in the infringement of atent.
◆All pictures here are for reference only.





3 IN 1 SANDER



Product Parameters:	
Product:	3 in 1 Sander
Model:	SDGJ-SS6-200
Rated Voltage:	230V~; 50Hz
Rated Input Power:	200W
No-load Speed:	7000-12000 rpm
Vibration Frequency:	14000-24000rpm

Accessories:
1 x Dust box
1 x Adaptor
1 x Pre-assembled Rectangle plate (184x 92mm)
1 x Triangle plate (150x 150x 100mm)
1 x Round plate (φ122)
3 x K120 sanding papers (one for each plate)

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	30×13.5×16.5
Gross Weight (kg):	2
Qty/Master Carton:	4
Master Carton Size (cm):	32×28.5×35
Gross Weight(kg):	8.3
20GP/40GP/40HQ:	3024/6048/8064

3 IN 1 SANDER
TOOL-FREE EXCHANGE PLATES



Product Parameters:	
Product:	3 in 1 Sander (Tool-free Exchange Plate)
Model:	SDGJ-SS4-200
Rated Voltage:	230V~; 50Hz
Rated Input Power:	200W
No-load Speed:	7000-12000 rpm
Vibration Frequency:	14000-24000rpm

Accessories:
1 x Dust box
1 x Adaptor
1 x Pre-assembled Rectangle plate (184×92mm)
1 x Triangle plate (150×150×100mm)
1 x Round plate (φ122)
3 x K120 sanding papers (one for each plate)



DETAIL SANDER

TOOL-SFREE EXCHANGE PLATES



Product Parameters	
Product:	Detail Sander (Tool-free Exchange Plate)
Model:	SDGJ-SS-180
Rated Voltage:	230V~; 50Hz
Rated Input Power:	180W
No-load Speed:	13000rpm
Vibration Frequency:	26000rpm

Accessories:
1x Dust Box
2x Extension Plates (finger-type; tree-type)
3x K120 sanding papers (one for each plate)

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	25×12×14.4
Gross Weight (kg):	1.4
Qty/Master Carton:	6
Master Carton Size (cm):	38×26×31
Gross Weight(kg):	8.8
20GP/40GP/40HQ:	4032/8640/11520

DETAIL SANDER



Product Parameters	
Product:	Detail Sander
Model:	SDGJ-SS-180
Rated Voltage:	230V~; 50Hz
Rated Input Power:	180W
No-load Speed:	13000rpm
Vibration Frequency:	26000rpm

Accessories:
1x Dust Box
1x Adaptor
1x K120 sanding paper

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	25×11×14.5
Gross Weight (kg):	1.3
Qty/Master Carton:	6
Master Carton Size (cm):	35×26×31
Gross Weight(kg):	8.4
20GP/40GP/40HQ:	4320/9504/12672

DETAIL SANDER



Product Parameters	
Product:	Detail Sander
Model:	SDGJ-SS2-180
Rated Voltage:	230V~; 50Hz
Rated Input Power:	180W
No-load Speed:	13000rpm
Vibration Frequency:	26000rpm

Accessories:
1x Dust Box
1x K120 sanding paper

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	25×11×15
Gross Weight (kg):	1.4
Qty/Master Carton:	6
Master Carton Size (cm):	35×26×32
Gross Weight(kg):	8.8
20GP/40GP/40HQ:	4608/9504/12672

DETAIL SANDER

TOOL-SFREE EXCHANGE PLATES



Product Parameters	
Product:	Detail Sander (Tool-free Exchange Plate)
Model:	SDGJ-SS2-180
Rated Voltage:	230V~; 50Hz
Rated Input Power:	180W
No-load Speed:	13000rpm
Vibration Frequency:	26000rpm

Accessories:
1x Dust Box
1x Adaptor
2x Extension Plates (finger-type; tree-type)
3x K120 sanding papers (one for each plate)

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	25×12×14.4
Gross Weight (kg):	1.4
Qty/Master Carton:	6
Master Carton Size (cm):	38×26×31
Gross Weight(kg):	8.8
20GP/40GP/40HQ:	4032/8640/11520

2 IN 1 SANDER

TOOL-SFREE EXCHANGE PLATES



Product Parameters	
Product:	Detail Sander (Tool-free Exchange) Plate
Model:	SDGJ-SS3-180
Rated Voltage:	230V~; 50Hz
Rated Input Power:	180W
No-load Speed:	13000rpm
Vibration Frequency:	26000rpm

Accessories:
1x Reclangle plate
1x Dust Box
1x Adaptor
1x K120 sanding paper one for each plate

EXCENTER SANDER



Product Parameters	
Product:	Excenter Sander
Model:	SDGJ-RS-380
Rated Voltage:	230V~; 50Hz
Rated Input Power:	380W
No-load Speed:	7000-13000rpm
Vibration Frequency:	14000-26000rpm

Accessories:
1x Dust Box
1x Adaptor
1x K120 sanding paper

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	26.5×13.5×17
Gross Weight (kg):	1.8
Qty/Master Carton:	6
Master Carton Size (cm):	42.5×27.5×36
Gross Weight(kg):	11.5
20GP/40GP/40HQ:	2730/5670/7938

EASY CURV SANDER



Product Parameters	
Product:	Easy Curv Sander
Model:	SDGJ-3DSS-180
Rated Voltage:	230V~; 50Hz
Rated Input Power:	S1 160W,S6 20% 180W
No-load Speed:	2200rpm
Sanding plate:	φ50mm

Accessories:
1 x Adaptor
3 x Sanding papers (one for each plate)

1-4 SANDER



Product Parameters	
Product:	1/4 Sander
Model:	SDGJ-ZS-200
Rated Voltage:	230V~; 50Hz
Rated Input Power:	200W
No-load Speed:	13000rpm
Vibration Frequency:	26000rpm

Accessories:
1 x Dust box
1 x Adaptor
1 x Sanding paper

Optional Accessories:
Extension Plate (as shown in the pic)

280W DELTA SANDER



Product Parameters	
Product:	Delta Sander
Model:	SDGJ-DS-280
Rated Voltage:	230V~; 50Hz
Rated Input Power:	280W
No load Speed:	6000-11000rpm
Vibration Frequency:	12000-22000rpm

Accessories:
1x Adaptor
1x K120 sanding paper

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	33.7×11.5×9.5
Gross Weight (kg):	1.38
Qty/Master Carton:	6
Master Carton Size (cm):	35×31×21.9
Gross Weight(kg):	8.72
20GP/40GP/40HQ:	5184/10692/13068

ORBIT SANDER



Product Parameters	
Product:	250W Orbit Sander
Model:	SDGJ-SDSS-250
Rated Voltage:	230V~; 50Hz
Rated Input Power:	250W
No-load Speed:	7000-12000rpm
Vibration Frequency:	14000-24000rpm

Accessories:
1 x Dust box
1 x Adaptor
1 x K120 sanding paper

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	30×11.5×17.3
Gross Weight (kg):	1.7
Qty/Master Carton:	4
Master Carton Size (cm):	46.5×31.5×19
Gross Weight(kg):	7.3
20GP/40GP/40HQ:	4032/8400/9100

ORBIT SANDER WITH ALUM. PLATE



Product Parameters	
Product:	Orbit Sander With Alum. Plate
Model:	SDGJ-SDSS-250
Rated Voltage:	230V~; 50Hz
Rated Input Power:	250W
No load Speed:	7000-12000rpm
Vibration Frequency:	14000-24000rpm

Accessories:
1 x Dust box
1 x Adaptor
1 x K120 sanding paper

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	30×11.5×17.3
Gross Weight (kg):	1.7
Qty/Master Carton:	4
Master Carton Size (cm):	46.5×31.5×19
Gross Weight(kg):	7.3
20GP/40GP/40HQ:	4032/8400/9100

ORBIT SANDER



Product Parameters	
Product:	Orbit sander
Model:	SDGJ-PBS-150W
Rated Voltage:	220-240V~; 50Hz
Rated Input Power:	150W
No-load Speed:	11500rpm
Vibration Frequency:	23000rpm
Accessories:	
1x Adaptor	
1x K120 sanding paper	
Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	27×10×16
Gross Weight (kg):	1.41
Qty/Master Carton:	10
Master Carton Size (cm):	52.5×28.5×34
Gross Weight(kg):	14.6
20GP/40GP/40HQ:	4200/9240/10780

ORBIT SANDER



Product Parameters	
Product:	Orbit Sander
Model:	SDGJ-PBS-135W
Rated Voltage:	220-240V~; 50Hz
Rated Input Power:	135W
No-load Speed:	11500rpm
Vibration Frequency:	23000rpm
Accessories:	
1x Adaptor	
1x K120 sanding paper	
Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	27×10×16
Gross Weight (kg):	1.41
Qty/Master Carton:	10
Master Carton Size (cm):	52.5×28.5×34
Gross Weight(kg):	14.6
20GP/40GP/40HQ:	4200/9240/10780



ROUTER



Product Parameters	
Product:	Router
Model:	SDGJ-DMX -1
Rated Voltage:	230V~; 50Hz
Rated Input Power:	1200W
No-load Speed:	11000-30000rpm
Routing Depth:	55mm
Tool Holder:	6 and 8mm

Accessories:
1x Parallel guide
1x Template guide
1x Caliper Point
2x Collet Chucks(6mm and 8mm)
1x Open-ended Spanner
1x Adaptor

Optional Accessories:
Hex Key
Router Bit

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	26×14.5×22.5
Gross Weight (kg):	3.35
Qty/Master Carton:	2
Master Carton Size (cm):	31×27.5×24
Gross Weight(kg):	7
20GP/40GP/40HQ:	2016/4144/5696

ROUTER



Product Parameters	
Product:	Router
Model:	SDGJ-DMX-2
Rated Voltage:	230V~; 50Hz
Rated Input Power:	1200W
No-load Speed:	11000-30000rpm
Routing Depth:	55mm
Tool Holder:	6 and 8mm

Accessories:
1x Parallel guide
1x Template guide
1x Caliper Point
2x Collet Chucks (6mm and 8mm)
1x Open-ended Spanner
1x Adaptor

Optional Accessories:
Hex Key
Router Bit

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	26×14.5×22.5
Gross Weight (kg):	3.35
Qty/Master Carton:	2
Master Carton Size (cm):	31×27.5×24
Gross Weight(kg):	7
20GP/40GP/40HQ:	2016/4144/5696

IMPACT DRILL



Product Parameters	
Product:	Impact Drill
Model:	SDGJ1-13-1
Rated Voltage:	230V~; 50Hz
Rated Input Power:	750W
No-load Speed:	30000rpm

Accessories:
1 x Second handle
1 x Metal depth stop

Packing and Delivery Information:	
With BMC box	
BMC Size (cm):	33.2×10×26.4
Gross Weight (kg):	2.8
Qty/Master Carton:	4
Master Carton Size (cm):	43×35×28
Gross Weight(kg):	12.7
20GP/40GP/40HQ:	690/1380/1609

WALL CHASER



Product Parameters	
Product:	Wall Chaser
Model:	SDGJ-SDKCJ-1350
Rated Voltage:	230V~; 50Hz
Rated Input Power:	1350W
No-load Speed:	9000 rpm
Disc:	Φ125mm
Groove Depth:	0-30mm
Groove Width:	8mm bis 26mm

Accessories:
1x Adaptor
1x Scraper knife
1x Wrench

Packing and Delivery Information:	
With BMC box	
BMC Size (cm):	40×24×28
Gross Weight (kg):	6.22
Qty/Master Carton:	2
Master Carton Size (cm):	60×40×27
Gross Weight(kg):	13.7
20GP/40GP/40HQ:	630/1330/1890



DISC SANDER



Product Parameters	
Product:	Disc Sander
Model:	SDGJ-SDDS-140
Rated Voltage:	230V~, 50Hz
Rated Input Power:	140W
Operating mode:	S6 30%/100W (S1)
Stroke rate at no-load:	Max 4000rpm
Variable sanding speed:	250-600m/min
Disc:	φ125mm

Accessories:
1x Screw clamp for horizontal or vertical mounting
1x Angle stop
1x Allen key
1x K120 Sanding paper
1x Adaptor

750W EXCENTER SANDER



Product Parameters	
Product:	750W Excenter sander
Model:	SDGJ-SDRS-750
Rated Voltage:	230V~, 50Hz
Rated Input Power:	750W
No-load Speed:	3300-7300rpm
Vibration Frequenc	6600-14600rpm
Sanding pad speed during coarse sanding:	250-640rpm
Orbit diameter:	φ4.5mm
Pad Size:	150mm

Accessories:
1x Second handle
1x Extraction pipe
1x Corner protection
1x K120 Sanding paper
1x 5mm Hex key

BRUSHLESS EXCENTER SANDER



Product Parameters	
Product:	Brushless excenter sander
Model:	SDGJ-SDRS-350
Rated Voltage:	230V~; 50Hz
Rated Input Power:	350W
No-load Speed:	4000-10000rpm
Vibration Frequency:	9000-20000rpm
Pad Size:	150mm

Accessories:
1* K120 Sanding paper

2150W WALL CHASER



Product Parameters	
Product:	Wall Chaser
Model:	SDGJ-SDKCJ-2150
Rated Voltage:	230V~; 50Hz
Rated Input Power:	2150W
No-load Speed:	7200rpm
Diamond disc:	φ185mm
Diamond disc bore:	φ22.2mm
Slot width:	9-43mm
Slot depth:	15-60mm

Accessories:
2x Wrench
1x Adaptor



MINI SAW



Product Parameters	
Product:	Mini Saw
Model:	SDGJ-SDSAW-150
Voltage:	230V~; 50Hz
Power Rate:	710W
No-load Speed:	5300 rpm
Cutting Capacity:	90/27mm
Saw Blade:	85mm
Laser	

Accessories:
1x TCT Saw blade 85mm 24teech
1x 65mm Saw blade 85mm 60 teeth
1x Diamond cutting disc 85mm
1x Parallel guide
1x Spanner
1x dust outlet

FOAM SAW



Product Parameters	
Product:	Foam Saw
Model:	SDGJ-SDFS-350
Rated Voltage:	230V~, 50Hz
Rated Input Power:	350W
Stroke rate at no-load:	3500rpm
Cutting Capacity Max:	100mm

Accessories:
2x 11cm saw blade
1x Screwdriver

HEATING KNIFE



Product Parameters	
Product:	Heating Knife
Model:	SDGJ-SDHK-150
Rated Voltage:	230V~, 50Hz
Rated Input Power:	150W
Max cutting temperature:	500°C
In 6-8second, the temperature reaches to 500°C	
Adjusted Temperature	

Accessories:
1x 150mm Saw blade
1x Hex Key
1x Cleaning brush



CAR POLISHER



Product Parameters	
Product:	Car Polisher
Model:	SDGJ-SDCP-120
Rated Voltage:	230V~, 50Hz
Rated Input Power:	90W/120W
No-load Speed:	3500rpm
Polishing Plate:	φ24cm/φ25cm

Accessories:
1 x Towelling Cover
1 x Synthetic Bonnet Cover

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	29×26.5×20.5
Gross Weight (kg):	1.75
Qty/Master Carton:	4
Master Carton Size (cm):	60×55×22.5
Gross Weight(kg):	8.3
20GP/40GP/40HQ:	1296/2736/3344

HEAT GUN



Product Parameters	
Product:	Heat Gun
Model:	SDGJ-SDRF-Q-2000-1
Rated Voltage:	230V~; 50Hz
Rated Input Power:	2000W
Temperature:	350℃/550℃
Air Flow:	300L-500L/min

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	28.5×25.3×7.6
Gross Weight (kg):	0.9
Qty/Master Carton:	10
Master Carton Size (cm):	52.6×30.5×41
Gross Weight(kg):	9.5
20GP/40GP/40HQ:	3500/7700/9240

HEAT GUN



Product Parameters	
Product:	Heat Gun
Model:	SDGJ-SDRFQ-2000-D
Rated Voltage:	230V~, 50Hz
Rated Input Power:	2000W
Temperature:	350℃/550℃
Air Flow:	300L-500L/min

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	28.5×25.3×7.6
Gross Weight (kg):	0.9
Qty/Master Carton:	10
Master Carton Size (cm):	52.6×30.5×41
Gross Weight(kg):	9.5
20GP/40GP/40HQ:	3500/7700/9240

DIGITAL HEAT GUN



Product Parameters	
Product:	Heat Gun
Model:	SDGJ-SDRF-Q-2000-1
Rated Voltage:	230V~; 50Hz
Rated Input Power:	2000W
Temperature:	50 - 650 °C (the scale of 10°C)
Air Flow:	250 - 500 L/min



2 IN 1 HEAT GUN



Product Parameters	
Product:	2 in 1 Heat Gun
Model:	SDGJ-SDSCJ-2000
Rated Voltage:	230V~; 50Hz
Rated Input Power:	2000W
Temperature:	60℃/300℃/500℃
Air Flow:	Max 500L/min

Optional Accessories:
Nozzles (as shown in the pic)

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	43.5×15.5×11.4
Gross Weight (kg):	1.0
Qty/Master Carton:	8
Master Carton Size (cm):	64.5×45×25
Gross Weight(kg):	14.3
20GP/40GP/40HQ:	2304/5184/5760



20V 3 IN 1 SANDER



Product Parameters — A	
Product:	3 in 1 Sander-A
Model:	SDGJ-SDSS1-DC
Rated Voltage:	20V
No-load Speed:	7000-12000rpm
Vibration Frequency:	14000-24000rpm

Accessories:
1 x Dust bag
1 x Adaptor
1 x Pre-assembled Rectangle base plate (130×80mm)
1 x Square base plate (101×113mm)
1 x Triangle base plate (150×100mm)
3 x K120 sanding papers (one for each plate)

20V 3 IN 1 SANDER



Product Parameters — B	
Product:	3 in 1 Sander-B
Model:	SDGJ-SDSS2-DC
Rated Voltage:	20V
No-load Speed:	7000-12000rpm
Vibration Frequency:	14000-24000rpm

Accessories:
1 x Dust bag
1 x Adaptor
1 x Pre-assembled Rectangle plate (184×92mm)
1 x Triangle plate (150x 150x 100mm)
1 x Round plate (φ122)
3 x K120 sanding papers (one for each plate)

20V 3 IN 1 SANDER

TOOL-FREE EXCHANGE PLATES



Product Parameters	
Product:	3 in 1 Sander-C
Model:	SDGJ-SDSS3-DC
Rated Voltage:	20V
No-load Speed:	4000-10000rpm
Vibration Frequency:	8000-20000rpm
Eccentricity:	φ2.5mm

Accessories:
1 x Dust bag
1 x Adaptor
1 x Pre-assembled Square base plate
1 x Rectangle base plate
1 x Triangle base plate
1 x Extension plate (Finger-plate)
1 x Extension plate (Cylindrical plate)
5 x K120 sanding papers (one for each plate)





20V DETAIL SANDER



Product Parameters	
Product:	Detail Sander
Model:	SDGJ-SDSS-DC
Rated Voltage:	20V
No-load Speed:	12000rpm
Vibration Frequency:	24000rpm

Accessories:
1 x Dust bag
1 x Adaptor
1 x K120 sanding paper

20V DETAIL SANDER
TOOL-FREE EXCHANGE PLATES



Product Parameters	
Product:	Detail Sander
Model:	SDGJ-SDSS-DC
Rated Voltage:	20V
No-load Speed:	12000rpm
Vibration Frequency:	24000rpm

Accessories:
1 x Dust bag
1 x Adaptor
3 x K120 sanding papers (One for each plate)
1 x Extension plate (Finger-type)
1 x Extension plate (Tree-type)

20V DETAIL SANDER
TOOL-FREE EXCHANGE PLATES



Product Parameters	
Product:	Detail Sander-C
Model:	SDGJ-SDSS-DC2
Rated Voltage:	20V
No-load Speed:	12000rpm
Vibration Frequency:	24000rpm

Accessories:
1 x Rectangle plate
1 x Dust bag
1 x Adaptor
2 x K120 sanding papers (One for each plate)

20V EXCENTER SANDER



Product Parameters	
Product:	Excenter Sander
Model:	SDGJ-SDRS-DC
Rated Voltage:	20V
No load Speed:	7000-12000rpm
Vibration Frequency:	14000-24000rpm
Plate:	φ 125mm

Accessories:
1 x Dust bag
1 x Adaptor
1 x K120 sanding paper

20V EASY CURV



Product Parameters	
Product:	Easy Cur Sander
Model:	SDGJ-SDSDSS-DC
Rated Voltage:	20V
No-load Speed:	2200rpm
Plate:	φ50mm

Accessories:
1 x Adaptor
3 x K120 sanding papers (1pc for each plate)

20V CUTTER



Product Parameters	
Product:	Cutter
Model:	SDGJ-SDCUT-WDC
Rated Voltage:	20V
Rated Speed:	30000rpm
Collect Chuck:	3mm

Accessories:
1 x Spanner

20V DIE GRINDER



Product Parameters	
Product:	Die Grinder
Model:	SDGJ-SDDG-WDC
Rated Voltage:	20V
Rated Speed:	24000rpm
Collect Chuck:	6mm
Spanner Size.	19mm

Optional Accessories:
1 x Spanner
1 x Collect 6mm

20V GARDENSAW



Product Parameters	
Product:	Garden Saw
Model:	SDGJ-SDGS-DC
Rated Voltage:	20V
No-load Speed:	2700rpm
Stroke Length:	20mm

Optional Accessories:
Blade for wood
Blade for metal
Blade for plastic

20V HEAT GUN



Product Parameters	
Product:	Heat Gun
Model:	SDGJ-SDRFQ-DC
Rated Voltage:	20V
Temperature:	1. Cold air; 2. Low heat: Max 250°; 3. High heat: Max 550°
Max Air flow.	170 L/min
Feature:	In 30s up to 350° heat

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	21.8×21×7.6
Gross Weight (kg):	0.5kgs
Qty/Master Carton:	10
Master Carton Size (cm):	40×23.8×44
Gross Weight(kg):	5.5
20GP/40GP/40HQ:	6300/13050/13050





20V&40V COFFEE MACHINE



- Always have a mug of fresh coffee to hand - even when there aren't any power sockets
- Suitable for ground coffee and coffee pods
- Robust housing with a carry handle for easy transport - compact and portable
- Removable water tank - max. 240ml
- With overheating protection and automatic switch-off if there is not enough water
- Coffee filter not required thanks to the practical sieve with holder
- Pod holder suitable for commercially available coffee pods
- Includes matching cup made from stainless steel (with lid - dustproof) and coffee scoop

Product Parameters	
Product:	Coffee Machine
Model:	SDGJ-SDCM-DC
Rated Voltage:	20V/40V
Water tank capacity:	240ml With 240, 200, 160, 120ml scale line
Type of coffee:	60mm filter bag of the coffee or pre-ground coffee
Running time:	6-7mins/cup

Accessories:
1 x Measuring spoon (pre-assembled)
1 x Coffee powder box (filter pre-assembled)
1 x Coffee pod box
1 x 240ml Coffee mug with the cover

Packing and Delivery Information:	
With Color box	
Color Box Size (cm):	36x15x23.2
Gross Weight (kg):	1.4
Qty/Master Carton:	4
Master Carton Size (cm):	62x38x25.2
Gross Weight(kg):	6
20GP/40GP/40HQ:	1440/3240/3600



3.6V ELECTRIC IRON



Product Parameters – B	
Product:	Electric Iron
Model:	SDGJ SDOLT
Rated Voltage:	5V
Rated Input Power:	8W (Suitable for solder wire with φ1.5mm and below)
Warm-up time:	about 15~45 seconds
Temperature:	up to 300°C
Maximum continuous working time:	1 hour
Charging:	TPYE C charging
Charging time:	1.5 hours
Charger output parameters:	DC 5V, maximum 1500mA
LED Light	

NEW

- Melt quickly
- short preheating time
- high safety
- compact appearance
- convenient carrying









- Using the nichrome wire as the heating core
- Temperature by LCD liquid crystal display
- Temperature can be adjusted from 100~160 ℃


【FL-008AA 15(55)W】

电压 Voltage	120~240 V
工作功率 Power	15(55) W
预热时间 Preheat time	5~7 minutes
胶流量 Flow of glue	6~8g per minute
胶棒直径 Glue stick Φ M.	Φ7.2
材料 Material	PAG
包装 Packing	彩盒 Color box
外箱尺寸 Carton size	60 × 34 × 32cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W/N.W.	19.5/18KGS
每20'柜数量 Qty/20' container	18240 PCS

GLUE GUN PEN
10(15)W

NEW

- Novel appearance
- conwenient carry
- Simple operation
- energy saving







【FL-002 10(15)W】

电压 Voltage	120 V
工作功率 Power	10(15) W
预热时间 Preheat time	5~7 minutes
胶流量 Flow of glue	6~8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-002
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	54 × 41 × 38cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W/N.W.	9/7.8KGS
每20'柜数量 Qty/20' container	20280 PCS

Thermostat hot melt glue gun heated by Nickel-chromium wire,bigger power,shorter preheat time,bigger flow of glue.Using the most advanced integrated microcontroller and over-temperature protection device,it is unique in the international market.CONTROL TEMP BY CHIP, ADJUSTABLE THE TEMP EACH 10 DEGR EES, FROM 100 DEGREES–200 DEGREES



【FL-277AA 125W】

电压 Voltage	230 V
工作功率 Power	125 W
预热时间 Preheat time	2–3 minutes
胶流量 Flow of glue	20–25g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–277AA
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	41 × 35 × 27.5cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	13 / 12 KGS
每20'箱数量 Qty/20' container	4550 PCS

Multifunctional Nozzles

FL-277AAC

Thermostat hot melt glue gun heated by Nickel-chromium wire,bigger power,shorter preheat time,bigger flow of glue.Using the most advanced integrated microcontroller and over-temperature protection device,it is unique in the international market. CONTROL TEMP BY CHIP, ADJUSTABLE THE TEMP WITH THREE CHOICES , 100℃–150℃–200℃



【FL-277 125W】

电压 Voltage	230 V
工作功率 Power	125 W
预热时间 Preheat time	2–3 minutes
胶流量 Flow of glue	20–25g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–277
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	41 × 35 × 27.5cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	13 / 12 KGS
每20'箱数量 Qty/20' container	4550 PCS

Multifunctional Nozzles

FL-277C

Thermostat hot melt glue gun heated by PTC, big power from 30W-450W,WITH ON-OFF Switch,more convenient and energy saving, stop glue drip Valve, Effective to stop the glue drip.



Multifunctional Nozzles

FL-277SC

【FL-277S 30(450)W】

电压 Voltage	230 V
工作功率 Power	30(450) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	20–25g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-277S
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	41 × 35 × 27.5cm
每箱数量 Qty per carton	4 PCS
毛、净重 G.W / N.W.	13 / 12 KGS
每20'柜数量 Qty/20' container	4550 PCS



【FL-266 25(80)W】

电压 Voltage	230 V
工作功率 Power	25(80) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-266
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	59 × 47 × 42cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11520 PCS

NEW

RECHARGABLE GLUE GUN



7.2X100X15PCS
glue stick



charger



charger base





【FL-5959-AA 12(55)W】

Description:	Rechargable Glue Gun
Item No:	FL-5959-AA
Power:	12(55)W
Voltage:	DC7.2V
Preheat Time:	5-7 minutes
Type of Battery:	NI-MH
Capability of Battery:	1800 mAh
Charging Time:	2 Hours
Working Time:	20 minutes
Packing:	双泡Blister pack
Carton size:	34.5 x 27 x 31cm
Qty per carton:	6 PCS
G.W/N.W.:	9.5/9 KGS
Qty/20' FCL:	3000 PCS

NEW





FQ-005



FQ-007



FL-15BF



FL-13B



FL-188D



FL-188A



FL-158E



FL-666

【FL-005 10(15)W】

电压 Voltage	120 V
工作功率 Power	10(15) W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-005
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	54 x 41 x 30cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W/N.W.	9/7 KGS
每20'柜数量 Qty/20' container	20280 PCS



FQ-005C



【FL-138 10W】

电压 Voltage	120 V
工作功率 Power	10 W
预热时间 Preheat time	5-8 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 × 40 × 34cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜数量 Qty/20' container	24000 PCS



【FL-666 25(70)W】

电压 Voltage	230 V
工作功率 Power	25(70) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	12-16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-666
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	50 × 47 × 42cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18 /16 KGS
每20'柜数量 Qty/20' container	10080 PCS



【FL-158B 40W】

电压 Voltage	120 V
工作功率 Power	40 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158B
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	55 x 46 x 37cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20'柜数量 Qty/20' container	14880 PCS



【FL-188A 80W】

电压 Voltage	120 V
工作功率 Power	80 W
预热时间 Preheat time	5-5 minutes
胶流量 Flow of glue	14-16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-188A
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	50 × 47 × 42cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18/ 16 KGS
每20'柜数量 Qty/20' container	11520 PCS

Thermostat hot melt glue gun heated by Nickel-chromium wire,bigger power,shorter preheat time,bigger flow of glue.Using the most advanced integrated microcontroller and over-temperature protection device,it is unique in the international market.CONTROL TEMP BY CHIP\ADJUSTABLE THE TEMP WITH THREE CHOICES , 100℃~150℃~200℃







【FL-277 125W】

电压 Voltage	230 V
工作功率 Power	125 W
预热时间 Preheat time	2-3 minutes
胶流量 Flow of glue	20-25g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-277
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	41 x 35 x 27.5cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	13 / 12 KGS
每20'柜数量 Qty/20' container	4550 PCS





Multifunctional Nozzles



FL-277C

Thermostat hot melt glue gun heated by Nickel-chromium wire,bigger power,shorter preheat time,bigger flow of glue.Using the most advanced integrated microcontroller and over-temperature protection device,it is unique in the international market.CONTROL TEMP BY CHIP. ADJUSTABLE THE TEMP EACH 10 DEGR EES, FROM 100 DEGREES-200 DEGREES







【FL-277AA 125W】

电压 Voltage	230 V
工作功率 Power	125 W
预热时间 Preheat time	2-3 minutes
胶流量 Flow of glue	20-25g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-277AA
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	41 x 35 x 27.5cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	13 / 12 KGS
每20'柜数量 Qty/20' container	4550 PCS





Multifunctional Nozzles



FL-277AAC

Thermostat hot melt giue gun heated by PTC, big power from 30W-450W,WITH ON-OFF Switch,more convenient and energy saving, stop glue drip Valve, Effective to stop the glue drip.







【FL-277S 30(450)W】

电压 Voltage	230 V
工作功率 Power	30(450) W
预热时间 Preheat time	3 -5 minutes
胶流量 Flow of glue	20-25g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-277S
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	41 x 35 x 27.5cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	13 / 12 KGS
每20'柜数量 Qty/20' container	4550 PCS







Multifunctional Nozzles



FL-277SC

Thermostat hot melt giue gun heated by PTC, big power from 30W-450W,WITH ON-OFF Switch,more convenient and energy saving, stop glue drip Valve, Effective to stop the glue drip.









【FL-277B 125W】

电压 Voltage	230 V
工作功率 Power	125 W
预热时间 Preheat time	2 -3 minutes
胶流量 Flow of glue	20-25g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-277B
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	41 x 35 x 27.5cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	13 / 12 KGS
每20'柜数量 Qty/20' container	4550 PCS



Multifunctional Nozzles



FL-277BC

Fluorescence glue gun





【FL-005 10(15)W】

电压 Voltage	120 V
工作功率 Power	10(15) W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-005
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	54 × 41 × 30cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	9 / 7 KGS
每20'柜数量 Qty/20' container	20280 PCS

Regular Dual temperature glue gun
High temperaturt:170℃-190℃
Low temperature:142℃-157℃
Therefore,It can easily control flow of glue by adjust temperature.





【FQ-138K 10W】

电压 Voltage	120 V
工作功率 Power	10 W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FQ-138K
包装 Packing	Display Box
外箱尺寸 Carton size	42 × 40 × 34cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8KGS
每20'柜数量 Qty/20' container	24000 PCS

Regular Dual temperature glue gun
High temperaturt:170℃-190℃
Low temperature:142℃-157℃
Therefore,It can easily control flow of glue by adjust temperature.





【FQ-188AAK 80W】

电压 Voltage	120 V
工作功率 Power	80 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	14-16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-188AAK
包装 Packing	吸塑盒 Moulding case
外箱尺寸 Carton size	60 × 42 × 46cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	24 / 22 KGS
每20'柜数量 Qty/20' container	5760 PCS



Multifunctional Nozzles

Regular Dual temperature glue gun
High temperaturt:170℃-190℃
Low temperature:142℃-157℃
Therefore,It can easily control flow of glue by adjust temperature.





【FQ-158BK 40W】

电压 Voltage	120 V
工作功率 Power	40 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	14-16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-158BK
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	52 × 40 × 38cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14KGS
每20'柜数量 Qty/20' container	14400 PCS



【FL-188D 60W】

电压 Voltage	230 V
工作功率 Power	60 W
预热时间 Preheat time	3–5 minutes
胶液量 Flow of glue	4–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-188D
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	59 x 47 x 42cm
每箱数量 Qty per carton	48 PCS
毛，净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11520 PCS

【FL-199AAR 25(500)W】

电压 Voltage	230 V
工作功率 Power	25(500) W
预热时间 Preheat time	3–5 minutes
胶液量 Flow of glue	22–30g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-199AAR
包装 Packing	彩盒 Color box
外箱尺寸 Carton size	64 x 44 x 46cm
每箱数量 Qty per carton	24 PCS/CTN
毛，净重 G.W / N.W.	21 / 19 KGS
每20'柜数量 Qty/20' container	5088PCS





【FL-168 60W】

电压 Voltage	230 V
工作功率 Power	60 W
预热时间 Preheat time	3–5 minutes
胶液量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-168
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	59 x 47 x 42cm
每箱数量 Qty per carton	48 PCS
毛，净重 G.W / N.W.	28 / 16 KGS
每20'柜数量 Qty/20' container	11520 PCS





【FL-199AARC 25(500)W】

电压 Voltage	230 V
工作功率 Power	25(500) W
预热时间 Preheat time	3–5 minutes
胶液量 Flow of glue	8–12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-199AARC
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	44 x 38 x 24.5cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	10 / 9 KGS
每20'柜数量 Qty/20' container	5040 PCS



Multifunctional Nozzles

GS CE 标准

NEW









LD-0111



【FL-138S 10(60)W】

电压 Voltage	230 V
工作功率 Power	10(60) W
预热时间 Preheat time	5–5 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL–138S
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42.5 x 41 x 38cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	11 / 10 KGS
每20'柜数量 Qty/20' container	1056 PCS



【FL–138 10(60)W】

电压 Voltage	230 V
工作功率 Power	10(60) W
预热时间 Preheat time	5–7 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL–138
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 × 40 × 36cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜数量 Qty/20' container	2400 PCS





【FL-138A 10W】

电压 Voltage	230 V
工作功率 Power	10 W
预热时间 Preheat time	5–7 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138A
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 × 40 × 30cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜数量 Qty/20' container	23040 PCS



MINI CORDLESS GLUE GUN

【FL-138AA 12(55)W】

电压 Voltage	230 V
工作功率 Power	12(55) W
预热时间 Preheat time	5–7 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138AA
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	48 × 40 × 31cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜数量 Qty/20' container	18048 PCS







【FL-138B 15W】

电压 Voltage	230 V
工作功率 Power	15 W
预热时间 Preheat time	5–7 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138B
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	44 × 38 × 31cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	8 / 7 KGS
每20'柜数量 Qty/20' container	25920 PCS



【FL-138AB 12(55)W】

电压 Voltage	230 V
工作功率 Power	12(55) W
预热时间 Preheat time	5–7 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138AB
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	46 × 40 × 31cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜数量 Qty/20' container	18048 PCS





【FL-158 25(80)W】

电压 Voltage	230 V
工作功率 Power	25(80) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	PL-158
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	55 x 46 x 57cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20'柜数量 Qty/20' container	14880 PCS



【FL-158F 20(78)W】

电压 Voltage	230 V
工作功率 Power	20(78) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	PL-158F
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	54 x 48 x 36cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20'柜数量 Qty/20' container	14400 PCS



【FL-158B 40W】

电压 Voltage	230 V
工作功率 Power	40 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	PL-158B
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	52 x 46 x 58cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	15 / 14 KGS
每20'柜数量 Qty/20' container	14880 PCS



【FL-158E 25(78)W】

电压 Voltage	230 V
工作功率 Power	25(78) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	12-18g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	PL-158E
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	56 x 53 x 43cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11040 PCS





【FL-518 23(80)W】

电压 Voltage	230 V
工作功率 Power	23(80) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–518
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	58 x 45 x 38cm
每箱数量 Qty per carton	48 PCS
毛，净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	13520 PCS





【FL-168 60W】

电压 Voltage	230 V
工作功率 Power	60 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–168
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	59 x 47 x 42cm
每箱数量 Qty per carton	48 PCS
毛，净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11520 PCS



【FL-188 25(80)W】

电压 Voltage	230 V
工作功率 Power	25(80) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–188
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	59 x 47 x 42cm
每箱数量 Qty per carton	48 PCS
毛，净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11520 PCS

【FL-528 20(80)W】

电压 Voltage	230 V
工作功率 Power	20(80) W
预热时间 Preheat time	5–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–528
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	60 x 55 x 43cm
每箱数量 Qty per carton	48 PCS
毛，净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	9600 PCS



【FL-188D 60W】

电压 Voltage	230 V
工作功率 Power	60 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–188D
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	59 x 47 x 42cm
每箱数量 Qty per carton	48 PCS
毛，净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11520 PCS









【FL-188A 15(80)W】

电压 Voltage	230 V
工作功率 Power	15(80) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–188A
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	50 x 47 x 43cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	12240 PCS



PROFESSIONAL GLUE GUN

【FL–288 30(180)W】

电压 Voltage	230 V
工作功率 Power	30(180) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	25–30g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–288
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	48 x 34 x 58cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	15 / 13 KGS
每20'柜数量 Qty/20' container	5760 PCS



CORDLESS GLUE GUN

【FL–188AA 15(80)W】

电压 Voltage	230 V
工作功率 Power	15(80) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–188AA
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	56 x 48 x 36.5cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	17 / 15 KGS
每20'柜数量 Qty/20' container	6840 PCS









【FL–258 100W】

电压 Voltage	230 V
工作功率 Power	100 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	12–15g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL–258
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	58 x 46 x 50cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	24 / 22 KGS
每20'柜数量 Qty/20' container	10080 PCS



【FL-158FC 20(78)W】

电压 Voltage	230 V
工作功率 Power	20(78) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-15g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158FC
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	45 x 34 x 21.5cm
每箱数量 Qty per carton	16 PCS
毛、净重 G.W / N.W.	10 / 9 KGS
每20'柜数量 Qty/20' container	8960 PCS

【FL-258C 100W】

电压 Voltage	230 V
工作功率 Power	100 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	12-18g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-258C
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	52 x 35 x 45cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	21 / 19 KGS
每20'柜数量 Qty/20' container	7920 PCS





【FL-518C 23(80)W】

电压 Voltage	230 V
工作功率 Power	23(80) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	14-18g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-518C
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	57 x 46 x 44cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	28 / 27 KGS
每20'柜数量 Qty/20' container	11760 PCS



【FL-188AC 15(80)W】

电压 Voltage	230 V
工作功率 Power	15(80) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	14-18g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-188AC
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	57 x 56 x 46cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	34 / 32 KGS
每20'柜数量 Qty/20' container	9120 PCS



【FL-288C 30(180)W】

电压 Voltage	230 V
工作功率 Power	30(180) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	20-30g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-288C
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	69 x 42 x 46cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W./N.W.	24 / 22 KGS
每20柜数量 Qty/20' container	5760 PCS





【FL-1318AAC 10/15(80)W】

电压 Voltage	230 V
工作功率 Power	10 / 15(80) W
预热时间 Preheat time	5-7 / 5-7minutes
胶流量 Flow of glue	6-8 / 14-18g per minute
胶棒直径 Glue stick D.M.	Φ7.2 / Φ11.2
型号 Item	FL-1318AAC
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	65 x 51 x 58cm
每箱数量 Qty per carton	12 PCS
毛、净重 G.W./N.W.	19 / 17 KGS
每20柜数量 Qty/20' container	3480 PCS





【FL-188AAC 15(80)W】

电压 Voltage	230 V
工作功率 Power	15-80 W
预热时间 Preheat time	5-5 minutes
胶流量 Flow of glue	14-18g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-188AAC
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	60 x 42 x 46cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W./N.W.	24 / 22 KGS
每20柜数量 Qty/20' container	5760 PCS



【FL-158FC 20(78)W】

电压 Voltage	230 V
工作功率 Power	20(78) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158FC
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	55 x 50 x 46cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W./N.W.	30 / 28 KGS
每20柜数量 Qty/20' container	19440 PCS



【FL-158EC 25(78)W】

电压 Voltage	220 V
工作功率 Power	25(78) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	8–12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158EC
包装 Packing	塑模盒 Moulding case
外箱尺寸 Carton size	56 × 48 × 22cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	15 / 14 KGS
每20'柜数量 Qty/20' container	1080 PCS



- 1pc Glue gun (FL-528)
- 2pcs Glue sticks (Φ11.2 × 150)
- 1pc Knife
- 5pcs Blades
- 2pc Clamps

Glue Gun Kit with 11 Accessories

【FL-528C 20(80)W】

电压 Voltage	220 V
工作功率 Power	20(80) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-528C
包装 Packing	塑盒装 Plastic Box
外箱尺寸 Carton size	51 × 39 × 40cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	26 / 24 KGS
每20'柜数量 Qty/20' container	960 PCS



【FL-028C 20(80)W】

电压 Voltage	220 V
工作功率 Power	20(80) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-028C
包装 Packing	塑盒装 Plastic Box
外箱尺寸 Carton size	56.5 × 29 × 46cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	26 / 24 KGS
每20'柜数量 Qty/20' container	9120 PCS

PROFESSIONAL GULE GUN

- 1pc Glue gun (FL-288)
- 2pcs Glue sticks (Φ11.2 × 150)
- 1pc Knife
- 3pcs Blades

Glue Gun Kit with 7 Accessories

【FL-888 30(180)W】

电压 Voltage	220 V
工作功率 Power	30(180) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	25–30g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-888
包装 Packing	塑盒装 Plastic Box
外箱尺寸 Carton size	61 × 38 × 49cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	30 / 28 KGS
每20'柜数量 Qty/20' container	6000 PCS





- 1pc Glue gun (FL-528)
- 2pcs Glue sticks (Φ11.2 × 150)
- 2pc Root clamps
- 2pc Clamps

Glue Gun Kit with 11 Accessories



【FL-528FC 20(80)W】

电压 Voltage	230 V
工作功率 Power	20(80) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	14-16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-528FC
包装 Packing	塑真空 Plastic Box
外箱尺寸 Carton size	60 × 35 × 24.5cm
每箱数量 Qty per carton	12 PCS
毛、净重 G.W / N.W.	13 / 12 KGS
每20'柜数量 Qty/20' container	1080 PCS



【FQ-188AAKC 80W】

电压 Voltage	120 V
工作功率 Power	80 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	14-16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-188AAKC
包装 Packing	吹塑盒 Moulding case
外箱尺寸 Carton size	60 × 42 × 46cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	24 / 22 KGS
每20'柜数量 Qty/20' container	1008 PCS





【FQ-005 10(15)W】

电压 Voltage	120 V
工作功率 Power	10(15) W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FQ-005
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	54 x 43 x 30cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	9 / 7 KGS
每20柜数量 Qty/20' container	20280 PCS





【FQ-128 10W】

电压 Voltage	120 V
工作功率 Power	10 W
预热时间 Preheat time	5-8 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FQ-128
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 x 40 x 30cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	9 / 7 KGS
每20柜数量 Qty/20' container	27000 PCS



【FQ-138 10W】

电压 Voltage	120 V
工作功率 Power	10 W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FQ-138
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 x 40 x 54cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20柜数量 Qty/20' container	24000 PCS



【FQ-007 40W】

电压 Voltage	120 V
工作功率 Power	40 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-007
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	58 x 49 x 36cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20柜数量 Qty/20' container	12960 PCS





【FQ-138A 10W】

电压 Voltage	120 V
工作功率 Power	10 W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FQ-138A
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 x 40 x 30cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20柜数量 Qty/20' container	27000 PCS



【FQ-139 15W】

电压 Voltage	120 V
工作功率 Power	15 W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FQ-139
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	43 x 42 x 37cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜装量 Qty/20' container	59340 PCS





【FQ-158 40W】

电压 Voltage	120 V
工作功率 Power	40 W
预热时间 Preheat time	5-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-158
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	53 x 46 x 37cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20'柜装量 Qty/20' container	14880 PCS



【FQ-138AD 10W】

电压 Voltage	120 V
工作功率 Power	10 W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FQ-138AD
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 x 40 x 38cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	9 / 7 KGS
每20'柜数量 Qty/20' container	26640 PCS



【FQ-158B 40W】

电压 Voltage	120 V
工作功率 Power	40 W
预热时间 Preheat time	5-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-158B
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	52 x 46 x 38cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20'柜数量 Qty/20' container	14880 PCS





【FQ-158E 25(78)W】

电压 Voltage	120 V
工作功率 Power	25(78) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	12–18g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ–158E
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	56 x 50 x 41cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11040 PCS







【FQ-188 60W】

电压 Voltage	120 V
工作功率 Power	60 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	12–14g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ–188
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	50 x 47 x 45cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11520 PCS

【FQ-528 20(80)W】

电压 Voltage	120 V
工作功率 Power	20(80) W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	8–12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ–528
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	60 x 55 x 45cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	9600 PCS







【FQ-188A 80W】

电压 Voltage	120 V
工作功率 Power	80 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–18g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ–188A
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	59 x 47 x 42cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	18 / 16 KGS
每20'柜数量 Qty/20' container	11520 PCS



CORDLESS GLUE GUN

【FQ-188AA 80W】

电压 Voltage	120 V
工作功率 Power	80 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-188AA
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	56 x 48 x 36.5cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	17 / 15 KGS
每20'柜数量 Qty/20' container	4860 PCS



【FQ-1315C 10/40W】

电压 Voltage	120 V
工作功率 Power	10 / 40 W
预热时间 Preheat time	5–7 / 3–5 minutes
胶流量 Flow of glue	6–8 / 8–12g per minute
胶棒直径 Glue stick D.M.	Φ7.2 / Φ11.2
型号 Item	FQ-1315C
包装 Packing	海绵盒 Moulding case
外箱尺寸 Carton size	56 x 35 x 44cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	22 / 20 KGS
每20'柜数量 Qty/20' container	7800 PCS





PROFESSIONAL GLUE GUN

【FQ-288 250W】

电压 Voltage	120 V
工作功率 Power	250 W
预热时间 Preheat time	5–8 minutes
胶流量 Flow of glue	20–30g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-288
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	62 x 34 x 58cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	15 / 13 KGS
每20'柜数量 Qty/20' container	5760 PCS



DUAL-TEMP GLUE GUN

【FQ-138K 10W】

电压 Voltage	120 V
工作功率 Power	10 W
预热时间 Preheat time	5–7 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FQ-138K
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	62 x 40 x 34cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜数量 Qty/20' container	24000 PCS

DUAL-TEMP GLUE GUN



【FQ-158BK 40W】

电压 Voltage	120 V
工作功率 Power	40 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	8–12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-158BK
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	52 × 45 × 38cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20柜数量 Qty/20' container	14580 PCS






DUAL-TEMP GLUE GUN

【FQ-188AAK 80W】

电压 Voltage	120 V
工作功率 Power	80 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FQ-188AAK
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	56 × 36 × 48cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	17 / 15 KGS
每20柜数量 Qty/20' container	6960 PCS







【FL-138 10(21)W】

电压 Voltage	120 V
工作功率 Power	10(21) W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 x 40 x 35cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜数量 Qty/20' container	2880 PCS



【FL-158 27(60)W】

电压 Voltage	120 V
工作功率 Power	27(60) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	53 x 46 x 35cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20'柜数量 Qty/20' container	14880 PCS







【FL-138 10W】

电压 Voltage	220-240 V
工作功率 Power	10 W
预热时间 Preheat time	5-7minutes
胶流量 Flow of glue	5-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	40 × 42 × 35cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	11 / 9 KGS
每20'柜数量 Qty/20' container	20160 PCS



【FL-158B 40W】

电压 Voltage	220-240 V
工作功率 Power	40 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158B
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	52 × 46 × 38cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20'柜数量 Qty/20' container	14880 PCS



【FL-158 40W】

电压 Voltage	220-240 V
工作功率 Power	40 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	54 × 48 × 37cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	20 / 18 KGS
每20'柜数量 Qty/20' container	13920 PCS





【FL-188 60W】

电压 Voltage	220-240 V
工作功率 Power	60 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	14-16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-188
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	60 × 48 × 43cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	22 / 20 KGS
每20'柜数量 Qty/20' container	11040 PCS

【FL-258 100W】

电压 Voltage	220-240 V
工作功率 Power	100 W
预热时间 Preheat time	5-6 minutes
胶流量 Flow of glue	12-18g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-258
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	58 × 46 × 50cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	24 / 22 KGS
每20'柜数量 Qty/20' container	10080 PCS







【FL-138 10W】

电压 Voltage	220-240 V
工作功率 Power	10 W
预热时间 Preheat time	5-7 minutes
胶流量 Flow of glue	6-8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 x 40 x 54cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W./N.W.	10/9 KGS
每20'柜数量 Qty/20' container	24000 PCS





【FL-158B 40W】

电压 Voltage	220-240 V
工作功率 Power	40 W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	8-15g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158B
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	52 x 40 x 28cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W./N.W.	16/14 KGS
每20'柜数量 Qty/20' container	14000 PCS

ARGENTINA IRAM 标准



【FL-288 30(180)W】

电压 Voltage	220-240 V
工作功率 Power	30(180) W
预热时间 Preheat time	3-5 minutes
胶流量 Flow of glue	20-30g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-288
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	61 x 34 x 58cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W./N.W.	15/13 KGS
每20'柜数量 Qty/20' container	5760 PCS

HOT MELT CLUE GUN SERIES TMK 标准







【FL-138 10W】

电压 Voltage	110 V
工作功率 Power	10 W
预热时间 Preheat time	5–7 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	42 x 40 x 54cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	10 / 8 KGS
每20'柜数量 Qty/20' container	24000 PCS






【FL-138AB 15W】

电压 Voltage	220 V
工作功率 Power	15 W
预热时间 Preheat time	5–7 minutes
胶流量 Flow of glue	6–8g per minute
胶棒直径 Glue stick D.M.	Φ7.2
型号 Item	FL-138AB
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	48 x 40 x 35cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 8 KGS
每20'柜数量 Qty/20' container	16048 PCS

【FL-158 40W】

电压 Voltage	110 V
工作功率 Power	40 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	8–12g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-158
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	53 x 46 x 37cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	16 / 14 KGS
每20'柜数量 Qty/20' container	14988 PCS




NEW


LD-0111


NEW
【FL-300】
Description: Electric Staple Gun
Item No.: FL-300
Voltage & Frequency: 230V~50Hz
Firing Speed: 30/min
Staple/Nail: 10~32mm
Packing: Moulding case
Carton Size: 40 x 29.5 x 45cm
Qty Per Carton: 12 PCS
G.W/N.W.: 25 / 24 KGS
QTY/20' FCL: 5160 PCS
NEW
【FL-310】
Description: Electric Staple Gun
Item No: FL-310
Voltage & Frequency: 230V~50Hz
Firing Speed: 30/min
Staple/Nail: 10~32mm
Packing: Moulding case
Carton Size: 40 x 29.5 x 45cm
Qty Per Carton: 12 PCS
G.W/N.W.: 25 / 24 KGS
QTY/20' FCL: 5160 PCS



【FL22-9】

Description:	Electric Staple Gun
Item No:	FL22-9
Voltage & Frequency:	230V~50Hz
Firing Speed:	30/min
Staple/Nail:	10~32mm
Packing:	Moulding case
Carton Size:	49 x 29.5 x 45cm
Qty Per Carton:	12 PCS
G.W/N.W.:	25 / 24 KGS
QTY/20' FCL:	5160 PCS





【FL22-9C】

Description:	Electric Staple Gun
Item No:	FL22-9C
Voltage & Frequency:	230V~50Hz
Firing Speed:	30/min
Staple/Nail:	10~32mm
Packing:	Moulding case
Carton Size:	58 x 33 x 30.5cm
Qty Per Carton:	12 PCS
G.W/N.W.:	34 / 33.5 KGS
QTY/20' FCL:	5490 PCS



【FL22-8AC】

品名Name	电钉枪 ELECTRIC NAIL GUN
电压频率 VOLTAGE & FREQUENCY	220V~50Hz
每分钟出钉量 FIRING SPEED	20 / min
使用钉子规格 STAPLE & NAIL	8-16mm
型号 Item	FL22-8AC
包装 Packing	彩盒 Color box
外箱尺寸 Carton size	45 × 30 × 31cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	13.5 / 13 KGS
每20'柜数量 Qty/20' container	4020 PCS



1. 2pcs Mini-clamps
2. 2pcs Root clamps
3. 1pc Magnifier
4. 1pc Soldering gun (FL-98)
5. 2pcs Extra tips
6. 1pc Glue gun (FL-528)
7. 1pc Soldering stand
8. 1pc Spare tip
9. 1pc Soldering paste (10g)
10. 5pcs Glue sticks
11. 1pc Soldering wire (10g)
12. 1pc Desoldering pump
13. 5pcs Blades
14. 1pc Knife

26Pcs Tools Kits

- 1pc Knife
- 5pcs Blades
- 2pcs Root clamps
- 1pc Scraping rod
- 1pc Glue gun (FL-528)
- 5pcs Glue sticks
- 1pc Spare tip
- 1pc Soldering gun (FL-98)
- 2pcs Extra tips
- 1pc Soldering wire (10g)
- 1pc Soldering stand
- 1pc Soldering paste (10g)
- 1pc Magnifier
- 1pc Desoldering pump
- 2pcs Mini-clamps

【FL-9825AC】

型号 Item	FL-9825AC
包装 Packing	塑胶盒 Moulding case
外箱尺寸 Carton size	42 × 35 × 27cm
每箱数量 Qty per carton	6 PCS
毛，净重 G.W / N.W.	16 / 15 KGS
每20'柜数量 Qty/20' container	4320 PCS



NEW

HOME DECORATION KIT



【FL-0588C】

型号 Item	FL-0588C
包装 Packing	塑盒装 Plastic Box
外箱尺寸 Carton size	52 × 41 × 28.5cm
每箱数量 Qty per carton	10 PCS
毛、净重 G.W / N.W	17 / 15 KGS
每20'柜数量 Qty/20' container	600 PCS

KIT INCLUDES 38PCS

1. Light Duty Staple Gun
2. 2PCS Root Clamps
3. Mini Glue Gun
4. Rubber Cushion
5. 24PCS Glue Sticks
6. 5PCS Blades
7. Knife
8. 2PCS Mini-Clamps
9. Light Duty Staples One Box
10. 5pcs Blades
11. 1pc Soldering wire (10g)



HOME DECORATION KIT

NEW



KIT INCLUDES 37PCS

1. 2PCS Root Clamps
2. Mini Glue Gun
3. Rubber Cushion
4. 24PCS Glue Sticks
5. 5PCS Blades
6. Knife
7. 2PCS Mini-Clamps
8. 5pcs Blades




【FQ-0588FC】

型号 Item	FQ-0588FC
包装 Packing	塑盒装 Plastic Box
外箱尺寸 Carton size	52 × 41 × 28.5cm
每箱数量 Qty per carton	12 PCS
毛、净重 G.W / N.W.	17 / 15 KGS
每20'柜数量 Qty/20' container	600 PCS









【FL-015C】

型号 Item	FL-015C
包装 Packing	塑盒 Plastic Box
外箱尺寸 Carton size	56 × 29 × 46cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	24 / 22 KGS
每20'柜数量 Qty/20' container	9120 PCS



6-14mm


【FL-011】

名称 Name	Staple Gun
型号 Item	FL-011
钉子尺寸 Staple Size	4-8mm
包装 Packing	插卡 Sliding card
外箱尺寸 Carton size	56 x 26 x 41cm
每箱数量 Qty per carton	48 PCS
毛、净重 G.W / N.W.	13 / 11 KGS
每20'柜数量 Qty/20' container	2520 PCS









【FL-012】

名称 Name	Staple Gun
型号 Item	FL-012
钉子尺寸 Staple Size	4-14mm
包装 Packing	插卡 Sliding card
外箱尺寸 Carton size	48 x 36 x 22cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	17 / 15 KGS
每20'柜数量 Qty/20' container	10800 PCS









NEW

FAST SOLDERING IRON GUN:Sitting advanced automatic tin transiting system,tin transiting efficiency and precision rate is up to 99%,adopt self-R&D inserting integrated chip,temperature can be adjusted between 150℃ and 500℃,constant temperature can be controlled automatically.Sitting time extending integrated chip,after stop working 20 mins,it will cut the power off automatically.This is the unique product in the world market.









【FL-009 30W】

电压 Voltage	230 V
电力消耗 Power	30(40)(60) W
预热时间 Preheat time	2-3 minutes
型号 Item	FL-009
包装 Packing	Sliding card
外箱尺寸 Carton size	28 x 73 x 35cm
每箱数量 Qty per carton	12 PCS
毛，净重 G.W / N.W.	16.5 / 15.5 KGS
每20柜数量 Qty/20' container	4608 PCS







【FL-98 100W】

电压 Voltage	230 V
电力消耗 Power	100 W
运转 Operation	12S / 48S / T2S / E
灯泡 Bulb	2.2V 0.25A
型号 Item	FL-98
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	60 x 47 x 48cm
每箱数量 Qty per carton	24 PCS
毛，净重 G.W / N.W.	28 / 26 KGS
每20柜数量 Qty/20' container	5424 PCS





【FL-2000 150W】

电压 Voltage	230 V
电力消耗 Power	150 W
运转 Operation	12S / 48S / T2S / E
灯泡 Bulb	6V 0.25A
型号 Item	FL-2000
包装 Packing	双泡 Blister pack
外箱尺寸 Carton size	60 x 43 x 24.5cm
每箱数量 Qty per carton	12 PCS
毛，净重 G.W / N.W.	13 / 12 KGS
每20柜数量 Qty/20' container	5300 PCS





- 1pc Soldering gun
- 2pcs Extra tips
- 1pc Soldering wire (10g)
- 1pc Soldering paste (10g)

Soldering Gun Kit with 5 Accessories

【FL-98C 100W】

电压 Voltage	230 V
电力消耗 Power	100 W
运转 Operation	125 / 40S / T25 / E
灯泡 Bulb	2.5V 0.25A
型号 Item	FL-98C
包装 Packing	铁塑盒 Moulding case
外箱尺寸 Carton size	50 × 41 × 42cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	28 / 26 KGS
每20'柜数量 Qty/20' container	1104 PCS

- 1pc Soldering gun
- 2pcs Extra tips
- 1pc Soldering wire(10g)
- 1pc Soldering paste (10g)

Soldering Gun Kit with 5 Accessories

【FL-2000C 150W】

电压 Voltage	230 V
电力消耗 Power	150 W
运转 Operation	125 / 40S / T25 / E
灯泡 Bulb	6V 0.25A
型号 Item	FL-2000C
包装 Packing	铁塑盒 Moulding case
外箱尺寸 Carton size	50 × 41 × 24cm
每箱数量 Qty per carton	12 PCS
毛、净重 G.W / N.W.	15 / 14 KGS
每20'柜数量 Qty/20' container	5784 PCS





- 1pc Soldering gun (FL-98)
- 1pc Soldering iron
- 2pcs Extra tips
- 1pc Soldering wire (10g)
- 1pc Soldering paste (10g)
- 1pc Soldering stand
- 1pc Magnifier
- 1pc Desoldering pump

Soldering Gun Kit with 9 Accessories

【FL-98AC 100W】

电压 Voltage	230 V
电力消耗 Power	100 W
运转 Operation	125 / 40S / T25 / E
灯泡 Bulb	2.5V 0.25A
型号 Item	FL-98AC
包装 Packing	铁塑盒 Moulding case
外箱尺寸 Carton size	64 × 51 × 32cm
每箱数量 Qty per carton	12 PCS
毛、净重 G.W / N.W.	25 / 24 KGS
每20'柜数量 Qty/20' container	3216 PCS



【FL-999 75W】

品名 Name	电喷枪 Electric Spray Gun
电压 Voltage	230 V
工作功率 Power	70 W
容量 Content	0.8L
喷流量 Flow of spray	280ml / min
型号 Item	FL-999
包装 Packing	彩盒 Color box
外箱尺寸 Carton size	50 × 50 × 38.5cm
每箱数量 Qty per carton	12 PCS
毛、净重 G.W / N.W.	21 / 20 KGS
每20'柜数量 Qty/20' container	3000 PCS

Promotion ,on sale now!

【FL-25FAA】

型号 Item	FL-25FAA
包装 Packing	展示盒 Display Box
外箱尺寸 Carton size	30 × 32 × 34cm
每箱数量 Qty per carton	10 PCS
毛、净重 G.W / N.W.	8 / 7 KGS
每20'柜数量 Qty/20' container	7150 PCS





RUBBER CUSHION

【FL-021】

品名 Name	胶垫垫 Rubber cushion
型号 Item	FL-021
尺寸 size	19.6 × 19.6cm
包装 Packing	插卡 Sliding card
外箱尺寸 Carton size	46 × 36 × 29cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	3.5/3 KGS
每20'柜数量 Qty/20' container	1440 PCS







【FL-222C】

电压 Voltage	220 V
工作功率 Power	40 W
预热时间 Preheat time	3–5 minutes
胶流量 Flow of glue	14–16g per minute
胶棒直径 Glue stick D.M.	Φ11.2
型号 Item	FL-222C
包装 Packing	彩盒 Color box
外箱尺寸 Carton size	50 × 36 × 46cm
每箱数量 Qty per carton	24 PCS
毛、净重 G.W / N.W.	14/12.5 KGS
每20'柜数量 Qty/20' container	9312 PCS



FL-1



FL-2



FL-3



FL-4

型号 Item	FL-1	Φ7.2 × 100 × 6 PCS
	FL-2	Φ7.2 × 100 × 12 PCS
	FL-3	Φ11.2 × 100 × 6 PCS
	FL-4	Φ11.2 × 100 × 12 PCS
包装 Packing	FL-1	插卡 Sliding card
	FL-2	插卡 Sliding card
	FL-3	插卡 Sliding card
	FL-4	插卡 Sliding card
外箱尺寸 Carton size	FL-1	53 × 34 × 35cm
	FL-2	53 × 44 × 35cm
	FL-3	53 × 34 × 45cm
	FL-4	53 × 44 × 45cm
每箱数量 Qty per carton	FL-1	240 Blisters
	FL-2	240 Blisters
	FL-3	240 Blisters
	FL-4	240 Blisters
毛、净重 G.W / N.W.	FL-1	9 / 7 KGS
	FL-2	17 / 15 KGS
	FL-3	17 / 15 KGS
	FL-4	32 / 30 KGS

型号 Item	FL-11	Φ11.2 × 150 × 6 PCS
	FL-12	Φ11.2 × 200 × 32 PCS
	FL-13	Φ11.2 × 200 × 50 PCS
包装 Packing	FL-11	彩盒 Color box
	FL-12	彩盒 Color box
	FL-13	彩盒 Color box
外箱尺寸 Carton size	FL-11	54 × 34 × 35cm
	FL-12	46 × 31 × 28cm
	FL-13	46 × 20 × 37cm
每箱数量 Qty per carton	FL-11	120 Boxes
	FL-12	24 Boxes
	FL-13	12 Boxes
毛、净重 G.W / N.W.	FL-11	14 / 13 KGS
	FL-12	17 / 15 KGS
	FL-13	18 / 12 KGS

FL-11



FL-12



FL-13

型号 Item	FL-5	Φ7.2 × 50 × 12 PCS
	FL-6	Φ7.2 × 100 × 10 PCS
	FL-7	Φ11.2 × 100 × 6 PCS
	FL-8	Φ11.2 × 100 × 10 PCS
包装 Packing	FL-5	吊卡 Header card
	FL-6	吊卡 Header card
	FL-7	吊卡 Header card
	FL-8	吊卡 Header card
外箱尺寸 Carton size	FL-5	42 × 16 × 35cm
	FL-6	42 × 21 × 32cm
	FL-7	54 × 51 × 39cm
	FL-8	42 × 26 × 32cm
每箱数量 Qty per carton	FL-5	240 Bags
	FL-6	100 Bags
	FL-7	240 Bags
	FL-8	100 Bags
毛、净重 G.W / N.W.	FL-5	5 / 4 KGS
	FL-6	7 / 6 KGS
	FL-7	30 / 28 KGS
	FL-8	21 / 20 KGS



FL-8



FL-7



FL-6



FL-5

型号 Item	FL-9	Φ7.2 × 100 × 35 PCS
	FL-10	Φ7.2 × 100 × 30 PCS
包装 Packing	FL-9	塑盒 Plastic box
	FL-10	塑盒 Plastic box
外箱尺寸 Carton size	FL-9	38 × 35 × 32cm
	FL-10	38 × 35 × 32cm
每箱数量 Qty per carton	FL-9	240 Blisters
	FL-10	120 Boxes
毛、净重 G.W / N.W.	FL-9	16 / 14 KGS
	FL-10	16 / 14 KGS



FL-10



FL-9



FL-14

型号 Item	FL-14	Φ7.2 / Φ11.2
包装 Packing		散装 Bulk packing
外箱尺寸 Carton size		66 × 42 × 38cm
每箱数量 Qty per carton		25 KGS
毛、净重 G.W / N.W.		26 / 25 KGS



FL-15



FL-16

NEW

- Preheat 30S
- Running 40Min
- Charger 1.5h







Charge operation



Fast Heat



Charger



4V Li-Ion Battery Cordless Glue Gun

Special Features

- Professional Valve system 100% no drop
- Two Sets Indicator Light:
  For Battery Indicate:
  Red:When Charging and Low Battery
  Green:Full charge and normal heating

  For Heating Indicate:
  Red:Preheating
  Green:Finish preheating to start gluing

FL-099AS

4V Li-Ion Battery Cordless Glue Gun

Parameter

Voltage	4V(10W)
Battery	1800mAh
Glue Stick	7.2mm
Preheat Time	15-30S
Running Time	40Minutes
Charger Time	1.5h

NEW

- Preheat 3-5Min
- Running 45Min
- Charger 2h







Charge operation





Charger



4V Li-Ion Battery Glue Gun

Special Features

- Turn on the power switch to start preheat for about 3-5mins to work
- Charger input: 100-240V/50-60Hz 16W
  Charger output: DC5V 1200mA
- Professional Valve system 100% no drop
- After work,turn" OFF " switch,to prevent the power consumption

FL-009AA

4V Li-Ion Battery Glue Gun

Parameter

Voltage	4V(10W)
Battery	1800mAh
Glue Stick	7.2mm
Preheat Time	3-5mins
Running Time	45Minutes
Charger Time	2h

NEW

- MINI Plus Cordless Glue Gun with folded base











15-55W MINI Cordless Glue Gun With ON-OFF switch

Special Features

- Melt quickly
- Short preheating
- High saftly
- Compact apperrance
- Convenient carrying

FL-008A

15-55W MINI Plus Cordless Glue Gun

Parameter

Voltage	120V~240V
Power	15(55) W
Glue stick D.M	7.2 mm
Preheat time	5-7 minutes
Follow of glue	6-8g per minute
Material	PA6
Packing	Color box
Carton size	60x34x32cm
Qty per carton	48PCS
G.W/N.W	10/8 KGS
Qty/20' container	18336PCS

NEW

- 20W more comfortable Size

20-40W HOBBY Glue Gun



FL-118

20-40W Hobby Glue Gun

Parameter

Voltage	120-240V
Power	20W
Glue Stick D.M	7.2mm
Preheat Time	5-7Minutes
Follow of glue	8-12g per minute
Material	PA6
Package	Double Blister

NEW

20-40W HOBBY Glue Gun With on-off swit



FL-118S

20-40W Hobby Glue Gun with on-off swit

Parameter

Voltage	120-240V
Power	20W
Glue Stick D.M	7.2mm
Preheat Time	5-7Minutes
Follow of glue	8-12g per minute
Material	PA6
Package	Double Blister

NEW

- **Water-transfer print Mini Glue Gun**





10W Figure printed glue gun series

FQ-005C

Special Features

- 10W water-transfer printing glue gun 100 different kinds of pattern,specifically for women and children

Application

- The toy model
- Artifical flowers,christmas tree
- Decorations,the metals product
- The wood product
- Electronic circuit plak

FL-005


10W Figure printed glue gun

Parameter

Voltage	120 V~240V
Power	10(15) W
Glue stick D.M	7.2 mm
Preheat.time	5-7 minutes
Follow of glue	6-8g per minute
Packing	Blister pack
Carton size	54x41x30cm
Qty per carton	48PCS
G.W/N.W	9/7 KGS
Qty/20' container	20280PCS

NEW

- **Water-Transfer print Glue Gun**





80W Water-Transfer print Glue Gun

Special Features

- 80W water-transfer printing glue gun 100 different kinds of pattern,specifically for women and children

Application

- The toy model
- Artifical flowers,christmas tree
- Decorations,the metals product
- The wood product
- Electronic circuit plak

FL-188A

80W Water-Transfer print Glue Gun

Parameter

Voltage	120 V~240V
Power	80W
Glue stick D.M	11.2 mm
Preheat.time	3-5 minutes
Follow of glue	14-16g per minute
Packing	Blister pack
Carton size	59x47x42cm
Qty per carton	48PCS
G.W/N.W	18/16 KGS
Qty/20' container	11520PCS

NEW

- Digital display professional
- Powerful
- Shorter warm-up time
- Fast flow of glue









125W Digital display professional glue gun

Special Features

- Thermostat hot melt glue gun heated by Nickel-chromium wire
- Bigger power,shorter preheat time,bigger flow of glue
- Using the most advanced integrated microcontroller and over-temperature protection device,it is unique in the international market.
- Control temperature by CHIP,Adjustable the temp each 10 degrees each, from 100 degrees~200 degrees

FL-277AA

125W Digital display glue gun

Parameter

Voltage	230V
Power	125W
Glue stick D.M	11.2 mm
Preheat time	2-3 minutes
Follow of glue	20-25g per minute
Packing	Moulding case
Carton size	41x35x27.5cm
Qty per carton	6PCS
G.W/N.W	13/12 KGS
Qty/20' container	4550PCS

NEW

- Heavy Duty
- Powerful
- Shorter warm-up time
- Fast flow of glue









450W Heavy duty Glue Gun with ON-OFF switch

Special Features

- Thermostat hot melt glue gun heated by PTC
- Big power from 30W-450W,with on-off switch
- More convenient and energy saving,stop glue drip valve
- Effective to stop the glue drip

FL-277S

450W Heavy duty Glue Gun

Parameter

Voltage	230V
Power	30(450)W
Glue stick D.M	11.2 mm
Preheat time	3-5 minutes
Follow of glue	20-25g per minute
Packing	Moulding case
Carton size	41x35x27.5cm
Qty per carton	6PCS
G.W/N.W	13/12 KGS
Qty/20' container	4550PCS

NEW

- Cordless Glue Gun with ON-OFF swtich









80W Cordless glue gun with on-off switch

Application

- DIY project
- Artifical flowers,christmas tree
- Decorations,the metals product
- The wood product
- Electronic circuit plak

FL-266

80W Cordless glue gun

Parameter

Voltage	230 V
Power	25(80) W
Glue stick D.M	11.2 mm
Preheat time	3-5 minutes
Follow of glue	14-16g per minute
Packing	Blister pack
Carton size	59x47x42cm
Qty per carton	48PCS
G.W/N.W	18/16 KGS
Qty/20' container	11520PCS

NEW

- ON-OFF Swith Series
- Heavy Duty





60W GLUE GUN with on-off switch

FL-666

60W GLUE GUN

Parameter

Voltage	230 V
Power	25(70)W
Glue stick D.M	11.2 mm
Preheat time	3-5 minutes
Follow of glue	12-16g per minute
Packing	Blister pack
Carton size	59x47x42cm
Qty per carton	48PCS
G.W/N.W	18/16 KGS
Qty/20' container	10080PCS

NEW





180W Heavy Duty Glue Gun

FL-288

180W Heavy Duty Big Power Glue Gun

Parameter

Voltage	220-240 V
Power	30(180)W
Glue stick D.M	11.2 mm
Preheat time	3-5 minutes
Follow of glue	20-30g per minute
Packing	Blister pack
Carton size	61x34x58cm
Qty per carton	24PCS
G.W/N.W	15/13 KGS
Qty/20' container	5760PCS

NEW

•ON-OFF Swith Series

10W GLUE GUN



FL-138

10W GLUE GUN

Parameter

Voltage	230 V
Power	10(60)W
Glue stick D.M	7.2 mm
Preheat.time	5-7 minutes
Follow of glue	6-8g per minute
Packing	Blister pack
Carton size	42x40x34cm
Qty per carton	48PCS
G.W/N.W	10/8 KGS
Qty/20' container	24000PCS

NEW

40W GLUE GUN



FL-158B

40W GLUE GUN

Parameter

Voltage	230 V
Power	40W
Glue stick D.M	11.2 mm
Preheat.time	3-5 minutes
Follow of glue	8-12g per minute
Packing	Blister pack
Carton size	52x46x38cm
Qty per carton	48PCS
G.W/N.W	16/14 KGS
Qty/20' container	14880PCS

NEW

•ON-OFF Swith Series

60W GLUE GUN



FL-188D

60W GLUE GUN

Parameter

Voltage	230 V
Power	60W
Glue stick D.M	11.2 mm
Preheat.time	3-5 minutes
Follow of glue	14-16g per minute
Packing	Blister pack
Carton size	59x47x42cm
Qty per carton	48PCS
G.W/N.W	18/16 KGS
Qty/20' container	11520PCS

NEW

80W GLUE GUN



FL-528

80W GLUE GUN

Parameter

Voltage	230 V
Power	20(80)W
Glue stick D.M	11.2 mm
Preheat.time	3-5 minutes
Follow of glue	14-16g per minute
Packing	Blister pack
Carton size	60x55x43cm
Qty per carton	48PCS
G.W/N.W	18/16 KGS
Qty/20' container	9600PCS

NEW





500W Cordless GLUE GUN

FL-199AAR

500W GLUE Gun

Parameter

Voltage	230 V
Power	25(500)W
Glue stick D.M	11.2 mm
Preheat.time	3-5 minutes
Follow of glue	22-30g per minute
Packing	Color box
Carton size	64x44x46cm
Qty per carton	24PCS
G.W/N.W	21/19 KGS
Qty/20' container	5060PCS

NEW





80W Cordless GLUE Gun

FL-188AA

80W cordless GLUE Gun

Parameter

Voltage	230 V
Power	15(80)W
Glue stick D.M	11.2 mm
Preheat.time	3-5 minutes
Follow of glue	14-16g per minute
Packing	Blister pack
Carton size	56x48x36.5cm
Qty per carton	24PCS
G.W/N.W	17/15 KGS
Qty/20' container	6840PCS

NEW

- **Auto Feeding solder wire**









30W Auto Feed soldering Gun

Special Features

- FAST SOLDERING IRON GUN:Sitting advanced automatic tin transiting systing system,tin transiting efficiency and precision rate is up to 99%,adopt self-R&D inserting integrated chip,temperature can be adjusted between 150℃ and 500℃,constant temperature can be controlled automatically.Sitting time extending integrated chip,after stop working 20 mins,it will cut the power off automatically.This is the unique product in the world market.

FL-009

30W Auto Feed soldering Gun

Parameter

Voltage	230 V
Power	30(40)(60) W
Preheat.time	2-3minutes
Carton Size	28x73x35mm
Qty Per Carton	12 PCS
Packing	Sliding card
G.W/N.W	10.5/8.5 KGS
QTY/20'FCL	4696PCS

NEW

- 2018 New Style
- 15-32mm size Electric nail & staple gun











Electric stapler and nail gun









FL-22-9

Electric stapler and nail gun

Parameter

Voltage	230 V~50Hz
Firing Speed	30/min
Staple/Nail	15-32mm
Packing	Moulding case
Carton Size	49x29.5x45mm
Qty Per Carton	12PCS
G.W/N.W	25/24 KGS
QTY/20'FCL	5160PCS

NEW

- GLUE STICKS Series

Silica pad







GLUE STICKS

Parameter

Item	Carton	Packing
FL-1	Φ7.2x100x6 PCS	Sliding card
FL-2	Φ7.2x100x12 PCS	Sliding card
FL-3	Φ11.2x100x6 PCS	Sliding card
FL-4	Φ11.2x100x12 PCS	Sliding card
FL-5	Φ7.2x50x12 PCS	Header card
FL-6	Φ7.2x100x10 PCS	Header card
FL-7	Φ11.2x100x6 PCS	Header card
FL-8	Φ11.2x100x10 PCS	Header card
FL-9	Φ7.2x100x15 PCS	Plastic box
FL-10	Φ7.2x100x30 PCS	Plastic box
FL-11	Φ11.2x150x6 PCS	Color box
FL-12	Φ11.2x200x32 PCS	Color box
FL-13	Φ11.2x200x50 PCS	Color box
FL-14	Φ7.2/Φ11.2	Bulk packing

SAA ESO120199 BS CB

Cordless Soldering Iron
JY-3.6V-6W



Cordless Soldering Iron
JY-3.6V-6W-1



Soldering Station
JY-060-48W



Digital Soldering Station
JY-060-48W-2



SAA ESO120199 BS CB

Soldering Gun With Solder Feed
JY-GSF-1



Battery Soldering Station
JY-4.5V-6W



WOOD BURNING IRON
JY-WB-30W



SAA ESO120199 BS CB

Professional Welding Tools



SAA ESO120199 BS CB

Professional Welding Tools



Professional Welding Tools



SAA ESO120199 BS CB

Professional Welding Tools



Professional Welding Tools



SAA ESO120199 BS CB

Professional Welding Tools



Professional Welding Tools



SAA ESO120199 BS CB

Professional Welding Tools



SAA ESO120199 BS CB

Professional Welding Tools



SAA ESO120199 BS CB





电压 Voltage	110-230V
输出功率 Power	30W
预热时间 Preheat time	3-5minutes
型号 Model	JY-060-08
包装 Package	彩盒
外箱尺寸 Carton Size	31×27.5×45.5CM
每箱数量 Quantity per carton	10PCS
毛/净重 G.W/N.W	10/11KG
每20尺数量 Quantity/20'container	7200PCS

电压 Voltage	110-230V
输出功率 Power	30W
预热时间 Preheat time	3-5minutes
型号 Model	JY-060-09
包装 Package	彩盒
外箱尺寸 Carton Size	39×25.8×37.5CM
每箱数量 Quantity per carton	10PCS
毛/净重 G.W/N.W	10/11KG
每20尺数量 Quantity/20'container	7400PCS

SAA ESO120199 BS CB



电压 Voltage	110-230V
输出功率 Power	60W
预热时间 Preheat time	3-5minutes
型号 Model	JY-060-10
包装 Package	彩盒
外箱尺寸 Carton Size	28.8×30×70CM
每箱数量 Quantity per carton	10PCS
毛/净重 G.W/N.W	10/11KG
每20尺数量 Quantity/20'container	8600PCS



SAA ESO120199 BS CB

Electric Soldering Iron



电压 Voltage	110-230V
输出功率 Power	30W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-15-1
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	15/16Kgs
每20呎箱量 Quantity/20'container	22000 PCS

电压 Voltage	110-230V
输出功率 Power	60W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-15-1
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	16/17 Kgs
每20呎箱量 Quantity/20'container	22000 PCS

电压 Voltage	110-230V
输出功率 Power	100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-15-1
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	17/18 Kgs
每20呎箱量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB



电压 Voltage	110-230V
输出功率 Power	15-30W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-15-2
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	15/16Kgs
每20呎箱量 Quantity/20'container	22000 PCS

电压 Voltage	110-230V
输出功率 Power	30-60W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-15-2
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	16/17 Kgs
每20呎箱量 Quantity/20'container	22000 PCS

电压 Voltage	110-230V
输出功率 Power	50-100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-15-2
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	17/18 Kgs
每20呎箱量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB





电压 Voltage	110-230V
输出功率 Power	75W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-15-3
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x30.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	15/16Kgs
每20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	180W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-15-3
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x30.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	16/17 Kgs
每20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	260W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-15-3
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x30.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	17/18 Kgs
每20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	30W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-15-4
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x30.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	15/16Kgs
每20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	60W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-15-4
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x30.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	16/17 Kgs
每20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-15-4
包装 Packing	单支
外箱尺寸 Carton.Size	42x40x30.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	17/18 Kgs
每20呎数量 Quantity/20'container	22000 PCS

Electric Soldering Iron





Voltage	110-230V
Power	30W
Preheat time	3-5 minutes
Model	JY-060-08
Packing	单泡
Carton Size	42x40x30.5cm
Quantity per carton	50 PCS
G.W/N.W	13/14 Kgs
Quantity/20'container	22000 PCS

Voltage	110-230V
Power	40W
Preheat time	3-5 minutes
Model	JY-060-08
Packing	单泡
Carton Size	42x40x30.5cm
Quantity per carton	50 PCS
G.W/N.W	14/15 Kgs
Quantity/20'container	22000 PCS

SAA ESO120199 BS CB







Voltage	110-230V
Power	60W
Preheat time	3-5 minutes
Model	JY-060-08
Packing	单泡
Carton Size	42x40x30.5cm
Quantity per carton	50 PCS
G.W/N.W	15/16Kgs
Quantity/20'container	22000 PCS

Voltage	110-230V
Power	80W
Preheat time	4-4 minutes
Model	JY-060-08
Packing	单泡
Carton Size	42x40x30.5cm
Quantity per carton	50 PCS
G.W/N.W	16/17 Kgs
Quantity/20'container	22000 PCS

Voltage	110-230V
Power	100W
Preheat time	4-6 minutes
Model	JY-060-08
Packing	单泡
Carton Size	42x40x30.5cm
Quantity per carton	50 PCS
G.W/N.W	17/18 Kgs
Quantity/20'container	22000 PCS

SAA ESO120199 BS CB



电压 Voltage	110-230V
输出功率 Power	25W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	12/13 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
输出功率 Power	30W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	12/13 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
输出功率 Power	40W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	13/14 Kgs
每20柜数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB



电压 Voltage	110-230V
输出功率 Power	60W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	14/15 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
输出功率 Power	80W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	15/16 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
输出功率 Power	100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	15/16 Kgs
每20柜数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB



电压 Voltage	110-230V
瓦数功率 Power	25W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-080-T
包装 Packing	散装
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	12/13 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
瓦数功率 Power	30W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-080-T
包装 Packing	散装
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	12/13 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
瓦数功率 Power	40W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-080-T
包装 Packing	散装
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	13/14 Kgs
每20柜数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB



电压 Voltage	110-230V
瓦数功率 Power	60W
预热时间 Preheat.time	3-5minutes
型号 Model	JY-080-T
包装 Packing	散装
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	14/15 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
瓦数功率 Power	80W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-080-T
包装 Packing	散装
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	15/16 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
瓦数功率 Power	100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-080-T
包装 Packing	散装
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	50 PCS
毛净重 G.W/N.W	15/16 Kgs
每20柜数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB





电压 Voltage	110-230V
输出功率 Power	25W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-1
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	12/13 Kgs
包20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	30W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-1
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	12/13 Kgs
包20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	40W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-1
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	13/14 Kgs
包20呎数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB





电压 Voltage	110-230V
输出功率 Power	60W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-1
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	14/15 Kgs
包20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	80W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-1
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	15/16 Kgs
包20呎数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-1
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	15/16 Kgs
包20呎数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB





电压 Voltage	110-230V
输出功率 Power	25W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-Y
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	12/13 Kgs
包20柜数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	30W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-Y
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	12/13 Kgs
包20柜数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	40W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-Y
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	13/14 Kgs
包20柜数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB





电压 Voltage	110-230V
输出功率 Power	60W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-Y
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	14/15 Kgs
包20柜数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	80W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-Y
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	15/16 Kgs
包20柜数量 Quantity/20'container	22000 PCS





电压 Voltage	110-230V
输出功率 Power	100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-Y
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
包箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	15/16 Kgs
包20柜数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB



电压 Voltage	110-230V
输出功率 Power	25W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-B
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	12/13 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
输出功率 Power	30W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-B
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	12/13 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
输出功率 Power	40W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-B
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	13/14 Kgs
每20柜数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB



电压 Voltage	110-230V
输出功率 Power	60W
预热时间 Preheat.time	3-5 minutes
型号 Model	JY-060-B
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	14/15 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
输出功率 Power	80W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-B
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	15/16 Kgs
每20柜数量 Quantity/20'container	22000 PCS



电压 Voltage	110-230V
输出功率 Power	100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-B
包装 Packing	单充
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	15/16 Kgs
每20柜数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB











电压 Voltage	110-230V
输出功率 Power	100W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-09
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	13/15 Kgs
每20尺数量 Quantity/20'container	22000 PCS

电压 Voltage	110-230V
输出功率 Power	150W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-09
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	13/15 Kgs
每20尺数量 Quantity/20'container	22000 PCS

电压 Voltage	110-230V
输出功率 Power	200W
预热时间 Preheat.time	4-6 minutes
型号 Model	JY-060-09
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	13/15 Kgs
每20尺数量 Quantity/20'container	22000 PCS

电压 Voltage	110-230V
输出功率 Power	300W
预热时间 Preheat.time	5-7 minutes
型号 Model	JY-060-09
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	13/15 Kgs
每20尺数量 Quantity/20'container	22000 PCS

电压 Voltage	110-230V
输出功率 Power	500W
预热时间 Preheat.time	5-7 minutes
型号 Model	JY-060-09
包装 Packing	单泡
外箱尺寸 Carton.Size	42x40x35.5cm
每箱数量 Quantity per carton	80 PCS
毛净重 G.W/N.W	13/15 Kgs
每20尺数量 Quantity/20'container	22000 PCS

SAA ESO120199 BS CB


JY-060-B Wooden Handle
20W/30W/40W/80W/100W
JY-060-D Wooden Handle
25W/30W/40W/50W/60W/75W/
100W/150W/200W/300W
JY-060-M Bakelite Handle
30W/40W/60W/80W
JY-060-I Bakelite Handle
30W/40W/60W/80W
JY-060-F Plastic Handle
30W/40W/60W
JY-060-P Plastic Handle
30W/40W/60W/80W
JY-060-Z Plastic Handle
30W/40W/60W
JY-060-E Plastic Handle
30W/40W/60W



JY-060-L Bakelite Handle
30W/40W/60W/80W



JY-060-C Plastic Handle
30W/40W/60W



JY-060-H Plastic Handle
30W/40W/60W



JY-060-K Bakelite Handle
30W/40W/60W



JY-060-01
25-80W



JY-060-02
25-80W



JY-060-03
25-80W



JY-060-04
25-80W



50g



100g



250g



500g



2mmx1.5m 3mmx1.5m
2.5mmx1.5m 4mmx1.5m



20g



2x20g



100g



20g




4x10g

SAA ESO120199 BS CB



JY-01



JY-02



JY-D



JY-H



JY-C

SAA ESO120199 BS CB



JY-A



JY-B



JY-C



JY-D



JY-E

SAA ESO120199 BS CB



J-5 Cured Tip



A-1Heating Element
20W/25W/30W/40W/60W/80W/100W



J-6 Cured Tip



J-7 Cured Tip



A-2 A-3 A-4



J-87 Cured Tip



Desoldering Pump
JY-01



Desoldering Pump
JY-02



Desoldering Pump
JY-03



Desoldering Pump
JY-04

SAA ESO120199 BS CB



01



02



03



04



05

SAA ESO120199 BS CB



A



B



C



D



E



F



G



H



I



J



K

SAA ESO120199 BS CB

六角华司自钻自攻螺钉系列
Hex washer self-tapping and self-drilling screw series



▲英标 IFI Standard



▲德标 DIN Standard

六角法兰面自钻自攻螺钉系列
Hex flange self-tapping and self-drilling screw series



▲头部可加各种颜色的烤漆
Painted head as customized requirment

六角法兰面自攻螺钉系列
Hex flange self-tapping screw series



▲头部可加各种颜色的烤漆
Painted head as customized requirment

“十字”沉头半沉头自钻自攻螺钉系列
Philips flat head self tapping screw and self drilling screw series



“十字” “方孔”盘头自钻自攻螺钉系列
Philips/square head pan self tapping screw and self drilling screw series



“十字”圆头华司自钻自攻螺钉系列
Philips truss head self tapping and self drilling screw series



“十字” “方孔”自攻螺钉系列
Phillips/square flat head self tapping screw



六角华司双螺纹自钻自攻螺钉带垫系列
Hex washer head self-tapping and self-drilling screw with sandwich plate with epdm washer series



六角华司束尾螺钉系列
Hex washer head self-tapping and self-drilling screw reduced point series



干壁钉系列
Drywall screw series



纤维板钉系列
Chipboard screw series



六角尼龙头螺钉系列(专利产品)
Nylon hex washer head screw series (patented product)



梅花尼龙头螺钉系列(专利产品)
Plum blossom nylon head screw series (patented product)



威华头自钻自攻螺钉系列
Wafter head self-tapping and self-drilling screw series



十字、一字自钻自攻螺钉系列
Phillips/slotted hex head self tapping and self drilling screw series



不锈钢自钻自攻螺钉系列
Stailess steel self tapping & self drilling screws series



不锈钢“十字”盘头、沉头自钻自攻螺钉系列
stainless steel phillips pan head flat head self drilling & self tapping screws



国标、非标系列
Standard , non-standard series



六角华司钻尾螺钉带硫形垫片系列
Hex washer head self-tapping and self-drilling screw with mushroom washer series



刮削系列
Type 17 self tapping screw series



加长产品(一次成型,最长能做到320mm)
Long screw with long drilling point screw series(the length of screw is 320mm maximum)



温馨提示:

尊敬的客户!以上产品只是我们主要产品的一部分因为页面展示区有限，还有相当一部分未展示。如您需要的产品未在其中，及特殊规格，请与我们联系!我们会以最快的速度给您回复。

Tips:

Dear Customer! The above products are only part of our main product,because the page display area is limited, and aconsiderable part is not displayed. If you need the product isnot in it, and special specifications,please contact us! We will reply to you as soon as possible.

套筒系列 Collet Series
十字批系列 Cross block series



拉斯派特系列
Ruspert Series



防水帽系列
Waterproof cap series



喷塑、烤漆产品系列
Powder/liquid painted screws series



金属橡胶复合垫片
EPDM bonded steel washer series



操作指南 Operation manual

◆将电钻的定位器调整到合适的位置，以保证螺钉下钻到正确到位。
◆检查电钻的转速，确保电钻的转速在1600-2000转/分。
◆将选择好的套头安装在电钻上，再套入螺钉。
◆安装时螺钉与电钻必须垂直于压型钢板的表面，并用力创一中心点。
◆用力在电钻上加上约14公斤力，保证用力与中心点在同一垂直线上。
◆扳动电动开关，不能中途停止，螺钉到位后迅速停止下钻。



◆Moving positioner of the drill to a proper spot to assure the screw down to the right position.
◆Checking rev of the drill to assure it at 1600-2000/min.
◆Installing the selected fixer to the drill, then insert the screw to the fixer.
◆During installation, keep the drill and screw vertical to the surface of pressing model steel plate in order to create a central point.
◆Applying a power of 14kg to the drill, assure the applied power against the central point vertically.
◆Switching the drill on without stop in the middle way, discontinue the drill at once on the screw getting at the right position.

正确的安装位置示意图 Sketch Map for Correct Installation

Application Chart

	Diamond saw blades												Diamond saw blades										Diamond grinding wheels						Diamond core bits			
	BT-CS	BT-CC	BT-CT	BT-CW	BT-CG	BT-HN	BT-HS	BT-HW	BT-HD	BT-HP	BT-HC	BT-HT	PT-BG	PT-BC	PT-WS	PT-LM	PT-LA	PT-LC	PT-LS	PT-LU	BT-MR	BT-EC	BT-GS	BT-GD	BT-GT	BT-GL	BT-GY	BT-GP	PT-CD	BT-ED	PT-CW	PT-CR
Building material	●		●	●	●	●	●	●	●					●		●		●		●	●		●	●		●	●	●	●		●	●
Cured concrete	○		○	○	○	○	○	○	●					●		●		●		●	●		●	●	●	●	●	●				
Asphalt abrasive																●	●			●	○					○						
Concrete	●		●	●	●	●	●	●	●					●		●		●		●	●		●	●	●	●	●	●	●		●	●
Basalt	●		○	○	●	○	●	○	●				●	●				●	●	●					●							
Roof tiles	○		●	●	○	●	○	●	●					●				●														
Pumice stone													●			○	○		●		●					●		○				●
Screed									●							●	●				●					●		○				
Concrete pipes	●		●	●	●	●	●	●	●					●		●		●		●	●		●	●		●		○				
Reinforced concrete														●		●		●		●									●		●	
Stoneware		●								●	●	●										○			●					○		
Tiles		●								●	●	●										●			●					●		
Granite	●				●	●	●	●	●	○	○	●	●	●		○		●	●	●		○			●				●	○		
Tile		●								●	●	●										○			●					○		
Hard stone	○				○	●	●	●	●				●	●		○		●	●	●					●				●			
Thin granite slabs	○	●			○	○	○	○	○	●	●	●										●			●					●		
Sand-lime hgih compr.	○		○	○	○	○	○	○	●					●		●		●		●	●		●	●		●	●	●				
Sand-lime brick	○		○	○	○	○	○	○	●								●			●	●					●		○	●		●	●
Ceramics		●								●	●	●										●								●		
Clinker soft																	●				●					●		○				○
Clinker hard	●	○			●	○	●	○	●	○	○	○		●		●		●		●			●	●	●		●	●				●
Magnesite stone													●	●		○		●	●	●												
Marble	○		●	●	○	●	○	●	○	○	○	○	●						●	●		●			●				●	●		
Natural and artificial stone	●		●	●	●	●	●	●	●	○	○	○	●						●	●		●							●	●		
Porphyry	○				●	●	●	●	●			○	●	●		○		●	●	●		●			●					●		
Poroton														●		○		●		●						●		○				
Chamotte	○				○		○		●																							
Slate	●				●	●	●	●	●				●	●		○		●	●	●									●			
Stoneware pipes		○								●	●	●		●		●		●														
Terrazzo	○	○			●	○	●	○	○		○		●						●	●									●			
Clay pipes	○		○	○	○	○	○	○	●																							
Travertine	●	○			●	●	●	●	●		○		●						●	●					●							
Facing brick	○		●	●	○	●	○	●	○					●		●		●		●			●	●	●	●	●	●	●		●	●
Interlocking stones concrete	○		○	○	●	●	●	●	●					●		●		●		●			○	●		●	●	●	●		●	●
Exposed aggregated concrete	○		○	○	●	●	●	●	●					●		●		●		●			○	●		●	●	●	●		●	●
Brick	●		●	●	●	●	●	●	●								●				●					●		○	●		●	●

● = suitable ○ = suitable only to a limited extent

Quality

- Super Premuim Quality
- Premium Quality
- Standard



Fields of application

- Tiles, ceramic, porcelain, marble plates, thin granite plates, stoneware
- Natural and artificial stone, hard stone, granite, marble, engineering bricks and hard clay products
- Concrete, bricks, stone, granite, marble and general construction material
- Abrasive materials, sandstone, sand-lime brick, basalt, chamotte, porton brick, concrete roof tiles, abrasive concrete paviors
- Concrete, reinforced concrete, hard, unabrasive concrete products
- Asphalt, abrasive materials, green concrete


Wet


Dry



Laser welded



Brazed


Angle grinder


Circular saw


Table saw


Cut-off saw


Floor cutter


Core drill


Hand drill


Table saw


Miter saw


Brush cutter

BT-CS Standard Quality

Segmented Blade

- Cold pressed
- For cutting building materials (concrete and bricks etc.) and stone (granite and marble etc.)

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-CS-105	4"	105	7/10	16/20/22.23
BT-CS-110	4.3"	110	7/10	16/20/22.23
BT-CS-115	4.5"	115	7/10	16/20/22.23
BT-CS-125	5"	125	7/10	16/20/22.23
BT-CS-150	6"	150	7/10	16/20/22.23
BT-CS-180	7"	180	7/10	22.23/25.4
BT-CS-200	8"	200	7/10	22.23/25.4
BT-CS-230	9"	230	7/10	22.23/25.4
BT-CS-250	10"	250	7/10	22.23/25.4
BT-CS-300	12"	300	7/10	20/25.4
BT-CS-350	14"	350	7/10	20/25.4



BT-CC Standard Quality

Continuous Rim Blade

- Cold pressed
- For cutting ceramic and tile

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-CC-105	4"	105	5/10	16/20/22.23
BT-CC-110	4.3"	110	5/10	16/20/22.23
BT-CC-115	4.5"	115	5/10	16/20/22.23
BT-CC-125	5"	125	5/10	16/20/22.23
BT-CC-150	6"	150	5/10	16/20/22.23
BT-CC-180	7"	180	5/10	22.23/25.4
BT-CC-200	8"	200	5/10	22.23/25.4
BT-CC-230	9"	230	5/10	22.23/25.4
BT-CC-250	10"	250	5/10	22.23/25.4
BT-CC-300	12"	300	5/10	20/25.4
BT-CC-350	14"	350	5/10	20/25.4



BT-CT Standard Quality

Turbo Blade

- Cold pressed
- For cutting granite, marble and stone

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-CT-105	4"	105	7/10	16/20/22.23
BT-CT-110	4.3"	110	7/10	16/20/22.23
BT-CT-115	4.5"	115	7/10	16/20/22.23
BT-CT-125	5"	125	7/10	16/20/22.23
BT-CT-150	6"	150	7/10	16/20/22.23
BT-CT-180	7"	180	7/10	22.23/25.4
BT-CT-200	8"	200	7/10	22.23/25.4
BT-CT-230	9"	230	7/10	22.23/25.4
BT-CT-250	10"	250	7/10	22.23/25.4
BT-CT-300	12"	300	7/10	20/25.4
BT-CT-350	14"	350	7/10	20/25.4



PROFESSIONAL TECHNOLOGY

Diamond Saw Blades

BT-CW Standard Quality

Turbo Wave Blade

- Cold pressed
- Wave design adds stability to the steel core. The wave-core allows air to be drawn in through the matrix and across the core, reducing friction keeping the core cool
- For cutting granite, marble and nature stone

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-CW-105	4"	105	7/10	16/20/22.23
BT-CW-110	4.3"	110	7/10	16/20/22.23
BT-CW-115	4.5"	115	7/10	16/20/22.23
BT-CW-125	5"	125	7/10	16/20/22.23
BT-CW-150	6"	150	7/10	16/20/22.23
BT-CW-180	7"	180	7/10	22.23/25.4
BT-CW-200	8"	200	7/10	22.23/25.4
BT-CW-230	9"	230	7/10	22.23/25.4
BT-CW-250	10"	250	7/10	22.23/25.4
BT-CW-300	12"	300	7/10	20/25.4



BT-CG Standard Quality

Turbo Segmented Blade

- Cold pressed
- For cutting building materials (concrete and bricks etc.) and stone (granite and marble etc.)
- Long worklife with 10/15mm segment height
- Specially designed holes improve cooling and reduce noise

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-CG-105	4"	105	10/15	16/20/22.23
BT-CG-110	4.3"	110	10/15	16/20/22.23
BT-CG-115	4.5"	115	10/15	16/20/22.23
BT-CG-125	5"	125	10/15	16/20/22.23
BT-CG-150	6"	150	10/15	16/20/22.23
BT-CG-180	7"	180	10/15	22.23/25.4
BT-CG-200	8"	200	10/15	22.23/25.4
BT-CG-230	9"	230	10/15	22.23/25.4
BT-CG-250	10"	250	10/15	22.23/25.4
BT-CG-300	12"	300	10/15	20/25.4
BT-CG-350	14"	350	10/15	20/25.4



Turbo Segmented Series



BT-CG-A Standard Quality BT-CG-B Standard Quality BT-CG-C Standard Quality

Narrow Turbo Blades Series

Narrow turbo rim technology provides fine, smooth cutting with free chipping. Excellent fast cut granite, marble, nature & artificial stone, bricks and all building materials. **BT-HN-A** and **BT-HN-B** feature cooling hole on metal body.



BT-HN-A Premium Quality BT-HN-B Premium Quality BT-HN Premium Quality

BT-HN Premium Quality

Narrow Turbo Blade



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-HN-105	4"	105	7/10	16/20/22.23
BT-HN-110	4.3"	110	7/10	16/20/22.23
BT-HN-115	4.5"	115	7/10	16/20/22.23
BT-HN-125	5"	125	7/10	16/20/22.23
BT-HN-150	6"	150	7/10	16/20/22.23
BT-HN-180	7"	180	7/10	22.23/25.4
BT-HN-200	8"	200	7/10	22.23/25.4
BT-HN-230	9"	230	7/10	22.23/25.4
BT-HN-250	10"	250	7/10	22.23/25.4
BT-HN-300	12"	300	7/10	20/25.4
BT-HN-350	14"	350	7/10	20/25.4

BT-HS Premium Quality

Segmented Blade

- The hot pressed blade provides fast cutting with long working life
- For cutting concrete, granite, marble, bricks, masonry and building materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-HS-105	4"	105	7/10	16/20/22.23
BT-HS-110	4.3"	110	7/10	16/20/22.23
BT-HS-115	4.5"	115	7/10	16/20/22.23
BT-HS-125	5"	125	7/10	16/20/22.23
BT-HS-150	6"	150	7/10	16/20/22.23
BT-HS-180	7"	180	7/10	22.23/25.4
BT-HS-200	8"	200	7/10	22.23/25.4
BT-HS-230	9"	230	7/10	22.23/25.4
BT-HS-250	10"	250	7/10	22.23/25.4
BT-HS-300	12"	300	7/10	20/25.4
BT-HS-350	14"	350	7/10	20/25.4

PROFESSIONAL TECHNOLOGY
Diamond Saw Blades

BT-HW Premium Quality

Wide Turbo Blade

- The wide turbo rim provides fast and smooth cutting with minimum chipping
- For cutting concrete, bricks, granite, marble etc.



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-HW-105	4"	105	7/10	16/20/22.23
BT-HW-110	4.3"	110	7/10	16/20/22.23
BT-HW-115	4.5"	115	7/10	16/20/22.23
BT-HW-125	5"	125	7/10	16/20/22.23
BT-HW-150	6"	150	7/10	16/20/22.23
BT-HW-180	7"	180	7/10	22.23/25.4
BT-HW-200	8"	200	7/10	22.23/25.4
BT-HW-230	9"	230	7/10	22.23/25.4
BT-HW-250	10"	250	7/10	22.23/25.4
BT-HW-300	12"	300	7/10	20/25.4
BT-HW-350	14"	350	7/10	20/25.4

BT-HD Premium Quality

Deep Undercut Protected Teeth Blade

- Protective teeth design is able to curve, deep cutting most building materials. Wildly using on abrasive and hard aggregates
- For cutting concrete, granite, marble, bricks, masonry, asphalt and other abrasive materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-HD-105	4"	105	7/10	16/20/22.23
BT-HD-110	4.3"	110	7/10	16/20/22.23
BT-HD-115	4.5"	115	7/10	16/20/22.23
BT-HD-125	5"	125	7/10	16/20/22.23
BT-HD-150	6"	150	7/10	16/20/22.23
BT-HD-180	7"	180	7/10	22.23/25.4
BT-HD-200	8"	200	7/10	22.23/25.4
BT-HD-230	9"	230	7/10	22.23/25.4
BT-HD-250	10"	250	7/10	22.23/25.4
BT-HD-300	12"	300	7/10	20/25.4
BT-HD-350	14"	350	7/10	20/25.4

Undercut Protected Teeth Blade Series



BT-HD-A Premium Quality BT-HD-B Premium Quality BT-HD Premium Quality

The ceramice blades series are professional for cutting porcelain, ceramic and tiles. The thin edge and special grade diamonds give a fast and fine cutting with minimun chipping.



BT-HP Premium Quality

Continuous Rim Tear Slot Blade

- Thin kerf and special grade diamonds for smooth cutting without chipping
- Tear slots improve precision, stability, superior cooling, easy slurry removal and reduce noise
- For cutting ceramic tiles, nature stone, porcelain, granite and marble



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-HP-105	4"	105	7/10	16/20/22.23
BT-HP-110	4.3"	110	7/10	16/20/22.23
BT-HP-115	4.5"	115	7/10	16/20/22.23
BT-HP-125	5"	125	7/10	16/20/22.23
BT-HP-150	6"	150	7/10	16/20/22.23
BT-HP-180	7"	180	7/10	22.23/25.4
BT-HP-200	8"	200	7/10	22.23/25.4
BT-HP-230	9"	230	7/10	22.23/25.4
BT-HP-250	10"	250	7/10	22.23/25.4
BT-HP-300	12"	300	7/10	20/25.4
BT-HP-350	14"	350	7/10	20/25.4

PROFESSIONAL TECHNOLOGY

Ceramic Blades

BT-HC Premium Quality

Continuous Rim Blade

- Thin kerf and special grade diamonds for smooth cutting without chipping
- For cutting ceramic and tiles



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-HC-105	4"	105	7/10	16/20/22.23
BT-HC-110	4.3"	110	7/10	16/20/22.23
BT-HC-115	4.5"	115	7/10	16/20/22.23
BT-HC-125	5"	125	7/10	16/20/22.23
BT-HC-150	6"	150	7/10	16/20/22.23
BT-HC-180	7"	180	7/10	22.23/25.4
BT-HC-200	8"	200	7/10	22.23/25.4
BT-HC-230	9"	230	7/10	22.23/25.4
BT-HC-250	10"	250	7/10	22.23/25.4
BT-HC-300	12"	300	7/10	20/25.4
BT-HC-350	14"	350	7/10	20/25.4

BT-HT Premium Quality

Super Thin Turbo Blade

- Super thin turbo rim for fast and finest cutting with minimum chipping
- For cutting procelain, ceramic tiles, nature stone



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-HT-105	4"	105	7/10	16/20/22.23
BT-HT-110	4.3"	110	7/10	16/20/22.23
BT-HT-115	4.5"	115	7/10	16/20/22.23
BT-HT-125	5"	125	7/10	16/20/22.23
BT-HT-150	6"	150	7/10	16/20/22.23
BT-HT-180	7"	180	7/10	22.23/25.4
BT-HT-200	8"	200	7/10	22.23/25.4
BT-HT-230	9"	230	7/10	22.23/25.4
BT-HT-250	10"	250	7/10	22.23/25.4
BT-HT-300	12"	300	7/10	20/25.4
BT-HT-350	14"	350	7/10	20/25.4

Silver Brazed Blades

PT-BG Super Premium Quality
Granite Blade

- The unique segment design and narrow slots provide fast cutting with minimum chipping and long working life
- For cutting granite
- Silent core is available. Sandwich steel cores with copper center provide the greatest noise reduction

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
PT-BG-300	12"	300	10/15	20/25.4/50
PT-BG-350	14"	350	10/15	20/25.4/50
PT-BG-400	16"	400	10/15	20/25.4/50
PT-BG-450	18"	450	10/15	20/25.4/50
PT-BG-500	20"	500	10/15	20/25.4/50
PT-BG-550	22"	550	10/15	20/25.4/50
PT-BG-600	24"	600	10/15	20/25.4/50





PT-BC Super Premium Quality
Concrete Blade

- The unique segment design provides fast cutting with minimum chipping and long working life
- For cutting concrete
- Silent core is available. Sandwich steel cores with copper center provide the greatest noise reduction

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
PT-BC-300	12"	300	10/15	20/25.4/50
PT-BC-350	14"	350	10/15	20/25.4/50
PT-BC-400	16"	400	10/15	20/25.4/50
PT-BC-450	18"	450	10/15	20/25.4/50
PT-BC-500	20"	500	10/15	20/25.4/50
PT-BC-550	22"	550	10/15	20/25.4/50
PT-BC-600	24"	600	10/15	20/25.4/50





PT-WS Super Premium Quality
Wall Saw Blade

- For cutting wall
- Two types: silver brazed or laser welded

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
PT-WS-500	20"	500	10/15	50/60
PT-WS-550	22"	550	10/15	50/60
PT-WS-600	24"	600	10/15	50/60
PT-WS-650	26"	650	10/15	50/60
PT-WS-700	28"	700	10/15	50/60
PT-WS-750	30"	750	10/15	50/60
PT-WS-800	32"	800	10/15	50/60
PT-WS-825	33"	825	10/15	50/60
PT-WS-900	36"	900	10/15	50/60
PT-WS-1000	40"	1000	10/15	50/60
PT-WS-1200	48"	1200	10/15	50/60
PT-WS-1500	60"	1500	10/15	50/60






PROFESSIONAL TECHNOLOGY

Laser Welded Blades

These industrial diamond blades feature strong core plate and robust segment. The special segment gives a very fast cutting with very long working life. The laser welding technology ensure no segment loss when working. Various designs and sizes are available for different applications.



PT-LM Super Premium Quality
Multi Purpose Blade

- Drop segments provide undercut protection for abrasive materials
- For cutting concrete & asphalt, abrasive materials and abrasive concrete products (roof tiles, blocks)

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
PT-LM-115	4.5"	115	10/15	16/22.23
PT-LM-125	5"	125	10/15	16/22.23
PT-LM-150	6"	150	10/15	16/22.23
PT-LM-180	7"	180	10/15	20/22.23/25.4
PT-LM-200	8"	200	10/15	20/22.23/25.4
PT-LM-230	9"	230	10/15	20/22.23/25.4
PT-LM-250	10"	250	10/15	20/22.23/25.4
PT-LM-300	12"	300	10/15	20/25.4
PT-LM-350	14"	350	10/15	20/25.4
PT-LM-400	16"	400	10/15	20/25.4
PT-LM-450	18"	450	10/15	20/25.4
PT-LM-500	20"	500	10/15	20/25.4
PT-LM-600	24"	600	10/15	20/25.4






Laser Welded Blades

PT-LA Super Premium Quality
Asphalt Blade


- Slant drop segments provide undercut protection to prevent segment loss and extend blade life
- For cutting asphalt and green concrete



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
PT-LA-300	12"	300	10/15	20/25.4
PT-LA-350	14"	350	10/15	20/25.4
PT-LA-400	16"	400	10/15	20/25.4
PT-LA-450	18"	450	10/15	20/25.4
PT-LA-500	20"	500	10/15	20/25.4
PT-LA-600	24"	600	10/15	20/25.4

PT-LC Super Premium Quality
Concrete Blade


- For cutting concrete, reinforced concrete and general construction materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
PT-LC-115	4.5"	115	10/15	16/22.23
PT-LC-125	5"	125	10/15	16/22.23
PT-LC-150	6"	150	10/15	16/22.23
PT-LC-180	7"	180	10/15	20/22.23/25.4
PT-LC-200	8"	200	10/15	20/22.23/25.4
PT-LC-230	9"	230	10/15	20/22.23/25.4
PT-LC-250	10"	250	10/15	20/22.23/25.4
PT-LC-300	12"	300	10/15	20/25.4
PT-LC-350	14"	350	10/15	20/25.4
PT-LC-400	16"	400	10/15	20/25.4
PT-LC-450	18"	450	10/15	20/25.4
PT-LC-500	20"	500	10/15	20/25.4
PT-LC-600	24"	600	10/15	20/25.4

PT-LS Super Premium Quality
Stone Blade

- For cutting granite, marble, nature stone and artificial stone
- Silent core is available. Sandwich steel cores with copper center provide the greatest noise reduction



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
PT-LS-115	4.5"	115	10/15	16/22.23
PT-LS-125	5"	125	10/15	16/22.23
PT-LS-150	6"	150	10/15	16/22.23
PT-LS-180	7"	180	10/15	20/22.23/25.4
PT-LS-200	8"	200	10/15	20/22.23/25.4
PT-LS-230	9"	230	10/15	20/22.23/25.4
PT-LS-250	10"	250	10/15	20/22.23/25.4
PT-LS-300	12"	300	10/15	20/25.4
PT-LS-350	14"	350	10/15	20/25.4
PT-LS-400	16"	400	10/15	20/25.4
PT-LS-450	18"	450	10/15	20/25.4
PT-LS-500	20"	500	10/15	20/25.4
PT-LS-600	24"	600	10/15	20/25.4

PROFESSIONAL TECHNOLOGY


Laser Welded Blades

Using advanced technology to arrange the diamond in order. It provides much faster, smoother cutting with much longer working life than diamond disorder arrangement blades.



PT-LU Super Premium Quality
Diamond Order Arrangement Blade


- For cutting concrete, reinforced concrete, asphalt, granite, marble and most construction materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
PT-LU-115	4.5"	115	10/15	16/22.23
PT-LU-125	5"	125	10/15	16/22.23
PT-LU-150	6"	150	10/15	16/22.23
PT-LU-180	7"	180	10/15	20/22.23/25.4
PT-LU-200	8"	200	10/15	20/22.23/25.4
PT-LU-230	9"	230	10/15	20/22.23/25.4
PT-LU-250	10"	250	10/15	20/22.23/25.4
PT-LU-300	12"	300	10/15	20/25.4
PT-LU-350	14"	350	10/15	20/25.4
PT-LU-400	16"	400	10/15	20/25.4
PT-LU-450	18"	450	10/15	20/25.4
PT-LU-500	20"	500	10/15	20/25.4
PT-LU-600	24"	600	10/15	20/25.4

Metal Cutting Blades

This blade has vacuum brazed segment with highest quality diamond to keep the fast aggressive cutting on a wide variety materials. Compared to abrasive wheels, this blades have a faster cutting speed and much longer working life.



BT-MC Super Premium Quality

Metal Cutting Blade

- Vacuum brazed segments provide aggressive cutting
- For cutting metal, stainless, iron pipe, cast iron, steel, fiberglass, plastic pipe and concrete

Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-MC-105	4"	105	3~4	16/20/22.23
BT-MC-110	4.3"	110	3~4	16/20/22.23
BT-MC-115	4.5"	115	3~4	16/20/22.23
BT-MC-125	5"	125	3~4	16/20/22.23
BT-MC-150	6"	150	3~4	16/20/22.23
BT-MC-180	7"	180	3~4	22.23/25.4
BT-MC-200	8"	200	3~4	22.23/25.4
BT-MC-230	9"	230	3~4	22.23/25.4
BT-MC-250	10"	250	3~4	22.23/25.4
BT-MC-300	12"	300	3~4	20/25.4
BT-MC-350	14"	350	3~4	20/25.4



PROFESSIONAL TECHNOLOGY

Diamond Grinding Wheels

BT-GS Premium Quality

Single Row Grinding Wheel

- Two types choices: cold pressed or silver brazed
- For grinding concrete, concrete products, nature stone and general building materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-GS-100	4"	100	5	22.23/M14
BT-GS-115	4.5"	150	5	22.23/M14
BT-GS-125	5"	125	5	22.23/M14
BT-GS-150	6"	150	5	22.23/M14
BT-GS-180	7"	180	5	22.23/M14

BT-GD Premium Quality

Double Row Grinding Wheel

- Two types choices: cold pressed or silver brazed
- For grinding concrete, concrete products, nature stone and general building materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-GD-100	4"	100	5	22.23/M14
BT-GD-115	4.5"	150	5	22.23/M14
BT-GD-125	5"	125	5	22.23/M14
BT-GD-150	6"	150	5	22.23/M14
BT-GD-180	7"	180	5	22.23/M14

BT-GT Super Premium Quality

Turbo Grinding Wheel

- Cold pressed
- For grinding concrete, concrete products, nature stone and general building materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-GT-100	4"	100	5	22.23/M14
BT-GT-115	4.5"	150	5	22.23/M14
BT-GT-125	5"	125	5	22.23/M14
BT-GT-150	6"	150	5	22.23/M14
BT-GT-180	7"	180	5	22.23/M14

Diamond Grinding Wheels

BT-GL Super Premium Quality
Spiral Turbo Grinding Wheel

- Silver brazed
- For grinding concrete, concrete products, nature stone and general building materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-GL-100	4"	100	5	22.23/M14
BT-GL-115	4.5"	150	5	22.23/M14
BT-GL-125	5"	125	5	22.23/M14
BT-GL-150	6"	150	5	22.23/M14
BT-GL-180	7"	180	5	22.23/M14

BT-GY Super Premium Quality
Special Segment Grinding Wheel

- Silver brazed
- For grinding concrete, concrete products, nature stone and general building materials



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-GY-100	4"	100	5	22.23/M14
BT-GY-115	4.5"	150	5	22.23/M14
BT-GY-125	5"	125	5	22.23/M14
BT-GY-150	6"	150	5	22.23/M14
BT-GY-180	7"	180	5	22.23/M14

BT-GP Super Premium Quality
Grinding Pad

- For grinding concrete, masonry



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-GP-25A	10"	250	10	10
BT-GP-25B	10"	250	10	16
BT-GP-25C	10"	250	10	20
BT-GP-300	12"	300	10	24

BT-MR Super Premium Quality
Mortar Raker

- With a segment width of 6.4mm, the mortar raker provides very fast, efficient removal of mortar joints in concrete, brick, block and masonry



Item No.	Diameter inch	Diameter mm	Seg. Height mm	Arbor mm
BT-MR-105	4"	105	7	22.23
BT-MR-115	4.5"	115	7	22.23
BT-MR-125	5"	125	7	22.23
BT-MR-180	7"	180	7	22.23

PROFESSIONAL TECHNOLOGY

Diamond Core Bits

PT-CD Super Premium Quality
Dry Core Bit

- Applications include: Medium and soft bricks, concrete blocks (lightweight and dense), abrasive concrete products. Occasional use in harder materials e.g. semi engineering bricks and clay products
- Back end: ½ BSP (female) or 5/8"-11
- Barrel: without hexil design or with hexil design





Item No.	Diameter inch	Diameter mm	Length mm	Seg. Dimenson L x W x H mm	Seg. No.
PT-CD-22	⅞"	22	170	20 x 3.5 x 10	2
PT-CD-28	1"	28	170	20 x 3.5 x 10	3
PT-CD-32	1¼"	32	170	20 x 3.5 x 10	3
PT-CD-38	1½"	38	170	20 x 3.5 x 10	3
PT-CD-48	1⅞"	48	170	24 x 3.5 x 10	4
PT-CD-52	2"	52	170	24 x 3.5 x 10	4
PT-CD-65	2½"	65	170	24 x 3.5 x 10	4
PT-CD-72	2⅞"	72	170	24 x 3.5 x 10	4
PT-CD-78	3"	78	170	24 x 3.5 x 10	4
PT-CD-82	3¼"	82	170	24 x 3.5 x 10	4
PT-CD-92	3⅝"	92	170	24 x 3.5 x 10	4
PT-CD-102	4"	102	170	24 x 3.5 x 10	5
PT-CD-107	4¼"	107	170	24 x 3.5 x 10	5
PT-CD-117	4⅝"	117	170	24 x 3.5 x 10	5
PT-CD-127	5"	127	170	24 x 3.5 x 10	6
PT-CD-132	5¼"	132	170	24 x 4.2 x 10	7
PT-CD-142	5⅝"	142	170	24 x 4.2 x 10	7
PT-CD-152	6"	152	170	24 x 4.2 x 10	7
PT-CD-162	6⅜"	162	170	24 x 4.2 x 10	8
PT-CD-172	6¾"	172	170	24 x 4.2 x 10	8
PT-CD-182	7"	182	170	24 x 4.2 x 10	8
PT-CD-202	8"	202	170	24 x 4.2 x 10	10

PT-CC Super Premium Quality
Diamond Core Bits Case

- Everything you need to get going with dry core drilling in a sturdy, aluminium case. Renowned BD cores, HEX and SDS accessories





Item No.	Core Bits mm	Accessories
PT-CC-01	φ38x170mm φ52x170mm φ117x170mm	SDS adaptor: 115mm HEX adaptor: 88mm Extension Rod: 30x250mm Pilot Drill: 13x210mm Drift Key: 75mm
PT-CC-02	φ38x170mm φ52x170mm φ65x170mm φ117x170mm φ127x170mm	SDS adaptor: 115mm HEX adaptor: 88mm Extension Rod: 30x250mm Pilot Drill: 13x210mm Drift Key: 75mm

PT-CW Super Premium Quality

Wet Core Bit

- Applications include: flint and limestone aggregate concrete; reinforced concrete; universal building products
- Back end: 1¼" UNC or ½" BSP (male)



Item No.	Diameter inch	Diameter mm	Length mm	Seg. Dimenson L x W x H mm	Seg. No.
PT-CW-32	1¼"	32	300-500	20 x 3.5 x 10	3
PT-CW-35	1⅜"	35	300-500	20 x 3.5 x 10	3
PT-CW-38	1½"	38	300-500	20 x 3.5 x 10	4
PT-CW-42	1⅝"	42	300-500	20 x 3.5 x 10	4
PT-CW-45	1¾"	45	300-500	20 x 3.5 x 10	4
PT-CW-50	2"	50	300-500	24 x 3.5 x 10	4
PT-CW-56	2⅛"	56	300-500	24 x 3.5 x 10	5
PT-CW-62	2⅜"	62	300-500	24 x 3.5 x 10	5
PT-CW-66	2"	66	300-500	24 x 3.5 x 10	6
PT-CW-68	2⅝"	68	300-500	24 x 3.5 x 10	6
PT-CW-76	3"	76	300-500	24 x 3.5 x 10	7
PT-CW-82	3¼"	82	300-500	24 x 3.5 x 10	7
PT-CW-86	3⅜"	86	300-500	24 x 3.5 x 10	8
PT-CW-90	3½"	90	300-500	24 x 3.5 x 10	8
PT-CW-100	4"	100	300-500	24 x 3.5 x 10	9
PT-CW-106	4⅛"	106	300-500	24 x 3.5 x 10	9
PT-CW-112	4⅜"	112	300-500	24 x 3.5 x 10	10
PT-CW-120	4¾"	120	300-500	24 x 4.0 x 10	11
PT-CW-125	5"	125	300-500	24 x 4.0 x 10	11
PT-CW-130	5⅛"	130	300-500	24 x 4.0 x 10	11
PT-CW-140	5½"	140	300-500	24 x 4.0 x 10	13
PT-CW-150	6"	150	300-500	24 x 4.0 x 10	14
PT-CW-156	6⅛"	156	300-500	24 x 4.0 x 10	14
PT-CW-160	6¼"	160	300-500	24 x 4.0 x 10	15
PT-CW-170	6¾"	170	300-500	24 x 4.0 x 10	16
PT-CW-182	7"	182	300-500	24 x 4.0 x 10	17
PT-CW-200	8"	200	300-500	24 x 4.0 x 10	18
PT-CW-225	9"	225	300-500	24 x 4.5 x 10	19
PT-CW-250	10"	250	300-500	24 x 4.5 x 10	21
PT-CW-300	12"	300	300-500	24 x 4.5 x 10	23
PT-CW-350	14"	350	300-500	24 x 5.0 x 10	25
PT-CW-400	16"	400	300-500	24 x 5.0 x 10	27
PT-CW-450	18"	450	300-500	24 x 5.0 x 10	29
PT-CW-500	20"	500	300-500	24 x 5.0 x 10	33

PT-CR Super Premium Quality

Drill Bits For Socket Outlets

- For hard brick, hard concrete and stone
- Back end: M14



Item No.	Diameter inch	Diameter mm	Length mm	Seg. Dimenson L x W x H mm	Seg. No.
PT-CR-68		68	60	24 x 3.6 x 8	3
PT-CR-82A		82	60	24 x 3.6 x 8	4
PT-CR-82B		82	60	24 x 3.6 x 8	5

PROFESSIONAL TECHNOLOGY

Diamond Core Bits

PT-CX Super Premium Quality

Three Parts Wet Core Bit

- Applications include: flint and limestone aggregate concrete; reinforced concrete; universal building products



Item No.	Diameter inch	Diameter mm	Length mm	Seg. Dimenson L x W x H mm	Seg. No.
PT-CX-25	1"	25	400-500	12 x 10 x 4.5	4
PT-CX-32	1¼"	32	400-500	15 x 10 x 4.5	4
PT-CX-38	1½"	38	400-500	15 x 10 x 4.5	5
PT-CX-50	2"	50	400-500	20 x 10 x 4.5	6
PT-CX-65	2⅝"	65	400-500	20 x 10 x 4.5	7
PT-CX-78	3"	78	400-500	20 x 10 x 4.5	8
PT-CX-90	3½"	90	400-500	20 x 10 x 4.5	9
PT-CX-100	4"	100	400-500	24 x 10 x 5.0	9
PT-CX-125	5"	125	400-500	24 x 10 x 5.0	10
PT-CX-150	6"	150	400-500	24 x 10 x 5.0	13
PT-CX-180	7"	180	400-500	24 x 10 x 5.0	15
PT-CX-200	8"	200	400-500	24 x 10 x 5.5	17
PT-CX-300	10"	300	400-500	24 x 10 x 5.5	23
PT-CX-350	12"	350	400-500	24 x 10 x 5.5	27

PT-CS Super Premium Quality

Diamond Core Bit Segment

- The segments provide optimal drilling behavior, at highest possible feed rate
- Various designs and sizes are available for different applications



Abrasive Wheels

DM-MC Premium Quality
Abrasive Cutting Wheel

• For cutting steel, steel pipe, angle iron, stainless steel and ferrous metals

Item No.	Diameter inch	Diameter mm	Thickness mm	Arbor mm
DM-MC-100A	4"	100	2.0	16
DM-MC-100B	4"	100	2.5	16
DM-MC-105	4"	105	1.0	16
DM-MC-300A	12"	300	2.5	25.4
DM-MC-300B	12"	300	3.0	25.4
DM-MC-300C	12"	300	2.5	32
DM-MC-300D	12"	300	3.0	32
DM-MC-355A	14"	355	2.5	25.4
DM-MC-355B	14"	355	3.0	25.4
DM-MC-355C	14"	355	2.5	32
DM-MC-355D	14"	355	3.0	32
DM-MC-400A	16"	400	3.0	25.4
DM-MC-400B	16"	400	3.5	25.4
DM-MC-400C	16"	400	3.0	32
DM-MC-400D	16"	400	3.5	32



DM-MG Premium Quality
Abrasive Grinding Wheel

• For weld head blending, removing weld slag, deburring, edge blending, surface conditioning, and metal fabrication

Item No.	Diameter inch	Diameter mm	Thickness mm	Arbor mm
DM-MG-100A	4"	100	4.0	16
DM-MG-100B	4"	100	5.0	16
DM-MG-100C	4"	100	6.0	16
DM-MG-115	4.5"	115	6.0	22.2
DM-MG-125	5"	125	6.0	22.2
DM-MG-150	6"	150	6.0	22.2
DM-MG-180A	7"	180	6.0	22.2
DM-MG-180B	7"	180	8.0	22.2
DM-MG-230	9"	230	6.0	22.2



DM-MT Premium Quality
Super Thin Cutiing Wheel

• For cutting steel, steel pipe, angle iron, stainless steel and ferrous metals

Item No.	Diameter inch	Diameter mm	Thickness mm	Arbor mm
DM-MT-105	4"	105	1.0	16
DM-MT-115A	4.5"	115	1.0	22.2
DM-MT-115B	4.5"	115	1.6	22.2
DM-MT-125A	5"	125	1.0	22.2
DM-MT-125B	5"	125	1.6	22.2
DM-MT-150	6"	150	1.6	22.2
DM-MT-180	7"	180	1.6	22.2
DM-MT-230	9"	230	2.0	22.2



PROFESSIONAL TECHNOLOGY

Abrasive Wheels

DM-MS Premium Quality
Stainless Steel Cutiing Wheel

• Professional for stainless steel, alloy steel, chilled steel, tool steel and cast iron

Item No.	Diameter inch	Diameter mm	Thickness mm	Arbor mm
DM-MS-10A	4"	100	4.0	16
DM-MS-10B	4"	100	5.0	16
DM-MS-10C	4"	100	6.0	16
DM-MS-115	4.5"	115	6.0	22.22
DM-MS-125	5"	125	6.0	22.22
DM-MS-150	6"	150	6.0	22.22
DM-MS-18A	7"	180	6.0	22.22
DM-MS-18B	7"	180	8.0	22.22
DM-MS-230	9"	230	8.0	22.22



DM-MF Premium Quality
Flap Disc

• For weld head blending, removing weld slag, deburring, edge blending, surface conditioning, and metal fabrication
• Two types: zirconium abrasive gain and brown corundum abrasive gain
• Grit: 40, 60, 80, 100, 120, 180, 240, 320

Item No.	Diameter inch	Diameter mm	Thickness mm	Arbor mm
DM-MF-100	4"	100	4.0	16
DM-MF-115	4.5"	115	5.0	22.2
DM-MF-125	5"	125	6.0	22.2
DM-MF-150	6"	150	6.0	22.2
DM-MF-180	7"	180	6.0	22.2





ELECTROPLATED DIAMOND TOOLS

BT-EC Premium Quality
Electroplated Diamond Disc

- For fine cutting marble, glass fibre and GRP

Item No.	Diameter inch	Diameter mm	Grit	Arbor mm
BT-EC-105	4"	105	40/60	16
BT-EC-115	4.5"	115	40/60	22.2
BT-EC-125	5"	125	40/60	22.2
BT-EC-180	7"	180	40/60	22.2
BT-EC-230	9"	230	40/60	22.2



Electroplated Diamond Discs Series



BT-EC-A Premium Quality
Diameter: 100mm Grit:120/150

BT-EC-B Premium Quality
Diameter: 100mm Grit:120/150

BT-EC-C Premium Quality
Diameter: 7"/9" Grit:40/60 flange

BT-ED Premium Quality
Electroplated Diamond Core Bit

- For fast, fine cutting marble, ceramics and stone
- Shank: Round/Triangle/Hexagon

Item No.	Diameter mm	Grit
BT-ED-4	4-150	30/40/60/80



Electroplated Diamond Core Bits Series



T.C.T Saw Blades

JY-WC Standard Quality
Wood Cutting Blade

- Long life
- Less wastage of wood
- With the long life for steel body and will enable higher feed rates
- The cutting surface is smooth and durability is perfert
- For cutting soft wood, hard wood, plywood, chipboard





Item No.	Diameter inch	Diameter mm	Teeth No.	Kerf mm	Plate Thickness mm	Arbor mm
JY-WC-110	4"	110	24/30/40	1.8	1.2	20
JY-WC-125	5"	125	24/30/40	1.8	1.2	20
JY-WC-135	5¼"	135	24/30/40	1.8	1.2	20
JY-WC-150	6"	150	40/60	2.0	1.4	20
JY-WC-160	6¼"	160	40/60	2.0	1.4	20
JY-WC-165	6½"	165	40/60	2.0	1.4	20
JY-WC-180	7"	180	24/40/60	2.2	1.4	22.2
JY-WC-185	7¼"	185	24/40/60	2.2	1.4	22.2
JY-WC-200	8"	200	40/60/80	2.2	1.4	22.2
JY-WC-230	9"	230	40/60/80/100	2.5	1.6	22.2
JY-WC-250	10"	250	40/40/60/100/120	2.8	1.8	22.2
JY-WC-300	12"	300	40/60/60/100/120	3.1	2.0	25.4
JY-WC-350	14"	350	60/80/100/120	3.4	2.2	25.4
JY-WC-400	16"	400	60/80/100/120	3.4	2.4	25.4
JY-WC-450	18"	450	60/80/100/120	3.8	2.5	25.4
JY-WC-500	20"	500	60/80/100/120	3.8	4.2	25.4

JY-UT Premium Quality
Ultra Thin Blade

- Fully-hardened, expertly-tensioned tool steel bodies for true and accurate cuts
- High grade, wear-resistant carbide tips for long life
- Fine grit honing of carbide edge for clean, smooth cuts
- All blades are ATB or ATAF at 10°





Item No.	Diameter inch	Diameter mm	Teeth No.	Kerf mm	Plate Thickness mm	Arbor mm
JY-UT-100	4"	100	30	1.4	0.8	20
JY-UT-125	5"	125	42	1.4	0.8	20
JY-UT-147	6"	147	40/52	1.4	0.8	20
JY-UT-165	6½"	165	40/52/60	1.6	1.0	20
JY-UT-190	7½"	190	52/80	1.8	1.0	22.2
JY-UT-205	8"	205	80	2.0	1.3	22.2


T.C.T Saw Blades

JY-AC Standard Quality
Aluminium Cutting Blade

- Suitable for cutting aluminium alloy materials, non-ferrous metals and some other materials with high quality and long cutting life



TCG



Item No.	Diameter inch	Diameter mm	Teeth No.	Kerf mm	Plate Thickness mm	Arbor mm
JY-AC-110	4"	110	24/40	2.0	1.2	16
JY-AC-115	4½"	115	40	2.0	1.2	16
JY-AC-125	5"	125	30	2.0	1.4	20
JY-AC-165	6½"	165	30	2.2	1.6	20
JY-AC-180	7"	180	40/60/80	2.2	1.6	22.2
JY-AC-215	8½"	215	30/40/60/80	2.4	1.8	22.2
JY-AC-250	10"	250	60/80/100	2.8	2.2	25.4
JY-AC-300	12"	300	60/80/100/120	3.2	2.2	25.4
JY-AC-350	14"	350	60/80/100/120	3.4	2.5	25.4
JY-AC-400	16"	400	60/80/100/120	3.4	2.5	25.4

JY-MC Premium Quality
Metal Cutting Blade

- Construction grade titanium carbide teeth provide easy cuts through ferrous metal
- Longer working life than abrasive discs



FTG



Item No.	Diameter inch	Diameter mm	Teeth No.	Kerf mm	Plate Thickness mm	Arbor mm
JY-MC-110	4"	110	24/40	1.8	1.2	16
JY-MC-115	4½"	115	24/30/40	1.8	1.2	16
JY-MC-125	5"	125	30/40	1.8	1.2	20
JY-MC-165	6½"	165	30/40	2.2	1.4	20
JY-MC-180	7"	180	40/60/80	2.2	1.4	22.2
JY-MC-250	10"	250	60/80/100	2.8	1.8	25.4
JY-MC-300	12"	300	80/100/120	3.0	2.0	25.4
JY-MC-350	14"	350	80/100/120	3.2	2.2	25.4
JY-MC-400	16"	400	80/100/120	3.3	2.3	25.4

PROFESSIONAL TECHNOLOGY

Steel Blades & PCD Saw Blades

JY-SD Standard Quality
Steel Blade

- For fine, extra clean cutting on wood and plywood



Item No.	Diameter inch	Diameter mm	Teeth No.	Kerf mm	Plate Thickness mm	Arbor mm
JY-SD-165	6½"	165	60/80/100/150	1.8	1.3	16
JY-SD-185	7¼"	185	40/60/80/100/150	1.8	1.3	20
JY-SD-250	10"	250	80/100/150/200	2.2	1.8	20

JY-PC Super Premium Quality
PCD Saw Blade

- With polycrystalline diamond tipped teeth this blade produces faster cutting ability and far longer life when cutting fiber cement board



Item No.	Diameter inch	Diameter mm	Teeth No.	Kerf mm	Plate Thickness mm	Arbor mm
JY-PC-165	6½"	165	4/8	1.8	1.4	16/20
JY-PC-165	7¼"	165	4/8	1.8	1.4	20
JY-PC-210	8¼"	210	12	2.2	1.7	30
JY-PC-250	10"	250	16	3.0	2.5	30
JY-PC-300	12"	300	40	3.0	2.5	30

PROFESSIONAL TECHNOLOGY

Coated T.C.T Saw Blades

The coated saw blades are made from premier high quality materials, using strict manufacturing processes and intelligent design to ensure maximum life and the highest cutting performance. Various designs and sizes are available for different applications.



Laser-Cut Technology

Each of the blades is individually cut out with high-tech lasers. This ensures that the body of each blade, as well as the shape of the teeth and bore, are as precise and exact as they can be.

Heat Expansion Slots

The laser cut expansion slots give the blade the room it needs to expand when it heats up. This prevents the plate of the blade from warping and provides you with a cut that doesn't waver.

Special Carbide Teeth

Micrograin Titanium Carbide is finely razor sharpened to glide through the wood and make smooth, thin cuts with very little waste. All carbide tips are sandwich braised in an automated process for durability, strength and longevity of the carbide and then sharpened 3 times to a surgical point edge.

Anti Friction Vents

The Anti Friction MACH Vents trap vibrations, letting the blade spin more true by preventing any potential wobble or unbalance. These vents also limit the amount of noise that can be produced by the blade vibration, creating a noticeably quieter cutting environment.

Non-stick TECNO Coating

The Tecno Coating finish greatly improves the ease of a cut, letting the blade glide through material with less resistance and keeps the blade cooler. This special coating also reduces the amount of build-up that can occur on the blade and prevents it from potential rust.

PROFESSIONAL TECHNOLOGY

Brush Cutter Blades

JY-BC Standard Quality
Brush Cutter Blade



Item No.	Diameter inch	Diameter mm	Teeth No.	Kerf mm	Plate Thickness mm	Arbor mm
JY-BC-230	9"	230	36/40	2.0	1.3	25.4
JY-BC-255	10"	255	36/40/48	2.0	1.3	25.4
JY-BC-305	12"	305	40/48/60	2.2	1.6	25.4

Brush Cutter Blades Series



JY-BC-A Standard Quality | JY-BC-B Standard Quality | JY-BC Standard Quality

Steel Brush Cutter Blades Series



HSS STRAIGHT SHANK TWIST DRILL DIN338



DIN338

Dia	L2	L1	Dia.	L2	L1	Dia	L2	L1	Dia.	L2	L1
0.2	2.5	19	2.05	24	49	6.4	63	101	11.7	91	142
0.22	2.5	19	2.1	24	49	6.5	63	101	11.8	91	142
0.25	3	19	2.15	27	53	6.6	63	101	11.9	101	151
0.28	3	19	2.2	27	53	6.7	63	101	12	101	151
0.3	3	19	2.25	27	53	6.8	69	109	12.1	101	151
0.32	4	19	2.3	27	53	6.9	69	109	12.2	101	151
0.35	4	19	2.35	27	53	7	69	109	12.3	101	151
0.38	4	19	2.4	30	57	7.1	69	109	12.4	101	151
0.4	5	20	2.45	30	57	7.2	69	109	12.5	101	151
0.42	5	20	2.5	30	57	7.3	69	109	12.6	101	151
0.45	5	20	2.55	30	57	7.4	69	109	12.7	101	151
0.48	5	20	2.6	30	57	7.5	69	109	12.8	101	151
0.5	6	22	2.65	30	57	7.6	75	117	12.9	101	151
0.52	6	22	2.7	30	57	7.7	75	117	13	101	151
0.55	7	24	2.75	33	61	7.8	75	117	13.1	101	151
0.58	7	24	2.8	33	61	7.9	75	117	13.2	101	151
0.6	7	24	2.85	33	61	8	75	117	13.3	108	160
0.62	8	26	2.9	33	61	8.1	75	117	13.4	108	160
0.65	8	26	2. 2.95	33	61	8.2	75	117	13.5	108	160
0.68	9	28	3	33	61	8.3	75	117	13.6	108	160
0.7	9	28	3.1	36	65	8.4	75	117	13.7	108	160
0.72	9	28	3.2	36	65	8.5	75	117	13.8	108	160
0.75	9	28	3.3	36	65	8.6	75	117	13.9	108	160
0.78	10	30	3.4	39	70	8.7	81	125	14	108	160
0.8	10	30	3.5	39	70	8.8	81	125	14.25	114	169
0.82	10	30	3.6	39	70	8.9	81	125	14.5	114	169
0.85	10	30	3.7	39	70	9	81	125	14.75	114	169
0.88	11	32	3.8	43	75	9.1	81	125	15	114	169
0.9	11	32	3.9	43	75	9.2	81	125	15.25	120	178
0.92	11	32	4	43	75	9.3	81	125	15.5	120	178
0.95	11	32	4.1	43	75	9.4	81	125	15.75	120	178
0.98	12	34	4.2	43	75	9.5	81	125	16	120	178
1	12	34	4.3	47	80	9.6	81	125	16.25	125	184
1.05	12	34	4.4	47	80	9.7	81	125	16.5	125	184
1.1	14	36	4.5	47	80	9.8	87	133	16.75	125	184
1.15	14	36	4.6	47	80	9.9	87	133	17	125	184
1.2	16	38	4.7	47	80	10	87	133	17.25	130	191
1.25	19	38	4.8	52	85	10.1	87	133	17.5	130	191
1.3	16	38	4.9	52	86	10.2	87	133	17.75	130	191
1.35	18	40	5	52	86	10.3	87	133	18	130	191
1.4	18	40	5.1	52	86	10.4	87	133	18.25	135	198
1.45	18	40	5.2	52	86	10.5	87	133	18.5	135	198
1.5	18	40	5.3	52	86	10.6	87	133	18.75	135	198
1.55	20	43	5.4	57	93	10.7	94	142	19	135	198
1.6	20	43	5.5	57	93	10.8	94	142	19.25	140	205
1.65	20	43	5.6	57	93	10.9	94	142	19.5	140	205
1.7	20	43	5.7	57	93	11	94	142	19.75	140	205
1.75	22	45	5.8	57	93	11.1	94	142	20	143	205
1.8	22	45	5.9	57	93	11.2	94	142			
1.85	22	40	6	57	93	11.3	93	142			
1.9	22	45	6.1	63	101	11.4	94	142			
1.95	24	49	6.2	63	101	11.5	94	142			
2	24	49	6.3	63	101	11.6	94	142			

HSS STRAIGHT SHANK TWIST DRILL ANSI B94.11M(5)




Jobber length

Diameter of Drill						Flute Length		Overall Length	
D						L2		L1	
Fraction	No.	Let.	mm	Decimal Inch Equivalent	Millimeter Equivalent	Inch	mm	Inch	mm
			1.00	0.0394	1.000	1 9/16	40	2 3/4	70
	60			0.0400	1.016	1 9/16	40	2 3/4	70
	59			0.0410	1.041	1 9/16	40	2 3/4	70
			1.05	0.0413	1.050	1 9/16	40	2 3/4	70
	58			0.0420	1.067	1 9/16	40	2 3/4	70
	57			0.0430	1.092	1 5/8	41	2 3/4	70
			1.10	0.0433	1.100	1 5/8	41	2 3/4	70
			1.15	0.0453	1.150	1 5/8	41	2 3/4	70
	56			0.0465	1.181	1 5/8	41	2 3/4	70
				0.0469	1.191	1 5/8	41	2 3/4	70
1/64			1.20	0.0472	1.200	1 5/8	41	2 3/4	70
			1.25	0.0492	1.250	1 5/8	41	2 3/4	70
			1.30	0.0512	1.300	1 5/8	41	2 3/4	70
	55			0.0520	1.321	1 5/8	41	2 3/4	70
			1.35	0.0531	1.350	1 5/8	41	2 3/4	70
	54			0.0550	1.397	1 5/8	41	2 3/4	70
			1.40	0.0551	1.400	1 5/8	41	2 3/4	70
			1.45	0.0571	1.450	1 5/8	41	2 3/4	70
			1.50	0.0591	1.500	1 5/8	41	2 3/4	70
	53			0.0595	1.511	1 5/8	41	2 3/4	70
			1.55	0.0610	1.550	1 5/8	41	2 3/4	70
	52			0.0635	1.613	1 5/8	41	2 3/4	70
1/16				0.0635	1.613	1 5/8	41	2 3/4	70
			1.60	0.0630	1.600				
	51			0.0669	1.700				
			1.70	0.0669	1.700				
	50			0.0689	1.750				
			1.75	0.0690	1.753				
				0.0700	1.778				
			1.80	0.0709	1.800				
	49		1.85	0.0728	1.850				
				0.0730	1.854				
	48		1.90	0.0748	1.900				
				0.0760	1.930				
5/64	47		1.95	0.0768	1.950				
				0.0781	1.984				
			2.00	0.0787	2.000				
	46		2.05	0.0807	2.050	1 5/8	41	2 3/4	70
	45			0.0810	2.057	1 5/8	41	2 3/4	70
				0.0820	2.083	1 5/8	41	2 3/4	70
			2.10	0.0827	2.100	1 5/8	41	2 3/4	70
	44		2.15	0.0846	2.150	1 5/8	41	2 3/4	70
				0.0860	2.184	1 5/8	41	2 3/4	70
			2.20	0.0866	2.200	1 5/8	41	2 3/4	70
			2.25	0.0886	2.250	1 5/8	41	2 3/4	70
	43			0.0890	2.261	1 5/8	41	2 3/4	70
			2.30	0.0906	2.300	1 5/8	41	2 3/4	70
3/32			2.35	0.0925	2.350	1 5/8	41	2 3/4	70
	42			0.0935	2.375	1 5/8	41	2 3/4	70
				0.0938	2.383	1 5/8	41	2 3/4	70
			2.40	0.0945	2.400	1 5/8	41	2 3/4	70

Jobber length

Diameter of Drill						Flute Length		Overall Length	
D						L2		L1	
Fraction	No.	Let.	mm	Decimal Inch Equivalent	Millimeter Equivalent	Inch	mm	Inch	mm
	41			0.0960	2.438	1 7/8	48	2 3/4	70
			2.45	0.0965	2.450	1 7/8	48	2 3/4	70
	40			0.0980	2.489	1 7/8	48	2 3/4	70
			2.50	0.0984	2.500	1 7/8	48	2 3/4	70
	39			0.0995	2.527	1 7/8	48	2 3/4	70
	38			0.1015	2.578	1 7/8	48	2 3/4	70
			2.60	0.1024	2.600	1 7/8	48	2 3/4	70
	37			0.1040	2.642	1 7/8	48	2 3/4	70
7/64			2.70	0.1063	2.700	1 7/8	48	2 3/4	70
	36			0.1065	2.705	1 7/8	48	2 3/4	70
				0.1094	2.779	1 7/8	48	2 3/4	70
	35			0.1100	2.794	1 7/8	48	2 3/4	70
			2.80	0.1102	2.800	1 7/8	48	2 3/4	70
	34			0.1110	2.819	1 7/8	48	2 3/4	70
	33			0.1130	2.870	1 7/8	48	2 3/4	70
			2.90	0.1142	2.900	1 7/8	48	2 3/4	70
	32			0.1160	2.946	1 7/8	48	2 3/4	70
			3.00	0.1181	3.000	1 7/8	48	2 3/4	70
	31			0.1200	3.048	1 7/8	48	2 3/4	70
			3.10	0.1220	3.100	1 7/8	48	2 3/4	70
1/8				0.1250	3.175	1 7/8	48	2 3/4	70
			3.20	0.1260	3.200	1 7/8	48	2 3/4	70
	30			0.1285	3.264	1 7/8	48	2 3/4	70
			3.30	0.1299	3.300	1 7/8	48	2 3/4	70
			3.40	0.1339	3.400	1 7/8	48	2 3/4	70
	29			0.1360	3.454	1 7/8	48	2 3/4	70
			3.50	0.1378	3.500	1 7/8	48	2 3/4	70
	28			0.1405	3.569	1 7/8	48	2 3/4	70
9/64				0.1406	3.571	1 7/8	48	2 3/4	70
			3.60	0.1417	3.600	1 7/8	48	2 3/4	70
	27			0.1440	3.658	1 7/8	48	2 3/4	70
			3.70	0.1457	3.700	1 7/8	48	2 3/4	70
	26			0.1470	3.734	1 7/8	48	2 3/4	70
	25			0.1495	3.797	1 7/8	48	2 3/4	70
			3.80	0.1496	3.800	1 7/8	48	2 3/4	70
	24			0.1520	3.861			2 3/4	70
			3.90	0.1535	3.900			2 3/4	70
	23			0.1540	3.912			2 3/4	70
5/32				0.1562	3.967			2 3/4	70
	22			0.1570	3.988			2 3/4	70
			4.00	0.1575	4.000	1 7/8	48	2 3/4	70
	21			0.1590	4.039	1 7/8	48	2 3/4	70
	20			0.1610	4.089	1 7/8	48	2 3/4	70
			4.10	0.1614	4.100	1 7/8	48	2 3/4	70
			4.20	0.1654	4.200	1 7/8	48	2 3/4	70
	19			0.1660	4.216	1 7/8	48	2 3/4	70
			4.30	0.1693	4.300	1 7/8	48	2 3/4	70
	18			0.1695	4.305	1 7/8	48	2 3/4	70
	17			0.1719	4.366	1 7/8	48	2 3/4	70
				0.1730	4.394	1 7/8	48	2 3/4	70
			4.40	0.1732	4.400	1 7/8	48	2 3/4	70
	16			0.1770	4.496	1 7/8	48	2 3/4	70
			4.50	0.1772	4.500	1 7/8	48	2 3/4	70
	15			0.1800	4.572	1 7/8	48	2 3/4	70
			4.60	0.1811	4.600	1 7/8	48	2 3/4	70
	14			0.1820	4.623	1 7/8	48	2 3/4	70
	13		4.70	0.1850	4.700	1 7/8	48	2 3/4	70
3/16				0.1875	4.762	1 7/8	48	2 3/4	70
	12		4.80	0.1890	4.800	1 7/8	48	2 3/4	70
	11			0.1910	4.851	1 7/8	48	2 3/4	70
			4.90	0.1929	4.900	1 7/8	48	2 3/4	70
	10			0.1935	4.915	1 7/8	48	2 3/4	70
				0.1960	4.978	1 7/8	48	2 3/4	70
	9		5.00	0.1969	5.000	1 7/8	48	2 3/4	70
	8			0.1990	5.054	1 7/8	48	2 3/4	70

HSS STRAIGHT SHANK TWIST DRILL ANSI B94.11M(5)



Jobber length

Diameter of Drill						Flute Length		Overall Length	
Fractional	No.	Let.	mm	Decimal Inch Equivalent	Millimeter Equivalent	L2		L1	
						Inch	mm	Inch	mm
1/64	80		0.35	0.0138	0.350	1/16	2	1 3/8	35
	79			0.0145	0.368	1/16	2	1 3/8	35
	78		0.40	0.0157	0.400	1/16	2	1 3/8	35
	77			0.0180	0.457	1/16	2	1 3/8	35
	76		0.50	0.0197	0.500	1/16	2	1 3/8	35
	75			0.0210	0.533	1/16	2	1 3/8	35
	74		0.60	0.0236	0.600	1/16	2	1 3/8	35
	73			0.0240	0.610	1/16	2	1 3/8	35
	72		0.70	0.0276	0.700	1/16	2	1 3/8	35
	71			0.0280	0.711	1/16	2	1 3/8	35
	70		0.80	0.0315	0.800	1/16	2	1 3/8	35
	69			0.0330	0.838	1/16	2	1 3/8	35
	68		0.90	0.0354	0.900	1/16	2	1 3/8	35
	67			0.0360	0.914	1/16	2	1 3/8	35
	66		0.95	0.0374	0.950	1/16	2	1 3/8	35
	65			0.0380	0.965	1/16	2	1 3/8	35
	64		1.00	0.0394	1.000	1/16	2	1 3/8	35
	63			0.0400	1.016	1/16	2	1 3/8	35
	62		1.05	0.0413	1.050	1/16	2	1 3/8	35
	61			0.0420	1.067	1/16	2	1 3/8	35
	60		1.10	0.0433	1.100	1/16	2	1 3/8	35
	59			0.0453	1.151	1/16	2	1 3/8	35
	58		1.15	0.0465	1.180	1/16	2	1 3/8	35
	57			0.0472	1.200	1/16	2	1 3/8	35
	56		1.20	0.0492	1.250	1/16	2	1 3/8	35
	55			0.0512	1.300	1/16	2	1 3/8	35
	54		1.30	0.0531	1.350	1/16	2	1 3/8	35
	53			0.0550	1.397	1/16	2	1 3/8	35
1/16	52		1.40	0.0551	1.400	1/16	2	1 3/8	35
	51			0.0571	1.450	1/16	2	1 3/8	35
	50		1.45	0.0591	1.500	1/16	2	1 3/8	35
	49			0.0610	1.549	1/16	2	1 3/8	35
	48		1.50	0.0630	1.600	1/16	2	1 3/8	35
	47			0.0650	1.650	1/16	2	1 3/8	35
	46		1.55	0.0669	1.700	1/16	2	1 3/8	35
	45			0.0689	1.750	1/16	2	1 3/8	35
	44		1.60	0.0709	1.800	1/16	2	1 3/8	35
	43			0.0728	1.850	1/16	2	1 3/8	35
	42		1.65	0.0748	1.900	1/16	2	1 3/8	35
	41			0.0768	1.950	1/16	2	1 3/8	35
	40		1.70	0.0787	2.000	1/16	2	1 3/8	35
	39			0.0807	2.050	1/16	2	1 3/8	35
	38		1.75	0.0827	2.100	1/16	2	1 3/8	35
	37			0.0846	2.150	1/16	2	1 3/8	35
	36		1.80	0.0866	2.200	1/16	2	1 3/8	35
	35			0.0886	2.250	1/16	2	1 3/8	35
	34		1.85	0.0906	2.300	1/16	2	1 3/8	35
	33			0.0925	2.350	1/16	2	1 3/8	35
	32		1.90	0.0945	2.400	1/16	2	1 3/8	35
	31			0.0965	2.450	1/16	2	1 3/8	35
3/32	30		1.95	0.0984	2.500	1/16	2	1 3/8	35
	29			0.1004	2.550	1/16	2	1 3/8	35
	28		2.00	0.1024	2.600	1/16	2	1 3/8	35
	27			0.1043	2.650	1/16	2	1 3/8	35
	26		2.05	0.1063	2.700	1/16	2	1 3/8	35
	25			0.1083	2.750	1/16	2	1 3/8	35
	24		2.10	0.1102	2.800	1/16	2	1 3/8	35
	23			0.1122	2.850	1/16	2	1 3/8	35
	22		2.15	0.1142	2.900	1/16	2	1 3/8	35
	21			0.1161	2.950	1/16	2	1 3/8	35
	20		2.20	0.1181	3.000	1/16	2	1 3/8	35
	19			0.1201	3.050	1/16	2	1 3/8	35
	18		2.25	0.1220	3.100	1/16	2	1 3/8	35
	17			0.1240	3.150	1/16	2	1 3/8	35
	16		2.30	0.1260	3.200	1/16	2	1 3/8	35
	15			0.1280	3.250	1/16	2	1 3/8	35
	14		2.35	0.1299	3.300	1/16	2	1 3/8	35
	13			0.1319	3.350	1/16	2	1 3/8	35
	12		2.40	0.1339	3.400	1/16	2	1 3/8	35
	11			0.1358	3.450	1/16	2	1 3/8	35
	10		2.45	0.1378	3.500	1/16	2	1 3/8	35
	9			0.1398	3.550	1/16	2	1 3/8	35
	8		2.50	0.1417	3.600	1/16	2	1 3/8	35
	7			0.1437	3.650	1/16	2	1 3/8	35
	6		2.55	0.1457	3.700	1/16	2	1 3/8	35
	5			0.1476	3.750	1/16	2	1 3/8	35
	4		2.60	0.1496	3.800	1/16	2	1 3/8	35
	3			0.1516	3.850	1/16	2	1 3/8	35
	2		2.65	0.1535	3.900	1/16	2	1 3/8	35
	1			0.1555	3.950	1/16	2	1 3/8	35
7/32		A	2.70	0.1575	4.000	1/16	2	1 3/8	35
				0.1594	4.049	1/16	2	1 3/8	35
		B	2.75	0.1614	4.100	1/16	2	1 3/8	35
				0.1634	4.150	1/16	2	1 3/8	35
		C	2.80	0.1654	4.200	1/16	2	1 3/8	35
				0.1673	4.250	1/16	2	1 3/8	35
		D	2.85	0.1693	4.300	1/16	2	1 3/8	35
				0.1713	4.350	1/16	2	1 3/8	35
		E	2.90	0.1732	4.400	1/16	2	1 3/8	35
				0.1752	4.450	1/16	2	1 3/8	35
9/32		F	2.95	0.1772	4.500	1/16	2	1 3/8	35
				0.1791	4.549	1/16	2	1 3/8	35
		G	3.00	0.1811	4.600	1/16	2	1 3/8	35
				0.1831	4.650	1/16	2	1 3/8	35
		H	3.05	0.1850	4.700	1/16	2	1 3/8	35
				0.1870	4.750	1/16	2	1 3/8	35
		I	3.10	0.1890	4.800	1/16	2	1 3/8	35
				0.1909	4.850	1/16	2	1 3/8	35
		J	3.15	0.1929	4.900	1/16	2	1 3/8	35
				0.1949	4.950	1/16	2	1 3/8	35
		K	3.20	0.1969	5.000	1/16	2	1 3/8	35
				0.1988	5.050	1/16	2	1 3/8	35
		L	3.25	0.2008	5.100	1/16	2	1 3/8	35
				0.2028	5.150	1/16	2	1 3/8	35
		M	3.30	0.2047	5.200	1/16	2	1 3/8	35
				0.2067	5.250	1/16	2	1 3/8	35
		N	3.35	0.2087	5.300	1/16	2	1 3/8	35
				0.2106	5.350	1/16	2	1 3/8	35
		O	3.40	0.2126	5.400	1/16	2	1 3/8	35
				0.2146	5.450	1/16	2	1 3/8	35
		P	3.45	0.2165	5.500	1/16	2	1 3/8	35
				0.2185	5.550	1/16	2	1 3/8	35
		Q	3.50	0.2205	5.600	1/16	2	1 3/8	35
				0.2224	5.650	1/16	2	1 3/8	35
		R	3.55	0.2244	5.700	1/16	2	1 3/8	35
				0.2264	5.750	1/16	2	1 3/8	35
		S	3.60	0.2283	5.800	1/16	2	1 3/8	35
				0.2303	5.850	1/16	2	1 3/8	35
		T	3.65	0.2323	5.900	1/16	2	1 3/8	35
				0.2343	5.950	1/16	2	1 3/8	35
15/64		U	3.70	0.2362	6.000	1/16	2	1 3/8	35
				0.2382	6.050	1/16	2	1 3/8	35
		V	3.75	0.2402	6.100	1/16	2	1 3/8	35
				0.2421	6.147	1/16	2	1 3/8	35
		W	3.80	0.2441	6.200	1/16	2	1 3/8	35
				0.2461	6.248	1/16	2	1 3/8	35
		X	3.85	0.2480	6.300	1/16	2	1 3/8	35
				0.2500	6.350	1/16	2	1 3/8	35
1/4		Y	3.90	0.2520	6.400	1/16	2	1 3/8	35
				0.2539	6.448	1/16	2	1 3/8	35
		Z	3.95	0.2559	6.500	1/16	2	1 3/8	35
				0.2579	6.528	1/16	2	1 3/8	35
			4.00	0.2598	6.600	1/16	2	1 3/8	35
				0.2618	6.629	1/16	2	1 3/8	35
			4.10	0.2638	6.700	1/16	2	1 3/8	35
				0.2657	6.746	1/16	2	1 3/8	35
17/64			4.20	0.2677	6.800	1/16	2	1 3/8	35
				0.2697	6.848	1/16	2	1 3/8	35
			4.30	0.2717	6.900	1/16	2	1 3/8	35
				0.2736	6.950	1/16	2	1 3/8	35
			4.40	0.2756	7.000	1/16	2	1 3/8	35
				0.2776	7.036	1/16	2	1 3/8	35
			4.50	0.2795	7.100	2 15/16	75	1 3/4	108
				0.2815	7.137	2 15/16	75	1 3/4	108
9/32			4.60	0.2835	7.200	2 15/16	75	1 3/4	108
				0.2854	7.239	2 15/16	75	1 3/4	108
			4.70	0.2874	7.300	2 15/16	75	1 3/4	108
				0.2894	7.366	2 15/16	75	1 3/4	108
			4.80	0.2913	7.400	3 1/16	78	1 3/4	111
				0.2933	7.493	3 1/16	78	1 3/4	111
			4.90	0.2953	7.500	3 1/16	78	1 3/4	111
				0.2972	7.541	3 1/16	78	1 3/4	111
			5.00	0.2992	7.600	3 1/16	78	1 3/4	111
				0.3020	7.671	3 1/16	78	1 3/4	111
			5.10	0.3031	7.700	3 1/16	81	1 3/4	114
				0.3071	7.800	3 1/16	81	1 3/4	114
			5.20	0.3110	7.900	3 1/16	81	1 3/4	114
				0.3150	8.000	3 1/16	81	1 3/4	114
5/16			5.30	0.3169	8.026	3 1/16	81	1 3/4	114
				0.3189	8.100	3 5/16	84	1 3/4	117
			5.40	0.3228	8.200	3 5/16	84	1 3/4	117
				0.3268	8.300	3 5/16	84	1 3/4	117
			5.50	0.3287	8.348	3 5/16	84	1 3/4	117
				0.3307	8.400	3 5/16	87	1 3/4	121
			5.60	0.3327	8.433	3 5/16	87	1 3/4	121
				0.3346	8.500	3 5/16	87	1 3/4	121
			5.70	0.3386	8.600	3 5/16	87	1 3/4	121

Jobber length

Diameter of Drill						Flute Length		Overall Length	
Fractional	No.	Let.	mm	Decimal Inch Equivalent	Millimeter Equivalent	L2		L1	
						Inch	mm	Inch	mm
11/32		K	8.70	0.3390	8.611	3 7/16	87	2 1/4	121
				0.3429	8.700	3 7/16	87	2 1/4	121
		L	8.80	0.3438	8.733	3 7/16	87	2 1/4	121
				0.3465	8.800	3 1/2	89	2 3/8	124
		M	8.90	0.3480	8.839	3 1/2	89	2 3/8	124
				0.3504	8.900	3 1/2	89	2 3/8	124
		N	9.00	0.3543	9.000	3 1/2	89	2 3/8	124
				0.3580	9.093	3 1/2	89	2 3/8	124
		O	9.10	0.3583	9.100	3 1/2	89	2 3/8	124
23/64				0.3594	9.129	3 1/2	89	2 3/8	124
		P	9.20	0.3622	9.200	3 5/8	92	3	127
			9.30	0.3661	9.300	3 5/8	92	3	127
		Q		0.3680	9.347	3 5/8	92	3	127
			9.40	0.3701	9.400	3 5/8	92	3	127
		R	9.50	0.3740	9.500	3 5/8	92	3	127
3/8				0.3750	9.525	3 5/8	92	3	127
		S		0.3770	9.576	3 5/8	92	3	127
			9.60	0.3780	9.600	3 3/4	95	3 1/8	130
		T	9.70	0.3819	9.700	3 3/4	95	3 1/8	130
			9.80	0.3858	9.800	3 3/4	95	3 1/8	130
		U		0.3860	9.804	3 3/4	95	3 1/8	130
			9.90	0.3898	9.900	3 3/4	95	3 1/8	130
		V		0.3906	9.921	3 3/4	95	3 1/8	130
25/64			10.00	0.3937	10.000	3 3/4	95	3 1/8	130
		W		0.3970	10.084	3 3/4	95	3 1/8	130
			10.10	0.3976	10.200	3 7/8	98	3 1/4	133
		X		0.4000	10.262	3 7/8	98	3 1/4	133
				0.4062	10.317	3 7/8	98	3 1/4	133
13/32		Y		0.4130	10.490	3 7/8	98	3 1/4	133
			10.50	0.4134	10.500	3 7/8	98	3 1/4	133
		Z		0.4219	10.716	4 1/16	103	3 3/8	137
27/64			10.80	0.4252	10.800	4 1/16	103	3 3/8	137
			11.00	0.4331	11.000	4 1/16	103	3 1/2	140
7/16				0.4375	11.112	4 1/16	103	3 1/2	140
			11.20	0.4409	11.200	4 1/16	103	3 1/2	140
			11.50	0.4528	11.500	4 1/16	103	3 1/2	140
29/64				0.4531	11.509	4 1/16	103	3 5/8	143
			11.80	0.4646	11.800	4 5/16	110	3 3/4	146
15/32				0.4688	11.908	4 5/16	110	3 3/4	146
			12.00	0.4724	12.000	4 5/16	110	3 3/4	146
			12.20	0.4803	12.200	4 5/16	110	3 7/8	149
31/64				0.4844	12.304	4 5/16	110	3 7/8	149
			12.50	0.4921	12.500	4 1/2	114	4	152
1/2				0.5000	12.700	4 1/2	114	4	152
			12.80	0.5039	12.800	4 1/2	114	4	152
			13.00	0.5118	13.000	4 1/2	114	4	152

HSS STRAIGHT SHANK LONG TWIST DRILL DIN340



L:HSS long drill,DIN340,118/135° split point

DIN340 mm

Dia.	L2	L1	Dia.	L2	L1	Dia.	L2	L1	Dia.	L2	L1	Dia.	L2	L1	Dia.	L2	L1
1	33	70	3.6	73	110	6.2	97	148	8.8	115	175	11.4	128	195	14	148	230
1.1	35	60	3.7	73	110	6.3	97	148	8.9	115	175	11.5	128	195	14.25	141	220
1.2	41	66	3.8	78	119	6.4	97	148	9	115	175	11.6	128	195	14.5	144	220
1.3	41	66	3.9	78	119	6.5	97	148	9.1	115	175	11.7	128	195	14.75	144	220
1.4	45	70	4	78	119	6.6	97	148	9.2	115	175	11.8	128	195	15	144	220
1.5	45	70	4.1	76	110	6.7	97	148	9.3	115	175	11.9	134	205	15.25	149	227
1.6	50	76	4.2	82	126	6.8	102	148	9.4	115	175	12	134	205	15.5	148	227
1.7	50	76	4.3	82	126	6.9	102	156	9.5	115	175	12.1	134	205	15.75	149	227
1.8	51	80	4.4	82	126	7	102	156	9.6	121	175	12.2	134	205	16	149	227
1.9	53	80	4.5	82	126	7.1	102	156	9.7	121	184	12.3	134	205	16.25	151	228
2	56	83	4.6	87	126	7.2	102	156	9.8	121	184	12.4	134	205	16.5	154	235
2.1	56	83	4.7	87	132	7.3	102	156	9.9	121	184	12.5	134	205	16.75	154	235
2.2	56	90	4.8	87	132	7.4	102	156	10	121	184	12.6	134	205	17	154	235
2.3	56	90	4.9	87	132	7.5	102	156	10.1	121	184	12.7	134	205	17.25	158	241
2.4	62	91	5	87	132	7.6	109	156	10.2	121	184	12.8	134	205	17.5	158	241
2.5	62	95	5.1	87	132	7.7	109	165	10.3	121	184	12.9	134	205	17.75	158	241
2.6	62	95	5.2	87	132	7.8	109	165	10.4	121	184	13	134	205	18	158	241
2.7	66	100	5.3	87	132	7.9	109	165	10.5	121	184	13.1	134	205	18.25	162	247
2.8	66	100	5.4	91	139	8	109	165	10.6	121	184	13.2	134	205	18.5	162	247
2.9	66	100	5.5	91	130	8.1	109	165	10.7	128	195	13.3	140	214	18.75	162	247
3	62	108	5.6	91	138	8.2	109	165	10.8	128	195	13.4	140	214	19	162	247
3.1	69	108	5.7	91	139	8.3	109	165	10.9	128	195	13.5	140	214	19.25	166	254
3.2	69	108	5.8	91	139	8.4	109	165	11	128	195	13.6	140	214	19.5	166	254
3.3	69	108	5.9	91	139	8.5	109	165	11.1	128	195	13.7	140	214	19.75	166	254
3.4	73	110	6	91	139	8.6	115	165	11.2	128	195	13.8	140	214	20	166	254
3.45	73	110	6.1	97	148	8.7	115	175	11.3	128	195	13.9	140	214			

HSS STRAIGHT SHANK SHORT TWIST DRILL DIN1897



S:HSS short drill,DIN1897,118/135° split point

DIN1897 mm

Dia.	L2	L1	Dia.	L2	L1	Dia.	L2	L1	Dia.	L2	L1	Dia.	L2	L1	Dia.	L2	L1
1	6	26	3.6	20	52	6.2	31	70	8.8	40	84	11.4	47	95	14	54	107
1.1	7	28	3.7	20	52	6.3	31	70	8.9	40	84	11.5	47	95	14.25	56	111
1.2	8	30	3.8	22	55	6.4	31	70	9	40	84	11.6	47	95	14.5	56	111
1.3	8	30	3.9	22	55	6.5	31	70	9.1	40	84	11.7	47	95	14.75	56	111
1.4	9	32	4	22	55	6.6	31	70	9.2	40	84	11.8	47	95	15	56	111
1.5	9	32	4.1	22	55	6.7	31	70	9.3	40	84	11.9	51	102	15.25	58	115
1.6	10	34	4.2	22	55	6.8	34	74	9.4	40	84	12	51	102	15.5	58	115
1.7	10	34	4.3	24	58	6.9	34	74	9.5	40	84	12.1	51	102	15.75	58	115
1.8	11	36	4.4	24	58	7	34	74	9.6	43	89	12.2	51	102	16	58	115
1.9	11	36	4.5	24	58	7.1	34	74	9.7	43	89	12.3	51	102	16.25	58	119
2	12	38	4.6	24	58	7.2	34	74	9.8	43	89	12.4	51	102	16.5	58	119
2.1	12	38	4.7	24	58	7.3	34	74	9.9	43	89	12.5	51	102	16.75	58	119
2.2	13	40	4.8	26	62	7.4	34	74	10	43	89	12.6	51	102	17	58	119
2.3	13	40	4.9	26	62	7.5	34	74	10.1	43	89	12.7	51	102	17.25	62	123
2.4	14	43	5	26	62	7.6	37	79	10.2	43	89	12.8	51	102	17.5	62	123
2.5	14	43	5.1	26	62	7.7	37	79	10.3	43	89	12.9	51	102	17.75	62	123
2.6	14	43	5.2	26	62	7.8	37	79	10.4	43	89	13	51	102	18	62	123
2.7	16	46	5.3	28	66	7.9	37	79	10.5	43	98	13.1	51	102	18.25	62	127
2.8	16	46	5.4	28	66	8	37	79	10.6	43	98	13.2	51	102	18.5	62	127
2.9	16	46	5.5	28	66	8.1	37	79	10.7	47	95	13.3	54	107	18.75	62	127
3	16	46	5.6	28	66	8.2	37	79	10.8	47	95	13.4	54	107	19	62	127
3.1	18	49	5.7	28	66	8.3	37	79	10.9	47	95	13.5	54	107	19.25	66	131
3.2	18	49	5.8	28	66	8.4	37	79	11	47	95	13.6	54	107	19.5	66	131
3.3	18	49	5.9	28	66	8.5	37	79	11.1	47	95	13.7	54	107	19.75	66	131
3.4	20	52	6	28	66	8.6	40	84	11.2	47	95	13.8	54	107	20	66	131
3.5	20	52	6.1	31	70	8.7	40	84	11.3	47	95	13.9	54	107			

SPECIAL PURPOSE DRILLS

HSS Body Drill,Single End



Material Application Chart

Finish	Range of Applications details
Black Oxide/Bright/Tin	Thin Sheet Metal

- 118° /135° split point for quick penetration and reduced"walking"
- Popular for pop rivet drilling applications
- USE for drilling any thin sheet metal

HSS Body Drill,Double End


Size	Decimal Equivalent	Flute Length	Overall Length
7/16	.1094	1/2	1-7/8
1/8	.1250	1/2	2
9/64	.1406	1/2	2
5/32	.1562	1/2	2-1/16
3/16	.1875	1/2	2-3/16
7/32	.2188	1/2	2-3/8
1/4	.2500	1/2	2-1/2

Material Application Chart

Finish	Range of Applications details
Black Oxide/Bright	Thin Sheet Metal

- 118° /135° split point is for quick penetration and reduced"walking"
- Popular for pop rivet drilling applications
- USE for drilling any thin sheet metal

1/4"HEX SHANK TWIST DRILL



1/4"HEX SHANK TWIST DRILL (DIN338)

BIT SIZE (INCH)	Ø "A"		"B"MIN	"B"MAX	"C" FLUTE LENGTH		
1/16	1.587	mm	57.74	66.16	22.22	.39	.39
3/32	2.382	mm	67.43	75.85	31.75	.96	.96
1/8	3.175	mm	80.30	88.72	41.27	1.75	1.75
5/32	3.967	mm	80.40	98.41	50.80	3.10	27.5
3/16	4.762	mm	98.09	105.41	58.73	5.0	44.5
1/4	6.350	mm	111.12	121.13	69.85	8.46	75.0
5/64	1.984	mm	62.74	71.16	25.00	.68	6.0
7/64	2.779	mm	73.87	89.29	38.00	1.36	12.0
1.5mm	1.500	mm	62.47	70.89	22.00	0.37	3.1
2mm	2.000	mm	66.59	75.01	25.00	0.77	6.8
2.5mm	2.500	mm	71.23	79.65	35.00	1.01	8.9
3mm	3.000	mm	77.66	90.08	41.00	1.66	14.7
4mm	4.000	mm	88.89	102.89	54.00	3.36	29.7
5mm	5.000	mm	100.25	114.25	62.00	5.28	46.7
6mm	6.000	mm	106.90	120.90	70.00	8.06	71.3

HSS REDUCED SHANK TWIST DRILLS



RE: HSS roll forged drill,DIN338,118° split point,
shank reduced to be 8mm(RE1) /10mm(RE2)/13mm(RE3)

RE1-size: mm

Dia	Overall Length	Flute Length
8.5	117.0	75.0
9	125.0	81.0
9.5	125.0	81.0
10	133.0	87.0
10.5	133.0	87.0
11	142.0	94.0
11.5	142.0	94.0
12	151.0	101.0
12.5	151.0	101.0

RE2-size: mm

Dia	Overall Length	Flute Length
10.5	133.0	87.0
11	142.0	94.0
11.5	142.0	94.0
12	151.0	101.0
12.5	151.0	101.0
13	151.0	101.0
13.5	160.0	108.0
14.0	160.0	108.0
14.5	169.0	114.0
15.0	169.0	114.0
15.5	178.0	120.0
16.0	178.0	120.0
16.5	184.0	125.0
17.0	184.0	125.0
17.5	191.0	130.0
18.0	191.0	130.0
18.5	198.0	135.0
19.0	198.0	135.0
19.5	205.0	140.0
20.0	205.0	140.0

RE3-size: mm

Dia	Overall Length	Flute Length
13.5	160.0	108.0
14.0	160.0	108.0
14.5	169.0	114.0
15.0	169.0	114.0
15.5	178.0	120.0
16.0	178.0	120.0
16.5	184.0	125.0
17.0	184.0	125.0
17.5	191.0	130.0
18.0	191.0	130.0
18.5	198.0	135.0
19.0	198.0	135.0
19.5	205.0	140.0
20.0	205.0	140.0

HSS REDUCED SHANK TWIST DRILLS



inch

RE4: HSS bright drill ,black flutes,118° split point, 1/2 reduced shank

Size	Decimal Equivalent	Flute Length	Overall Length
33/64	.5156	3	6
17/32	.5312	3	6
35/64	.5469	3	6
9/16	.5625	3	6
37/64	.5781	3	6
19/32	.5938	3	6
39/64	.6094	3	6
5/8	.6250	3	6
41/64	.6406	3	6
21/32	.6562	3	6
3/64	.6719	3	6
11/16	.6875	3	6
45/64	.7031	3	6
23/32	.7188	3	6
47/64	.7344	3	6
3/4	.7500	3	6
49/64	.7656	3	6
25/32	.7812	3	6
51/64	.7969	3	6
13/16	.8125	3	6
53/64	.8281	3	6
27/32	.8438	3	6

Size	Decimal Equivalent	Flute Length	Overall Length
55/64	.8594	3	6
7/8	.8750	3	6
57/64	.8906	3	6
29/32	.9062	3	6
59/64	.9219	3	6
15/16	.9375	3	6
61/64	.9531	3	6
31/32	.9688	3	6
63/64	.9844	3	6
1	1.0000	3	6
1-1/32	1.0312	3	6
1-1/16	1.0625	3	6
1-3/32	1.0938	3	6
1-1/8	1.1250	3	6
1-5/32	1.1562	3	6
1-3/16	1.1875	3	6
1-7/32	1.2188	3	6
1-1/4	1.2500	3	6
1-5/16	1.3125	3	6
1-3/8	1.3750	3	6
1-7/16	1.4375	3	6
1-1/2	1.5000	3	6



RE5: HSS bright drill ,118° split point,
1/4 reduced shank

inch

Size	Decimal Equivalent	Flute Length	Overall Length
5/16	.3125	2-1/2	4
3/8	.3750	2-1/2	4
7/16	.4375	2-1/2	4
1/2	.5000	2-1/2	4



RE6,HSS bright drill ,118° split point,
3/8 reduced shank

inch

Size	Decimal Equivalent	Flute Length	Overall Length
25/64	.3906	3-3/4	5-1/8
13/32	.4062	3-7/8	5-1/4
27/64	.4219	3-15/16	5-3/8
7/16	.4375	4-1/16	5-1/2
29/64	.4531	4-3/16	5-5/8
15/32	.4688	4-5/16	5-3/4
31/64	.4844	4-3/8	5-7/8
1/2	.5000	4-1/2	6

PVC bag
1.0-8.0 mm 10PCS/ bag
8.5-13.0 mm 5PCS/ bag

A



PVC bag/With hanging hole
1.0-8.0 mm 10PCS/ bag
8.5-13.0 mm 5PCS/ bag

B



PVC bag/With hanging hole
1.0-8.0 mm 10PCS/ bag
8.5-13.0 mm 5PCS/ bag

C



Square tube
1.0-8.0 mm 10PCS/ tube
8.5-13.0 mm 5PCS/ tube

D



Paper bag
1.0-8.0 mm 10PCS/ bag
8.5-13.0 mm 5PCS/ bag

E



Blister card

F



Plastic case
1.0-8.0 mm 10PCS/ case
8.5-13.0 mm 5PCS/ case

G



Package for Twist Drill
Iner box :① White box
② Color box
③ Out carton /w pallet



5PCS HSS TWIST DRILL SET

H501



6PCS HSS TWIST DRILL SET

H601



6PCS HSS TWIST DRILL SET

H602



8PCS HSS TWIST DRILL SET

H801



10PCS HSS TWIST DRILL SET

H1001



13PCS HSS TWIST DRILL SET

H1301



13PCS HSS TWIST DRILL SET

H1304



11PCS HSS TWIST DRILL SET

H1101



13PCS HSS TWIST DRILL SET

H1303



19PCS HSS TWIST DRILL SET

H1901



13PCS HSS TWIST DRILL SET

H1305



13PCS HSS TWIST DRILL SET

H1307



13PCS HSS TWIST DRILL SET

H1308



13PCS HSS TWIST DRILL SET

H1309



13PCS HSS TWIST DRILL SET

H1310



13PCS HSS TWIST DRILL SET

H1302A



13PCS HSS TWIST DRILL SET

H1302B



14PCS HSS TWIST DRILL SET

H1401



16PCS HSS TWIST DRILL SET

H1601



19PCS HSS TWIST DRILL SET

H1902



19PCS HSS TWIST DRILL SET

H1903



19PCS HSS TWIST DRILL SET

H1904



19PCS HSS TWIST DRILL SET

H1905



19PCS HSS TWIST DRILL SET

H1906



19PCS HSS TWIST DRILL SET

H1907



19PCS HSS TWIST DRILL SET

H1908



19PCS HSS TWIST DRILL SET

H1909



19PCS HSS TWIST DRILL SET

H1911



21PCS HSS TWIST DRILL SET

H2101



21PCS HSS TWIST DRILL SET

H2103



25PCS HSS TWIST DRILL SET

H2501



25PCS HSS TWIST DRILL SET

H2502



25PCS HSS TWIST DRILL SET

H2503



25PCS HSS TWIST DRILL SET

H2504



25PCS HSS TWIST DRILL SET

H2505



25PCS HSS TWIST DRILL SET

H2507



29PCS HSS TWIST DRILL SET

H2901



29PCS HSS TWIST DRILL SET

H2902



29PCS HSS TWIST DRILL SET

H2903



29PCS HSS TWIST DRILL SET

H2904



29PCS HSS TWIST DRILL SET

H2905



29PCS HSS TWIST DRILL SET

H2906



29PCS HSS TWIST DRILL SET

H2912



30PCS HSS TWIST DRILL SET

H3001



30PCS HSS TWIST DRILL SET

H3002



99PCS HSS TWIST DRILL SET

H9901



115PCS HSS TWIST DRILL SET

H11501



115PCS HSS TWIST DRILL SET

H11502



115PCS HSS TWIST DRILL SET

H11503



HPCS HSS TWIST DRILL SET

H102



15PCS HSS TWIST DRILL SET

H150M



17PCS HSS TWIST DRILL SET

H170



23PCS HSS TWIST DRILL SET

H230



5PCS HSS TWIST DRILL SET

S501



10PCS HSS TWIST DRILL SET

S1001





WOOD WORKING DRILL SERIES

3PCS WOOD DRILL SET

W301L



5PCS WOOD DRILL SET

W501



6PCS WOOD DRILL SET

W601



6PCS WOOD DRILL SET

W601L



8PCS WOOD DRILL SET

W801



8PCS WOOD DRILL SET

W802



8PCS WOOD DRILL SET

W804



11PCS WOOD DRILL SET

W1101




12PCS WOOD DRILL SET

W1201



AUGER DRILL BITS



D(A)(mm)	D(mm)	L(mm)	L1(mm)		L2(mm)	A(mm)	T(mm)	M(mm)	D(mm)
6	6 $^{0}_{-0.08}$	75 100 150 200 250 300 350 400 460 500 600				5.0	18	1.25	5.6
8	8 $^{0}_{-0.10}$					6.7	18	1.5	7.6
10	10 $^{0}_{-0.09}$					8.7	20	1.5	9.6
12	12 $^{0}_{-0.12}$					10.7	24	1.75	11.6
14	14 $^{0}_{-0.13}$	100 150 200 230 300 400 460 500 600 900 1200 1500				11.20	28	1.75	12.5
16	16 $^{0}_{-0.13}$					11.20	28	1.75	12.5
18	18 $^{0}_{-0.15}$		L75	L=35	L=35	11.20	32	2.0	12.5
20	20 $^{0}_{-0.15}$		L100	L=40	L=25	11.20	32	2.0	12.5
22	22 $^{0}_{-0.20}$		L101-149	L=50		11.20	36	2.0	12.5
24	24 $^{0}_{-0.20}$		L150-200	L=60	L=≤60	11.20	36	2.0	12.5
26	26 $^{0}_{-0.20}$		L201-320	L=75	L=28	11.20	40	2.5	12.5
28	28 $^{0}_{-0.20}$		L330-400	L=80	L>60	11.20	40	2.5	12.5
30	30 $^{0}_{-0.20}$		L460-1500	L=100	L=232	11.20	44	2.5	12.5
32	32 $^{0}_{-0.20}$					11.20	44	2.5	12.5
34	34 $^{0}_{-0.20}$					11.20	44	2.5	12.5
36	36 $^{0}_{-0.20}$					11.20	44	2.5	12.5
38	38 $^{0}_{-0.20}$					11.20	44	2.5	12.5
40	40 $^{0}_{-0.20}$					11.20	44	2.5	12.5

TYPE OF CUTTING BLADE



SCREW POINT STYLE



TRIANGLE POINT STYLE



SINGLE WING STYLE



NO-WING STYLE



REGULAR STYLE



EUROPEAN STYLE

1PCS AUGER DRILL SET

A01



4PCS AUGER DRILL SET

A401L



6PCS AUGER DRILL SET

A601



6PCS AUGER DRILL SET

A602



6PCS AUGER DRILL SET

A603



7PCS AUGER DRIL SET

A701



7PCS AUGER DRILL SET

A702



8PCS AUGER DRILL SET

A801



8PCS AUGER DRILL SET

A802



Flat Wood Boring Bits

• Flat Wood Boring Bits are especially for cutting different sizes of holes in those various wood,plywood,chipboard, plastic pipe, plastic board and formica effectively. They have different shank types, such as hex shank, grooved hex shank, straight round shank, flat slot shank and so on for different applications.



Item Number	Working Diameter		Shank Diameter		Overall Length(mm)
	Metric (mm)	Inches	Metric (mm)	Inches	
XYD06FWB006	6	1/4"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB008	8	5/16"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB010	10	3/8"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB012	12	1/2"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB014	14	9/16"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB016	16	5/8"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB018	18	23/32"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB020	20	3/4"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB022	22	7/8"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB024	24	15/16"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB025	25	1"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB028	28	15/16"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB030	30	1-1/8"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB032	32	1-1/4"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB034	34	1-5/16"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB036	36	1-3/8"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB038	38	1-1/2"	4.8;6.35	3/16;1/4"	100;152;300;400
XYD06FWB040	40	1-9/16"	4.8;6.35	3/16;1/4"	100;152;300;400





3PC FLAT WOOD DRILL SET

F301



6PCS FLAT WOOD DRILL SET

F601



6PCS FLAT WOOD DRILL SET

F602



6PCS FLAT WOOD DRILL SET

F603



6PCS FLAT WOOD DRILL SET

F604



7PC SFLAT WOOD DRILL SET

F701



10PCS FLAT WOOD DRILL SET

F1001



13PCS FLAT WOOD DRILL SET

F1301



13PCS FLAT WOOD DRILL SET

F1302





DETAILED INFORMATION FOR MASONRY DRILL

Technics	picture	Description	Standard
Roll Forged		Standard masonry drills, zinc plated	Q/32181 RFD004 (0) Or DIN8093
		Standard masonry drills, black Oxide	
		Standard masonry drills, nickel plated	
		Standard masonry drills, black & white plated	
Milled		High-helix masonry drills, zinc plated	Q/32181 RFD004 (0) Or DIN8093
		High-helix masonry drills, nickel plated	
		High-helix masonry drills, chrome plated	
		Masonry Drills, extra long length	
		Masonry drill, sand finish, double carbide	
		High helix masonry drill, sand finish	
		Hammer type tempered body masonry drill,sand finish	
		Masonry drill for steel &Grnaite	
		Black & white tempered body masonry drill	
		Nickle plated double flute masonry drill	
		Special head masonry drill	

MASONRY DRILLS

Q/32181 RFD004(0) & DIN8039



Q/32181RFD004(0)

D	+IT14 +IT12		Stub Series Length		Jobbers Length		Long Length		Extra Long Length		d
			L_1	≈ L_2	L_1	≈ L_2	L_1	≈ L_2	L_1	≈ L_2	
3.0	+0.25	+0.10	80	30	-	-					
4.0	+0.30	+0.12	75	50	-	-					
4.5	+0.30	+0.12	85	55	150	85					
5.0	+0.30	+0.12	85	55	150	85					
5.5	+0.30	+0.12	85	55	150	85					
6.0	+0.30	+0.12	100	65	150	85					
6.5	+0.36	+0.15	100	65	150	85					
7.0	+0.36	+0.15	100	65	150	85					
8.0	+0.36	+0.15	120	80	200	135					
8.5	+0.36	+0.15	120	80	200	135					
9.0	+0.36	+0.15	120	80	200	135					
10.0	+0.36	+0.15	120	80	200	135					
11.0	+0.43	+0.18	150	90	200	135					10
12.0	+0.43	+0.18	150	90	200	150	400	350	600	550	10
13.0	+0.43	+0.18	150	90			400	350	600	550	10
14.0	+0.43	+0.18	150	90			400	350	600	550	13
16.0	+0.43	+0.18	150	90			400	350	600	550	13
18.0	+0.43	+0.18	160	100			400	350	600	550	13
20.0	+0.52	+0.21	160	100			400	350	600	550	13 or 16
22.0	+0.52	+0.21	160	100			400	350	600	550	13 or 16
24.0	+0.52	+0.21	160	100			400	350	600	550	13 or 16
25.0	+0.52	+0.21	160	100					600	550	13 or 16



DIN8093

d_1	TOL.	d_2	L_1	≈ L_2	L_3
4.0	+0.12		70	40	
4.5	+0.12		70	40	
5.0	+0.12		80	50	
5.5	+0.12	10	80	50	
6.0	+0.12	10	100	60	
6.5	+0.12	10	100	60	
7.0	+0.15	10	110	60	
7.5	+0.15	13	110	60	
8.0	+0.15	13	125	80	
8.5	+0.15	13	125	80	
9.0	+0.15	13	125	80	
9.5	+0.15	13	125	80	
10.0	+0.15		125	80	
10.5	+0.18		125	80	
11.0	+0.18		140	90	
12.0	+0.18		140	90	40
13.0	+0.18		140	90	40
14.0	+0.18		140	90	40
15.0	+0.18		140	90	40
16.	+0.18.		140	90	45
17.0	+0.18		140	90	45
18.	+0.18		160	100	45
19.0	+0.21		160	100	45
20.0	+0.21		160	100	45

3PCS MASONRY DRILL SET

M301L



5PCS MASONRY DRILL SET

M502



5PCS MASONRY DRILL SET

M503



5PCS MASONRY DRILL SET

M504



6PCS MASONRY DRILL SET

M601



6PCS MASONRY DRILL SET

M602



8PCS MASONRY DRILL SET

M802



8PCS MASONRY DRILL SET

M803



11PCS MASONRY DRILL SET

M1101




DETAILED INFORMATION FOR SDS HAMMER DRILL

Item No.	Picture	Description	Standard
H1		Standard flute WD-plus sds shank hammer drill	JB/T8368.1 or DIN8035
H2		Double-flutes WD-plus sds shank hammer drill	
H3		"K" carbide tip, double flutes, WD-plus sds shank hammer drill	
H4		New carbide tip, double flutes, WD-plus sds shank hammer drill	
H5		Cross head, double flutes, WD-plus sds shank hammer drill	
H6		Three cutting edges, three flutes,WD-plus sds shank hammer drill	
H7		Straight spling shank hammer drill	
H8		Hexagon shank mode II hammer drill	
H9		YC-max shank hammer drill	
H10		Cross-head,WD-MAX shank electric hammer drill	
H11		WD-plus shank hexagonal body hammer drill	
H12		Four-Hollow square shank hammer drill	

SDS HAMMER DRILLS

JB/T8368.1(0) & DIN8035



JB/T8368.1(0)

d		L			
mm	Tol.	Stub	Jobbers	Long	Extra Long
5	+0.30	110	160	210	
6	+0.12	110	160	210	
7	+0.36	110	160	210	
8	+0.15	110	160	210	
10	+0.15	110	160	210	310
12	+0.43	160	160	210	310
14	+0.43	160	160	210	310
16	+0.18	160	210	210	310
18	+0.18	160	210	210	310
20	+0.52	160	210	360	310
22	+0.52	210	210	360	460
24	+0.21	210	310	360	460
26	+0.21	210	310	360	460
28	+0.21	260	310	460	610
32	+0.62	260	310	460	610
35	+0.62	260	310	460	610
38	+0.62	260	310	460	610
40	+0.62	260	360	460	610
42	+0.25	260	360	460	610
45	+0.25	260	360	460	610
50	+0.25	260	360	460	610

DIN8035

Stub Series Length

d			L
5	+0.35	+0.15	90
(7)	+0.45	+0.20	100
8	+0.45	+0.20	100
10	+0.45	+0.20	133
12	+0.50	+0.20	133
14	+0.50	+.020	155
15	+0.50	+.020	155
16	+0.50	+0.20	200
17	+0.50	+0.20	200
18	+0.50	+0.20	200
19	+0.55	+0.21	200
20	+0.55	+0.21	200

Extra Long Length

d			L
10	+0.45	+0.20	255
12	+0.50	+0.20	455
16	+0.50	+0.20	605
20	+0.55	+0.21	605
25	+0.55	+0.21	605
28	+0.55	+0.21	605
35	+0.70	+0.25	605
44	+0.80	+0.25	605
52	+0.95	+0.30	605

Jobbers Length

d			L
5	+0.35	+0.15	105
6	+0.45	+0.15	108
(7)	+0.45	+0.20	155
8	+0.45	+0.20	155
9	+0.45	+0.20	155
10	+0.45	+0.20	155
(11)	+0.50	+0.20	155
12	+0.50	+0.20	205
13	+0.50	+0.20	205
14	+0.50	+0.20	205
15	+0.50	+0.20	205
16	+0.50	+0.20	255
18	+0.50	+0.20	255
19	+0.55	+0.21	255
20	+0.55	+0.21	255
22	+0.55	+0.21	255
24	+0.55	+0.21	255
25	+0.55	+0.21	255
28	+0.55	+0.21	305
30	+0.55	+0.21	305
32	+0.70	+0.25	305
35	+0.70	+0.25	305
37	+0.70	+0.25	305
40	+0.80	+0.25	305
44	+0.80	+0.25	305
52	+0.95	+0.30	305

Long Length

d			L
5	+0.35	+0.15	135
6	+0.45	+0.15	155
(7)	+0.45	+0.20	205
8	+0.45	+0.20	205
9	+0.45	+0.20	205
10	+0.45	+0.20	205
(11)	+0.50	+0.20	205
12	+0.50	+0.20	255
13	+0.50	+0.20	255
14	+0.50	+0.20	255
15	+0.50	+0.20	255
16	+0.50	+0.20	455
20	+0.55	+0.21	455
22	+0.55	+0.21	455
24	+0.55	+0.21	455
25	+0.55	+0.21	455
28	+0.55	+0.21	455
30	+0.55	+0.21	455
32	+0.70	+0.25	455
35	+0.70	+0.25	455
37	+0.70	+0.25	455
40	+0.80	+0.25	455
44	+0.80	+0.25	455
52	+0.95	+0.30	455



3PCS SDS DRILL SET

SDS301



3PCS SDS DRILL SET

SDS302



4PCS SDS DRILL SET

SDS401



4PCS SDS DRILL SET

SDS402



5PCS SDS DRILL SET

SDS501



5PCS SDS DRILL SET

SDS503L



6PCS SDS DRILL SET

SDS601



8PCS SDS DRILL SET

SDS801



8PCS SDS DRILL SET

SDS802



10PCS SDS DRILL SET

SDS1001



10PCS SDS DRILL SET

SDS1003



11PCS SDS DRILL SET

SDS1101



12PCS SDS DRILL SET

SDS1202



12PCS SDS DRILL SET

SDS1203



12PCS SDS DRILL SET

SDS1204



13PCS SDS DRILL SET

SDS1302



14PCS SDS DRILL BIT SET

SDS1401



14PCS SDS DRILL SET

SDS1402



17PCS SDS DRILL SET

SDS1701



17PCS SDS DRILL SET

SDS1702




18PCS SDS DRILL SET

SDS1801



20PCS SDS DRILL SET

SDS2001



20PCS SDS DRILL SET

SDS2002



56PCS SDS DRILL SET

SDS5601





LD-0147

- For drilling holes in metal material, wood and hard plastic.
- Single cutting edge creates perfectly round holes in metal,plastic, wood and other thin materials without center punching.
- Materials of HSS9341, M2 are available for choice.
- Surface treatment: Bright finished, Tin-coated, Zr-coated, Black-oxidized
- Other special specifications and sizes are available upon customers' requests.



Item Number	No.Of Holes	Hole Sizes & Increment	Shank Diameter	Step Thickness
XYD06HSD001	13	[illegible]	1/4"	1/8"
XYD06HSD002	6	[illegible]	1/4"	3/4"
XYD06HSD003	9	[illegible]	3/8"	1/8"
XYD06HSD004	12	[illegible]	3/8"	1/8"
XYD06HSD005	10	[illegible]	1/2"	1/8"
XYD06HSD006	9	4mm to 12mm by 1mm inc.	6.35mm	5mm
XYD06HSD007	5	4mm to 12mm by 2mm inc.	6.35mm	11mm
XYD06HSD008	7	6mm to 18mm by 2mm inc.	18mm	5mm
XYD06HSD009	10	4mm to 22mm by 2mm inc.	18mm	5mm
XYD06HSD010	12	5mm to 35mm by 2.5mm inc.	35mm	3.5mm
XYD06HSD011	1	3mm	6.35mm	—
XYD06HSD012	6	3mm to 13mm by 2mm inc.	7mm	70mm
XYD06HSD013	9	4mm to 20mm by 2mm inc.	8mm	90mm
XYD06HSD014	14	4mm to 30mm by 2mm inc.	45mm	105mm
XYD06HSD015	12	6mm to 39mm by 3mm inc.	70mm	190mm
XYD06HSD016	9	4mm to 12mm by 1mm inc.	60mm	30mm

4PCS STEP DRILL SET

SD101



3PCS STEP DRILL SET

SD301



3PCS STEP DRILL SET

SD302



3PCS STEP DRILL SET

SD303



3PCS STEP DRILL SET

SD304



3PCS STEP DRILL SET

SD305



3PCS STEP DRILL SET

SD309



4PCS STEP DRILL SET

SD401



4PCS STEP DRILL SET

SD402



4PCS STEP DRILL SET

SD403



6PCS STEP DRILL SET

SD601



7PCS STEP DRILL SET

SD701



Glass & Tile Drill Bit



- Be suitable for drilling holes in glass, tiles,ceramics, mirror, hard plastic objects and so on.
- Our glass&tile drill bits can be under different surface treatment, such as Ni-coated, Zn-coated, Blackoxidized, Tin-coated and so on.
- We also could do glass&tile drill bits with 1/4" hex grooved shanks and 7/16" hex grooved shanks to fit quick change connectors.

Item Number	Diameter (mm)	Overall Length (mm)
XYD06GTD001	3	60
XYD06GTD002	4	60
XYD06GTD003	5	60
XYD06GTD004	6	60
XYD06GTD005	8	80
XYD06GTD006	10	100
XYD06GTD007	12	100
XYD06GTD008	14	100
XYD06GTD009	16	100

Item Number	Diameter (mm)	Overall Length (mm)
XYD06GTD010	1/8"	2-1/2"
XYD06GTD012	5/16"	2-1/2"
XYD06GTD014	1/4"	2-1/2"
XYD06GTD016	3/8"	4"
XYD06GTD018	1/2"	4"
XYD06GTD020	5/8"	4"

Glass & Tile Drill Bit Set

G001



G501



G502



G601



G701





LD-0147

6PCS HSS TWIST DRILL SET

H601



6PCS MASONRY DRILL SET

M601



6PCS WOOD DRILL SET

W601



6PCS HSS TWIST DRILL SET

H602



6PCS MASONRY DRILL SET

M602



6PCS WOOD DRILL SET

W602



11PCS HSS TWIST DRILL SET

H1101



11PCS MASONRY DRILL SET

M1101



11PCS WOOD DRILL SET

W1101



9PCS COMBINATION DRILL BIT SET

C901



9PCS COMBINATION DRILL BIT SET

C902



13PCS COMBINATION DRILL BIT SET

C1501



16PCS COMBINATION DRILL BIT SET

C1601



18PCS COMBINATION DRILL BIT SET

C1801



18PCS COMBINATION DRILL BIT SET

C1802



23PCS COMBINATION DRILL BIT SET

C2301



24PCS COMBINATION DRILL BIT SET

C2401



26PCS COMBINATION DRILL BIT SET

C2601



27PCS COMBINATION DRILL BIT SET

C2701



29PCS COMBINATION DRILL BIT SET

C2901



30PCS COMBINATION DRILL BIT SET

C3001



42PCS COMBINATION DRILL BIT SET

C4201



44PCS COMBINATION DRILL BIT SET

C4401



45PCS COMBINATION DRILL BIT SET

C4501



46PCS COMBINATION DRILL BIT SET

C4601



46PCS COMBINATION DRILL BIT SET

C4603



50PCS COMBINATION DRILL BIT SET

C5002



52PCS COMBINATION DRILL BIT SET

C5201



54PCS COMBINATION DRILL BIT SET

C5401



62PCS COMBINATION DRILL BIT SET

C6201



75PCS COMBINATION DRILL BIT SET

C7501



87PCS COMBINATION DRILL BIT SET

C8701



92PCS COMBINATION DRILL BIT SET

C9201



96PCS COMBINATION DRILL BIT SET

C9601



99PCS COMBINATION DRILL BIT SET

C9901



100PCS COMBINATION DRILL BIT SET

C100C



110PCS COMBINATION DRILL BIT SET

C110A



112PCS COMBINATION DRILL BIT SET

C112A



120PCS COMBINATION DRILL BIT SET

C120B



125PCS COMBINATION DRILL BIT SET

C125A



108PCS COMBINATION DRILL BIT SET

C108A



160PCS COMBINATION DRILL BIT SET

C160A



300PCS COMBINATION DRILL BIT SET

C300A



301PCS COMBINATION DRILL BIT SET

C301A



835PCS COMBINATION DRILL BIT SET

C835A



42PCS COMBINATION DRILL BIT SET

C4203



58PCS COMBINATION DRILL BIT SET

C5802



58PCS COMBINATION DRILL BIT SET

C5803



60PCS COMBINATION DRILL BIT SET

C6001



49PCS COMBINATION DRILL BIT SET

C4901



100PCS COMBINATION DRILL BIT SET

C8101



51PCS COMBINATION DRILL BIT SET

C5101



82PCS COMBINATION DRILL BIT SET

C8201



100PCS COMBINATION DRILL BIT SET

C1001I



100PCS COMBINATION DRILL BIT SET

C1008



105PCS COMBINATION DRILL BIT SET

C105A



122PCS COMBINATION DRILL BIT SET

C122B



48PCS COMBINATION DRILL BIT SET

C4801



57PCS COMBINATION DRILL BIT SET

C5701



50PCS COMBINATION DRILL BIT SET

C5003



104PCS COMBINATION DRILL BIT SET

C104A



15PCS COMBINATION DRILL BIT SET

H1501



15PCS COMBINATION DRILL BIT SET

W1501



15PCS COMBINATION DRILL BIT SET

M1502



7PCS COMBINATION DRILL BIT SET

F701



29PCS COMBINATION DRILL BIT SET

C2902



37PCS COMBINATION DRILL BIT SET

C3701



15PCS COMBINATION DRILL BIT SET

C1502



20PCS COMBINATION DRILL BIT SET

C2001



10PCS COMBINATION DRILL BIT SET

SDS1003



17PCS COMBINATION DRILL BIT SET

C1702



23PCS COMBINATION DRILL BIT SET

C2301



15PCS COMBINATION DRILL BIT SET

C1503



16PCS COMBINATION DRILL BIT SET

C1604



17PCS COMBINATION DRILL BIT SET

C1703



42PCS COMBINATION DRILL BIT SET

C4204



16PCS COMBINATION DRILL BIT SET

C1605



30PCS COMBINATION DRILL BIT SET

C3002



30PCS COMBINATION DRILL BIT SET

C3003



48PCS COMBINATION DRILL BIT SET

C4802



138PCS COMBINATION DRILL BIT SET

C138A





①



②



③

① C100A
100PCS COMBINATION DRILL BIT SET

② C101A
101PCS COMBINATION DRILL BIT SET

③ C116B
116PCS COMBINATION DRILL BIT SET



Packaging



①



②



③

① C50A
50PCS COMBINATION DRILL BIT SET

② C109A
109PCS COMBINATION DRILL BIT SET

③ C116A
116PCS COMBINATION DRILL BIT SET



Packaging

LD-0147



②



③



①



④

① C118A
118PCS COMBINATION DRILL BIT SET

② C122A
122PCS COMBINATION DRILL BIT SET

③ C126B
126PCS COMBINATION DRILL BIT SET

④ C130A
130PCS COMBINATION DRILL BIT SET



Packaging

88PCS COMBINATION DRILLBIT SET

C8801



315PCS COMBINATION DRILL BIT SET

C315A



185PCS COMBINATION DRILL BIT SET

C185A




177PCS COMBINATION DRILL BIT SET

C177B







1/ C144A
144PCS COMBINATION DRILL BIT SET

2/ C149A
149PCS COMBINATION DRILL BIT SET

3/ C204B
204PCS COMBINATION DRILL BIT SET

4/ C204C
204PCS COMBINATION DRILL BIT SET

5/ C215B
215PCS COMBINATION DRILL BIT SET

6/ C231A
231PCS COMBINATION DRILL BIT SET

7/ C256A
256PCS COMBINATION DRILL BIT SET



Packaging



Packaging

① C255A
255PCS COMBINATION DRILL BIT SET

② C300A
300PCS COMBINATION DRILL BIT SET

③ C401A
401PCS COMBINATION DRILL BIT SET

250PCS COMBINATION DRILL BIT SET

C250A



400PCS COMBINATION DRILL BIT SET

C400A



13PCS FLAT WOOD DRILL BIT SET

F1302



100PCS COMBINATION DRILL BIT SET

C100G



23PCS COMBINATION DRILL BIT SET

C2302



37PCS COMBINATION DRILL BIT SET

C3702



60PCS COMBINATION DRILL BIT SET

C6002



30PCS COMBINATION DRILL BIT SET

H3002



100PCS COMBINATION DRILL BIT SET

C100E



500PCS COMBINATION DRILL BIT SET

C500A



253PCS COMBINATION DRILL BIT SET

C253A







Packaging

246PCS COMBINATION DRILL BIT SET

C246A







Packaging

SCREW REMOVER SET SERIES

CR301 CR202 CR401 CR501









GRINDING & POLISHING ACCESSORIES SET SERIES

GP501 GP801 GP850 GP285A












DIN338 高速钢直柄麻花钻
DIN338 HSS STRAIGHT SHANK TWIST DRILLS



DIN 338

HSS | HSS Co

118° | 135°

Bright | Amber

Tin | BAG

直径 d	总长 L	槽长 L_1
0.2	19	2.5
0.22	19	2.5
0.25	19	3
0.28	19	3
0.3	19	3
0.32	19	4
0.35	19	4
0.38	19	4
0.4	20	5
0.42	20	5
0.45	20	5
0.48	20	5
0.5	22	6
0.52	22	6
0.55	24	7
0.58	24	7
0.6	24	7
0.62	26	8
0.65	26	8
0.68	28	9
0.7	28	9
0.72	28	9
0.75	28	9
0.78	30	10
0.8	30	10
0.82	30	10
0.85	30	10


直径 d	总长 L	槽长 L_1
0.88	32	11
0.9	32	11
0.92	32	11
0.95	32	11
0.98	34	12
1	34	12
1.05	34	12
1.1	36	14
1.15	36	14
1.2	38	16
1.25	38	16
1.3	38	16
1.35	40	18
1.4	40	18
1.45	40	18
1.5	40	18
1.55	43	20
1.6	43	20
1.65	43	20
1.7	43	20
1.75	46	22
1.8	46	22
1.85	46	22
1.9	46	22
1.95	49	24
2	49	24
2.05	49	24

直径 d	总长 L	槽长 L_1
2.1	49	24
2.15	53	27
2.2	53	27
2.25	53	27
2.3	53	27
2.35	53	27
2.4	57	30
2.45	57	30
2.5	57	30
2.55	57	30
2.6	57	30
2.65	57	30
2.7	61	33
2.75	61	33
2.8	61	33
2.85	61	33
2.9	61	33
2.95	61	33
3	61	33
3.1	65	36
3.2	65	36
3.3	65	36
3.4	70	39
3.5	70	39
3.6	70	39
3.7	70	39
3.8	75	43
3.9	75	43
4	75	43
4.1	75	43
4.2	75	43
4.3	80	47
4.4	80	47
4.5	80	47
4.6	80	47
4.7	80	47
4.8	86	52
4.9	86	52
5	86	52
5.1	86	52
5.2	86	52
5.3	86	52
5.4	93	57
5.5	93	57
5.6	93	57
5.7	93	57

直径 d	总长 L	槽长 L_1
5.8	93	57
5.9	93	57
6	93	57
6.1	101	63
6.2	101	63
6.3	101	63
6.4	101	63
6.5	101	63
6.6	101	63
6.7	101	63
6.8	109	69
6.9	109	69
7	109	69
7.1	109	69
7.2	109	69
7.3	109	69
7.4	109	69
7.5	109	69
7.6	117	75
7.7	117	75
7.8	117	75
7.9	117	75
8	117	75
8.1	117	75
8.2	117	75
8.3	117	75
8.4	117	75
8.5	117	75
8.6	125	81
8.7	125	81
8.8	125	81
8.9	125	81
9	125	81
9.1	125	81
9.2	125	81
9.3	125	81
9.5	125	81
9.6	133	87
9.7	133	87
9.8	133	87
9.9	133	87
10	133	87
10.1	133	87
10.2	133	87
10.3	133	87
10.4	133	87

直径 d	总长 L	槽长 L_1
10.5	133	87
10.6	133	87
10.7	142	94
10.8	142	94
10.9	142	94
11	142	94
11.1	142	94
11.2	142	94
11.3	142	94
11.4	142	94
11.5	142	94
11.6	142	94
11.7	142	94
11.8	142	94
11.9	151	101
12	151	101
12.1	151	101
12.2	151	101
12.3	151	101
12.4	151	101
12.5	151	101
12.6	151	101
12.7	151	101
12.8	151	101
12.9	151	101
13	151	101
13.1	151	101
13.2	151	101
13.3	160	108
13.4	160	108
13.5	160	108
13.6	160	108
13.7	160	108
13.8	160	108
13.9	160	108
14	160	108
14.25	169	114
14.5	169	114
14.75	169	114
15	169	114
15.25	178	120
15.75	178	120
16.00	178	120
16.25	184	125
16.5	184	125
16.75	184	125

直径 d	总长 L	槽长 L_1
17	184	125
17.25	191	130
17.5	191	130
17.75	191	130
18	191	130
18.25	198	135
18.5	198	135
18.75	198	135
19	198	135
19.25	205	140
19.5	205	140
19.75	205	140
20	205	140






直径 d		总长 L	槽长 L_1
1/16	1.588	46	22
5/64	1.984	51	25
3/32	2.381	57	32
7/64	2.778	67	38
1/8	3.175	70	41
9/64	3.572	73	44
5/32	3.969	79	51
11/64	4.366	83	54
3/16	4.763	89	59
13/64	5.159	92	62
7/32	5.556	95	64
15/64	5.953	98	67
1/4	6.35	102	70
17/64	6.747	106	73
9/32	7.144	108	75
19/64	7.541	111	78
5/16	7.938	114	81
21/64	8.334	117	84
11/32	8.731	121	87
23/64	9.128	124	89
3/8	9.525	127	92
25/64	9.922	130	95
13/32	10.319	133	98
27/64	10.716	137	100
7/16	11.113	140	103
29/64	11.509	143	106
15/32	11.906	146	110
31/64	12.303	149	111
1/2	12.7	152	114


直径 d		总长 L	槽长 L_1
33/64	13.097	168	122
	13.1	168	122
	13.2	168	122
	13.3	168	122
	13.4	168	122
17/32	13.494	168	122
	13.5	168	122
	13.6	168	122
	13.7	168	122
	13.8	168	122
35/64	13.891	168	122
	13.9	168	122
	14	168	122
	14.25	168	122
9/16	14.288	168	122
	14.5	168	122
37/64	14.684	168	122
	14.75	181	132
	15	181	132
19/32	15.081	181	132
	15.25	181	132
39/64	15.478	181	132
	15.5	181	132
	15.75	181	132
5/8	15.875	181	132
	16	181	132
	16.25	181	132
41/64	16.272	181	132
	16.5	181	132

直径 d		总长 L	槽长 L_1
21/32	16.669	181	132
	16.75	194	143
	17	194	143
43/64	17.066	194	143
	17.25	194	143
11/16	17.463	194	143
	17.5	194	143
A	5.944	98	67
B	6.045	102	70
C	6.147	102	70
D	6.248	102	70
E	6.35	102	70
F	6.528	105	73
G	6.629	105	73
H	6.756	105	73
I	6.909	105	73
J	7.036	105	73
K	7.137	108	75
L	7.366	108	75
M	7.493	111	78
N	7.671	111	78
O	8.026	114	81
P	8.204	117	84
Q	8.433	121	87
R	8.611	121	87
S	8.839	124	89
T	9.093	124	89
U	9.347	127	92
V	9.576	127	92
W	9.804	130	95
X	10.084	130	95
Y	10.262	133	98
Z	10.49	133	98
60	1.016	41	17
59	1.041	41	17
58	1.067	41	17
57	1.092	44	19
56	1.181	44	19
55	1.321	48	22
54	1.397	48	22
53	1.511	48	22
52	1.613	48	22
51	1.702	51	25
50	1.778	51	25
49	1.854	51	25
48	1.93	51	25
47	1.994	51	25

直径 d		总长 L	槽长 L_1
46	2.057	54	29
45	2.083	54	29
44	2.184	54	29
43	2.261	57	32
42	2.375	57	32
41	2.438	60	35
40	2.489	60	35
39	2.527	60	35
38	2.578	64	37
37	2.642	64	37
36	2.705	64	37
35	2.794	67	38
34	2.819	67	38
33	2.87	67	38
32	2.946	70	41
31	3.048	70	41
30	3.264	70	41
29	3.454	73	44
28	3.569	73	44
27	3.658	76	48
26	3.734	76	48
25	3.797	76	48
24	3.861	79	51
23	3.912	79	51
22	3.988	79	51
21	4.039	83	54
20	4.089	83	54
19	4.216	83	54
18	4.305	83	54
17	4.394	86	56
16	4.496	86	56
15	4.572	86	56
14	4.823	86	56
13	4.7	89	59
12	4.8	89	59
11	4.851	89	59
10	4.915	92	62
9	4.978	92	62
8	5.055	92	62
7	5.105	92	62
6	5.182	95	64
5	5.22	95	64
4	5.309	95	64
3	5.41	95	64
2	5.613	98	67
1	5.791	98	67







DIN 1897

HSS | HSS Co

118° | 135°

Bright | Amber

Tin | B&G

直径 d	总长 L	槽长 L_1
0.2	19	1.5
0.3	19	1.5
0.35	19	2
0.38	19	2
0.4	19	2.5
0.45	19	2.5
0.48	19	2.5
0.5	20	3
0.6	21	3.5
0.65	22	4
0.7	23	4.5
0.75	23	4.5
0.8	24	5
0.9	25	5.5
1	26	6
1.1	28	7
1.2	30	8
1.3	30	8
1.4	32	9
1.5	32	9
1.6	34	10
1.7	34	10
1.8	36	11
1.9	36	11
2	38	12
2.1	38	12
2.2	40	13
2.3	40	13
2.4	43	14


直径 d	总长 L	槽长 L_1
2.5	43	14
2.6	43	14
2.7	46	16
2.8	46	16
2.9	46	16
3	46	16
3.1	49	18
3.2	49	18
3.3	49	18
3.4	52	20
3.5	52	20
3.6	52	20
3.7	52	20
3.8	55	22
3.9	55	22
4	55	22
4.1	55	22
4.2	55	22
4.3	58	24
4.4	58	24
4.5	58	24
4.6	58	24
4.7	58	24
4.8	62	26
4.9	62	26
5	62	26
5.1	62	26
5.2	62	26
5.3	62	26

直径 d	总长 L	槽长 L_1
5.4	66	28
5.5	66	28
5.6	66	28
5.7	66	28
5.8	66	28
5.9	66	28
6	66	28
6.1	70	31
6.2	70	31
6.3	70	31
6.4	70	31
6.5	70	31
6.6	70	31
6.7	70	31
6.8	74	34
6.9	74	34
7	74	34
7.1	74	34
7.2	74	34
7.3	74	34
7.4	74	34
7.5	74	34
7.6	79	37
7.7	79	37
7.8	79	37
7.9	79	37
8	79	37
8.1	79	37
8.2	79	37
8.3	79	37
8.4	79	37
8.5	79	37
8.6	84	40
8.7	84	40
8.8	84	40
8.9	84	40
9	84	40
9.1	84	40
9.2	84	40
9.3	84	40
9.4	84	40
9.5	84	40
9.6	89	43
9.7	89	43
9.8	89	43
9.9	89	43

直径 d	总长 L	槽长 L_1
10	89	43
10.1	89	43
10.2	89	43
10.3	89	43
10.4	89	43
10.5	89	43
10.6	89	43
10.7	95	47
10.8	95	47
10.9	95	47
11	95	47
11.1	95	47
11.2	95	47
11.3	95	47
11.4	95	47
11.5	95	47
11.6	95	47
11.7	95	47
11.8	95	47
11.9	102	51
12	102	51
12.1	102	51
12.2	102	51
12.3	102	51
12.4	102	51
12.5	102	51
12.6	102	51
12.7	102	51
12.8	102	51
12.9	102	51
13	102	51
13.1	102	51
13.2	102	51
13.3	107	54
13.4	107	54
13.5	107	54
13.6	107	54
107	107	54
13.8	107	54
13.9	107	54
14	107	54
14.1	111	56
14.2	111	56
14.25	111	56
14.3	111	56
14.4	111	56

直径 d	总长 L	槽长 L_1
14.5	111	56
14.6	111	56
14.7	111	56
14.75	111	56
14.8	111	56
14.9	111	56
15	111	56
15.1	115	58
15.2	115	58
15.25	115	58
15.3	115	58
15.4	115	58
15.5	115	58
15.6	115	58
15.7	115	58
15.75	115	58
15.8	115	58
15.9	115	58
16	115	58
16.1	119	60
16.2	119	60
16.25	119	60
16.3	119	60
16.4	119	60
16.5	119	60
16.6	119	60
16.7	119	60
16.75	119	60
16.8	119	60
16.9	119	60
17	119	60
17.1	123	62
17.2	123	62
17.25	123	62
17.3	123	62
17.4	123	62
17.5	123	62
17.6	123	62
17.7	123	62
17.75	123	62
17.8	123	62
17.9	123	62
18	123	62
18.1	127	64
18.2	127	64
18.25	127	64

直径 d	总长 L	槽长 L_1
18.3	127	64
18.4	127	64
18.5	127	64
18.6	127	64
18.7	127	64
18.75	127	64
18.8	127	64
18.9	127	64
19	127	64
19.1	131	66
19.2	131	66
19.25	131	66
19.3	131	66
19.4	131	66
19.5	131	66
19.6	131	66
19.7	131	66
19.75	131	66
19.8	131	66
19.9	131	66
20	131	66







直径 d		总长 L	槽长 L_1
1/16	1.588	41	16
5/64	1.984	43	17
3/32	2.381	44	19
7/64	2.778	46	21
1/8	3.175	48	22
9/64	3.572	49	24
5/32	3.969	52	25
11/64	4.366	54	27
3/16	4.763	56	29
13/64	5.159	57	30
7/32	5.556	60	32
15/64	5.953	62	33
1/4	6.35	64	35
17/64	6.747	67	37
9/32	7.144	68	38
19/64	7.541	70	40
5/16	7.938	71	41
21/64	8.334	75	43
11/32	8.731	76	43
23/64	9.128	78	44
3/8	9.525	79	46
25/64	9.922	83	48
13/32	10.319	84	49
27/64	10.716	86	51
7/16	11.113	87	52
29/64	11.509	90	54
15/32	11.906	92	54
31/64	12.303	94	56
1/2	12.7	95	57

直径 d		总长 L	槽长 L_1
A	5.944	82	33
B	6.045	84	35
C	6.147	84	35
D	6.248	84	35
E	6.35	84	35
F	6.528	87	37
G	6.629	87	37
H	6.756	88	38
I	6.909	88	38
J	7.036	88	38
K	7.137	88	38
L	7.366	90	40
M	7.493	90	40
N	7.671	91	41
O	8.026	95	43
P	8.204	95	43
Q	8.433	96	43
R	8.611	96	43
S	8.839	98	44
T	9.093	98	44
U	9.347	99	46
V	9.576	103	48
W	9.804	103	48
X	10.084	104	49
Y	10.262	104	49
Z	10.49	106	51
60	1.016	35	13
59	1.041	35	13
58	1.067	35	13
57	1.092	35	13
56	1.181	35	13
55	1.321	41	16
54	1.397	41	16
53	1.511	41	16
52	1.613	43	17
51	1.702	43	17
50	1.778	43	17
49	1.854	43	17
48	1.93	43	17
47	1.994	43	17
46	2.057	44	19
45	2.083	44	19
44	2.184	44	19
43	2.261	44	19
42	2.375	44	19
41	2.438	46	21
40	2.489	46	21
39	2.527	46	21
38	2.578	46	21
37	2.642	46	21
36	2.705	46	21
35	2.794	48	22
34	2.819	48	22
33	2.87	48	22
32	2.946	48	22
31	3.048	48	22
30	3.264	49	24
29	3.454	49	24
28	3.569	49	24
27	3.658	52	25
26	3.734	52	25
25	3.797	52	25
24	3.861	52	25
23	3.912	52	25
22	3.988	54	27
21	4.039	54	27
20	4.089	54	27
19	4.216	54	27
18	4.305	54	27
17	4.394	56	29
16	4.496	56	29
15	4.572	56	29
14	4.623	56	29
13	4.7	56	29
12	4.8	57	30

直径 d		总长 L	槽长 L_1
11	4.851	57	30
10	4.915	57	30
9	4.978	57	30
8	5.055	57	30
7	5.105	57	30
6	5.182	60	32
5	5.22	60	32
4	5.309	60	32
3	5.41	60	32
2	5.613	62	33
1	5.791	62	33







直径 d	总长 L	槽长 L_1
1	56	33
1.1	60	37
1.2	65	41
1.3	65	41
1.4	70	45
1.5	70	45
1.6	76	50
1.7	76	50
1.8	80	53
1.9	80	53
2	85	56
2.1	85	56
2.2	90	56
2.3	90	56
2.4	95	62
2.5	95	62
2.6	95	62
2.7	100	66
2.8	100	66
2.9	100	66
3	100	66
3.1	106	69
3.2	106	69
3.3	106	69
3.4	112	73
3.5	112	73
3.6	112	73
3.7	112	73
3.8	119	78
3.9	119	78
4	119	78

直径 d	总长 L	槽长 L_1
4.1	119	78
4.2	119	78
4.3	126	82
4.4	126	82
4.5	126	82
4.6	126	82
4.7	126	82
4.8	132	87
4.9	132	87
5	132	87
5.1	132	87
5.2	132	87
5.3	132	87
5.4	139	91
5.5	139	91
5.6	139	91
5.7	139	91
5.8	139	91
5.9	139	91
6	139	91
6.1	148	97
6.2	148	97
6.3	148	97
6.4	148	97
6.5	148	97
6.6	148	97
6.7	148	97
6.8	156	102
6.9	156	102
7	156	102
7.1	156	102

直径 d	总长 L	槽长 L_1
7.2	156	102
7.3	156	102
7.4	156	102
7.5	156	102
7.6	165	109
7.7	165	109
7.8	165	109
7.9	165	109
8	165	109
8.1	165	109
8.2	165	109
8.3	165	109
8.4	165	109
8.5	165	109
8.6	175	115
8.7	175	115
8.8	175	115
8.9	175	115
9	175	115
9.1	175	115
9.2	175	115
9.3	175	115
9.4	175	115
9.5	175	115
9.6	184	121
9.7	184	121
9.8	184	121
9.9	184	121
10	184	121
10.1	184	121
10.2	184	121
10.3	184	121
10.4	184	121
10.5	184	121
10.6	184	121
10.7	195	128
10.8	195	128
10.9	195	128
11	195	128
11.1	195	128
11.2	195	128
11.3	195	128
11.4	195	128
11.5	195	128
11.6	195	128
11.7	195	128
11.8	195	128
11.9	205	134

直径 d	总长 L	槽长 L_1
12	205	134
12.1	205	134
12.2	205	134
12.3	205	134
12.4	205	134
12.5	205	134
12.6	205	134
12.7	205	134
12.8	205	134
12.9	205	134
13	205	134
13.1	205	134
13.2	205	134
13.3	214	140
13.4	214	140
13.5	214	140
13.6	214	140
13.7	214	140
13.8	214	140
13.9	214	140
14	214	140
14.25	220	144
14.5	220	144
14.75	220	144
15	220	144
15.25	227	149
15.5	227	149
15.75	227	149
16	227	149
16.25	235	154
16.5	235	154
16.75	235	154
17	235	154
17.25	241	158
17.5	241	158
17.75	241	158
18	241	158
18.25	247	162
18.5	247	162
18.75	247	162
19	247	162
19.25	254	166
19.5	254	166
19.75	254	166
20	254	166





直径 d		总长 L	槽长 L_1
1/16	1.588	78	44
5/64	1.984	95	51
3/32	2.381	108	57
7/64	2.778	117	64
1/8	3.175	137	76
9/64	3.572	137	76
5/32	3.969	137	76
11/64	4.366	146	86
3/16	4.763	146	86
13/64	5.159	152	92
7/32	5.556	152	92
15/64	5.953	156	95
1/4	6.35	156	95
17/64	6.747	159	98
9/32	7.144	159	98
19/64	7.541	162	102
5/16	7.938	162	102
21/64	8.334	165	105
11/32	8.731	165	105
23/64	9.128	171	108
3/8	9.525	171	108
25/64	9.922	178	111
13/32	10.319	178	111
27/64	10.716	184	117
7/16	11.113	184	117
29/64	11.509	190	121
15/32	11.906	190	121
31/64	12.303	197	121
1/2	12.7	197	121


直径 d		总长 L	槽长 L_1
60	1.016	57	29
59	1.041	57	29
58	1.067	57	29
57	1.092	57	29
56	1.181	57	29
55	1.321	76	44
54	1.397	76	44
53	1.511	76	44
52	1.613	95	51
51	1.702	95	51
50	1.778	95	51
49	1.854	95	51
48	1.93	95	51
47	1.994	108	57
46	2.057	108	57
45	2.083	108	57
44	2.184	108	57
43	2.261	108	57
42	2.375	108	57
41	2.438	117	64
40	2.489	117	64
39	2.527	117	64
38	2.578	117	64
37	2.642	117	64
36	2.705	117	64
35	2.794	130	70
34	2.819	130	70
33	2.87	130	70
32	2.946	130	70


直径 d		总长 L	槽长 L_1
31	3.048	130	70
30	3.264	137	76
29	3.454	137	76
28	3.569	137	76
27	3.658	137	76
26	3.734	137	76
25	3.797	137	76
24	3.861	137	76
23	3.912	137	76
22	3.988	146	86
21	4.039	146	86
20	4.089	146	86
19	4.216	146	86
18	4.305	146	86
17	4.394	146	86
16	4.496	146	86
15	4.572	146	86
14	4.623	146	86
13	4.7	146	86
12	4.8	152	92
11	4.851	152	92
10	4.915	152	92
9	4.978	152	92
8	5.055	152	92
7	5.105	152	92
6	5.182	152	92
5	5.22	152	92
4	5.309	152	92
3	5.41	152	92
2	5.613	156	95
1	5.791	156	95



DIN345 高速钢莫氏锥柄麻花钻
DIN345 HSS TAPER SHANK TWIST DRILLS







直径 d	刀刃 L	标准柄	
		总长 L_1	莫氏锥柄号
3	33	114	1
3.2	36	117	1
3.5	39	120	1
3.8	43	124	1
4	43	124	1
4.2	43	124	1
4.5	47	128	1
4.8	52	133	1
5	52	133	1
5.2	52	133	1
5.5	57	138	1
5.8	57	138	1
6	57	138	1
6.2	63	144	1
6.5	63	144	1
6.8	69	150	1
7	69	150	1
7.2	69	150	1
7.5	69	150	1
7.8	75	156	1
8	75	156	1
8.2	75	156	1
8.5	75	156	1
8.8	81	162	1
9	81	162	1
9.2	81	162	1
9.5	81	162	1
9.8	87	168	1

直径 d	刀刃 L	标准柄	
		总长 L_1	莫氏锥柄号
10	87	168	1
10.2	87	168	1
10.5	87	168	1
10.8	94	175	1
11	94	175	1
11.2	94	175	1
11.5	94	175	1
11.8	94	175	1
12	101	182	1
12.2	101	182	1
12.5	101	182	1
12.8	101	182	1
13	101	182	1
13.2	101	182	1
13.5	108	189	1
13.8	108	189	1
14	108	189	1
14.25	114	212	2
14.5	114	212	2
14.75	114	212	2
15	114	212	2
15.25	120	218	2
15.5	120	218	2
15.75	120	218	2
16	120	218	2
16.25	125	223	2
16.5	125	223	2
16.75	125	223	2

LD-0149

直径 d	刃刃 L	标准柄	
		总长 L_1	莫氏锥柄号
17	125	223	2
17.25	130	228	2
17.5	130	228	2
17.75	130	228	2
18	130	228	2
18.25	135	233	2
18.5	135	233	2
18.75	135	233	2
19	135	233	2
19.25	140	238	2
19.5	140	238	2
19.75	140	238	2
20	140	238	2
20.25	145	243	2
20.5	145	243	2
20.75	145	243	2
21	145	243	2
21.25	150	248	2
21.5	150	248	2
21.75	150	248	2
22	150	248	2
22.25	150	248	2
22.5	155	253	2
22.75	155	253	2
23	155	253	2
23.25	155	276	3
23.5	155	276	3
23.75	160	281	3
24	160	281	3
24.25	160	281	3
24.5	160	281	3
24.75	160	281	3
25	160	281	3
25.25	165	286	3
25.5	165	286	3
25.75	165	286	3
26	165	286	3
26.25	165	286	3
26.5	165	286	3
26.75	170	291	3
27	170	291	3
27.25	170	291	3
27.5	170	291	3
27.75	170	291	3

直径 d	刃刃 L	标准柄	
		总长 L_1	莫氏锥柄号
28	170	291	3
28.25	175	296	3
28.5	175	296	3
28.75	175	296	3
29	175	296	3
29.25	175	296	3
29.5	175	296	3
29.75	175	296	3
30	175	296	3
30.25	180	301	3
30.5	180	301	3
30.75	180	301	3
31	180	301	3
31.25	180	301	3
31.5	180	301	3
31.75	185	306	3
32	185	334	4
32.5	185	334	4
33	185	334	4
33.5	185	334	4
34	190	339	4
34.5	190	339	4
35	190	339	4
35.5	190	339	4
36	195	344	4
36.5	195	344	4
37	195	344	4
37.5	195	344	4
38	200	349	4
38.5	200	349	4
39	200	349	4
39.5	200	349	4
40	200	349	4
40.5	205	354	4
41	205	354	4
41.5	205	354	4
42	205	354	4
42.5	205	354	4
43	210	359	4
43.5	210	359	4
44	210	359	4
44.5	210	359	4
45	210	359	4
45.5	215	364	4

直径 d	刃刃 L	标准柄	
		总长 L_1	莫氏锥柄号
46	215	364	4
46.5	215	364	4
47	215	364	4
47.5	215	364	4
48	220	369	4
48.5	220	369	4
49	220	369	4
49.5	220	369	4
50	220	369	4
50.5	225	374	4
51	225	412	5
52	225	412	5
53	225	412	5
54	230	417	5
55	230	417	5
56	230	417	5
57	235	422	5
58	235	422	5
59	235	422	5
60	235	422	5
61	240	427	5
62	240	427	5
63	240	427	5
64	245	432	5
65	245	432	5
66	245	432	5
67	245	432	5
68	250	437	5
69	250	437	5
70	250	437	5
71	250	437	5
72	255	442	5
73	255	442	5
74	255	442	5
75	255	442	5
76	260	447	5
77	260	514	6
78	260	514	6
79	260	514	6
80	260	514	6
81	265	519	6
82	265	519	6
83	265	519	6
84	265	519	6


直径 d	刃刃 L	标准柄	
		总长 L_1	莫氏锥柄号
85	265	519	6
86	270	524	6
87	270	524	6
88	270	524	6
89	270	524	6
90	270	524	6
91	275	529	6
92	275	529	6
93	275	529	6
94	275	529	6
95	275	529	6
96	280	534	6
97	280	534	6
98	280	534	6
99	280	534	6
100	280	534	6

DIN341 高速钢莫氏锥柄加长麻花钻
DIN341 HSS LONG LENGTH TAPER SHANK TWIST DRILLS



LD-0149





DIN 341

HSS | HSS Co

118° | 135°

Bright | Amber

Tin | B&G

规格 d	刃长 L	总长 L_1	莫氏锥柄号
5	74	155	1
5.1	74	155	1
5.2	74	155	1
5.3	74	155	1
5.4	74	155	1
5.5	80	161	1
5.6	80	161	1
5.7	80	161	1
5.8	80	161	1
5.9	80	161	1
6	80	161	1
6.1	80	161	1
6.2	86	167	1
6.3	86	167	1
6.4	86	167	1
6.5	86	167	1
6.6	86	167	1
6.7	86	167	1
6.8	93	174	1
6.9	93	174	1
7	93	174	1
7.1	93	174	1
7.2	93	174	1
7.3	93	174	1
7.4	93	174	1
7.5	93	174	1
7.6	93	174	1
7.7	93	174	1
7.8	100	181	1
7.9	100	181	1
8	100	181	1

规格 d	刃长 L	总长 L_1	莫氏锥柄号
8.1	100	181	1
8.2	100	181	1
8.3	100	181	1
8.4	100	181	1
8.5	100	181	1
8.6	100	181	1
8.7	100	181	1
8.8	107	188	1
8.9	107	188	1
9	107	188	1
9.1	107	188	1
9.2	107	188	1
9.3	107	188	1
9.4	107	188	1
9.5	107	188	1
9.6	107	188	1
9.7	107	188	1
9.8	116	197	1
9.9	116	197	1
10	116	197	1
10.1	116	197	1
10.2	116	197	1
10.3	116	197	1
10.4	116	197	1
10.5	116	197	1
10.6	116	197	1
10.7	116	197	1
10.8	125	206	1
10.9	125	206	1
11	125	206	1
11.1	125	206	1

规格 d	刃长 L	总长 L_1	莫氏锥柄号
11.2	125	206	1
11.3	125	206	1
11.4	125	206	1
11.5	125	206	1
11.6	125	206	1
11.7	125	206	1
11.8	125	206	1
11.9	125	206	1
12	134	215	1
12.1	134	215	1
12.2	134	215	1
12.3	134	215	1
12.4	134	215	1
12.5	134	215	1
12.6	134	215	1
12.7	134	215	1
12.8	134	215	1
12.9	134	215	1
13	134	215	1
13.1	134	215	1
13.2	134	215	1
13.3	134	215	1
13.4	134	215	1
13.5	142	223	1
13.6	142	223	1
13.7	142	223	1
13.8	142	223	1
13.9	142	223	1
14	142	223	1
14.25	147	245	2
14.5	147	245	2
14.75	147	245	2
15	147	245	2
15.25	153	251	2
15.5	153	251	2
15.75	153	251	2
16	153	251	2
16.25	159	257	2
16.5	159	257	2
16.75	159	257	2
17	159	257	2
17.25	165	263	2
17.5	165	263	2
17.75	165	263	2
18	165	263	2
18.25	171	269	2


规格 d	刃长 L	总长 L_1	莫氏锥柄号
18.5	171	269	2
18.75	171	269	2
19	171	269	2
19.25	177	275	2
19.5	177	275	2
19.75	177	275	2
20	177	275	2
20.25	184	282	2
20.5	184	282	2
20.75	184	282	2
21	184	282	2
21.25	191	289	2
21.5	191	289	2
21.75	191	289	2
22	191	289	2
22.25	191	289	2
22.5	198	296	2
22.75	198	296	2
23	198	296	2
23.25	198	319	3
23.5	198	319	3
23.75	206	327	3
24	206	327	3
24.25	206	327	3
24.5	206	327	3
24.75	206	327	3
25	206	327	3
25.25	214	335	3
25.5	214	335	3
25.75	214	335	3
26	214	335	3
26.25	214	335	3
26.5	214	335	3
26.75	222	343	3
27	222	343	3
27.25	222	343	3
27.5	222	343	3
27.75	222	343	3
28	222	343	3
28.25	230	351	3
28.5	230	351	3
28.75	230	351	3
29	230	351	3
29.25	230	351	3
29.5	230	351	3
29.75	230	351	3

规格 d	刃长 L	总长 L_1	莫氏锥柄号
30	230	351	3
30.25	239	360	3
30.5	239	360	3
30.75	239	360	3
31	239	360	3
31.25	239	360	3
31.5	239	360	3
31.75	248	369	3
32	248	397	4
32.5	248	397	4
33	248	397	4
33.5	248	397	4
34	257	406	4
34.25	257	406	4
34.5	257	406	4
35	257	406	4
35.5	257	406	4
36	267	416	4
36.5	267	416	4
36.75	267	416	4
37	267	416	4
37.5	267	416	4
38	277	426	4
38.5	277	426	4
39	277	426	4
39.5	277	426	4
39.75	277	426	4
40	277	426	4
40.5	287	436	4
41	287	436	4
41.5	287	436	4
42	287	436	4
42.25	287	436	4
42.5	287	436	4
43	298	447	4
43.5	298	447	4
44	298	447	4
44.5	298	447	4
45	298	447	4
45.5	310	459	4
46	310	459	4
46.25	310	459	4
46.5	310	459	4
47	310	459	4
47.5	310	459	4
48	321	470	4

规格 d	刃长 L	总长 L_1	莫氏锥柄号
48.5	321	470	4
49	321	470	4
49.5	321	470	4
50	321	470	4

双头钻
HSS DOUBLE ENDED DRILLS









直径 d	总长 l	槽长 l_1
5/64	38	7.5
3/32	43	9.5
7/64	46	9.5
1/8	49	11.2
9/64	52	12.5
5/32	55	14.0
11/64	58	15.5
3/16	63	17.0
13/64	63	17.0
7/32	66	19.0
15/64	66	19.0
1/4	70	21.2
2.0	38	7.5
2.5	43	9.5
3.0	46	10.6
3.2	49	11.2
3.5	52	12.5
4.0	55	14.0
4.2	55	14.0
4.5	58	15.5
4.8	62	17.0
5.0	62	17.0
5.2	62	17.0
5.5	66	19.0
5.8	66	19.0
6.0	66	19.0
6.2	70	21.2
6.5	70	21.2

LD-0149








直径 d	总长 L	槽长 L_1
13	152	76
13.5	152	76
14	152	76
14.5	152	76
15	152	76
15.5	152	76
16	152	76
16.5	152	76
17	152	76
17.5	152	76
18	152	76
18.5	152	76
19	152	76
19.5	152	76
20	152	76
20.5	152	76
21	152	76
21.5	152	76
22	152	76
22.5	152	76
23	152	76
23.5	152	76
24	152	76
24.5	152	76
25	152	76
25.5	152	76

直径 d	总长 L	槽长 L_1
26	152	76
26.5	152	76
27	152	76
27.5	152	76
28	152	76
28.5	152	76
29	152	76
29.5	152	76
30	152	76
30.5	152	76
31	152	76
31.5	152	76
32	152	76
32.5	152	76
33	152	76
33.5	152	76
34	152	76
34.5	152	76
35	152	76
35.5	152	76
36	152	76
36.5	152	76
37	152	76
37.5	152	76
38	152	76






规格 d	总长 L_1	刃长 L
33/64	152	76
17/32	152	76
35/64	152	76
9/16	152	76
37/64	152	76
19/32	152	76
39/64	152	76
5/8	152	76
41/64	152	76
21/32	152	76
43/64	152	76
11/16	152	76
45/64	152	76
23/32	152	76
47/64	152	76
3/4	152	76
49/64	152	76
25/32	152	76
51/64	152	76
13/16	152	76
53/64	152	76
27/32	152	76
55/64	152	76
7/8	152	76

规格 d	总长 L_1	刃长 L
57/64	152	76
29/32	152	76
59/64	152	76
15/16	152	76
61/64	152	76
31/32	152	76
63/64	152	76
1/1	152	76
1-1/64	152	76
1-1/32	152	76
1-3/64	152	76
1-1/16	152	76
1-5/64	152	76
1-3/32	152	76
1-7/64	152	76
1-1/8	152	76
1-9/64	152	76
1-5/32	152	76
1-11/64	152	76
1-3/16	152	76
1-13/64	152	76
1-7/32	152	76
1-15/64	152	76
1-1/4	152	76

规格 d	总长 L_1	刃长 L
1-17/64	152	76
1-9/32	152	76
1-19/64	152	76
1-5/16	152	76
1-21/64	152	76
1-11/32	152	76
1-23/64	152	76
1-3/8	152	76
1-25/64	152	76
1-13/32	152	76
1-27/64	152	76
1-7/16	152	76
1-29/64	152	76
1-15/32	152	76
1-31/64	152	76






规格 d		总长 L_1		刃长 L
		6'	12'	
1/16	1.588	152	305	22
5/64	1.984	152	305	25
3/32	2.381	152	305	32
7/64	2.778	152	305	38
1/8	3.175	152	305	41
9/64	3.572	152	305	44
5/32	3.969	152	305	51
11/64	4.368	152	305	54
3/16	4.763	152	305	59
13/64	5.159	152	305	62
7/32	5.556	152	305	64
15/64	5.953	152	305	67
1/4	6.35	152	305	70
17/64	6.747	152	305	73
9/32	7.144	152	305	75
19/64	7.541	152	305	78
5/16	7.938	152	305	81
21/64	8.334	152	305	84
11/32	8.731	152	305	87

规格 d		总长 L_1		刃长 L
		6'	12'	
23/64	9.128	152	305	89
3/8	9.525	152	305	92
25/64	9.922	152	305	95
13/32	10.319	152	305	98
27/64	10.716	152	305	100
7/16	11.113	152	305	103
29/64	11.509	152	305	106
15/32	11.906	152	305	110
31/64	12.303	152	305	111
1/2	12.7	152	305	114
52	1.613	152	305	22
51	1.702	152	305	25
50	1.778	152	305	25
49	1.854	152	305	25
48	1.93	152	305	25
47	1.994	152	305	25
46	2.057	152	305	29
45	2.083	152	305	29
44	2.184	152	305	29
43	2.261	152	305	32
42	2.375	152	305	32
41	2.438	152	305	35
40	2.489	152	305	35
39	2.527	152	305	35
38	2.578	152	305	37
37	2.642	152	305	37
36	2.705	152	305	37
35	2.794	152	305	38
34	2.819	152	305	38
33	2.87	152	305	38
32	2.946	152	305	41

规格 d		总长 L_1		刃长 L
		6"	12"	
31	3.048	152	305	41
30	3.264	152	305	41
29	3.454	152	305	44
28	3.569	152	305	44
27	3.658	152	305	48
26	3.734	152	305	48
25	3.797	152	305	48
24	3.861	152	305	51
23	3.912	152	305	51
22	3.988	152	305	51
21	4.039	152	305	54
20	4.089	152	305	54
19	4.216	152	305	54
18	4.305	152	305	54
17	4.394	152	305	56
16	4.496	152	305	56
15	4.572	152	305	56
14	4.623	152	305	56
13	4.7	152	305	59
12	4.8	152	305	59
11	4.851	152	305	59
10	4.915	152	305	62
9	4.978	152	305	62
8	5.055	152	305	62
7	5.105	152	305	62
6	5.182	152	305	64
5	5.22	152	305	64
4	5.309	152	305	64
3	5.41	152	305	64
2	5.613	152	305	67
1	5.791	152	305	67


规格 d		总长 L_1		刃长 L
		6"	12"	
A	5.944	152	305	67
B	6.045	152	305	70
C	6.147	152	305	70
D	6.248	152	305	70
E	6.35	152	305	70
F	6.528	152	305	73
G	6.629	152	305	73
H	6.756	152	305	73
I	6.909	152	305	73
J	7.036	152	305	73
K	7.137	152	305	75
L	7.366	152	305	75
M	7.493	152	305	78
N	7.671	152	305	78
O	8.026	152	305	81
P	8.204	152	305	84
Q	8.433	152	305	87
R	8.611	152	305	87
S	8.839	152	305	89
T	9.093	152	305	89
U	9.347	152	305	92
V	9.576	152	305	92
W	9.804	152	305	95
X	10.084	152	305	95
Y	10.262	152	305	98
Z	10.49	152	305	98





DIN 338				
BIT SIZE (mm)	O`A`	`B`	`C`	CLAMP FORCE (N.M)
1.5	1.5	61	18	0.37
2	2	70	24	0.77
2.5	2.5	78	30	1.01
3	3	82	33	1.66
3.2	3.2	86	36	1.75
3.5	3.5	91	39	2.50
4	4	96	43	3.36
4.5	4.5	101	47	4.90
4.8	4.8	107	52	5.10
5	5	107	52	5.28
5.5	5.5	114	57	6.67
6	6	114	57	8.06
6.5	6.5	122	63	8.60

ANSI B94.11M				
BIT SIZE (in)	O`A`	`B`	`C`	CLAMP FORCE (N.M)
1/16	1.588	64	20	0.39
5/64	1.984	70	24	0.68
3/32	2.381	78	30	0.90
7/64	2.778	82	33	1.36
1/8	3.175	86	36	1.75
9/64	3.572	91	39	2.55
5/32	3.969	96	43	3.20
11/64	4.366	101	47	4.60
3/16	4.763	107	52	5.00
13/64	5.159	107	52	5.40
7/32	5.556	114	57	6.70
15/64	5.953	114	57	8.00
1/4	6.350	122	63	8.46






直径 d	总长 L	槽长 L_1
3.00	29	67
3.20	29	67
3.50	29	70
3.80	30	71
4.00	30	71
4.20	30	71
4.50	31	75
4.80	33	78
5.00	33	78
5.20	33	78
5.50	35	79
5.80	35	79
6.00	35	79
6.20	38	81
6.50	38	81
6.80	45	89
7.00	45	89
7.20	45	89
7.50	45	89
7.80	51	102
8.00	51	102

直径 d	总长 L	槽长 L_1
8.20	51	102
8.50	51	102
8.80	51	102
9.00	51	102
9.20	51	102
9.50	51	102
9.80	51	102
10.00	51	102
10.20	51	102
10.50	51	102
10.80	51	102
11.00	51	102
11.20	51	102
11.50	51	102
11.80	51	102
12.00	51	102
12.20	51	102
12.50	51	102
12.80	51	102
13.00	51	102

直径 d (in)	直径 d	槽长 L	总长 L_1
1/8	3.175	29	67
9/64	3.572	29	70
5/32	3.969	30	71
11/64	4.366	31	75
3/16	4.763	33	78
13/64	5.159	33	78
7/32	5.556	35	79
15/64	5.953	35	79
1/4	6.350	38	81
9/32	7.144	45	89
5/16	7.938	51	102
11/32	8.731	51	102
3/8	9.525	51	102
7/16	11.113	51	102
1/2	12.700	51	102




LD-0149



D	L_1	L_2	D_1	L_3	D	L_1	L_2	D_1	L_3
3	60	32			3.5	70	38		
4	75	43			4.5	80	45		
5	85	51			5.5	92	54		
6	92	54			6.5	100	60		
7	100	60			7.5	105	60		
8	115	71			8.5	115	71		
9	115	71			9.5	115	85		
10	120	82			10.5	130	82		
11	140	90			11.5	140	90		
12	140	90			12.5	150	92	12	20
13	150	95	12	20	13.5	150	92	12	20
14	150	95	12	20	14.5	160	100	12	20
15	160	100	12	20	15.5	160	100	12	20
16	160	100	12	20	16.5	170	115	12	20
18	170	115	12	20	0.5	170	115	12	20
20	180	130	12	20					
22	200	150	20	30					
24	200	150	20	30					
26	250	170	20	30					
28	250	170	20	30					
30	280	180	20	30					
32	280	195	20	30					
34	285	200	20	30					
36	290	205	20	30					
38	295	210	20	30					
40	300	215	20	30					








D	+IT14 +IT12		Stub Series Length		Jobbers Length		Long Length		Extra Long Length		d
			L_3	≈ L_2	L_1	≈ L_2	L_1	≈ L_2	L_1	≈ L_2	
3.0	+0.25	0.1	60	30							
4.0	+0.30	0.12	75	50							
4.5	+0.30	0.12	85	55	150	85					
5.0	+0.30	0.12	85	55	150	85					
5.5	+0.30	0.12	85	55	150	85					
6.0	+0.30	0.12	100	60	150	85					
6.5	+0.36	0.15	100	65	150	85					
7.0	+0.36	0.15	100	65	150	85					
8.0	+0.36	0.15	120	80	200	135					
8.5	+0.36	0.15	120	80	200	135					
9.0	+0.36	0.15	120	80	200	135					
10.0	+0.36	0.15	120	80	200	135					
11.0	+0.43	0.18	150	90	200	135					10
12.0	+0.43	0.18	150	90	200	150	400	350	600	550	10
13.0	+0.43	0.18	150	90			400	350	600	350	10
14.0	+0.43	0.18	150	90			400	350	600	550	13
16.0	+0.43	0.18	150	90			400	350	600	550	13
18.0	+0.43	0.18	160	100			400	350	600	550	13
20.0	+0.52	0.21	160	100			400	350	600	550	13 or 16
22.0	+0.52	0.21	160	100			400	350	600	550	13 or 16
24.0	+0.52	0.21	160	100			400	350	600	550	13 or 16
25.0	+0.52	0.52	160	100					600	550	13 or 16



LD-0149





d		L			
mm	TOL.	Stub	Jobbes	Long	Extra Long
5	+0.30	110	160	210	
6	+0.12	110	160	210	
7	+0.36	110	160	210	
8	+0.15	110	160	210	
10	+0.15	110	160	210	310
12	+0.43	160	160	210	310
14	+0.43	160	160	210	310
16	+0.18	160	210	210	310
18	+0.19	160	210	210	310
20	+0.52	160	210	360	310
22	+0.52	210	210	360	460
24	+0.21	210	310	360	460
26	+0.21	210	310	360	460
28	+0.21	210	310	460	610
32	+0.62	260	310	460	610
35	+0.62	260	310	460	610
38	+0.62	260	310	460	610
40	+0.62	260	360	460	610
42	+0.25	260	360	460	610
45	+0.25	260	360	460	610
50	+0.25	260	360	460	610


Jobbers Length			
d			L
5	+0.35	+0.50	105
6	+0.45	+0.50	105
7	+0.45	+0.20	155
8	+0.45	+0.20	155
9	+0.45	+0.20	155
10	+0.45	+0.20	155
11	+0.50	+0.20	155
12	+0.50	+0.20	205
13	+0.50	+0.20	205
14	+0.50	+0.20	205
15	+0.50	+0.20	205
16	+0.50	+0.20	255
18	+0.50	+0.20	255
19	+0.55	+0.20	255
20	+0.55	+0.21	255
22	+0.55	+0.21	255
24	+0.55	+0.21	255
25	+0.55	+0.21	255
28	+0.55	+0.21	305
30	+0.55	+0.21	305
32	+0.70	+0.25	305
35	+0.70	+0.25	305
37	+0.70	+0.25	305
40	+0.80	+025	305
44	+0.80	+025	305
52	+0.95	+0.30	305

Long Length			
d			L
5	+0.35	+0.15	135
6	+0.45	+0.15	155
7	+0.45	+0.20	205
8	+0.45	+0.20	205
9	+0.45	+0.20	205
10	+0.45	+0.20	205
11	+0.70	+0.20	205
12	+0.50	+0.20	255
13	+0.50	+0.20	255
14	+0.50	+0.20	255
15	+0.50	+0.20	255
16	+0.50	+0.20	455
20	+0.55	+0.21	455
22	+0.55	+0.21	455
24	+0.55	+0.21	455
25	+0.55	+0.21	455
28	+0.55	+0.21	455
30	+0.55	+0.21	455
32	+0.70	+0.25	455
35	+0.70	+0.25	455
37	+0.70	+0.25	455
40	+0.80	+0.25	455
44	+0.80	+0.25	455
52	+0.95	+0.30	455

Extra Long Length			
d			L
10	+0.45	+0.20	255
12	+0.50	+0.20	455
16	+0.50	+0.20	605
20	+0.55	+0.21	605
25	+0.55	+0.21	605
28	+0.55	+0.21	605
35	+0.70	+0.25	605
44	+0.80	+0.25	605
52	+0.95	+0.30	605


Stub Series Length			
d			L
5	+0.35	+0.15	90
7	+0.45	+0.20	105
8	+0.45	+0.20	105
10	+0.45	+0.20	135
12	+0.50	+0.20	135
14	+0.50	+0.20	155
15	+0.50	+0.20	155
16	+0.50	+0.20	205
17	+0.50	+0.20	205
18	+0.50	+0.20	205
19	+0.55	+0.21	205
20	+0.55	+0.21	205





尺寸参数表 Dimension parameter table					
代号	L	L_1	L_2	L_3	d_1
M4	50	6	6	28	3.25–3.30
M5	53	7	9	29	4.15–4.20
M6	56	8	11	29	4.95–5.00
M8	64	14	17	30	6.75–6.80
M10	72	17	18	31	8.45–8.50
8–32UNC	52.5	6.5	9	28	3.40–3.45
10–32UNF	57.0	6.5	13	29	4.04–4.10
10–24UNC	57.0	6.5	13	29	3.81–3.86
12–24UNC	57.0	6.5	13	29	4.45–4.50
1/4–20UNC	58.0	7.5	14	29	5.06–5.11
5/16–18UNC	79.2	16.5	18.5	30	6.48–6.54





序号	加工孔范围	总长	台阶数	柄径
	inch	inch		inch
1	3/16–1/2	3.125	6	1/4
2	1/8–1/2	3.125	13	1/4
3	1/4–3/4	2.75	9	3/8
4	3/16–7/8	3.25	12	3/8
5	1/2 – 1	3	9	3/8
6	7/8–13/8	3.25	5	3/8
7	3/8–1/2	1.875	2	1/4
8	7/8–11/8	2.4375	2	3/8

序号	加工孔范围	总长	台阶数	柄径
	mm	mm		mm
0/5	4.0–12.00	65	5	6
0/9	4.0–12.00	65	9	6
1	4.0–20.00	75	9	8
2	4.0–30.00	100	14	10
3	6.0–38.00	100	12	10
4	6.0–26.75	75	8	10
5	4.0–39.00	107	13	10
6	6.0–32.00	75	8	10
7	5.0–28.00	69	7	10
8	6.0–30.50	80	9	10
9	6.0–37.00	100	12	10
10	4.8–10.65	54	5	6
11	6.0–25.00	65	7	10
12	6.0–32.00	76	9	10
13	6.0–40.00	105	16	13

Our Quality Inspection



▪ End face run-out of base

End face run-out of base tends to be wavy or pot-shaped. Excess end run-out will generate serious deflection and violent vibration in cutting.Under the action of stress,any base indeed suffers from irregular wavy or pot-shapedrun-out,the existence or excess existence of which brings unlimited hidden dangers to toolmaking.



▪ Dynamic balance detection

Effectively reduce vibration and noise;protect spindle of machine;Improved precision,better cutting quality and longer service life.



▪ Radial run-out detection of alloy saw blade

There are three states of radial run-out:

1.High on the left and low on the right or high on the right and low on the left;

2.Uneven height on the left and right;

3.180° eccentric height.



▪ Projection and visual instruments

Detection of toothholder,back angle and back/front edge angle of saw blade,side rake angle and back angle of alloy saw blade.



▪ Hardness detection

Hardness is the ability of materials to resist hard objetcts pressing into their surface.It is one of the important indices of metal materials.Generally,the higher the hardness,the better the wear resistance.The common hardness indices are Brinell hardness,Rockwell hardness and Vickers hardness.



▪ Detection of side rake and back angle,back and front edge angle ofcircular saw blade

Affected by many factors of the above process or base,many people use dial gage for detection of side rake angle.Slight change in back angle or edge,front angle front edge angle has no effect on cutting quality.To guarantee quality,it is necessary to control center of saw blade when grinding the back or front angle,ensure precision of cutting edge or land on both sides and steictly control run-out.



▪ Automatic welding tooth of circular allor saw blade

The thermal stress or cold tension of any material will change in thermal change,which certainly varies with material, temperature,cooling time,thickness of workpiece,heating area,etc.



▪ Detection of welding strength of circular alloy saw blade


The welding strength of hard alloy sawtooth is one of the main parameters that ensure performance of hard alloy saw blade;JB3379-83 standard: for the hard alloy woodworking circular saw welded with hard alloy YG8 made in China,the shear srength of weld joints that pass test shall not be less than 120N/mm2 if there are no black skin,cracks,rusting, flux,tipping,burn and other defects on the surface.




▪ Detection of center hole of circular alloy saw blade

If any side of the standard plug gauge can be inserted into it, the hole is too big,which will have certain effect on grinfing external diameter.If the center hole is too big,eccentricity will be caused in cutting.It will mot be on the same arc and shake slightly.


Tips For A Correct Use Of A Sawblade



1



2




3



4



5




6

To obtain the best performance from a sawblade we suggest to follow these simple instructions:

- The machine must be in good condition,tree of vibrations.
- The flanges used to secure the blade must be of the same diameter,at least 1/3 of the blade' s diameter(Fig.1)
- The flanges must be parallel to each other.Also check tolerances on diameters, sides and concentricity,by using a clock gauge(Fig.2).
- The spacers must be perfectly parallel(Fig.2).
- The spindle must be perfectly straight and with an H7 tolerance(Fig.3).
- After continuous use,remove the blade and clean it with the appropriate solvents making sure to get rid of built up resin.For the synthetic coated (permaSHIELD)blades,it' s sufficient to use warm water.In any case,avoid using solvents containing caustic soda.
- The blades must be sharpened as soon as they become dull,maintaining the original tooth angles.
- For sharpening,always use the correct grinding wheels and plenty of cooling liquid.
- Maximum reboring of the blades is 20 mm of the original bore size.Above this value,the blade will lose its original tuning and overall performance will be affectted(Fig.4).
- Always keep spacers and flanges clean.
- When sharpening,the shoulder of the teeth must not be lowered more than needed.This operation must be done with appropriate precision machinery and never by hand.There is the risk of baeaking the tip or upsetting the blade balance(Fig.5-6).
- On ripping machines,the feeding track must be levelled with the fixed table.
- Before starting the cut of the material,make sure the blade is correctly locked according to the machine' s specifications.


For Construction Cutting

YF-01-01 SEGMENTED BLADE



Diameter	105、110、115、125、150、180、230、250、300、350、400mm
Height	7、10、12、15mm

YF-01-02 TURBO SEGMENTED BLADE



Diameter	105、110、115、125、150、180、230、250、300、350、400mm
Height	7、10、12、15mm
Features	Turbo segmeted blades with ideal debris removal and fast cutting.

YF-01-03 TURBO BLADE




Diameter	105、110、115、125、180、230、300、350mm
Height	7、10、12mm

YF-01-04 TURBO WAVE



Diameter	105、115、125、150、180、230、300mm
Height	8、10mm
Features	Turbo segmeted blades with ideal debris removal and fast cutting.

YF-01-05 CONTINUOUS RIM BLADE



Diameter	55、80、89、105、110、115、125、150、180、200、230、250、300、350mm
Height	5、7、10mm
Features	Continuous rim blade for tile and porcelain cutting.

YF-01-06 AG BLADE




Diameter	105、115、125、180、230、300、350mm
Height	7mm
Features	Turbo segment for better coolong and better dust romoval,with fast,smooth cutting and long life.The special segment style can well protected the blades from under cutting.

YF-01-07 MG BLADE



Diameter	105、115、125、150、180、230mm
Height	8mm(105-230mm)
Features	Segmented Turbo Teeth can keep better dust removal.The extra deep segment style can well protected the blades from under cutting.

YF-01-08 CH BLADE




Diameter	300、350、400mm
Height	15mm
Applications	Hard brick,hard concrete ,masonry and stone.
Features	Special sement and slot for better cooling and better dust removal,with fast and smooth cutting,15mm segments height provides extremely long life.

YF-01-09 AH BLADE



Diameter	300、350、400mm
Height	10mm
Applications	Abrasive materials,green concete,asphalt and sandstone.
Features	For fast and smooth cutting with long life.The slant segment can well protected the blade from under cutting.

YF-01-10 3V BLADE



Diameter	230、300、350mm
Height	12mm

• 12mm height waved segments for general purpose cutting of construction materials.

YF-02-01 GENERAL PURPOSE SAW BLADES






Slant U slot


Arrow


Slant U-gullet type


NT type


Gear


M-shape


U-Turbo type


Slant Turbo


Turbo

Diameter	115、125、150、180、230、250、300、350、400mm
Height	7、10、12mm
Applications	Concrete,brick,block,masonry and stone.

YF-02-02 CURED COBCRETE BLADES






Slant turbo type


Wedge


Split turbo type



M-shape segment type


Gear type


Turbo type

Diameter	300、350、400、450、500、600、650、750mm
Height	10、12、15mm

YF-02-03 ASPHALT & GREEN CONCRETE BLADES


Slant


Wedge


Insert



Deep-drop


STN

Diameter	300、350、400、450mm
Height	10、12mm
Applications	For cutting Abrasive materials,Asphalt and Green concrete.

YF-02-04 WALL SAW BLADES





W type 2W type U type 2U type

Diameter	500、550、600、650、700、750、800、900、1000、1200、1600mm
Height	10、12、13mm
Applications	For cutting hard concrete wall or brick wall.

YF-02-05 EVEN DISTRIBUTION/LINE UP



Diameter	300、350、400、450、500、600、650、700、750、800mm
Height	10、12mm
Applications	For Floor/Road saws.



Diameter	230、300、350、400、450、500、600mm
Height	10、13mm
Applications	For Hand held saws.



Diameter	300、350、400、450、500、600、650、700、750、800mm
Height	10、12mm
Applications	For Granite.

YF-02-06 RING SAW BLADES




Turbo type


Normal type

Diameter	350mm
Height	10mm

For Stone Cutting

YF-03-01 DIAMOND SAW BLADE FOR GRANITE SLAB


Normal Type Segments


" T" Type Segments


"U" Type Segments



"TURBO" Type Segments


"M" Type Segments

Unit:mm

Diameter	Inner hole	Segment dimension	No.of Teeth
300	50/60	40x3.2x15	21
350	50/60	40x3.4x20	24
400	50/60	40x3.6x20	28
450	50/60	40x3.8x20	32
500	50/60	40x4.0x20	36
600	50/60	40x4.6x20	42
650	50/60	40x4.6x20	46
700	50/60	40x5.0x20	50
750	50/60	40x5.2x20	54
800	80/100	40x5.5x20	57

YF-03-02 DIAMOND SAW BLADE FOR MARBLE


Narrow Slot Music Slot

Unit:mm

Diameter	Inner hole	Segment dimension	No.of Teeth
300	50/60	40x3.2x7.4/10	22
350	50/60	40x3.4x7.4/10	25
400	50/60	40x3.6x7.4/10	29
450	50/60	40x3.8x7.4/10	32
500	50/60	40x4.0x7.4/10	36
600	50/60	40x4.6x7.4/10	42
650	50/60	40x4.6x7.4/10	46
700	50/60	40x5.0x7.4/10	50
750	50/60	40x5.2x7.4/10	54
800	80/100	40x5.5x7.4/10	57

YF-03-03 SANDSTONE BLADE



Unit:mm

Diameter	Inner hole	Segment dimension	No.of Teeth
300	50/60	40x3.2x10/15/20	21
350	50/60	40x3.4x10/15/20	24
400	50/60	40x3.6x10/15/20	28
450	50/60	40x3.8x10/15/20	32
500	50/60	40x4.0x10/15/20	36
600	50/60	40x4.6x10/15/20	42
650	50/60	40x4.6x10/15/20	46
700	50/60	40x5.0x10/15/20	50
750	50/60	40x5.2x10/15/20	54
800	80/100	40x5.5x10/15/20	57


YF-03-04 LIMESTONE BLADE



Unit:mm

Diameter	Inner hole	Segment dimension	No.of Teeth
300	50/60	40x3.2x10/15/20	21
350	50/60	40x3.4x10/15/20	24
400	50/60	40x3.6x10/15/20	28
450	50/60	40x3.8x10/15/20	32
500	50/60	40x4.0x10/15/20	36
600	50/60	40x4.6x10/15/20	42
650	50/60	40x4.6x10/15/20	46
700	50/60	40x5.0x10/15/20	50
750	50/60	40x5.2x10/15/20	54
800	80/100	40x5.5x10/15/20	57

YF-03-05 CRYSTALLITE GLASS AND QUARTZ STONE



Unit:mm

Diameter	Inner hole	Segment dimension	No.of Teeth
300	50/60	40x3.2x10/15/20	21
350	50/60	40x3.4x10/15/20	24
400	50/60	40x3.6x10/15/20	28
450	50/60	40x3.8x10/15/20	32
500	50/60	40x4.0x10/15/20	36
600	50/60	40x4.6x10/15/20	42
650	50/60	40x4.6x10/15/20	46
700	50/60	40x5.0x10/15/20	50
750	50/60	40x5.2x10/15/20	54
800	80/100	40x5.5x10/15/20	57

YF-03-06 TUCK POINT BLADE

FOR GRANITE AND MARBLE





Diameter	100、115、125、150、180mm
Height	7、10、12mm
Width	4mm、6.4mm、10mm

FOR MORTAR REMOVAL AND CONCRETE





Insert　Side reinforced#1　Side reinforced#2　Side reinforced#2

Diameter	100、115、125、150、180mm
Height	7、10、12mm
Width	4mm、6.4mm、9.6mm、12.7mm

YF-03-07 CONCAVE BLADE






Diameter	115、125、180mm
Height	7、10mm
Width	2.4mm、2.8mm、4mm

YF-03-08 DIAMOND BLADES FOR CERAMICS

GENERAL PURPOSE BLADES



Diameter	55、80、105、110、115、125、150、180、200、230、250、300、350mm
Height	5、7、10mm
Width	(50-80mm)1.4mm,(105-125mm)1.6mm,(150-180mm)2.0mm,(200-250mm)2.2mm,(300-350mm)2.6mm

DRY CUTTING BLADES








Diameter	105、115、125mm
Height	7mm
Width	1.4mm

PREMIUM WET CUTTING BLADES








Diameter	105、110、115、125、150、180、200、230、250、300、350mm
Height	7、10mm
Width	(105-250mm)1.6mm,(300-350mm)2.0mm

YF-03-08

DIAMOND BLADES FOR CERAMICS


INDUSTRIAL CERAMICS CUTTING





Diameter	250、300、350mm
Height	10mm
Width	1.4mm、1.6mm、1.8mm
Fepa Grit chart	D64、D76、D91、D107、D126、D151、D181、D252

GLASS CUTTING BLADES







Diameter	105、110、115、125、150、180、200、230、250、300、350mm
Height	7mm
Width	(105-125mm)1.4mm,(150-250mm)1.2mm,(300-350mm)1.8mm

YF-03-09 SINTERED STONE BLADE


YF-03-09 (01)


YF-03-09 (02)


YF-03-09 (03)


YF-03-09 (04)



YF-03-09 (05)


YF-03-09 (06)


YF-03-09 (07)


YF-03-09 (08)


YF-03-09 (09)


YF-03-09 (10)


YF-03-09 (11)


YF-03-09 (12)


YF-03-09 (13)


YF-03-09 (14)


YF-03-09 (15)


YF-03-09 (16)


YF-03-09 (17)


YF-03-09 (18)



YF-03-09 (19)


YF-03-09 (20)


YF-03-09 (21)


YF-03-09 (22)


YF-03-09 (23)


YF-03-09 (24)


YF-03-09 (25)

Diameter	105、115、125、150、180、200、230、250、300、350mm
Height	7、10、12mm

Hand-Held Angle Grinder Cup Wheel

YF-05-01 SEMENTED TYPE



YF-05-01 (01) YF-05-01 (02) YF-05-01 (03) YF-05-01 (04)

YF-05-01 (01) YF-05-01 (02) YF-05-01 (03) YF-05-01 (04)

YF-05-01 (01) YF-05-01 (02) YF-05-01 (03) YF-05-01 (04)

YF-05-01 (01) YF-05-01 (02) YF-05-01 (03) YF-05-01 (04)

Diameter	105、110、115、125、150、180mm
Applications	From soft to abrasive concrete and other masonry material.

YF-05-01 SEMENTED TYPE


YF-05-01 (17)


YF-05-01 (18)


YF-05-01 (19)


YF-05-01 (20)


YF-05-01 (21)


YF-05-01 (22)


YF-05-01 (23)


YF-05-01 (24)


YF-05-01 (25)


YF-05-01 (26)


YF-05-01 (27)
Aluminium steel core


YF-05-01 (28)
Aluminium steel core

Diameter	105、110、115、125、150、180mm
Applications	From soft to abrasive concrete and other masonry material.

YF-05-02 TURBO TYPE


YF-05-02 (01)


YF-05-02 (02)


YF-05-02 (03)


YF-05-02 (04)


YF-05-02 (05)


YF-05-02 (06)


YF-05-02 (07)
Rim


YF-05-02 (08)
Aluminium steel core


YF-05-02 (09)
Aluminium steel core

Diameter	105、110、115、125、150、180mm
Applications	For granite,marble and other natural stone.

Wet & Dry Core Bits

YF-06-01 SINTERED CORE BITS




Crown


Rim


Turbo


Thin wall

Diameter	6、8、10、12、14、16、18、20、25、28、32、35、38、42、45、48、52mm
Height	10mm
Applications	Stone slab,tile,brick.


YF-06-02 WET CORE BITS FOR STONE




Diameter	6、8、10、12、14、16、18、20、25、28、32、35、38、42、45、48、52mm
Height	10mm
Applications	Stone slab,tile,brick.


YF-06-03 DRY CORE BITS




Normal


W Turbo


Turbo


V type

Diameter	32、38、42、45、48、52、58、62、65、68、72、82、91、102、107、117、127、132、142、152、162、182、202mm
Height	8、10mm
Useful length	150、250mm
Arbor	1/2" BSP、5/8"-11、M16
Applications	Laser welded core bits are designed for drilling walls such as brick,block and light weight concrete,ensuring fast drilling and safety.

YF-06-04 WET CORE BITS





Turbo type


Crown type


V-Gullet type


W Line up type


Line up type


Roof type

Diameter	22、25、30、32、35、38、42、45、48、52、57、63、72、76、83、89、102、107、117、127、152、159、178、200、230、250、300、350mm
Height	10mm
Length	250mm、300mm、350mm、400mm、450mm、500mm、750mm、800mm、1000mm、1200mm
Applications	Reinforced concrete,construction materials,wet drillong.Available with turbo,roof,roof turbo, flat segment design,and also available with bonds in different hardness.

Core Bits Shank

YF-06-05 CORE DRILL SHANK







Diameter	ф12-350mm
Length	70mm、100mm、150mm、250mm、300mm、350mm、400mm、450mm、500mm、600mm、750mm、800mm、1000mm、1200mm、1500mm、1600mm.
Shank	1/2" GAS、1/2 " BSP、5/8" - 11、1-1/4" -7 UNC

Core Bits Accessories

YF-06-06 CORE DRILL ACCESSORIES


YF-06-06 (01)


YF-06-06 (02)


YF-06-06 (03)


YF-06-06 (04)


YF-06-06 (05)


YF-06-06 (06)


YF-06-06 (07)


YF-06-06 (08)


YF-06-06 (09)


YF-06-06 (10)


YF-06-06 (11)


YF-06-06 (12)


YF-06-06 (13)


YF-06-06 (14)


YF-06-06 (15)


YF-06-06 (16)


YF-06-06 (17)

YF-06-06 CORE DRILL ACCESSORIES



YF-06-06 (18) YF-06-06 (19) YF-06-06 (20) YF-06-06 (21) YF-06-06 (22) YF-06-06 (23)



YF-06-06 (24) YF-06-06 (25) YF-06-06 (26) YF-06-06 (27) YF-06-06 (28) YF-06-06 (29)



YF-06-06 (30) YF-06-06 (31) YF-06-06 (32) YF-06-06 (33) YF-06-06 (34) YF-06-06 (35)

T.C.T Saw Blade

BASIC TOOTH TYPE


Tooth form			
Flat tooth =F	Trapezoid tooth=T	Left skewed tooth=A	Right skewed tooth=B


Code of tooth form	F	T	TCG	ATB
Tooth form				

Code of tooth form	FTG	TG	MCT
Tooth form			

YF-07-01 FOR CORK BOARD







Cork board

Unit:mm

Diameter	Inner hole	No.of Teeth
110	16/20	24~40
160	16/20/22.23	24~40
180	20/22.23/25.4	24~60
200	20/22.23/25.4	24~60
230	22.23/25.4/30	24~80
250	22.23/25.4/30	24~120
300	25.4/30/32	30~120
350	25.4/30/32	30~120

YF-07-02

FOR SOLID WOOD & COMPOSITE BOARD







Solid Wood



Composite board

Unit:mm


Diameter	Inner hole	No.of Teeth
110	16/20	24-40
160	16/20/22.23	24-40
180	20/22.23/25.4	24-60
200	20/22.23/25.4	24-60
230	22.23/25.4/30	24-80
250	22.23/25.4/30	24-120
300	25.4/30/32	30-120
350	25.4/30/32	30-120







Solid Wood




Composite board

Unit:mm

Diameter	Inner hole	No.of Teeth
110	16/20	24-40
160	16/20/22.23	24-40
180	20/22.23/25.4	24-60
200	20/22.23/25.4	24-60
230	22.23/25.4/30	24-80
250	22.23/25.4/30	24-120
300	25.4/30/32	30-120
350	25.4/30/32	30-120

YF-07-02 FOR SOLID WOOD & COMPOSITE BOARD







Solid Wood




Composite board

Unit:mm

Diameter	Inner hole	No.of Teeth	Locating hole
200	30	28	FT01×2/7/42 + 2/9/46.4
200	30	36	
225	30	24	
225	30	28	FT02×2/9/46.4 + 2/10/60
250	30	24	
255	30	24	
280	30	36	FT03×2/7/42 + 2/10/60
300	30	36	







Solid Wood




Composite board

Unit:mm

Diameter	Inner hole	No.of Teeth	Locating hole
200	40	28	2ch 12x5
200	60	28	ft 3/10/75
225	40	28	2ch 12x5
225	60	28	tf 3/10/75
250	40	24	2ch 12x5
250	60	24	tf 3/10/75
280	60	36	tf 3/10/75
300	50	36	2ch 21x5

YF-07-03 FOR ALUMINUM & PROFILE







Aluminum




Profile

Unit:mm

Diameter	Inner hole	No.of Teeth
110	16/20	40
160	16/20/22.23	40-60
180	20/22.23/25.4	40-60
200	20/22.23/25.4	60-80
230	22.23/25.4/30	60-80
250	22.23/25.4/30	96-120
300	25.4/30/32	96-120
350	25.4/30/32	100-120







Aluminum




Profile

Unit:mm

Diameter	Inner hole	No.of Teeth
110	16/20	40
160	16/20/22.23	40-60
180	20/22.23/25.4	40-60
200	20/22.23/25.4	60-80
230	22.23/25.4/30	60-80
250	22.23/25.4/30	96-120
300	25.4/30/32	96-120
350	25.4/30/32	100-120

YF-07-04 FOR ANGLE IRON & GALVANIZED PIPE







Angle iron




Galvanized pipe

Unit:mm

Diameter	Inner hole	No.of Teeth
110	16/20	24-30
160	16/20/22.23	24-40
180	20/22.23/25.4	30-48
200	20/22.23/25.4	30-52
230	22.23/25.4/30	40-60
250	22.23/25.4/30	40-60
300	25.4/30/32	40-60
350	25.4/30/32	40-60







Angle iron




Galvanized pipe

Unit:mm

Diameter	Inner hole	No.of Teeth
110	16/20	24-30
160	16/20/22.23	24-40
180	20/22.23/25.4	30-48
200	20/22.23/25.4	30-52
230	22.23/25.4/30	40-60
250	22.23/25.4/30	40-60
300	25.4/30/32	40-60
350	25.4/30/32	40-60

YF-07-05 DOVETAIL SAW BLADE







Solid Wood




Composite board

Unit:mm


Diameter	Inner hole	No.of Teeth	Locating hole
200	30	28	FT01=2/7/42 + 2/9/46.4
200	30	36	
225	30	24	
225	30	28	FT02=2/9/46.4 + 2/10/60
250	30	24	
255	30	24	
280	30	36	FT03=2/7/42 + 2/10/60
300	30	36	







Solid Wood




Composite board

Unit:mm

Diameter	Inner hole	No.of Teeth
200	20/22.23/25.4	28
200	20/22.23/25.4	36
225	22.23/25.4/30	28
250	22.23/25.4/30	24
250	22.23/25.4/30	24
255	22.23/25.4/30	24
280	25.4/30/32	36
300	25.4/30/32	36

YF-07-06 FOR COMPOSITE BOARD & RIGHD PLASTICS







Composite board





Rigid plastics

Unit:mm

Diameter	Inner hole	No.of Teeth	Locating hole
110	30	40	FT01=2/7/42 + 2/9/46.4
160	30	40-60	
180	30	40-60	
200	30	60-80	FT02=2/9/46.4 + 2/10/60
230	30	60-80	
250	30	96-120	
300	30	96-120	FT03=2/7/42 + 2/10/60
350	30	100-120	

YF-07-07 CIRCULAR SAW BLADE FOR WOOD







Solid Wood



Composite board

Unit:mm


Diameter	Inner hole	No.of Teeth
110	16/20	12-40
160	16/20/22.23	12-40
180	20/22.23/25.4	24-60
200	20/22.23/25.4	24-60
230	22.23/25.4/30	40-100
250	22.23/25.4/30	60-120
300	25.4/30/32	60-120
350	25.4/30/32	60-120

YF-07-08 SLOTTED SAW BLADE





Solid Wood



Unit:mm

Diameter	Inner hole	No.of Teeth
110	20/25.4/30	6
160	20/25.4/30	8
180	20/25.4/30	12~18
200	20/25.4/30	12~18

YF-07-09 RECIPROCATING SAW BLADE



▪ TCT Norma Blade 215X1.6X25.4X13T



▪ TCT Milwuakee Blade 460X2.0X47X20T (1.8 shank)



▪ TCT Blade 215X1.8X25.4X13T (1.8 shank)

T.C.T Saw Blade For Cutting Grass

YF-07-10 FOR CUTTING GRASS



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
230	25.4	36	1.3
255	25.4	40	1.3
255	25.4	60	1.3



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
230	25.4	36	1.3
255	25.4	40	1.3
255	25.4	60	1.3



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
230	25.4	36	1.3
255	25.4	40	1.3
255	25.4	60	1.3



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
230	25.4	36	1.3
255	25.4	40	1.3
255	25.4	60	1.3

YF-07-10

FOR CUTTING GRASS



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
230	25.4	36	2.0
255	25.4	40	2.0
255	25.4	60	2.0



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
230	25.4	36	1.6
255	25.4	40	1.6
255	25.4	40	1.8



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
230	25.4	36	1.6
255	25.4	80	1.6
255	25.4	80	1.8



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
230	25.4	60	1.6
255	25.4	80	1.6
255	25.4	80	1.8

YF-07-10 FOR CUTTING GRASS



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
255	25.4	2	2.5-4.0
305	25.4	2	2.5-4.0



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
255	25.4	2	2.5-4.0
305	25.4	2	2.5-4.0



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
255	25.4	3	1.4-1.6
305	25.4	3	1.4-1.6



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
255	25.4	4	1.4-1.6
305	25.4	4	1.4-1.6



Unit:mm

Diameter	Inner hole	No.of Teeth	Body thickness
255	25.4	8	1.4-1.8
305	25.4	8	1.4-1.8

Working Instructions

TYPE OF EQUIPMENT


Masonry saw


Angle grinder


Core drilling machine


Circular saw


Hand drill


Stone saw


Tuck pointer


Tile saw


Wall saw


Flat saw


Lasar welded


Grooving saw


Brazed


Walk behind saw


Dry


Floor grinder


Wet


Hand-herd power saw

OPERATING SPEED

Diameter	Recommended	Maximum safe
mm(inch)	RPM	RPM
55(2-1/4")	16778	27798
80(3-1/4")	11464	19108
89(3-1/2")	10305	17176
105(4")	9072	15000
110(4-1/4")	8338	13897
115(4-1/2")	8063	13300
125(5")	7257	12000
150(6")	6048	10185
180(7")	5148	8730
200(8")	4536	7640
230(9")	4032	6790
250(10")	3629	6115
300(12")	3024	5095
350(14")	2592	4365
400(16")	2268	3820
450(18")	2016	3395
500(20")	1814	3055
600(24")	1512	2550
700(28")	1396	2350
800(32")	1210	2040
900(36")	1008	1700
1000(40")	864	1455
1200(48")	756	1257
1400(56")	644	1092
1600(64")	563	955
1800(72")	500	849

Earplug Application Range And Instructions.



Hearing Protection by J&Y

All earplugs we produced are with premium quality, raw material original from Germany.
They are tested by the authoritative Laboratory of NVLAP certification in US.

User Instruction for PU foam earplugs

The best rebound time in the ear canal is around 30-40 seconds under human body temperature, neither too fast nor too slow as it allows the plug fully insert the ear canal. However, Rebound time will vary with the ambient temperature goes too hot or too cold when fitting the earplug.



Roll to a small crease-free cylinder | Insert as shown | Hold until expansion | Ensure suitable fitting

Earplug Dispenser

With the Ear Plug Dispenser Plug station, you can afford to put earplugs in all the places they're needed. Available in 250 and 500 pairs per dispenser. Plug Stations increase compliance thanks to their high visibility construction.

ED-250 with 250 pairs earplugs | **ED-250S** with mounting bracket

FITS: EC-1001A / EC-1003A / EC-1005A / EC-1006A / EC-1007A / EC-1008A

* Sold as 250/box
* Earplugs dispenser eliminates the need for individual paper/polybag packaging, good for environment.
* Convenient, dispenser delivers one uncorded foam ear plug with a gentle turn Earplug drop right into the palm of your hands or tray, no need to worry about the earplugs falling on the floor
* Free-standing or wall-mounted
* Made from ABS plastic, PVC Free & durable



ED-500 with 500 pairs earplugs | **ED-500S** with mounting bracket

FITS: EC-1001A / EC-1003A / EC-1005A / EC-1006A / EC-1007A / EC-1008A

* Sold as 500/box
* Earplugs dispenser eliminates the need for individual paper/polybag packaging, good for environment.
* Convenient, dispenser delivers one uncorded foam ear plug with a gentle turn Earplug drop right into the palm of your hands or tray, no need to worry about the earplugs falling on the floor
* Free-standing or wall-mounted
* Made from ABS plastic, PVC Free & durable



Disposable Foam Earplugs

EC-1001A
EC-1001A-C
EC-1001A-C-D (Metal Detectable)

EN 352-2:2020
SNR 38dB

ANSI S3.19-1974 Noise Reduction Rate **NRR 32dB**
AS/NZS 1270:2002
SLC(80) = 26.1dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	30.1	34.2	41.0	41.7	38.2	45.2	45.7
Standard deviation Sf [dB]	3.9	4.0	4.1	4.7	3.6	4.1	4.6
APV Mf-Sf [dB]	26.2	30.2	36.9	37.0	35.2	41.0	41.1

SNR=38dB	H=37dB	M=36dB	L=32dB
SNR=39.8dB	H=40.1dB	M=39.5dB	L=36dB
SNR=2.9dB	H=2.9dB	M=3.2dB	L=3.6dB

Features and Benefits:

Comfortable
Soft PU foam material for low pressure inside the ear
Slow rebound allows fully attach to ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient
Bullet design fits most ear canals making the plugs easier to use
Dispenser available (ED-250, ED-500)
Nylon cord or PVC cord helps prevent earplugs loss





EC-1001AS
EC-1001AS-C

ANSI S3.19-1974 Noise Reduction Rate **NRR 26dB**
AS/NZS 1270:2002
SLC(80) = 26dB CLASS 5

EN 352-2:2020
SNR 34dB



EC-1003A
EC-1003A-C



Features and Benefits:

Comfortable
Long tapered-bullet design,excellent protection against industrial-environment noise
Soft PU foam material for low pressure inside the ear
Slow rebound allows fully attach to ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient
Bullet design fits most ear canals making the plugs easier to use
Dispenser available (ED-250, ED-500)
Nylon cord or PVC cord helps prevent earplugs loss

EN 352-2:2020
SNR 37 dB

ANSI S3.19-1974 Noise Reduction Rate **NRR 33dB**
AS/NZS 1270:2002
SLC(80) = 26.4dB CLASS 5



Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	28.7	32.2	39.6	40.5	37.9	42.2	46.3
Standard deviation Sf [dB]	3.6	5.2	5.4	4.3	2.9	3.1	5.4
APV Mf-Sf [dB]	25.1	27.0	34.2	36.2	35.0	39.1	40.9

SNR=37dB	H=37dB	M=35dB	L=30dB
SNR=39.5dB	H=39.4dB	M=38.1dB	L=34.0dB
SNR=2.5dB	H=2.5dB	M=2.9dB	L=3.6dB

EC-1003A-C-D (Metal Detectable)



EC-1005A
EC-1005A-C





Features and Benefits:

Comfortable
Soft PU foam material for low pressure inside the ear
Slow rebound allows fully attach to ear canal

Convenient
Dispenser available (ED-250, ED-500)
Nylon cord or PVC cord helps prevent earplugs loss

Compatible with
Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 35dB

ANSI S3. 19- 1974
Noise Reduction Rate **NRR 32dB**
AS/ NZS 1270: 2002
SLC(80) = 22dB CLASS 4

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	31.7	31.6	35.5	37.3	36.7	43.2	46.6
Standard deviation Sf [dB]	5.6	4.4	4.2	4.1	4.1	4.0	3.0
APV Mf-Sf [dB]	26.1	27.1	31.2	33.2	32.6	39.2	42.0


H=35dB	M=33dB	L=30dB
SNR=38.2dB	H=36.3dB	M=36.2dB	L=33.7dB
SNR=2.9dB	H=3.4dB	M=3.2dB	L=3.4dB

EC-1005AS
EC-1005AS-C



EN 352-2:2020
SNR 34dB

ANSI S3. 19- 1974
Noise Reduction Rate
NRR 28dB



EC-1005A EC-1005AS

EC-1006A
EC-1006A-C

Features and Benefits:

Comfortable
Soft PU foam material for low pressure inside the ear
Slow rebound allows fully attach to ear canal

Convenient
Dispenser available (ED-250, ED-500)
Nylon cord or PVC cord helps prevent earplugs loss

Compatible with
Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 35dB


ANSI S3. 19- 1974
Noise Reduction Rate **NRR 31dB**
AS/ NZS 1270: 2002
SLC(80) = 18dB CLASS 3

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	33.8	31.8	36.0	37.2	36.1	41.5	45.2
Standard deviation Sf [dB]	4.8	4.9	3.9	3.6	3.7	4.0	3.1
APV Mf-Sf [dB]	29.0	27.3	32.2	33.6	32.3	37.5	42.1

H=35dB	M=33dB	L=31dB
SNR=38.1dB	H=37.7dB	M=36.3dB	L=34.2dB
SNR=2.8dB	H=3.2dB	M=3.1dB	L=3.8dB









EC-1007A
EC-1007A-C

NEW





Features and Benefits:

Comfortable
Soft PU foam material for low pressure inside the ear
Slow rebound allows fully attach to ear canal

Convenient
Dispenser available (ED-250, ED-500)
Nylon cord or PVC cord helps prevent earplugs loss

Compatible with
Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 36dB

ANSI S3. 19- 1974
Noise Reduction Rate **NRR 30dB**
AS/ NZS 1270: 2002
SLC(80) = 18dB CLASS 3

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	32.8	39.8	42.4	38.7	37.4	45.5	47.4
Standard deviation Sf [dB]	4.4	5.2	5.7	4.7	5.6	4.7	4.6
APV Mf-Sf [dB]	28.4	34.6	37.8	34.0	31.8	40.8	42.9

H=34dB	M=34dB	L=34dB
SNR=40.1dB	H=38.8dB	M=38.4dB	L=37.8dB
SNR=4.3dB	H=4.8dB	M=4.3dB	L=4.1dB





EC-1008A
EC-1008A-C
EC-1008A-C-D
(Metal Detectable)

NEW





Features and Benefits:

Comfortable
Soft PU foam material for low pressure inside the ear
Slow rebound allows fully attach to ear canal

Convenient
Dispenser available (ED-250, ED-500)
Nylon cord or PVC cord helps prevent earplugs loss

Compatible with
Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 35dB

ANSI S3. 19- 1974
Noise Reduction Rate
NRR 28dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	26.9	31.4	35.8	36.6	36.4	42.5	45.8
Standard deviation Sf [dB]	3.4	3.1	4.8	4.8	2.4	6.0	5.9
APV Mf Sf [dB]	23.5	28.3	31.0	31.9	34.0	36.5	42.0

H=35dB	M=32dB	L=29dB
SNR=37.5dB	H=37.5dB	M=35.7dB	L=32.4dB
SNR=2.6dB	H=2.2dB	M=3.3dB	L=2.9dB



Application:
Suitable for sleeping, travelling, swimming, surfing, showering, studying, working and sporting events.

Reach around your head and pull up and back on your outer ear. This straightens out the ear canal, making way for a snug fit.
Hold the stem end of the ear plug and insert it well inside your ear canal.
Make sure you feel it sealing and the fit is comfortable.
To remove, twist earplugs gently to break the seal and remove them slowly.
They should be cleaned often in mild soapy water.
If they become hard, torn or deformed, they should be replaced.


While holding the stem, reach a hand over your head and gently pull top of your ear up and back.


Insert the earplug so all flanges are well inside your ear canal.


If properly fitted, the tip of the earplug stem may be visible to someone looking at you from the front.

http://www.cn-safety.com

Reusable Silicone Earplugs

EC-2001
EC-2001C
EC-2001C-D
(Metal Detectable)



Comfortable

Pure silicone material for low pressure inside the ear
Reusable use for long time in good shape
Humidity and sweat resistant, helps preventing from moisture ramp up in the ear canal
3 layers design allows fully attach to ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient


Christmas tree design fits most ear canals making the plugs easier to use Nylon cord or PVC cord , helps preventing from earplug loss

Compatible with

Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 32dB

ANSI S3.19-1974 Noise Reduction Rate **NRR 26dB**
AS/NZS 1270:2002
SLC(80) = 24dB CLASS 4



Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	34.5	30.4	36.0	31.0	38.1	41.2	43.0
Standard deviation Sf [dB]	5.8	4.4	4.7	4.6	4.8	5.6	4.1
APV Mf-Sf [dB]	28.8	26.0	31.3	27.3	31.2	35.6	38.9

SNR=32dB	H=32dB	M=29dB	L=28dB
SNR=35.3dB	H=36.5dB	M=33.6dB	L=32.6dB
SNR=4.2dB	H=4.2dB	M=4.6dB	L=4.2dB

EC-2001S
EC-2001S-C




Comfortable

Pure silicone material for low pressure inside the ear
Reusable use for long time in good shape
Humidity and sweat resistant, helps preventing from moisture ramp up in the ear canal
3 layers design allows fully attach to ear canal
Design to fit most ear canal with premium comfort and protection

EN 352-2:2020
SNR 28dB

ANSI S3.19-1974 Noise Reduction Rate
NRR 20dB



Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	30.9	26.8	31.4	33.2	33.6	29.8	35.2
Standard deviation Sf [dB]	4.9	5.0	6.2	6.1	4.3	4.6	5.6
APV Mf-Sf [dB]	26.0	23.7	25.2	27.1	29.3	25.0	29.6

SNR=28dB	H=28dB	M=27dB	L=26dB
SNR=32.0dB	H=31.2dB	M=31.5dB	L=30.4dB
SNR=3.8dB	H=3.6dB	M=4.5dB	L=4.7dB

EC-2014
EC-2014C





Comfortable

Pure silicone material for low pressure inside the ear
Reusable use for long time in good shape
Humidity and sweat resistant, helps preventing from moisture ramp up in the ear canal
3 layers design allows fully attach to ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient

Christmas tree design fits most ear canals making the plugs easier to use Nylon cord or PVC cord, helps preventing from earplug loss

Compatible with

Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 31dB

ANSI S3.19-1974
Noise Reduction Rate **NRR 26dB**

AS/NZS 1270: 2002
SLC(80) = 20dB CLASS 3

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	29.8	26.6	31.2	29.5	37.2	39.9	43.5
Standard deviation Sf [dB]	4.4	4.4	4.7	3.1	3.6	4.8	5.2
APV Mf-Sf [dB]	25.4	22.2	26.5	26.4	33.6	35.1	38.3

SNR=31dB	H=33dB	M=28dB	L=26dB
SNR=33.9dB	H=36.9dB	M=30.7dB	L=28.9dB
SNR=2.8dB	H=2.8dB	M=2.8dB	L=3.2dB

EC-2010L
EC-2010S

Travel Earplugs







Diameter
A = 8mm
B = 10mm



Diameter
A = 7mm
B = 9mm

TRAVEL EARPLUGS

- Reusable and easy to clean
- Perfect comfort and gentle on the skin
- Medium noise insulation
- Effectively protects from loud and bothersome noise
- Helps equalize pressure on the ears during flights
- With sanitary storage case

INSTRUCTIONS FOR USE

1) Slightly pull up on the ear.Push the rounded end of the earplug into the auditory canal.
2) Release once the earplug is seated comfortably. To remove,pull the earplug out slowly.



EN 352-2:2020
SNR 30dB



Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	28.7	30.3	31.8	31.0	33.5	43.1	43.5
Standard deviation Sf [dB]	5.7	5.2	6.5	4.4	3.9	4.9	4.1
APV Mf-Sf [dB]	23.0	25.1	25.2	26.6	29.7	38.2	39.4

SNR=30dB	H=31dB	M=27dB	L=26dB
SNR=34.0dB	H=34.6dB	M=31.3dB	L=33.3dB
SNR=3.3dB	H=3.6dB	M=3.9dB	L=4.3dB

EC-2003
EC-2003C





Comfortable

Pure silicone material for low pressure inside the ear
Reusable use for long time in good shape
Humidity and sweat resistant, helps preventing from moisture ramp up in the ear canal
Bell shape allows fully attach to ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient

Bell shape design fits most ear canals making the plugs easier to use Nylon cord or PVC cord, helps preventing from earplug loss

Compatible with

Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 26dB

ANSI S3.19-1974
Noise Reduction Rate
NRR 23dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	27.3	24.7	27.3	27.3	28.4	30.6	39.6
Standard deviation Sf [dB]	4.8	4.5	5.1	4.9	4.4	3.9	4.4
APV Mf-Sf [dB]	22.7	20.2	22.2	22.0	24.0	26.7	35.2

SNR=26dB	H=25dB	M=23dB	L=22dB
SNR=29.0dB	H=28.7dB	M=27.0dB	L=26.1dB
SNR=3.2dB	H=3.3dB	M=3.8dB	L=3.9dB

EC-2011P
EC-2011P-C

Aqua Earplugs



AQUA EARPLUGS

- Reusable and easy to clean
- Perfect comfort and gentle on the skin
- High noise insulation
- Effectively protects from water entering the ear and from noise
- With sanitary storage case

INSTRUCTIONS FOR USE

1) Slightly pull up on the ear.Push the stem end of the earplug into the auditory canal.
2) Release once the earplug is seated comfortably. To remove,pull the earplug out slowly.



EN 352-2:2020
SNR 33dB



⚠ WARNING

Not suitable for children under 36 months.Choking hazard due to small parts.Replace earplugs if torn or damaged. According to standard EN 352

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	34.5	31.9	35.0	35.3	36.3	33.8	40.3
Standard deviation Sf [dB]	4.6	3.5	4.9	4.0	3.3	2.3	4.0
APV Mf-Sf [dB]	29.9	28.3	30.1	31.4	33.0	31.5	36.4

SNR=33dB	H=33dB	M=32dB	L=30dB
SNR=35.7dB	H=35.0dB	M=34.8dB	L=33.6dB
SNR=2.3dB	H=2.1dB	M=2.9dB	L=3.2dB

EC-2016



Adult
20x20MM



Kids
15x15MM

INSTRUCTIONS FOR USE
Please read the following instructions for use and keep this leaflet for future reference.

WARNING
- Choking hazard. Due to small parts keep away from children. If used by children, adult supervision is required.
- Should not be used for scuba diving or other deep diving.
- For personal use only, not intended for professional or industrial use.
- Consult your doctor before use if you have a perforated or infected ear drum.
- Before use, make sure your hands and ear plugs are clean and free of dirt or debris.
- Do not alter or modify the ear plugs in any way and check for any damage before use.
- If any irritation occurs, stop using immediately.
- If used for flying, the ear plugs should be removed as descending commences.
- When not in use, store the ear plugs in the travel case supplied.



EN 352-2:2020
SNR 28dB

ANSI S3. 19- 1974
Noise Reduction Rate
NRR 20dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	26.3	22.9	24.0	28.5	37.8	41.5	39.3
Standard deviation Sf [dB]	4.0	3.4	4.2	4.2	4.5	3.3	4.1
APV Mf-Sf [dB]	22.3	19.5	19.8	24.4	33.3	38.2	35.2

SNR= 28dB	**H=32dB**	**M=24dB**	**L= 22dB**
SNRh=31.0dB	Hh=35.0dB	Mh=27.7dB	Lh=25.0dB
SNRl=3.4dB	Hl=3.3dB	Ml=3.6dB	Ll=3.3dB

EC-2018
EC-2018C





Comfortable
Pure silicone material for low pressure inside the ear
Reusable use for long time in good shape
Humidity and sweat resistant, helps preventing from moisture ramp up in the ear canal
3 layers design allows fully attach to ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient
Christmas tree design fits most ear canals making the plugs easier to use Nylon cord or PVC cord, helps preventing from earplug loss

Compatible with
Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 33dB

ANSI S3. 19- 1974
Noise Reduction Rate
NRR 26dB

EC-2018C-D
(Metal Detectable)



Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	30.8	27.7	30.8	34.7	36.9	37.1	44.0
Standard deviation Sf [dB]	3.8	4.1	4.3	3.2	3.5	4.3	4.5
APV Mf-Sf [dB]	27.1	23.6	26.5	31.5	33.4	32.8	39.5

SNR=33dB	**H=34dB**	**M=30dB**	**L=27dB**
SNRh=36.4dB	Hh=36.4dB	Mh=33.2dB	Lh=30.5dB
SNRl=2.6dB	Hl=2.3dB	Ml=2.9dB	Ll=3.6dB

Reusable Silicone Earplugs

Christmas tree silicone earplugs
EC-2002 / EC-2002C



Comfortable
Pure silicone material for low pressure inside the ear
Reusable use for long time in good shape
Humidity and sweat resistant, helps preventing from moisture ramp up in the ear canal
3 layers design allows fully attach to ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient
Christmas tree design fits most ear canals making the plugs easier to use Nylon cord or PVC cord, helps preventing from earplug loss

Compatible with
Designed to be compatible with earmuff or other PPE

EN 352-2:2020
SNR 31dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	26.9	30.6	32.6	30.7	34.3	38.4	43.6
Standard deviation Sf [dB]	6.3	5.4	6.1	3.1	3.3	6.5	4.3
APV Mf-Sf [dB]	22.6	25.2	26.6	27.6	31.0	31.9	39.4

SNR=31dB	**H=32dB**	**M=28dB**	**L=26dB**
SNRh=34.1dB	Hh=34.3dB	Mh=31.0dB	Lh=30.7dB
SNRl=3.2dB	Hl=2.8dB	Ml=3.3dB	Ll=4.3dB

EC-3010



Convenient
Washable and Reusable
Environmentally friendly, sustainable use.
Excellent noise reduction for a quiet atmosphere.
Filter out noisy noise in noisy
places and improve the efficiency of work.

Compatible with
Designed to be compatible with earmuff or other PPE

Replace Pods

Size: Medium



Size: Large



EC-3011



Convenient
Washable and Reusable
Environmentally friendly, sustainable use.
Excellent noise reduction for a quiet atmosphere.
Filter out noisy noise in noisy
places and improve the efficiency of work.

Compatible with
Designed to be compatible with earmuff or other PPE

Replace Pods

Size: Medium



Size: Large



Reusable Silicone Earplugs

Four layer silicone earplugs
EC-2005 / EC-2005C



Three Layer silicone earplugs
EC-2008 / EC-2008C



EC-2020 EC-2020C



Comfortable

Pure silicone material for low pressure inside the ear
Reusable use for long time in good shape
Humidity and sweat resistant, helps preventing from moisture ramp up in the ear canal
3 layers design allows fully attach to ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient

Christmas tree design fits most ear canals making the plugs easier to use Nylon cord or PVC cord, helps preventing from earplug loss

Compatible with

Designed to be compatible with earmuff or other PPE

ANSI S3. 19-1974
Noise Reduction Rate
NRR 27dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	36.8	34.9	39.3	39.7	36.0	41.7	46.2
Standard deviation Sf [dB]	5.3	4.3	4.8	5.1	5.3	4.4	3.3

EC-2012 EC-2012C



Comfortable

Pure silicone material for low pressure inside the ear
Reusable use for long time in good shape
Humidity and sweat resistant, helps preventing from moisture ramp up in the ear canal
Design to fit majority ear canal with premium comfort and protection

Convenient

Christmas tree design fits most ear canals making the plugs easier to use Nylon cord or PVC cord, helps preventing from earplug loss

Compatible with

Designed to be compatible with earmuff or other PPE

ANSI S3. 19-1974
Noise Reduction Rate
NRR 25dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	33.5	29.6	34.3	32.8	35.5	36.7	42.3
Standard deviation Sf [dB]	4.7	3.6	4.2	4.0	3.8	4.9	4.1

TPR Earplugs


EC-2061 / EC-2061C
EC-2061C-D (Blue Detectable)



EN 352-2:2020
SNR 27dB
H= 29dB M= 24dB L= 23dB

ANSI S3. 19-1974
Noise Reduction Rate **NRR 22dB**
AS/NZS 1270: 2002
SLC(80) = 14.2dB CLASS 2

EC-2062 / EC-2062C
EC-2062C-D (Blue Detectable)



EN 352-2:2020
SNR 32dB
H= 31dB M= 30dB L= 26dB

ANSI S3. 19-1974
Noise Reduction Rate **NRR 26dB**
AS/NZS 1270: 2002
SLC(80) = 13.8dB CLASS 2

EC-2063 / EC-2063C
EC-2063C-D (Blue Detectable)



EN 352-2:2020
SNR 32dB
H= 33dB M= 29dB L= 28dB

ANSI S3. 19-1974
Noise Reduction Rate **NRR 25dB**
AS/NZS 1270: 2002
SLC(80) = 12.5dB CLASS 1

EC-2065 / EC-2065C
EC-2065C-D (Blue Detectable)



EN 352-2:2020
SNR 34dB
H= 33dB M= 32dB L= 31dB

ANSI S3. 19-1974
Noise Reduction Rate
NRR 26dB

Banded Earplugs

Banded round shape earplugs

EC-4102 / EC-4102S



Round Shape Earplug
(replace pods)
EC-4102S



Banded hearing protectors are easy to use, extremely comfortable. They are fast insert and remove in quick and can be worn or around the neck when not for use, making them ideal for incontinently use. It offers simplicity to help improve the choice of hearing protection products that suits the working environment greatly. With replacement foam pods making them a more cost-saving option.

Features and benefits:

Comfortable

- Extremely light
- Very low pressure into the ear canal
- Without deep insertion Pod plugs seal the entrance part of the ear canal.

EN 352-2:2020
SNR 29dB

ANSI S3. 19- 1974
Noise Reduction Rate
NRR 23dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation M [dB]	30.5	25.2	25.6	26.9	35.1	42.5	44.8
Standard deviation SF [dB]	4.1	3.6	3.9	2.3	3.5	3.6	4.2
APV MF SF [dB]	26.1	21.6	22.0	24.6	31.6	38.9	40.6

SNR=29dB	H=32dB	M=26dB	L=24dB
SNR=31.2dB	H=34.0dB	M=27.7dB	L=26.4dB
SNR=2.1dB	H=2.1dB	M=2.1dB	L=2.7dB

Banded taper shape earplugs

EC-4103 / EC-4103S



Taper Shape Earplug
(replace pods)
EC-4103S



Banded hearing protectors are easy to use, extremely comfortable. They are fast insert and remove in quick and can be worn or around the neck when not for use, making them ideal for incontinently use. It offers simplicity to help improve the choice of hearing protection products that suits the working environment greatly. With replacement foam pods making them a more cost-saving option.

Features and benefits:

Comfortable

- Extremely light
- Very low pressure into the ear canal
- Without deep insertion Pod plugs seal the entrance part of the ear canal.

EN 352-2:2020
SNR 27dB

ANSI S3. 19- 1974
Noise Reduction Rate
NRR 22dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation M [dB]	26.7	23.8	24.3	25.4	34.1	43.0	44.3
Standard deviation SF [dB]	4.1	3.8	4.0	3.8	4.6	4.4	4.3
APV MF SF [dB]	22.7	20.0	20.3	21.6	29.5	37.6	40.0

SNR=27dB	H=33dB	M=24dB	L=22dB
SNR=30.1dB	H=33.8dB	M=25.7dB	L=24.2dB
SNR=2.9dB	H=3.1dB	M=3.1dB	L=3.0dB

Banded bell shape earplugs

EC-4105 / EC-4105S



Taper Shape Earplug
(replace pods)
EC-4105S



Banded hearing protectors are easy to use, extremely comfortable. They are fast insert and remove in quick and can be worn or around the neck when not for use, making them ideal for incontinently use. It offers simplicity to help improve the choice of hearing protection products that suits the working environment greatly. With replacement foam pods making them a more cost-saving option.

Features and benefits:

Comfortable

- Extremely light
- Very low pressure into the ear canal
- Without deep insertion Pod plugs seal the entrance part of the ear canal.

Convenient

- Can be worn in either under-the-chin or Behind-the-head
- Easy to use
- Ideal for people moving in and out
- Replacement Foam pods available

Compatible with

- Designed to be compatible with other PPE

Banded bell shape earplugs

EC-4101 / EC-4101S



Bell Shape Reusable Earplug
(replace pods)
EC-4101S



Banded hearing protectors are easy to use, extremely comfortable. They are fast insert and remove in quick and can be worn or around the neck when not for use, making them ideal for intermittently use. It offers simplicity to help improve the choice of hearing protection products that suits the working environment greatly. With replacement silicone pods making them a more cost-saving option.

Features and benefits:

Comfortable

- Extremely light
- Very low pressure into the ear canal
- Without deep insertion Pod plugs seal the entrance part of the ear canal.

EN 352-2:2020
SNR 30dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation M [dB]	31.8	28.0	28.6	30.4	34.3	41.1	45.2
Standard deviation SF [dB]	5.0	5.0	4.1	4.3	4.2	4.4	4.3
APV MF SF [dB]	25.9	23.1	24.5	25.5	30.0	36.7	40.9

SNR=30dB	H=31dB	M=26dB	L=25dB
SNR=33.4dB	H=34.8dB	M=27.4dB	L=27.0dB
SNR=3.4dB	H=3.8dB	M=3.4dB	L=2.1dB

Banded taper shape earplugs

EC-4106 / EC-4103S



Taper Shape Earplug
(replace pods)
EC-4103S



Banded hearing protectors are easy to use, extremely comfortable. They are fast insert and remove in quick and can be worn or around the neck when not for use, making them ideal for intermittently use. It offers simplicity to help improve the choice of hearing protection products that suits the working environment greatly. With replacement foam pods making them a more cost-saving option.

Features and benefits:

Comfortable

- Extremely light
- Very low pressure into the ear canal
- Without deep insertion Pod plugs seal the entrance part of the ear canal.

Convenient

- Can be worn in either under-the-chin or Behind-the-head
- Easy to use
- Ideal for people moving in and out
- Replacement Foam pods available

Compatible with

- Designed to be compatible with other PPE

AS/NZS 1270: 2002
SLC(80) = 18.5dB
CLASS 3



EC-4110



EC-4111

Music Earplugs



Model: EC-3001 ANSI

ANSI S3.19-1974
Noise Reduction Rate
NRR 20dB



Model: EC-3002 ANSI

ANSI S3.19-1974
Noise Reduction Rate
NRR 15dB



Model: EC-3003 CE

EN 352-2:2020
SNR 27dB

H=28dB M=25dB L= 23dB



Model: EC-3005



Model: EC-3006



Model: EC-3007



Model: EC-3008



Model: EC-3009





Musicians spend a lot of their time around damaging noise levels. Whether they play a musical instrument or sing in a band, musicians are at risk for developing music-induced hearing loss. Musicians rely on their hearing in practice and performance, and it is important that their hearing is not compromised over time.

Bluetooth Earplugs

NEW

Model: EB-8001 CE ANSI



Bluetooth Earplugs

Great Noise Reduction: Wireless earplugs provide a passive noise reduction, which keeping your ears from the harmful noise surrounding, you can enjoy music and call with anyone through earplugs without obstacles.

Ergonomic Design: The earplugs is soft and lightweight made of silicone material, with christmas tree shape and 3-layer design better fits most ear canal and isolate noise. Flexible cord and comfy neckband, only weight 21g±2g, leaves no pressure on your neck.

Wireless Headphone: Features wireless technology, with ability to listen to music and call. Enjoy 10 hour battery life with only 3 hours of charging time.

Work Earphones: Offering premium sound & hearing protection in your earbuds for work.

Water and Sweat Resistant: Reaching waterproof level, protecting wireless earplugs neckband from rain or sweat during working, which is great for Landscaping, Public Transit, Shooting, Construction, Gym, Yard Work, and more.



Specification

Bluetooth version:	Bluetooth 5.0
Transmission distance:	≥ 10m
Call life:	≥ 10 hours
Charging time:	3 hours
Product weight:	21g±2g

This product complies with Regulation

Use with Bluetooth devices ie. android/apple/google

NEW

Model: EB-8002 CE ANSI



Bluetooth Earplugs

Great Noise Reduction: Wireless earplugs provide a passive noise reduction, which keeping your ears from the harmful noise surrounding, you can enjoy music and call with anyone through earplugs without obstacles.

Ergonomic Design: The earplugs is soft and lightweight made of silicone material, with christmas tree shape and 3-layer design better fits most ear canal and isolate noise. Flexible cord and comfy neckband, only weight 26.1g±2g, leaves no pressure on your neck.

Wireless Headphone: Features wireless technology, with ability to listen to music and call. Enjoy 10 hour battery life with only 3 hours of charging time.

Work Earphones: Offering premium sound & hearing protection in your earbuds for work.

Water and Sweat Resistant: Reaching waterproof level, protecting wireless earplugs neckband from rain or sweat during working, which is great for Landscaping, Public Transit, Shooting, Construction, Gym, Yard Work, and more.

Specification

Bluetooth version:	Bluetooth 5.0
Transmission distance:	≥ 10m
Call life:	≥ 10 hours
Charging time:	3 hours
Product weight:	26.1g±2g

This product complies with Regulation


Use with Bluetooth devices ie. android/apple/google



Packing Series

Optional packages by plastic or color paper boxes in different shape for customerized selling unit.
Plastic box: Using high quality plastic materials, with Taiwan high standard mold injection.





HIGH PERFORMANCE TECHNOLOGY

INDUSTRIAL USE
For Cutting, Repair the Road, Shooting,
For Study,
For Kids and Baby.

Various colours are welcomed

EM-7002

AS/NZS certified products

New Concept Design:
Adjustable noise reduction rating at SNR 25-SNR 35dB by turning the centre physical knob. When the knob turn to "+", the SNR is 35dB, when the knob turn to "-", the SNR is 25dB, It helps you to use in different working surroundings without taking off the headphone.

Safety and Trusted:
ANSI S3.19 , EN352-2 and AS/NZS 1270 approved, Suitable for Military, Hunting,Yard work, Racing, Noisy work sites and etc.

New arrival headband wrapped with soft TPE out cover and an adjustable telescopic metal rack for personalized fit.

Comfortable Cushion:
Ultra soft and wide ear cushion can fit ear perfect. No squeezing head and ear. Suitable for long time wear.



Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	19.5	27.2	37.0	42.1	38.6	42.4	35.1
Standard Deviation(dB)	3.7	3.3	3.7	4.4	3.3	3.8	5.2
Mean-minus-Std. dev.dB(APV	15.8	23.9	33.3	37.7	35.4	38.6	32.0

SNR= 35dB	H=37dB	M=33dB	L= 24dB
SNRw=36.9dB	Hw=39.4dB	Mw=35.7dB	Lw=27.4dB
SNRa=2.3dB	Ha=2.9dB	Ma=2.6dB	La=3.3dB

EN 352-1:2020 **SNR:35dB**

ANSI S3.19-1974 Attenuation data **NRR:28dB** CSA Class AL

AS/NZ S1270:2002 **SLC(80): 29.7dB** **Class 5**

Closed (+)

Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	9.4	14.6	23.0	35.3	37.1	39.0	34.4
Standard Deviation(dB)	2.8	2.8	3.0	2.0	3.8	4.6	6.8
Mean-minus-Std. dev.dB(APV	6.6	11.8	20.0	33.3	33.3	34.4	25.0

SNR= 25dB	H=33dB	M=22dB	L= 14dB
SNRw=27.2dB	Hw=35.7dB	Mw=24.8dB	Lw=16.1dB
SNRa=2.4dB	Ha=3.1dB	Ma=2.4dB	La=2.4dB

EN 352-1:2020 **SNR:25dB**

ANSI S3.19-1974 Attenuation data **NRR:19dB** CSA Class B

AS/NZ S1270:2002 **SLC(80): 24dB** **Class 4**

Open (-)



EM-7001

NEW

Exclusive Look Design:
Exclusive and fresh muff-cup look design, New arrival headband wrapped with soft TPE out cover and an adjustable telescopic metal rack for personalized fit.
Safety and Trusted:
ANSI S3.19 , EN352-2 and AS/NZS 1270 approved, Suitable for Military, Hunting,Yard work, Racing, Noisy work sites and etc.
Excellent Noise Reduction:
Light-weight design at small cup shape, built-in high density acoustic foam achieving high noise reduction rating of SNR 31dB,NRR 25dB.
Comfortable Cushion:
Ultra soft and wide ear cushion can fit ear perfect. No squeezing head and ear. Suitable for long time wear.


EM-7001D


EM-7001E



EN 352-1:2020 **SNR:31dB**

ANSI S3.19-1974 Attenuation data	AS/NZ S1270:2002
NRR:25dB CSA Class A	SLC(80): 29.1dB
	Class 5

Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	16.8	22.2	30.3	37.3	38.0	38.2	38.4
Standard Deviation(dB)	3.5	3.3	4.1	4.3	3.6	4.7	4.8
Mean-minus-Std. dev.dB(APV	13.4	18.8	26.2	33.0	34.3	33.5	33.6

SNR= 31dB	H=35dB	M=28dB	L= 21dB
SNRm=33.4dB	H_m=37.6dB	M_m=31.4dB	L_m=23.6dB
SNR$_H$=2.8dB	H_H=3.0dB	M_M=2.9dB	L_L=2.9dB

EM-7001L

NEW

Exclusive Look Design:
Exclusive and fresh muff-cup look design, New arrival headband wrapped with soft TPE out cover and an adjustable telescopic metal rack for personalized fit.
Safety and Trusted:
ANSI S3.19 , EN352-2 and AS/NZS 1270 approved, Suitable for Military, Hunting,Yard work, Racing, Noisy work sites and etc.
Excellent Noise Reduction:
Light-weight design at small cup shape, built-in high density acoustic foam achieving high noise reduction rating of SNR 35dB,NRR 29dB.
Comfortable Cushion:
Ultra soft and wide ear cushion can fit ear perfect. No squeezing head and ear. Suitable for long time wear.


EM-7001L-D


EM-7001L-E



EN 352-1:2020 **SNR:35dB**

ANSI S3.19-1974 Attenuation data	AS/NZ S1270:2002
NRR:29dB CSA Class A	SLC(80): 32.8dB
	Class 5

Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	21.6	28.5	39.6	42.2	38.3	38.6	36.8
Standard Deviation(dB)	3.5	2.6	4.1	4.1	3.3	4.0	3.7
Mean-minus-Std. dev.dB(APV	18.1	25.9	35.7	38.1	34.9	34.5	33.0

SNR= 35dB	H=35dB	M=35dB	L= 26dB
SNRm=37.1dB	H_m=38.1dB	M_m=36.5dB	L_m=29.4dB
SNR$_H$=2.0dB	H_H=3.4dB	M_M=1.7dB	L_L=3.0dB

EM-5002B

Folding Headband
Features and Benefits:
+ Padded headband and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Unique Double-shell design guarantee offer high noise Reduction Rating.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in several versions including: Headband, foldable, neckband and helmet mounted versions, All versions are available in high visibility colors.

Suitable for Loud Machinery, Lawn Movers, Engines, Industrial Machines,Power tools, Loud Music, Noise places.


Adjustable headband design


Swivel Cup Design with Soft Foam



Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	15.6	20.7	33.0	39.8	38.1	39.5	39.7
Standard Deviation(dB)	1.8	2.2	2.8	3.3	2.4	3.4	2.2
Mean-minus-Std. dev.dB(APV	13.8	23.5	30.2	36.5	33.8	36.1	33.4

SNR= 33dB	H= 35 dB	M= 32 dB	L= 23 dB
SNR_m = 34.5dB	H_m = 37.6dB	M_m = 33.2dB	L_m = 24.2dB
SNR_H = 1.6dB	H_L = 2.0dB	M_L = 1.7dB	L_L = 1.5dB

EN 352-1:2020 **SNR:33dB**

ANSI S3.19-1974 Attenuation data	AS/NZ S1270:2002
NRR:26dB	SLC(80): 32.5dB
	Class 5

PACKING INFO

UNIT PACK	COLOR BOX
QTY/CTN	30PCS
CTN SIZE	52X40X30CM
CBM/CTN	0.078CBM
20FT	10000 PCS

EM-5002


SNR: 33dB NRR: 26dB

EM-5002A


SNR: 34dB
EN 352-1:2020
NRR: 27dB
SLC(80): 32.2dB
CLASS 5

EM-5002C


SNR: 31dB
SLC(80): 30.2dB CLASS 5

EM-5002D


SNR: 30dB NRR: 22dB
SLC(80): 28.4dB CLASS 5

FM-2E


SNR: 30dB NRR: 24dB
SLC(80): 28.6dB CLASS 5

Latest Earmuffs

NEW



EM-5002B-1

Folding Headband
Features and Benefits:

+ Padded headband and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Unique shell design guarantee offer high noise Reduction Rating.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.

NEW



EM-5009B

Folding Headband
Features and Benefits:

+ Padded headband and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Unique shell design guarantee offer high noise Reduction Rating.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.

NEW



DM-1

Dog Earmuff

Folding Headband
Features and Benefits:

+ Over Head Hearing Protection For Animals.
+ Wide Gel Cushion Cover Ears For Better Noise Reduction Effect & Comfort.
+ Comfortable and Lightweight.
+ Adjustable Elasticity Straps For Optimum Fit.



Face Mask









NEW

EM-5003E+FS-3+SH-6102

- Combination head protectors with helmet, earmuff, visor
- Helmets are applicable to most helmet-type earmuffs
- Metal mesh printing outside,Easy to breath, anti grass chopper and wood chopper
- Suitable for various industries: Metal-cutting operation, spray painting carpentry, petroleum industry, electric welding, forestry industry, iron and steel industry,farming etc

NEW





Metal mesh Visor

FS-1

1. Metal mesh printing outside, beautiful and durable
2. Fit for majority helmets
3. Easy to breath, anti grass chopper and wood chopper

Combination head protectors with helmet, earmuff, visor.
1. Suitable earmuff with EM-5007E/EM-5002D/EM-5003D etc
2. Helmets: **Material:** ABS **Color:** white/yellow/blue/red etc
   Shape: U-shape
3. Suitable for various industries: Metal-cutting operation, spray painting carpentry,petroleum industry, electric welding, forestry industry, iron and steel industry,farming etc

NEW





Ultra polycarbonate visor

FS-2

1. Light ultra polycarbonate material
2. Provide face protection
3. Anti grass chopper and wood chopper and splash

Combination head protectors with helmet, earmuff, visor.
1. Suitable earmuff with EM-5007E/EM-5002D/EM-5003D etc
2. Helmets: **Material:** ABS **Color:** white/yellow/blue/red etc
   Shape: U-shape
3. Suitable for various industries: Suitable for the DIY work, medical applications or the school laboratory etc

FM-1



Features and Benefits:
+ Unique plastic headband and ear cups for extended comfort and insulation.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in high visibility colors.

Suitable for Loud Machinery
Power tools, Loud Music, Noise places.

EN 352-1:2020
SNR 31dB

ANSI S3.19-1974 Noise Reduction Rate **NRR 24dB**
AS/NZS 1270:2002
SLC(80) = 31dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	15.9	19.2	28.1	37.7	37.6	40.1	37.6
Standard deviation Sf [dB]	1.9	2.0	2.3	2.4	2.8	2.8	2.8
APV Mf-Sf [dB]	14.0	17.2	25.8	35.3	34.8	37.3	34.8

SNR= 31dB	H=36dB	M=28dB	L= 20dB
SNR_W=32dB	H_H=36.2dB	M_M=29.7dB	L_L=21.6dB
SNR_A=1.4dB	H_M=2.0dB	M_M=1.5dB	L_L=1.4dB

FM-2



Features and Benefits:
+ Unique plastic headband and ear cups for extended comfort and insulation.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in high visibility colors.

Suitable for Loud Machinery
Power tools, Loud Music, Noise places.

EN 352-1:2020
SNR 33dB

ANSI S3.19-1974 Noise Reduction Rate **NRR 26dB**
AS/NZS 1270:2002
SLC(80) = 33dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	19.6	23.0	32.5	39.5	39.9	40.1	40.2
Standard deviation Sf [dB]	2.6	2.3	2.7	2.4	2.5	3.2	3.9
APV Mf-Sf [dB]	17.0	20.7	29.8	37.1	37.4	36.9	36.3

SNR= 33dB	H=34dB	M=31dB	L= 23dB
SNR_W=34.4dB	H_H=36.3dB	M_M=32.7dB	L_L=25.5dB
SNR_A=1.7dB	H_M=2.3dB	M_M=1.8dB	L_L=2.1dB

FM-3



Features and Benefits:
+ Unique plastic headband and ear cups for extended comfort and insulation.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in high visibility colors.

Suitable for Loud Machinery
Power tools, Loud Music, Noise places.

EN 352-1:2020
SNR 34dB

ANSI S3.19-1974 Noise Reduction Rate **NRR 28dB**
AS/NZS 1270:2002
SLC(80) = 34.6dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	21.7	23.6	33.3	38.2	35.9	41.5	39.6
Standard deviation Sf [dB]	2.6	2.2	2.7	2.8	2.8	3.4	3.0
APV Mf-Sf [dB]	18.6	21.8	30.6	35.4	33.1	38.1	36.6

SNR= 34dB	H=35dB	M=32dB	L= 25dB
SNR_W=35.5dB	H_H=37.9dB	M_M=33.6dB	L_L=26.6dB
SNR_A=2.0dB	H_M=2.6dB	M_M=2.0dB	L_L=2.0dB

FM-1A



Features and Benefits:
+ 304 stainless headband: corrosion resistance, heat resistance, good oxidation resistance, excellent weld ability.
+ Leather cover stainless steel headbands with 4-point suspension, suspension system helps distribute cushion pressure evenly.
+ Unique shell design guarantee offer high noise reduction rating.
+ Light weight, comfortable & effective ear muff range.
+ Suitable for Loud Machinery Power tools, Loud Music, Noise places.

EN 352-1:2002
SNR 31dB

Headbanded EarMuffs

SNR-value	H-value	M-value	L-value
31dB	36dB	28dB	21dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	15.8	21.8	30.8	40.1	37.5	34.3	31.5
Standard deviation Sf [dB]	2.4	2.5	2.5	2.3	3.0	2.7	2.6
APV Mf-Sf [dB]	13.3	19.3	28.3	37.8	34.5	31.6	28.9

FM-1B



NEW

Features and Benefits:
+ Foldable headband easy for carrying & storage, save shipping cost.
+ Unique shell design guarantee offer high noise reduction rating.
+ Light weight, comfortable & effective ear muff range.
+ Wide cushion for comfort.
+ Suitable for Loud Machinery Power tools, Loud Music, Noise places.

EN 352-1:2002
SNR 31dB

ANSI S3.19-1974 **NRR 26dB**
AS/NZS 1270:1997
SLC(80) = 30.5dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	15.8	19.4	31.2	40.4	37.4	37.0	34.8
Standard deviation Sf [dB]	2.7	1.9	3.9	2.4	3.2	3.0	3.5
APV Mf-Sf [dB]	13.1	17.6	27.3	38.0	34.1	34.0	31.3

SNR-value = 31dB | H-value = 36dB | M-value = 29dB | L-value = 22dB

FM-1C



Features and Benefits:
+ 304 stainless headband: corrosion resistance, heat resistance, good oxidation resistance, excellent welc ability and velcro strip for easy fixing.
+ Unique shell design guarantee offer high noise reduction rating.
+ Light weight, comfortable & effective ear muff range.
+ Wide cushion for comfort.
+ Suitable for Loud Machinery Power tools, Loud Music, Noise places.

EN 352-1:2002
SNR 30dB

Neckbanded EarMuffs

SNR-value	H-value	M-value	L-value
30dB	36dB	28dB	21dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	18.3	20.6	29.1	38.4	38.4	33.2	34.1
Standard deviation Sf [dB]	4.0	2.5	2.5	2.5	3.2	3.8	3.5
APV Mf-Sf [dB]	14.3	18.0	26.6	35.9	33.2	29.4	30.6

FM-1D



Features and Benefits:
+ 304 stainless headband: corrosion resistance, heat resistance, good oxidation resistance, excellent welc ability.
+ Unique shell design guarantee offer high noise reduction rating.
+ Light weight, comfortable & effective ear muff range.
+ Wide cushion for comfort.
+ Suitable for Loud Machinery Power tools, Loud Music, Noise places.

EN 352-3:2002
SNR 28dB

Cap Mounted EarMuffs

SNR-value	H-value	M-value	L-value
28dB	36dB	28dB	28dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	16.7	19.6	27.1	35.3	35.5	31.3	31.0
Standard deviation Sf [dB]	3.0	2.7	3.4	3.6	3.2	3.5	3.8
APV Mf-Sf [dB]	13.7	17.0	23.7	31.7	32.3	27.8	27.2



FM-3E

CE

25mm/30mm adaptor plug option

Features and Benefits:

- Soft and wide sealing rings filled with a unique combination foam to offer optimum sealing and low pressure.
- Generouos space inside cup to help the ears breathe thus improving comfort.
- Professional earmuffs for durability and reliability.
- Available in high visibility colors.

Suitable for Loud Machinery
Industrial Machines,Power tools, Loud Music, Noise places.

EN 352-3:2020
SNR 32dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	18.8	28.5	33.5	35.9	33.0	38.7	36.2
Standard deviation Sf [dB]	2.8	2.8	3.4	3.0	3.0	4.1	3.8
APV Mf-Sf [dB]	16.0	23.7	30.2	32.0	29.9	34.6	31.5

SNR= 32dB	H= 32 dB	M= 31 dB	L= 24 dB
SNR_m = 34.0dB SNR_s = 2.1dB	H_m = 34.3dB H_s = 2.3dB	M_m = 33.0dB M_s = 2.4dB	L_m = 26.7dB L_s = 2.5dB



EM-5003

CE ANSI AS/NZS certified products

Double layer plastic Headband
Features and Benefits:

- Unique Double layer plastic headband and ear cups for extended comfort.
- Soft and wide sealing rings filled with a unique combination foam to of fer optimum sealing and low pressure.
- Generous space inside cup to help the ears breathe thus improving comfort.
- Professional earmuffs for dursbility and reliability.
- Available in high visibility colors.



Suitable for Loud Machinery, Lawn Movers, Engines, Industrial Machines, Power tools, Loud Music, Noise places.

Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	15.7	17.7	26.6	36.5	36.4	39.0	41.4
Standard Deviation(dB)	3.2	2.6	2.9	3.0	2.9	4.1	3.4
Mean-minus-Std. dev(dB)APV	12.5	15.1	23.9	33.5	33.5	34.8	38.0

SNR= 29dB	H= 36dB	M= 28dB	L= 18dB
SNR_H = 31.1dB SNR_L = 2.3dB	H_H = 38.3dB H_L = 2.4dB	M_H = 28.5dB M_L = 2.3dB	L_H = 20.6dB L_L = 2.6dB

EN 352-1:2020 **SNR:29dB**

ANSI S3.19-1974
Attenuation data
NRR:23dB

AS/NZ S1270:2002
SLC(80):29.2dB
Class 5

PACKING INFO

UNIT PACK	polybag/blister card
QTY/CTN	20PCS
CTN SIZE	55X22X39CM
CBM/CTN	0.042CBM
20FT	12660 PCS



EM-5003D

CE

25mm/30mm adaptor plug option

Features and Benefits:

- Soft and wide sealing rings filled with a unique combination foam to offer optimum sealing and low pressure.
- Generouos space inside cup to help the ears breathe thus improving comfort.
- Professional earmuffs for durability and reliability.
- Available in high visibility colors.

Suitable for Loud Machinery
Industrial Machines,Power tools, Loud Music, Noise places.

EN 352-3:2020
SNR 27dB

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	13.7	15.6	25.0	33.0	35.7	28.5	30.6
Standard deviation Sf [dB]	2.5	2.3	2.8	2.5	3.2	2.1	2.8
APV Mf-Sf [dB]	11.2	13.3	22.4	31.4	32.5	26.5	27.8

SNR= 27dB	H= 30dB	M= 25dB	L= 17dB
SNR_H = 27.9dB SNR_L = 1.2dB	H_H = 31.5dB H_L = 1.6dB	M_H = 26.1dB M_L = 1.4dB	L_H = 18.7dB L_L = 1.7dB



EM-5008

CE ANSI AS/NZS certified products

Headband
Features and Benefits:

- New Clarity improves safety and communication by blocking hazardous noise.
- Unique plastic headband and ear cups for extended comfort and Insulation.
- Professional earmuffs for durability and reliability.
- Available in high visibility colors.
- High attenuation provides ideal protection for workers exposed to high levels of hazardous noise.

Suitable for Loud Machinery, Lawn Movers, Engines, Industrial Machines, Power tools, Loud Music, Noise places.

EN 352-1:2020
SNR 29dB

ANSI S3.19-1974
Noise Reduction Rate **NRR 22dB**
AS/NZS 1270:2002
SLC(80) = 26.9dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	16.7	16.8	25.5	36.4	35.1	40.3	38.4
Standard deviation Sf [dB]	2.3	1.8	2.7	3.0	2.9	2.9	3.2
APV Mf-Sf [dB]	14.4	15.0	22.8	33.5	32.2	37.4	35.2

SNR= 29dB	H=34dB	M=26dB	L= 19dB
SNR_H=30.2dB SNR_L=1.6dB	H_H=36.6dB H_L=2.2dB	M_H=27.6dB M_L=1.6dB	L_H=20.3dB L_L=1.6dB

Standard Earmuffs

EM-5001B

CE ANSI AS/NZS certified products

Folding Headband

Features and Benefits:

+ Folding headband and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Unique shell design guarantee offer high noise Reduction Rating.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in several versions including: Headband, foldable, neckband and helmet mounted versions. All versions are available in high visibility colors.

Suitable for Loud Machinery, Lawn Movers, Engines, Industrial Machines,Power tools, Loud Music, Noise places.



Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	17.8	23.3	32.8	40.6	38.7	34.8	34.3
Standard Deviation(dB)	2.1	2.2	3.1	2.6	4.2	3.1	3.2
Mean-minus-Std. dev.dB/APV	15.6	21.1	29.7	37.9	34.0	30.8	31.1

SNR= 32dB	H=34dB	M=31dB	L= 23dB
SNRw=33.6dB	Hw=35.6dB	Mw=32.7dB	Lw=24.8dB
SNRo=1.4dB	Ho=1.8dB	Mo=1.6dB	Lo=1.8dB

EN 352-1:2020 **SNR:32dB**

ANSI S3.19-1974 Attenuation data

NRR:26dB

AS/NZ S1270:2002

SLC(80): 29.5dB

Class 5

PACKING INFO

UNIT PACK	COLOR BOX
QTY/CTN	20PCS
CTN SIZE	50X28.5X40CM
CBM/CTN	0.057CBM
20FT	9800 PCS

EM-5001B



EM-5001



EM-5001A



EM-5001C



EM-5001D



EM-5001E



Luxury Earmuffs



EM-5006

CE ANSI AS/NZS certified products

Headband

Features and Benefits:

+ Padded headband with trim and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Unique shell design guarantee offer high noise Reduction Rating.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in several versions including: Headband, foldable, neckband and helmet mounted versions. All versions are available in high visibility colors.





Suitable for Loud Machinery, Lawn Movers, Engines, Industrial Machines,Power tools, Loud Music, Noise places.

PACKING INFO

UNIT PACK	COLOR BOX
QTY/CTN	20PCS
CTN SIZE	50X30X40CM
CBM/CTN	0.06CBM
20FT	9300PCS

EN 352-1:2020 **SNR:32dB**

ANSI S3.19-1974 Attenuation data

NRR:27dB

AS/NZ S1270:2002

SLC(80): 32.3dB

Class 5

Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	18.0	26.8	34.7	41.0	38.6	32.9	34.3
Standard Deviation(dB)	3.1	2.3	3.5	2.9	3.1	3.6	3.7
Mean-minus-Std. dev.dB/APV	14.9	24.3	31.3	38.1	35.5	29.3	30.6

SNR= 32dB	H= 32 dB	M= 32 dB	L= 24 dB
SNR_w = 34.2dB	H_w = 35.2dB	M_w = 34.0dB	L_w = 26.3dB
SNR_o = 1.9dB	H_o = 2.8dB	M_o = 1.7dB	L_o = 2.3dB

EM-5006 Plus



EM-5006A



EM-5006B



EM-5006C



EM-5006D



EM-5006E



Shield Earmuffs



EM-5007B

CE ANSI AS/NZS certified products

Folding Headband

Features and Benefits:

+ Padded headband and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Unique SDS-shell design guarantee offer high noise Reduction Rating.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in several versions including: Headband, foldable, neckband and helmet mounted versions.
+ All versions are available in high visibility colors.



Suitable for Loud Machinery, Lawn Movers, Engines, Industrial Machines,Power tools, Loud Music, Noise places.

Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	17.9	22.9	33.7	41.5	38.4	35.8	35.0
Standard Deviation(dB)	2.8	1.8	3.0	3.4	3.0	3.6	3.7
Mean-minus-Std. dev(dB)APV	15.1	21.1	30.7	38.1	35.3	32.2	31.3

SNR= 33dB	H= 35 dB	M= 31 dB	L= 23 dB
SNR_P = 34.1dB SNR_A = 1.5dB	H_P = 36.9dB H_A = 2.4dB	M_P = 32.9dB M_A = 1.5dB	L_P = 24.7dB L_A = 1.9dB

EN 352-1:2020 **SNR:33dB**

ANSI S3.19-1974 Attenuation data

NRR:26dB

AS/NZ S1270:2002

SLC(80): 33.3dB

Class 5

PACKING INFO

UNIT PACK	COLOR BOX
QTY/CTN	20PCS
CTN SIZE	60X30X40CM
CBM/CTN	0.06CBM
20FT	8000PCS

EM-5007

SNR: 34dB NRR: 27dB
SLC(80): 32.8dB CLASS 5

CE ANSI AS/NZS



EM-5007A



EM-5007B

CE ANSI AS/NZS

SNR: 32dB NRR: 26dB
SLC(80): 33.3dB CLASS 5



EM-5007C

ANSI AS/NZS

NRR: 26dB
SLC(80): 25.8dB
CLASS 5



EM-5007D

25mm/33mm adaptor plug option



EM-5007E

25mm/33mm adaptor plug option

SNR: 30dB NRR: 25dB
SLC(80): 25.8dB CLASS 5

CE ANSI AS/NZS



Kids Earmuffs



Shooting Earmuff

EM-5005

CE ANSI AS/NZS certified products

Folding Headband

Features and Benefits:

+ Padded headband and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in high visibility colors.
+ Customized water transfer printing pattern on muff cups are optional.



Customized Printing



Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation(dB)	13.6	15.7	21.6	28.4	33.2	42.6	42.8
Standard Deviation(dB)	3.2	2.1	1.9	2.4	2.8	3.3	4.1
Mean-minus Std. dev(dB)APV	10.4	13.6	19.1	26.1	30.4	39.3	38.7

SNR= 26dB	H= 32 dB	M= 23 dB	L= 16 dB
SNR_P = 27.4dB SNR_A = 1.4dB	H_P = 33.6dB H_A = 1.7dB	M_P = 24.4dB M_A = 1.5dB	L_P = 18.3dB L_A = 1.9dB

EN 352-1:2020 **SNR:26dB**

ANSI S3.19-1974 Attenuation data

NRR:20dB

AS/NZ S1270:2002

SLC(80): 25.8dB

Class 5

PACKING INFO

PACKING	COLOR BOX
QTY/CTN	40PCS
CTN SIZE	55X26X40CM
CBM/CTN	0.07CBM
20FT	16000PCS

NEW

KM-5

CE ANSI

Folding Headband Features and Benefits:

+ Padded headband and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Generous space inside cup to help the ears breathe thus improving comfort.
+ Professional earmuffs for durability and reliability.
+ Available in high visibility colors.







EN 352-1:2002 **SNR 24dB**

ANSI S3.19-1974 Noise Reduction Rate **NRR 19dB**

Frequency (Hz)	63	125	250	500	1000	2000	4000	8000
Sound attenuation Mf (dB)	—	10.7	13.5	22.5	32.4	33.0	36.3	32.9
Standard deviation Sf (dB)	—	2.6	2.4	4.8	4.5	3.9	3.3	3.9
APV Mf-Sf (dB)	—	8.1	11.1	16.6	27.9	29.2	33.0	29.0

SNR= 24 dB	H= 30 dB	M= 22 dB	L= 14 dB
SNR_P = 26.5dB SNR_A = 2.3dB	H_P = 33.3dB H_A = 3.2dB	M_P = 24.3dB M_A = 2.5dB	L_P = 16.1dB L_A = 2.1dB

KM-2



Folding Headband

Features and Benefits:

+ Padded headband and ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Professional earmuffs for durability and reliability.
+ Available in high visibility colors.
+ Customized water transfer printing pattern on muff cups are optional.

EN 352-1:2020
SNR 27dB

ANSI S3. 19-1974 Noise Reduction Rate **NRR 21dB**
AS/NZS 1270:2002
SLC(80) = 25.8dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation M [dB]	14.6	15.5	22.9	30.7	34.4	41.5	41.0
Standard deviation St [dB]	3.2	2.1	1.9	2.8	2.9	3.0	2.7
APV Mf-St [dB]	11.4	13.3	21.1	25.4	31.5	38.5	38.3

SNR= 27dB	H=33dB	M=24dB	L= 17dB
SNRu=28.3dB	Hu=36.6dB	Mu=25.4dB	Lu=18.7dB
SNRl=1.3dB	Hl=1.9dB	Ml=1.2dB	Ll=1.8dB



KM-3



Headband

Features and Benefits:

+ Plastic headband ear cups for extended comfort.
+ Stainless steel wire for easy personalized fit adjustment.
+ Professional earmuffs for durability and reliability.
+ Available in high visibility colors.
+ Customized water transfer printing pattern on muff cups are optional.

EN 352-1:2020
SNR 26dB

ANSI S3. 19-1974 Noise Reduction Rate **NRR 20dB**
AS/NZS 1270:2002
SLC(80) = 26.1dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation M [dB]	13.2	14.7	22.1	30.7	35.8	41.9	41.0
Standard deviation St [dB]	2.8	2.7	2.8	2.5	2.6	3.4	2.9
APV Mf-St [dB]	10.4	12.0	19.3	28.4	33.1	38.6	38.1

SNR= 26dB	H=33dB	M=23dB	L= 15dB
SNRu=27.6dB	Hu=35.3dB	Mu=24.7dB	Lu=17.6dB
SNRl=2.1dB	Hl=1.9dB	Ml=2.1dB	Ll=2.2dB





BM-1 (0~12 Months)

Features and Benefits:

+ The age range for our baby earmuffs are from newborn to 12 months old.
+ Baby earmuffs use an adjustable headband to hold the earmuffs in place,preventing uneven pressure being placed on the sides of your baby's head,like traditional earmuffs.
+ Our new adjustable headband design allows you to adjust the size of the headband to fit your baby's head better.
+ All headbands are interchangsable,the headband can be inserted/removed by lifting the clip on each earmuff cup and sliding the headband in or out.
+ Soft,smooth velcro to ensure there's no discomfort on your baby's skin.

EN 352-1:2020
SNR 23dB

ANSI S3. 19-1974 Noise Reduction Rate **NRR 22dB**
AS/NZS 1270:2002
SLC(80) = 26.8dB CLASS 5

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation M [dB]	11.5	13.8	22.9	31.4	32.9	39.2	38.6
Standard deviation St [dB]	5.1	4.4	3.7	3.1	1.8	4.7	4.8
APV Mf-St [dB]	6.4	9.4	19.2	28.3	31	34.5	34

SNR=23dB	H=32dB	M=21dB	L= 12dB
SNRu=26.8dB	Hu=33.6dB	Mu=24.3dB	Lu=16.6dB
SNRl=3.5dB	Hl=2.1dB	Ml=3.6dB	Ll=4.3dB







BM-3 (3 Months ~ 3 Years)

Features and Benefits:

+ PERFECT HEARING PROTECTION for little ears
+ Comfortable, adjustable, and incredibly lightweight





BM-5 (3 Months ~ 3 Years)

Features and Benefits:

+ PERFECT HEARING PROTECTION for little ears
+ Comfortable, adjustable, and incredibly lightweight



EM-9003

Features and Benefits:

- Adjustable headband for secure fit; compact folding design for convenient storage.
- Includes AUX input and 3.5 mm connection cord for MP3 players or other audio devices. Integrated power volume knob.
- Actively listens and automatically compress sounds when ambient sound reaches 82 dB.
- Built-in directional microphones amplify range commands and other ambient sounds to a safe 82 dB, stereo speaker providing more natural listening and enhanced communication.
- Includes 2 AAA batteries; automatic shut-off feature after 4 hours increases battery life; approximately 150 hours of battery life; works well and long with Polaroid AAA Batteries.

Sound Amplification Electronic Earmuff

EN 352-6:2020	EN 352-4:2020	EN 352-1:2020
-6.4 dBV (478.6 millivolts)	H=100.6 M=100.2 L=93.6	SNR 29dB

ANSI S3. 19-1974 Noise Reduction Rate **NRR 21dB** CSA Class B

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	19.6	27.2	37.0	42.1	38.6	42.4	38.1
Standard deviation Sf [dB]	3.7	3.3	3.7	4.4	3.3	5.6	5.2
APV Mf-Sf [dB]	15.8	23.9	33.3	37.7	35.4	36.8	32.9

SNR= 29dB	H=34dB	M=27dB	L= 19dB
SNRm=31.1dB	Hx=36.3dB	Mx=28.8dB	Lx=20.9dB
SNRs=1.6dB	Hs=2.6dB	Ms=1.7dB	Ls=1.9dB



EM-9001B-E

Features and Benefits:

- Premium Hearing Protector: SNR: 26 dB noise reduction rating, excellent effect of noise reduction.
- BLUETOOTH TECHNOLOGY the built in microphone allow to make phone calls & stream music.
- BLUETOOTH: engineered with the latest Bluetooth technology that provides lower consumption, more sensitive experience and a faster & more stable connection, also has a stereo sound quality that provides you with a smooth music experience.
- Voice assistant for easy set-up and guidance, hands free.
- Includes AUX input and 3.5mm connection cord for MP3 players or other audio devices.

EN 352-6; EN 352-8

EN 352-3:2002	AS/NZS 1270:2002
SNR 26dB	SLC(80) = 21.7dB CLASS 4

Frequency [Hz]	63	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	—	14.4	16.1	22.4	30.9	31.1	34.9	35.5
Standard deviation Sf [dB]	—	2.7	2.8	2.9	3.9	2.8	3.5	3.4
APV Mf-Sf [dB]	—	11.7	13.3	19.4	27.9	28.4	31.4	32.1

SNR-value	H-value	M-value	L-value
26dB	30dB	23dB	17dB

Electronic Earmuffs

EM-9001M

EN 352-4; EN 352-6; EN 352-8

Test frequencies (Hz)	125	250	500	1000	2000	4000	8000
Mean attenuation (dB)	17.9	20.9	24.9	33.1	31.5	39.0	40.9
Standard Deviation (dB)	2.7	2.4	2.8	3.4	3.0	3.6	3.1
Mean-minus-Std. dev.dB(APV	15.2	17.8	22.1	29.8	28.5	35.5	37.8

SNR= 29dB	H= 31 dB	M= 26 dB	L= 20 dB
SNR_m = 30.6dB	H_M = 33.7dB	M_M = 28.2dB	L_M = 22.6dB
SNR_s = 1.8dB	H_S = 2.4dB	M_S = 2.0dB	L_S = 2.2dB

EN 352-1:2020 **SNR:29dB**

ANSI S3.19-1974 Attenuation data **AS/NZS** **SLC(80): 27.1dB** **NRR:24dB** **Class 5**

Bluetooth Version	Bluetooth 5.0	Static current	20uA
Support protocols	HFP 1.7, HSP 1.2, A2DP 1.3, AVRCP 1.6, SPP 1.2 and PBAP 1.0	speaker frequency response	20Hz~20KHz
Transmission distance	> 10 meters	speaker impedance	32±3Ω
Transmitting power	6dbm	6dbm Storage temperature	-10-55°C
Call life	> 30 hours	Working temperature	0-40°C
Charging time	3.5 hours	Working humidity	<80%





PRODUCT DETAILS





EM-9001M ELECTRONIC EARMUFFS WITH MULTIFUNCTION

- Premium Hearing Protector: SNR: 29 dB noise reduction rating, excellent effect of noise reduction.
- BLUETOOTH TECHNOLOGY: the built in microphone allow to make phone calls & stream music.
- BLUETOOTH 5.0: engineered with the latest Bluetooth 5.0 technology that provides lower consumption, more sensitive experience and a faster & more stable connection, also has a stereo sound quality that provides you with a smooth music experience.
- When the external noise exceeds 82dB, the intelligent shooting ear protection will auto matically shut off the microphone, providing optimal noise reduction across all frequencies, ideal for both indoor and outdoor shooters and hunters.
- This active hearing protector uses SMART technologies to suppress harmful gunshot noise and amplify low-level sounds, reduces background noise for clearer conversation and hearing of commands.
- Voice Assistant for easy set-up and guidance, hands free.
- Includes AUX input and 3.5mm connection cord for MP3 players or other audio devices.

EM-9001M-E







Electronic Earmuffs

EM-9001B



EM-9001B ELECTRONIC EARMUFFS WITH BLUETOOTH

- Premium Hearing Protector: SNR: 29 dB noise reduction rating, excellent effect of noise reduction.
- BLUETOOTH TECHNOLOGY the built in microphone allow to make phone calls & stream music.
- BLUETOOTH: engineered with the latest Bluetooth technology that provides lower consumption, more sensitive experience and a faster & more stable connection, also has a stereo sound quality that provides you with a smooth music experience.
- Voice assistant for easy set-up and guidance, hands free.
- Includes AUX input and 3.5mm connection cord for MP3 players or other audio devices.



EM-9001B EN 352-6; EN 352-8

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	15.2	19.3	27.7	34.7	32.8	36.5	36.0
Standard deviation Sf [dB]	2.7	3.2	2.9	2.2	3.5	3.7	3.9
APV Mf-Sf [dB]	12.4	16.1	24.8	32.5	29.6	31.7	36.1

SNR 29dB EN 352-1:2020

H=33dB	M=25dB	L= 16dB
SNRH=28.3dB	MH=25.7dB	LH=17.8dB
SNRM=2.1dB	MM=2.2dB	LM=1.8dB

ANSI S3.19-1974 Noise Reduction Rate **NRR 24dB** | AS/NZS 1270:2002 **SLC(80) = 27.8dB CLASS 5**

EM-9001C

EM-9001C ELECTRONIC EARMUFFS WITH COMPRESSION

- Premium Hearing Protector: SNR: 28 dB noise reduction rating, excellent effect of noise reduction.
- When the external noise exceeds 82dB, the intelligent shooting ear protection will auto matically shut off the microphone, providing optimal noise reduction across all frequencies, ideal for both indoor and outdoor shooters and hunters.
- This active hearing protector uses SMART technologies to suppress harmful gunshot noise and amplify low-level sounds, reduces background noise for clearer conversation and hearing of commands.
- Includes AUX input and 3.5mm connection cord for MP3 players or other audio devices.



EM-9001C

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	16.3	19.0	24.5	33.1	32.3	36.6	36.9
Standard deviation Sf [dB]	2.7	2.9	3.0	2.3	2.8	2.7	3.0
APV Mf-Sf [dB]	13.6	16.1	21.5	30.8	29.7	34.2	36.9

SNR 28dB EN 352-1:2002

H-value : 32dB | M-value : 25dB | L-value : 16dB

ANSI S3.19-1974 Noise Reduction Rate **NRR 22dB** | AS/NZS 1270:2002 **SLC(80) = 26.3dB CLASS 5**

EM-9005



Features and Benefits:

- **Noise Reduction Rating (SNR) 26 dB,** helps you protect your hearing while you are cleaning, mowing, forest trimming, wood work, shooting and construction.
- **Bluetooth 5.0 technology,** compatible with most blue-tooth devices, quickly and steadily stream with your mobile phones, MP3, iPad, PC, laptop and any other Bluetooth enabled device to listen to music, Podcasts & audio book.
- **AM/FM Radio,** with sensitive antenna, performance with clear sound, manual tuning and auto-searching helps you quickly search out your favorite stations. Channel memory function, an unlimited number preset channels can be saved in your headset.
- **Wide headband,** adjustable to fit with all size range head sizes, suitable headband force & soft padding cushions, comfortable wearing for whole day working.
- **User-Friendly Design,** big button and easy operation system, no need to take off the headset, easy to operate even when you are wearing groves.
- **Power source 3 "AAA" batteries,** don't worry about running out of battery, easy to get supplyment batteries.
- **3.5mm Aux line-in cable,** even the headset is run out of battery, you can connect your headset with mobile phone, MP3 and any other Bluetooth enabled device to enjoy your music podcasts & audio book.
- **Audio Assistance,** free your hands to operate and set-up guidance, making and taking phone calls without having to take out the handphone.

Frequency [Hz]	125	250	500	1000	2000	4000	8000
Sound attenuation Mf [dB]	11.9	15.3	24.0	33.0	35.3	41.1	38.0
Standard deviation Sf [dB]	1.5	2.1	3.3	3.5	3.4	4.1	3.6
APV Mf-Sf [dB]	10.4	13.2	20.6	29.5	31.9	37.0	34.3

EN 352-1:2020 **SNR:26dB**

ANSI S3.19-1974 Attenuation data	AS/NZ S1270:2002	EN 352-6
NRR:20dB CSA Class B	**SLC(80): 24.7dB** Class 4	EN 352-8

GEL EAR PADS

Material : PU + GEL





9201



9202



9203

Drummer Earmuffs





NEW!
EM-9008 ▲
Radio Reception

Features and Benefits:
+ Includes AUX input and 3.5mm connection cord for MP3 players or other audio devices.

Headphone Functionality

EM-9002B ▼
Bluetooth Connection



Features and Benefits:

+ BLUETOOTH: The built-in digital Bluetooth and microphone allow to take hands-free calls,stream music or your favorite podcast straight to your headphones.

Headphone Functionality

EM-9002C ▼
Sound Amplification



Features and Benefits:

+ Amplifies low-level sounds, reduce background noise.Electronic Ear Protection Earmuffs provide enhanced communication for hunting, shooting range, etc. The Built-in microphones reduce environmental voices when the sound is over 82dB to protect hearing.

Headphone Functionality

EM-9002D ▼
AUX Input



Features and Benefits:

+ Includes AUX input and 3.5mm connection cord for MP3 players or other audio devices.

Headphone Functionality

EM-9002R ▼
Radio Reception



Features and Benefits:

+ Digital AM/FM tuning searches for radio stations; hi-fidelity digital stereo radio reception, voice prompts, and volume management technology lets you create a personal listening experience indoors or out.

Headphone Functionality

Twin Headband Design

EM-7003



EM-7003-1



EM-7005



EM-7006



EM-7007



EM-7008



Safety Glasses Application Range And Instructions



Safety Protection by J&Y

We produce premium quality safety glasses with raw PC material original from Japan, Korea and Singapore have strengthen treatment of the lens, Nylon frame not easy deformation Perfection protection for your eyes.

Feature:

- All the PC lens are meet CE ANSI AS/NZS standard.
- All the PC lens are Impact, resistant can bear 160P of impact power.
- All the PC lens can be Anti-fog.
- All the PC lens are Anti-UV 380.
- All the PC lens are Anti-Scratch.



CE



SG-71061 **SG-71061A**

- Sleek and ultra light weight wraparound lens
- Suits a variety of face shapes
- Medium Impact protection
- Hard coat lens for Anti-Scratch
- 99.9% UV protection
- Two kind of arms options
- Available in Clear & Smoke lens color's



Lens:

CE



SG-71062

- Sleek and ultra light weight wraparound lens
- Suits a variety of face shapes
- Medium Impact protection
- Hard coat lens for Anti-Scratch
- Suitable for use with Earmuffs
- 99.9% UV protection
- Available in Clear & Smoke lens color's



Industrial Safety Glasses

CE



Lens:

SG-71003

+ Adjust length temples (4 position), for optimal comfort and fit.
+ Ideal for site visitors
+ Medium Impact protection
+ Hard coat lens for Anti-Scratch
+ Anti Fog Coating Technology
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's

CE



Lens:

SG-71003A

+ Adjust length temples (4 position), for optimal comfort and fit.
+ Ideal for site visitors
+ Medium Impact protection
+ Hard coat lens for Anti-Scratch
+ Anti Fog Coating Technology
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's



CE



Lens:

SG-71009

+ Design to sit over prescription glasses
+ Ideal for site visitors
+ Medium Impact protection
+ Hard coat lens for Anti-Scratch
+ Anti Fog Coating Technology
+ Integrated side shields with vents
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's



Over the Glasses Fit

CE



Lens:

SG-71006

+ Sleek and ultra light weight wraparound lens
+ Suits a variety of face shapes
+ Medium Impact protection
+ Hard coat lens for Anti-Scratch
+ Anti Fog Coating Technology
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's



Lens:

SG-71006B

+ Sleek and ultra light weight wraparound lens
+ Suits a variety of face shapes
+ Medium Impact protection
+ Hard coat lens for Anti-Scratch
+ Anti Fog Coating Technology
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's

KIDS



Lens:

SG-71006K

(Kids Style)

+ Sleek and ultra light weight wraparound lens
+ Suits a variety of face shapes
+ Medium Impact protection
+ Hard coat lens for Anti-Scratch
+ Anti Fog Coating Technology
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's



Industrial Safety Glasses



Lens:

SG-71068

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's







Lens:

SG-71019

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Soft nose bridge for comfort
+ Available in Clear & Smoke lens color's







Lens:

SG-71069

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's



Over the Glasses Fit

CE







Lens:

SG-71033

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Soft nose bridge for comfort
+ Soft rubber tip arms for added comfort
+ Available in Clear & Smoke lens color's









Lens:

SG-71070

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's





Lens:

SG-71008A

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's



Lens:

SG-71037A

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Soft rubber tip arms for added comfort
+ Available in Clear & Smoke lens color's



Lens:

SG-71040

+ Adjust length temples (3position), for optimal comfort and fit.
+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Soft nose bridge for comfort
+ Available in Clear & Smoke lens color's



SG-71012A

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's

Industrial Safety Glasses



Lens:

SG-71045C

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Soft nose bridge for comfort
+ Soft rubber tip arms for added comfort
+ Available in Clear & Smoke lens color's

CE CSA



Lens:

SG-71046

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Soft nose bridge for comfort
+ Soft rubber tip arms for added comfort
+ Available in Clear & Smoke lens color's





Lens:

SG-71058

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ 99.9% UV protection
+ Soft rubber tip arms for added comfort
+ Available in Clear & Smoke lens color's

Full View Goggles

CE CSA





SG-60001

Poly carbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability and PVC Frame.
Economic style
Adjustable headband
Strap-secure, pressure free fit

+ 99.9% UV protection



Breath Valve

CE





SG-60002

Poly carbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability and PVC Frame.
economic style
adjustable headband
strap-secure, pressure free fit

+ 99.9% UV protection



Breath Valve

CE



SG-60074

PC lens PVC frame with ventilation system.

Innovative ventilation system ensures comfortable internal goggle environment lens replacement possible.

Low profile, waparound design fits a wide range of facial shapes.

Soft seal frame technology adapts to your face for a customised fit – protects against liquid droplets/splash large dust particles.
Wide fully adjustable head strap-secure, pressure free fit

+ 99.9% UV protection



Lens:



SG-60069

Lightweight, flexible and durable
Indirect ventilation system minimize fogging and provides splash resistance Can be worn over most prescription glasses

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ Hard coat lens for Anti-Scratch
+ Anti Fog Coating Technology
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's



Lens:



SG-71052

Fully ventilated style
Indirect ventilation system minimize fogging and provides splash resistance Can be worn over most prescription glasses

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Polycarbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ Hard coat lens for Anti-Scratch
+ Anti Fog Coating Technology
+ 99.9% UV protection
+ Available in Clear & Smoke lens color's

Goggles

Lens:





SG-60049

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Poly carbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ Available in Clear & Smoke lens color's
+ 99.9% UV protection





Lens:



SG-60625

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Poly carbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ Available in Clear & Smoke lens color's
+ 99.9% UV protection



Industrial Safety Glasses

Lens:



◂ Clear



SG-81001

+ Optical Class 1 for high optical clarity to allow prolonged, comfortable wear
+ Medium Impact protection
+ Poly carbonate lens offers excellent impact resistance with Anti-scratch coating for improved durability.
+ Available in Clear & Smoke lens color's
+ 99.9% UV protection



◂ Smoke



Over the Glasses Fit



SG-81002



Disposable visor
Material: 1.2mm PET
Elastic band
Foam pad
Size: 33cm width from left end to right end * 22cm Height



A



B



C



D



E



F

Packaging

Eye-ware **Protection**

Y3 SPEEDY ROCKET TILE CUTTER


Y3-1050 / Y3-1300 / Y3-1550

Patented

Life Warranty



MODEL	SIZE			
Y3-1050	42"	1050mm	740mm	18mm
Y3-1300	52"	1300mm	920mm	18mm
Y3-1550	62"	1550mm	1095mm	18mm
ø				
ø22*ø6*6mm	1PC/CTN	27KG	136*35.5*28.5CM	
ø22*ø6*6mm	1PC/CTN	32KG	161*35.5*28.5CM	
ø22*ø6*6mm	1PC/CTN	35.5KG	186*35.5*28.5CM	





Robust wide base, guide, and breaking system.



Extended labor-saving handle.



Spring pads with shock absorber for better tile breaking.



80cm aluminum adjustable gauge for fast and accurate measurement.



Heavy-duty extension feet with spring pads for supporting large size tile.

T3 PREM. RAPTOR TILE CUTTER

T3-1200 / T3-1600 / T3-1800

Patented

Life Warranty



1200-1800 mm | CUTTING ANGLE 45°/90° | 16 mm (max) | 1200 KG | 22x6x6 mm YG-6X | Ti COATED | LASER

MODEL	SIZE			
T3-1200	48"	1200mm	850mm	16mm
T3-1600	64"	1600mm	1130mm	16mm
T3-1800	72"	1800mm	1270mm	16mm

ø22*ø6*6mm	1PC/CTN	18KG	153*17.5*26CM
ø22*ø6*6mm	1PC/CTN	28KG	193*17.5*26CM
ø22*ø6*6mm	1PC/CTN	30KG	213*17.5*26CM



Patented lockable break bar for visible cutting performance.



Aluminum gauge, beautiful and precise.



Equipped with infrared laser for more precise cutting.



Extended labor-saving handle, ergonomic and heavy-duty construction.




Fully enclosed and self-adjusting sliding system.

T2 RAPTOR TILE CUTTER

T2-800 / T2-1000 / T2-1200

Patented

Life Warranty



MODEL	SIZE			
T2-800	32"	800mm	565mm	16mm
T2-1000	40"	1000mm	705mm	16mm
T2-1200	48"	1200mm	850mm	16mm
ø				
ø22*ø6*6mm	1PC/CTN	12.5KG	113*17.5*26CM	
ø22*ø6*6mm	1PC/CTN	15KG	133*17.5*26CM	
ø22*ø6*6mm	1PC/CTN	18KG	155*17.5*26CM	





Fully enclosed slider, dust-free and no adjustment needed.



TILER premium cutting wheel, long-lasting life.



Patented lockable break bar for visible cutting performance.



Hidden extension feet for large tiles and easy carrying.



Equipped with infrared laser for more precise cutting.

Y1 LIGHTNING TILE CUTTER

Y1-900 / Y1-1200 / Y1-1550



- Handle with soft grip for better ergonomics and comfort.
- Aluminum base for robustness,light and easy to transport.
- Comes with 2 extra aluminum extension feet for large tiles.
- Reinforced guide,greater bending resistance and increased precision.
- 80cm aluminum adjustable gauge for fast and accurate measurement.
- Guide system highly resistant to impacts resulting in longer product life.
- Patented lockable breaker with plastic protector, ensuring better visibility of scoring and cutting zone.

MODEL	SIZE			
Y1-900	36"	900mm	635mm	16mm
Y1-1200	48"	1200mm	850mm	16mm
Y1-1550	62"	1550mm	1095mm	16mm
ø				
ø22*ø6*6mm	2PC/CTN	20KG	116*25*26CM	
ø22*ø6*6mm	1PC/CTN	14KG	146*25*26CM	
ø22*ø6*6mm	1PC/CTN	18KG	181*25*26CM	

Patented

Life Warranty

900-1550 mm

CUTTING ANGLE 0-60°

16 mm

1000 KG

22x6x6 mm YG-6X

Ti COATED

Al

T1 UNIVERSAL TILE CUTTER

T1-600 / T1-800



- Magnetic breaker provides direct view of scoring line.
- Fast operating system with magnet, for one-hand use.
- Handle with soft grip for better ergonomics and comfort.
- Wide base surface for higher stability and cutting quality.
- Heavy-duty metal extension feet for excellent tile placement.
- Reinforced supporters for heavy-duty work, and high durability.
- The adjustable aluminum gauge provides greater precision in angle cuts.

MODEL	SIZE			
T1-600	24"	600mm	425mm	14mm
T1-800	32"	800mm	565mm	14mm
ø				
ø22*ø6*6mm	2PC/CTN	15KG	86*20*49CM	
ø22*ø6*6mm	2PC/CTN	18KG	106*20*49CM	

Patented

Life Warranty

600-800 mm

CUTTING ANGLE 0-60°

14 mm

800 KG

22x6x6 mm YG-6X

Ti COATED



	NAME	MODEL	INCH							
	Y3 SPEEDY ROCKET	Y3-1060	42"	1060	742	18	1200	ø22*ø6*6	✓	
		Y3-1300	52"	1300	920				✓	
		Y3-1550	62"	1550	1095				✓	
	T2 VELOCIRAPTOR	T2-800	32"	800	565	16	1000	ø22*ø6*6		✓
		T2-1000	40"	1000	705					✓
		T2-1200	48"	1200	850					✓
	T3 PREM. RAPTOR	T3-1200	48"	1200	850	16	1000	ø22*ø6*6		✓
		T3-1600	64"	1600	1130					✓
		T3-1800	72"	1800	1270					✓
	Y1 LIGHTNING	Y1-900	36"	900	635	16	1000	ø22*ø6*6	✓	
		Y1-1200	48"	1200	850				✓	
		Y1-1550	62"	1550	1095				✓	
	T1 UNIVERSAL	T1-600	24"	600	425	14	800	ø22*ø6*6	✓	
		T1-800	32"	800	565				✓	



8117-22B

CUTTING WHEEL

- Size : Ø22xØ6x6mm.
- High-quality replaceable accessory for TILER manual tile cutters.
- Maximum cutting length of 2000m.
- Crafted from premium tungsten carbide material.

MODEL		
8117-22B	100PCS	500PCS



8117-22BT

TITANIZE CUTTING WHEEL

- Size : Ø22xØ6x6mm.
- High-quality replaceable accessory for TILER manual tile cutters.
- Maximum cutting length of 2000m.
- Crafted from premium tungsten carbide material and features a special titanize coating.

MODEL		
8117-22BT	100PCS	500PCS

SCORING WHEEL	ART	NAME				APPLICABLE
	8117-22B	CUTTING WHEEL	22mm	6mm	6mm	Y1,Y3,T1,T2,T3
	8117-22BT	TITANIZE CUTTING WHEEL	22mm	6mm	6mm	Y1,Y3,T1,T2,T3

LARGE FORMAT SLAB SYSTEM

Large format slabs are expensive, and their large size increases the difficulty of handling them, as well as the risk of damage. To address these issues, TILER has developed and designed a complete range of products specifically tailored for large format slabs. The TILER Large Format Slab System is designed to ensure the safe and efficient handling of slabs throughout the installation process. This includes workbenches that can accommodate large format slabs, as well as manual and electric cutting machines specifically designed for cutting large format slabs, catering to the cutting needs of installers working with various thicknesses of tiles. In addition, there are equipments available for efficient and effortless transportation of large format slab tiles.

DB-3

PREM. LARGE FORMAT SLAB CUTTER



- Cutting thickness ranges from 4mm to 12mm.
- Designed specifically for cutting large formate slabs.
- Convenient TILER carrying bag for storage and easy transportation.
- Extended ergonomic handle for comfortable and effortless operation.
- Crafted from premium aluminum alloy, ensures lightweight construction and convenience.
- High-quality bearing wheels enable cutting lengths up to 2000 meters and facilitate easy replacement.
- Built-in suction cups on the guide rails eliminate the hassle of attaching separate suction devices, providing secure adhesion to the material being cut.

MODEL			
DB-3	1SET	8KG	150*20*30CM

GUIDE RAILS CAN BE FLEXIBLY COMBINED TO ACCOMMODATE DIFFERENT DIMENSIONS.

YOU HAVE THE OPTION TO CHOOSE FROM: 1800MM, 2800MM AND 3800MM.



DE-125

ELECTRIC & MANUAL CUTTER 2 IN 1 KIT



- Includes 125mm &115mm Diamond disc.
- The manual cutting system can cut up to 12mm.
- The electric cutting system can cut up to 25mm.
- Double dust reduction/control system. Dry and wet cutting.
- Comes with a TILER carry bag for easy storage and handling.
- Switch with safety lock. Prevents unintentional start-up. Electrical cable with PRCD.
- The cutting head is height-adjustable and hinged, allowing for angles ranging from 0° to 48°.
- Comprising 3 assembled extruded aluminum guides, this system enables flawless scoring in large format tiles up to 360cm, resulting in precise and smooth cuts.

MODEL			
DE-125	1SET	15.6KG	136*110*12.8CM(Accessories) 35.5*30*25.8CM(Host Engine)






DB-TB-3/3600


LARGE FORMAT SLAB WORKING BENCH 3600MM



- Rigidity high-quality aluminum profile.
- Multi-functional, can be used as a versatile workbench.
- The leveling feet contribute to the increased stability of the set.
- Comes with a durable TILER nylon bag for storage and transportation.
- Customization options are available for the table surface's anti-slip feature.
- Fast and easy assembly and disassembly with a convenient fixed connection system.
- The extra-reinforced aluminum bars give the Slab working bench a lightweight, high rigidity, and great stability.
- The separation of its 12 aluminum bars allows the user to make perforations and cuts without fear of damaging the table itself.

MODEL			
DB-TB-3/3600	1SET	47.7KG	183*22*27CM






DB-TB-3/1800

MODEL			
DB-TB-3/1800	1SET	38KG	183*26.5*20.5CM





DB-CY-2

LARGE FORMAT SLAB HANDING SYSTEM





GREAT FOR LONG NARROW SLABS


- Reinforced aluminum profile. Greater structural strength.
- The crossbars can be easily released for transporting long narrow slabs.
- The set consists of two retractable and adjustable extruded aluminum guides, ranging from 160 to 360 cm.
- The system is equipped with 6 heavy-duty vacuum suction cups that securely fix the system in place.
- These suction cups are easily positionable and allow for adjustable fixing points, ensuring the safe handling of large format sheets.

MODEL			
DB-CY-2	1SET	29KG	193*25.5*22.5CM



DB-CY-3

EASY-TRANS LARGE FORMAT SLAB HANDING SYSTEM





GREAT FOR LONG NARROW SLABS

- Reinforced aluminum profile. Greater structural strength.
- Comes with 2 detachable and foldable support legs allow the system to stand upright.
- Consists of two retractable and adjustable extruded aluminum guides, ranging from 160 to 360 cm.
- The system is equipped with 6 heavy-duty vacuum suction cups that securely fix the system in place.
- These suction cups are easily positionable and allow for adjustable fixing points, ensuring the safe handling of large format sheets.

MODEL			
DB-CY-3	1SET	42.5KG	193*27.5*30CM



DB-TU-2

LARGE FORMAT SLAB TROLLEY




- Ultra light and compact.
- Especially suitable for thicker/heavier slabs.
- Equipped with four 360° swivel wheels and braking and locking system.
- Easy and quick to assemble and disassemble. Easy fix connection system.
- Designed with a collapsible base and a durable carrying bag for easy storage and portability.
- Extendable support arm for greater ergonomics when loading and unloading pieces on the workbench.

MODEL			
DB-TU-2	1SET	22.8KG	144*26*20CM



	NAME	MODEL	WORKING RANGE	SLAB INFORMATION REFERENCE
	SLAB CUTTER	DB-3	3200MM+	3000X1000X3MM 3000X1000X7MM 1600X3200X5.8MM 1600X3200X8MM 1600X3200X12MM 1600X2600X5.8MM 1200X2400X5.8MM 1200X2400X9MM 1200X1600X12MM 1200X2400X12MM 1200X2700X5.8MM 1500X3000X3MM 1500X3000X6MM
	SLAB CUTTER	DE-125	3800MM+	
	WORKING BENCH	DB-TB-3	3600MM	
	HANDING SYSTEM	DB-CY-2	3600MM	
	HANDING SYSTEM	DB-CY-3	3600MM	
	TROLLEY	DB-CY-3	3600MM	





8117-22B
CUTTING WHEEL

- Size : Ø22xØ6x6mm.
- High-quality replaceable accessory for TILER manual tile cutters.
- Maximum cutting length of 2000m.
- Crafted from premium tungsten carbide material.



A91101
DIAMOND DISC 125

- Professional level.
- Size : Ø125xØ22.23x1mm.
- For both wet and dry cutting.
- Made with premium diamond particles.
- Compatible with most electric tile cutters.
- For stone, marble, granite, porcelain and ceramics.



8117-22BT
TITANIZE CUTTING WHEEL

- Size : Ø22xØ6x6mm.
- High-quality replaceable accessory for TILER manual tile cutters.
- Maximum cutting length of 2000m.
- Crafted from premium tungsten carbide material and features a special titanize coating.



A91104
DIAMOND DISC 115

- Professional level.
- Size : Ø115xØ22.23x1mm.
- For both wet and dry cutting.
- Made with premium diamond particles.
- Compatible with most electric tile cutters.
- For stone, marble, granite, porcelain and ceramics.

SCORING WHEEL	ART	NAME	ⓟ	⌀	⬭	APPLICABLE
	8117-22B	CUTTING WHEEL	22mm	6mm	6mm	DB-3,DE-125
	8117-22BT	TITANIZE CUTTING WHEEL	22mm	6mm	6mm	DB-3,DE-125
	A91101	DIAMOND DISC 125	125mm	22.23mm	1.2mm	DE-125
	A91104	DIAMOND DISC 115	115mm	22.23mm	1.2mm	DE-125

TILE CARRYING & LAYING TOOLS

TILER Tile Carrying & Laying Tools are meticulously designed to optimize workflow, increase productivity, and elevate the overall tiling experience. Our commitment to quality and innovation empowers professionals to achieve exceptional results, while reducing the time and effort required for tile installation.

ART. A71203

TILE VIBRATION MACHINE 20V



- Vibrator Cup Diameter : 160CM
- Battery Capacity : 2000mA
- Battery Voltage : 20V
- Charging Current : 1.5 A
- Battery Charging Time : 2h
- Vibration Frequency : 0-10000r/min
- Vertical Suction : 50KG

- TILER tile vibration machine is a specialized tool used for leveling and setting tiles during installation.
- The machine uses vibrations to distribute the tile adhesive evenly and remove any air pockets or voids between the tile and substrate, resulting in a flat and level surface.

MODEL		
A71203	1PCS	6PCS





ART. A71204

Tile Vibration Machine 20V

- Vibrator Cup Diameter : 150CM
- Battery Capacity : 2000mA
- Battery Voltage : 20V
- Charging Current : 1.5 A
- Battery Charging Time : 2h
- Vibration Frequency : 0-16000r/min
- Vertical Suction : 50KG
- Adjustable vibration intensity with 9 levels.
- Extended Battery Life, One-Button Start.
- Fast Tile Laying.

MODEL		
A71204	1PCS	6PCS





ART. A71201

Tile Vibration Machine 20V

- Vibrator Cup Diameter : 130CM
- Battery Capacity : 2000mA
- Battery Voltage : 20V
- Charging Current : 1.5 A
- Battery Charging Time : 2h
- Vibration Frequency : 0-10000r/min
- Vertical Suction : 50KG
- Fast Speed Regulation, Powerful Vibration.
- Extended Battery Life, One-Button Start.
- Fast Tile Laying.

MODEL		
A71201	1PCS	6PCS







ART. A62201

Electric Vacuum Suction Cup 8"

- One-key start.
- Automatic inflation.
- Durable nitrile rubber.
- Diameter : 200mm/8".
- Load capacity : 150kg.
- With pressure gauge for safe indication.
- Suitable for smooth and rough tiles.



ART. A62103

Vacuum Suction Cup 8"

- Durable nitrile rubber.
- Diameter : 200mm/8".
- Load capacity : 130kg.
- With pressure gauge for safe indication.
- Suitable for smooth and rough tiles.



ART. A62104

Heavy Duty Vacuum Suction Cup 8"

- Durable nitrile rubber.
- Diameter : 200mm/8".
- Load capacity : 150kg.
- With pressure gauge for safe indication.
- Suitable for smooth and rough tiles.



ART. A62105

Pro. Vacuum Suction Cup 8"

- Durable nitrile rubber.
- Diameter : 200mm/8".
- Load capacity : 150kg.
- With pressure gauge for safe indication.
- Suitable for smooth and rough tiles.



ART. A61201

Single Aluminum Suction Cup

- Material : Nitrile Rubber
- Diameter : 123MM
- Load capacity : 50KG



ART. A61202

Double Aluminum Suction Cup

- Material : Nitrile Rubber
- Diameter : 123MM
- Load capacity : 80KG



ART. A61203

Triple Aluminum Suction Cup

- Material : Nitrile Rubber
- Diameter : 123MM
- Load capacity : 100KG




ART. A63101

Adjustable Suction Cup

- Material : Nitrile Rubber
- Diameter : 123MM
- Load capacity : 100KG

TILE LEVELING TOOLS

TILER Tile Leveling Tools, a comprehensive range of innovative solutions designed to achieve flawless tile installations with perfect leveling and precise grout spacing. These tools are essential for ensuring professional results, eliminating lippage, and creating a seamless finish in any tiling project.



ART. 8119-3
X -type Tile Spacers




ART. 8119-2
T-type Tile Spacers



ART. 8119-7
Recyclable Tile Spacers




ART. 8119-1U
U-Shape Tile Spacers



ART. 8119-8
Hollow Tile Spacers



ART. 8119-4
Recyclable Tile Spacers



ART. 8119-1
Wedge-type Tile Spacers



ART. 8119-F5
Recyclable Tile Spacers

SQUARE FORMATS												
cm	10 x 10	15 x 15	20 x 20	30 x 30	33 x 33	40 x 40	45 x 45	50 x 50	60 x 60	75 x 75	80 x 80	90 x 90
x m²	100	46	25	16	13	9	9	4	4	2	2	2
⊤ x m²	200	91	50	25	21	15	13	8	8	4	4	4

RECTANGULAR FORMATS														
cm	15 x 60	15 x 90	15 x 120	20 x 40	20 x 60	20 x 80	20 x 100	25 x 100	30 x 60	30 x 90	30 x 120	40 x 80	40 x 120	45 x 90
x m²	16	10	8	18	12	9	7	6	8	5	4	4	3	3
⊤ x m²	26	17	13	29	19	14	12	9	16	9	6	7	5	6

LARGE SPECIAL FORMATS						
cm	100 x 150	100 x 300	120 x 120	120 x 360	150 x 150	150 x 300
x m²	2	2	2	2	2	2
⊤ x m²	4	4	4	4	4	4





Tile Leveling System



ART. 8119-1P

Tile Leveling Wedges



- High Quality PP Material.

Tile Leveling Wedges	100 PCS	20 BAGS	1/4"-1/8"-1/16"

ART. 8119-2P

Tile Leveling Clips

- High Quality PP Material.

Tile Leveling Clips 1.5mm	100 PCS	40 BAGS	1/4"-1/8"-1/16"
Tile Leveling Clips 2.0mm	100 PCS	40 BAGS	1/4"-1/8"-1/16"
Tile Leveling Clips Valve	100 PCS	40 BAGS	1/4"-1/8"-1/16"
Tile Leveling Clips Valve	100 PCS	20 BAGS	1/4"-1/8"-1/16"

ART. 8119-8P

Tile Leveling Plier



- Sturdy, steel contruction with adjustable tension.
- Improve speed of tile laying.

Tile Leveling Plier	1 PC	50 PCS	1/4"-1/8"-1/16"

SQUARE FORMATS										
CM	20 x 20	40 x 40	60x60	80x80	90x90	75x75	80x80	90x90	100x100	120x120
m²	48	12	16	14	16	19	9	7	5	4

RECTANGULAR FORMATS															
CM	10 x 60	10 x 60	10 x 120	15 x 60	15 x 90	15 x 75	25 x 100	30 x 100	20 x 60	30 x 90	30 x 110	40 x 80	40 x 120	45 x 90
m²	18	17	29	16	15	11	16	15	19	17	13	14	9	11

EXTRA-LARGE FORMATS						
CM	100 x 110	100x100	120x120	120x150	150x150	100x300
m²	9	7	4	2	3	3



Tile Leveling System

ART. 8119-8R

Recyclable Tile Leveling System

- Wear-resistant and reusable.
- Suitable for 3mm to 18mm thickness of the tile.
- Made of high-quality PP plastic.



Recyclable Tile Leveling System	1x PCS	25 BAGS	52*34*7.5CM

ART. 8119-8R(SET)

Recyclable Tile Leveling System Set

- Wear-resistant and reusable.
- Suitable for 3mm to 18mm thickness of the tile.
- Made of high-quality PP plastic.



Recyclable Tile Leveling System Set	200PCS	10 BAGS	51*41*30CM







SQUARE FORMATS											
CM	20 x 20	40 x 40	40x40	60x60	60x60	75x75	80x80	90x90	100x100	120x120	
PCS/M²	40	22	18	14	10	10	8	7	5	4	

RECTANGULAR FORMATS															
CM	15 x 60	15 x 90	15 x 120	20 x 40	20 x 60	20 x 75	20 x 100	30 x 100	30 x 60	30 x 90	30 x 120	40 x 80	40 x 120	45 x 90	
PCS/M²	30	17	10	18	28	11	16	11	19	17	13	14	9	11	

EXTRA-LARGE FORMATS						
CM	120 x 240	300x600	120x240	120x300	300x300	300x900
PCS/M²	4	3	4	2	3	3

Tile Leveling System

ART. 8119-TS1

Tile Leveling Screws

- The base of the screw ensures continuous tension between the screws and the caps.

1.0 Leveling Screws 1.0 mm	1000PCS	20 BAGS	54*44*42CM
1.5 Leveling Screws 1.5 mm	1000PCS	20 BAGS	54*44*42CM
Tile Leveling Screws 2.0mm	800PCS	20 BAGS	54*44*42CM
Tile Leveling Screws 2.5mm	800PCS	20 BAGS	54*44*42CM
3.0 Leveling Screws 3.0 mm	1000PCS	20 BAGS	54*44*42CM

ART. 8119-TS2

Tile Leveling Caps

- Prevents uneven tiles when laying floors, especially large format tiles.



4.0 Leveling Caps	50 PCS	10 BAGS	54*44*42CM







SQUARE FORMATS											
CM	20 x 20	40 x 40	40x40	60x60	60x60	75x75	80x80	90x90	100x100	120x120	
PCS/M²	40	22	18	14	10	10	8	7	5	4	

RECTANGULAR FORMATS															
CM	15 x 60	15 x 90	15 x 120	20 x 40	20 x 60	20 x 75	20 x 100	30 x 100	30 x 60	30 x 90	30 x 120	40 x 80	40 x 120	45 x 90	
PCS/M²	30	17	10	18	28	11	16	11	19	17	13	14	9	11	

EXTRA-LARGE FORMATS						
CM	120 x 240	300x600	120x240	120x300	300x300	300x900
PCS/M²	4	3	4	2	3	3

GROUTING & CLEANING TOOLS

TILER Grouting & Cleaning Tools are designed to facilitate the grouting, caulking, and cleaning processes after tile installation. These tools are essential for achieving professional results, ensuring aesthetic appeal, and maintaining the cleanliness of your tiles.



ART. A41101





ART. A41102



ART. A41103



ART. 8203F-4

- Smooth bottom surface, strong rigidity, and excellent elasticity for optimal performance.
- Easy application and uniform coverage for a professional finish.
- Rust-resistant and durable for long-lasting use.
- Durable stainless steel blade. Lightweight design.
- Square notched trowels for precise mortar application.
- Ergonomic handle, strong connection.

Trowel

NAME	ART.	Teeth		



ART. 8203I-3-U

Grout Float

- Design for smoothly spreading grout.
- Double color soft handle.

MODEL		
8203I-3-U	/	24PCS



ART. 8203N

Grout Spreader 180mm
Grout Spreader 300mm

- Design for easy and efficient grout application.
- Rubber thickness : 5mm.

MODEL		
8203N	18PCS	180/60PCS



ART. 8139-AB

Sealant Remover Kit

- 3 in 1 silicone caulking tool.
- Perfectly handles various corner issues.

MODEL		
8139-AB	/	100PCS



ART. 8137-JT

Sealant Remover Kit

- 9 different finishing profiles.
- Even in hard-to-reach places.

MODEL		
8137-JT	/	500PCS



ART. 8701-M

Tile Grout Saw

- Diamond blade for long life.
- For removing old and discoloured grout.
- Replacement blades available.
- Double color TPR handle grip.

MODEL		
8701-M	15PCS	120PCS



ART. 8132

Tile Grout Saw

- TPR handle.
- Optional 1 or 2 blades.
- Diamond blades support high abrasion resistance.
- Used for removing grout.

MODEL		
8132	12PCS	48PCS



ART. 8151-12L

Cleanning Bucket kits

- 12L bucket with wheels x1.
- Drying Rollers x1.
- Grate x1.
- Washing pad x2.

MODEL		
8151-12L	/	2PCS



ART. 8151-24L

Cleanning Bucket kits

- 24L bucket with wheels x1.
- Drying Rollers x1.
- Grate x1.
- Washing pad x2.

MODEL		
8151-24L	/	2PCS



ART. 8127-4

Cellulose Sponge

- Size : 165x110x50mm.
- 100% Cellulose.
- Ideal for all types of cleaning and decorating.

MODEL		
8127-4	/	36PCS



ART. 8127

Grout Sponge

- Size: 200x120x50mm.
- Ideal for removing excess grout.
- Clean the tile surface.

MODEL		
8127	/	36PCS



ART. 8127-3

Epoxy Grout Polishing Kit

- Kit comes with 3 different textured pads.
- Fine White Pad,Medium Red Pad,Coarse Black Pad.

MODEL		
8127-3	/	24PCS



OTHER TILING TOOLS

TILER is committed to providing installers with a comprehensive tiling solution. Our range of tools covers all the necessary equipment for every step of the tiling process, from preparation, installation, and trimming, to cleaning.

DIAMOND CERAMIC HOLE SAW

Made of high strength Carbon Steel and quality diamond abrasive particles with smooth nickel plating surface to extend the service life.
Suitable for drilling operations in ceramics, vitrified tiles, marble, granite and other materials.



ART. 8123H

Size	Length of Shank	Overall Length	Shank Diameter	Opening depth
4MM	30MM	65MM	7.5MM	30MM
5MM	30MM	65MM	7.5MM	30MM
6MM	30MM	65MM	7.5MM	30MM
6.5MM	30MM	65MM	7.5MM	30MM
8MM	30MM	65MM	7.5MM	30MM
10MM	30MM	65MM	7.5MM	30MM
11MM	30MM	65MM	7.5MM	30MM
14MM	30MM	65MM	7.5MM	30MM
15MM	30MM	65MM	7.5MM	30MM
17MM	30MM	65MM	7.5MM	30MM
20MM	30MM	65MM	7.5MM	30MM
22MM	30MM	65MM	7.5MM	30MM
25MM	30MM	65MM	7.5MM	30MM
27MM	30MM	65MM	7.5MM	30MM
28MM	30MM	65MM	7.5MM	30MM
30MM	30MM	65MM	7.5MM	30MM
32MM	30MM	65MM	7.5MM	30MM
35MM	30MM	65MM	7.5MM	30MM
38MM	30MM	65MM	7.5MM	30MM
40MM	30MM	65MM	7.5MM	30MM
45MM	30MM	65MM	7.5MM	30MM
50MM	30MM	65MM	7.5MM	30MM
52MM	30MM	65MM	7.5MM	30MM
55MM	30MM	65MM	7.5MM	30MM
57MM	30MM	65MM	7.5MM	30MM
60MM	30MM	65MM	7.5MM	30MM
62MM	30MM	65MM	7.5MM	30MM
65MM	30MM	65MM	7.5MM	30MM
68MM	30MM	65MM	7.5MM	30MM
70MM	30MM	65MM	7.5MM	30MM
72MM	30MM	65MM	7.5MM	30MM
75MM	30MM	65MM	7.5MM	30MM
80MM	30MM	65MM	7.5MM	30MM
85MM	30MM	65MM	7.5MM	30MM
90MM	30MM	65MM	7.5MM	30MM
95MM	30MM	65MM	7.5MM	30MM
100MM	30MM	65MM	7.5MM	30MM
105MM	30MM	65MM	7.5MM	30MM
110MM	30MM	65MM	7.5MM	30MM
115MM	30MM	65MM	7.5MM	30MM
120MM	30MM	65MM	7.5MM	30MM



ART. 8123J

Multi-function Hole Saw Locator.
* From:φ20-83MM



ART. 8123K

Mini Hole Saw Locator.
*For:φ4,6,8,10,12MM



ART. 8123H-SET 1

DIAMOND HOLE SAW SET

Diamond Hole Saw Φ 4mm
Diamond Hole Saw Φ 6mm
Diamond Hole Saw Φ 8mm
Diamond Hole Saw Φ 10mm
Diamond Hole Saw Φ 12mm



ART. 8123H-SET 2

DIAMOND HOLE SAW SET

Diamond Hole Saw Φ 20mm
Diamond Hole Saw Φ 22mm
Diamond Hole Saw Φ 30mm
Diamond Hole Saw Φ 35mm
Diamond Hole Saw Φ 40mm



ART. A21101
Tile Height Adjuster

- Suitable for Tile Lifting.
- Advantages : Fine-Tunable.

MODEL		
A21101	/	200PCS



ART. A21102
Tile Height Adjuster

- Material : Steel.
- Adjustment Range : 1-10cm.
- Load-Bearing : 100KG.
- Freely Adjustable, Easy to Operate.

MODEL		
A21102	12PCS	60PCS



ART. 8403
Hand Rasp

- Strongly-molded ABS plastic body.
- Replacement blade 140x40mm.
- Thumb screw for easy replacement.
- Perfect for smoothing uneven surfaces .

MODEL		
8403	10PCS	80PCS



ART. 8407
Hand Rasp

- Zinc-alloy body.
- Replacement blade 140x40mm.
- Perfect for smoothing uneven surfaces.

MODEL		
8407	10PCS	80PCS



ART. 8404
Hand Rasp

- Strongly-molded ABS plastic handle.
- Replacement blade 250x40mm.
- Thumb screw for easy replacement.
- Perfect for smoothing uneven surfaces.

MODEL		
8404	10PCS	60PCS



ART. 8405
Hand Rasp

- Zinc-alloy body.
- Strongly-molded ABS plastic handle.
- Replacement blade 250x40mm.
- Perfect for smoothing uneven surfaces.

MODEL		
8405	15PCS	60PCS



ART. 8126C-3
Tile Glass Mosaic Nipper

- For cutting and trimming ceramic tiles of any required shapes up to 10mm thick.
- Double color TPR handle grip.

MODEL		
8126C-3	4PCS	40PCS



ART. 8126A-N
Tile Glass Mosaic Nipper

- For cutting and trimming ceramic tiles of any required shapes up to 12mm thick.
- Double color TPR handle grip.

MODEL		
8126A-N	4PCS	40PCS



ART. 8126A-O
Tile Glass Mosaic Nipper

- With 2 tungsten carbide cutting wheels : Ø22x8x2.
- Double color TPR handle grip.

MODEL		
8126A-O	4PCS	40PCS



ART. 8107F
Tile Glass Mosaic Nipper

- With a tungsten carbide cutting wheel: Φ15xΦ6x1.5.
- Double color TPR handle grip.

MODEL		
8107F	4PCS	40PCS



ART. A11601
Spirit Level 60cm
Spirit Level 80cm
Spirit Level 100cm

- Heavy duty aluminum alloy frames.
- Horizontal, vertical and 45° bubble level.
- Strong magnetic.

MODEL		
A11601	/	30PCS



ART. A21501
5m Tape Measure

- ABS Shockproof Case, Orange Coated Rubber.
- Automatic locking, press to retract.

MODEL		
A21501	12PCS	120PCS



ART. 8122
Contour Gauge 6"
Coutour Gauge 10"

- Made of premium ABS plastic, very durable and sturdy.
- Perfect for use in wood cataloging moulding.

MODEL		
8122	/	50PCS



ART. 8702-M
Tile Scribe

- Tungsten blade.
- Easy to operate.
- Double color TPR handle grip.

MODEL		
8702-M	10PCS	100PCS

ART. A71101

Rubber Mallet 8oz
Rubber Mallet 12oz
Rubber Mallet 16oz
Rubber Mallet 24oz
Rubber Mallet 32oz



- Rubber head.
- TPR handle.
- No damage to the tiles.

MODEL		
A71101	/	12PCS

ART. A81101

Heavy Duty Tile Beater



- Size : 355 x 146mm.
- Remove air from under the tile.
- Heavy duty rubber pad.

MODEL		
A82030	/	12PCS

ART. A91102

Diamond Disc 105



- professional level.
- Size : Ø105xØ20x1.2mm.
- For both wet and dry cutting.
- Made with premium diamond particles.
- Compatible with most electric tile cutters.
- For stone, marble, granite, porcelain and ceramics.

MODEL		
A91102	10PCS	200PCS

ART. A91103

Diamond Disc 105



- Industrial level.
- Size : Ø105xØ20x1.1mm.
- For both wet and dry cutting.
- Made with premium diamond particles.
- Compatible with most electric tile cutters.
- For stone, marble, granite, porcelain and ceramics.

MODEL		
A91103	10PCS	200PCS


ART. Y31101

Diamond Hand Pad Grain # 60
Diamond Hand Pad Grain # 100
Diamond Hand Pad Grain # 200
Diamond Hand Pad Grain # 400



- Diamond + High Hardness High Elasticity Sponge.
- Works great for granite, engineered stone, glass, concrete, marble etc.

MODEL		
Y31101	/	50PCS





ART. ZJ01

TILER shelf

- Made of iron.
- Professional shelves with exquisite appearance, sturdy and durable.
- High space utilization.
- Designed specifically for TILER tools to improve sales efficiency.
- Become an agent of the TILER brand and have the opportunity to get shelves for free.
- Customizable size according to site requirements.

MODEL		
ZJ01	/	1 SET in 2 CTN



DISTRIBUTION

We Are Warmly Welcome Business Partners Worldwide to Join TILER Distributors and Lead the Tiling Tools Industry Together.

Technical **T**rusted **T**enacious **T**hrive **T**alented


不锈钢游标卡尺 VERNIER CALIPER

- 优质不锈钢制造
- 测量面经热处理及精磨
- 适用于内径，外径，台阶，深度测量

- Made of high-quality stailess steel
- Measuring face hardened and finished
- For measuring to inside outside depth and step



Range(范围)	Resolution	Art(货号)	Resolution	Art(货号)	Resolution	Art(货号)
0-125mm	0.02mm	HG-SY-S012	1/128in	HG-SY-S012A	0.001in	HG-SY-S012B
0-150mm	0.02mm	HG-SY-S015	1/128in	HG-SY-S015A	0.001in	HG-SY-S015B
0-200mm	0.02mm	HG-SY-S020	1/128in	HG-SY-S020A	0.001in	HG-SY-S020B
0-250mm	0.02mm	HG-SY-S025	1/128in	HG-SY-S025A	0.001in	HG-SY-S025B
0-300mm	0.02mm	HG-SY-S030	1/128in	HG-SY-S030A	0.001in	HG-SY-S030B



Range	L	A	B	C
0-125mm	212	40	16	21
0-150mm	232	40	16	21
0-200mm	295	50	16	24
0-250mm	345	50	16	24
0-300mm	410	62	16	31

工程塑料数显卡尺 ENGINEERING PLASTICS DIGITAL CALIPER


- 优质工程塑料制造
- 适用于内径，外径，台阶或深度测量

- Made of high-quality engineering plastic
- For measuring to inside outside depth and step



Range(范围)	Resolution	Art(货号)
0-100mm	0.01mm	HG-EY-010
0-150mm	0.01mm	HG-EY-015

Range	L	A	B	C
0-100mm	175	30	13	16
0-150mm	235	40	16	21



不锈钢带表卡尺 DIAL CALIPER

- 优质不锈钢制造
- 测量面经热处理及精磨
- 适用于内径，外径，台阶，深度测量

- Made of high-quality stailess steel
- Measuring face hardened and finished
- For measering to inside outside depth and step

Range(范围)	Resolution	Art(货号)
0-150mm	0.02mm	HG-DY-S15
0-200mm	0.02mm	HG-DY-S20




碳钢带表卡尺 DIAL CALIPER

- 优质碳素钢制造
- 测量面经热处理及精磨
- 适用于内径，外径，台阶，深度测量

- Made of high-quality carbon steel
- Measuring face hardened and finished
- For measering to inside outside depth and step

Range(范围)	Resolution	Art(货号)
0-150mm	0.02mm	HG-DY-D15
0-200mm	0.02mm	HG-DY-D20
0-300mm	0.02mm	HG-DY-D30





Range	L	A	B	C
0-100mm	232	40	16	21
0-200mm	295	50	16	24
0-300mm	410	62	16	31

不锈钢超大屏数显卡尺 DIGITAL CALIPER

- 优质不锈钢制造
- 测量面经热处理及精磨
- 适用于内径，外径，台阶，深度测量

- Made of high-quality stailess steel
- Measuring face hardened and finished
- For measering to inside outside depth and step

Range(范围)	Resolution	Art(货号)	Resolution	Art(货号)	Resolution	Art(货号)
0-100mm	0.01mm	HG-DY-047A				
0-125mm	0.01mm	HG-DY-057A	0.01mm	HG-DY-057B	0.01mm	HG-DY-057D
0-150mm	0.01mm	HG-DY-067A	0.01mm	HG-DY-067B	0.01mm	HG-DY-067D
0-200mm	0.01mm	HG-DY-087A	0.01mm	HG-DY-087B	0.01mm	HG-DY-087D
0-250mm	0.01mm	HG-DY-107A	0.01mm	HG-DY-107B	0.01mm	HG-DY-107D
0-300mm	0.01mm	HG-DY-127A	0.01mm	HG-DY-127B	0.01mm	HG-DY-127D





A



B




C



D





Range	L	A	B	C
0-100mm	170	30	13	16
0-125mm	212	40	16	21
0-150mm	232	40	16	21
0-200mm	290	50	16	24
0-250mm	340	50	16	24
0-300mm	400	62	16	31

不锈钢锌合金数显卡尺 DIGITAL CALIPER

- 优质不锈钢制造
- 测量面经热处理及精磨
- 适用于内径，外径，台阶，深度测量

- Made of high-quality stailess steel
- Measuring face hardened and finished
- For measering to inside outside depth and step

Range(范围)	Resolution	Art(货号)	Resolution	Art(货号)	Resolution	Art(货号)
0-125mm	0.01mm	HG-DY-071	0.01mm	HG-DY-071A	0.01mm	HG-DY-071B
0-150mm	0.01mm	HG-DY-072	0.01mm	HG-DY-072A	0.01mm	HG-DY-072B
0-200mm	0.01mm	HG-DY-073	0.01mm	HG-DY-073A	0.01mm	HG-DY-073B
0-250mm	0.01mm	HG-DY-074	0.01mm	HG-DY-074A	0.01mm	HG-DY-074B
0-300mm	0.01mm	HG-DY-075	0.01mm	HG-DY-075A	0.01mm	HG-DY-075B




HG-DY072



HG-DY-072A



HG-DY-072B



Range	L	A	B	C
0-100mm	170	30	13	16
0-125mm	212	40	16	21
0-150mm	232	40	16	21
0-200mm	290	50	16	24
0-250mm	340	50	16	24
0-300mm	400	62	16	31


不锈钢普通屏数显卡尺 DIGITAL CALIPER

- 优质不锈钢制造
- 测量面经热处理及精磨
- 适用于内径，外径，台阶，深度测量

- Made of high-quality stailess steel
- Measuring face hardened and finished
- For measuring to inside outside depth and step

Range(范围)	Resolution	Art(货号)
0-100mm	0.01mm	HG-DY-044
0-125mm	0.01mm	HG-DY-054
0-150mm	0.01mm	HG-DY-064
0-200mm	0.01mm	HG-DY-084
0-250mm	0.01mm	HG-DY-104
0-300mm	0.01mm	HG-DY-124





Range	L	A	B	C
0-100mm	170	30	13	16
0-125mm	212	40	16	21
0-150mm	232	40	16	21
0-200mm	290	50	16	24
0-250mm	340	50	16	24
0-300mm	400	62	16	31


自锁卡尺 SELF LOCKING CALIPER

- 优质碳素钢制造
- 测量面经热处理及精磨
- 适用于深度测量

- Made of high-quality carbon steel
- Measuring face hardened and finished
- For measering to inside outside depth and step

Range(范围)	Resolution	Art(货号)	Resolution	Art(货号)	Resolution	Art(货号)
0-150mm	0.02mm	HG-SY-Z15	1/128in	HG-CY-Z15A	0.001in	HG-CY-Z15B
0-200mm	0.02mm	HG-SY-Z20	1/128in	HG-CY-Z20A	0.001in	HG-CY-Z20B





Range	L	A	B	C
0-150mm	232	40	16	21
0-200mm	295	40	16	24

不锈轮胎花纹深度数显卡尺 DIGITAL TIRE PATTERN GAUGE

- 优质不锈钢制造
- 测量面经热处理及精磨
- 适用于轮胎花纹深度测量

- Made of high-quality stailess steel
- Measuring face hardened and finished
- For measuring to tire pattern depth

Range(范围)	Resolution	Art(货号)	Resolution	Art(货号)
0-35mm	0.01mm	HG-DY-L35	0.01mm	HG-DY-L35A
0-35mm	0.1mm	HG-DY-J35		





工程塑料数显轮胎花纹深度尺 Engineering plastics digital tire patteng gauge



Range(范围)	Resolution	Art(货号)
0-25mm	0.01mm	HG-DY-L25

不锈深度数显卡尺 DEPTH DIGITAL CALIPER

- 优质不锈钢制造
- 测量面经热处理及精磨
- 适用于深度测量

- Made of high-quality stailess steel
- Measuring face hardened and finished
- For measuring to depth

Range(范围)	Resolution	Art(货号)
0-150mm	0.01mm	HG-DY-315
0-200mm	0.01mm	HG-DY-320
0-250mm	0.01mm	HG-DY-325
0-300mm	0.01mm	HG-DY-330



【Laser tape measure】 Wisdom·Sincerity·Excellence·Efficiency

Laser/Tape Measure 2 in 1

The new upgrade **Laser Ranging**


brake button


Class I Induction Laser


LED liquid display


Strong magnetic ruler hook

Unit conversion | USB direct charge | length measurement | Area measurement | Volume measurement | Baseline switching



AL·40M LASER RANGING

USA US Patent No.: 29689168
EU plus EU patent: 006403077-0001
Utility model patent number: 2018 2074 9222.7

LD-0444

Laser/Tape Measure 2 in 1

The new upgrade **Laser Ranging**


Strong magnetic ruler hook


Large screen liquid display

Unit conversion | Self-locking tape measure | length measurement



FL·40M LASER RANGING

EU patent number: 004675031-0001
Domestic patent: 2019 3021 9236.8

KIMPORT

【Laser ruler series】 Wisdom·Sincerity·Excellence·Efficiency

Laser/Tape Measure 2 in 1

The new upgrade **Laser Ranging**



Strong magnetic ruler hook



Large screen liquid display

Unit conversion | USB direct charge | length measurement | Area measurement | Volume measurement | Baseline switching | Secondary Pythagorean



CL · 40M LASER RANGING

EU patent number: 006403077-0002

LD-0444

NEW ARRVIAL

Steel tape measure series

ABS new gauge shell, TPR environmental protection rubber, high hardness, not easy to scratch



JIS CE MID BSCI ISO9001

KIMPORT

B76/B77

New rubber coated steel tape measure

Imported ink printing / bright color / easy to identify /
High precision/strong wear resistance/non-reflective surface



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
B76/B77-3016	3m/10ft X16mm	12pcs	120pcs
B76/B77-5019	5m/16ft X19mm	12pcs	120pcs
B76/B77-5025	5m/16ft X25mm	12pcs	120pcs
B76/B77-5525	5.5m/18ftx25mm	12pcs	120pcs
B76/B77-7525	7.5m/25ft X25mm	6pcs	60pcs
B76/B77-8025	8m/26ft X25mm	6pcs	60pcs
B76/B77-1025	10m/33ft X25mm	6pcs	60pcs

LD-0444

T62

New steel tape measure

Imported ink printing / bright color / easy to identify /
High precision/strong wear resistance/non-reflective surface



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
T62-3016	3m/10ft X16mm	12pcs	180pcs
T62-5019	5m/16ft X19mm	12pcs	180pcs
T62-5025	5m/16ft X25mm	12pcs	120pcs
T62-7525	7.5m/25ft X25mm	6pcs	72pcs
T62-8025	8m/26ft X25mm	6pcs	72pcs
T62-1025	10m/33ft x25mm	6pcs	60pcs

JIS CE MID BSCI ISO9001

D35

New steel tape measure

Imported ink printing / bright color / easy to identify /
High precision/strong wear resistance/non-reflective surface

NEW ARRIVAL



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
D35-3016	3m/10ft X16mm	12pcs	180pcs

LD-0444

Model: D12

push lock | High precision






ultrasonic welding


minimal design


Strong toughness, not easy to break


No back cast design

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
D12-3016	3m/10ft X16mm	12pcs	180pcs
D12-5019	5m/16ft X19mm	12pcs	180pcs

Model: D17

push lock | High precision | Stainless steel






Nickel-plated tape


minimal design


Pulley assembly


hollow-carved design

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
D17-3016	3m/10ft X16mm	12pcs	180pcs
D17-5019	5m/16ft X19mm	12pcs	180pcs

Model: RE

point brake | High precision | Stainless steel









Laser Marking



high straightness



Strong toughness, not easy to break when bending



High precision multi-layer, super wear-resistant

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
RE-3016	3m/10ft X16mm	12pcs	120pcs
RE-5019	5m/16ft X19mm	12pcs	120pcs
RE-5025	5m/16ft X25mm	12pcs	120pcs
RE-5525	5.5m/18ftx25mm	12pcs	120pcs
RE-7525	7.5m/25ft X25mm	6pcs	60pcs
RE-8025	8m/26ft X25mm	6pcs	60pcs

Model: KT

Self-locking | High precision | Stainless steel









Personalized automatic lock



Double-sided two-color tape



Portable carry



high straightness

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
KT-5025	5m/16ft X25mm	12pcs	120pcs
KT-5525	5.5m/18ftx25mm	12pcs	120pcs

Model: MS

push lock | High precision | Stainless steel

Patent number: 201630438123.3









non-slip button



high straightness



Strong toughness, not easy to break when bending



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
MS-3016	3m/10ft X16mm	12pcs	120pcs
MS-5019	5m/16ft X19mm	12pcs	120pcs
MS-5025	5m/16ft X25mm	12pcs	120pcs
MS-5525	5.5m/18ft X25mm	12pcs	120pcs
MS-7525	7.5m/25ft X25mm	6pcs	60pcs
MS-8025	8m/26ft X25mm	6pcs	60pcs
MS-1025	10m/33ftx25mm	6pcs	60pcs

Model: MF

push lock | High precision

Patent number: 201630438123.3











non-slip button



high straightness



Strong toughness, not easy to break when bending



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
MF-3016	3m/10ft X16mm	12pcs	120pcs
MF-5019	5m/16ft X19mm	12pcs	120pcs
MF-5025	5m/16ft X25mm	12pcs	120pcs
MF-5525	5.5m/18ft X25mm	12pcs	120pcs
MF-7525	7.5m/25ft X25mm	6pcs	60pcs
MF-8025	8m/26ft X25mm	6pcs	60pcs
MF-1025	10m/33ftx25mm	6pcs	60pcs

Modle:B76

push lock | High precision

NEW 新品

Patent number: ZL202230116334.0











Strong magnetic ruler hook



High precision, super wear resistance



Non-slip button



Strong toughness, not easy to break when bending

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
B76-3016	3m/10ft X16mm	12pcs	180pcs
B76-5019	5m/16ft X19mm	12pcs	180pcs
B76-5025	5m/16ft X25mm	12pcs	120pcs
B76-7525	7.5m/25ft X25mm	6pcs	72pcs
B76-8025	8m/26ft X25mm	6pcs	72pcs
B76-1025	10m/33ftx25mm	6pcs	60pcs

Modle:B77

push lock | High precision

NEW 新品

Patent number: ZL202230116872.4











Strong magnetic ruler hook



High precision, super wear resistance



Strong toughness, not easy to break when bending



Non-slip button

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
B77-3016	3m/10ft X16mm	12pcs	180pcs
B77-5019	5m/16ft X19mm	12pcs	180pcs
B77-5025	5m/16ft X25mm	12pcs	120pcs
B77-7525	7.5m/25ft X25mm	6pcs	72pcs
B77-8025	8m/26ft X25mm	6pcs	60pcs
B77-1025	10m/33ftx25mm	6pcs	60pcs

Model: XMD

Self-locking | High precision

EU patent number: 004851505-0002









Silver plated ruler case



Protective ruler hook



Convenient point locking



elastic brake

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
XMD-3016	3m/10ft X16mm	12pcs	120pcs
XMD-5019	5m/16ft X19mm	12pcs	120pcs
XMD-5025	5m/16ft X25mm	12pcs	120pcs
XMD-5525	5.5m/18ftx25mm	12pcs	120pcs
XMD-7525	7.5m/25ft X25mm	6pcs	60pcs
XMD-8025	8m/26ft X25mm	6pcs	60pcs

Model: XM

Self-locking | High precision

EU patent number: 004851505-0002









Patented product



Strong magnetic ruler hook



Convenient point locking



elastic brake

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
XM-3016	3m/10ft X16mm	12pcs	120pcs
XM-5019	5m/16ft X19mm	12pcs	120pcs
XM-5025	5m/16ft X25mm	12pcs	120pcs
XM-5525	5.5m/18ftx25mm	12pcs	120pcs
XM-7525	7.5m/25ft X25mm	6pcs	60pcs
XM-8025	8m/26ft X25mm	6pcs	60pcs

【Steel tape measure series】 Wisdom·Sincerity·Excellence·Efficiency

Model: ES

double brake | High precision

Patent number: 2020 3060 7593.4







double brake



High precision, super wear resistance



Protective ruler hook



Strong toughness, not easy to break

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
ES-3016	3m/10ft X16mm	12pcs	120pcs
ES-5019	5m/16ft X19mm	12pcs	120pcs
ES-5025	5m/16ft X25mm	12pcs	120pcs
ES-5525	5.5m/18ftx25mm	12pcs	120pcs
ES-7525	7.5m/25ft X25mm	6pcs	60pcs
ES-8025	8m/26ft X25mm	6pcs	60pcs

Model: ST

push lock | High precision

Patent number: 201630438125.2







Combe attached withelectroplating ring, fashionable atmosphere



High precision, super wear resistance



Strong toughness, not easy to break



non-slip button

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
ST-3016	3m/10ft X16mm	12pcs	120pcs
ST-5019	5m/16ft X19mm	12pcs	120pcs
ST-5025	5m/16ft X25mm	12pcs	120pcs
ST-5525	5.5m/18ft X25mm	12pcs	120pcs
ST-7525	7.5m/25ft X25mm	6pcs	60pcs
ST-8025	8m/26ft X25mm	6pcs	60pcs
ST-1025	10m/33ftx25mm	6pcs	60pcs

Model: KSD

Self-locking | High precision | silver







High wear-resistant brake head

Convenient point braking



Strong toughness, not easy to break



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
KSD-3016	3m/10ft X16mm	12pcs	120pcs
KSD-5019	5m/16ft X19mm	12pcs	120pcs
KSD-5025	5m/16ft X25mm	12pcs	120pcs
KSD-5525	5.5m/18ftx25mm	12pcs	120pcs
KSD-7525	7.5m/25ft X25mm	6pcs	60pcs
KSD-8025	8m/26ft X25mm	6pcs	60pcs
KSD-1025	10m/33ft X25mm	6pcs	60pcs

Model: KS

Self-locking | High precision







Convenient point braking

High wear-resistantbrake head



High precision, super wear resistance



Strong toughness, not easy to break

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
KS-3016	3m/10ft X16mm	12pcs	120pcs
KS-5019	5m/16ft X19mm	12pcs	120pcs
KS-5025	5m/16ft X25mm	12pcs	120pcs
KS-5525	5.5m/18ftx25mm	12pcs	120pcs
KS-7525	7.5m/25ft X25mm	6pcs	60pcs
KS-8025	8m/26ft X25mm	6pcs	60pcs
KS-1025	10m/33ft X25mm	6pcs	60pcs

【Steel tape measure series】 Wisdom·Sincerity·Excellence·Efficiency

Model: RXD

push lock | High precision | silver







PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
RXD-3016	3m/10ft X16mm	12pcs	120pcs
RXD-5019	5m/16ft X19mm	12pcs	120pcs
RXD-5025	5m/16ft X25mm	12pcs	120pcs
RXD-6525	6.5m/18ft X25mm	12pcs	120pcs
RXD-7525	7.5m/25ft X25mm	6pcs	60pcs
RXD-8025	8m/26ft X25mm	6pcs	60pcs
RXD-1025	10m/33ft X25mm	6pcs	60pcs

Model: RX

push lock | High precision







PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
RX-3016	3m/10ft X16mm	12pcs	120pcs
RX-5019	5m/16ft X19mm	12pcs	120pcs
RX-5025	5m/16ft X25mm	12pcs	120pcs
RX-6525	6.5m/18ft x25mm	12pcs	120pcs
RX-7525	7.5m/25ft X25mm	6pcs	60pcs
RX-8025	8m/26ft X25mm	6pcs	60pcs
RX-1025	10m/33ft X25mm	6pcs	60pcs

Model: P11

push lock | High precision | Plating ring







PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
P11 3016	3m/10ft X16mm	12pcs	120pcs
P11-5019	5m/16ft X19mm	12pcs	120pcs
P11 5025	5m/16ft X25mm	12pcs	120pcs
P11-7525	7.5m/25ft X25mm	6pcs	60pcs
P11 8025	8m/26ft X25mm	6pcs	60pcs

Model: P12

push lock | High precision







PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
P12-3016	3m/10ft X16mm	12pcs	120pcs
P12-5019	5m/16ft X19mm	12pcs	120pcs
P12-5025	5m/16ft X25mm	12pcs	120pcs
P12-7525	7.5m/25ft X25mm	6pcs	60pcs
P12-8025	8m/26ft X25mm	6pcs	60pcs

Model: 88

push lock | High precision











ABS new material side shell, PVC super thick bottom case



high straightness



Strong toughness, not easy to break



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
88-3016	3m/10ft X16mm	12pcs	120pcs
88-5019	5m/16ft X19mm	12pcs	120pcs
88-5025	5m/16ft X25mm	12pcs	120pcs
88-5525	5.5m/18ftx25mm	12pcs	120pcs
88-7525	7.5m/25ft X25mm	6pcs	60pcs
88-8025	8m/26ft X25mm	6pcs	60pcs
88-1025	10m/33ft X25mm	6pcs	60pcs

Model: 6F

push lock | High precision











Three brakes



high straightness



Strong toughness, not easy to break



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
6F-3016	3m/10ft X16mm	12pcs	120pcs
6F-5019	5m/16ft X19mm	12pcs	120pcs
6F-5025	5m/16ft X25mm	12pcs	120pcs
6F-5525	5.5m/18ftx25mm	12pcs	120pcs
6F-7525	7.5m/25ft X25mm	6pcs	60pcs
6F-8025	8m/26ft X25mm	6pcs	60pcs
6F-1025	10m/33ft X25mm	6pcs	60pcs

Model: 6T

push lock | High precision









double brake



high straightness



Strong toughness, not easy to break



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
6T-3016	3m/10ft X16mm	12pcs	120pcs
6T-5019	5m/16ft X19mm	12pcs	120pcs
6T-5025	5m/16ft X25mm	12pcs	120pcs
6T-5525	5.5m/18ftx25mm	12pcs	120pcs
6T-7525	7.5m/25ft X25mm	6pcs	60pcs
6T-8025	8m/26ft X25mm	6pcs	60pcs
6T-1025	10m/33ft X25mm	6pcs	60pcs

Model: T62

push lock | High precision | extremely small





Injection logo





Strong toughness, not easy to break



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
T62-3016	3m/10ft X16mm	12pcs	180pcs
T62-5019	5m/16ft X19mm	12pcs	180pcs
T62-5025	5m/16ft X25mm	12pcs	120pcs
T62-7525	7.5m/25ft X25mm	6pcs	72pcs
T62-8025	8m/26ft X25mm	6pcs	72pcs
T62-1025	10m/33ftx25mm	6pcs	60pcs

Model: T63

push lock | High precision







PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
T63-3016	3m/10ft X16mm	12pcs	120pcs
T63-5019	5m/16ft X19mm	12pcs	120pcs
T63-5025	5m/16ft X25mm	12pcs	120pcs
T63-7525	7.5m/25ft X25mm	6pcs	60pcs
T63-8025	8m/26ft X25mm	6pcs	60pcs

Model: T64

push lock | High precision | Plating ring







PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
T64-3016	3m/10ft X16mm	12pcs	120pcs
T64-5019	5m/16ft X19mm	12pcs	120pcs
T64-5025	5m/16ft X25mm	12pcs	120pcs
T64-7525	7.5m/25ft X25mm	6pcs	60pcs
T64-8025	8m/26ft X25mm	6pcs	60pcs

Model: T68

push lock | High precision







PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
T68-3016	3m/10ft X16mm	12pcs	120pcs
T68-5019	5m/16ft X19mm	12pcs	120pcs
T68-5025	5m/16ft X25mm	12pcs	120pcs
T68-7525	7.5m/25ft X25mm	6pcs	60pcs
T68-8025	8m/26ft X25mm	6pcs	60pcs

Model: T68 PC

push lock | High precision | PC transparent







PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
T68-3016	3m/10ft X16mm	12pcs	120pcs
T68-5019	5m/16ft X19mm	12pcs	120pcs
T68-5025	5m/16ft X25mm	12pcs	120pcs
T68-7525	7.5m/25ft X25mm	6pcs	60pcs
T68-8025	8m/26ft X25mm	6pcs	60pcs

Model: T65

push lock | High precision











two brakes



minimal design



Strong toughness, not easy to break



high straightness

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
T65-3016	3m/10ft X16mm	12pcs	120pcs
T65-5019	5m/16ft X19mm	12pcs	120pcs
T65-5025	5m/16ft X25mm	12pcs	120pcs
T65-7525	7.5m/25ft X25mm	6pcs	60pcs
T65-8025	8m/26ft X25mm	6pcs	60pcs

Model: T65 PC

push lock | High precision | PC transparent











two brakes



minimal design



Strong toughness, not easy to break



high straightness

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
T65-3016	3m/10ft X16mm	12pcs	120pcs
T65-5019	5m/16ft X19mm	12pcs	120pcs
T65-5025	5m/16ft X25mm	12pcs	120pcs
T65-7525	7.5m/25ft X25mm	6pcs	60pcs
T65-8025	8m/26ft X25mm	6pcs	60pcs

Model: 70

push lock | High precision









Electroplating buckle, flexible and elegant use



Extra thick ruler



minimal design



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
70-3016	3m/10ft X16mm	12pcs	180pcs
70-5019	5m/16ft X19mm	12pcs	180pcs
70-5025	5m/16ft X25mm	12pcs	120pcs
70-7525	7.5m/25ft X25mm	6pcs	72pcs
70-8025	8m/26ft X25mm	6pcs	72pcs
70-1025	10m/33ftx25mm	6pcs	60pcs

Model: 69

push lock | High precision











Zinc alloy center shaft



Super thick ruler



minimal design



High precision, super wear resistance

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
69-3016	3m/10ft X16mm	12pcs	180pcs
69-5019	5m/16ft X19mm	12pcs	180pcs
69-5025	5m/16ft X25mm	12pcs	120pcs
69-7525	7.5m/25ft X25mm	6pcs	72pcs
69-8025	8m/26ft X25mm	6pcs	72pcs
69-1025	10m/33ft X25mm	6pcs	60pcs

【Steel tape measure series】 Wisdom·Sincerity·Excellence·Efficiency

Model: XTS

push lock | High precision

Patent number: 2016 3 0438124.8







PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
XTS-3016	3m/10ft X16mm	12pcs	180pcs
XTS-5019	5m/16ft X19mm	12pcs	180pcs
XTS-5025	5m/16ft X25mm	12pcs	120pcs
XTS-7525	7.5m/25ft X25mm	6pcs	72pcs
XTS-8025	8m/26ft X25mm	6pcs	72pcs
XTS-1025	10m/33ft X25mm	6pcs	60pcs

Model: RK

Self-locking | High precision







PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
RK-3016	3m/10ft X16mm	12pcs	120pcs
RK-5019	5m/16ft X19mm	12pcs	120pcs
RK-5025	5m/16ft X25mm	12pcs	120pcs
RK 7525	7.5m/25ft X25mm	6pcs	60pcs
RK 8025	8m/26ft X25mm	6pcs	60pcs

Model: TM

Self-locking | High precision







PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
TM-3016	3m/10ft X16mm	12pcs	120pcs
TM-5019	5m/16ft X19mm	12pcs	120pcs
TM-5025	5m/16ft X25mm	12pcs	120pcs
TM-7525	7.5m/25ft X25mm	6pcs	60pcs
TM-8025	8m/26ft X25mm	6pcs	60pcs

Model: XT

push lock | High precision

Patent number: 2016 3 0438124.8







PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
XT-3016	3m/10ft X16mm	12pcs	180pcs
XT-5019	5m/16ft X19mm	12pcs	180pcs
XT-5025	5m/16ft X25mm	12pcs	120pcs
XT-7525	7.5m/25ft X25mm	6pcs	72pcs
XT-8025	8m/26ft X25mm	6pcs	72pcs
XT-1025	10m/33ft X25mm	6pcs	60pcs

KIMPORT

【Steel tape measure series】 Wisdom·Sincerity·Excellence·Efficiency

Model: 66

push lock | High precision



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
66-3016	3m/10ft X16mm	12pcs	180pcs
66-5019	5m/16ft X19mm	12pcs	180pcs
66-5025	5m/16ft X25mm	12pcs	120pcs
66-7525	7.5m/25ft X25mm	6pcs	72pcs
66-8025	8m/26ft X25mm	6pcs	72pcs

Model: 67

push lock | High precision



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
67-2016	2m/6ftx13mm	24pcs	240pcs
67-3016	3m/10ft X16mm	12pcs	180pcs
67-5019	5m/16ft X19mm	12pcs	180pcs
67-5025	5m/16ft X25mm	12pcs	120pcs
67-7525	7.5m/18ft X25mm	6pcs	72pcs
67-8025	8m/26ft X25mm	6pcs	72pcs
67-1025	10m/27ft X25mm	6pcs	60pcs

Model: RT

push lock | High precision



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
RT-2013	2m/6ft X13mm	24pcs	240pcs
RT-3016	3m/10ft X16mm	12pcs	180pcs
RT-5019	5m/16ft X19mm	12pcs	180pcs
RT-5025	5m/16ft X25mm	12pcs	120pcs
RT-7525	7.5m/25ft X25mm	6pcs	72pcs
RT-8025	8m/26ft X25mm	6pcs	72pcs

Model: RA

push lock | High precision



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
RA-3016	3m/10ft X16mm	12pcs	180pcs
RA-5019	5m/16ft X19mm	12pcs	180pcs
RA-5025	5m/16ft X25mm	12pcs	120pcs
RA-7525	7.5m/25ft X25mm	6pcs	72pcs
RA-8025	8m/26ft X25mm	6pcs	72pcs

LD-0444



KIMPORT

32 series

new portable tape measure

Imported ink printing, bright color / easy identification
high precision, high waterproof, super wear-resistant

NEW ARRIVAL



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
32B-3013	30m/100ft X13mm	1pcs	10pcs
32B-5013	50m/165ft X13mm	1pcs	10pcs
32B-10013	100m/330ft X13mm	1pcs	10pcs

LD-0444

32 portable tape measure

Imported ink printing, bright color / easy identification,
high precision, high waterproof, super wear-resistant

NEW ARRIVAL



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
32-3013	30m/100ft X13mm	1pcs	10pcs
32-5013	50m/165ft X13mm	1pcs	10pcs
32-10013	100m/330ft X13mm	1pcs	10pcs

CE MID BSCI ISO9001

28 series long steel tape measure





Anti-idling and labor saving rocker



3:1 fast recycling design

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
28-3013	30m/100ft X13mm	1pcs	10pcs
28-5013	50m/165ft X13mm	1pcs	10pcs
28-10013	100m/330ft X13mm	1pcs	10pcs

1. Matte tape for engineering
2. High precision, clear printing and easy identification



28B series fiber tape measure





Anti-idling and labor-saving rocker



3:1 Fast recycling design

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
28B-3015	30m/100ft X15mm	1pcs	10pcs
28B-5015	50m/165ft X15mm	1pcs	10pcs
28B-10015	100m/330ft X15mm	1pcs	10pcs

1. UV printing ultra high definition, easy to identify
2. Double-sided coating, super wear-resistant
3. 300% service life



28D series long tape measure





Anti-idling and labor-saving rocker



3:1 fast recycling design

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
28D-3013	30m/100ft X13mm	1pcs	10pcs
28D-5013	50m/165ft X13mm	1pcs	10pcs
28D-10013	100m/330ft X13mm	1pcs	10pcs

1. The project is covered with white nylon and is super wear-resistant
2. Waterproof, anti-rust, anti-folding
3. High-grade pull ring climbing hook, more convenient to use



28BX series long tape measure





Anti-idling and labor-saving rocker



3:1 Fast recycling design

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
28BX-3013	30m/100ft X13mm	1pcs	10pcs
28BX-5013	50m/165ft X13mm	1pcs	10pcs
28BX-10013	100m/330ft X13mm	1pcs	10pcs

1. The project is covered with white acrylic nylon
2. Super wear-resistant, waterproof, rust proof
3. High-grade pull ring climbing hook, more convenient to use



19 portable tape measure





Rubberized protection non-slip and anti-fall

Four times faster, lighter to use

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
19-3013	30m/100ft X13mm	1pcs	10pcs
19-5013	50m/165ft X13mm	1pcs	10pcs
19-10013	100m/330ft X13mm	1pcs	10pcs

1. The project is covered with white nylon and is super wear-resistant
2. Waterproof, anti-rust, anti-folding;
3. High-grade pull ring climbing hook, more convenient to use



19B portable fiber tape measure





Rubberized protection anti-skid and anti-drop

Four times faster, lighter to use

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
19B-3015	30m/100ft X15mm	1pcs	10pcs
19B-5015	50m/165ft X15mm	1pcs	10pcs

1. UV printing ultra high definition, easy to identify
2. Double-sided coating, super wear-resistant
3. 300% service life



26 portable long steel tape measure





Precise/wear-resistant/ easy to identify



Effort-saving rocker easy to close the ruler

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
26-3013	30m/100ft X13mm	1pcs	20pcs
26-5013	50m/165ft X13mm	1pcs	20pcs
26-10013	100m/330ft X13mm	1pcs	10pcs

27 portable fiber tape measure





Fiber tape, resistant to bending and bending



3:1 fast recycling design

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
27-2015	20m/66ft X15mm	1pcs	16pcs
27-3015	30m/100ft X15mm	1pcs	16pcs
27-5015	50m/165ft X15mm	1pcs	16pcs
27-10015	100m/330ft X15mm	1pcs	10pcs

【Portable tape measure】 Wisdom·Sincerity·Excellence·Efficiency

23 portable tape measure





Non-slip handle for comfortable grip



Effort-saving rocker easy to close the ruler

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
23-3013	30m/100ft X13mm	1pcs	20pcs
23-5013	50m/165ft X13mm	1pcs	20pcs
23-10013	100m/330ft X13mm	1pcs	10pcs

18 portable stainless steel long tape measure





Outlet roller design smooth out the tape



High strength alloy steel housing

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
18-3013	30m/100ft X13mm	1pcs	20pcs
18-5013	50m/165ft X13mm	1pcs	20pcs
18-10013	100m/330ft X13mm	1pcs	10pcs

13 portable tape measure





Non-slip handle for comfortable grip



ABS industrial plastic

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
13-3013	30m/100ft X13mm	1pcs	20pcs
13-5013	50m/165ft X13mm	1pcs	20pcs
13-10013	100m/330ft X13mm	1pcs	10pcs

1. Matte tape for engineering
2. High precision, clear printing and easy identification

13B portable tape measure

Patent number: 2017 3 0480687.6





Anti-idling and labor-saving rocker



ABS industrial plastic

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
13B-3013	30m/100ft X13mm	1pcs	20pcs
13B-5013	50m/165ft X13mm	1pcs	20pcs
13B-10013	100m/330ft X13mm	1pcs	10pcs

1. UV printing ultra high definition, easy to identify
2. Double-sided coating, super wear-resistant
3. 300% service life

68 portable tape measure



High precision / super wear resistance / easy to read



Rubberized handle for comfort and durability



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
68-2013	20m/66ft X13mm	1pcs	20pcs
68-3013	30m/100ft X13mm	1pcs	20pcs
68-5013	50m/165ft X13mm	1pcs	20pcs

68B portable tape measure



Copper explosion-proof anchor head



Corrosion-resistant stainless steel tape

PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
68B-2013	20m/66ftx13mm	1pcs	20pcs
68B-3013	30m/100ftx13mm	1pcs	20pcs
68B-5013	50m/165ftx13mm	1pcs	20pcs



17 portable tape measure



Anti-idling with folding handle



Corrosion-resistant stainless steel tape



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
17-2013	20m/66ft X13mm	1pcs	20pcs
17-3013	30m/100ft X13mm	1pcs	20pcs
17-5013	50m/165ft X13mm	1pcs	20pcs

21 portable tape measure



Aluminum alloy ruler frame, anti-rust and corrosion-resistant



Rubberized handle for comfort and durability




PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
21-2013	20m/66ft X13mm	1pcs	20pcs
21-3013	30m/100ft X13mm	1pcs	20pcs
21-5013	50m/165ft X13mm	1pcs	20pcs



29 disc tape measure

Patent number: 2019300697574



Brand new ABS outer case, TPR environmentally friendly plastic bag and portable handle



3:1 fast recycling



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
29-2015	20m/66ft X15mm	1pcs	40pcs
29-3015	30m/100ft X15mm	1pcs	40pcs
29-5015	50m/165ft X15mm	1pcs	20pcs

1. Double-sided two-color UV printing ultra-high-definition, easy to identify
2. Double-sided coating super wear-resistant
3. 300% service life



EL disc tape measure

Patent number: 2017 3 0642157.2



Wearing with ruler hook, meticulous



3:1 fast recycling



PRODUCT NUMBER

model	Specification	inner packaging	Outer packaging
EL-2015	20m/66ft X15mm	1pcs	40pcs
EL-3015	30m/100ft X15mm	1pcs	40pcs
EL-5015	50m/165ft X15mm	1pcs	20pcs

1. Double-sided two-color UV printing ultra-high-definition, easy to identify
2. Double-sided coating super wear-resistant
3. 300% service life



【Disc tape measure】 Wisdom·Sincerity·Excellence·Efficiency

EXL PC high transparent disc tape measure

Patent number: 2017 3 0542107.2



PC high transparent ruler



3:1 fast recycling



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
EXL-2015	20m/66ft X15mm	1pcs	40pcs
EXL-3015	30m/100ft X15mm	1pcs	40pcs
EXL-5015	50m/165ft X15mm	1pcs	20pcs

1. Double-sided two-color UV printing ultra-high-definition, easy to identify
2. Double sides coating, super wear-resistant
3. 300% service life



EXD silver plated disc tape measure

Patent number: 2017 3 0542107.2



Silver-plated and rubber-coated, high-end and fashionable



3:1 fast recycling



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
EXD-2015	20m/66ft X15mm	1pcs	40pcs
EXD-3015	30m/100ft X15mm	1pcs	40pcs
EXD-5015	50m/165ft X15mm	1pcs	20pcs

1. Double-sided two-color UV printing ultra-high-definition, easy to identify
2. Double-sided coating, super wear-resistant
3. 300% service life



GL disc tape measure

Patent number: 2017 3 0542107.2



Metal inlay, wear-protection tape



3:1 fast recycling



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
GL-2013	20m/66ft X13mm	1pcs	40pcs
GL-3013	30m/100ft X13mm	1pcs	40pcs
GL-5013	50m/165ft X13mm	1pcs	20pcs



GXL PC high transparent disc tape measure

Patent number: 2017 3 0542107.2



PC transparent ruler



3:1 fast recycling



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
GXL-2013	20m/66ft X13mm	1pcs	40pcs
GXL-3013	30m/100ft X13mm	1pcs	40pcs
GXL-5013	50m/165ft X13mm	1pcs	20pcs



【Disc tape measure】 Wisdom·Sincerity·Excellence·Efficiency

GXD silver plated disc tape measure

Patent number: 2017 2 0943008.0




High-end silver-plated plus jagging


3:1 fast recycling

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
GXD-2013	20m/66ft X13mm	1pcs	40pcs
GXD-3013	30m/100ft X13mm	1pcs	40pcs
GXD-5013	50m/165ft X13mm	1pcs	20pcs

1.Engineering-specific nylon embossed tape, 10 times wear-resistant
2.High precision, clear printing and easy identification



DL disc tape measure

Patent number: 201530069210.1




black circle


Portable carry



Folding and shaving knife, convenient and not hurting your hands

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
DL-2013	20m/66ft X13mm	1pcs	40pcs
DL-3013	30m/100ft X13mm	1pcs	40pcs
DL-5013	50m/165ft X13mm	1pcs	20pcs



04 disc tape measure




metal shaker


Thickened environmental protection fiber ruler

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
04-1013	10m/33ft X13mm	1pcs	90pcs
04-1513	15m/50ft X13mm	1pcs	90pcs
04-2013	20m/66ft X13mm	1pcs	60pcs
04-3013	30m/100ft X13mm	1pcs	60pcs
04-5013	50m/165ft X13mm	1pcs	30pcs



05 disc tape measure





metal shaker


Thickened environmental protection fiber ruler

PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
05-1013	10m/33ft X13mm	1pcs	90pcs
05-1513	15m/50ft X13mm	1pcs	90pcs
05-2013	20m/66ft X13mm	1pcs	60pcs
05-3013	30m/100ft X13mm	1pcs	60pcs
05-5013	50m/165ft X13mm	1pcs	30pcs



KIMPORT

【Disc tape measure】 Wisdom·Sincerity·Excellence·Efficiency

06 disc tape measure





Folding handle



Thickened environmental protection fiber ruler



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
06-1013	10m/33ft X13mm	1pcs	90pcs
06-1513	15m/50ft X13mm	1pcs	90pcs
06-2013	20m/66ft X13mm	1pcs	60pcs
06-3013	30m/100ft X13mm	1pcs	60pcs
06-5013	50m/165ft X13mm	1pcs	30pcs

01 disc tape measure





Folding shaking handle



Thickened environmental protection fiber ruler



PRODUCT NUMBER

model	Specification	Inner packaging	Outer packaging
01-1013	10m/33ft X13mm	1pcs	90pcs
01-1513	15m/50ft X13mm	1pcs	90pcs
01-2013	20m/66ft X13mm	1pcs	60pcs
01-3013	30m/100ft X13mm	1pcs	60pcs
01-5013	50m/165ft X13mm	1pcs	30pcs

LD-0444

sticky tape

Used to specify the measurement of workbenches, sawing tables, machines, tables, countertops, and vertical objects such as columns and walls







width	length	thickness	color
10mm、12.5mm、16mm、19mm	50cm、1m、2m、3m	0.3mm(including glue)	white yellow




positive　middle score　reverse

UL CE MID BSCI ISO9001

0 POINT CORRECTION CLAW DESCRIPTION

Take the inside of the ruler hook as the 0 scale base point or the outside of the ruler hook as the 0 scale base point, the measurement result is correct



	MID II	BANGTE II		MID II	BANGTE II
0-100(10cm)	≤±0.7	≤±0.4	0-2000(2m)	≤±0.9	≤±0.6
0-200(20cm)	≤±0.7	≤±0.4	0-3000(3m)	≤±1.1	≤±0.7
0-300(30cm)	≤±0.7	≤±0.4	0-4000(4m)	≤±1.3	≤±0.8
0-400(40cm)	≤±0.7	≤±0.4	0-5000(5m)	≤±1.5	≤±0.8
0-500(50cm)	≤±0.7	≤±0.4	0-6000(6m)	≤±1.7	≤±0.8
0-600(60cm)	≤±0.7	≤±0.5	0-7000(7m)	≤±1.9	≤±0.8
0-700(70cm)	≤±0.7	≤±0.5	0-8000(8m)	≤±2.1	≤±0.8
0-800(80cm)	≤±0.7	≤±0.5	0-9000(9m)	≤±2.3	≤±0.8
0-900(90cm)	≤±0.7	≤±0.5	0-10000(10m)	≤±2.5	≤±0.8
0-1000(1m)	≤±0.7	≤±0.5			

TAPE WIDTH	0.105mm		0.12mm		0.13mm	
12.5mm	≥1.2m	≥1.6m	≥1.3m	≥1.7m	≥1.4m	≥1.7m
16mm	≥1.5m	≥1.7m	≥1.6m	≥1.8m	≥1.7m	≥2.1m
19mm	≥1.7m	≥2.4m	≥1.8m	≥2.5m	≥1.9m	≥2.6m
25mm	≥2.2m	≥3.3m	≥2.4m	≥3.4m	≥2.5m	≥3.5m
27mm	≥2.7m	≥3.5m	≥2.8m	≥3.8m	≥2.9m	≥3.9m


DROP TEST




	DROP ON CONCRETE FLOOR (PLEASE SPECIFY IF REQUIRED)					
PRODUCT SPECIFICATIONS	3016	5019	5025	7525	8025	1025
DROP HEIGHT	5m	5m	5m	5m	5m	5m
FREQUENCY	5次	5次	5次	5次	5次	5次

TAPE COATING TEST

SCALE TAPE COATING WEAR-RESISTANT SPECIFICATIONS				
TEST MATERIAL 20# EMERY				
BRIGHT COATING	≥20Kg	NYLON COATING	≥40Kg	
MATTE COATING	≥25Kg	NYLON POLYESTER FILM	≥100Kg	






long tape display



White Double Metric Printed Long Steel Band


White Metric Company Length Steel Belt


White Metric-Imperial Printed Long Steel Band



Yellow metric printed long steel strip


Front white metric fiber tape



Reverse white imperial fiber tape


Front white metric fiber tape


Reverse yellow imperial fiber tape


Front yellow metric fiber tape



Reverse yellow imperial fiber tape



Front white metric fiber tape



Reverse white imperial fiber tape



Front yellow metric fiber tape


Reverse yellow metric fiber tape


Front white metric fiber tape


Reverse white metric fiber tape


Front white metric MID printed fiber tape


Reverse white metric MID printed fiber tape


Front white metric MID printed fiber tape


Reverse yellow metric MID printed fiber tape

tape measure inner box



Long tape measure inner box



paper card

plastic card

Transparent anti-theft blister card




A


B


C


D


E


F


G


H


I



J


K

SMALL FOLDING HAND TRUCK 轻型折叠车

货号 Model No.	LH03-40
材料 Material	手柄--塑料 Handle---Plastic 支杆--钢管 Rod---Steel tube 底板--塑料 Bottom plate---Plastic
最大尺寸 Overall size opened	L328xW230xH-960mm
折叠尺寸 Overall size folded	L445xW230x-85mm
底盘尺寸 Bottom plate size	L320xW230mm
载重 Capacity	40kgs
净重 Net weight	1.22kgs
轮子 Wheel	75mm PVC轮
包装箱尺寸 Packing carton size	545x460x285mm/10pcs
QTY/20FCL/40GP/40HQ	400pcs/3680pcs/4080pcs







ALUMINIUM FOLDING HAND TRUCK 铝制折叠车

货号 Model No.	LH02-90	LH02-90D
材料 Material	手柄--铬钢管 Handle---Chrome-plated steel tube 车架--铝合金 Frame---Aluminium 底板--喷塑钢 Bottom plate---Powder coated steel	
最大尺寸 Overall size opened	L935xW595xH1080mm	
折叠尺寸 Overall size folded	L1190xW595xH210mm	
底盘尺寸 Bottom plate size	L250x595mm	
载重 Capacity	90kgs	
净重 Net weight	4.6kgs	5.6kgs
轮子 Wheel	150mm PP+EVA轮	150mm PP+TPE轮
包装箱尺寸 Packing carton size	730x405x145/58pcs(wheels not pre-assembled)	
QTY/20FCL/40GP/40HQ	1000pcs(wheels not pre-assembled) 2080pcs(wheels not pre-assembled) 2330pcs(wheels not pre-assembled)	



货号 Model No.	LH03-50
材料 Material	手柄--塑料 Handle---Plastic 支杆--钢管 Rod---Steel tube 底盘--PP塑 Bottom plate---Plastic
最大尺寸 Overall size opened	L340xW30xH960mm
折叠尺寸 Overall size folded	L445xW230xH110mm
底盘尺寸 Bottom plate size	L340xW250mm
载重 Capacity	50kgs
净重 Net weight	1.9kgs
轮子 Wheel	180mm PP轮
包装箱尺寸 Packing carton size	545x460x285mm/5pcs
QTY/20FCL/40GP/40HQ	1650pcs/7740pcs/8665pcs







货号 Model No.	LH01-150S	LH01-150
材料 Material	手柄--铬钢管 Handle---Chrome-plated steel tube 主体--铝合金 Frame: Aluminium 底板--喷塑钢 Bottom plate---Powder coated steel	
最大尺寸 Overall size opened	L730xW518xH945mm	L730xW518xH1018mm
折叠尺寸 Overall size folded	L560xW518xH230mm	L560xW518xH255mm
载重 Capacity	150kgs	
净重 Net weight	8.6kgs	8.9kgs
轮子 Wheel	180mm PP+TPE轮	135mm PP+PVC轮
包装箱尺寸 Packing carton size	420x122x580mm(wheels not pre-assembled)	
QTY/20FCL/40GP/40HQ	975pcs(wheels not pre-assembled) 2015pcs(wheels not pre-assembled) 2325pcs(wheels not pre-assembled)	



STEEL FOLDING HAND TRUCK 铁制折叠车

货号 Model No.	LH09-70
材料 Material	手柄—钢 Handle—Steel 车体—钢 Frame—Steel 底板—钢 Bottom plate—Steel
最大尺寸 Overall size opened	L430×W370×H1100mm
折叠尺寸 Overall size folded	L720×W375×H95mm
载重 Capacity	70kg
轮子 Wheel	125mm TPR wheel
包装尺寸 Carton size	740×390×200mm/4pcs
QTY/20FCL/40GP/40HQ	1350/2560/3264pcs



ALUMINIUM FOLDING HAND TRUCK 铝制折叠车

货号 Model No.	LH02-70	LH02-70S
材料 Material	手柄—铝合金 Handle—Aluminum 车体—铝合金 Frame—Aluminum 底板—铝合金 Bottom plate—Aluminum	
最大尺寸 Overall size opened	L385xW620xH1080mm	L475xW475xH1080mm
折叠尺寸 Overall size folded	L390xW360xH835mm	L385xW205xH850mm
载重 Capacity	70kg	70kg
轮子 Wheel	125mm TPR wheel	200mm TPR wheel
包装箱尺寸 Packing carton size	560x410x810mm/4pcs	480x410x810mm/4pcs
QTY/20FCL/40GP/40HQ	308pcs/616pcs/1184pcs	312pcs/624pcs/1170pcs



货号 Model No.	LH09-100
材料 Material	手把—钢 Handle—Steel 车体—钢 Frame—Steel 底板—钢 Bottom plate—Aluminum
最大尺寸 Overall size opened	L520×W440×H1100mm
折叠尺寸 Overall size folded	L820×W360×H495mm
载重 Capacity	100kg
轮子 Wheel	12.5cm TPR wheel
包装尺寸 Carton size	840×400×200mm/4pcs
QTY/20FCL/40GP/40HQ	1224/2376/2520pcs



货号 Model No.	LH02-120	LH02-150
材料 Material	手柄—铝合金 Handle—Aluminum 车体—铝合金 Frame—Aluminum 底盘—铝合金 Bottom plate—Aluminum	
最大尺寸 Overall size opened	L515xW495xH1130mm	L515xW495xH1130mm
折叠尺寸 Overall size folded	L485xW380xH800mm	L485xW380xH855mm
载重 Capacity	120kg	150kg
轮子 Wheel	12.5cm TPR wheel	12.5cm TPR wheel
包装尺寸 Carton size	520x250x800mm/4pcs	520x250x850mm/4pcs
QTY/20FCL/40GP/40HQ	960/1872/2370pcs	1140/2184/2400pcs



SPECIAL DESIGN HAND TRUCK 平板手推车



型号 Model No.	LH05-150
材料 Material	平板：塑料 Plate：Plastic 扶手—铝合金 Handle—Aluminium
长度 Length	880mm
宽度 Width	400mm
高 Height	920mm
载重 Capacity	150kg
轮子 Wheel	100mm TPE wheel
纸箱尺寸 Carton size	885x420x98mm
QTY(20FCL/40GP/40HQ	1008/2055/2448pcs

PLASTIC PLATFORM HAND TRUCK 塑料平板手推车

型号 Model No.	LH05-100
材料 Material	底板—塑料 Bottom plate—Plastic 手柄—铁 Handle—Steel
最大尺寸 Overall size opened	1000x660x810mm
折叠尺寸 Overall size folded	1130x660x340mm
载重 Capacity	300kg
轮子 Wheel	150mm PU wheel
纸箱尺寸 Carton size	743x420x260mm/1pc
QTY(20FCL/40GP/40HQ	322/672/800pcs



型号 Model No.	LH05-150	LH05-300
材料 Material	平板+轮 Plate+wheel	
长度 Length	730mm	900mm
宽度 Width	490mm	540mm
高 Height	880mm	1100mm
载重 Capacity	150kg	300kg
轮子 Wheel	4"刹车脚轮 100mm PU wheel	5"刹车脚轮 120mm PU wheel
纸箱尺寸 Carton size	740x495x135mm	925x695x165mm
QTY(20FCL/40GP/40HQ	616pcs/1148pcs/1360pcs	264pcs/552pcs/624pcs



手柄自动刹车功能
Automatic handle brake



带围栏
Special design



STEEL PLATFORM HAND TRUCK 铁质平板手推车

型号 Model No.	LH06-150	LH08-300
材料 Material	钢Steel	
长度 Length	730mm	810mm
宽度 Width	440mm	610mm
高 Height	830mm	870mm
载重 Capacity	150kg	300kg
轮子 Wheel	4"钢芯黑胶轮 100mm black rubber wheel	5"钢芯黑胶轮 125mm black rubber wheel
纸箱尺寸 Carton size	740x440x1280mm	870x610x1470mm
QTY/20FCL/40GP/40HQ	516pcs/1550pcs/2260pcs	503pcs/1820pcs/1230pcs





型号 Model No.	LH10-300	LH10-500	LH10-700
材料 Material	钢 steel	钢 steel	钢 steel
长度 Length	980mm	901mm	900mm
宽度 Width	600mm	603mm	606mm
高 Height	850mm	891mm	920mm
载重 Capacity	300kg	500kg	700kg
轮子 Wheel	5"黑胶脚轮 125mm PU wheel	5"黑胶脚轮 125mm PU wheel	6"黑胶脚轮 150mm PU wheel
纸箱尺寸 Carton size	620x630x525mm		
QTY/20FCL/40GP/40HQ	342/722/638pcs		

STEEL PLATFORM HAND TRUCK 铁质平板手推车

型号 Model No.	LH05-450
材料 Material	钢 Steel
长度 Length	750mm
宽度 Width	480mm
高 Height	830mm
载重 Capacity	450kg
轮子 Wheel	5"聚氨酯轮 125mm PU wheel
纸箱尺寸 Carton size	790x495x140mm
QTY/20FCL/40GP/40HQ	908pcs/1068pcs/1212pcs





型号 Model No.	LH05-700	LH05-850	LH05-1100
材料 Material	钢 steel	钢 steel	钢 steel
长度 Length	900mm	900mm	1000mm
宽度 Width	580mm	580mm	595mm
高 Height	885mm	920mm	920mm
载重 Capacity	700kg	850kg	1100kg
轮子 Wheel	5"聚氨酯轮 125mm PU wheel	6"聚氨酯轮 150mm PU wheel	6"聚氨酯轮 150mm PU wheel
纸箱尺寸 Carton size	905x595x160mm	905x595x160mm	1090x650x155mm
QTY/20FCL/40GP/40HQ	294pcs/632pcs/791pcs	294pcs/632pcs/791pcs	257pcs/553pcs/691pcs

FOLDING METAL SHELF 可折叠金属置物架



货号 Model No.	CJ01-03	CJ01-04	CJ01-05
材料 Material	铁 steel	铁 steel	铁 steel
最大尺寸 Overall size opened	L720xW340xH1270mm	L720xW340xH1600mm	L720xW340xH1900mm
承重 Capacity	25kg per layer	25kg per layer	25kg per layer
轮子 Wheel	Small PP wheel 小PP轮子	Small PP wheel 小PP轮子	Small PP wheel 小PP轮子
纸箱尺寸 Carton size	810x480x165 mm	1240x450x180mm	1660x480x180mm
QTY/20FCL/40GP/40HQ	810pcs/480pcs/960pcs	630pcs/210pcs/480pcs	440pcs/180pcs/360pcs



货号 Model No.	CJ02-03	CJ02-04	CJ02-05
材料 Material	铁 steel	铁 steel	铁 steel
最大尺寸 Overall size opened	L460xW270xH850mm	L460xW270xH1050mm	L460xW270xH1250mm
承重 Capacity	25kg per layer	25kg per layer	25kg per layer
轮子 Wheel	Nylon swivel wheel 尼龙脚轮	Nylon swivel wheel 尼龙脚轮	Nylon swivel wheel 尼龙脚轮
纸箱尺寸 Carton size	630x290x135mm	630x293x135mm	1060x290x135mm
QTY/20FCL/40GP/40HQ	1242x594x2907pcs	896x1904x1520pcs	744x1562x1302pcs

FURNITURE TRANSPORTER 搬家器

货号 Model No.	MC-675F	MC-380F	BJQ-01
材料 Material		铁架 Plywood+iron+wood plywood	
尺寸 Size	L575xW295xH110mm	Dia.:380xH110mm	595x385xH110mm
底板尺寸 Plate size	L575xW295mm	Dia.:380mm	L380xW320xH10mm
载重 Capacity	250kg	250kg	250kg
轮子 Wheel	75mm PP wheel	75mm PP wheel	75mm TPR Wheel
纸箱尺寸 Carton size	610x300x405mm/6pcs	395x395x405mm/6pcs	440x395x420mm/6pcs
QTY/20FCL/40GP/40HQ	1260pcs/486pcs/504pcs	2160pcs/4680pcs/5400pcs	1680pcs/630pcs/4680pcs







货号 Model No.	MC-670	MC-380
材料 Material	铁板 铁+	
尺寸 Size	L575xW295xH110mm	Dia.:380xH110mm
底板尺寸 Plate size	L575xW295mm	Dia.:380mm
载重 Capacity	250kg	250kg
轮子 Wheel	75mm PP wheel	75mm PP wheel
纸箱尺寸 Carton size	610x300x405mm/6pcs	395x395x415mm/6pcs
QTY/20FCL/40GP/40HQ	1890pcs/630pcs/5040pcs	2160pcs/4680pcs/5400pcs



WOODEN DOLLY 木质搬家器

型号 Model No.	MC-600R
材料 Material	[illegible]
尺寸 Size	[illegible]
底板尺寸 Plate size	[illegible]
载重 Capacity	300kg
轮子 Wheel	[illegible]
包装尺寸 Packing size	[illegible]
QTY/20FCL/40GP/40HQ	[illegible]



WOODEN DOLLY 木质搬家器

型号 Model No.	MC-300	MC-300
材料 Material	[illegible]	
尺寸 Size	[illegible]	[illegible]
底板尺寸 Plate size	[illegible]	[illegible]
载重 Capacity	60kg	60kg
轮子 Wheel	[illegible]	[illegible]
包装尺寸 Packing size	[illegible]	[illegible]
QTY/20FCL/40GP/40HQ	[illegible]	[illegible]







型号 Model No.	MC-600P
材料 Material	[illegible]
尺寸 Size	[illegible]
底板尺寸 Plate size	[illegible]
载重 Capacity	300kg
轮子 Wheel	[illegible]
包装尺寸 Packing size	[illegible]
QTY/20FCL/40GP/40HQ	[illegible]



型号 Model No.	MC-750FB
材料 Material	[illegible]
尺寸 Size	[illegible]
底板尺寸 Plate size	[illegible]
载重 Capacity	450kg
轮子 Wheel	[illegible]
包装尺寸 Packing size	[illegible]
QTY/20FCL/40GP/40HQ	[illegible]



FURNITURE TRANSPORTER 搬家器


型号 Model No.	BJQ-SL575	BJQ-SL575
材料 Material	塑料 Plastic	
尺寸 Size	L575xW315xH90mm	L575xW315xH80mm
底板尺寸 Plate size	L575xW315xH35mm	L575xW315xH25mm
载重 Capacity	150kg	150kg
轮子 Wheel	2"尼龙双轮 50mm nylon twin wheel	3"尼龙单轮 75mm nylon twin wheel
箱规尺寸 Carton size	585x380x270mm/10pcs	585x380x270mm/10pcs
QTY/20FCL/40GP/40HQ	4560/9690/10800pcs	





50mm PA wheel 75mm PA wheel 75mm TPR wheel

型号 Model No.	BJQ-T1
底板材料 Plate material	铁质—Steel
尺寸 Size	L230xW170xH58mm
底板尺寸 Plate size	L258xW130xH1.5mm
载重 Capacity	200kg/1 set(4pcs)
轮子 Wheel	35mm nylon twin wheel
箱规尺寸 Carton size	510x510x310mm/8sets(32pcs)
QTY/20FCL/40GP/40HQ	3484/5152/5888sets







FURNITURE TRANSPORTER WITH HANDLE 带扶手搬家器

型号 Model No.	MH-575
底板材料 Plate material	底板—酚醛树脂板 Plate—Phenolic resin faced plywood 扶手—钢 Handle—Steel 扶手套-EVA Handle cover-EVA
展开尺寸 Overall size opened	L575xW200xH800mm
折叠尺寸 Overall size folded	L450xW200xH110mm
载重 Capacity	200/250kg
轮子 Wheel	75mm PP wheel
箱规尺寸 Carton size	780x310x280mm/4 pcs
QTY/20FCL/40GP/40HQ	1632pcs/3360pcs/3940pcs







SERVING TROLLEY 服务车





货号 Model No.	SL-ST0002	SL-ST0003
材料 Material	不锈钢304 Stainless steel 304	不锈钢304 Stainless steel 304
车体尺寸 Size	L540xW380xH585mm	L1080xW380xH950mm
载重 Capacity	100kg	300kg
轮子 Wheel	75mm TPR twin wheel 75mm弹性保龄轮	75mm TPR wheel 75mm弹性轮
纸箱尺寸 Carton size	610x315x985mm/1pc	1015x315x970mm/1pc
QTY/20PCL/40GP/40HQ	112/228/256pcs	80/164/184pcs



货号 Model No.	SL-ST0001
材料 Material	铝合金,不锈钢304 aluminum, Stainless steel 304
车体尺寸 Size	L510xW381xH1030mm
轮子 Wheel	75mm TPR twin wheel 75mm弹性保龄轮
纸箱尺寸 Carton size	610x315x1050mm/1pc
QTY/20PCL/40GP/40HQ	98/220/228pcs

MEDICAL TROLLEY/AIRPORT TROLLEY 治疗车/机场手推车





货号 Model No.	SL-MT0001	SL-MT0002
材料 Material	不锈钢304 Stainless steel 304	不锈钢304 Stainless steel 304
车体尺寸 Size	L700xW420xH810mm	L700xW420xH855mm
载重 Capacity	225kg	225kg
轮子 Wheel	100mm TPR wheel 100mm弹性体轮	75mm TPR twin wheel 75mm弹性保龄轮
纸箱尺寸 Carton size	710x430x990mm/1pc	710x430x1060mm/1pc
QTY/20PCL/40GP/40HQ	96/168/196pcs	80/166/168pcs



GSS-250
Airport luggage trolley



CS-100
Duty-free shop airport trolley



No.02102 2PCS SCREWDRIVER SET





Contents:

2PCS Cr-V Screwdrivers:

- Slotted: 5x100mm
- Philips: #1x100mm

Packing: Sandwich package

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02104 4PCS SCREWDRIVER SET





Contents:

4PCS Cr-V Screwdrivers:

- Slotted: 3x75-5x100mm
- Philips: #0x75-#1x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02106 6PCS SCREWDRIVER SET





Contents:

6PCS Cr-V Screwdrivers:

- Slotted: 3x75-4x100-5x100-6x100mm
- Philips: #0x75-#1x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02108 8PCS SCREWDRIVER SET





Contents:

8PCS Cr-V Screwdrivers:

- Slotted: 6x38-3x75-5x75-6x125mm
- Philips: #2x38-#0x75-#1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02110 10PCS SCREWDRIVER SET





Contents:

10PCS Cr-V Screwdrivers:

- Slotted: 3x75-4x100-5x125-6x100-6x150mm
- Philips: #0x75-#1x100mm
- Pozidriv: #0x75-#1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02121 21PCS SCREWDRIVER BIT SET





Contents:

1PC Magnetic bit holder driver

20PCS 25mm Cr-V Bits:

- Slotted: 3-4-5-6mm
- Philips: #0-#1-#2-#3
- Pozidriv: #0-#1-#2-#3
- Hex: 3-4-5-6mm
- Torx: T10-T15-T20-T25

Packing: Sandwich package

- Bit collar rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.02133 39PCS SCREWDRIVER BIT SET



Contents:

8PCS Cr-V Screwdrivers:

⊖ Slotted: 6x38-3x75-5x75-6x100mm

✠ Philips: #2x38-#0x75-#1x75-#2x100mm

1PC Magnetic bit holder driver

24PCS 25mm Cr-V Bits:

⊖ Slotted: 4-5-6mm ✠ Philips: #1-#2-#3 ✠ Pozidriv: #0-2x(#1-#2)-#3

⬡ Torx: T15-T20 ⬡ Hex: 2-2.5-3-4-5-5.5-6mm ⬡ Square: S1-S2-S3

Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02137 37PCS SCREWDRIVER BIT SET



Contents:

8PCS Cr-V Screwdrivers: ⊖ Slotted: 6x38-6x75-6x100-8x150mm

✠ Philips: #2x38-#1x75-#2x100-#3x150mm

4PCS Cr-V Precision screwdrivers: ⊖ Slotted: 2.0x50-2.5x50-3.0x50mm

✠ Philips: #00x50-#0x50mm ⬡ Torx: T8x50-T8x50-T10x50mm

1PC Magnetic bit holder driver

28PCS 25mm Cr-V Bits:

⊖ Slotted: 4-4.5-5.5-6mm ✠ Philips: #0-2x(#1-#2)-#3

⬡ Torx: T20-T25-T30-T40 ⬡ Hex: 2-2.5-3-4-5-6mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02139 39PCS SCREWDRIVER BIT & NUT DRIVER SET



Contents:

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

8PCS Cr-V Screwdrivers: ⊖ Slotted: 6x38-6x75-6x100-8x150mm

✠ Philips: #2x38-#1x75-#2x100-#3x150mm

8PCS Cr-V Precision screwdrivers: ⊖ Slotted: 2.0x50-2.5x50-3.0x50mm

✠ Philips: #00x50-#0x50mm ⬡ Torx: T6x50-T8x50-T10x50mm

1PC Magnetic bit holder driver

15PCS 25mm Cr-V Bits:

⊖ Slotted: 4-5-6mm ✠ Philips: #0-#1-#2 ✠ Pozidriv: #1-#2

⬡ Torx: T20-T25-T30 ⬡ Hex: 2-3-4-5-6mm

5PCS Nut drivers: 6-7-8-9-10mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02144 44PCS SCREWDRIVER BIT & SOCKET SET



Contents:

7PCS Cr-V Screwdrivers:

⊖ Slotted: 3x75-5x100-6x125-8x150mm ✠ Philips: #0x75-#1x100-#x125mm

10PCS Cr-V Precision screwdrivers: ⊖ Slotted: 2.0x60-2.5x50-3.0x50mm

✠ Philips: #00x50-#0x50mm ⬡ Torx: T6x50-T6x50-T7x50-T8x50-T8x50mm

1PC Magnetic bit holder driver

1PC 38mm Adapter

16PCS 25mm Cr-V Bits:

⊖ Slotted: 4-6mm ✠ Philips: #0-#1-#2-#3 ✠ Pozidriv: #0-#1-#2-#3

⬡ Torx: T10-T15-T20-T25-T30-T35

9PCS Sockets: 5-6-7-8-9-10-11-12-13mm

Packing: Double blister / Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02150 50PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

8PCS Cr-V Screwdrivers:

⊖ Slotted: 6x38-5x75-6x100-8x150mm

✠ Philips: #2x38-#1x75-#2x100-#3x150mm

8PCS Cr-V Precision screwdrivers:

⊖ Slotted: 2.0x50-2.5x50-3.0x50mm ✠ Philips: #00x50-#0x50mm

⬡ Torx: T8x50-T8x50-T10x50mm

32PCS 25mm Cr-V Bits: ⊖ Slotted: 3-4-5-6-7mm ✠ Philips: #0-#1-#2-#3

✠ Pozidriv: #0-#1-#2-#3 ⬡ Hex: 2-2.5-3-3.5-4-4.5-5-6mm

⬡ Torx: T10-T15-T20-T25-T27-T30-T35-T40 ⬡ Square: S1-S2-S3

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02204 4PCS SCREWDRIVER SET



Contents:

4PCS Cr-V Screwdrivers:

⊖ Slotted: 3x75-5x100mm

✠ Philips: #0x75-#1x100mm

Packing: Sunderich package

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02208 8PCS SCREWDRIVER SET



Contents:

4PCS Cr-V Screwdrivers:

⊖ Slotted: 6x38-5x100mm ✠ Philips: #2x38-#1x100mm

4PCS Cr-V Precision screwdrivers:

⊖ Slotted: 2.5x50-3x50mm ✠ Philips: #00x50-#0x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02210 10PCS SCREWDRIVER SET



Contents:

10PCS Cr-V Screwdrivers:

⊖ Slotted: 6x38-3x75-5x75-6x100-8x200mm

✠ Philips: #2x38-#0x75-#1x75-#1x100-#2x150mm

Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02221 21PCS SCREWDRIVER BIT SET





Contents:

1PC Magnetic bit holder driver

6PCS Cr-V Screwdrivers:

● Slotted: 3x75-5x100-6x100mm

✪ Phillips: #0x75-#1x100-#2x100mm

4PCS Cr-V Precision screwdrivers:

○ Torx: T6x50-T8x50-T10x50-T15x50mm

10PCS 25mm Cr-V Bits:

● Slotted: 3-4-5-6mm

✪ Phillips: #0-#1-#2-#3

○ Torx: T20-T25

Packing: Double blister / Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.02244 44PCS SCREWDRIVER BIT & SOCKET SET







Contents:

7PCS Cr-V Screwdrivers: ● Slotted: 3x75-5x100-6x125-8x150mm ✪ Phillips: #0x75-#1x100-#x125mm

10PCS Cr-V Precision screwdrivers: ● Slotted: 2.0x50-2.5x50-3.0x50mm ✪ Phillips: #00x50-#0x50mm ○ Torx: T5x50-T6x50-T7x50-T8x50-T9x50mm

1PC Magnetic bit holder driver

1PC 25mm Adaptor

16PCS 25mm Cr-V Bits: ● Slotted: 4-6mm ✪ Phillips: #0-#1-#2-#3 ✪ Pozidriv: #0-#1-#2-#3 ○ Torx: T10-T15-T20-T25-T30-T35

9PCS Sockets: 5-6-7-8-9-10-11-12-13mm

Packing: Double blister / Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade



No.021100 100PCS SCREWDRIVER BIT & NUT DRIVER SET







Contents:

22PCS Cr-V Screwdrivers: ● Slotted: 1/8"x3"-5/32"x4"-3/16"x3"-3/16"x4"-3/16"x5"-1/4"x4"-1/4"x6"-5/16"x8" ○ Torx: T8x3"-T10x3"-T15x3"-T20x3"

✪ Phillips: #0x3"-#1x3"-#1x4"-#1x5"-#2x4"-#2x6" ○ Square: S0x3"-S1x3"-S1x4"-S2x4"

8PCS Cr-V Precision screwdrivers: ● Slotted: 1/16"x2"-3/32"x2" ✪ Phillips: #00x2"-#0x2" ○ Torx: T6x2"-T7x2"-T8x2"-T9x2"

2PCS Offset screwdrivers: ● 3/16" — ✪ #1 ● 1/4" — ✪ #2

90PCS 1/4" Cr-V Bits: ● Slotted: 2x(1/8"-5/32")-3x(3/16"-1/4") ✪ Phillips: 2x(#0-#1)-3x(#2-#3) ○ Square: 2x(S0-S1)-3x(S2-S3)

✪ Pozidriv: 2x(#0-#1)-3x(#2-#3) ○ Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40 ○ Hex: 5/64"-3/32"-2x1/8"-5/32"-3/16")-7/32"-1/4"

6PCS SAE Nut drivers: 3/16"-1/4"-5/32"-5/16"-11/32"-3/8"

1PC Ratchet handle

1PC AWL

Packing: Double-blister / Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.021116 116PCS SCREWDRIVER BIT, HEX KEY & NUT DRIVER SET







Contents:

22PCS Cr-V Screwdrivers: ● Slotted: 1/8"x3"-5/32"x4"-3/16"x3"-3/16"x4"-3/16"x5"-1/4"x4"-1/4"x6"-5/16"x8" ○ Torx: T8x3"-T10x3"-T15x3"-T20x3"

✪ Phillips: #0x3"-#1x3"-#1x4"-#1x5"-#2x4"-#2x6" ○ Square: S0x3"-S1x3"-S1x4"-S2x4"

8PCS Cr-V Precision screwdrivers: ● Slotted: 1/16"x2"-3/32"x2" ✪ Phillips: #00x2"-#0x2" ○ Torx: T6x2"-T7x2"-T8x2"-T9x2"

2PCS Offset screwdrivers: ● 3/16" — ✪ #1 ● 1/4" — ✪ #2

90PCS 1/4" Cr-V Bits: ● Slotted: 2x(1/8"-5/32")-3x(3/16"-1/4") ✪ Phillips: 2x(#0-#1)-3x(#2-#3) ○ Square: 2x(S0-S1)-3x(S2-S3)

✪ Pozidriv: 2x(#0-#1)-3x(#2-#3) ○ Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40 ○ Hex: 5/64"-3/32"-2x1/8"-5/32"-3/16")-7/32"-1/4"

6PCS SAE Nut drivers: 3/16"-1/4"-5/32"-5/16"-11/32"-3/8"

16PCS Cr-V Hex keys: 1.5-2-2.5-3-4-5-5.5-6mm & 1/16"-5/64"-3/32"-1/8"-5/32"-3/16"-7/32"-1/4"

1PC Ratchet handle 1PC AWL

Packing: Double-blister / Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

PROFESSIONAL SCREWDRIVER

No.021125 125PCS SCREWDRIVER BIT, SOCKET, HEX KEY & NUT DRIVER SET





Contents:

22PCS Cr-V Screwdrivers: ⊖ Slotted: 1/8"x3"-5/32"x4"-3/16"x3"-3/16"x4"-3/16"x5"-1/4"x4"-1/4"x6"-5/16"x6" ○ Torx: TBx3"-T10x3"-T15x3"-T20x3" ⊕ Philips: #0x3"-#1x3"-#1x4"-#1x5"-#2x4"-#2x6" ○ Square: S0x3"-S1x3"-S1x4"-S2x4"

3PCS Cr-V Precision screwdrivers: ⊖ Slotted: 1/16"x2"-3/32"x2" ⊕ Philips: #00x2"-#0x2" ○ Torx: T6x2"-T7x2"-T8x2"-T8x2"

2PCS Offset screwdrivers: ⊖ 3/16" — ⊕ #1 ⊖ 1/4" — ⊕ #2

60PCS 1/4" Cr-V Bits: ⊖ Slotted: 2x(1/8"-5/32")-3x(3/16"-1/4") ⊕ Philips: 2x(#0-#1)-3x(#2-#3) ○ Square: 2x(S0-S1)-3x(S2-S3)

⊕ Pozidriv: 2x(#0-#1)-3x(#2-#3) ○ Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40 ○ Hex: 5/64"-3/32"-2x(1/8"-5/32"-3/16")-7/32"-1/4"

6PCS SAE Nut drivers: 3/16"-1/4"-5/32"-5/16"-11/32"-3/8"

16PCS Cr-V Hex keys: 1.5-2-2.5-3-4-5-6-8-6mm & 1/16"-5/64"-3/32"-1/8"-5/32"-3/16"-7/32"-1/4"

9PCS Sockets: 3/16"-1/4"-5/32"-5/16"-11/32"-3/8"-7/16"-15/32"-1/2" 1PC Ratchet handle 1PC AWL

Packing: Double blister / Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.021132 132PCS SCREWDRIVER BIT, HEX KEY & NUT DRIVER SET





Contents:

22PCS Cr-V Screwdrivers: ⊖ Slotted: 1/8"x3"-5/32"x4"-3/16"x3"-3/16"x4"-3/16"x5"-1/4"x4"-1/4"x6"-5/16"x6" ○ Torx: TBx3"-T10x3"-T15x3"-T20x3" ⊕ Philips: #0x3"-#1x3"-#1x4"-#1x5"-#2x4"-#2x6" ○ Square: S0x3"-S1x3"-S1x4"-S2x4"

3PCS Cr-V Precision screwdrivers: ⊖ Slotted: 1/16"x2"-3/32"x2" ⊕ Philips: #00x2"-#0x2" ○ Torx: T6x2"-T7x2"-T8x2"-T9x2"

2PCS Offset screwdrivers: ⊖ 3/16" — ⊕ #1 ⊖ 1/4" — ⊕ #2

60PCS 1/4" Cr-V Bits: ⊖ Slotted: 2x(1/8"-5/32")-3x(3/16"-1/4") ⊕ Philips: 2x(#0-#1)-3x(#2-#3) ○ Square: 2x(S0-S1)-3x(S2-S3)

⊕ Pozidriv: 2x(#0-#1)-3x(#2-#3) ○ Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40 ○ Hex: 5/64"-3/32"-2x(1/8"-5/32"-3/16")-7/32"-1/4"

16PCS Precision Bits: ⊖ Slotted: 1/16"-5/64"-3/32"-1/8" ⊕ Philips: #00-#0 ⊕ Pozidriv: #0-#1 ○ Torx: T5-T6-T7-T8-T10 ○ Hex: 5/64"-3/32"-1/8"

16PCS Cr-V Hex keys: 1.5-2-2.5-3-4-5-6-8-6mm & 1/16"-5/64"-3/32"-1/8"-5/32"-3/16"-7/32"-1/4"

6PCS SAE Nut drivers: 3/16"-1/4"-5/32"-5/16"-11/32"-3/8" 1PC Ratchet handle 1PC AWL

Packing: Double blister / Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.D02204 4PCS PRECISION SCREWDRIVER SET




Contents:

4PCS Cr-V Precision screwdrivers:

⊖ Slotted: 2.5x50-3.0x50mm

⊕ Philips: #00x50-#0x50mm

Packing: Sandwich package

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.D02304 4PCS PICK AND HOOK SET




Contents:

4PCS Pick and Hook set:

1PC Straight pick; 1PC Full hook;

1PC Offset 45° hook; 1PC Offset 90° hook;

Packing: Sandwich package

- Chrome Vanadium Blade
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.R201112 12PCS UNIVERSAL FLEXIBLE SHAFT AND BIT SET




Contents:

1PC 300mm Universal flexible shaft 1PC 60mm Magnetic bit holder

10PCS 25mm Cr-V Bits:

⊖ Slotted: 4-5-6mm ⊕ Philips: #1-#2-#3 ⊕ Pozidriv: #1-#2 ○ Torx: T15-T20

Packing: Double blister

- Bit set for interchangeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.Z01111 11PCS BIT TOOL SET




Contents:

1PC Bit holder driver

10PCS 25mm Cr-V Bits:

⊖ Slotted: 4-5-6mm ⊕ Philips: #1-#2-#3 ⊕ Pozidriv: #1-#2 ○ Torx: T15-T20

Packing: Sandwich package

- Bit set for interchangeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.Z01109 9PCS SCRAPER, PICK AND HOOK SET




4x

5x

Contents:

1PC Large Gasket scraper

1PC Bent Hook

1PC 90-degree Hook

1PC Large Full Hook

1PC Large Straight pick

1PC Mini 45-degree Hook

1PC Mini 90-degree Hook

1PC Mini Full Hook

1PC Mini Straight pick

Packing: Double blister

- The scrapers are used for removing gaskets, sealing, and carbon build-up with ease.
- The Hooks are used to retrieve O-rings, split pins, and loose parts.



No.Z01121 21PCS RATCHET BIT SET



Contents:

1PC Mini ratchet spanner

20PCS 25mm Cr-V Bits:

● Slotted: 3-4-5-6mm ✪ Phillips: #0-#1-#2-#3 ✪ Pozidriv: #0-#1-#2-#3

○ Hex: 3-4-5-6mm ○ Torx: T10-T15-T20-T25

Packing: Sandwich package

- Bit slot for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.Z01209 9PCS NUT DRIVER SET



Contents:

9PCS Nut driver set:

○ 5-6-7-8-9-10-11-12-13mm

Packing: Sandwich package

- Made of high degree special steel
- Magnetized
- Special hardening treatment
- Hex shank fits quick chucks, all sorts screw & bit drivers

No.Z01211 11PCS BIT TOOL SET



Contents:

1PC Bit holder driver

10PCS 25mm Cr-V Bits:

● Slotted: 4-5-6mm ✪ Phillips: #1-#2-#3 ✪ Pozidriv: #1-#2 ○ Torx: T15-T20

Packing: Sandwich package

- Bit slot for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.Z02103 3PCS COMBINED TOOL SET



Contents:

1PC 160mm Combination pliers

2PCS Cr-V Screwdrivers: ● Slotted: 5x100mm ✪ Phillips: #1x100mm

Packing: Sandwich package

- Portable set, ideal for home owners
- Handle with ergonomically designed
- Satisfy wide range of fastening needs

No.Z02105 5PCS COMBINED TOOL SET



Contents:

1PC 160mm Combination pliers

2PCS Cr-V Screwdrivers:

● Slotted: 6x100mm ✪ Phillips: #1x100mm

2PCS Cr-V Precision screwdrivers:

● Slotted: 3x50mm ✪ Phillips: #0x50mm

Packing: Sandwich package

- Portable set, ideal for home owners
- Handle with ergonomically designed
- Satisfy wide range of fastening needs

No.Z02111 11PCS COMBINED TOOL SET



Contents:

1PC 2m Measure tape

2PCS Cr-V Screwdrivers:

● Slotted: 5x100mm ✪ Phillips: #1x100mm

8PCS Hex keys:

○ 1.5-2-2.5-3-4-5-5.5-6mm

Packing: Sandwich package

- Portable set, ideal for home owners
- Handle with ergonomically designed
- Satisfy wide range of fastening needs

No.Z02115 16PCS COMBINED TOOL SET



Contents:

1PC 2m Measure tape

1PC Magnetic bit holder driver

1PC Utility knife

2PCS Cr-V Precision screwdrivers:

● Slotted: 3x50mm ✪ Phillips: #0x50mm

10PCS 25mm Cr-V Bits:

● Slotted: 4-5-6mm ✪ Phillips: #1-#2-#3 ✪ Pozidriv: #1-#2 ○ Torx: T15-T20

Packing: Sandwich package

- Portable set, ideal for home owners
- Handle with ergonomically designed
- Satisfy wide range of fastening needs

No.Z02116 16PCS COMBINED TOOL SET



Contents:

1PC 2m Measure tape	1PC Magnetic bit holder driver
1PC Utility knife	1PC 160mm Adjustable wrench

2PCS Cr-V Precision screwdrivers:

● Slotted: 3x50mm ✪ Phillips: #0x50mm

10PCS 25mm Cr-V Bits:

● Slotted: 4-5-6mm ✪ Phillips: #1-#2-#3 ✪ Pozidriv: #1-#2 ○ Torx: T15-T20

Packing: Sandwich package

- Portable set, ideal for home owners
- Handle with ergonomically designed
- Satisfy wide range of fastening needs

No.Z02123 23PCS SCREWDRIVER SET



Contents:

1PC Magnetic bit holder driver

2PCS Cr-V Screwdrivers:

● Slotted: 6x38mm ✪ Phillips: #2x38mm

20PCS 25mm Cr-V Bits:

● Slotted: 3-4-5-6mm ✪ Phillips: #0-#1-#2-#3

○ Hex: 3-4-5-6mm ✪ Pozidriv: #0-#1-#2-#3

○ Torx: T10-T15-T20-T25

Packing: Sandwich package

- Bit slot for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

PROFESSIONAL SCREWDRIVER

No.051100 100PCS SCREWDRIVER BIT & NUT DRIVER SET



Contents:

20PCS Cr-V Screwdrivers:	⬬ Slotted: 1/8"x3"-3/16"x3"-3/16"x4"-3/16"x5"-1/4"x4"-1/4"x6"-5/16"x6" ○ Torx: T8x3"-T10x3"-T15x3"-T20x3" ✪ Phillips: #0x3"-#1x4"-#1x5"-#2x4"-#2x6" ○ Square: S0x3"-S1x3"-S1x4"-S2x4"
8PCS Cr-V Precision screwdrivers:	⬬ Slotted: 1/16"x2"-3/32"x2" ✪ Phillips: #00x2"-#0x2" ○ Torx: T6x2"-T7x2"-T8x2"-T9x2"
2PCS Insulated screwdrivers:	⬬ Slotted: 0.8x4.0x100mm ✪ Phillips: #1x80mm
2PCS Offset screwdrivers:	⬬ 3/16" ⟷ ✪ #1 ⬬ 1/4" ⟷ ✪ #2
60PCS 1/4" Cr-V Bits:	⬬ Slotted: 2x(1/8"-5/32")-3x(3/16"-1/4") ✪ Phillips: 2x(#0-#1)-3x(#2-#3) ○ Square: 2x(S0-S1)-3x(S2-S3) ✪ Pozidriv: 2x(#0-#1)-3x(#2-#3) ○ Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40 ○ Hex: 5/64"-3/32"-2x(1/8"-5/32"-3/16")-7/32"-1/4"
6PCS SAE Nut drivers:	3/16"-1/4"-5/32"-5/16"-11/32"-3/8"
1PC Ratchet handle	1PC AWL
Packing: Double blister / Color box	

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.051116 116PCS SCREWDRIVER BIT, HEX KEY & NUT DRIVER SET



Contents:

20PCS Cr-V Screwdrivers:	⬬ Slotted: 1/8"x3"-3/16"x3"-3/16"x4"-3/16"x5"-1/4"x4"-1/4"x6"-5/16"x6" ○ Torx: T8x3"-T10x3"-T15x3"-T20x3" ✪ Phillips: #0x3"-#1x4"-#1x5"-#2x4"-#2x6" ○ Square: S0x3"-S1x3"-S1x4"-S2x4"
8PCS Cr-V Precision screwdrivers:	⬬ Slotted: 1/16"x2"-3/32"x2" ✪ Phillips: #00x2"-#0x2" ○ Torx: T6x2"-T7x2"-T8x2"-T9x2"
2PCS Insulated screwdrivers:	⬬ Slotted: 0.8x4.0x100mm ✪ Phillips: #1x80mm
2PCS Offset screwdrivers:	⬬ 3/16" ⟷ ✪ #1 ⬬ 1/4" ⟷ ✪ #2
60PCS 1/4" Cr-V Bits:	⬬ Slotted: 2x(1/8"-5/32")-3x(3/16"-1/4") ✪ Phillips: 2x(#0-#1)-3x(#2-#3) ○ Square: 2x(S0-S1)-3x(S2-S3) ✪ Pozidriv: 2x(#0-#1)-3x(#2-#3) ○ Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40 ○ Hex: 5/64"-3/32"-2x(1/8"-5/32"-3/16")-7/32"-1/4"
16PCS Cr-V Hex keys:	1.5-2-2.5-3-4-5-5.5-6mm & 1/16"-5/64"-3/32"-1/8"-5/32"-3/16"-7/32"-1/4"
6PCS SAE Nut drivers:	3/16"-1/4"-5/32"-5/16"-11/32"-3/8" 1PC Ratchet handle 1PC AWL
Packing: Double blister / Color box	

- Chrome Vanadium Blade
- Magnetized Tip
- Handle with ergonomically designed
- Hardened and Tempered Blade

No.Z02211 11PCS RATCHET BIT SET



Contents:

1PC Ratchet handle
10PCS 25mm Cr-V Bits:
⬬ Slotted: 4-5-6mm ✪ Phillips: #1-#2-#3 ✪ Pozidriv: #1-#2 ○ Torx: T15-T20
Packing: Sandwich package

- Bits for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.74104 4PCS EXTRA-LONG SCREWDRIVER SET



Contents:

4PCS Cr-V Screwdrivers:
○ Square: S0x450-S1x450-S2x450-S3x450mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17214 4PCS SEAL & O-RING REMOVER SET



Contents:

4PCS Seal & o-ring remover set
Packing: Double blister

- Made of high degree special steel
- Special hardening treatment
- Handle with ergonomically designed
- Satisfy wide range of fastening needs

PROFESSIONAL SCREWDRIVER



ZJ02-ZJ03-ZJ04

THE ADVANCED DESIGN CONCEPTS

WILL COME SOON...













































































































































TO BE CONTINUED

ISO 2380-1:2004(E)
ISO 8764-1:2004(E)

ASME B107.15-2002
ASME B107.30-2002

SCREWDRIVER HANDLES




Available Size: Size in mm

Slotted screwdriver

Size	A	B	C	D
6.5 x 38	1.2	6.5	6	38
3.0 x 75	0.5	3.0	3	75
4.0 x 75	0.8	4.0	4	75
4.0 x 100	0.8	4.0	4	100
5.5 x 100	1.0	5.5	5	100
5.5 x 125	1.0	5.5	5	125
6.5 x 100	1.2	6.5	6	100
6.5 x 125	1.2	6.5	6	125
6.5 x 150	1.2	6.5	6	150
8.0 x 150	1.2	8.0	8	150
8.0 x 200	1.6	8.0	8	200

Phillips screwdriver

Size	A	B	C	D
PH0 x 75			3.0	75
PH1 x 75			5.0	75
PH2 x 38			6.0	38
PH2 x 100			6.0	100
PH2 x 150			6.0	150
PH3 x 150			8.0	150
PH3 x 200			8.0	200



Pozidriv screwdriver

Size	A	B	C	D
PZ0 x 75			3.0	75
PZ1 x 75			5.0	75
PZ2 x 38			6.0	38
PZ2 x 100			6.0	100
PZ2 x 150			6.0	150
PZ3 x 150			8.0	150
PZ3 x 200			8.0	200

Torx screwdriver

Size	A	B	C	D
T10 x 75			3.0	75
T15 x 75			3.5	75
T20 x 100			4.0	100
T25 x 100			4.5	100
T27 x 100			5.0	100
T30 x 125			5.5	125
T40 x 150			8.0	150

Square screwdriver

Size	A	B	C	D
S0 x 75			3	75
S1 x 75			5	75
S2 x 100			6	100
S3 x 150			8	150



All material are PAHs free, can completely meet RoHS standard.



Compact: For the most common screw types
High Quality: High-grade material and dimensionally accurate black point drive tip

All of our screwdrivers can pass the following testing:

- Hardness testing
- Torque testing
- Gauge testing
- Environmental testing
- Print testing
- Salt spray testing
- Pull-strength testing
- Material testing

ZJ01 SERIES
PROFESSIONAL SCREWDRIVER

No.01101 6 IN 1 SCREWDRIVER BIT SET



Contents:
1PC Screwdriver driver handle
1PC Double-sided bit holder
2PCS Double-sided Cr-V Bits
⊖ 5mm — ✪ PH1
⊖ 6mm — ✪ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01102 2PCS SCREWDRIVER SET



- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

Item No.:	Contents:	
No.01102-1	⊖ Slotted: 6x38mm	✪ Philips: #2x38mm
No.01102-2	⊖ Slotted: 5x75mm	✪ Philips: #1x75mm
No.01102-3	⊖ Slotted: 5x100mm	✪ Philips: #1x100mm
No.01102-4	⊖ Slotted: 5x125mm	✪ Philips: #1x125mm
No.01102-5	⊖ Slotted: 6x100mm	✪ Philips: #2x100mm
No.01102-6	⊖ Slotted: 6x125mm	✪ Philips: #2x125mm
No.01102-7	⊖ Slotted: 6x150mm	✪ Philips: #2x150mm
No.01102-8	⊖ Slotted: 8x150mm	✪ Philips: #3x150mm
No.01102-9	⊖ Slotted: 8x200mm	✪ Philips: #3x200mm

Packing: Plastic hanger + Color sticker

No.01103 3PCS COMBINED TOOL SET



Contents:
1PC Flask opener
1PC 150mm Adjustable wrench
1PC 6 IN 1 Screwdriver bit set:
1 x Screwdriver driver handle
1 x Double-sided bit holder
2 x Double-sided Cr-V Bits
⊖ 6mm — ✪ PH1
⊖ 6mm — ✪ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01104 4PCS COMBINED TOOL SET



Contents:
1PC Flask opener
2PCS Precision screwdriver:
⊖ Slotted: 2.0x50mm ✪ Philips: #00x50mm
1PC 6 IN 1 Screwdriver bit set:
1 x Screwdriver driver handle
1 x Double-sided bit holder
2 x Double-sided Cr-V Bits
⊖ 5mm — ✪ PH1
⊖ 6mm — ✪ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01105 7 IN 1 COMBINED TOOL SET



Contents:
1PC Flask opener
1PC 6 IN 1 Screwdriver bit set:
1 x Screwdriver driver handle
1 x Double-sided bit holder
2 x Double-sided Cr-V Bits
⊖ 5mm — ✪ PH1
⊖ 6mm — ✪ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01106 6PCS SCREWDRIVER SET



Contents:
6PCS Cr-V Screwdrivers:
⊖ Slotted: 5x75-5x100-6x125mm
✪ Philips: #1x75-#1x100-#2x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01107 7PCS SCREWDRIVER SET



Contents:
7PCS Cr-V Screwdrivers:
⊖ Slotted: 3x75-5x100-6x100-6x125mm
✪ Philips: #0x75-#1x100-#2x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01108 8PCS SCREWDRIVER SET



Contents:
4PCS Cr-V Screwdrivers:
⊖ Slotted: 6x38-6x100mm
✪ Philips: #2x38-#2x100mm
4PCS Cr-V Precision screwdrivers:
⊖ Slotted: 2.0x60-2.5x50mm
✪ Philips: #000x50-#00x50mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01109 9PCS PICK AND HOOK SET



Contents:

1PC Large Gasket scraper
1PC Bent Hook
1PC 90-degree Hook
1PC Large Full Hook
1PC Large Straight pick
1PC Mini 45-degree Hook
1PC Mini 90-degree Hook
1PC Mini Full Hook
1PC Mini Straight pick
Packing: Plastic box + Color sticker

- The scrapers are used for removing gaskets, sealing and carbon build-up with ease.
- The Hook are used to remove O-rings, split pins, and loose parts.

No.01110 10PCS SCREWDRIVER SET



Contents:

10PCS Cr-V Screwdrivers:
Slotted: 6x38-3x75-5x100-6x100-6x125-8x150mm
Philips: #2x38-#0x75-#1x75-#2x100mm
Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01117 17PCS SCREWDRIVER SET



Contents:

9PCS Cr-V Screwdrivers:
Slotted: 3x75-5x75-5x100-6x150-8x200mm
Philips: #0x75-#1x75-#1x100-#2x150mm
8PCS Cr-V Precision screwdrivers:
Slotted: 2.5x50-3.0x50mm
Philips: #000x50-#00x50-#0x50mm
Torx: T6x50-T8x50-T10x50mm
Packing: PS tray + Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01118 18PCS SCREWDRIVER SET



Contents:

6PCS Cr-V Screwdrivers:
Slotted: 6x38-5x75-6x100-8x150mm
Philips: #2x38-#1x75-#2x100-#3x150mm
10PCS Cr-V Precision screwdrivers:
Slotted: 3.0x50-2.5x50-3.0x50mm
Philips: #00x50-#0x50mm
Torx: T6x50-T7x50-T8x50-T9x50-T10x50mm
Packing: Plastic shell + Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01120 20PCS SCREWDRIVER SET



Contents:

2PCS Offset screwdrivers:
5mm — PH1 6mm — PH2
6PCS Cr-V Precision screwdrivers:
Slotted: 2.5x50-3.0x50mm
Philips: #00x50-#0x50mm
Torx: T8x50-T10x50mm
12PCS Cr-V Screwdrivers:
Slotted: 6x38-5x75-6x100-6x150mm
Philips: #2x38-#1x75-#2x100-#2x150mm
Torx: T15x100-T20x100-T25x100-T30x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01111 11PCS RATCHET BIT SET



Contents:

1PC Ratchet handle
10PCS 25mm Cr-V Bits:
Slotted: 3-4-5-6mm
Philips: #1-#2-#3
Pozidriv: #1-#2-#3
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01112 12PCS SCREWDRIVER SET



Contents:

12PCS Cr-V Screwdrivers:
Slotted: 6x38-5x75-5x75-6x150-8x150mm
Philips: #2x38 #0x75-#1x75-#2x100 #3x150mm
Square: S1x100-S2x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01116 16PCS SCREWDRIVER SET



Contents:

2PCS Offset screwdrivers:
5mm — PH1 6mm — PH2
4PCS Cr-V Precision screwdrivers:
Slotted: 2.5x50-3.0x50mm
Philips: #00x50-#0x50mm
10PCS Cr-V Screwdrivers:
Slotted: 6x38-5x75-6x100mm
Philips: #2x38-#1x75-#2x100mm
Torx: T20x100-T25x100-T27x100-T30x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01122 22PCS RATCHET BIT SET



Contents:

1PC Ratchet handle
1PC 60mm Bit holder
20PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm
Philips: #1-#2-#3
Pozidriv: #0-#1-#2-#3
Hex: 3-2.5-3-4-5-5.5-6mm
Square: S1-S2-S3
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01125 26PCS SCREWDRIVER SET



Contents:

1PC Mini 45-degree Hook
1 PC Mini Straight Pick
24PCS Cr-V Screwdrivers:
Slotted: 1/4"x1 ½"-1/8"x3"-3/16"x4"-1/6"x4"-1/4"x6"-5/16"x8"-5/16"x8"
Philips: #1x1 ½"-#00x3"-#0x3"-#1x4"-#2x4"-#2x8"-#3x8"-#3x8"
Torx: T15x4"-T20x4"-T25x4"-T27x4"-T30x4"-T40x5"
Square: S1x4"-S2x4"-S3x4"
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01129 29PCS SCREWDRIVER BIT SET



Contents:

1PC Ratchet handle
1PC Magnetic tray
4PCS Cr-V Screwdrivers:
Slotted: 5x75-5x100mm
Phillips: #1x75-#2x100mm
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
1PC 25mm Adaptor
13PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm Phillips: #1-#2-#3
Pozidriv: #0-#1-#2-#3 Square: S1-S2-S3
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01130 39PCS COMBINED TOOL SET



Contents:

1PC Flesh opener
1PC Ratchet handle
1PC 6" Combination plier
4PCS Cr-V Precision screwdrivers:
Slotted: 2.5x50-3.0x50mm
Phillips: #0x50-#1x50mm
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
1PC 25mm Adaptor
13PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm Phillips: #1-#2-#3
Pozidriv: #0-#1-#2-#3 Square: S1-S2-S3
Packing: Plastic box + Color sticker

- Bit can be rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01131 31PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver
6PCS Cr-V Screwdrivers:
Slotted: 3x73-5x75-5x100-8x200mm
Phillips: #0x75-#1x75-#1x100-#2x150mm
4PCS Cr-V Precision screwdrivers:
Slotted: 2.5x50-3.0x50mm
Phillips: #00x50-#0x50mm
18PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm
Phillips: #1-#2-#3
Pozidriv: #1-#2-#3
Torx: T10-T15-T20 T25-T30-T40
Square: S1-S2-S3
Packing: PS tray + Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01132 52PCS SCREWDRIVER BIT & SOCKET SET



Contents:

1PC Ratchet handle
4PCS Cr-V Screwdrivers:
Slotted: 5x75-6x100mm
Phillips: #1x75-#2x100mm
4PCS Cr-V Precision screwdrivers:
Slotted: 2.5x50-3.0x50mm
Phillips: #00x50-#0x50mm
1PCS 25mm Adaptor
13PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm Phillips: #1-#2-#3
Pozidriv: #0-#1-#2-#3 Square: S1-S2-S3
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01137 37PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver
8PCS Cr-V Screwdrivers:
Slotted: 6x38-5x75-6x100-8x150mm
Phillips: #2x38-#1x75-#2x100-#3x150mm
8PCS Cr-V Precision screwdrivers:
Slotted: 2.0x50-2.5x50-3.0x50mm
Phillips: #00x50-#0x50mm
Torx: T6x50-T8x50-T10x50mm
20PCS 25mm Cr-V Bits:
Slotted: 4-4.5-5.5-6mm
Phillips: #0-2x(#1-#2)-#3
Torx: T20-T25-T30-T40
Hex: 2-2.5-3-4-5-6mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01139 39PCS SCREWDRIVER BIT & POWER NUT SET



Contents:

1PC Bit holder driver
1PC Storage / Organizing case with Magnetizer & Demagnetizer
8PCS Cr-V Screwdrivers:
Slotted: 6x38-5x75-6x100-8x150mm
Phillips: #2x38-#1x75-#2x100-#3x150mm
8PCS Cr-V Precision screwdrivers:
Slotted: 2.0x50-2.5x50-3.0x50mm
Phillips: #00x50-#0x50mm
Torx: T6x50-T8x50-T10x50mm
16PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm
Phillips: #0-#1-#2
Pozidriv: #1-#2
Torx: T20-T25-T30
Hex: 2-3-4-5-6mm
6PCS Power nuts: 6-7-8-9-10mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01140 40PCS RATCHET BIT & SOCKET SET



Contents:

1PC Ratchet handle 1PC 25mm Adaptor
2PCS Screwdrivers:
Slotted: 6x38mm Phillips: #2x38mm
27PCS 25mm Cr-V Bits:
Phillips: #0-#1-#2-#3 Slotted: 4-5-6mm
Pozidriv: #0-#1-#2-#3 Square: S1-S2-S3
Hex: 2-2.5-3-4-5-5.5-6mm
Torx: T10-T15-T20-T25-T30-T40
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
Packing: Double blister

- Bit can be rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01144 44PCS SCREWDRIVER BIT & SOCKET SET



Contents:

1PC Bit holder driver
7PCS Cr-V Screwdrivers:
Slotted: 3x75-5x100-6x125-8x150mm
Phillips: #0x75-#1x100-#1x125mm
10PCS Cr-V Precision screwdrivers:
Slotted: 2.0x50-2.5x50-3.0x50mm
Phillips: #00x50-#0x50mm
Torx: T6x50-T8x50-T7x50-T8x50-T9x50mm
1PC 25mm Adaptor
18PCS 25mm Cr-V Bits:
Slotted: 4-6mm
Phillips: #0-#1-#2-#3
Pozidriv: #0-#1-#2-#3
Torx: T10-T15-T20-T25-T30-T35
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01150 50PCS SCREWDRIVER BIT SET





Contents:

1PC Bit holder driver

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

8PCS Cr-V Screwdrivers:

Slotted: 6x38-5x75-6x100-6x150mm

Philips: #2x38-#1x75-#2x100-#3x150mm

8PCS Cr-V Precision screwdrivers:

Slotted: 2.0x50-2.5x50-3.0x50mm Philips: #00x50-#0x50mm

Torx: T8x50-T8x50-T10x50mm

32PCS 25mm Cr-V Bits: Slotted: 3-4-5-6-7mm Philips: #0-#1-#2-#3

Pozidriv: #0-#1-#2-#3 Hex: 2-2.5-3-3.5-4-4.5-5-6mm

Torx: T10-T15-T20-T25-T27-T30-T35-T40 Square: S1-S2-S3

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized tip
- Double injected Soft Handle
- Hardened and Tempered Blade

No.01158 58PCS SCREWDRIVER BIT SET







Contents:

1PC Screwdriver bit holder

7PCS Cr-V Screwdrivers:

Slotted: 6x38-5x100-6x125mm

Philips: #2x38-#1x75-#2x100-#2x125mm

10PCS Cr-V Precision screwdrivers:

Slotted: 2.5x50-3.0x50mm Philips: #00x50-#0x50mm

Torx: T5x50-T6x50-T7x50-T8x50-T9x50-T10x50mm

40PCS 25mm Cr-V Bits:

Slotted: 3-2x(4-5)-6x8-8mm

Philips: 2x(#0-#1)-3x(#2-#3) Pozidriv: 2x(#0-#1)-3x(#2-#3)

Torx: T10-T15-2x(T20-T25)-T27-T30-T35-T40

Packing: Double blister + Display box

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01161 61PCS SCREWDRIVER BIT & POWER NUT SET







Contents:

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

1PC Mini 45-degree Hook

1PC Mini Straight Pick

1PC Bit holder driver

23PCS Cr-V Screwdrivers:

Slotted: 1/4"x1 ½"-1/8"x3"-3/16"x4"-1/4"x4"-1/4"x8"-5/16"x6"-5/16"x8"

Philips: #2x1 ½"-#00x3"-#0x3"-#1x4"-#2x4"-#2x6"-#3x8"-#3x8"

Torx: T15x4"-T20x4"-T25x6"-T30x6"-T40x5" Square: S1x4"-S2x4"-S3x4"

24PCS 25mm Cr-V Bits: Hex: 2-2.5-3-3.5-4-4.5-5-6mm

Slotted: 3-4-5-6-7mm Philips: #0-#1-#2-#3

Pozidriv: #0-#1-#2-#3 Square: S1-S2-S3

10PCS Power nuts: 5-7-8-9-10 & 3/16"-1/4"-5/16"-3/8"-7/16"

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and tempered Blade

No.01204 4PCS SCREWDRIVER SET



Contents:

4PCS Screwdrivers:

Slotted: 5x75-6x100mm

Philips: #1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01205 5PCS SCREWDRIVER SET



Contents:

5PCS Screwdrivers:

Slotted: 3x75-5x100-8x125mm

Philips: #0x75-#1x75mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01206 6PCS SCREWDRIVER SET



Contents:

6PCS Screwdrivers:

Slotted: 3x75-6x100-8x150mm

Philips: #0x75-#1x100-#2x150mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01208 8PCS SCREWDRIVER SET



Contents:

8PCS Screwdrivers:

Slotted: 6x38-3x75-5x75-8x100mm

Philips: #2x38-#0x75-#1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01209 9PCS SCREWDRIVER SET





Contents:

9PCS Screwdrivers:

Slotted: 3x75-5x100-8x150-8x200mm

Philips: #0x75-#1x75-#1x100-#2x125mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01229 29PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver
8PCS Screwdrivers:
● Slotted: 6x38-3x75-5x100-6x100-6x150mm
✣ Philips: #2x38-#0x75-#1x100mm
20PCS 25mm Cr-V Bits:
✣ Philips: #0-#1-#2-#3 ● Slotted: 3-4-5-6mm
✣ Pozidriv: #0-#1-#2-#3 ○ Hex: 3-4-5-6mm
○ Torx: T10-T15-T20-T25
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.01239 39PCS RATCHET BIT & SOCKET SET



Contents:

1PC Ratchet handle
1PC 4 IN 1 Pocket screwdriver bit set: 1PC Pocket screwdriver 2PCS 50mm Cr-V Double-ended Bits: ● 5mm — ✣ PH0 ● 4mm — ✣ PH1
1PC 25mm Adaptor
27PCS 25mm Cr-V Bits:
✣ Philips: #0-#1-#2-#3 ● Slotted: 4-5-6mm
✣ Pozidriv: #0-#1-#2-#3 ○ Square: S1-S2-S3
○ Hex: 2-2.5-3-4-5-5.5-6mm
○ Torx: T10-T15-T20-T25-T30-T40
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.01308 8PCS SCREWDRIVER SET



Contents:

8PCS Screwdrivers:
● Slotted: 6x38-5x100-6x125-8x150mm
✣ Philips: #2x38-#0x75-#1x100-#2x125mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05101 6 IN 1 SCREWDRIVER BIT SET



Contents:

1PC Screwdriver driver handle
1PC Double-sided bit holder
2PCS Double-sided Cr-V Bits
● 5mm — ✣ PH1 ● 6mm — ✣ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.05102 2PCS SCREWDRIVER SET



- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

Item No.:	Contents:	
No.05102-1	● Slotted: 6x38mm	✣ Philips: #2x38mm
No.05102-2	● Slotted: 5x75mm	✣ Philips: #1x75mm
No.05102-3	● Slotted: 5x100mm	✣ Philips: #1x100mm
No.05102-4	● Slotted: 5x125mm	✣ Philips: #1x125mm
No.05102-5	● Slotted: 5x100mm	✣ Philips: #2x100mm
No.05102-6	● Slotted: 6x125mm	✣ Philips: #2x125mm
No.05102-7	● Slotted: 6x150mm	✣ Philips: #2x150mm
No.05102-8	● Slotted: 8x150mm	✣ Philips: #3x150mm
No.05102-9	● Slotted: 8x200mm	✣ Philips: #3x200mm
Packing: Plastic hanger + Color sticker		

No.05107 7PCS SCREWDRIVER SET



Contents:

7PCS Screwdrivers:
● Slotted: 3x75-5x75-6x100-6x150mm
✣ Philips: #0x75-#1x75-#2x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05108 8PCS SCREWDRIVER SET



Contents:

4PCS Screwdrivers:
● Slotted: 6x38-6x100mm
✣ Philips: #2x38-#2x100mm
4PCS Precision screwdrivers:
● Slotted: 2.0x50-2.5x50mm
✣ Philips: #000x50-#00x50mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05125 29PCS SCREWDRIVER BIT SET



Contents:

1PC Ratchet handle
1PC Magnetic tray
4PCS Cr-V Screwdrivers:
● Slotted: 5x75-6x100mm
✣ Philips: #1x75-#2x100mm
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
1PC 25mm Adaptor
13PCS 25mm Cr-V Bits:
● Slotted: 4-5-6mm ✣ Philips: #1-#2-#3
✣ Pozidriv: #0-#1-#2-#3 ○ Square: S1-S2-S3
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade



PRO-QUALITY TOOLS

No.05137 37PCS SCREWDRIVER BIT SET





Contents:

1PC Bit holder driver

6PCS Cr-V Screwdrivers:

Slotted: 6x38-5x75-6x100-8x150mm

Phillips: #2x38-#1x75-#2x100-#3x150mm

8PCS Cr-V Precision screwdrivers:

Slotted: 2.0x50-2.5x50-3.0x50mm

Philips: #00x50-#0x50mm

Torx: T6x50-T8x50-T10x50mm

20PCS 25mm Cr-V Bits:

Slotted: 4-4.5-5.5-6mm Philips: #0-2x(#1-#2)-#3

Torx: T20-T25-T30-T40 Hex: 2-2.5-3-4-5-6mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05139 39PCS SCREWDRIVER BIT & POWER NUT SET





Contents:

1PC Bit holder driver

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

8PCS Cr-V Screwdrivers:

Slotted: 6x38-5x75-6x100-8x150mm

Philips: #2x38-#1x75-#2x100-#3x150mm

8PCS Cr-V Precision screwdrivers: Slotted: 2.0x50-2.5x50-3.0x50mm

Philips: #00x50-#0x50mm Torx: T6x50-T8x50-T10x50mm

16PCS 25mm Cr-V Bits:

Slotted: 4-5-6mm Philips: #0-#1-#2 Pozidriv: #1-#2

Torx: T20-T25-T30 Hex: 2-3-4-5-6mm

5PCS Power nuts: 5-7-8-9-10mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05150 50PCS SCREWDRIVER BIT SET





Contents:

1PC Bit holder driver

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

6PCS Cr-V Screwdrivers:

Slotted: 6x38-5x75-6x100-8x150mm

Phillips: #2x38-#1x75-#2x100-#3x150mm

8PCS Cr-V Precision screwdrivers:

Slotted: 2.0x50-2.5x50-3.0x50mm Phillips: #00x50-#0x50mm

Torx: T6x50-T8x50-T10x50mm

32PCS 25mm Cr-V Bits: Slotted: 3-4-5-6-7mm Phillips: #0-#1-#2-#3

Pozidriv: #0-#1-#2-#3 Hex: 2-2.5-3-3.5-4-4.5-5-6mm

Torx: T10-T15-T20-T25-T27-T30-T35-T40 Square: S1-S2-S3

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05161 61PCS SCREWDRIVER BIT & POWER NUT SET







Contents:

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

1PC Mini 45-degree Hook

1PC Mini Straight Pick

1PC Bit holder driver

23PCS Cr-V Screwdrivers:

Slotted: 1/4"x1 1/4"-1/8"x3"-3/16"x4"-1/8"x4"-1/4"x5"-5/16"x6"-5/16"x8"

Phillips: #2x1 1/4"-#00x3"-#0x3"-#1x4"-#2x4"-#2x6"-#3x6"-#3x8"

Torx: T15x4"-T20x4"-T25x4"-T30x4"-T40x5" Square: S1x4"-S2x4"-S3x4"

24PCS 25mm Cr-V Bits: Hex: 2-2.5-3-3.5-4-4.5-5-6mm

Slotted: 3-4-5-6-7mm Phillips: #0-#1-#2-#3

Pozidriv: #0-#1-#2-#3 Square: S1-S2-S3

10PCS Power nuts: 6-7-8-9-10 & 3/16"-1/4"-5/16"-3/8"-7/16"

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05208 8PCS SCREWDRIVER SET



Contents:

8PCS Screwdrivers:

Slotted: 6x38-5x75-8x100mm

Phillips: #2x38-#1x75-#2x100mm

Torx: T15x100-T20x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05229 29PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver

8PCS Screwdrivers:

Slotted: 6x38-3x75-5x100-6x100-8x150mm

Phillips: #2x38-#0x75-#1x100mm

20PCS 25mm Cr-V Bits:

Phillips: #0-#1-#2-#3 Slotted: 3-4-5-6mm

Pozidriv: #0-#1-#2-#3 Hex: 3-4-5-6mm

Torx: T10-T15-T20-T25

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.05239 39PCS COMBINED TOOL SET



Contents:

1PC Bit holder driver

1PC 60mm Extension bar

1PC 6" Combination plier

1PC Utility knife

10PCS Knife blades with box

1PC 3m Measure tape

1PC 140mm Voltage tester

1PC Scissors

2PCS Precision screwdrivers:

Slotted: 2.5x50mm Philips: #00x50mm

20PCS 25mm Cr-V Bits:

Slotted: 3-4-5-6mm

Phillips: #0-#1-#2-#3

Pozidriv: #0-#1-#2-#3

Torx: T10-T15-T20-T25

Hex: 3-4-5-6mm

Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

PRO-QUALITY TOOLS

WARNING!

Using hand tools can be dangerous. Always take care, and keep away from children. Wear protective eyewear in work area at all times. Select correct type and size of handtools for work.

No.06108 8PCS SCREWDRIVER SET



Contents:

8PCS Cr-V Screwdrivers:

- Slotted: 6x38-3x75-6x125-8x150mm
- Philips: #2x38-#0x75-#1x150-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.06132 32PCS SCREWDRIVER BIT SET





Contents:

1PC Handy storage case

1PC Bit holder driver

7PCS Cr-V Screwdrivers:

- Slotted: 0.8x4.0x75-1.2x8.5x100-1.2x8.0x150mm
- Philips: #1x80-#2x100mm
- Pozidriv: #1x80-#2x100mm

6PCS Cr-V Precision screwdrivers:

- Slotted: 0.4x2.0x50-0.4x2.0x50-0.6x3.0x60mm
- Philips: #00x2.0x50-#0x3.0x50-#1x4.5x50mm

17PCS 25mm Cr-V Bits:

- Philips: #0-#1-#2
- Pozidriv: #1-#2-#3
- Torx: T10-T15-T20-T25-T30
- Hex: 2-2.5-3-4-5-6mm

Packing: BMC + Color sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.07106 6PCS GO-THROUGH SCREWDRIVER SET



Contents:

6PCS Cr-V Go-through Screwdrivers:

- Slotted: 5x75-6x100-8x125-8x150mm
- Philips: #1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.07108 8PCS GO-THROUGH SCREWDRIVER SET



Contents:

8PCS Cr-V Go-through Screwdrivers:

- Slotted: 6x38-5x75-8x100-8x150mm
- Philips: #2x38-#1x75-#2x100-#3x150mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.07109 9PCS GO-THROUGH SCREWDRIVER SET



Contents:

9PCS Cr-V Go-through Screwdrivers:

- Slotted: 6x38-6x75-6x100-6x100-6x150-8x200mm
- Philips: #2x38-#1x75-#2x100mm

Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

PROFESSIONAL SCREWDRIVER



No.07102 2PCS GO-THROUGH SCREWDRIVER SET



Contents:

2PCS Cr-V Go-through Screwdrivers:

- Slotted: 6x100mm
- Philips: #2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

ZJ08 SERIES SCREWDRIVER

No.08102 2PCS SCREWDRIVER SET



- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

Item No.:	Contents:	
No.08102-1	Slotted: 6x38mm	Philips: #2x38mm
No.08102-2	Slotted: 5x75mm	Philips: #1x75mm
No.08102-3	Slotted: 5x100mm	Philips: #1x100mm
No.08102-4	Slotted: 5x125mm	Philips: #1x125mm
No.08102-5	Slotted: 6x100mm	Philips: #2x100mm
No.08102-6	Slotted: 6x125mm	Philips: #2x125mm
No.08102-7	Slotted: 6x150mm	Philips: #2x150mm
No.08102-8	Slotted: 8x150mm	Philips: #3x150mm
No.08102-9	Slotted: 8x200mm	Philips: #3x200mm
Packing: Plastic hanger + Color sticker		



No.08104 4PCS SCREWDRIVER SET



Contents:

4PCS Cr-v Screwdrivers:

- Slotted: 5x75-6x100mm
- Philips: #1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.08105 5PCS SCREWDRIVER SET



Contents:

5PCS Cr-V Screwdrivers:

- Slotted: 3x75-5x100-6x125mm
- Phillips: #0x75-#1x75mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.08106 6PCS SCREWDRIVER SET



Contents:

6PCS Cr-V Screwdrivers:

- Slotted: 5x75-6x100-6x125mm
- Phillips: #0x75-#1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.08108 8PCS SCREWDRIVER SET



Contents:

8PCS Cr-V Screwdrivers:

- Slotted: 6x38-3x75-5x75-6x100mm
- Phillips: #2x38-#0x75-#1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.08110 10PCS SCREWDRIVER SET



Contents:

10PCS Cr-V Screwdrivers:

- Slotted: 3x75-4x100-5x125-6x150-8x150mm
- Phillips: #0x75-#1x75-#2x100mm
- Posidriv: #1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.08127 27PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver

1PC 140mm Voltage tester

5PCS Cr-V Screwdrivers:

- Slotted: 5x75-6x100-8x150mm
- Phillips: #1x75-#2x100mm

6PCS Cr-V Precision screwdrivers:

- Slotted: 2.0x50-2.5x50-3.0x50mm
- Phillips: #000x50-#00x50-#0x50mm

14PCS 25mm Cr-V Bits:

- Slotted: 4-6mm
- Phillips: #0-#1-#2-#3
- Posidriv: #0-#1-#2-#3
- Torx: T10-T15-T20-T25

Packing: BMC + Color Sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.08144 44PCS SCREWDRIVER BIT & HEX KEY SET



Contents:

1PC Bit holder driver

17PCS Cr-V Screwdrivers:

- Slotted: 3x75-3x75(Cabinet)-5x75-5x100-6x100-8x150mm
- Phillips: #0x75-#1x75-#1x100-#2x100mm
- Pozidriv: #0x75-#1x100-#2x100-#3x150
- Torx: T8x75-T10x100-T15x100mm

10PCS 25mm Cr-V Bits:

- Slotted: 5-6-7mm
- Posidriv: #1-#2-#3
- Torx: T7-T8-T9-T10

16PCS Hex keys:

1.5-2-2.5-3-4-5-5.5-6mm & 1/16"-5/64"-3/32"-1/8"-5/32"-6/15"-7/32"-1/4"

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.08210 10PCS SCREWDRIVER SET



Contents:

10PCS Cr-V Screwdrivers:

- Slotted: 6x38-3x75-5x75-6x100-6x125-8x150mm
- Phillips: #2x38-#0x75-#1x75-#2x100mm

Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.08158 58PCS SCREWDRIVER BIT SET



Contents:

1PC Screwdriver bit holder

7PCS Cr-V Screwdrivers: Slotted: 6x38-5x100-6x125mm

Phillips: #2x38-#1x75-#2x100-#2x125mm

10PCS Cr-V Precision screwdrivers:

Slotted: 2.5x50-3.0x50mm Phillips: #00x50-#0x50mm

Torx: T5x50-T6x50-T7x50-T8x50-T9x50-T10x50mm

40PCS 25mm Cr-V Bits:

Slotted: 3-4x(4-5)-4x6-8mm

Phillips: 2x(#0-#1)-3x(#2-#3) Pozidriv: 2x(#0-#1)-3x(#2-#3)

Torx: T10-T15-2x(T20-T25)-T27-T30-T35-T40

Packing: Double blister + Display box

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.10113 13PCS SCREWDRIVER SET



Contents:

13PCS Cr-V Screwdrivers:

- Slotted: 6x38-3x75-5x100-6x100-6x150-8x150-8x200mm
- Phillips: #2x38-#0x75-#1x75-#2x100-#3x150mm
- Square: 5.1x75mm

Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.10101 51PCS SCREWDRIVER BIT & POWER NUT SET







Contents:

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

1PC Mini 45-degree Hook

1PC Mini Straight Pick

1PC Bit holder driver

23PCS Cr-V Screwdrivers:

Slotted: 1/4"x1 ½"-1/8"x3"-3/16"x4"-1/8"x4"-1/4"x6"-5/16"x6"-5/16"x8"

Ph Ilips: #2x1 ½"-#00x3"-#0x3"-#1x4"-#2x4"-#2x6"-#3x6"-#3x8"

Torx: T15x4"-T20x4"-T25x4"-T30x4"-T40x5" Square: S1x4"-S2x4"-S3x4"

24PCS 25mm Cr-V Bits: Hex: 2-2.5-3-3.5-4-4.5-5-6mm

Slotted: 3-4-5-6-7mm Phillips: #0-#1-#2-#3

Pozidriv: #0-#1-#2-#3 Square: S1-S2-S3

10PCS Power nuts: 6-7-8-9-10 & 3/16"-1/4"-5/16"-3/8"-7/16"

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.13101 6 IN 1 SCREWDRIVER BIT SET



Contents:

1PC Screwdriver driver handle 1PC Double-sided bit holder

2PCS Double-sided Cr-V Bits

5mm — PH1 6mm — PH2

Packing: Double blister

- Bit slot for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.13118 18PCS SCREWDRIVER BIT SET



Contents:

8PCS Cr-V Screwdrivers:

Slotted: 6x38-5x75-6x100-8x150mm

Phillips: #2x38-#1x7-#2x100-#3x150mm

10PCS Cr-V Precision screwdrivers:

Slotted: 2x50-2.5x50-3x50mm

Phillips: #00x50-#0x50mm

Torx: T6x50-T7x50-T8x50-T9x50-T10x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.12118 18PCS SCREWDRIVER BIT SET



Contents:

8PCS Cr-V Screwdrivers:

Slotted: 6x38-5x75-6x100-8x150mm

Phillips: #2x38-#1x7-#2x100-#3x150mm

10PCS Cr-V Precision screwdrivers:

Slotted: 2x50-2.5x50-3x50mm

Phillips: #00x50-#0x50mm

Torx: T6x50-T7x50-T8x50-T9x50-T10x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.12121 21PCS SCREWDRIVER BIT SET



Contents: 1PC Bit holder driver

6PCS Cr-V Screwdrivers:

Slotted: 4x75(Insulated)-5x75-6x100-8x150mm

Phillips: #1x75 #2x100mm

14PCS 25mm Cr-V Bits:

Slotted: 3-4-5-6mm Phillips: #0-#1-#2-#3

Pozidriv: #0-#1-#2-#3 Torx: T10-T15

Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.13126 25PCS SCREWDRIVER SET



Contents:

1PC Mini 45-degree Hook

1PC Mini Straight Pick

24PCS Cr-V Screwdrivers:

Slotted: 1/4"x1 ½"-1/8"x2"-3/16"x4"-1/4"x4"-1/8"x8"-5/16"x8"-5/16"x8"

Phillips: #2x1 ½"-#00x3"-#0x3"-#1x4"-#2x4"-#2x6"-#3x6"-#3x8"

Torx: T15x4"-T20x4"-T25x4"-T27x4"-T30x4"-T40x5"

Square: S1x4"-S2x4"-S3x4"

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.14107 7PCS SCREWDRIVER SET



Contents:

7PCS Cr-V Screwdrivers:

Slotted: 3x75-5x75-6x100-8x150mm

Phillips: #0x75-#1x75-#2x100mm

Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.12127 27PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver

5PCS Cr-V Screwdrivers:

Slotted: 4x75-5x100-8x150mm

Phillips: #0x75-#1x100-#2x150mm

6PCS Cr-V Precision screwdrivers:

Slotted: 2.0x50-2.5x50-3.0x50mm

Phillips: #000x50-#00x50-#0x50mm

14PCS 25mm Cr-V Bits:

Phillips: #0-#1-#2-#3 Slotted: 4-6mm

Pozidriv: #0-#1-#2-#3 Torx: T10-T15-T20-T25

Packing: BMC + Color sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.12221 21PCS SCREWDRIVER BIT SET



Contents: 1PC Bit holder driver

6PCS Cr-V Screwdrivers:

Slotted: 4x75-5x100-6x125-8x150mm

Phillips: #1x75-#2x100mm

+8PCS 25mm Cr-V Bits +8PCS Sockets

Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.13134 34PCS RATCHET BIT SET



Contents:

1PC Ratchet handle

1PC 25mm Adaptor

5PCS Bit & Socket Plastic holder

15PCS 25mm Cr-V Bits:

Slotted: 4-5-6mm Phillips: #1-#2-#3

Torx: T10-T15-T20-T25-T30 Hex: 4-5mm

Square: S1-S2

12PCS Sockets:

4-5-6-8-10-12mm & 3/16"-1/4"-5/16"-3/8"-7/16"-½"

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.14142 42PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver
1PC Flexible tube
6PCS Cr-V Screwdrivers:
⊖ Slotted: 6x38-6x100-8x150mm ⊕ Philips: #2x38-#2x100-#3x150mm
2PCS Insulated Screwdrivers:
⊖ Slotted: 4x75mm ⊕ Philips: #1x75mm
7PCS Cr-V Precision screwdrivers: ⊖ Slotted: 2.0x50-2.5x50-3.0x50mm
⊕ Philips: #00x50-#0x50mm ○ Torx: T8x50-T8x50mm
25PCS 25mm Cr-V Bits:
⊖ Slotted: 3-4-5-6-7mm ⊕ Philips: #0-#1-#2-#3 ⊕ Pozidriv: #0-#1-#2-#3
○ Hex: 2-3-4-5-5.5-6mm ○ Torx: T10-T15-T20-T25-T30-T40
Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.15169 69PCS SCREWDRIVER BIT & SOCKET SET

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade



Contents:

1PC Bit holder driver 1PC 50mm Adaptor 1PC 60mm Extension bar
1PC Flexible tube 1PC 140mm Voltage tester
8PCS Cr-V Screwdrivers:
⊖ Slotted: 3x75-5x75-6x100-8x150
⊕ Philips: #0x75-#1x75-#2x100-#3x150mm
2PCS Insulated Screwdrivers:
⊖ Slotted: 0.8x4.0x100mm ⊕ Philips: #1x100mm
11PCS Cr-V Precision screwdrivers:
⊖ Slotted: 1.5x50-2.0x50-2.5x50-3.0x50mm
⊕ Philips: #000x50-#00x50-#0x50mm
○ Torx: T6x50-T7x50-T8x50-T9x50mm
25PCS 25mm Cr-V Bits:
⊖ Slotted: 3-4-5-6-7mm ⊕ Philips: #0-#1-#2-#3 ⊕ Pozidriv: #0-#1-#2-#3
○ Hex: 2-3-4-5-5.5-6mm ○ Torx: T10-T15-T20-T25-T30-T40
18PCS Sockets: 5-6-7-8-9-10-11-12-13mm & 3/16"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-15/32"-½"
Packing: BMC + Color sticker

No.16106 6PCS SCREWDRIVER SET



Contents:

6PCS Cr-V Screwdrivers:
⊖ Slotted: 3x75-5x100-6x150mm
⊕ Philips: #0x75-#1x100-#2x150mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17101 6 IN 1 SCREWDRIVER BIT SET



Contents:

1PC Telescopic magnetic pickup tool
6PCS 25mm Cr-V Bits: ⊖ Slotted: 5-6mm
⊕ Philips: #1-#2 ○ Torx: T15-T20
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.17104 4PCS SCREWDRIVER SET



Contents:

4PCS Cr-V Screwdrivers:
⊖ Slotted: 5x100-6x100mm
⊕ Philips: #1x100-#2x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17106 6PCS SCREWDRIVER SET



Contents:

6PCS Cr-V Screwdrivers:
⊖ Slotted: 3x75-5x100-6x150mm
⊕ Philips: #0x75-#1x100-#2x150mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17107 7PCS SCREWDRIVER SET



Contents:

7PCS Cr-V Screwdrivers:
⊖ Slotted: 3x75-5x75-6x125-8x150mm
⊕ Philips: #0x75-#1x75-#2x125mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17108 8PCS SCREWDRIVER SET



Contents:

8PCS Cr-V Screwdrivers:
⊖ Slotted: 6x45-3x75-5x100-6x150mm
⊕ Philips: #2x45-#0x60-#1x100-#2x150mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17112 12PCS COMBINED TOOL SET



Contents:

1PC 6" Diagonal cutting plier
1PC 6" Long nose plier
1PC 6" Combination plier
1PC 10" Water-pump plier
1PC 140mm Voltage tester
7PCS Cr-V Screwdrivers:
⊖ Slotted: 3x75-5x100-6x125-8x150mm
⊕ Philips: #0x75-#1x100-#2x125mm
Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17118 18PCS SCREWDRIVER SET



Contents:

8PCS Cr-V Screwdrivers:
⊖ Slotted: 6x38-5x76-6x100-8x150mm
⊕ Philips: #2x38-#1x75-#2x100-#3x150mm
10PCS Cr-V Precision screwdrivers:
⊖ Slotted: 2.5x50-3x50mm
⊕ Philips: #00x50-#0x50mm
○ Torx: T6x50-T7x50-T8x50-T9x50-T10x50-T15x50mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17139 39PCS SCREWDRIVER BIT & POWER NUT SET



Contents:

1PC Bit holder driver

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

8PCS Cr-V Screwdrivers:

Slotted: 6x38-5x75-6x100-8x150mm

Philips: #2x38-#1x75-#2x100-#3x150mm

6PCS Cr-V Precision screwdrivers:

Slotted: 2.0x50-2.5x50-3.0x50mm

Philips: #00x50-#0x50mm

Torx: T6x50-T8x50-T10x50mm

15PCS 25mm Cr-V Bits:

Slotted: 4-5-6mm

Philips: #0-#1-#2

Pozidriv: #1-#2

Torx: T20-T25-T30

Hex: 2-3-4-5-6mm

6PCS Powernuts: 6-7-8-9-10mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnet 2nd Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17207 7PCS SCREWDRIVER SET



Contents:

7PCS Cr-V Screwdrivers:

Slotted: 5x75-5x100-6x125-8x150mm

Philips: #1x75-#2x125-#3x150mm

Packing: BMC + Color sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.18158 58PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver

11PCS Cr-V Screwdrivers:

Slotted: 6x38-3x75-5x75-5x100-6x100-6x200mm

Philips: #2x38-#0x75-#1x100-#2x100-#3x150mm

8PCS Cr-V Precision screwdrivers:

Slotted: 2.0x50-2.5x50-3.0x50mm Philips: #000x50-#00x50-#0x50mm

40PCS 25mm Cr-V Bits: Slotted: 3-4-5-6-7-8mm

Philips: 2x50-3x(#1-#2)-2x#3 Pozidriv: #0-#1-#2-#3

Torx: T10-T15-T20-T25-T30-T40 Square: S0-S1-S2-S3

Hex: 2-3-4-5-6mm & 3/32"-1/8"-5/32"-3/16"-1/4"

Packing: BMC + Color sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.18207 7PCS SCREWDRIVER SET



Contents:

7PCS Cr-V Screwdrivers:

Slotted: 3x75-5x100-6x150-8x150mm

Philips: #0x60-#1x100-#2x150mm

Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.17150 50PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver

1PC Storage / Organizing rack with Magnetizer & Demagnetizer

8PCS Cr-V Screwdrivers:

Slotted: 6x38-5x75-6x100-8x150mm

Philips: #2x38-#1x75-#2x100-#3x150mm

8PCS Cr-V Precision screwdrivers:

Slotted: 2.0x50-2.5x50-3.0x50mm

Philips: #00x50-#0x50mm

Torx: T6x50-T8x50-T10x50mm

32PCS 25mm Cr-V Bits:

Slotted: 3-4-5-6-7mm

Philips: #0-#1-#2-#3

Pozidriv: #0-#1-#2-#3

Hex: 2-2.5-3-3.5-4-4.5-5-6mm

Torx: T10-T15-T20-T25-T27-T30-T35-T40

Square: S1-S2-S3

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.18107 7PCS SCREWDRIVER SET



Contents:

7PCS Cr-V Screwdrivers:

Slotted: 4.5x100-5.5x125-6.5x150mm

Philips: #1x80-#2x100mm

Pozidriv: #1x80-#2x100mm

Packing: BMC + Color sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.21102 2PCS SCREWDRIVER SET





Contents:

2PCS Cr-V Screwdrivers:

Slotted: 8x100mm

Philips: #2x100mm

Packing: Double blister + Display box

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.21105 5PCS NUT DRIVER SET



Packing 1: Double blister



Packing 2: Color box



Contents:

5PCS Nut drivers:

Nut driver: 5x150-6x150-8x150-10x150-13x150mm

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.21158 58PCS SCREWDRIVER BIT SET



Contents:

1PC Screwdriver bit holder
7PCS Cr-V Screwdrivers: ⊖ Slotted: 6x38-5x100-6x125mm
⊕ Phillips: #2x38-#1x75-#2x100-#2x125mm
10PCS Cr-V Precision screwdrivers:
⊖ Slotted: 2.5x50-3.0x50mm ⊕ Phillips: #00x50-#0x50mm
○ Torx: T5x50-T6x50-T7x50-T8x50-T9x50-T10x50mm
40PCS 25mm Cr-V Bits:
⊖ Slotted: 3-2x(4-5)-4x6-8mm
⊕ Phillips: 2x(#0-#1)-3x(#2-#3) ⊕ Pozidriv: 2x(#0-#1)-3x(#2-#3)
○ Torx: T10-T15-2x(T20-T25)-T27-T30-T35-T40
Packing: Double blister + Display box

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.22157 57PCS COMBINED TOOL SET



Contents:

1PC Water-pump plier	1PC 50mm Extension bar
1PC Ratchet handle	1PC Combination plier
1PC Long nose plier	1PC Bit holder driver
1PC Machinist hammer	1PC 25mm Adaptor
9PCS Hex keys: 1.5-2-2.5-3-4-5-6-8-10mm	
10PCS Sockets: 4-5-6-7-8-9-10-11-12-13mm	
6PCS Cr-V Screwdrivers:	
⊖ Slotted: 6x38-5x75-6x100mm ⊕ Phillips: #2x38-#1x75-#2x100mm	
5PCS Cr-V Precision screwdrivers:	
⊖ Slotted: 2.0x50-2.5x50-3.0x50mm ⊕ Phillips: #00x50-#0x50mm	
19PCS 25mm Cr-V Bits: ⊖ Slotted: 4-5-6-7mm ⊕ Phillips: #1-#2-#3	
⊕ Pozidriv: #1-#2 ○ Torx: T10-T15-T20-T25-T30-T40 ○ Hex: 3-4-5-6mm	
Packing: BMC + Color sleeve	

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.25136 36PCS SCREWDRIVER BIT SET



Contents:

1PC Ratchet handle	1PC Flexible tube
2PCS Cr-V Insulated screwdrivers:	
⊖ Slotted: 0.8x4.0x100mm ⊕ Phillips: #1x100mm	
5PCS Cr-V Screwdrivers:	
⊖ Slotted: 5x75-6x100-6x150mm ⊕ Phillips: #1x75-#2x100mm	
7PCS Cr-V Precision screwdrivers:	
⊖ Slotted: 1.5x50-2.0x50-2.5x50-3.0x50mm	
⊕ Phillips: #00x50-#0x50-#1x50mm	
20PCS 25mm Cr-V Bits: ⊖ Slotted: 4-5-6-7mm	
⊕ Phillips: #1-#2-#3 ⊕ Pozidriv: #1-#2-#3	
○ Torx: T10-T15-T20-T25-T30-T40 ○ Hex: 3-4-5-6mm	
Packing: BMC + Color sleeve	

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.26105 5PCS INSULATED SCREWDRIVER SET



Contents:

1PC 140mm Voltage tester
4PCS Cr-V Insulated screwdrivers:
⊖ Slotted: 3x75-5x100mm
⊕ Phillips: #0x75-#1x100mm
Packing: Poly bag + Hangtag

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.26107 7PCS INSULATED SCREWDRIVER SET



Contents:

1PC 140mm Voltage tester
6PCS Cr-V Insulated screwdrivers:
⊖ Slotted: 3x75-5x100-6x150mm
⊕ Phillips: #0x75-#1x100-#2x150mm
Packing: Poly bag + Hangtag

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.26108 8PCS INSULATED SCREWDRIVER SET



Contents:

8PCS Screwdrivers:
⊖ Slotted: 6x38-3x75-5x100-6x150mm
⊕ Phillips: #2x38-#0x75-#1x100-#2x150mm
Packing: Poly bag + Hangtag

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.27101 6 IN 1 SCREWDRIVER BIT SET



Contents:

1PC Screwdriver driver handle
1PC Double-sided bit holder
2PCS Double-sided Cr-V Bits
⊖ 5mm — ⊕ PH1 ⊖ 6mm — ⊕ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.27104 4PCS SCREWDRIVER SET



Contents:

4PCS Cr-V Screwdrivers:
⊖ Slotted: 6x125-6x150mm
⊕ Phillips: #2x100-#3x150mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.27106 6PCS SCREWDRIVER SET



Contents:

6PCS Cr-V Screwdrivers:
⊖ Slotted: 3x75-4x100-6x150mm
⊕ Phillips: #0x75-#1x100-#2x150mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.27121 21PCS SCREWDRIVER BIT SET



Contents:

1PC Ratchet handle
10PCS Cr-V Screwdrivers:
⊖ Slotted: 4x100-6x150-8x150mm
⊕ Phillips: #1x100-#2x150mm
⊕ Pozidriv: #2x150mm
○ Torx: T10x75-T15x75mm
○ Square: S1x75-S2x75mm
10PCS 25mm Cr-V Bits:
⊖ Slotted: 3-4-5-6mm
⊕ Phillips: #1-#2-#3
⊕ Pozidriv: #1-#2-#3
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.27142 42PCS SCREWDRIVER BIT SET



Contents:

1PC Ratchet handle 1PC 25mm Adaptor
15PCS Cr-V Screwdrivers:
⊖ Slotted: 6x38-3x75-5x100-6x150mm
⊕ Phillips: #2x38-#0x75-#1x100-#2x100mm
⊕ Pozidriv: #0x75-#1x100-#2x100mm
○ Torx: T10x75-T15x100-T20x100-T25x100mm
6PCS Cr-V Precision screwdrivers:
⊖ Slotted: 1.4-2.0-2.4-3.0mm ⊕ Phillips: #0-#1
19PCS 25mm Cr-V Bits:
⊖ Slotted: 3-4-5-6mm
⊕ Phillips: #0-#1-#2-#3
⊕ Pozidriv: #1-#2-#3
○ Square: S0-S1-S2
○ Torx: T10-T15-T25-T27-T30
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade


No.27148 48PCS SCREWDRIVER BIT SET



Contents:

1PC Bit holder driver
1PC Flexible tube
1PC 140mm Voltage tester
11PCS Cr-V Screwdrivers:
Slotted: 6x38-3x75-4x100-5x100-6x150-8x200mm
Phillips: #2x38-#0x75-#1x75-#2x100-#3x150mm
10PCS Cr-V Precision screwdrivers:
Slotted: 1.5x50-2.0x50-2.5x50-3.0x50mm
Phillips: #00x50-#0x50mm
Torx: T6x50-T7x50-T8x50-T9x50mm
2PCS Insulated screwdrivers:
Slotted: 0.8x4.0x100mm Phillips: #1x100mm
22PCS 25mm Cr-V Bits:
Slotted: 3-4-5-6-7mm
Phillips: #1-#2-#3
Pozidriv: #1-#2-#3
Hex: 2-3-4-5-6mm
Torx: T10-T15-T20-T25-T30-T40
Packing: BMC + Color sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade



LD-0488

No.27206 6PCS SCREWDRIVER SET



Contents:

6PCS Cr-V Screwdrivers:
Slotted: 5x75-6x100mm
Phillips: #1x75-#2x100mm
Pozidriv: #1x75-#2x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.28107 7PCS GO-THROUGH SCREWDRIVER SET



Contents:

7PCS Cr-V Go-through Screwdrivers:
Slotted: 4.0x75-5.5x100-8.0x150-9.5x200mm
Phillips: #1x75-#2x100-#3x125mm
Packing: BMC + Color sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.27306 6PCS SCREWDRIVER SET



Contents:

6PCS Cr-V Screwdrivers:
Slotted: 6x38-5x75-6x100mm
Phillips: #2x38-#1x100-#2x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.28110 10PCS GO-THROUGH SCREWDRIVER SET



Contents:

10PCS Cr-V Go-through Screwdrivers:
Slotted: 6x38-4x75-5x100-6x100-8x150mm
Phillips: #2x38-#1x75-#1x100-#2x100-#3x125mm
Packing: BMC + Color sleeve

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.29106 6PCS SCREWDRIVER SET



Contents:

6PCS Cr-V Screwdrivers:
Slotted: 5x150-6x150-8x150mm
Phillips: #1x150-#2x150-#3x150mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.29107 7PCS SCREWDRIVER SET



Contents:

7PCS Cr-V Screwdrivers:
Slotted: 4x100-5x125-6x150-8x200mm
Phillips: #1x75-#2x100-#3x200mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.29111 11PCS SCREWDRIVER SET



Contents:

11PCS Cr-V Screwdrivers:
Slotted: 6x38-3x75-5x75-6x100-8x150-8x150mm
Phillips: #2x38-#0x75-#1x75-#2x100-#3x150mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.29139 39PCS COMBINED TOOL SET



Contents:

1PC 6" Adjustable wrench
1PC 6" Combination plier
1PC Flexible tube
1PC Bit holder driver
2PCS Cr-V Screwdrivers:
Slotted: 6x100mm Phillips: #2x100mm
1PC 60mm Extension bar
32PCS 25mm Cr-V Bits:
Slotted: 3-4-5-6-7mm
Phillips: #0-2x#1-3x#2-2x#3
Pozidriv: #0-2x#1-3x#2-2x#3
Hex: 2-3-4-5-6mm
Torx: T10-T15-T20-T25-T30-T40
Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.311100 100PCS SCREWDRIVER BIT & NUT DRIVER SET





Contents: 1PC AWL 1PC Ratchet handle 6PCS SAE Nut drivers: 3/16"-1/4"-9/32"-5/16"-11/32"-3/8"
2PCS Offset screwdrivers: 3/16" — #1 1/4" — #2
22PCS Cr-V Screwdrivers:
Slotted: 1/8"x3"-5/32"x4"-3/16"x3"-3/16"x4"-3/16"x5"-1/4"x4"-1/4"x6"-5/16"x6"
Phillips: #0x3"-#1x3"-#1x4"-#1x5"-#2x4"-#2x6"
Torx: T8x3"-T10x3"-T15x3"-T20x3" Square: S0x3"-S1x3"-S1x4"-S2x4"
6PCS Cr-V Precision screwdrivers:
Slotted: 1/16"x2"-3/32"x2" Phillips: #00x2"-#0x2" Torx: T6x2"-T7x2"-T8x2"-T9x2"
60PCS 1/4" Cr-V Bits: Slotted: 2x(1/8"-5/32")-3x(3/16"-1/4")
Phillips: 2x(#0-#1)-3x(#2-#3) Square: 2x(S0-S1)-3x(S2-S3)
Pozidriv: 2x(#0-#1)-3x(#2-#3) Torx: T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
Hex: 5/64"-3/32"-2x(1/8"-5/32"-3/16")-7/32"-1/4"
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

PROFESSIONAL SCREWDRIVER

No.32102 2PCS SCREWDRIVER SET



- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

Item No.:	Contents:	
No.32102-1	Slotted: 6x38mm	Phillips: #2x38mm
No.32102-2	Slotted: 5x75mm	Phillips: #1x75mm
No.32102-3	Slotted: 5x100mm	Phillips: #1x100mm
No.32102-4	Slotted: 5x125mm	Phillips: #1x125mm
No.32102-5	Slotted: 6x100mm	Phillips: #2x100mm
No.32102-6	Slotted: 6x125mm	Phillips: #2x125mm
No.32102-7	Slotted: 6x150mm	Phillips: #2x150mm
No.32102-8	Slotted: 8x150mm	Phillips: #3x150mm
No.32102-9	Slotted: 8x200mm	Phillips: #3x200mm
Packing: Plastic hanger + Color sticker		

No.34149 49PCS SCREWDRIVER BIT SET



Contents:

- 1PC 150mm Slip joint plier
- 1PC Ratchet handle
- 2PCS Cr-V Insulated screwdrivers:
  - Slotted: 0.6x4.0x75mm
  - Phillips: #0x75mm
- 9PCS Cr-V Screwdrivers:
  - Slotted: 1.2x5.5x38-0.6x3.0x75-1.0x4.5x75-1.0x5.5x100-1.2x8.0x200mm
  - Phillips: #2x38-#0x75-#1x75-#2x100mm
- 6PCS Cr-V Precision screwdrivers:
  - Slotted: 1.5x50-2x50-2.5x50mm
  - Phillips: #000x50-#00x50-#0x50mm
- 30PCS 25mm Cr-V Bits:
  - Slotted: 3-2x(4-5)-4x6-8mm
  - Phillips: 2x(#0-#1)-3x(#2-#3)
  - Pozidriv: 2x(#0-#1)-3x(#2-#3)

Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.35106 6PCS SCREWDRIVER SET



Contents:

- 6PCS Cr-V Screwdrivers:
  - Slotted: 3x75-5x100-6x150mm
  - Phillips: #0x75-#1x100-#2x150mm
- Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.42120 20PCS SCREWDRIVER SET



Contents:

- 8PCS Cr-V Screwdrivers:
  - Slotted: 6x38-5x75-6x125-8x150mm
  - Phillips: #2x38-#1x75-#2x125-#3x150mm
- 12PCS Cr-V Precision screwdrivers:
  - Slotted: 1.5x75-2x75-2.5x75mm
  - Phillips: #000x75-#00x75-#0x75mm
  - Pozidriv: #0-2x#1-3x#2-2x#3
  - Torx: T5x75-T6x75-T7x75-T8x75-T9x75-T10x75mm
- Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.44106 6PCS SCREWDRIVER SET



Contents:

- 6PCS Cr-V Screwdrivers:
  - Slotted: 5x75-6x100-6x125mm
  - Phillips: #1x75-#2x100-#2x125mm
- Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.44107 7PCS SCREWDRIVER BIT SET



Contents:

- 1PC Flexible tube with screwdriver handle
- 6PCS 25mm Cr-V Bits:
  - Slotted: 5-6mm
  - Phillips: #1-#2
  - Pozidriv: #1-#2
- Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.44112 12PCS SCREWDRIVER SET



Contents:

- 12PCS Cr-V Screwdrivers:
  - Slotted: 6x38-2.5x50(Cabinet)-3.5x75(Cabinet)-4x100(Cabinet)-5.5x150(Cabinet)-6x125-8x150mm
  - Phillips: #2x38-#1x75-#2x100mm
  - Pozidriv: #1x75-#2x100mm
- Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.44206 6PCS SCREWDRIVER SET



Contents:

- 6PCS Cr-V Screwdrivers:
  - Slotted: 5x75-6x100-8x150mm
  - Pozidriv: #1x75-#2x100-#3x150mm
- Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.46101 2 IN 1 SCREWDRIVER BIT SET



Contents:

- 1PC Stubby Screwdriver handle
- 1PC Double-sided Cr-V Bit
  - 6mm — PH2
- Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.46102 7 IN 1 SCREWDRIVER BIT SET



Contents:

- 1PC Telescopic magnetic pickup tool
- 7PCS 25mm Cr-V Bits:
  - Slotted: 4-5-6mm
  - Phillips: #1-#2
  - Torx: T15-T20
- Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

PROFESSIONAL SCREWDRIVER

No.51104 4PCS SCREWDRIVER SET





Square End

Contents:

4PCS Cr-V Screwdrivers:

- Slotted: 5x100-6x150mm
- Philips: #1x100-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.51106 6PCS SCREWDRIVER SET





Square End

Contents:

6PCS Cr-V Screwdrivers:

- Slotted: 3x75-5x100-6x150mm
- Philips: #0x75-#1x100-#2x150mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.51109 9PCS SCREWDRIVER SET





Square End

Contents:

9PCS Cr-V Screwdrivers:

- Slotted: 6x38-3x75-5x100-6x125-8x150mm
- Philips: #2x38-#0x75-#1x75-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.60106 6PCS SCREWDRIVER SET





Round End

Contents:

6PCS Cr-V Screwdrivers:

- Slotted: 5x100-6x100-6x150mm
- Philips: #1x75-#1x150-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.62107 7PCS SCREWDRIVER SET



Contents:

7PCS Cr-V Screwdrivers:

- Slotted: 3x75-4x100-5x125-6x150mm
- Philips: #0x100-#1x125-#2x150mm

Packing: Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.65107 7PCS COMBINED TOOL SET



Contents:

- 1PC 8" Adjustable wrench
- 1PC 6" Diagonal cutting plier
- 1PC 6" Long nose plier
- 1PC 10" Triangular file
- 1PC 6" Utility knife
- 2PCS Cr-V Screwdrivers:
- Slotted: 5x150mm
- Philips: #1x150mm

Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.52108 8PCS SCREWDRIVER SET



Contents:

8PCS Cr-V Screwdrivers:

- Slotted: 6x38-3x75-5x100-6x150-8x200mm
- Philips: #2x38-#0x75-#1x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.53106 6PCS GO-THROUGH SCREWDRIVER SET



Contents:

6PCS Cr-V Go-through Screwdrivers:

- Slotted: 5x75-6x100-8x150mm
- Philips: #1x75-#2x100-#3x150mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.60104 4PCS SCREWDRIVER SET





Round End

Contents:

4PCS Cr-V Screwdrivers:

- Slotted: 5x100-6x100mm
- Philips: #1x150-#2x100mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.70101 2 IN 1 SCREWDRIVER SET



Contents:

1PC Screwdriver handle

1PC Double-sided Cr-V Blade:

- (6mm-PH2) x 150mm

Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.71101 2 IN 1 SCREWDRIVER SET



Contents:

1PC Screwdriver handle

1PC Double-sided Cr-V Blade:

- (6mm-PH2) x 150mm

Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.72101 2 IN 1 SCREWDRIVER SET



Contents:

1PC Screwdriver handle

1PC Double-sided Cr-V Blade:

- (6mm-PH2) x 150mm

Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

PROFESSIONAL SCREWDRIVER

No.73101 2 IN 1 SCREWDRIVER BIT SET



Contents:
1PC Stubby Screwdriver handle
1PC Double-sided Cr-V Bit
⊖6mm — ⊕ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.73201 2 IN 1 SCREWDRIVER SET



Contents:
1PC Stubby Screwdriver handle
1PC Double-sided Cr-V Blade
⊖6mm — ⊕ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.73301 2 IN 1 SCREWDRIVER SET



Contents:
1PC Screwdriver handle
1PC Double-sided Cr-V Blade:
⊖ ⊕ (6mm-PH2) x 150mm
Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.73307 6 IN 1 SCREWDRIVER BIT SET



Contents:
1PC Screwdriver driver handle
1PC Double-sided bit holder
2PCS Double-sided Cr-V Bits:
⊖5mm — ⊕ PH1 ⊖6mm — ⊕ PH2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.74101 2 IN 1 SCREWDRIVER SET



Contents:
1PC Screwdriver handle
1PC Double-sided Cr-V Blade:
⊖ ⊕ (6mm-PH2) x 150mm
Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment





PROFESSIONAL SCREWDRIVER

ALL OF THE SCREWDRIVERS
CAN BE PACKED IN DISPLAY BOX.

- Compact: For the most common screw types
- High Quality: High-grade material and dimensionally accurate black point drive tip











D02-D03-D04

THE ADVANCED DESIGN CONCEPTS

WILL COME SOON...
























A WIDE RANGE OF USES



It is applicable for the preservation and maintenance of the communication instrument and the optics facilities, such as computers / precise watches / mobile phones / televisions / glasses and the video recorders. It is the most ideal tool for the precise work.

No.D01104
4PCS PICK AND HOOK SET



Contents:
4PCS Pick and Hook set:
1PC Straight pick
1PC Full hook
1PC Offset 45° hook
1PC Offset 90° hook
Packing: Plastic box + Color sticker
• Chrome Vanadium Blade • Double Injected Soft Handle • Hardened and Tempered Blade

No.D01106
6PCS PRECISION SCREWDRIVER SET



Contents:
6PCS Precision screwdrivers:
Slotted: 2.0x50-2.5x50mm
Phillips: #00x50-#0x50mm
Torx: T6x50-T10x50mm
Packing: Double blister
• Chrome Vanadium Blade • Magnetized Tip • Double Injected Soft Handle • Hardened and Tempered Blade

No.D01107
7PCS PRECISION SCREWDRIVER SET



Contents:
7PCS Precision screwdrivers:
Slotted: 2.0x50-2.5x50-3.0x50mm
Phillips: #00x50-#0x50mm
Torx: T6x50-T10x50mm
Packing: Double blister
• Chrome Vanadium Blade • Magnetized Tip • Double Injected Soft Handle • Hardened and Tempered Blade

No.D01110
10PCS PRECISION SCREWDRIVER SET



Contents:

10PCS Precision screwdrivers:

- Slotted: 2.0x50-2.5x50-3.0x50mm
- Philips: #000x50-#00x50-#0x50mm
- Torx: T6x50-T8x50-T9x50-T10x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D01204
4PCS PRECISION SCREWDRIVER SET



Contents:

4PCS Precision screwdrivers:

- Slotted: 2.0x50-2.6x50mm
- Philips: #00x50-#0x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D01206
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 2.0x50-2.5x50-3.0x50mm
- Philips: #000x50-#00x50-#0x50mm

Packing: Plastic box + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D01306
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 2.5x50-3.0x50mm
- Philips: #00x50-#0x50mm
- Torx: T6x50-T8x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D01406
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 1/8"x6 ½"-1/8"x7 ½"-1/8"x9 ½" (The whole length)
- Philips: #0x6 ½"-#0x7 ½"-#0x9 ½" (The whole length)

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D05106
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 2.6x50-3.0x50mm
- Philips: #00x50-#0x50mm
- Torx: T6x50-T8x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D05110
10PCS PRECISION SCREWDRIVER SET



Contents:

10PCS Precision screwdrivers:

- Slotted: 2.0x50-2.5x50-3.0x50mm
- Philips: #000x50-#00x50-#0x50mm
- Torx: T6x50-T8x50-T9x50-T10x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D05206
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 1/8"x6 ½"-1/8"x7 ½"-1/8"x9 ½" (The whole length)
- Philips: #0x6 ½"-#0x7 ½"-#0x9 ½" (The whole length)

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D05306
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 1.8x50-2.4x50mm
- Philips: #00x50-#0x50mm
- Torx: T6x50-T8x50mm

Packing: Color sticker + Shrink

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D09106
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 2.5x50-3.0x50mm
- Philips: #00x50-#0x50mm
- Torx: T6x50-T8x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.D09110
10PCS PRECISION SCREWDRIVER SET



Contents:

10PCS Precision screwdrivers:

- Slotted: 2.0x50-2.5x50-3.0x50mm
- Philips: #000x50-#00x50-#0x50mm
- Torx: T6x50-T8x50-T9x50-T10x50mm

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.D09206
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 1/8"x6 ½"-1/8"x7 ½"-1/8"x9 ½" (The whole length)
- Philips: #0x6 ½"-#0x7 ½"-#0x9 ½" (The whole length)

Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade

No.D12106
6PCS PRECISION SCREWDRIVER SET



Contents:

6PCS Precision screwdrivers:

- Slotted: 2.0x50-2.5x50-3.0x50mm
- Philips: #000x50-#00x50-#0x50mm

Packing: Color sticker + Shrink

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D12109
9PCS PRECISION TOOL SET



Contents:

1PC Tweezers
1PC Mini Long nose plier
1PC Mini Diagonal cutting plier
6PCS Precision screwdrivers:
- Slotted: 2.0x50-2.5x50-3.0x50mm
- Philips: #000x50-#00x50-#0x50mm

Packing: Plastic box + Cover sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade

No.D14106
6PCS PICK AND HOOK SET



Contents:

6PCS Pick and Hook set:
1 PC Straight pick
1 PC 90° pick
1 PC Double angle pick
1PC Complex pick
1PC Combination pick
1 PC Hook pick

Packing: Slide blister

- Chrome Vanadium Blade
- Double Injected Soft Handle
- Hardened and Tempered Blade





PROFESSIONAL
PRECISION SCREWDRIVER

LD-0488

INSULATED SCREWDRIVER



- Magnetized tips
- Chrome Vanadium steel & Comfortable handle
- Each screwdriver individually tested up to 1000V

1000V
EN 60900

ELECTRICIAN















No.90102
2PCS INSULATED SCREWDRIVER SET



Contents:
2PCS Insulated screwdrivers:
Slotted: 0.8x4x100mm
Phillips: #1x100mm
Packing: Slide blister

- Chrome Vanadium Blade
- Magnetized Tip
- Hand e ergonomically designed
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.90103
3PCS INSULATED SCREWDRIVER SET



Contents:
1PC 140mm Voltage tester
2PCS Insulated screwdrivers:
Slotted: 0.8x4x100mm
Phillips: #1x100mm
Packing: Slide blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.90106
6PCS INSULATED SCREWDRIVER SET



Contents:
1PC 140mm Voltage tester
5PCS Insulated screwdrivers:
Slotted: 0.8x4x100-1.0x5.5x125-1.2x6.5x150mm
Phillips: #0x75-#1x100mm
Packing: Color box

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.91102
2PCS INSULATED SCREWDRIVER SET



Contents:
2PCS Insulated screwdrivers:
Slotted: 0.8x4x100mm
Phillips: #1x100mm
Packing: Slide blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.91103
3PCS INSULATED SCREWDRIVER SET



Contents:
1PC 140mm Voltage tester
2PCS Insulated screwdrivers:
Slotted: 0.8x4x100mm
Phillips: #1x100mm
Packing: Slide blister

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.92102
2PCS INSULATED SCREWDRIVER SET



Contents:
2PCS Insulated screwdrivers:
Slotted: 6x100mm
Phillips: #2x100mm
Packing: Plastic hanger + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Handle ergonomically designed
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.92103
3PCS INSULATED SCREWDRIVER SET



Contents:
3PCS Insulated screwdrivers:
Slotted: 4x100-6x100mm
Phillips: #2x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.92106
6PCS INSULATED SCREWDRIVER SET



Contents:
1PC 140mm Voltage tester
5PCS Insulated screwdrivers:
Slotted: 0.5x3x75-0.8x4x100-1.0x5.5x125mm
Phillips: #0x75-#1x100mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.92108
8PCS INSULATED SCREWDRIVER SET



Contents:
1PC 140mm Voltage tester
7PCS Insulated screwdrivers:
Slotted: 0.8x4x100-1.0x5.5x125-1.2x6.5x150mm
Phillips: #0x75-#1x100-#2x100-#2x150mm
Packing: Double blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.92203
3PCS INSULATED SCREWDRIVER SET



Contents:
1PC 140mm Voltage tester
2PCS Insulated screwdrivers:
Slotted: 0.8x4x100mm
Phillips: #1x100mm
Packing: Slide blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.93103
3PCS INSULATED SCREWDRIVER SET



Contents:
1PC 140mm Voltage tester
2PCS Insulated screwdrivers:
Slotted: 0.8x4x100mm
Phillips: #1x100mm
Packing: Slide blister

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade
- Individually tested up to 1000V

No.93111
11PCS INSULATED SCREWDRIVER SET



Contents:
11PCS Insulated screwdrivers:
Slotted: 2.5x75-3x100-4x100-5x125-6x100-8x175mm
Phillips: #0x75-#1x100-#2x100mm
Pozidriv: #0x75-#1x100mm
Packing: BMC + Color sticker

- Chrome Vanadium Blade
- Magnetized Tip
- Double Injected Soft Handle
- Hardened and Tempered Blade
- Individually tested up to 1000V







No.B01101 6 IN 1 SCREWDRIVER BIT SET

Contents:

- 1PC Screwdriver driver handle
- 1PC Double-sided bit holder
- 2PCS Double-sided Cr-V Bits:
- ⊖ 5mm — ✠ PH1 ⊖ 6mm — ✠ PH2
- Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B01112 11 IN 1 SCREWDRIVER BIT SET

Contents:

- 1PC Screwdriver driver handle
- 1PC 115mm Double-sided bit holder
- 2PCS 50mm Double-sided bit holder
- 4PCS Double-sided Cr-V Bits:
- ⊖ 5mm — ✠ PH1 ⊖ 6mm — ✠ PH2
- ○ S1 — ○ S2 ○ T10 — ○ T15
- Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment









No.B01114 13 IN 1 RATCHET BIT SET

Contents:

- 1PC Ratchet handle
- 1PC 55mm Extension bar
- 12PC 25mm Cr-V Bits:
- ⊖ Slotted: 5-6mm ✠ Phillips: #1-#2 ✠ Pozidriv: #1-#2
- ○ Hex: 4-5-6mm ○ Torx: T15-T20-T25
- Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B02107
6 IN 1 SCREWDRIVER BIT SET



Contents:

- 1PC Screwdriver driver handle
- 1PC Double-sided bit holder
- 2PCS Double-sided Cr-V Bits:
- ⊖ 5mm — ✠ PH1 ⊖ 6mm — ✠ PH2
- Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B03103
2 IN 1 SCREWDRIVER BIT SET



Contents:

- 1PC Stubby Screwdriver handle
- 1PC Double-sided Cr-V Bit
- ⊖ 6mm — ✠ PH2
- Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B03203
2 IN 1 SCREWDRIVER BIT SET



Contents:

- 1PC Screwdriver handle
- 1PC Double-sided Cr-V Blade:
- ⊖ ✠ (6mm-PH2) x 150mm
- Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B04121
21PCS SCREWDRIVER BIT SET



Contents:

- 1PC T-Handle Screwdriver bit holder
- 1PC 25mm Adaptor
- 10PCS 25mm Cr-V Bits:
- ⊖ Slotted: 3-4-5-6mm ✠ Phillips: #1-#2
- ○ Torx: T15-T20 ✠ Pozidriv: #1-#2
- 9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
- Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B05107
6 IN 1 SCREWDRIVER BIT SET



Contents:

- 1PC Bit holder driver
- 6PCS 25mm Cr-V Bits:
- ⊖ Slotted: 3-6mm
- ✠ Phillips: #1-#2
- ○ Torx: T15-T20
- Packing: Slide blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B06124
24PCS SCREWDRIVER BIT SET



Contents:

- 1PC T-Handle Screwdriver bit holder
- 1PC 25mm Adaptor
- 13PCS 25mm Cr-V Bits:
- ⊖ Slotted: 3-4-5-6mm ✠ Phillips: #1-#2-#3
- ○ Torx: T15-T20-T25 ✠ Pozidriv: #0-#1-#2
- 9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
- Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B07112
12PCS SCREWDRIVER BIT SET



Contents:
1PC Flexible tube
1PC Screwdriver bit holder
1PC 25mm Adaptor
8PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm Phillips: #1-#2-#3
Torx: T10-T15-T20
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B06108
8PCS BIT SET WITH BIT HOLDER



Contents:
1PC Plastic Bit holder
1PC 60mm Extension bar
5PCS 25mm Cr-V Bits:
Slotted: 6-8mm Phillips: #1-#2
Pozidriv: #1-#2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B09138
38PCS SCREWDRIVER BIT SET



Contents:
1PC Screwdriver Bit holder
1PC 25mm Adaptor
26PCS 25mm Cr-V Bits:
Slotted: 3-4-5-6mm
Phillips: #0-#1-#2-#3
Pozidriv: #0-#1-#2-#3
Torx: T10-T15-T20-T25-T30-T40
Hex: 2-2.5-3-4-4.5-5-5.5-6mm
10PCS Sockets: 4-5-6-7-8-9-10-11-12-13mm
Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B10142
42PCS RATCHET BIT SET



Contents:
1PC Ratchet handle
1PC T-driver handle
20PCS 25mmCr-V Bits:
Slotted: 4-5-6-7mm
Phillips: #0-#1-#2-#3
Pozidriv: #0-#1-#2-#3
Torx: T10-T15-T20-T25
Hex: 3-4-5-6mm
20PCS Precision Cr-V Bits:
Slotted: 1-1.5-2-2.5-3-4mm
Philips: #000 #00-#0-#1
Pozidriv: #0-#1
Torx: T4-T5-T6-T7-T8-T9-T10-T15
Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

MAGNETIC BITS

No.B10149
49PCS RATCHET BIT SET



Contents:
1PC Ratchet handle
1PC 1/4" 25mm Adaptor
1PC 60mm Magnetic bit holder
4PCS 75mm Cr-V Bits:
Slotted: 5-7mm Phillips: #1-#2
42PCS 25mm Cr-V Bits:
Phillips: #0-#1-2x#2-#3 Slotted: 3-4-5-6-7mm
Pozidriv: #0-#1-2x#2-#3 Hex: 2-3-4-5-6mm
Spanner: 4-5-6-10mm SQ: S0-S1-S2-S3
Torque-out: 6-8-10mm Clutch: C1-C2-C3
Torx: T8-T10-T15-T20-T25-T27-T30-T40
Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B11118
18PCS PRECISION BIT DRIVER SET



Contents:
2PCS Aluminium Pocket screwdrivers
16PCS Precision Cr-V Bits:
Slotted: 1.5-2-3-4mm
Phillips: #000-#00
Pozidriv: #0-#1
Torx: T4-T5-T6-T7
Hex: 0.7-0.9-1.3-1.5mm
Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B11123
23PCS RATCHET BIT SET



Contents:
1PC Ratchet handle
1PC 60mm Extension bar
9PCS Sockets: 4-5-6-7-8-9-10-11-12-13mm
1PC 25mm Adaptor
11PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm
Phillips: #1-#2
Pozidriv: #1-#2
Torx: T15-T20
Square: S1-S2
Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B11138 38PCS RATCHET BIT SET



Contents:

- 1PC Ratchet handle
- 37PCS 25mm Cr-V Bits:
- Slotted: 3-4-5-5.5-6-7mm
- Phillips: #0-2x(#1-#2-#3)
- Pozidriv: #0-2x(#1-#2)-#3
- Torx: T10-T15-T20-T25-T27-T30-T35-T40
- Square: S0-S1-S2-S3
- Hex: 2-2.5-3-4-5-6mm

Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B11238 38PCS RATCHET BIT SET



Contents:

- 1PC Ratchet handle
- 37PCS 25mm Cr-V Bits:
- Slotted: 3-4-5-5.5-6-7mm
- Phillips: #0-2x(#1-#2-#3)
- Pozidriv: #0-2x(#1-#2)-#3
- Torx: T10-T15-T20-T25-T27-T30-T35-T40
- Square: S0-S1-S2-S3
- Hex: 2-2.5-3-4-5-6mm

Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B12123 23PCS PRECISION BIT DRIVER SET



Contents:

- 1PC Precision bit driver handle
- 1PC Flexible extension bar
- 21PCS Precision Cr-V Bits:
- Slotted: 1.5-2-2.5-3-3.5-4mm
- Phillips: #000-#00-#0-#1
- Pozidriv: #0-#1
- Torx: T4-T5-T6-T7
- Hex: 2-3-4-5-6mm

Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B12130 30PCS RATCHET BIT SET



Contents:

- 1PC Ratchet handle
- 1PC 25mm Adaptor
- 1PC Adaptor (6H Bits to 4H Bits)
- 6PCS Sockets: 5-6-7-8-9-10mm
- 13PCS 25mm Cr-V Bits:
- Slotted: 4-5-6mm
- Phillips: #0-#1-#2
- Pozidriv: #0-#1
- Hex: 4-5-6mm
- Torx: T10-T15
- 9PCS Precision Cr-V Bits:
- Slotted: 1.5-2-2.5mm
- Phillips: #000-#00-#0
- Torx: T4-T5

Packing: Color sticker + Shrink

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B13110 9 IN 1 ALUMINIUM POCKET SCREWDRIVER BIT SET



Contents:

- 1PC Aluminium Pocket screwdriver
- 8PCS Precision Cr-V Bits:
- Slotted: 2-3-3.5mm Phillips: #00-#0-#1
- Torx: T8-T8-T10

Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B14105 4 IN 1 POCKET SCREWDRIVER BIT SET



Contents:

- 1PC Pocket screwdriver
- 2PCS 60mm Double-sided Cr-V Bits:
- 1/8" — PH0 5/32" — PH1

Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B15132 32PCS RATCHET BIT & SOCKET SET



Contents:

- 1PC T-Handle Ratchet screwdriver
- 1PC Extension bar
- 9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
- 1PC 25mm Adaptor
- 17PCS 25mm Cr-V Bits:
- Slotted: 4-5-6mm
- Phillips: #1-#2
- Hex: 2-2.5-3-4-5-6mm
- Torx: T10-T15-T20-T25-T27-T30
- 3PCS Cr-V Precision screwdrivers:
- Slotted: 3.0x50mm
- Phillips: #00x50-#0x50mm

Packing: Plastic box + Color sticker

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B15133
33PCS RATCHET BIT & SOCKET SET



Contents:
1PC Ratchet handle
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
1PC 25mm Adaptor
19PCS 25mm Cr-V Bits:
Slotted: 4-5-6-7mm
Philips: #0-#1-#2-#3
Pozidriv: #0-#1-#2-#3
Hex: 2-3-4-5mm
Torx: T10-T15-T20
3PCS Cr-V Precision screwdrivers:
Slotted: 3.0x50mm
Philips: #00x50-#0x50mm
Packing: Plastic box + Color sticker

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B15139
39PCS BIT & SOCKET SET



Contents:
1PC Bit holder driver
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
1PC 25mm Adaptor
24PCS 25mm Cr-V Bits:
Slotted: 4-5-6mm
Philips: #1-#2-#3
Pozidriv: #0-2x(#1-#2)-#3
Hex: 2-2.5-3-4-5-6mm
Torx: T10-T15-T20-T25-T27-T30
4PCS Cr-V Precision screwdrivers:
Slotted: 2.4x50-3.0x50mm
Philips: #00x50-#0x50mm
Packing: Plastic box + Color sticker

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B16184
84PCS RATCHET BIT & SOCKET SET



Contents:
1PC Ratchet handle
1PC Precision bit driver handle
1PC 115mm Extension bar
9PCS Sockets: 5-6-7-8-9-10-11-12-13mm
1PC Magnifying glass
1PC 25mm Adaptor
40PCS 25mm Cr-V Bits:
Slotted: 3-4-5-6-7-8mm
Philips: #0-2x#1-5x#2-2x#3
Pozidriv: #0-2x#1-5x#2-2x#3
Hex: 2-3-4-5-6mm
Torx: T15-T20-T25-T30-T40
Square: S0-S1-S2-S3
30PCS Precision Cr-V Bits:
Slotted: 1-1.5-2-2.5-3-3.5-4mm
Philips: #000-#00-#0-#1 Pozidriv: #0-#1
Torx: T4-T5-T6-T7-T8-T9-T10-T15-T20
Hex: 0.7-0.9-1.3-1.5-2-2.5-3-4mm
Packing: Plastic box + Color sticker

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.B17126 26PCS RATCHET BIT & SOCKET SET



Contents:
1PC Nylon carry bag
1PC Ratchet handle
6PCS Power nuts: 5-6-7-8-9-10mm
18PCS 65mm Cr-V Bits:
Slotted: 3-4-5-6-7mm
Philips: #0-#1-#2-#3
Pozidriv: #1-#2-#3
Torx: T10-T15-T20-T25-T27-T30
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment







360°
AUTOMATIC SPRINGBACK OF 360°

RZ01 Sereies

No.RZ01111
11PCS FLEXIBLE SHAFT AND BITS SET



Contents:
1PC 300mm Universal flexible shaft
6PCS 50mm Cr-V Bits:
Slotted: 4-7mm
Philips: #1-#2
Pozidriv: #1-#2
4PCS 75mm Cr-V Bits:
Philips: #1-#2
Pozidriv: #1-#2
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

No.RZ01112
12PCS FLEXIBLE SHAFT AND BITS SET



Contents:
1PC 300mm Universal flexible shaft
1PC 60mm Magnetic Bit holder
10PCS 25mm Cr-V Bits:
Slotted: 3-4-5-6mm
Philips: #0-#1-#2-#3
Pozidriv: #0-#1
Packing: Double blister

- Bit set for rechargeable
- Magnetized Tip
- Made of high degree special steel
- Special hardening treatment

RZ02 SERIES

UNIVERSAL FLEXIBLE SHAFT



RZ06 SERIES

UNIVERSAL FLEXIBLE SHAFT



RZ03 SERIES

UNIVERSAL FLEXIBLE SHAFT



RZ07 SERIES

UNIVERSAL FLEXIBLE SHAFT



RZ04 SERIES

UNIVERSAL FLEXIBLE SHAFT



RZ08 SERIES

UNIVERSAL FLEXIBLE SHAFT



RZ05 SERIES

UNIVERSAL FLEXIBLE SHAFT





QZ01

T-HANDLE SCREWDRIVER



QZ05

UNIVERSAL FLEXIBLE SHAFT WITH SCREWDRIVER HANDLE



QZ02

BIT HOLDER DRIVER



QZ06

RATCHET HANDLE



QZ03

BIT HOLDER DRIVER



QZ07

6PCS PICK AND HOOK SET



QZ04

BIT HOLDER DRIVER



REINFORCED SQUARE



ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 105X105X90


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-1190WZ	25	105X105X90X3.0	105	105	90	3.0
J-ZK-1190WZ/2.5	25	105X105X90X2.5	105	105	90	2.5
J-ZK-1190WZ/2.0	25	105X105X90X2.0	105	105	90	2.0
J-ZK-10090WZ	25	100X100X90X3.0	100	100	90	3.0

REINFORCED SQUARE 105X105X90

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-1190WZS/2.5	25	105X105X90X2.5	105	105	90	2.5



ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X90X65


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9965WZ	50	90X90X65X2.5	90	90	65	2.5
J-ZK-9965WZ/2.0	50	90X90X65X2.0	90	90	65	2.0

REINFORCED SQUARE 90X90X65

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9965WZS	50	90X90X65X2.5	90	90	65	2.5
J-ZK-9965WZS/2.0	50	90X90X65X2.0	90	90	65	2.0



ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 70X70X55


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-7755WZ	50	70X70X55X2.5	70	70	55	2.5
J-ZK-7755WZ/2.0	50	70X70X55X2.0	70	70	55	2.0

REINFORCED SQUARE 70X70X55

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-7755WZ	50	70X70X55X2.5	70	70	55	2.5
J-ZK-7755WZ/2.0	50	70X70X55X2.0	70	70	55	2.0




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 83X62X40

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-8640WZ	50	83X62X40	83	62	40	2.0
J-ZK-8640WZ/2.5	50	83X62X40	83	62	40	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

REINFORCED SQUARE



ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 50X50X35


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-5535WZ/1.5	150	50X50X35X1.5	50	50	35	1.5
J-ZK-5535WZ/2.0	150	50X50X35X2.0	50	50	35	2.0

REINFORCED SQUARE 50X50X35X2.0

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-5535WZ/2.0	150	50X50X35X2.0	50	50	35	2.0




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 60X60X45

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-6645WZ/2.0	150	60X60X45X2.0	60	60	45	2.0
J-ZK-6645WZ/2.5	150	60X60X45X2.5	60	60	45	2.5




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X45X55

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9455WZ	50	90X45X55	90	45	55	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X60X60

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9660WZ	50	90X60X60	90	60	60	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X60X60

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9661WZ	50	90X60X60	90	60	60	2.5
J-ZK-9661WZA	50	90X60X60	90	60	60	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

REINFORCED SQUARE




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X48X48

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9443WZ	50	90X48X48	90	48	48	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X48X76

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9473WZ	50	90X48X76	90	48	76	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X48X116

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9413WZ	50	90X48X116	90	48	116	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



ETA-13/0338
0809-CPR-1279

REINFORCED ASSEMBLE SQUARE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-KFR-6680	50	67X67X80	67	67	80	2.0
J-KFR-6690	50	67X67X90	67	67	90	2.0
J-KFR-8880	50	80X80X80	80	80	80	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




REINFORCED SQUARE 90X60X60

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-DRB-9660	50	90X60X60	90	60	60	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

REINFORCED SQUARE




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X90X60

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-DRB-9960	50	90X90X60X2.5	90	90	60	2.5
J-DRB-9960/2.0	50	90X90X60X2.0	90	90	60	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 125X125X46

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-DRB-12546	50	125X125X46X2.0	125	125	46	2.0
J-DRB-12546/2.5	50	125X125X46X2.5	125	125	46	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 125X125X55

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-DRB-12555	50	125X125X55X2.0	125	125	55	2.0
J-DRB-12555/2.5	50	125X125X55X2.5	125	125	55	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 150X150X60

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-DRB-151560	40	150X150X60	150	150	60	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 150X90X59

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-DRB-15090	50	150X90X59X2.0	150	90	59	2.0
J-DRB-15090/2.5	50	150X90X59X2.5	150	90	59	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

REINFORCED SQUARE




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X60X80

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9680WZ	50	90X60X80	90	60	80	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 60X75X60X2.0

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-7660WZ	100	75X60X60	75	60	60	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 75X50X65X2.0

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-7565WZ	100	75X50X65	75	50	65	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 90X50X80X2.5

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9580WZ	100	90X50X80	90	50	80	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



J-ZK-21495WZ J-ZK-17495WZ


ETA-13/0338
0809-CPR-1279

REINFORCED SQUARE 170/210X40X95

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-17495WZ	50	170X40X95	170	40	95	2.0
J-ZK-21495WZ	50	210X40X95	210	40	95	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275


REINFORCED SQUARE



REINFORCED SQUARE 120X120X120X2.5

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-121212WZ	25	120X120X120	120	120	120	2.5


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



REINFORCED SQUARE LX70X35X1.5

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-EM-7070	100	70X70X35	70	70	35	1.5
J-EM-8070	100	80X70X35	80	70	35	1.5
J-EM-9070	100	90X70X35	90	70	35	1.5
J-EM-10070	100	100X70X35	100	70	35	1.5
J-EM-11070	100	110X70X35	110	70	35	1.5
J-EM-12070	100	120X70X35	120	70	35	1.5
J-EM-13070	100	130X70X35	130	70	35	1.5
J-EM-14070	100	140X70X35	140	70	35	1.5


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



REINFORCED SQUARE LX50X35X1.5

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-EMA-5050	100	50X50X35	50	50	35	1.5
J-EMA-6050	100	60X50X35	60	50	35	1.5
J-EMA-7050	100	70X50X35	70	50	35	1.5
J-EMA-8050	100	80X50X35	80	50	35	1.5
J-EMA-9050	100	90X50X35	90	50	35	1.5
J-EMA-10050	100	100X50X35	100	50	35	1.5
J-EMA-11050	100	110X50X35	110	50	35	1.5
J-EMA-12050	100	120X50X35	120	50	35	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




WINDOW MOUNTING BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-WMB-60100	25	60X100X105	60	100	105	2.0
J-WMB-150100	25	150X100X105	150	100	105	2.0
J-WMB-200100	25	200X100X105	200	100	105	2.0
J-WMB-220100	25	220X100X105	220	100	105	2.0
J-WMB-240100	25	240X100X105	240	100	105	2.0
J-WMB-260100	25	260X100X105	260	100	105	2.0
J-WMB-300100	25	300X100X105	300	100	105	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

MERGING SQUARE



ETA-13/0338
0809-CPR-1279

MERGING SQUARE 105X105X90


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-1190	25	105X105X90X3.0	105	105	90	3.0
J-ZK-1190/2.5	25	105X105X90X2.5	105	105	90	2.5
J-ZK-10090	25	100X100X90X3.0	100	100	90	3.0

MERGING SQUARE 105X105X90

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-1190S	25	105X105X90X2.5	105	105	90	2.5



ETA-13/0338
0809-CPR-1279

MERGING SQUARE 90X90X65


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9965	50	90X90X65X2.5	90	90	65	2.5
J-ZK-9965/2.0	50	90X90X65X2.0	90	90	65	2.0

MERGING SQUARE 90X90X65

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9965S	50	90X90X65X2.5	90	90	65	2.5
J-ZK-9965S/2.0	50	90X90X65X2.0	90	90	65	2.0



ETA-13/0338
0809-CPR-1279

MERGING SQUARE 70X70X55

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275


Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-7755	50	70X70X55X2.5	70	70	55	2.5
J-ZK-7755/2.0	50	70X70X55X2.0	70	70	55	2.0

MERGING SQUARE 70X70X55

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-7755S	50	70X70X55X2.5	70	70	55	2.5
J-ZK-7755S/2.0	50	70X70X55X2.0	70	70	55	2.0

MERGING SQUARE



ETA-13/0338
0809-CPR-1279

MERGING SQUARE 50X50X35


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-5535	150	50X50X35X2.5	50	50	35	2.5
J-ZK-5535/2.0	150	50X50X35X2.0	50	50	35	2.0

MERGING SQUARE 50X50X35

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-5535S	150	50X50X35X2.5	50	50	35	2.5
J-ZK-5535S/2.0	150	50X50X35X2.0	50	50	35	2.0



ETA-13/0338
0809-CPR-1279

MERGING SQUARE 90X90X40


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9940	50	90X90X40X3.0	90	90	40	3.0
J-ZK-9940/2.5	50	90X90X40X2.5	90	90	40	2.5
J-ZK-9940/2.0	50	90X90X40X2.0	90	90	40	2.0

MERGING SQUARE 90X90X40

Raw material: Rustfri Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9940S	50	90X90X40X3.0	90	90	40	3.0
J-ZK-9940S/2.5	50	90X90X40X2.5	90	90	40	2.5




ETA-13/0338
0809-CPR-1279

MERGING SQUARE 90X35X40

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9340	50	90X35X40	90	35	40	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

MERGING SQUARE 60X60X45

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-6645/2.5	50	60X60X45X2.5	60	60	45	2.5
J-ZK-6645	50	60X60X45X3.0	60	60	45	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

MERGING SQUARE



ETA-13/0338
0809-CPR-1279

MERGING SQUARE 90X120X40

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-9124	50	90X120X40	90	120	40	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

MERGING SQUARE SCALENE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-5164	50	50X160X40	50	160	40	3.0
J-ZK-5153	50	50X150X35	50	150	35	2.5
J-ZK-8060	50	60X80X40	60	80	40	3.0
J-ZK-7704	50	70X70X40	70	70	40	3.0
J-ZK-1104	50	110X110X40	110	110	40	3.0
J-ZK-6124	50	60X120X40	60	120	40	3.0
J-ZK-6164	50	60X160X40	60	160	40	3.0
J-ZK-6204	50	60X200X40	60	200	40	3.0
J-ZK-1163	50	111X156X30	111	156	30	2.0
J-ZK-8123	50	80X120X30	80	120	30	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



ETA-13/0338
0809-CPR-1279

DUTCH MERGING SQUARE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-155035	50	150X50X35	150	50	35	2.5
J-ZK-9960	50	90X90X60	90	90	60	2.5
J-ZK-15090	50	150X90X59	150	90	59	2.5
J-ZK-1559	50	100X50X59	100	50	59	2.5
J-ZK-150150	50	150X150X63	150	150	63	2.5
J-ZK-12546	50	125X125X46	125	125	46	2.5
J-ZK-12555	50	125X125X55	125	125	55	2.5
J-ZK-6090	50	60X90X59	60	90	59	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



J-ZKR-862



J-ZKR-853

ETA-13/0338
0809-CPR-1279

ADJUSTABLE BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	H
J-ZKR-636	50	60X30X60X2.0	60	30	60
J-ZKR-646	50	60X40X60X2.5	60	40	60
J-ZKR-666	50	60X60X60X2.5	60	60	60
J-ZKR-853	100	80X50X30X2.0	80	50	30
J-ZKR-862	50	80X65X20X4.0	80	65	20

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



J-ZKR-636




J-ZKR-646



J-ZKR-666

MERGING SQUARE




ETA-13/0338
0809-CPR-1279

MERGING SQUARE SCALENE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-1660	50	100X60X60	100	60	60	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

MERGING SQUARE SCALENE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-8660	50	80X60X60	80	60	60	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

MERGING SQUARE SCALENE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-8365	50	80X35X65	80	35	65	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

MERGING SQUARE SCALENE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-4275	50	40X25X75	40	25	75	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




ETA-13/0338
0809-CPR-1279

MERGING SQUARE


Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ZK-6655	50	65X65X55	65	65	55	3.0
J-ZK-8555	50	80X50X55	80	50	55	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

ANGLES AND BRACKETS




ETA-13/0338
0809-CPR-1279



ANCHOR BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	B	H	S
J-LA-422	25	200X40X2.0	40	40	200	2.0
J-LA-423	25	200X40X3.0	40	40	200	3.0
J-LA-432	25	300X40X2.0	40	40	300	2.0
J-LA-433	25	300X40X3.0	40	40	300	3.0
J-LA-442	25	400X40X2.0	40	40	400	2.0
J-LA-443	25	400X40X3.0	40	40	400	3.0


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



BENTABLE BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-KG-4412	50	40X40X120X2.0	40	40	120	2.0


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



HEAVY DUTY ANGLE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-KB-1050	40	100X50X50X4	100	50	50
J-KB-1075	40	100X75X50X2.5	100	75	50
J-KB-1280	20	120X80X35X4	120	80	35
J-KB-1812	20	180X120X40X5	180	120	40
J-KB-1073	20	100X75X30X5	100	75	30

Raw material: Yellow Zinc Plated



J-AB-1459 J-AB-8445 J-AB-5559

ADJUSTABLE BRACKET


Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-AB-1459	50	100X40X59	100	40	59	2.5
J-AB-8445	50	80X40X45	80	40	45	2.5
J-AB-5559	50	50X50X59	50	50	59	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

ETA-13/0338
0809-CPR-1279

ANGLES AND BRACKETS






135°MERGING SQUARE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	H	B	S
J-ZS-5535	50	50X50X35	50	50	35	2.5
J-ZS-6645	50	60X60X45	60	60	45	2.5
J-ZS-7755	50	70X70X55	70	70	55	2.5
J-ZS-9940	50	90X90X40	90	90	40	2.5
J-ZS-9965	50	90X90X65	90	90	65	2.5
J-ZS-1190	25	105X105X90	105	105	90	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275



LIGHT DUTY BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	H
J-MS-333	100	30X30X30X2.0	30	30	30
J-MS-444	100	40X40X40X2.0	40	40	40
J-MS-666	50	60X60X60X2.0	60	60	60
J-ZU-3325	200	30X30X25X2.0	30	30	25
J-ZU-4425	200	40X40X25X2.0	40	40	25
J-ZU-5525	200	50X50X25X2.0	50	50	25
J-ZU-6625	100	60X60X25X2.0	60	60	25
J-ZU-4625	100	40X60X25X2.0	40	60	25

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or galvanised after punching.



SQUARE SCALENE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			W	A	B	S
J-SQ-6460	50	60X40X60X2.5	60	40	60	2.5
J-SQ-6860	50	60X80X60X2.5	60	80	60	2.5
J-SQ-6160	50	60X100X60X2.5	60	100	60	2.5
J-SQ-1640	50	115X60X40X2.5	115	60	40	2.5
J-SQ-7425	50	75X40X25X2.0	75	40	25	2.0
J-SQ-4940	50	40X90X40X2.5	40	90	40	2.5
J-SQ-5950	50	50X90X50X2.5	50	90	50	2.5
J-SQ-6960	50	60X90X60X2.5	60	90	60	2.5
J-SQ-1210	50	100X200X100X2.5	100	200	100	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

ASSEMBLELY SQUARE



ETA-13/0338
0809-CPR-1279

ASSEMBLELY SQUARE 2.0MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	H	B	S
J-KF-4420	200	40X40X20	40	40	20	2.0
J-KF-4440	200	40X40X40	40	40	40	2.0
J-KF-4460	100	40X40X60	40	40	60	2.0
J-KF-4480	50	40X40X80	40	40	80	2.0
J-KF-44100	50	40X40X100	40	40	100	2.0
J-KF-44160	25	40X40X160	40	40	160	2.0
J-KF-44200	25	40X40X200	40	40	200	2.0
J-KF-5540	200	50X50X40	50	50	40	2.0
J-KF-6640	100	60X60X40	60	60	40	2.0
J-KF-6650	50	60X60X50	60	60	50	2.0
J-KF-6660	50	60X60X60	60	60	60	2.0
J-KF-6680	50	60X60X80	60	60	80	2.0
J-KF-66100	50	60X60X100	60	60	100	2.0
J-KF-8840	50	80X80X40	80	80	40	2.0
J-KF-8860	50	80X80X60	80	80	60	2.0
J-KF-8880	25	80X80X80	80	80	80	2.0
J-KF-88100	25	80X80X100	80	80	100	2.0
J-KF-88120	25	80X80X120	80	80	120	2.0
J-KF-1140	50	100X100X40	100	100	40	2.0
J-KF-1160	25	100X100X60	100	100	60	2.0
J-KF-1180	25	100X100X80	100	100	80	2.0
J-KF-11100	25	100X100X100	100	100	100	2.0
J-KF-11120	20	100X100X120	100	100	120	2.0
J-KF-11140	20	100X100X140	100	100	140	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



ETA-13/0338
0809-CPR-1279

ASSEMBLELY SQUARE 2.5MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	H	B	S
J-KP-4440	100	40X40X40	40	40	40	2.5
J-KP-4460	100	40X40X60	40	40	60	2.5
J-KP-4480	50	40X40X80	40	40	80	2.5
J-KP-44100	50	40X40X100	40	40	100	2.5
J-KP-44160	50	40X40X160	40	40	160	2.5
J-KP-6640	100	60X60X40	60	60	40	2.5
J-KP-6650	50	60X60X50	60	60	50	2.5
J-KP-6660	50	60X60X60	60	60	60	2.5
J-KP-6680	50	60X60X80	60	60	80	2.5
J-KP-66100	50	60X60X100	60	60	100	2.5
J-KP-8840	50	80X80X40	80	80	40	2.5
J-KP-8860	50	80X80X60	80	80	60	2.5
J-KP-8880	25	80X80X80	80	80	80	2.5
J-KP-88100	25	80X80X100	80	80	100	2.5
J-KP-88120	25	80X80X120	80	80	120	2.5
J-KP-1140	50	100X100X40	100	100	40	2.5
J-KP-1160	25	100X100X60	100	100	60	2.5
J-KP-1180	25	100X100X80	100	100	80	2.5
J-KP-1110	25	100X100X100	100	100	100	2.5
J-KP-11120	20	100X100X120	100	100	120	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

STAINLESS STEEL CONNECTORS




ETA-13/0338
0809-CPR-1279

ASSEMBLELY SQUARE RUSTFRI

Raw material: Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	H	B	S
J-KF-4420S	200	40X40X20	40	40	20	2.0
J-KF-4440S	200	40X40X40	40	40	40	2.0
J-KF-4460S	100	40X40X60	40	40	60	2.0
J-KF-5540S	200	50X50X40	50	50	40	2.0
J-KF-6625S	200	60X60X25	60	60	25	2.0
J-KF-6640S	100	60X60X40	60	60	40	2.0
J-KP-6640S	100	60X60X40	60	60	40	2.5




ETA-13/0338
0809-CPR-1279

JOIST HANGER 2.0MM RUSTFRI

Raw material: Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES A X B
J-WB-48095S	50	48X95
J-WB-48136S	50	48X136
J-WB-51093S	50	51X93
J-WB-51105S	50	51X105
J-WB-51135S	50	51X135
J-WB-80120S	50	80X120




EN14545:2008

ANCHOR PLATE RUSTFRI

Raw material: Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-PP-25117S	100	25X117	117	25	2.0
J-PP-40120S	100	40X120	120	40	2.0
J-PP-40160S	100	40X160	160	40	2.0
J-PP-50200S	50	50X200	200	50	2.0
J-PP-60120S	50	60X120	120	60	2.0
J-PP-60140S	50	60X140	140	60	2.0
J-PP-60200S	50	60X200	200	60	2.0
J-PP-80200S	25	80X200	200	80	2.0





ETA-13/0338
0809-CPR-1279


ROOF RIDGE FIXING TYPE B RUSTFRI

Raw material: Stainless Steel A2

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-SP-170LS	100	170 L	170	32	2.0
J-SP-170RS	100	170 R	170	32	2.0
J-SP-210LS	50	210 L	210	32	2.0
J-SP-210RS	50	210 R	210	32	2.0

JOIST HANGERS

JOIST HANGER 2.0MM




ETA-13/0432
0809-CPR-1280

Art.-Nr.	PCS/CTN	SIZES A X B
J-WB-25117	50	25X117
J-WB-32114	50	32X114
J-WB-36142	50	36X142
J-WB-38100/1.5	50	38X100
J-WB-38111	50	38X111
J-WB-38141	50	38X141
J-WB-38171	50	38X171
J-WB-40099	50	40X99
J-WB-40110	50	40X110
J-WB-40140	50	40X140
J-WB-45096	50	45X96
J-WB-45108	50	45X108
J-WB-45137	50	45X137
J-WB-45168	50	45X168
J-WB-45197	50	45X197
J-WB-48095	50	48X95
J-WB-48106	50	48X106
J-WB-48136	50	48X136
J-WB-48166	50	48X166
J-WB-48226	50	48X226
J-WB-51093	50	51X93
J-WB-51105	50	51X105
J-WB-51135	50	51X135
J-WB-51164	25	51X164
J-WB-51195	25	51X195
J-WB-51225	25	51X225
J-WB-60100	50	60X100
J-WB-60120	50	60X120
J-WB-60130	40	60X130
J-WB-60160	25	60X160
J-WB-60190	25	60X190
J-WB-60220	20	60X220
J-WB-63098	20	63X98
J-WB-63128	20	63X128
J-WB-63158	20	63X158
J-WB-63188	20	63X188
J-WB-71095	40	71X95

Art.-Nr.	PCS/CTN	SIZES A X B
J-WB-71125	40	71X125
J-WB-71154	40	71X154
J-WB-71184	40	71X184
J-WB-73124	40	73X124
J-WB-73153	40	73X153
J-WB-73183	40	73X183
J-WB-76122	25	76X122
J-WB-76152	25	76X152
J-WB-76182	25	76X182
J-WB-76212	25	76X212
J-WB-8080	25	80X80
J-WB-80100	25	80X100
J-WB-80120	40	80X120
J-WB-80140	40	80X140
J-WB-80150	25	80X150
J-WB-80160	25	80X160
J-WB-80180	25	80X180
J-WB-80210	20	80X210
J-WB-90115	25	90X115
J-WB-90145	25	90X145
J-WB-90175	25	90X175
J-WB-90205	25	90X205
J-WB-98141	25	98X141
J-WB-100100	25	100X100
J-WB-100120	25	100X120
J-WB-100140	25	100X140
J-WB-100160	25	100X160
J-WB-100170	25	100X170
J-WB-100200	20	100X200
J-WB-115162	20	115X162
J-WB-115193	20	115X193
J-WB-120120	20	120X120
J-WB-120160	25	120X160
J-WB-120190	20	120X190
J-WB-127186	20	127X186
J-WB-140180	20	140X180

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

INNER FOLDED JOIST HANGER 2.0MM




ETA-13/0432
0809-CPR-1280

Art.-Nr.	PCS/CTN	SIZES A X B
J-WC-40110	50	40X110
J-WC-45096	50	45X96
J-WC-45137	50	45X137
J-WC-48095	50	48X95
J-WC-48106	50	48X106
J-WC-48136	50	48X136
J-WC-48166	50	48X166
J-WC-51093	50	51X93
J-WC-51105	50	51X105
J-WC-60100	50	60X100
J-WC-60160	50	60X160
J-WC-64128	50	64X128
J-WC-70125	40	70X125
J-WC-70155	40	70X155
J-WC-76122	25	76X122
J-WC-76152	25	76X152

Art.-Nr.	PCS/CTN	SIZES A X B
J-WC-75075	20	75X75
J-WC-96096	20	96X96
J-WC-80120	40	80X120
J-WC-80150	25	80X150
J-WC-80180	25	80X180
J-WC-80210	25	80X210
J-WC-90115	25	90X115
J-WC-90145	25	90X145
J-WC-100140	25	100X140
J-WC-100170	25	100X170
J-WC-100200	20	100X200
J-WC-115163	20	115X163
J-WC-115193	20	115X193
J-WC-120160	25	120X160
J-WC-120190	20	120X190
J-WC-140180	20	140X180

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

JOIST HANGERS




ETA-13/0432
0809-CPR-1280



REINFORCED JOIST HANGER 1.5MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-WBR-36142	50	36X142X1.5	36	142	35	75
J-WBR-40095	50	40X95X1.5	40	95	35	75
J-WBR-40110	50	40X110X1.5	40	110	35	75
J-WBR-40140	50	40X140X1.5	40	140	35	75
J-WBR-45088	50	45X88X1.5	45	88	35	75
J-WBR-45108	50	45X108X1.5	45	108	35	75
J-WBR-45123	50	45X123X1.5	45	123	35	75
J-WBR-45138	50	45X138X1.5	45	138	35	75
J-WBR-45168	50	45X168X1.5	45	168	35	75
J-WBR-48086	50	48X86X1.5	48	86	35	75
J-WBR-48106	50	48X106X1.5	48	106	35	75
J-WBR-48121	50	48X121X1.5	48	121	35	75
J-WBR-48136	50	48X136X1.5	48	136	35	75
J-WBR-48166	50	48X166X1.5	48	166	35	75
J-WBR-51084	50	51X84X1.5	51	84	35	75
J-WBR-51094	50	51X94X1.5	51	94	35	75
J-WBR-51105	50	51X105X1.5	51	105	35	75
J-WBR-51119	50	51X119X1.5	51	119	35	75
J-WBR-51135	50	51X135X1.5	51	135	35	75
J-WBR-51164	50	51X164X1.5	51	164	35	75
J-WBR-60100	50	60X100X1.5	60	100	35	75
J-WBR-60130	50	60X130X1.5	60	130	35	75
J-WBR-64098	50	64X98X1.5	64	98	35	75
J-WBR-64128	50	64X128X1.5	64	128	35	75
J-WBR-76182	50	76X182X1.5	76	182	35	75
J-WBR-90145	50	90X145X1.5	90	145	35	75

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275





Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275

JOIST HANGER TWO PARTS 2.0MM

Art.-Nr.	PCS/CTN	SIZES A X B
J-WD-3080L	25	30X80
J-WD-3080R	25	30X80
J-WD-30100L	25	30X100
J-WD-30100R	25	30X100
J-WD-30120L	25	30X120
J-WD-30120R	25	30X120
J-WD-30140L	25	30X140
J-WD-30140R	25	30X140
J-WD-30150L	25	30X150
J-WD-30150R	25	30X150


ANCHOR PLATES


CE EN14545:2008
0809-CPR-19002886

ANCHOR PLATE 1.5MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-PP-60140/15	50	60X140	140	60	1.5
J-PP-60180/15	50	60X180	180	60	1.5
J-PP-60200/15	50	60X200	200	60	1.5
J-PP-80240/15	50	80X240	240	80	1.5
J-PP-100220/15	50	100X220	220	100	1.5
J-PP-100300/15	50	100X300	300	100	1.5

Raw material: Pre-galv. Steel Sheet S275GD + Z275 or GR340 + Z275










ANCHOR PLATE 2.0MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-PP-4060	100	40X60	60	40	2.0
J-PP-4080	100	40X80	80	40	2.0
J-PP-40100	100	40X100	100	40	2.0
J-PP-40120	100	40X120	120	40	2.0
J-PP-40140	100	40X140	140	40	2.0
J-PP-40160	100	40X160	160	40	2.0
J-PP-40200	100	40X200	200	40	2.0
J-PP-40240	100	40X240	240	40	2.0
J-PP-40300	50	40X300	300	40	2.0
J-PP-50180	50	50X180	180	50	2.0
J-PP-50200	50	50X200	200	50	2.0
J-PP-50240	50	50X240	240	50	2.0
J-PP-50380	50	50X380	380	50	2.0
J-PP-60100	50	60X100	100	60	2.0
J-PP-60120	50	60X120	120	60	2.0
J-PP-60140	50	60X140	140	60	2.0
J-PP-60160	50	60X160	160	60	2.0
J-PP-60180	50	60X180	180	60	2.0
J-PP-60200	50	60X200	200	60	2.0
J-PP-60220	50	60X220	220	60	2.0
J-PP-60240	50	60X240	240	60	2.0
J-PP-60300	25	60X300	300	60	2.0
J-PP-80140	50	80X140	140	80	2.0
J-PP-80160	50	80X160	160	80	2.0
J-PP-80180	50	80X180	180	80	2.0
J-PP-80200	25	80X200	200	80	2.0
J-PP-80240	25	80X240	240	80	2.0
J-PP-80260	25	80X260	260	80	2.0
J-PP-80300	25	80X300	300	80	2.0
J-PP-100100	25	100X100	100	100	2.0
J-PP-100120	25	100X120	120	100	2.0
J-PP-100140	25	100X140	140	100	2.0
J-PP-100160	25	100X160	160	100	2.0
J-PP-100200	25	100X200	200	100	2.0
J-PP-100220	25	100X220	220	100	2.0
J-PP-100240	25	100X240	240	100	2.0
J-PP-100260	25	100X260	260	100	2.0
J-PP-100300	25	100X300	300	100	2.0
J-PP-100380	25	100X380	380	100	2.0
J-PP-100400	20	100X400	400	100	2.0
J-PP-100500	20	100X500	500	100	2.0
J-PP-120140	25	120X140	140	120	2.0
J-PP-120160	25	120X160	160	120	2.0
J-PP-120200	25	120X200	200	120	2.0
J-PP-120240	25	120X240	240	120	2.0
J-PP-120260	25	120X260	260	120	2.0
J-PP-120300	25	120X300	300	120	2.0
J-PP-120400	20	120X400	400	120	2.0
J-PP-120500	20	120X500	500	120	2.0
J-PP-200300	20	200X300	300	200	2.0
J-PP-80400	20	80X400	400	80	2.0
J-PP-100400	20	100X400	400	100	2.0
J-PP-100500	20	100X500	500	100	2.0
J-PP-120400	20	120X400	400	120	2.0
J-PP-120500	20	120X500	500	120	2.0
J-PP-140300	10	140X300	300	140	2.0
J-PP-140400	10	140X400	400	140	2.0
J-PP-160400	10	160X400	400	160	2.0

Raw material: Pre-galv. Steel Sheet S250GD + Z275 or GR340 + Z275


ANCHOR PLATES




ANCHOR PLATE 1200 MM L

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-PP-401200	10	40X1200	1200	40	2.0
J-PP-601200	10	60X1200	1200	60	2.0
J-PP-801200	10	80X1200	1200	80	2.0
J-PP-1001200	10	100X1200	1200	100	2.0
J-PP-1201200	10	120X1200	1200	120	2.0

Raw material: Pre-galv. Steel Sheet S250GD + Z275 or GR340 + Z275







CE EN14545:2008
0809-CPR-19002886

FLAT CONNECTOR

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-LP-95035	100	95X35	95	35	2.5
J-LP-10035	100	100X35	100	35	2.5
J-LP-20035	50	200X35	200	35	2.5
J-LP-13555	50	135X55	135	55	2.5
J-LP-14055	50	140X55	140	55	2.5
J-LP-17540	50	175X40	175	40	3.0
J-LP-55280	50	280X55	280	55	2.5
J-LP-17565	50	175X65	175	65	2.5
J-LP-18065	50	180X65	180	65	2.5
J-LP-20590	25	205X90	205	90	3.0
J-LP-21090	25	210X90	210	90	2.5
J-DFC-59175	50	59X175X2.5	59	175	2.0/2.5
J-DFC-59235	50	59X235X2.5	59	235	2.0/2.5
J-DFC-46250	50	46X250X2.5	46	250	2.0/2.5
J-DFC-55250	50	55X250X2.5	55	250	2.0/2.5
J-DFC-63300	50	63X300X2.5	63	300	2.0/2.5

Raw material: Pre-galv. Steel Sheet S250GD + Z275 or GR340 + Z275







NAILING GUSSET 1.25MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-NG-7550	100	75X50	75	50	1.25
J-NG-75100	100	75X100	75	100	1.25
J-NG-75150	100	75X150	75	150	1.25
J-NG-75200	100	75X200	75	200	1.25
J-NG-75250	100	75X250	75	250	1.25
J-NG-75300	100	75X300	75	300	1.25
J-NG-10650	100	106X50	106	50	1.25
J-NG-106100	100	106X100	106	100	1.25
J-NG-106150	100	106X150	106	150	1.25
J-NG-106200	100	106X200	106	200	1.25
J-NG-106250	100	106X250	106	250	1.25
J-NG-106300	100	106X300	106	300	1.25
J-NG-15050	100	150X50	150	50	1.25
J-NG-150100	100	150X100	150	100	1.25
J-NG-150150	100	150X150	150	150	1.25
J-NG-150200	100	150X200	150	200	1.25
J-NG-150250	100	150X250	150	250	1.25
J-NG-150300	100	150X300	150	300	1.25

Raw material: Pre-galv. Steel Sheet S250GD + Z275 or GR340 + Z275

ROOF RIDGE FIXING & FLAT CONNECTOR






ETA-13/0823
0809-CPR-1280

ROOF RIDGE FIXING TYPE A

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-SP-170	100	170	170	35	2.0
J-SP-210	50	210	210	35	2.0
J-SP-250	50	250	250	35	2.0
J-SP-290	20	290	290	35	2.0
J-SP-330	20	330	330	35	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275






ETA-13/0823
0809-CPR-1280

ROOF RIDGE FIXING TYPE B

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-SP-170L	100	170 L	170	32	2.0
J-SP-170R	100	170 R	170	32	2.0
J-SP-210L	50	210 L	210	32	2.0
J-SP-210R	50	210 R	210	32	2.0
J-SP-250L	50	250 L	250	32	2.0
J-SP-250R	50	250 R	250	32	2.0
J-SP-290L	20	290 L	290	32	2.0
J-SP-290R	20	290 R	290	32	2.0
J-SP-330L	20	330 L	330	40	2.0
J-SP-330R	20	330 R	330	40	2.0
J-SP-370L	20	370 L	370	40	2.0
J-SP-370R	20	370 R	370	40	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




FLAT TRIANGLE CONNECTOR


Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-KNF-80	50	80X80X32X2.0	80	32	2.0
J-KNF-110	50	110X110X32X2.0	110	32	2.0
J-KNF-130	50	130X130X32X2.0	130	32	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275

DIY & PROMOTION ASSORTMENTS

BRACKETS ASSORTMENT IN DIY PLASTIC BOX 180PCS





CONSTRUCTION WOOD CONNECTOR ASSORTMENTS IN BLISTER + CARD PACKING



40X40X40X2
16 PCS



50X50X40X2
12 PCS



60X60X40X2
10 PCS



70X70X55X2.5
6 PCS



90X90X65X2.5
4 PCS



40X40X20X2
24 PCS



95X35X2.5
12 PCS

DIY & PROMOTION ASSORTMENTS

FURNITURE BRACE SET IN BLISTER CARD PACKING



















FURNITURE BRACKETS IN DIY PACKING





REINFORCED FURNITURE BRACE

HM CODE	SPECIFICATION	FINISHING	CHIPBOARD SCREWS
HM-272730Z	27X27X30X1.0	PRE-GALV.	3X16 CSK POZI
HM-272730W	27X27X30X1.0	WHITE COATING	3X16 CSK POZI
HM-402522Z	40X25X22X1.0	PRE-GALV.	3X16 CSK POZI
HM-402522W	40X25X22X1.0	WHITE COATING	3X16 CSK POZI





REINFORCED FURNITURE STRAPS

HM CODE	SPECIFICATION	FINISHING	CHIPBOARD SCREWS
HM-5618	56X18X1.0	PRE-GALV.	3X16 CSK POZI
HM-7818	78X18X1.0	PRE-GALV.	3X16 CSK POZI
HM-10318	103X18X1.0	PRE-GALV.	3X16 CSK POZI







REINFORCED FURNITURE FLAT ANGLES

HM CODE	SPECIFICATION	FINISHING	CHIPBOARD SCREWS
HM-959519	95X95X19X0.5	PRE-GALV.	3X16 CSK POZI





REINFORCED FURNITURE FLAT ANGLES

HM CODE	SPECIFICATION	FINISHING	CHIPBOARD SCREWS
HM-959519F	95X95X19X1.0	PRE-GALV.	3X16 CSK PAN HEAD

EXPRESS NAILS AND FRAME SCREWS IN DIY PACKING






EXPRESS NAILS, ZINC PLATED

HM CODE	SPECIFICATION	FINISHING	PCS/PACK
EN-63005	6X30	ZINC PLATED	5PCS PER BAG
EN-63050	6X30	ZINC PLATED	50PCS PER BOX
EN-66005	6X60	ZINC PLATED	5PCS PER BAG
EN-66050	6X60	ZINC PLATED	50PCS PER BOX
EN-68005	6X80	ZINC PLATED	5PCS PER BAG
EN-68050	6X80	ZINC PLATED	50PCS PER BOX
EN-87005	8X70	ZINC PLATED	5PCS PER BAG
EN-87050	8X70	ZINC PLATED	50PCS PER BOX
EN-89005	8X90	ZINC PLATED	5PCS PER BAG
EN-89050	8X90	ZINC PLATED	50PCS PER BOX
EN-811005	8X110	ZINC PLATED	5PCS PER BAG
EN-811050	8X110	ZINC PLATED	50PCS PER BOX
EN-813005	8X130	ZINC PLATED	5PCS PER BAG
EN-813050	8X130	ZINC PLATED	50PCS PER BOX
EN-815005	8X150	ZINC PLATED	5PCS PER BAG
EN-815050	8X150	ZINC PLATED	50PCS PER BOX






FRAME SCREWS, ZINC PLATED

HM CODE	SPECIFICATION	FINISHING	PCS/PACK
FS-7705	7X70	ZINC PLATED	5PCS PER BAG
FS-7750	7X70	ZINC PLATED	50PCS PER BOX
FS-7905	7X90	ZINC PLATED	5PCS PER BAG
FS-7950	7X90	ZINC PLATED	50PCS PER BOX


FRAME SCREW TOOL





T TYPE WITH LOCK OPENER






COMBI TYPE



Section A – A







Wood Clips

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-CLIP-4	5000	5.4X4.4X24.5X23.5	5.4	4.4	24.5	23.5
J-CLIP-5	5000	6.4X5.4X25.5X24.5	6.4	5.4	25.5	24.5

Raw material: Pre-galv. Steel Sheet

FURNITURE BRACKETS

FURNITURE BRACKETS

HM CODE	SPECIFICATION	FINISHING	PCS/CTN
HM-75	30X30X15X2	ZINC PLATED	20/BAG X 40
HM-64	30X30X15X2	WHITE COATING	20/BAG X 40
HM-74	30X30X15X2	ZINC PLATED	1000
HM-63	30X30X15X2	WHITE COATING	1080
HM-50	30X30X15X2	YELLOW ZINC	1000
HM-94	30X30X15X2	SS304	960
HM-88	30X30X15X2	BLACK COATING	900
HM-77	40X40X15X2	ZINC PLATED	20/BAG X 40
HM-66	40X40X15X2	WHITE COATING	20/BAG X 40
HM-51	40X40X15X2	YELLOW ZINC	800
HM-95	40X40X15X2	SS304	700
HM-65	40X40X15X2	WHITE COATING	720
HM-76	40X40X15X2	ZINC PLATED	800
HM-89	40X40X15X2	BLACK COATING	720
HM-79	50X50X15X2	ZINC PLATED	20/BAG X 20
HM-67	50X50X15X2	WHITE COATING	600
HM-78	50X50X15X2	ZINC PLATED	600
HM-90	50X50X15X2	BLACK COATING	640
HM-81	60X60X15X2	ZINC PLATED	20/BAG X 25
HM-52	60X60X15X2	YELLOW ZINC	540
HM-96	60X60X15X2	SS304	480
HM-80	60X60X15X2	ZINC PLATED	400
HM-49	20X20X15X2	YELLOW ZINC	1400
HM-93	20X20X15X2	SS304	20/BAG X 80
HM-92	20X20X15X2	SS304	1600
HM-82	70X70X15X2	ZINC PLATED	400
HM-68	80X80X15X2	WHITE COATING	360
HM-83	80X80X15X2	ZINC PLATED	400
HM-91	80X80X15X2	BLACK COATING	400
HM-97	80X80X15X2	SS304	400
HM-53	80X80X15X2	YELLOW ZINC	400
HM-54	100X100X19X2	YELLOW ZINC	240
HM-98	100X100X19X2	SS304	320
HM-84	100X100X19X2	ZINC PLATED	200
HM-41	20X20X20X2	BRASS PLATING	1000
HM-43	20X20X20X2	NICKEL PLATING	1120
HM-42	20X20X20X2	YELLOW ZINC	1120
HM-85	120X120X19X2.5	ZINC PLATED	200
HM-86	140X140X19X2.5	ZINC PLATED	100
HM-87	160X160X20X3	ZINC PLATED	100



HM CODE	SPECIFICATION	FINISHING	PCS/CTN
HM-44	30X20X20X2	YELLOW ZINC	1000
HM-45	30X20X20X2	NICKEL PLATED	1000



HM CODE	SPECIFICATION	FINISHING	PCS/CTN
HM-46	30X30X15X2	YELLOW ZINC	1000
HM-111	30X30X15X2	YELLOW ZINC	4/Bag X 240
HM-47	40X40X16X2	YELLOW ZINC	720
HM-48	50X50X17X2	YELLOW ZINC	600
HM-109	60X60X17X2	YELLOW ZINC	450
HM-110	90X90X18X2	YELLOW ZINC	300
HM-114	80X80X30X2	ZINC PLATED	200



FURNITURE BRACKETS

FURNITURE BRACE

HM CODE	SPECIFICATION	FINISHING	PCS/CTN
HM-117	100X100X20X2	ZINC PLATED	240
HM-118	125X125X20X2	ZINC PLATED	200
HM-119	140X140X22X2	ZINC PLATED	160
HM-120	160X160X22X2	ZINC PLATED	120
HM-121	190X190X22X2	ZINC PLATED	90
HM-122	220X220X22X2.5	ZINC PLATED	80
J-KN-4412	40X40X12X2	ZINC PLATED	500
J-KN-6612	60X60X12X2	ZINC PLATED	500
J-KN-25030	250X250X30X2.5	YELLOW ZINC	200
J-KN-30040	300X300X40X4	YELLOW ZINC	50



HM CODE	SPECIFICATION	FINISHING	PCS/CTN
HM-115	40X40X12X2	ZINC PLATED	1000
HM-60	40X40X12X2	SS304	1120
HM-55	40X40X12X2	YELLOW ZINC	1080
HM-56	50X50X12X2	YELLOW ZINC	840
HM-61	50X50X12X2	SS304	720
HM-116	60X60X12X2	ZINC PLATED	720
HM-57	60X60X12X2	YELLOW ZINC	640
HM-62	60X60X12X2	SS304	810
HM-58	80X80X18X2	YELLOW ZINC	360
HM-59	100X100X20X2	YELLOW ZINC	240
HM-73	120X120X20X2	YELLOW ZINC	200



HM CODE	SPECIFICATION	FINISHING	PCS/CTN
HM-123	28X40X12X2 L	ZINC PLATED	1000
HM-125	28X40X12X2 R	ZINC PLATED	1000
HM-126	48X60X12X2 L	ZINC PLATED	630
HM-124	48X60X12X2 R	ZINC PLATED	630



HM CODE	SPECIFICATION	FINISHING	PCS/CTN
HM-21	60X15X2	ZINC PLATED	12/BAG X 80
HM-07	60X15X2	SS304	960
HM-02	60X15X2	YELLOW ZINC	960
HM-10	60X15X2	ZINC PLATED	1000
HM-03	80X15X2	YELLOW ZINC	810
HM-11	80X15X2	ZINC PLATED	800
HM-04	100X15X2	YELLOW ZINC	600
HM-08	100X15X2	SS304	630
HM-12	100X15X2	ZINC PLATED	600
HM-05	120X15X2	YELLOW ZINC	480
HM-09	120X15X2	SS304	540
HM-13	120X15X2	ZINC PLATED	500
HM-06	40X15X2	SS304	1440
HM-01	40X15X2	YELLOW ZINC	1400
HM-14	136X15X2	ZINC PLATED	400
HM-15	156X15X2	ZINC PLATED	400
HM-27	196X19X2	ZINC PLATED	240



TIMBER CONNECTORS



HM CODE	SPECIFICATION	FINISHING	PCS/CTN
HM-39	300X20X2	YELLOW ZINC	150
HM-37	195X20X2	YELLOW ZINC	240
HM-38	200X20X4	YELLOW ZINC	100
HM-40	300X20X4	YELLOW ZINC	70

T CONNECTOR



J-KT-1 J-KT-2 J-KT-3

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-KT-1	50	70X50X16X2.0	70	50	16
J-KT-2	50	80X105X40X2.0	80	105	40
J-KT-3	50	160X140X45X2.5	160	140	45

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or plating after punching.

STRAIGHT CONNECTORS



J-LWG-195




J-LWG-170

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-LWG-170	50	170X30X2.5	170	30	2.5
J-LWG-195	50	195X35X4	195	35	4.0
J-LWG-293	25	293X40X5	293	40	5.0

Raw material: 2.5 Pre-galv. Steel Sheet DX51D + Z275 4.0 Steel Plate, Galvanised


HEAVY DUTY NARROW SQUARE



Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	H	B	S
J-MK-8020	20	80X80X20	80	80	20	5.0
J-MK-1020	20	100X100X20	100	100	20	5.0
J-MK-1220	20	120X120X20	120	120	20	5.0
J-MK-1225	20	125X125X20	125	125	20	5.0
J-MK-1420	20	140X140X20	140	140	20	5.0
J-MK-1620	20	160X160X20	160	160	20	5.0
J-MK-1725	20	175X175X25	175	175	25	5.0
J-MK-1820	20	180X180X20	180	180	20	5.0
J-MK-2225	20	200X200X25	200	200	25	5.0
J-MK-2530	20	250X250X30	250	250	30	6.0

Raw material: 5mm steel plate, hot-dipped galv. or Z/P or YZP after punching.


CONNECTORS & NAILS



SPIKED PLATE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			OD	ID	S
J-ED-A48	300	A48	48	12.5	1.0
J-ED-A62	100	A62	62	20.5	1.2
J-ED-A75	100	A75	75	22.5	1.25
J-ED-B50	200	B50	50	12.5	1.0
J-ED-B62	200	B62	62	20.5	1.2
J-ED-B75	100	B75	75	22.5	1.25
J-ED-C95	100	C95	95	25	1.25
J-ED-C117	100	C117	117	25	1.5


Raw material: 1. Pre-galv. Steel Sheet DX51D + Z275
2. Zinc Plated after punching
3. HDG after punching



FENCE HOLDER, YZP

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			B	L	H	S
J-FH-333	100	34X38X30	34	38	30	2.0
J-FH-333S	100	34X38X30	34	38	30	2.0
J-FH-373	100	34X75X30	34	75	30	2.0

Raw material: 1. Galvanised after punching
2. Stainless Steel
3. HDG after punching



BRACKET WITH SCREWS SET

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			H	L	B
J-OP-433	50	40X34X30	40	34	30
J-OP-723	50	70X20X30	70	20	30

Raw material: Steel sheet, YZP or HDG after punching



ANCHOR NAILS

Art.-Nr.	KGS/CTN	SIZES
J-AN-4040	20	4.0X40
J-AN-4050	20	4.0X50
J-AN-4060	20	4.0X60
J-AN-4075	20	4.0X75

Raw material: Q235, Z/P OR HDG

DUTCH JOIST HANGERS




ETA-13/0432
0809-CPR-1280

DUTCH JOIST HANGERS LONG LIPS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-DJH-46096	20	46X96X1.5	46	96	1.5
J-DJH-46121	20	46X121X1.5	46	121	1.5
J-DJH-46146	20	46X146X1.5	46	146	1.5
J-DJH-50125	20	50X125X1.5	50	125	1.5
J-DJH-50150	20	50X150X1.5	50	150	1.5
J-DJH-59146	20	59X146X1.5	59	146	1.5
J-DJH-59156	20	59X156X1.5	59	156	1.5
J-DJH-59171	20	59X171X1.5	59	171	1.5
J-DJH-63160	20	63X160X1.5	63	160	1.5
J-DJH-63175	20	63X175X1.5	63	175	1.5
J-DJH-71171	20	71X171X1.5	71	171	1.5
J-DJH-71196	20	71X196X1.5	71	196	1.5
J-DJH-71221	20	71X221X1.5	71	221	1.5
J-DJH-75175	20	75X175X1.5	75	175	1.5
J-DJH-75200	20	75X200X1.5	75	200	1.5
J-DJH-75214	20	75X214X1.5	75	214	1.5
J-DJH-75225	20	75X225X1.5	75	225	1.5
J-DJH-10025	20	100X250X1.5	100	250	1.5


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



DUTCH JOIST HANGERS SHORT LIPS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-DJHS-46096	20	46X96X1.5	46	96	1.5
J-DJHS-46121	20	46X121X1.5	46	121	1.5
J-DJHS-46146	20	46X146X1.5	46	146	1.5
J-DJHS-50125	20	50X125X1.5	50	125	1.5
J-DJHS-50150	20	50X150X1.5	50	150	1.5
J-DJHS-59146	20	59X146X1.5	59	146	1.5
J-DJHS-59156	20	59X156X1.5	59	156	1.5
J-DJHS-59171	20	59X171X1.5	59	171	1.5
J-DJHS-63160	20	63X160X1.5	63	160	1.5
J-DJHS-63175	20	63X175X1.5	63	175	1.5
J-DJHS-71171	20	71X171X1.5	71	171	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




DUTCH JOIST HANGERS BENT LIPS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-DJHB-75214	20	75X214X1.5	75	214	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275


TIMBER CONNECTORS



SPEEDY MINOR

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-SM-25	125	25	25	76	1.0
J-SM-32	125	32	32	72.5	1.0
J-SM-38	125	38	38	69.5	1.0
J-SM-46	125	46	46	65.5	1.0
J-SM-50	125	50	50	63.5	1.0
J-SM-59	125	59	59	59	1.0
J-SM-63	125	63	63	57	1.0/1.25


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



SPEEDY VERTICAL

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-SV-32190	50	32X190X0.9	32	190	0.9
J-SV-32225	50	32X225X0.9	32	225	0.9
J-SV-38190	50	38X190X0.9	38	190	0.9
J-SV-46190	50	46X190X0.9	46	190	0.9
J-SV-50190	50	50X190X0.9	50	190	0.9
J-SV-59190	50	59X190X0.9	59	190	0.9
J-SV-63190	50	63X190X0.9	63	190	0.9
J-SV-71190	50	71X190X0.9	71	190	0.9
J-SV-75190	50	75X190X0.9	75	190	0.9
J-SV-38225	50	38X225X0.9	38	225	0.9
J-SV-46225	50	46X225X0.9	46	225	0.9
J-SV-50225	50	50X225X0.9	50	225	0.9
J-SV-59225	50	59X225X0.9	59	225	0.9
J-SV-63225	50	63X225X0.9	63	225	0.9
J-SV-71225	50	71X225X0.9	71	225	0.9
J-SV-75225	50	75X225X0.9	75	225	0.9
J-SV-71305	50	71X305X0.9	71	305	0.9
J-SV-75305	50	75X305X0.9	75	305	0.9

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275




RUITERKLOS 32

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-RK-32	50	32X130X2.0	32	130	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275


TIMBER CONNECTORS




KOPPELANKER

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-KA-200	50	30X200X2.0	30	200	2.0
J-KA-300	50	30X300X2.0	30	300	2.0
J-KA-400	50	30X400X2.0	30	400	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275






SPECIAL FLAT CONNECTOR

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-SFC-45203	50	45X203	45	203	2.5


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275



SHORT STRAPS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-NCS-200V	250	200X22X0.7 ZINC	200	22	0.7
J-NCS-200S	250	200X22X0.7 INOX	200	22	0.7
J-NCS-300V	250	300X22X0.7 ZINC	300	22	0.7
J-NCS-300S	250	300X22X0.7 INOX	300	22	0.7
J-NCS-400V	250	400X22X0.7 ZINC	400	22	0.7
J-NCS-400S	250	400X22X0.7 INOX	400	22	0.7


Raw material: Pre-galv. Steel Straps or Stainless Steel



SHORT STRAPS, STAINLESS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-NCSS-300	100	300X18X0.5	300	18	0.5

Raw material: Pre-galv. Steel Straps or Stainless Steel



Fencing Bracket Type V

Art.-Nr.	PCS/BOX	SIZES	SPECIFICATION			
			A	B	S	D
J-FBV-4020	100	40X20X2	40	20	2	4

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275

TIMBER CONNECTORS



Zinc Plating




Powder Coating

Shelf Bracket Heavy Duty

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-SBHD-200125	10	125X200X30	125	200	30	5
J-SBHD-250150	10	150X250X30	150	250	30	5
J-SBHD-300200	10	200X300X30	200	300	30	5
J-SBHD-400250	10	250X400X30	250	400	30	5
J-SBHD-500330	10	330X500X30	330	500	30	5

Raw material: steel plate, Z/P or Powder Coating after punching



Fencing Bracket Type U

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION	
			W	S
J-FBU-71	50	71mm	71	2
J-FBU-91	50	91mm	91	2

Raw material: steel plate, YZP after punching



SPIKE WAVE
J-SPV-4407
40X40X0.7MM



GIPSVEERANKER (VERZINKT)
J-GV-90103
90X103X22X0.7MM



LIJMBOUWMUURANKER (VERZINKT)
J-GV-40128
40X128X22X0.7MM



ANKER (VERZINKT)
J-GV-95160
95X160X30X2.0MM



ANKER (VERZINKT)
J-GV-80130
80X130X30X2.0MM



ANKER (VERZINKT)
J-GV-3868
38X68X25X1.2MM

TIMBER CONNECTORS

UNIVERSAL PLATE

TYPE A



ETA-13/0823
0809-CPR-1282



ART#: J-UP-100L ART#: J-UP-100R


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

ART#: J-UP-130L ART#: J-UP-130R

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

TYPE B







ART#: J-UPB-100L ART#: J-UBP-100R

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

TYPE C



ART#: J-UPC-100L/2 ART#: J-UPC-100R/2
ART#: J-UPC-100L/3 ART#: J-UPC-100R/3
ART#: J-UPC-120L/2 ART#: J-UPC-120R/2
ART#: J-UPC-120L/3 ART#: J-UPC-120R/3
ART#: J-UPC-150L/2 ART#: J-UPC-150R/2
ART#: J-UPC-150L/3 ART#: J-UPC-150R/3

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

TIMBER CONNECTORS

U HOLDER




ETA-13/0432
0809-CPR-1280

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-UH-2340	100	23X40X40X1.5	23	40	40	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275


PROFILE ANCHOR, 3.0MM



Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	H
J-PA-164A	25	160X40X30	160	40	30
J-PA-144B	25	140X40X22.5	140	40	22.5
J-PA-164B	25	160X40X22.5	160	40	22.5
J-PA-184B	25	180X40X22.5	180	40	22.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275

T-ANCHOR PLATE



J-TA-164 J-TA-184 J-TA-204

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-TA-90	100	90X40X1.5	90	40	1.5
J-TA-135	100	135X40X4.0	135	40	4.0
J-TA-160	100	160X40X3.0	160	40	3.0
J-TA-175	100	175X40X4.0	175	40	4.0
J-TA-180	100	180X40X3.0	180	40	3.0
J-TA-200	100	200X40X3.0	200	40	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275

Cantilever Brackets




ETA-13/0432
0809-CPR-1280

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-CB-120	10	120X180X20X2	120	180	20
J-CB-140	10	140X180X20X2	140	180	20
J-CB-160	10	160X180X20X2	160	180	20
J-CB-180	10	180X180X20X2	180	180	20
J-CB-200	10	200X180X20X2	200	180	20
J-CB-220	10	220X180X20X2	220	180	20
J-CB-240	10	240X180X20X2	240	180	20
J-CB-260	10	260X180X20X2	260	180	20

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

SMALL BEAM SHOE





ETA-13/0432
0809-CPR-1280

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-SWB-23095	50	23X95X2.0	23	95	25	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275

FORKED ANCHOR PLATES






ETA-13/0823
0809-CPR-1282

FORKED ANCHOR PLATES 320

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-FAP-320	25	320	48	320	60	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275







ETA-13/0823
0809-CPR-1282

FORKED ANCHOR PLATES 390

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-FAP-390	25	390	48	390	50	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275





ETA-13/0823
0809-CPR-1282

FORKED ANCHOR PLATES 170

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-FAP-36170	25	36X170	36	170	100	1.5
J-FAP-48170	25	48X170	48	170	100	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275 or GR340 + Z275


ROOFING CONNECTORS



TYPE 1




TYPE 2



TYPE 3



TYPE 5




ROOFING CONNECTOR

Art.-Nr.	TYPE	PCS/CTN	SIZES	SPECIFICATION		
				A	B	S
J-STC-145	1	6	45X70X2.0	45	70	2.0
J-STC-245	2	4	45X70X2.0	45	70	2.0
J-STC-345	3	4	45X70X2.0	45	70	2.0
J-STC-445	4	6	45X70X2.0	45	70	2.0
J-STC-545	5	10	45X70X2.0	45	70	2.0
J-STC-645	6	1	45X70X2.0	45	70	2.0

Raw material: DC01 ZINC PLATED

ETA-13/0823
0809-CPR-1282



TYPE 4



TYPE 6

SPECIAL WOOD CONNECTORS


Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			W	H	S
J-SWC-48223	50	48X223X0.7	48	223	0.7

Raw material: Pre-galv. Steel Sheet S350GD Z275

SNAIL STOPPER & DOOR HOLDERS

SNAIL STOPPER

Stoppar mördarsniglar • Stopper mordersnegler
Pysäyttää tappajaetanat • Stopper dræbersnegle



TYPE A 800/1200MM



1# 800mm x 2 pcs



2# 1200mm x 2 pcs

TYPE B 600/800MM



1# 600mm x 2 pcs



2# 800mm x 2 pcs



2 st. stk. kpl

DOOR HOLDER

Dörrhållare • Dørholdere
Oven pidin • Dørholder

SE
Fäll ner bygeln för att hålla dörren/porten öppen.
Av galvaniserad plåt.
Med fjäder.
Komplett med monteringsskruv.
Längd: 39 cm.

NO
Fell ned bøylen for å holde døren/porten åpen.
Av galvanisert metall.
Med fjær.
Komplett med monteringsskrue.
Lengde: 39 cm.

FI
Ovi/portti pysyy auki, kun tanko käännetään alas.
Galvanoitua peltiä.
Mukana jousi.
Kiinnitysruuvit kuuluvat toimitukseen.
Pituus: 39 cm.

DK
Vip bøjlen ned for at holde døren/porten åben.
Af galvaniseret plade.
Med fjeder.
Komplet med monteringsskruer.
Længde: 39 cm.



8PCS OF 3.5X20MM CHIPBOARD SCREWS

DOOR PROTECTOR

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-DP-330	100	330X30X35X1.5	330	30	35	1.5

Raw material: stainless steel plates, SUS 304

Brytskydd till dörr
Innbruddssikring for dør
Murtosuoja oveen
Dørsikring
rostfritt stål/ruostfritt stål
ruostumatonta terästä/rustfrit stål

HINGES BOLTS & BRACKETS

HOOK HINGES SET



HOOK HINGES SET — 2 st, stk, kpl

Hakgångjärn • Stabelhengsler
Porttisarana • Hængsler

200 X 30 mm	Elförzinkade/Elforsinket
300 X 30 mm	Sähkösinkitty / Elforzinkede
400 X 30 mm	
500 X 35 mm	



PUSH BOLT/GATE STOP

Skjutregel/grindstopp • Skåte/grindstopp
Työntösalpa/portin pysäytin • Skudrigel/lågestop

75 x 340 mm. Ø 14 mm

SE - Varmgalvaniserad. Inkl. låsbygel. Mått: 75 x 340 mm. Ø 14 mm.

FI - Kuumasinkitty. Vastakappale sisältyy toimitukseen. Mitat: 75 x 340 mm. Ø 14 mm.

NO - Varmgalvanisert. Inkl. låsebøyle. Mål: 75 x 340 mm. Ø 14 mm.

DK - Varmgalvaniseret. Inkl. låsebøjle. Mål: 75 x 340 mm. Ø 14 mm.



DOOR JAMB

Portregel • Portskåte
Porttisalpa • Portrigel

280 X 54 mm

SE - Varmgalvaniserad. Inkl. låsbygel. Låsbart med hänglås. Mått: 280 x 54 mm.

FI - Kuumasinkitty. Vastakappale sisältyy toimitukseen. Lukittavissa riippulukolla. Mitat: 280 x 54 mm.

NO - Varmgalvanisert. Inkl. låsebøyle. Låsbar med hengelås. Mål: 280 x 54 mm.

DK - Varmgalvaniseret. Inkl. låsebøjle. Låsbar med hængelås. Mål: 280 x 54 mm.

FURNITURE BRACKETS 4PCS SET WITH SCREWS



40X40X20X2.0mm




50X50X20X2.0mm



60X60X20X2.0mm

HEAVY DUTY BRACKETS


ETA-13/0432
0809-CPR-1280



HEAVY REINFORCED BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-HRB-0951	25	95X85X65X4.0	95	85	65	4.0
J-HRB-0952	25	95X85X65X4.0	95	85	65	4.0
J-HRB-1351	25	135X85X65X4.0	135	85	65	4.0
J-HRB-1352	25	135X85X65X4.0	135	85	65	4.0
J-HRB-2851	25	285X85X65X4.0	285	85	65	4.0
J-HRB-2852	25	285X85X65X4.0	285	85	65	4.0


Raw material: steel plate, HDG after punching



ANCHOR BASE PLATE HDG

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-ABP-28060	25	280X65X60X2.5	280	65	60	2.5

Raw material: steel plate, HDG after punching




ETA-13/0432
0809-CPR-1280

KNIGHT BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-NB-090	25	90X90X65	90	90	2.0
J-NB-125	25	125X125X80	125	125	2.0
J-NB-160	25	160X160X95	160	160	2.0
J-NB-200	25	200X200X100	200	200	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275




STAIRSTEPS FIXING BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-SFB-210	50	210X25X40X2.5	25	40	210	2.5
J-SFB-260	50	260X25X40X2.5	25	40	260	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275

TIMBER CONNECTORS



J-LAB-195




J-LAB-100/J-LAB-130

ETA-13/0823
0809-CPR-1282

LONG ADJUSTABLE HOLE BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-LAB-100	50	100X42X32	100	42	32	2.0
J-LAB-130	50	130X35X35	130	35	35	2.0
J-LAB-195	50	40X195X40	40	195	40	2.0

Raw material: Pre-galv. steel, DX51D Z275 or S250GD Z275






ETA-13/0823
0809-CPR-1282

LOG BRACKET TYPE J, 2.0MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	A	B	C
J-LBJ-160	50	160X40/85X70	160	85	70	40
J-LBJ-190	50	190X40/85X70	190	85	70	40
J-LBJ-230	50	230X40/85X70	230	85	70	40

Raw material: Pre-galv. steel, DX51D Z275 or S250GD Z275



ETA-13/0823
0809-CPR-1282

LOG BRACKET TYPE L

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-LBL-160	50	160X135	160	135	40	50
J-LBL-200	50	200X135	200	135	40	50
J-LBL-290	50	290X170	290	170	40	50

Raw material: Pre-galv. steel, DX51D Z275 or S250GD Z275



J HOOK CONNECTORS


Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-HC-746	200	7X46X40X10X1.5	7	46	40	10
J-HC-980	200	9X80X40X11X1.5	9	80	40	11

Raw material: Pre-galv. steel, DX51D Z275 or S250GD Z275

HOLE BAND


HOLE BAND





ART#	SIZE
J-BP-1201010	20X1.0X10000
J-BP-1201025	20X1.0X25000
J-BP-1201510	20X1.5X10000
J-BP-1201525	20X1.5X25000







ART#	SIZE
J-BP-2252010	25X2.0X10000
J-BP-2252025	25X2.0X25000






ART#	SIZE
J-BP-3120710	12X0.7X10000
J-BP-3120725	12X0.7X25000






ART#	SIZE
J-BP-4170910	17X0.9X10000
J-BP-4170925	17X0.9X25000





ART#	SIZE
J-BP-5261010	26X1.0X10000
J-BP-5261025	26X1.0X25000






PLASTIC BOX FOR 10 METER LONG


HOLE BAND

HOLE BAND


CE EN14545:2008
0809-CPR-19002886



ART#	SIZE
J-BP-6402010	40X2.0X10000
J-BP-6402025	40X2.0X25000
J-BP-6402050	40X2.0X50000



ART#	SIZE
J-BP-7602010	60X2.0X10000
J-BP-7602025	60X2.0X25000
J-BP-7602050	60X2.0X50000



ART#	SIZE
J-BP-8802010	80X2.0X10000
J-BP-8802025	80X2.0X25000
J-BP-8802050	80X2.0X50000



ART#	SIZE
J-BP-9120710	12X0.7X10000
J-BP-9120725	12X0.7X25000
J-BP-9170910	17X0.9X10000
J-BP-9170925	17X0.9X25000
J-BP-9201010	20X1.0X10000
J-BP-9201025	20X1.0X25000
J-BP-9201510	20X1.5X10000
J-BP-9201525	20X1.5X25000



ART#	SIZE	ART#	SIZE
J-BP-10130710	13X0.7X10000	J-BP-10201010	20X1.0X10000
J-BP-10130725	13X0.7X25000	J-BP-10201025	20X1.0X25000
J-BP-10170910	17X0.9X10000	J-BP-10250910	25X0.9X10000
J-BP-10170925	17X0.9X25000	J-BP-10250925	25X0.9X25000
J-BP-10200710	20X0.7X10000	J-BP-10251010	25X1.0X10000
J-BP-10200725	20X0.7X25000	J-BP-10251025	25X1.0X25000

HOLE BAND




ART#	SIZE	ART#	SIZE
J-BP-11200903	20X0.9X3000	J-BP-11251510	25X1.5X10000
J-BP-11200910	20X0.9X10000	J-BP-11251525	25X1.5X25000
		J-BP-11251550	25X1.5X50000



ART#	SIZE	ART#	SIZE
J-BP-12120903	12X0.9X3000	J-BP-12151003	15X1.0X3000
J-BP-12120910	12X0.9X10000	J-BP-12151010	15X1.0X10000
		J-BP-12151025	15X1.0X25000





STRAPBRACE

CODE	DESCRIPTION	MATERIAL
J-BP-13250806	25 x 0.8MM x 6M COIL	25 x 0.75MM G300 STEEL STRIP, Z275
J-BP-13250815	25 x 0.8MM x 15M COIL	25 x 0.75MM G300 STEEL STRIP, Z275
J-BP-13250830	25 x 0.8MM x 30M COIL	25 x 0.75MM G300 STEEL STRIP, Z275
J-BP-13251030	25 x 1.0MM x 30M COIL	25 x 0.9MM STAINLESS STEEL G316
J-BP-13300806	30 x 0.8MM x 6M COIL	30 x 0.75MM G300 STEEL STRIP, Z275
J-BP-13300815	30 x 0.8MM x 15M COIL	30 x 0.75MM G300 STEEL STRIP, Z275
J-BP-13300830	30 x 0.8MM x 30M COIL	30 x 0.75MM G300 STEEL STRIP, Z275
J-BP-13300850	30 x 0.8MM x 50M COIL	30 x 0.75MM G300 STEEL STRIP, Z275
J-BP-13301030	30 x 1.0MM x 30M COIL	30 x 0.95MM G300 STEEL STRIP, Z275
J-BP-13301050	30 x 1.0MM x 50M COIL	30 x 0.95MM G300 STEEL STRIP, Z275
J-BP-13321230	32 x 1.2MM x 30M COIL	32 x 1.15MM G300 STEEL STRIP, Z275

HOOP IRON

CODE	DESCRIPTION	MATERIAL
J-BP-14250615	25 x 0.6MM x 15M COIL	25 x 0.55MM G250 STEEL STRIP, Z100
J-BP-14250630	25 x 0.6MM x 30M COIL	25 x 0.55MM G250 STEEL STRIP, Z100

UNPUNCHED STRAPPING

CODE	DESCRIPTION	MATERIAL
J-BP-15300830	30 x 0.8MM x 30M COIL	30 x 0.75MM G300 STEEL STRIP, Z275
J-BP-15251030	25 x 1.0MM x 30M COIL	25 x 0.95MM G300 STEEL STRIP, Z275

HOLE BAND & NAILING PLATES

HOLE BAND TYPE 16, HOLE DIA 4.5MM

ART#	SIZE
J-BP-16250910	25X0.9X10000
J-BP-16250925	25X0.9X25000



HOLE BAND TYPE 17, HOLE DIA 12.5MM

ART#	SIZE
J-BP-17252010	25X2.0X10000
J-BP-17252025	25X2.0X25000



NAIL PLATES

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
J-NP-246010	50	24X60X1.0	24	60	1.0
J-NP-549010	50	54X90X1.0	54	90	1.0
J-NP-2410510	50	24X105X1.0	24	105	1.0
J-NP-2421010	50	24X210X1.0	24	210	1.0
J-NP-7221010	50	72X210X1.0	72	210	1.0
J-NP-3512615	50	35X126X1.5	35	126	1.5
J-NP-7016815	50	70X168X1.5	70	168	1.5
J-NP-10521015	50	105X210X1.5	105	210	1.5
J-NP-12625215	50	126X252X1.5	126	252	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275





NAIL PLATES SUPPORTING

Art.-Nr.	PCS/CTN	SIZES
J-NPS-204	50	204MM
J-NPS-227	50	227MM
J-NPS-255	50	255MM
J-NPS-306	50	306MM
J-NPS-375	50	375MM
J-NPS-423	50	423MM

Raw material: Pre-galv. Steel Sheet DX51D + Z275












POST FOOT & SUPPORTING



SPECIAL COLUMN SUPPORTING

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-SCS-117	10	117X45X135X5.0	117	45	135	5.0

Raw material: Steel Sheet, HDG




F TYPE COLUMN TRAPS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-FCT-500	10	500X80X50X6.0	500	80	50	6.0

Raw material: Steel Sheet, HDG



Max. 200 kg



CEILING MOUNT 150X60MM WHITE

Art.-Nr.	PCS/CTN	SIZES
J-CM-15060	10	150X60X50X6.0

Raw material: Steel Sheet, HDG


FI	Kattokannatin valkoinen
SE	Takfäste vit
NO	Takfeste hvit
EE	Laekinnitus valge
LV	Griestu stiprinājums, balts
LT	Prie lubų tvirtinamas laikiklis, baltas
PL	Płytka montażowa, montaż sufitowy, biały
RU	Потолочное крепление, белое



TRIANGLE CORNER BRACE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-TCB-5515	100	52X52X15X1.5	52	52	15	1.5
J-TCB-6622	100	64X64X22X2.0	64	64	22	2.0
J-TCB-7720	100	75X75X20X2.0	75	75	20	2.0

Raw material: Steel Sheet, Zinc Plated




SQUARE THREADED PLATE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-STP-12	200	M12X50X3	50	50	3	M12
J-STP-16	200	M16X50X4	50	50	3	M16

Raw material: Steel plate, YZP after punching

POLE ANCHOR






POLE ANCHOR, TYPE A

Art.-Nr.	SIZES	SPECIFICATION			
		A	B	C	D
J-PA-71750	71X71X750X600	71	750	600	2.0
J-PA-71900	71X71X900X750	71	900	750	2.0
J-PA-91750	91X91X750X600	91	750	600	2.0
J-PA-91900	91X91X900X750	91	900	750	2.0
J-PA-96750	96X96X750X600	96	750	600	2.0
J-PA-101900	101X101X900X750	101	900	750	2.0
J-PA-121900	121X121X900X750	121	900	750	2.0
J-PA-51600	51X51X600X450	51	600	450	2.0
J-PA-51650	51X51X650X500	51	650	500	2.0
J-PA-51750	51X51X750X600	51	750	600	2.0
J-PA-77750	77X77X750X600	77	750	600	2.0
J-PA-102750	102X102X750X600	102	750	600	2.0
J-PA-46600	46X46X600X450	46	600	450	2.0
J-PA-48450	48X48X450X300	48	450	300	2.0
J-PA-48600	48X48X600X450	48	600	450	2.0
J-PA-511600	51X100X600X450	51X100	600	450	2.0

Raw material: Steel plate, HDG after punching






POLE ANCHOR, TYPE B

Art.-Nr.	SIZES	SPECIFICATION			
		A	B	C	D
J-PAB-49650	49X49X650	49	650	500	1.8
J-PAB-41650	49X100X650	49/100	650	500	1.8
J-PAB-51650	51X102X650	51/102	650	500	1.8
J-PAB-77750	77X77X750	77	750	600	1.8
J-PAB-10750	102X102X750	102	750	600	1.8
J-PAB-71750	71X71X750	71	750	600	2.0
J-PAB-91750	91X91X750	91	750	600	2.0

Raw material: Steel plate, HDG after punching






POLE ANCHOR, TYPE C

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-PHC-71750	4	71X71X750	71	750	600	2.0
J-PHC-91750	4	91X91X750	91	750	600	2.0

Raw material: Steel plate, HDG after punching


POLE ANCHORS



POLE ANCHOR, TYPE D

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-PAD-450	6	450mm	38.5	65	2.5	450


Raw material: Steel, Hot Dipped Galvanised




POLE ANCHOR, TYPE E

Art.-Nr.	TYPE	PCS/CTN	SIZES	SPECIFICATION			
				A	B	C	D
J-PAE-71350	1	10	71X71X350	71	71	150	350
J-PAE-91350	1	10	91X91X350	91	91	150	350
J-PAE-71351	2	10	71X71X350	71	71	150	350
J-PAE-91351	2	10	91X91X350	91	91	150	350

Raw material: Steel, Hot Dipped Galvanised or Powder Coated





POLE ANCHOR, TYPE F

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-PAF-71750	4	71X71X750	71	750	600	2.0
J-PAF-91750	4	91X91X750	91	750	600	2.0


Raw material: Steel plate, HDG after punching



Drive In Tool For Drive In Groud Sleeve

POST HOLDERS







POST HOLDER, TYPE A

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-PH-71	4	71X71X150	71	150	150	2.0
J-PH-73	4	73X73X150	73	150	150	2.0
J-PH-75	4	75X75X150	75	150	150	2.0
J-PH-91	4	91X91X150	91	150	150	2.0
J-PH-96	4	96X96X150	96	150	150	2.0
J-PH-101	4	101X101X150	101	150	150	2.0
J-PH-121	4	121X121X180	121	180	150	2.0
J-PH-141	4	141X141X200	141	200	150	2.0

Raw material: Steel plate, HDG after punching







POST HOLDER, TYPE B

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-PHB-71	4	71X71X150	71	150	150	2.0
J-PHB-77	4	77X77X150	77	150	150	2.0
J-PHB-91	4	91X91X150	91	150	150	2.0
J-PHB-102	4	102X102X150	102	150	150	2.0

Raw material: Steel plate, HDG after punching






POST HOLDER, TYPE C

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-PHC-71	4	71X71X150	71	150	150	2.0
J-PHC-91	4	91X91X150	91	150	150	2.0

Raw material: Steel plate, HDG after punching





POST HOLDER, TYPE D

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-PHD-71	4	71X71X150	71	150	150	3.0
J-PHD-91	4	91X91X150	91	150	150	3.0

Raw material: Steel plate, HDG after punching




POST HOLDER, TYPE F

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-PHF-71	6	71X71X150	71	71	150	155
J-PHF-91	6	91X91X150	91	91	150	175

Raw material: Steel, Hot Dipped Galvanised

SQUARE JOINT




J-SJ-191


Square Joint, Type 1

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-SJ-191	1	91X91	200	200	91	2.0
J-SJ-291	1	91X91	305	105	91	2.0
J-SJ-391	1	91X91	105	105	91	2.0
J-SJ-491	1	91X91	105	105	91	2.0


Raw material: Steel, HDG after punching




J-SJ-291



J-SJ-391



J-SJ-491




WOOD PILLAR


Art.-Nr.	TYPE	PCS/CTN	SIZES	SPECIFICATION			
				A	B	C	D
J-WP-6080	1	6	60X80	60	80	150	340
J-WP-4570	1	6	45X70	45	70	145	305
J-WP-50100	1	6	50X100	50	100	145	340

Raw material: Steel, Hot Dipped Galvanised









HOT DIPPED GALV



POWDER COATED

SQUARE TUBE CONNECTORS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION				
			A	B	C	D	L
J-TC-1	4	45X45X2.0	45	45	120	150	120
J-TC-2	4	55X55X2.0	55	55	120	150	120
J-TC-3	4	45X96X2.0	45	96	105	160	120
J-TC-4	4	51X102X2.0	51	102	105	160	120

Raw material: Steel, HDG or Powder Coated

POST CAPS AND COLUMN SHOES

POST CAPS



TYPE 1

ART#: J-PC-1
SIZE: 40X40 96X96
71X71 101X101
91X91 121X121



COPPER




TYPE 2

ART#: J-PC-2
SIZE: 48X48 96X96
71X71 101X101
91X91 121X121

Raw material can be stainless steel, copper, or steel plate HDG after punching







TYPE 3

ART#: J-PC-3
SIZE: 71X71X1.5
91X91X1.5
95X95X1.5

Raw material: Steel, Powder Coated

SCREW-IN POLE ANCHOR



TYPE A

SQUARE SCREW-IN POST ANCHOR

Art.-Nr.	SPECIFICATION			
	A	B	C	D
J-SPAS-51	51	51	650	150
J-SPAS-71	71	71	650	150
J-SPAS-91	91	91	650	150
J-SPAS-101	101	101	750	150

Raw material: steel plate, HDG after punching




SCREW-IN POST SUPPORT TUBE TYPE

SIZE	ART#
68X580X2.0	J-SPAT-68580

Raw material: Steel plate, HDG after punching

TYPE B

WHERE TO USE ?






SCREW-IN POST SUPPORT WELDED TYPE

SIZE	ART#
68X580X2.0	J-SPAW-68580


Raw material: Steel plate, HDG after punching

TYPE C

HOW TO USE ?




SCREW-IN POLE ANCHOR



TYPE D



TYPE E




GROUND SCREW STIRRUP HDG

Art.-Nr.	TYPE	SIZES	SPECIFICATION					
			A	B	C	D	E	S
J-GSS-45690	D	45X690	45	70	690	130	68	4.0
J-GSS-51690	D	51X690	51	70	690	130	68	4.0
J-GSS-71690	D	71X690	71	70	690	130	68	4.0
J-GSS-91690	D	91X690	91	70	690	130	68	4.0
J-GSS-45865	D	45X865	45	70	865	130	68	4.0
J-GSS-51865	D	51X865	51	70	865	130	68	4.0
J-GSS-71865	D	71X865	71	70	865	130	68	4.0
J-GSS-91865	D	91X865	91	70	865	130	68	4.0
J-GSSB-84160	E	84-160X800	84-160	80	800	130	58	4.0


WHERE TO USE ?



HOW TO USE ?



SCREW-IN POLE ANCHOR




TYPE F

SCREW POLE TYPE F

Art.-Nr.	SIZES	SPECIFICATION			
		A	B	C	S
J-SPF-400	68X400mm	75	400	68	10
J-SPF-500	68X500mm	75	500	68	10
J-SPF-700	68X700mm	75	700	68	10
J-SPF-1000	68X1000mm	75	1000	68	10

Raw material: Steel, Hot Dipped Galvanised




TYPE G

SCREW POLE TYPE G

Art.-Nr.	SIZES	SPECIFICATION			
		A	B	C	S
J-SPG-400	68X400mm	75	400	68	15
J-SPG-500	68X500mm	75	500	68	15
J-SPG-700	68X700mm	75	700	68	15
J-SPG-1000	68X1000mm	75	1000	68	15
J-SPG-1200	68X1200mm	75	1200	68	15
J-SPG-481000	48X1000mm	75	1000	48	15

Raw material: Steel, Hot Dipped Galvanised




TYPE H

SCREW POLE TYPE H

Art.-Nr.	SIZES	SPECIFICATION				
		A	B	C	D	S
J-SPH-900	75X900	100	900	75	M30	8
J-SPH-1000	75X1000	100	1000	75	M30	8
J-SPH-1200	75X1200	100	1200	75	M30	8
J-SPH-1500	75X1500	100	1500	75	M30	8
J-SPH-1600	75X1600	100	1600	75	M30	8

Raw material: Steel, Hot Dipped Galvanised

SCREW-IN POLE ANCHOR




TYPE I

SCREW POLE TYPE I

Art.-Nr.	SIZES	SPECIFICATION				
		A	B	C	D	S
J-SPI-800	75X800	90	800	75	M16	8
J-SPI-930	75X930	90	930	75	M16	8
J-SPI-1000	75X1000	90	1000	75	M16	8
J-SPI-1200	75X1200	90	1200	75	M16	8

Raw material: Steel, Hot Dipped Galvanised




TYPE J

SCREW POLE TYPE J

Art.-Nr.	SIZES	SPECIFICATION				
		A	B	C	D	S
J-SPJ-800	75X800	200	800	75	25	8
J-SPJ-930	75X930	200	930	75	25	8
J-SPJ-1000	75X1000	200	1000	75	25	8
J-SPJ-1200	75X1200	200	1200	75	25	8

Raw material: Steel, Hot Dipped Galvanised




TYPE K

SCREW POLE TYPE K

Art.-Nr.	SIZES	SPECIFICATION		
		A	B	C
J-SPK-1200	75X1200	75	1200	M16
J-SPK-1400	75X1400	75	1400	M16
J-SPK-1600	75X1600	75	1600	M16

Raw material: Steel, Hot Dipped Galvanised

SCREW-IN POLE ANCHOR




TYPE L

SCREW POLE TYPE L

Art.-Nr.	SIZES	SPECIFICATION				
		A	B	C	D	S
J-SPL-800	60X800	160	800	60	150	6
J-SPL-1150	60X1150	160	1150	60	150	6

Raw material: Steel, Hot Dipped Galvanised




TYPE K

SCREW POLE TYPE K

Art.-Nr.	SIZES	SPECIFICATION		
		A	B	C
J-SPK-800	60X800	60	800	150
J-SPK-1150	60X1150	60	1150	150
J-SPK-1750	60X1750	60	1750	150


Raw material: Steel, Hot Dipped Galvanised



EXTENTION PIPE 900MM

Art.-Nr.	SIZES	SPECIFICATION			
		A	B	C	D
J-EP-900	60X900	60	900	52	300

Raw material: Steel, Hot Dipped Galvanised



MOUNTERING TOOLING SET

Art.-Nr.	SIZES	SPECIFICATION		
		A	B	C
J-MTS-300	48X300	48	300	M24X180

Raw material: Steel, Hot Dipped Galvanised

HOLDER BRACKETS FOR SCREW POLE

HOLDER BRACKETS FOR SCREW POLE



Art#: J-SPHB-1
Size: 90x90x160x6



Art#: J-SPHB-2
Size: 100x100x160x6



Art#: J-SPHB-3
Size: 150x100x160x6



Art#: J-SPHB-4
Size: 45-90x75x4/4x120



Art#: J-SPHB-5
Size: 90x70x110x4/6x160



Art#: J-SPHB-6
Size: 60x70x100x4/4x120



Art#: J-SPHB-7
Size: 100x75x100x4/4x120




Art#: J-SPHB-8
Size: 45x75x100x4/4x120







SUPPORTINGS




DECK LEG BASE 150MM HDG

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-DLB-150	1	150MM	5x300	60x3x150	25	11

Raw material: Steel , HDG









ADJUSTABLE ROD AND PLUG

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-ARP-16150	6	M16X150	M16X150	5X60	M8X20	5X70
J-ARP-20150	6	M20X150	M20X150	5X60	M10X30	5X70

Raw material: Steel , Zinc Plated








ETA-13/0451
0809-CPR-1281

ADJUSTABLE SUPPORTING

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-ADS-250	6	250MM	M20	250	110	60
J-ADS-300	6	300MM	M20	300	110	60
J-ADS-350	6	350MM	M20	350	110	60
J-ADS-400	6	400MM	M20	400	110	60
J-ADS-450	6	450MM	M20	450	110	60
J-ADS-500	6	500MM	M20	500	110	60
J-ADS-600	6	600MM	M20	600	110	60

Raw material: Steel , HDG



ETA-13/0451
0809-CPR-1281

CAST-IN ANCHOR, CARBON STEEL

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-CIA-100	6	100X100X8	100	70	12	8
J-CIA-150	6	150X150X12	150	160	12	12
J-CIA-200	6	200X200X12	200	160	16	12

CAST-IN ANCHOR, STAINLESS STEEL

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-CIA-100S	6	100X100X8	100	70	12	8
J-CIA-150S	6	150X150X12	150	160	12	12
J-CIA-200S	6	200X200X12	200	160	16	12

PP TERRASSE SUPPORTING





ART #: J-PPTS-1
ADJ. HEIGHT: 70-110MM
WEIGHT: 410G
LOADING CAP.: 1000KGS



ART #: J-PPTS-2
ADJ. HEIGHT: 110-190MM
WEIGHT: 530G
LOADING CAP.: 1000KGS



ART #: J-PPTS-3
ADJ. HEIGHT: 150-360MM
WEIGHT: 530G
LOADING CAP.: 1000KGS

PP TERRASSE SUPPORTING



ART #: J-PPTS-4
ADJ. HEIGHT: 35-70MM
WEIGHT: 110G
LOADING CAP.: 220KGS



ART #: J-PPTS-5
ADJ. HEIGHT: 70-170MM
WEIGHT: 310G
LOADING CAP.: 800KGS



ART #: J-PPTS-6
ADJ. HEIGHT: 65-130MM
WEIGHT: 150G
LOADING CAP.: 300KGS



ART #: J-PPTS-7
ADJ. HEIGHT: 130-190MM
WEIGHT: 175G
LOADING CAP.: 500KGS



ART #: J-PPTS-8
ADJ. HEIGHT: 140-220MM
WEIGHT: 320G
LOADING CAP.: 500KGS



ART #: J-PPTS-9
ADJ. HEIGHT: 70-120MM
WEIGHT: 265G
LOADING CAP.: 500KGS







ART #: J-PPTS-10
ADJ. HEIGHT: 120-220MM
WEIGHT: 400G
LOADING CAP.: 500KGS

DOCK HINGES



ART #: J-DH-1



ART #: J-DH-2



ART #: J-DH-3



ART #: J-DH-4



ART #: J-DH-5



ART #: J-DH-6



ART #: J-DH-7



ART #: J-DH-8



ART #: J-DH-9



ART #: J-DH-10




ART #: J-DH-11




ART #: J-DH-12




COLUMN SHOE



TYPE 1 TYPE 2 TYPE 3



TYPE 4




TYPE 5


COLUMN SHOE TYPE E

Art.-Nr.	MODEL	SIZES	SPECIFICATION				REBAR
			A	B	C	S	
J-CSE-48401/4	1	48X40X121	48	40	121	4	16X250
J-CSE-48401	1	48X40X121	48	40	121	5	16X250
J-CSE-73401	1	73X40X121	73	40	121	4	16X250
J-CSE-100401	1	100X40X121	100	40	121	4	16X250
J-CSE-73702	2	73X70X130	73	70	130	5	16X250
J-CSE-75702	2	75X70X129	75	70	129	5	16X250
J-CSE-75702A	2	75X70X125	75	70	125	4	16X200
J-CSE-80702	2	80X70X126	80	70	126	5	16X250
J-CSE-96702	2	96X70X121	96	70	121	5	16X250
J-CSE-98702	2	98X70X120	98	70	120	5	16X250
J-CSE-100702A	2	100X70X112	100	70	112	4	16X200
J-CSE-100702	2	100X70X126	100	70	126	5	16X250
J-CSE-90903	3	90X90X141	90	90	141	5	20X250
J-CSE-90903A	3	90X90X141	90	90	141	4	20X200
J-CSE-100903	3	100X90X136	100	90	136	5	20X250
J-CSE-100903A	3	100X90X136	100	90	136	4	20X200
J-CSE-115903	3	115X90X129	115	90	129	5	20X250
J-CSE-120903	3	120X90X126	120	90	126	5	20X250
J-CSE-123903	3	123X90X125	123	90	125	5	20X250
J-CSE-125903	3	125X90X124	125	90	124	5	20X250
J-CSE-140903	3	140X90X126	140	90	126	5	20X250
J-CSE-148903	3	148X90X122	148	90	122	5	20X250
J-CSE-4840A1	1	48X40X100	48	40	100	4	16X200
J-CSE-5040A1	1	50X40X100	50	40	100	4	16X200
J-CSE-7540A1	1	75X40X90	75	40	90	4	16X200
J-CSE-10070A2	2	100X70X90	100	70	90	4	16X200
J-CSE-7070A3	3	70X70X90	70	70	90	4	16X250
J-CSE-9090A3	3	90X90X90	90	90	90	4	16X250
J-CSE-10090A3	3	100X90X90	100	90	90	4	16X250
J-CSE-11590A3	3	115X90X90	115	90	90	4	16X250
J-CSE-12090A3	3	120X90X90	120	90	90	4	16X250
J-CSE-12590A3	3	125X90X90	125	90	90	4	16X250
J-CSE-46404	4	46X40X94	46	40	94	4	16X200
J-CSE-48404	4	48X40X94	48	40	94	4	16X200
J-CSE-71404	4	71X40X94	71	40	94	4	16X200
J-CSE-73404	4	73X40X94	73	40	94	4	16X200
J-CSE-96605	5	96X60X94	96	60	94	4	16X200
J-CSE-98605	5	98X60X94	98	60	94	4	16X200


Raw material: steel plate, HDG after punching


ETA-13/0451
0809-CPR-1281





COLUMN SHOE







ETA-13/0451
0809-CPR-1281

COLUMN SHOE TYPE L

Art.-Nr.	rebar size	SPECIFICATION				
		A	B	C	D	S
J-CSL-4540	16X200	45	40	92	200	4.0
J-CSL-4840	16X250	48	40	121	250	4.0
J-CSL-7060	16X200	70	60	90	200	4.0
J-CSL-10070	16X250	100	70	121	250	4.0
J-CSL-7570	16X250	75	70	121	250	5.0

Raw material: Steel plate, HDG after punching






ETA-13/0451
0809-CPR-1281

COLUMN ANCHOR STRAP

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-CAS-300	20	30X300X5	30	300	5.0
J-CAS-400	20	30X400X6	30	400	6.0
J-CAS-500	20	40X500X8	40	500	8.0
J-CAS-400B	20	30X400X5	30	400	5.0
J-CAS-500B	20	40X500X8	40	500	8.0
J-CAS-600B	20	40X600X8	40	600	8.0
J-CAS-350C	20	30X350X5	30	350	5.0
J-CAS-450C	20	40X450X5	40	450	5.0

Raw material: steel plate, HDG after punching



MULTI ADJUSTABLE COLUMN SHOE

Art.-Nr.	TYPE	PCS/CTN	SIZES	PIPE SIZE	ROD SIZE	A	
						MIN	MAX
J-MASC-85145	5	6	85-145	⌀ 28X200	M20X100	85	145
J-MASC-5070	5	6	50-70	⌀ 28X200	M20X100	50	70
J-MASC-80120	6	6	80-120	⌀ 28X80	M20X100	80	120
J-MASC-85145A	7	6	85-145	⌀ 28X200	M20X200	85	145
J-MASC-5070A	7	6	50-70	⌀ 28X200	M20X200	50	70

Raw material: Steel, Hot Dipped Galvanised

ETA-13/0451
0809-CPR-1281

COLUMN SHOE


TYPE 1


TYPE 2



TYPE 3



TYPE 4

ETA-13/0451
0809-CPR-1281

ADJUSTABLE COLUMN SHOE

Art.-Nr.	TYPE	PCS/CTN	SIZES	PIPE SIZE	ROD SIZE	SPECIFICATION		
						A	B	C
J-ACS-4640	1	10	46X40	ϕ23.5X200	M16X200	46	40	92
J-ACS-4640S	1	10	46X40	ϕ23.5X160	M16X150	46	40	92
J-ACS-4840	1	10	48X40	ϕ23.5X200	M16X200	48	40	90
J-ACS-7140	2	10	71X40	ϕ23.5X200	M16X200	71	40	92
J-ACS-7140S	2	10	71X40	ϕ23.5X160	M16X150	71	40	92
J-ACS-9660	3	10	96X60	ϕ28X200	M20X200	96	60	92
J-ACS-9660S	3	10	96X60	ϕ28X160	M20X150	96	60	92
J-ACS-9860	3	10	98X60	ϕ28X200	M20X200	98	60	90
J-ACS-7060L	4	10	70X60	ϕ28X200	M20X200	70	60	92
J-ACS-7060LS	4	10	70X60	ϕ23.5X160	M16X150	70	60	92

Raw material: Steel, Hot Dipped Galvanised



Raw material: Steel, Yellow Zinc Plated


ETA-13/0451
0809-CPR-1281

ADJUSTABLE LEGS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-AL-1650	20	16X150/50X50X5	16	150	50
J-AL-2080	20	20X150/80X80X5	20	150	80
J-AL-24100	5	24X300/100X100X10	24	300	100
J-AL-24200/100	5	24X200/100X100X10	24	200	100
J-AL-24300/100	5	24X300/100X100X10	24	300	100
J-AL-20200/80	5	20X200/80X80X8	20	200	80
J-AL-24150/80	5	24X150/80X80X8	24	150	80
J-AL-24200/80	5	24X200/80X80X8	24	200	80
J-AL-20150/50	5	20X150/50X50X5	20	150	50
J-AL-20150/60	5	20X150/60X60X5	20	150	60
J-AL-20150/80	5	20X150/80X80X5	20	150	80
J-AL-30200/100	5	30X200/100X100X10	30	200	100
J-AL-30300/100	5	30X300/100X100X10	30	300	100
J-AL-30200/120	5	30X200/120X120X10	30	200	120
J-AL-30300/120	5	30X300/120X120X10	30	300	120
J-AL-30200/150	5	30X200/150X150X10	30	200	150

COLUMN SHOE






ETA-13/0451
0809-CPR-1281

COLUMM SHOE TYPE B

Art.-Nr.	ROD SIZES	SIZES	SPECIFICATION			
			A	B	C	D
J-CSB-71	16/18X200	71X60X100	71	60	100	4
J-CSB-75	16/18X200	75X60X100	75	60	100	4
J-CSB-81	16/18X200	81X60X100	81	60	100	4
J-CSB-91	16/18X200	91X60X100	91	60	100	4
J-CSB-96	16/18X200	96X60X100	96	60	100	4
J-CSB-101	16/18X200	101X60X100	101	60	100	4
J-CSB-111	16/18X200	111X60X100	111	60	100	4
J-CSB-121	16/18X200	121X60X100	121	60	100	4
J-CSB-141	16/18X200	141X60X100	141	60	100	4
J-CSB-151	16/18X200	151X60X100	151	60	100	4

Raw material: steel plate, HDG after punching






COLUMM SHOE TYPE C

Art.-Nr.	ROD SIZES	SIZES	SPECIFICATION			
			A	B	C	D
J-CSC-81A	20X200	81X65X100	81	65	100	4

Raw material: steel plate, HDG after punching



COLUMM SHOE TYPE T

Art.-Nr.	ROD SIZES	SIZES	SPECIFICATION			
			A	B	C	D
J-CST-71	20X250	71	70	90	110	60

Raw material: steel plate, HDG after punching






ETA-13/0451
0809-CPR-1281


COLUMM SHOE TYPE BD

Art.-Nr.	REBAR SIZES	SIZES	SPECIFICATION			
			A	B	C	D
J-CSBD-71	16/18X200	71X60X150	71	60	150	5
J-CSBD-91	16/18X200	91X60X150	91	60	150	5
J-CSBD-101	16/18X200	101X60X150	101	60	150	5
J-CSBD-71L	16X200	71X60X125	71	60	125	4
J-CSBD-91L	16X200	91X60X125	91	60	125	4
J-CSBD-101L	16X200	101X60X125	101	60	125	4

Raw material: steel plate, HDG after punching

COLUMN SHOE






ETA-13/0451
0809-CPR-1281


COLUMN SHOE TYPE D

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-CSD-71	10	71X60X150	71	60	150	5.0
J-CSD-81	10	81X60X150	81	60	150	5.0
J-CSD-91	10	91X60X150	91	60	150	5.0
J-CSD-101	10	101X60X150	101	60	150	5.0
J-CSD-121	10	121X60X150	121	60	150	5.0
J-CSDS-71	10	71X60X125	71	60	125	4.0
J-CSDS-81	10	81X60X125	81	60	125	4.0
J-CSDS-91	10	91X60X125	91	60	125	4.0
J-CSDS-101	10	101X60X125	101	60	125	4.0
J-CSDS-121	10	121X60X125	121	60	125	4.0

Raw material: steel plate, HDG after punching

SUPPORTING SHOES "TT" SHAPED HEAVY TYPE







ETA-13/0451
0809-CPR-1281

SIZE	ART#
71X200X60X5	J-SS-071
75X200X60X5	J-SS-075
81X200X60X5	J-SS-081
91X200X60X5	J-SS-091
96X200X60X5	J-SS-096
101X200X60X5	J-SS-101

Raw material: 5mm steel plate, HDG after punching

SUPPORTING SHOES "TT" SHAPED LIGHT TYPE





ETA-13/0451
0809-CPR-1281

SIZE	ART#
71X50X200X5/60X200X5	J-SSA-71
81X50X200X5/60X200X5	J-SSA-81
91X50X200X5/60X200X5	J-SSA-91
101X50X200X5/60X200X5	J-SSA-101
121X50X200X5/60X200X5	J-SSA-121
141X50X200X5/60X200X5	J-SSA-141

Raw material: 5mm steel plate, HDG after punching

COLUMN SHOE

HEAVY ANCHOR SUPPORTING H TYPE






ETA-13/0451
0809-CPR-1281

SIZE	ART#
71X600X60X6	J-AS-071
81X600X60X6	J-AS-081
91X600X60X6	J-AS-091
101X600X60X6	J-AS-101
116X600X60X6	J-AS-116
121X600X60X6	J-AS-121
141X600X60X6	J-AS-141

Raw material: 6mm steel plate, HDG after punching



TEETH COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-TE-71	10	71	71	50	200	5
J-TE-91	10	91	91	50	200	5
J-TE-101	10	101	101	50	200	5
J-TE-121	10	121	121	50	200	5

Raw material: steel plate, HDG after punching



CONCRETE ANCHOR BAR WITH PIN

SIZE	ART#
100X100X8	J-CAB-2510022




U POST FOOT WITH PLATE

Art.-Nr.	A(mm)
J-UPF-71	71
J-UPF-81	81
J-UPF-91	91
J-UPF-101	101
J-UPF-121	121
J-UPF-141	141

Raw material: steel plate, YZP after punching


COLUMN SHOE



ADJ. COLUMN SHOE W/HEX COUPLING NUT

Art.-Nr.	PCS/CTN	SIZES
J-ACSH-80160	10	80-160


Raw material: Steel, Zinc plated



Column Shoe Type D Adjustable

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION	
			A	B
J-CSDA-80	10	80X80/24X200	80	80
J-CSDA-100	10	100X100/24X200	100	100
J-CSDA-120	10	120X120/24X200	120	120
J-CSDA-140	10	140X120/24X200	140	120

Raw material: Steel, Zinc Plated



WELDED TYPE

ADJUSTABLE LEGS WELDED TYPE

Art.-Nr.	SIZES	SPECIFICATION					
		A	B	C	D	Ø	L
J-81PP1	24X200/110X110/110X110	110	110	110	110	24	200
J-81PP2	24X250/110X110/110X110	110	110	110	110	24	250
J-81PP3	24X330/110X110/110X110	110	110	110	110	24	330
J-81PP5	24X200/110X110/80X80	110	110	80	80	24	200
J-81PP8	24X250/110X110/80X80	110	110	80	80	24	250
J-81PP11	20X200/110X110/80X80	110	110	80	80	20	200
J-81PP15	16X160/80X80/80X80	80	80	80	80	16	160
J-81PP17	27X250/160X160/110X110	160	160	110	110	27	250

Raw material: Steel, Zinc Plated

LOOSE TYPE




ADJUSTABLE LEGS LOOSE TYPE


Art.-Nr.	SIZES	SPECIFICATION					
		A	B	C	D	Ø	L
J-81PP6	24X200/110X110/80X80	110	110	80	80	24	200
J-81PP7	24X200/110X110/110X110	110	110	110	110	24	200
J-81PP9	24X250/110X110/110X110	110	110	110	110	24	250
J-81PP12	20X200/110X110/80X80	110	110	80	80	20	200
J-81PP14	16X100/80X80/80X80	80	80	80	80	16	100
J-81PP16	16X160/80X80/80X80	80	80	80	80	16	160

Raw material: Steel, Zinc Plated

COLUMN SHOE









Column Shoe Type F

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	D
J-CSF-80	10	80X80X125	80	80	16
J-CSF-100	10	100X100X125	100	100	16
J-CSF-120	10	120X120X125	120	120	20
J-CSF-140	10	140X120X125	140	120	20

Raw material: Steel, Zinc Plated after punching





Post Foot Type G

Art.-Nr.	PCS/CTN	SIZES
J-PFG-140	10	140X120/25X100

Raw material: Steel, Zinc Plated after punching

COLUMN SHOE




HEAVY DUTY COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-HDCS-115	1	250X100X115	250	100	115	100
J-HDCS-140	1	250X100X140	250	100	140	100

Raw material: steel plate, HDG after punching






HEAVY DUTY POST HOLDER

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-HDPH-50	1	50X50X130	130	50	400	3.0
J-HDPH-60	1	60X60X130	130	60	400	3.0
J-HDPH-70	1	70X70X130	130	70	400	3.0

Raw material: steel plate, HDG after punching

COLUMN SHOE



CONSTRUCTION PLATE, PLAIN

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-CPP-8080	10	80X80X8	80	80	8
J-CPP-80100	10	80X100X8	80	100	8
J-CPP-80120	10	80X120X8	80	120	8
J-CPP-80150	10	80X150X8	80	150	8
J-CPP-100100	10	100X100X8	100	100	8
J-CPP-100120	10	100X120X8	100	120	8
J-CPP-100150	10	100X150X8	100	150	8
J-CPP-100200	10	100X200X8	100	200	8
J-CPP-120120	10	120X120X8	120	120	8
J-CPP-120150	10	120X150X8	120	150	8
J-CPP-150150	10	150X150X8	150	150	8
J-CPP-150200	10	150X200X8	150	200	8
J-CPP-200200	10	200X200X8	200	200	8
J-CPP-200250	10	200X250X8	200	250	8
J-CPP-250250	10	250X250X8	250	250	8

Raw material: Steel, Plain

CONSTRUCTION PLATE, HDG

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-CPH-8080	10	80X80X8	80	80	8
J-CPH-80100	10	80X100X8	80	100	8
J-CPH-80120	10	80X120X8	80	120	8
J-CPH-80150	10	80X150X8	80	150	8
J-CPH-100100	10	100X100X8	100	100	8
J-CPH-100120	10	100X120X8	100	120	8
J-CPH-100150	10	100X150X8	100	150	8
J-CPH-100200	10	100X200X8	100	200	8
J-CPH-120120	10	120X120X8	120	120	8
J-CPH-120150	10	120X150X8	120	150	8
J-CPH-150150	10	150X150X8	150	150	8
J-CPH-150200	10	150X200X8	150	200	8
J-CPH-200200	10	200X200X8	200	200	8
J-CPH-200250	10	200X250X8	200	250	8
J-CPH-250250	10	250X250X8	250	250	8

Raw material: Steel, Hdg



J-WTA-350



J-WTB-350

WALLTIE 350MM STAINLESS STEEL

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-WTA-350	100	350X18X0.5	350	18	0.5
J-WTB-350	100	350X18X0.5	350	18	0.5

Raw material: STAINLESS STEEL

SLIDING DOOR FITTINGS



ART #: J-SDF-1



ART #: J-SDF-2



ART #: J-SDF-3



ART #: J-SDF-4



ART #: J-SDF-5



ART #: J-SDF-6



ART #: J-SDF-7



ART #: J-SDF-8




ART #: J-SDF-9



ART #: J-SDF-10

COLUMN SHOE






Column Shoe Type H

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	D
J-CSH-60	10	60X60X125	60	60	16
J-CSH-80	10	80X80X125	80	80	16
J-CSH-100	10	100X100X125	100	100	16
J-CSH-120	10	120X120X125	120	120	20
J-CSH-140	10	140X120X125	140	120	20
J-CSH-150	10	150X120X125	150	120	20

Raw material: Steel, Zinc Plated after punching






Column Shoe Type I

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	D
J-CSI-60	10	60X60X125	60	60	16
J-CSI-80	10	80X80X125	80	80	16
J-CSI-100	10	100X100X125	100	100	16
J-CSI-120	10	120X120X125	120	120	20
J-CSI-140	10	140X120X125	140	120	20

Raw material: Steel, Zinc Plated after punching






Column Shoe Type J

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION	
			A	B
J-CSJ-60	10	60X60X125	60	60
J-CSJ-80	10	80X80X125	80	80
J-CSJ-100	10	100X100X125	100	100
J-CSJ-120	10	120X120X125	120	120
J-CSJ-140	10	140X120X125	140	120
J-CSJ-150	10	150X120X125	150	120

Raw material: Steel, Zinc Plated after punching






Column Shoe Type K

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION	
			A	B
J-CSK-60	10	60X60X125	60	60
J-CSK-80	10	80X80X125	80	80
J-CSK-100	10	100X100X125	100	100
J-CSK-120	10	120X120X125	120	120
J-CSK-140	10	140X120X125	140	120
J-CSK-150	10	150X120X125	150	120

Raw material: Steel, Zinc Plated after punching

COLUMN SHOE



Column Shoe Type CUC

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-CUC-90	10	90X60X100X4	90	100	60
J-CUC-100	10	100X60X100X4	100	100	60
J-CUC-120	10	120X60X100X4	120	100	60
J-CUC-140	10	140X60X100X4	140	100	60

Raw material: Steel, Zinc Plated after punching



Post Foot Type TT Adjustable

Art.-Nr.	PCS/CTN	SIZES
J-SSA-70130	10	71-131/65X195X3/65X270X4


Raw material: Steel, Zinc Plated after punching



ADJUSTABLE COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	ROD	A	
				MIN	MAX
J-CSBB-70130	20	71-131	18X100	71	131

Raw material: Steel, Zinc Plated after punching



ADJUSTABLE COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	REBAR	A	
				MIN	MAX
J-CSBC-70130	20	71-131	20X70	71	131

Raw material: Steel, YZP after punching

COLUMN SHOE



ADJUSTABLE COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	COUPLIN NUT	A	
				MIN	MAX
J-CSBD-70130	10	71-131	M20X100	71	131

Raw material: Steel, Zinc Plated after punching



ADJUSTABLE COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	COUPLIN NUT	A	
				MIN	MAX
J-CSBE-70130	10	71-131	M20X100	71	131

Raw material: Steel, Zinc Plated after punching



ADJUSTABLE COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	COUPLIN NUT	A	
				MIN	
J-CSBF-7080	10	70X80	M20X100	71	131

Raw material: Steel, Zinc Plated after punching



Adjustable Column Shoes Yellow Zinc Plated

ART#: J-C70110

SIZE: W=70-110

THREAD RODS: M14 X 65MM

COLUMN SHOE



ADJUSTABLE COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	REBAR	A	
				MIN	MAX
J-CSBA-71131	20	71-131	20X200	71	131

Raw material: Steel, Hot Dipped Galvanised



T TYPE ADJUSTABLE COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	ROD SIZE	A	
				MIN	MAX
J-CSAT-71	10	90-160	20X95	90	160

Raw material: Steel, Hot Dipped Galvanised



U TYPE ADJUSTABLE COLUMN SHOE

Art.-Nr.	PCS/CTN	SIZES	SUPPORT PIPE	A	
				MIN	MAX
J-ACSU-70170	10	70-170	21	70	170


Raw material: Steel, Hot Dipped Galvanised



FLAT SURPORTING

Art.-Nr.	PCS/CTN	SIZES	SUPPORT PIPE
J-FS-80125	10	80X80X6,125X125X6	33.5

Raw material: Steel, Hot Dipped Galvanised




ADJUSTABLE POST SHOE YZP

Art.-Nr.	SETS/CTN	SIZES	SPECIFICATION			
			A	B	C	H
J-APS-100140	6	100X100/140X140	100	140	140	120-190
J-APS-90160	6	90X90/160X160	90	90	160	120-190

Raw material: Steel, Yellow Zinc Plated


SOUTH AFRICA TIMBER CONNECTORS



NAIL PLATE SINGLE NAIL TYPE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			B	L	S
J-NPS-24	600	2"X4"	2"	4"	0.9
J-NPS-34	400	3"X4"	3"	4"	0.9
J-NPS-44	300	4"X4"	4"	4"	0.9
J-NPS-64	200	6"X4"	6"	4"	0.9
J-NPS-84	150	8"X4"	8"	4"	0.9

Raw material: Pre-galv. Steel Sheet DX51D + Z275



J-LWB-38 J-LWB-76

LIGHT DUTY JOIST HANGER 1.2MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-LWB-38	50	38X45X86	38	45	86
J-LWB-76	50	76X38X120	76	38	120

Raw material: Pre-galv. Steel Sheet




J-LWB-38116R J-LWB-38116L

135° LIGHT DUTY JOIST HANGER 1.2MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
J-LWB-38116L	50	38X116X85	38	116	85
J-LWB-38116R	50	38X116X85	38	116	85


Raw material: Pre-galv. Steel Sheet



LIGHT DUTY JOIST HANGER 1.0MM

Art.-Nr.	PCS/CTN	SIZES A X B
J-LWB-38120	40	38X120

Raw material: Pre-galv. Steel Sheet




HURRICANE CLIPS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-LSP-110L	100	110X60X1.2	110	60	1.2
J-LSP-110R	100	110X60X1.2	110	60	1.2

Raw material: Pre-galv. Steel Sheet


POST ANCHORS FOR AUSTRALIA



FULL STIRRUP POST ANCHOR 4MM STEEL, 25MM STEM PIPE

Art.-Nr.	SIZES C X A / D	SPECIFICATION					
		A	B	C	D	E	F
J-FSPA-6577/10	65X77/M10	77	109	65	11	75	75
J-FSPA-6577/12	65X77/M12	77	109	65	14	75	75
J-FSPA-6592/10	65X92/M10	92	109	65	11	75	75
J-FSPA-6592/12	65X92/M12	92	109	65	14	75	75
J-FSPA-65102/10	65X102/M10	102	109	65	11	75	75
J-FSPA-65102/12	65X102/M12	102	109	65	14	75	75
J-FSPA-75102/10	75X102/M10	102	109	75	11	75	75
J-FSPA-75102/12	75X102/M12	102	109	75	14	75	75
J-FSPA-13077/10	130X77/M10	77	109	130	11	75	75
J-FSPA-13077/12	130X77/M12	77	109	130	14	75	75
J-FSPA-13092/10	130X92/M10	92	109	130	11	75	75
J-FSPA-130102/10	130X102/M10	102	109	130	11	75	75
J-FSPA-130117/10	130X117/M10	117	109	130	11	75	75
J-FSPA-130127/10	130X127/M10	127	109	130	11	75	75
J-FSPA-130127/12	130X127/M12	127	109	130	14	75	75
J-FSPA-15092/10	150X92/M10	92	109	150	11	75	75
J-FSPA-150102/10	150X102/M10	102	109	150	11	75	75
J-FSPA-20077/10	200X77/M10	77	109	200	11	75	75
J-FSPA-20077/12	200X77/M12	77	109	200	14	75	75
J-FSPA-20092/10	200X92/M10	92	109	200	11	75	75
J-FSPA-20092/12	200X92/M12	92	109	200	14	75	75
J-FSPA-200102/10	200X102/M10	102	109	200	11	75	75
J-FSPA-200102/12	200X102/M12	102	109	200	14	75	75
J-FSPA-25092/10	250X92/M10	92	109	250	11	75	75
J-FSPA-250102/10	250X102/M10	102	109	250	11	75	75
J-FSPA-30077/10	300X77/M10	77	109	300	11	75	75
J-FSPA-30077/12	300X77/M12	77	109	300	14	75	75
J-FSPA-30092/10	300X92/M10	92	109	300	11	75	75
J-FSPA-30092/12	300X92/M12	92	109	300	14	75	75
J-FSPA-300117/10	300X117/M10	117	109	300	11	75	75
J-FSPA-300117/12	300X117/M12	117	109	300	14	75	75
J-FSPA-300127/10	300X127/M10	127	109	300	11	75	75
J-FSPA-300127/12	300X127/M12	127	109	300	14	75	75
J-FSPA-37592/10	372X92/M10	92	109	375	11	75	75
J-FSPA-45092/10	450X92/M10	92	109	450	11	75	75
J-FSPA-45092/12	450X92/M12	92	109	450	14	75	75
J-FSPA-450102/10	450X102/M10	102	109	450	11	75	75
J-FSPA-450102/12	450X102/M12	102	109	450	14	75	75
J-FSPA-450127/10	450X127/M10	127	109	450	11	75	75
J-FSPA-60092/10	600X92/M10	92	109	600	11	75	75
J-FSPA-60092/12	600X92/M12	92	109	600	14	75	75
J-FSPA-600102/10	600X102/M10	102	109	600	11	75	75
J-FSPA-600102/12	600X102/M12	102	109	600	14	75	75

Raw material: Steel Sheet HDG




FULL STIRRUP SS316 (M10 & M12 HOLES COMBINED)

Art.-Nr.	PCS/CTN	SIZES
J-FSPA-13092S	10	130X92X4.0mm
J-FSPA-130117S	10	130X117X4.0mm
J-FSPA-130127S	10	130X127X4.0mm
J-FSPA-130137S	10	130X137X4.0mm
J-FSPA-20092S	10	200X92X4.0mm
J-FSPA-30092S	10	300X92X4.0mm

Raw material: Stainless Steel SS316


POST ANCHORS FOR AUSTRALIA



U STIRRUP POST ANCHOR 4MM STEEL, 25MM STEM SOLID

Art.-Nr.	SIZES C X A / D	SPECIFICATION					
		A	B	C	D	E	F
J-USPA-15092	150X92/M10	92	108	150	11	75	75
J-USPA-20092	200X92/M10	92	108	200	11	75	75
J-USPA-30092	300X92/M10	92	108	300	11	75	75
J-USPA-300102	300X102/M10	102	108	300	11	75	75


Raw material: Steel, Zinc Plated



HALF STIRRUP POST ANCHOR 4MM STEEL, 25MM STEM SOLID

Art.-Nr.	SIZES C X A / D	SPECIFICATION					
		A	B	C	D	E	F
J-HSPA-15091	150X91/M10	91	108	150	11	75	75
J-HSPA-30091	300X91/M10	91	108	300	11	75	75


Raw material: Steel, Zinc Plated



Post Support Adjustable

Art.-Nr.	PCS/CTN	SIZES
J-PSA-85	10	85X75X45X4.0mm
J-PSA-160	10	160X75X45X4.0mm

Raw material: Steel Sheet, HDG



CYCLONIC POST SUPPORTS

Art.-Nr.	PCS/CTN	L	W
J-HWPA30075	1	300	75
J-HWPA30090	1	300	90
J-HWPA300100	1	300	100
J-HWPA45075	1	450	75
J-HWPA45090	1	450	90
J-HWPA450100	1	450	100
J-HWPA60090	1	600	90
J-HWPA600100	1	600	100
J-HWPA600125	1	600	125
J-HWPA600150	1	600	150

Raw material: steel plate, HDG after punching

CYCLONIC POST SUPPRTS SS316

Art.-Nr.	PCS/CTN	L	W
J-HWPA45090S	1	450	90
J-HWPA450100S	1	450	100
J-HWPA60090S	1	600	90
J-HWPA600100S	1	600	100

Raw material: Stainless Steel SS316


POST ANCHORS FOR AUSTRALIA



HALF STIRRUP POST ANCHOR 4MM STEEL, 25MM STEM PIPE

Art.-Nr.	SIZES C X A / D	SPECIFICATION					
		A	B	C	D	E	F
J-HSPA-65/10	65X91/M10	91	112	65	11	75	75
J-HSPA-65/12	65X91/M12	91	112	65	14	75	75
J-HSPA-130/10	130X91/M10	91	112	130	11	75	75
J-HSPA-130/12	130X91/M12	91	112	130	14	75	75
J-HSPA-200/10	200X91/M10	91	112	200	11	75	75
J-HSPA-200/12	200X91/M12	91	112	200	14	75	75
J-HSPA-300/10	300X91/M10	91	112	300	11	75	75
J-HSPA-300/12	300X91/M12	91	112	300	14	75	75

Raw material: Steel Sheet HDG



Post Support - Half Stirrup SS316 (M10 & M12 Holes Combined)

Art.-Nr.	PCS/CTN	SIZES
J-HSPA-200	5	200X75X95X4.0mm
J-HSPA-300	5	300X75X95X4.0mm
J-HSPA-125	5	125X75X95X4.0mm


Raw material: Stainless Steel SS316



CENTRE FIX POST ANCHOR

Art.-Nr.	PCS/CTN	SIZES	PIPE SIZE
J-CFPA-130	10	130MM	φ25X2X130
J-CFPA-300	10	300MM	φ25X2X300

Raw material: Steel, HDG after punching




CENTRE PIN POST ANCHOR

Art.-Nr.	PCS/CTN	SIZES	PIN SIZE
J-CPPA-130	10	130MM	φ25X130
J-CPPA-300	10	300MM	φ25X300

Raw material: Steel, HDG after punching

POST SUPPORTING FOR AUSTRALIA



Heavy Duty U-Cup Bolt Down

Art.-Nr.	PCS/CTN	SIZES
J-HDUCBD-443	10	75X75X5.0mm
J-HDUCBD-444	10	90X75X5.0mm
J-HDUCBD-442	10	100X75X5.0mm
J-HDUCBD-172	10	125X75X5.0mm
J-HDUCBD-173	10	140X75X5.0mm

Raw material: Steel Sheet, HDG



Expansion Ties GALV

Art.-Nr.	PCS/CTN	SIZES	THICKNESS
J-ET-285	20	285X40X1.0	1.0MM

Raw material: Pre-galvanised Z275-Z600







WALL TIE PRE-GALVANISED

Art.-Nr.	PCS/CTN	SIZES	THICKNESS
J-WT-100	100	100X35X24	0.7MM
J-WT-110	100	110X30X24	1.0MM

Raw material: Pre-galvanised Z275-Z600





3PCS JOIST BRACKET SET 1.5MM

Art.-Nr.	SETS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-JBS-240	25	240MM	25	70	240	50

Raw material: Z275


WOOD CONNECTORS FOR AUSTRALIA



MINI GRIP

Art.-Nr.	PCS/CTN	SIZES
J-MG-5735	100	57X35X1.0mm


Raw material: Steel Sheet, HDG



MULTI GRIP

Art.-Nr.	PCS/CTN	SIZES
J-MGA-10035	100	100X35X1.0mm Z275
J-MGA-13035	100	130X35X1.0mm Z275
J-MGA-10035S	20	100X35X1.0mm SS316
J-MGA-10035U	100	100X35X1.0mm UNPUNCHED


Raw material: Steel Sheet, HDG or SS316



Triple Grip

Art.-Nr.	PCS/CTN	SIZES
J-TG-115LP	50	115X60X1.0mm Z275 PUNCHED LEFT
J-TG-115RP	50	115X60X1.0mm Z275 PUNCHED RIGHT
J-TG-115LPS	20	115X60X1.0mm SS316 PUNCHED LEFT
J-TG-115RPS	20	115X60X1.0mm SS316 PUNCHED RIGHT
J-TG-115LUP	50	115X60X1.0mm Z275 UNPUNCHED LEFT
J-TG-115RUP	50	115X60X1.0mm Z275 UNPUNCHED RIGHT

Raw material: Steel Sheet, HDG or SS316



Unitie

Art.-Nr.	PCS/CTN	SIZES
J-U-170LP	100	170X32X1.0mm PUNCHED LEFT
J-U-170RP	100	170X32X1.0mm PUNCHED RIGHT
J-U-170LUP	100	170X32X1.0mm UNPUNCHED LEFT
J-U-170RUP	100	170X32X1.0mm UNPUNCHED RIGHT

Raw material: Steel Sheet, HDG




Corner Plate

Art.-Nr.	PCS/CTN	SIZES
J-CP-1163	150	110X60X30X1.6mm

Raw material: Steel Sheet, HDG

WOOD CONNECTORS FOR AUSTRALIA



Joist Hangers Z275


Art.-Nr.	PCS/CTN	SIZES
J-AJH-3590	45	35X90X1.2mm
J-AJH-35120	45	35X120X1.2mm
J-AJH-35140	40	35X140X1.2mm
J-AJH-35180	30	35X180X1.2mm
J-AJH-3860	45	38X60X1.2mm
J-AJH-3890	45	38X90X1.2mm
J-AJH-38120	45	38X120X1.2mm
J-AJH-38140	40	38X140X1.2mm
J-AJH-38180	30	38X180X1.2mm
J-AJH-38220	30	38X220X1.2mm
J-AJH-4590	45	45X90X1.2mm
J-AJH-45120	45	45X120X1.2mm
J-AJH-45140	40	45X140X1.2mm
J-AJH-45180	30	45X180X1.2mm
J-AJH-45220	15	45X220X1.2mm
J-AJH-5090	45	50X90X1.2mm
J-AJH-50120	45	50X120X1.2mm
J-AJH-50140	40	50X140X1.2mm
J-AJH-50180	30	50X180X1.2mm
J-AJH-50220	15	50X220X1.2mm
J-AJH-65170	15	65X170X1.2mm
J-AJH-70200	15	70X200X1.2mm
J-AJH-90200	15	90X200X1.2mm

Raw material: Steel Sheet, HDG

Joist Hangers SS316

Art.-Nr.	PCS/CTN	SIZES
J-SJH-3590	20	35X90X1.2mm
J-SJH-4590	20	45X90X1.2mm
J-SJH-45120	20	45X120X1.2mm
J-SJH-45140	30	45X140X1.2mm
J-SJH-45180	30	45X180X1.2mm
J-SJH-5090	45	50X90X1.2mm
J-SJH-50140	30	50X140X1.2mm
J-SJH-50180	30	50X180X1.2mm


Raw material: Stainless Steel SS316



Joist Hanger Heavy Duty

Art.-Nr.	PCS/CTN	SIZES
J-JHHD-100140	10	100X140X1.2mm

Raw material: Steel Sheet, HDG



Joist Hanger Split

Art.-Nr.	pairs/CTN	SIZES
J-JHS-200	10	200X2.0mm
J-JHS-300	10	300X2.0mm

Raw material: Steel Sheet, HDG


WOOD CONNECTORS FOR AUSTRALIA



HITCH

Art.-Nr.	PCS/CTN	SIZES
J-H-190	100	114X46X38X1.0mm
J-H-193	100	130X55X47X2.0mm


Raw material: Steel Sheet, HDG



NAIL ON PLATE


Art.-Nr.	PCS/CTN	SIZES
J-NOP-402	60	75X125X1.0mm
J-NOP-403	40	75X190X1.0mm
J-NOP-404	30	75X250X1.0mm
J-NOP-405	25	75X320X1.0mm
J-NOP-406	20	75X380X1.0mm
J-NOP-399	30	100X190X1.0mm
J-NOP-407	10	80X120X1.0mm
J-NOP-409	10	80X180X1.0mm
J-NOP-411	10	80X240X1.0mm
J-NOP-413	10	80X300X1.0mm

Raw material: Steel Sheet, HDG



Pergola Angle


Art.-Nr.	PCS/CTN	SIZES
J-PA-434	100	88X66X36X1.6mm Z275
J-PA-435	20	88X66X36X1.6mm Stainless Steel SS316



Hold Down Bracket

Art.-Nr.	PCS/CTN	SIZES
J-HDB-436	75	130X55X47X2.0mm

Raw material: Steel Sheet, HDG



Fascia Brackets

Art.-Nr.	PCS/CTN	SIZES
J-FB-147	20	300X110X50mm

Raw material: Steel Sheet, HDG


WOOD CONNECTORS FOR AUSTRALIA



TAP IN PLATE

Art.-Nr.	PCS/CTN	SIZES
J-TIP-33127	150	33X127X1.0mm
J-TIP-38127	100	38X127X1.0mm
J-TIP-38190	70	38X190X1.0mm
J-TIP-45120	100	45X120X1.0mm
J-TIP-45180	70	45X180X1.0mm
J-TIP-45240	40	45X240X1.0mm
J-TIP-67127	70	67X127X1.0mm
J-TIP-67190	40	67X190X1.0mm
J-TIP-67254	30	67X254X1.0mm
J-TIP-70100	75	70X100X1.0mm
J-TIP-70150	50	70X150X1.0mm
J-TIP-70300	30	70X300X1.0mm
J-TIP-7663	100	76X63X1.0mm
J-TIP-76127	50	76X127X1.0mm
J-TIP-76190	30	76X190X1.0mm
J-TIP-76254	30	76X254X1.0mm
J-TIP-90120	50	90X120X1.0mm
J-TIP-90200	25	90X200X1.0mm
J-TIP-90250	20	90X250X1.0mm
J-TIP-90300	20	90X300X1.0mm
J-TIP-134127	20	134X127X1.0mm
J-TIP-134190	20	134X190X1.0mm
J-TIP-134254	20	134X254X1.0mm


Raw material: Steel Sheet, HDG



Mini Nail

Art.-Nr.	PCS/CTN	SIZES
J-MN-5025	30	50X25X1.0mm

Raw material: Steel Sheet, HDG



Strap Nail

Art.-Nr.	PCS/CTN	SIZES
J-SN-3890	75	38X90X1.0mm
J-SN-25100	180	25X100X1.0mm
J-SN-50100	75	50X100X1.0mm
J-SN-75100	50	75X100X1.0mm

Raw material: Steel Sheet, HDG



Shade Cloth Fix

Art.-Nr.	PCS/CTN	SIZES
J-SCF-5013	50	50X13X0.6mm

Raw material: Steel Sheet, HDG

WOOD CONNECTORS FOR AUSTRALIA



Ezy Stud Tie

Art.-Nr.	PCS/CTN	SIZES
J-EST-18565	50	185X65X1.0mm


Raw material: Steel Sheet, HDG



Stud Tie - Single Sided

Art.-Nr.	PCS/CTN	SIZES
J-STSS-24060LP	50	240X60X1.0mm PUNCHED LEFT
J-STSS-24060RP	50	240X60X1.0mm PUNCHED RIGHT
J-STSS-24060LUP	50	240X60X1.0mm UNPUNCHED LEFT
J-STSS-24060RUP	50	240X60X1.0mm UNPUNCHED RIGHT

Raw material: Steel Sheet, HDG



J-STDS-700

J-STDS-701




J-STDS-703

Stud Tie - Double Sided

Art.-Nr.	PCS/CTN	SIZES
J-STDS-700	100	300X25X1.0mm ONE PRE-BENDED
J-STDS-701	80	400X25X1.0mm ONE PRE-BENDED
J-STDS-703	80	400X25X1.0mm TWO PRE-BENDED

Raw material: Steel Sheet, HDG




Truss Tie

Art.-Nr.	PCS/CTN	SIZES
J-TT-799	50L+50R	117X25X1.0mm

Raw material: Steel Sheet, HDG

WOOD CONNECTORS FOR AUSTRALIA



Batten Straps

Art.-Nr.	PCS/CTN	SIZES
J-BS-23	70	70X30X1.0mm

Raw material: Steel Sheet, HDG



Foil Tacks

Art.-Nr.	PCS/CTN	SIZES
J-FT-168	50	25X25mm

Raw material: Steel Sheet, HDG



Foil Insulation Fix Fasteners

Art.-Nr.	PCS/CTN	SIZES
J-FIFF-606	500	30X30mm 500PCS BULK PACK
J-FIFF-607	50	30X30mm 50PCS BOXED

Raw material: Steel Sheet, HDG



Joist Strap

Art.-Nr.	PCS/CTN	SIZES
J-JS-320	150	162X0.6mm

Raw material: Steel Sheet, HDG



J-SBT-671 J-SBT-674




J-SBT-672

Strap Brace Tensioner

Art.-Nr.	PCS/CTN	SIZES
J-SBT-671	6	88X72X35mm
J-SBT-672	6	80X72X35mm
J-SBT-674	6	88X72X35mm

671: Steel w/ wing nut, T-bolt, and washer
672: Steel w/ heavy hex bolt
674: Stainless Steel SS316 w/ wing nut, T-bolt, and washer



Brick Vent

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-BV-75225	100	225X75X0.7	225	75	0.7

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or S250GD + Z275

MD WOOD CONNECTORS IN YZP




J-MDB-4435 J-MDB-5535 J-MDB-6335 J-MDB-7765 J-MDB-151565

MD ANGLE BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-MDB-4435	200	44X44X35X2.0	44	44	35	2.0
J-MDB-5535	200	54X54X35X2.0	54	54	35	2.0
J-MDB-6335	200	65X35X35X2.0	65	35	35	2.0
J-MDB-7765	100	72X72X65X2.0	72	72	65	2.0
J-MDB-151565	50	150X150X65X2.0	150	150	65	2.0

Raw material: Steel Sheet, Yellow Zinc Plated




J-MWC-8888 J-MWC-95130 J-MWC-70130

J-MWC-133122 J-MWC-95177 J-MWC-185160

MD JOIST HANGERS INNER FOLDED

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-MWC-8888	50	88X88X75X2.0	88	88	75	2.0
J-MWC-95130	50	95X130X83X2.0	95	130	83	2.0
J-MWC-70130	50	70X130X83X2.0	70	130	83	2.0
J-MWC-133122	10	133X122X92X3.0	133	122	92	3.0
J-MWC-95177	10	95X177X92X3.0	95	177	92	3.0
J-MWC-185160	10	185X160X83X3.0	185	160	83	3.0

Raw material: Steel Sheet, Yellow Zinc Plated




J-SBSL-45096 J-SBSL-45145 J-SBSL-45192

MD BEAM SHOE WITH LIPS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-SBSL-45096	50	45X96X50X2.0	45	96	50	2.0
J-SBSL-45145	50	45X145X50X2.0	45	145	50	2.0
J-SBSL-45192	50	45X192X50X2.0	45	192	50	2.0

Raw material: Steel Sheet, Yellow Zinc Plated




J-SBS-45096 J-SBS-45145 J-SBS-45192

MD BEAM SHOE WITHOUT LIP

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-SBS-45096	50	45X96X50X2.0	45	96	50	2.0
J-SBS-45145	50	45X145X50X2.0	45	145	50	2.0
J-SBS-45192	50	45X192X50X2.0	45	192	50	2.0

Raw material: Steel Sheet, Yellow Zinc Plated

MD WOOD CONNECTORS IN YZP




J-UH-95 J-UH-130 J-UH-140

U HOLDER BENDED

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-UH-95	50	95X95X80X2.0	95	95	80	2.0
J-UH-130	50	130X88X80X2.5	130	88	80	2.5
J-UH-140	50	140X85X130X2.5	140	85	130	2.5

Raw material: Steel Sheet, Yellow Zinc Plated



J-UHS-45 J-UHS-70 J-UHS-90 J-UHS-185

U HOLDER STRAIGHT

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-UHS-45	50	45X60X60X2.0	45	45	60	2.0
J-UHS-70	50	70X80X60X2.0	70	80	60	2.0
J-UHS-90	50	90X90X80X2.0	90	90	80	2.0
J-UHS-185	50	185X118X165X2.5	185	118	165	2.5

Raw material: Steel Sheet, Yellow Zinc Plated



J-MDCS-45 J-MDCS-95 J-MDCS-135

MD COLUMN SHOES

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-MDCS-45	50	45X60X58X2.0	45	60	58	2.0
J-MDCS-95	50	95X60X95X2.0	45	45	95	2.0
J-MDCS-135	50	135X132X85X2.5	135	132	85	2.5


Raw material: Steel Sheet, Yellow Zinc Plated



MD CROSS CONNECTOR

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-MDCC-45	50	45X43X160X2.0	45	43	160	2.0


Raw material: Steel Sheet, Yellow Zinc Plated



U HOLDER WITH FOOT

Art.-Nr.	PCS/CTN	SIZ,FFF,ES	SPECIFICATION			
			A	B	C	S
J-UHF-135	10	135	135	85	160	2.0

Raw material: Steel sheet, YZP after punching



TRIANGLE CONNECTORS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
J-TC-120	100	120X40	120	40	1.0

Raw material: Pre-galv. Steel Sheet


OTHER BRACKETS



STEEL MARBLE ANGLES

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-SMA-50	200	50X50X50	50	50	50	4.0
J-SMA-70	200	50X70X50	50	70	50	4.0
J-SMA-100	200	50X100X50	50	100	50	4.0

Raw material: steel , zinc plated




STAINLESS MARBLE CLIP A2 1.5MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	D
J-SSTC-13	200	13X41.5X21	13	41.5	21	6
J-SSTC-14	200	14X41.5X21	14	41.5	21	9
J-SSTC-15	200	15X41.5X21	15	41.5	21	9
J-SSTC-15-7	200	15X41.5X21	15	41.5	21	7
J-SSTC-16	200	16X41.5X21	16	41.5	21	9
J-SSTC-17	200	17X41.5X21	17	41.5	21	9
J-SSTC-18	200	18X41.5X21	18	41.5	21	9
J-SSTC-19	200	19X41.5X21	19	41.5	21	9
J-SSTC-22	200	22X41.5X21	22	41.5	21	9
J-SSTC-28	200	28X41.5X21	28	41.5	21	9
J-SSTC-13DBL	200	13X62.55X21	13	62.55	21	6

Raw material: Stainless Steel A2

SPRING ANCHOR HOOK



5 CIRCLES 6 CIRCLES 8 CIRCLES

Remarks: Different length or colors are available

TIMBER CONNECTORS



J-CRB-2180WZ J-CRB-1865WZ J-CRB-1168WZ J-CRB-1190WZ

CYPRUS REINFORCED BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
J-CRB-5538WZ	100	50X50X38X2.0	50	50	38	2.0
J-CRB-4450WZ	100	40X40X50X2.0	40	40	50	2.0
J-CRB-7755WZ	50	70X70X55X2.0	70	70	55	2.0
J-CRB-9968WZ	50	90X90X68X2.5	90	90	68	2.5
J-CRB-1178WZ	25	100X100X78X2.5	100	100	78	2.5
J-CRB-7440WZ	100	77X47X40X2.0	77	47	40	2.0
J-CRB-1190WZ	25	115X115X90X2.5	115	115	90	2.5
J-CRB-1168WZ	25	135X135X68X2.5	135	135	68	2.5
J-CRB-1865WZ	25	180X80X65X4.0	180	80	65	4.0
J-CRB-2180WZ	10	250X105X80X4.0	250	105	80	4.0

Raw material: steel plate, YZP or Powder coated after punching



J-CRB-1178WZ J-CRB-9968WZ J-CRB-7755WZ J-CRB-7440WZ J-CRB-4450WZ J-CRB-5538WZ




YZP BLACK BROWN

J-GB-230

GREECE BRACKET

Art.-Nr.	PCS/CTN	SIZES
J-GB-230	20	230X65X4.0
J-GB-210	20	210X100X4.0

Raw material: Steel sheet, YZP after punching



J-GB-210

FASTENERS

THREAD RODS DIN975



Length available : 1meter, 2meter, 3meter

Material available: 4.8, 8.8, B7, A2, A4

SIZE	KGS/PC	PCS/BDL	PCS/PALLET	GW/PALLET	NW/PALLET
6X1000	0.172	100	6000	1052	1032
8X1000	0.312	50	3000	956	936
10X1000	0.492	25	2000	1004	984
12X1000	0.714	20	1400	1020	1000
14X1000	0.994	10	1000	1014	994
16X1000	1.312	10	800	1070	1050
18X1000	1.630	10	600	998	978
20X1000	2.053	5	500	1047	1027
22X1000	2.514	5	400	1026	1006
24X1000	2.957	5	270	1026	1006
27X1000	3.730	5	270	1027	1007
30X1000	4.686	5	210	1004	984
33X1000	5.765	3	174	1023	1003
36X1000	6.733	3	150	1030	1010
39X1000	7.984	3	126	1026	1006

Ceiling Anchors



Art.–Nr.	SIZE	(Max Fixture Thickness(mm)	Fixture Clearance Hole ϕ (mm)	Box Qty	Carton Qty	Pallet Qty
J-CA-640	6X40	5	6.5	100	2000	72000
J-CA-665	6X65	30	6.5	100	2000	72000

Tie Wire Anchor



Art.–Nr.	SIZE	Eye ϕ (mm)	Box Qty	Carton Qty	Pallet Qty
J-TWA-640	6X40	6.3	100	2000	72000
J-TWA-650	6X50	6.3	100	2000	72000
J-TWA-655	6X55	6.3	100	2000	72000
J-TWA-660	6X60	6.3	100	2000	72000
J-TWA-665	6X65	6.3	100	2000	72000
J-TWA-612	6X120	6.3	100	1000	36000
J-TWA-613	6X135	6.3	100	1000	36000



• HC-06 VACUUM BRAZED TOOLS INFORMATION:

Advanced vacuum brazing technology ensure excellent sharpness and less spark, provide better working environment.



VACUUM BRAZED TOOLS

HC-06 005 VB CORE BIT FOR CERAMIC (陶瓷钻)

FEATURES: • Vacuum brazed core bit for extremely hard ceramic tiles. Quick start and drilling fast. High speed and long life.

APPLICATIONS: • Ceramic tiles etc.

MACHINERY: • Drill or angle grinder





DIAMETER	HOW TO USE	ARBOR	COOLING
5 mm	Drill/ Angle grinder	13 mm/ M14	Yes/No
6 mm	Drill/ Angle grinder	13 mm/ M14	Yes/No
7 mm	Drill/ Angle grinder	13 mm/ M14	Yes/No
8 mm	Drill/ Angle grinder	13 mm/ M14	Yes/No
10 mm	Drill/ Angle grinder	13 mm/ M14	Yes/No
12 mm	Drill/ Angle grinder	13 mm/ M14	Yes/No
14mm	Drill/ Angle grinder	13 mm/ M14	Yes/No
16mm	Drill/ Angle grinder	13 mm/ M14	Yes/No
18mm	Angle grinder	M14	No
20mm	Angle grinder	M14	No
22mm	Angle grinder	M14	No
25mm	Angle grinder	M14	No
27mm	Angle grinder	M14	No
28mm	Angle grinder	M14	No
30mm	Angle grinder	M14	No
32mm	Angle grinder	M14	No
35mm	Angle grinder	M14	No
38mm	Angle grinder	M14	No
40mm	Angle grinder	M14	No
43mm	Angle grinder	M14	No
45mm	Angle grinder	M14	No
50mm	Angle grinder	M14	No
51mm	Angle grinder	M14	No
55mm	Angle grinder	M14	No
57mm	Angle grinder	M14	No
60mm	Angle grinder	M14	No
64mm	Angle grinder	M14	No
65mm	Angle grinder	M14	No
67mm	Angle grinder	M14	No
68mm	Angle grinder	M14	No
70mm	Angle grinder	M14	No
75mm	Angle grinder	M14	No
80mm	Angle grinder	M14	No
83mm	Angle grinder	M14	No
85mm	Angle grinder	M14	No
90mm	Angle grinder	M14	No
95mm	Angle grinder	M14	No
105mm	Angle grinder	M14	No
115mm	Angle grinder	M14	No
120mm	Angle grinder	M14	No
128mm	Angle grinder	M14	No

Dry Dry

HC-04 016 VACUUM BRAZED DIAMOND CUP WHEEL (钎焊碗轮)



FEATURES: • Used for concrete or floor grinding and surface removal. Balance technology improves machine vibration.

APPLICATIONS: • Concrete.

INCHES	SIZE
4"	105 x 22.23 (22.23/20/16)
5"	125 x 22.23 (22.23/20/16)
7"	180 x 22.23 (22.23/20/16)

Dry Wet

• HC-01 DIAMOND SAW BLADE FOR GENERAL PURPOSE INFORMATION:

Special design and strict quality control for DIY market, Provide fast, free and smooth cutting in brick blocks, concrete, marble, soft granite and construction materials. Suitable for masonry saw, walk behind saw, handheld saw and angle grinder. Best choice for DIY market.



CUTTING GENERAL PURPOSE

HC-01 001 CONTINUOUS RIM SAW BLADE (连续片)

FEATURES: • Cold or hot pressing sintering process, Continuous cutting edge guarantee better cutting quality

APPLICATIONS: • Special for ceramic, marble and glass



OUTER DIAMETER		ARBOR SIZE	SEGMENT DIMENSION
INCHES	MILLIMETER		
3"	80	20/22.23	1.6×5
3"	80	20/22.23	1.6×5
4"	105	16/20/22.23	1.8×5/7/10
4.3"	110	16/20/22.23	1.9×5/7/10
4.5"	115	20/22.23	1.9×5/7/10
5"	125	20/22.23	1.9×5/7/10
6"	150	20/22.23	1.9×5/7/10
7"	180	22.23/25.4	2.2×5/7/10
8"	200	22.23/25.4	2.4×5/7/10
9"	230	22.23/25.4	2.6×5/7/10
10"	250	22.23/25.4	3.0×5/7/10
12"	300	20/22.23/25.4/50	3.2×7/10
14"	350	22.23/25.4/50	3.2×7.5/10
16"	400	22.23/25.4/50	3.4×7.5/10

Wet

HC-01 002 SEGMENTED SAW BLADE (干片)

FEATURES: • Cold or hot pressing sintering process, multi-application blade suitable for any DIY job.

APPLICATIONS: • Masonry, brick, block, concrete, stone.



OUTER DIAMETER		ARBOR SIZE	SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	MILLIMETER			
4"	105	16/20/22.23	35×1.8×7/10	8/9/16
4.3"	110	16/20/22.23	32×1.9×7/10	8/9/12/16
4.5"	115	20/22.23	38×2.0×7/10	9
5"	125	20/22.23	33×2.0×7/10	9
6"	150	20/22.23	34×2.0×7/10	12
7"	180	22.23/25.4	35×2.2×7/10	14
8"	200	22.23/25.4	39×2.4×7/10	14
9"	230	22.23/25.4	34×2.4×7.5/10	16/18
10"	250	22.23/25.4	37×3.0×7.5/10	18
12"	300	20/22.23/25.4/50	35×3.2×7.5/10	22
14"	350	22.23/25.4/50	40×3.2×7.5/10	24
16"	400	22.23/25.4/50	40×3.6×7.5/10	28

Dry

• HC-01 DIAMOND SAW BLADE FOR GENERAL PURPOSE

INFORMATION:

Special design and strict quality control for DIY market. Provide fast, free and smooth cutting in brick blocks, concrete, marble, soft granite and construction materials. Suitable for masonry saw, walk behind saw, handheld saw and angle grinder. Best choice for DIY market.




CUTTING

GENERAL PURPOSE

HC-01 003 TURBO SAW BLADE (波纹片)

FEATURES: • Turbo teeth offer fast and powerful cutting. Hot pressed sintering process gives the blade ideal long life.

APPLICATIONS: • Concrete, brick, block, masonry, stone.



OUTER DIAMETER		ARBOR SIZE	SEGMENT DIMENSION
INCHES	METRIC(MM)		
4"	105	16/20/22.23	2.0×8/10
4.3"	110	16/20/22.23	2.0×8/10
4.5"	115	20/22.23	2.2×8/10
5"	125	20/22.23	2.2×8/10
6"	150	20/22.23	2.4×8/10
7"	180	22.23/25.4	2.6×8/10
8"	200	22.23/25.4	2.6×8/10
9"	230	22.23/25.4	3.0×7.5/10
10"	250	22.23/25.4	3.1×8/10
12"	300	20/22.23/25.4/50	3.2×8/10
14"	350	22.23/25.4/50	3.2×8/10
16"	400	22.23/25.4/50	3.8×8/10

Wet Dry

HC-01 004 TURBO WAVE SAW BLADE (加强波纹片)

FEATURES: • Cold or hot pressing sintering process. The wave shaped core improves blade rigidity, reduces friction, and avoids wobbling during cutting.

APPLICATIONS: • Hard concrete, hard brick, granite, masonry.



OUTER DIAMETER		ARBOR SIZE	SEGMENT DIMENSION
INCHES	METRIC(MM)		
4"	105	16/20/22.23	2.5×8
4.3"	110	16/20/22.23	2.5×8/10
4.5"	115	20/22.23	2.5×8/10
5"	125	20/22.23	2.5×8
6"	150	20/22.23	2.8×8
7"	180	22.23/25.4	3.0×8/10
8"	200	22.23/25.4	3.0×9
9"	230	22.23/25.4	3.1×9/10
10"	250	22.23/25.4	3.4×10
12"	300	20/22.23/25.4/50	3.6×8/10

Dry

• HC-01 DIAMOND SAW BLADE FOR GENERAL PURPOSE

INFORMATION:

Special design and strict quality control for DIY market. Provide fast, free and smooth cutting in brick blocks, concrete, marble, soft granite and construction materials. Suitable for masonry saw, walk behind saw, handheld saw and angle grinder. Best choice for DIY market.



CUTTING

GENERAL PURPOSE

HC-01 005 HC-01 006 HC-01 007








HC-01 008 HC-01 009 HC-01 010








HC-01 011 HC-01 012 HC-01 013







- HC-01 DIAMOND SAW BLADE FOR GENERAL PURPOSE

INFORMATION:

Special design and strict quality control for DIY market. Provide fast, free and smooth cutting in brick blocks, concrete, marble, soft granite and construction materials. Suitable formasonry saw, walk behind saw, handheld saw and angle grinder. Best choice for DIY market.



CUTTING

GENERAL PURPOSE

HC-01 014



HC-01 015



HC-01 016



HC-01 017



HC-01 018



HC-01 019



HC-01 020



HC-01 021



HC-01 022



- HC-02 DIAMOND SAW BLADE FOR GENERAL PURPOSE

INFORMATION:

Hot pressing, brazed or laser welded processes make sure fast, precise, and chip-free cutting for marble, granite, san stone etc. Specially teeth designed and mature bond system make sure stable cutting speed.



CUTTING

GENERAL PURPOSE



HC-02 001 **LASER WELDED DIAMOND SAW BLADE 通用型激光片**

FEATURES: · Laser welded process. Professional blade engineered for long life free cutting.

APPLICATIONS: · Constructions materials, green concrete, asphalt, and sandstone.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32×2.0×8/10	8
4.5"	115	7/8"	22.23	32×2.0×8/10	9
5"	125	7/8"	22.23	32×2.2×8/10	10
6"	150	7/8"	22.23	33×2.2×8/10	12
7"	180	7/8"	22.23	36×2.4×8/10	14
8"	200	7/8"	22.23	40×2.4×8/10	16
9"	230	7/8"	22.23	38×2.6×8/10	16
10"	250	7/8"	22.23	38×2.6×8/10	18
12"	300	1"	25.4	40×3.0×8/10	20
14"	350	1"	25.4	40×3.2×8/10	24
16"	400	1"	25.4	40×3.4×8/10	28
18"	450	1"	25.4	40×3.6×8/10	32
20"	500	1"	25.4	40×3.6×8/10	35
24"	600	1"	25.4	40×4.2×8/10	42

• HC-02 DIAMOND SAW BLADE FOR STONES
INFORMATION:

Hot pressing, brazed or laser welded processes make sure fast, precise, and chip-free cutting for marble, granite, san stone etc. Specially teeth designed and mature bond system make sure stable cutting speed.



CUTTING FOR STONES



HC-02 009 MARBLE SAW BLADE(大理石片)

FEATURES: • Hot pressed sintering blade with thinner rim provides fast, precise, and chip-free cutting. Special segments brazed process of the blade to avoid wobbling during cutting.

APPLICATIONS: • Marble

INCHES	DIAMETER	SEGMENTDIMENSION
10"	250	12×2.2×8/10
12"	300	40×2.8×8/10
14"	350	40×3.0×8/10
16"	400	40×3.2×8/10
18"	450	40×3.4×8/10
20"	500	40×3.6×8/10
22"	550	40×3.6×8/10
24"	600	40×3.8×8/10
28"	700	40×4.0×8/10
32"	800	40×4.0×8/10

Wet

• HC-02 DIAMOND SAW BLADE FOR CONCRETE
INFORMATION:

Ideal bonds are designed for professional cutting concrete with various aggregates and heavy reinforcement. Slant segments or tungsten carbide inserts protect the blade from undercutting.



CUTTING FOR CONCRETE



HC-02 002 LASER WELDED HAND/FLOOR SAW BLADE(混凝土片)

FEATURES: • Double insured laser welding technology provides safe connection between segments and core. Experienced tension processing makes the thinner blade more rigid. Special slanted segment design ensures smooth cutting.

APPLICATIONS: • Cured concrete, reinforced concrete and green concrete.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32×2.0×8/10	8
4.5"	115	7/8"	22.23	32×2.0×8/10	9
5"	125	7/8"	22.23	32×2.2×8/10	10
6"	150	7/8"	22.23	33×2.2×8/10	12
7"	180	7/8"	22.23	36×2.4×8/10	13
8"	200	7/8"	22.23	40×2.4×8/10	13
9"	230	7/8"	22.23	38×2.6×8/10	16
10"	250	7/8"	22.23	38×2.6×8/10	18
12"	300	1"	25.4	40×3.0×8/10	20
14"	350	1"	25.4	40×3.2×8/10	24
16"	400	1"	25.4	40×3.4×8/10	28
18"	450	1"	25.4	40×3.6×8/10	32
20"	500	1"	25.4	40×3.6×8/10	35
24"	600	1"	25.4	40×4.2×8/10	42

Wet Dry

• HC–02 DIAMOND SAW BLADE FOR ASPHALT
INFORMATION:
Asphalt will stiffen when the temperature rises, difficult to cut. Special powder metallurgy design to realize smooth cutting. Brazed or laser welded process ensure longer using life.



CUTTING
FOR ASPHALT





HC–02 003 ASPHALT BLADE (沥青片)

FEATURES: • U gullet core is suitable for fast cutting abrasive materials. Experienced tension processing makes the thinner blade more rigid. Special slanted segment design ensure smooth cutting.

APPLICATIONS: • Asphalt and green concrete.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32×2.0×8/10	8
4.5"	115	7/8"	22.23	32×2.0×8/10	9
5"	125	7/8"	22.23	32×2.2×8/10	10
6"	150	7/8"	22.23	33×2.2×8/10	12
7"	180	7/8"	22.23	36×2.4×8/10	13
8"	200	7/8"	22.23	40×2.4×8/10	13
9"	230	7/8"	22.23	38×2.6×8/10	16
10"	250	7/8"	22.23	38×2.6×8/10	18
12"	300	1"	25.4	40×3.0×8/10	18
14"	350	1"	25.4	40×3.2×8/10	21
16"	400	1"	25.4	40×3.4×8/10	24
18"	450	1"	25.4	40×3.6×8/10	28
20"	500	1"	25.4	40×3.6×8/10	30
24"	600	1"	25.4	40×4.2×8/10	36




Wet Dry



• HC–02 SILENT BRICK & BLOCK SAW BLADES
INFORMATION:
Cutting Hard Aggregate, Fast Cutting performance.
Two small turbo segment on the segment base, silence core



CUTTING
FOR BRICK & BLOCK



HC–02 008 SILENT BRICK & BLOCK SAW BLADES(消音片)

FEATURES: • S-shape sandwich segments provide fast and stable cutting.
Copper sandwiched between steel core reduce noise.

APPLICATIONS: • Brick & Block

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
12"	300	1"	25.4	40×3.0×8/10	20
14"	350	1"	25.4	40×3.2×8/10	24
16"	400	1"	25.4	40×3.4×8/10	28
18"	450	1"	25.4	40×3.6×8/10	32
20"	500	1"	25.4	40×3.6×8/10	35
24"	600	1"	25.4	40×4.2×8/10	42



Wet Dry



• HC-09 DIAMOND SAW BLADE FOR CERAMIC

INFORMATION:

Hot pressed sintering blade with thinner rim provides fast, accurate, and chip free cuts. Special laser cut seams through the rim and core release stress in the blade to avoid wobbling during cutting.



CUTTING FOR CERAMIC

HC-09 001 DIAMOND SAW BLADE FOR CERAMIC(瓷砖片)



FEATURES: • Soft bond, supreme diamond and precise tolerance control provide fast cutting with minimum chipping.

APPLICATIONS: • Ceramic tiles.

DIAMETER	INSIDE	BASIC THICKNESS	RIM THICKNESS	TEETH
200	25~60	1.4~1.6	1.8~2.0	14
250	25~60	1.4~1.6	1.8~2.0	18
300	25~60	1.6~1.8	2.0~2.4	23
350	25~60	1.8~2.2	2.2~2.6	28

Wet

• HC-09 DIAMOND SAW BLADE FOR CERAMIC

INFORMATION:

Hot pressed sintering blade with thinner rim provides fast, accurate, and chip free cuts. Special laser cut seams through the rim and core release stress in the blade to avoid wobbling during cutting.



CUTTING FOR CERAMIC

HC-09 002 SINTERED CONTINUOUS RIM TILE BLADE(烧结陶瓷片)



FEATURES: • Hot pressing sintered saw blade with soft bond, supreme diamond provide better cutting quality.

APPLICATIONS: • Ceramic tiles, porcelain, and glass.

INCHES	SIZE
4"	105 x 1.2/0.8 x 10 x 22.23 (22.23/20,22.23/16)
4. 5"	115 x 1.2/0.8 x 10 x 22.23 (22.23/20,22.23/16)
5"	125 x 1.2/0.8 x 10 x 222.23 (22.23/20)
7"	180 x 1.6/1.2 x 10 x 22.23 (22.23/20)
9"	230 x 1.6/1.2 x 10 x 22.23 (22.23/20)

Wet

HC-09 003 SUPER THIN TURBO TILE BLADE(超薄波纹陶瓷片)



FEATURES: • Super thin turbo rim and soft bond give a dramatic improvement on cutting speed.

APPLICATIONS: • All kinds of ceramic tiles and porcelain.

INCHES	SIZE
4"	105 x 1.2/0.8 x 7 x 16(20/16,22.23/20)
4. 5"	115 x 1.6/1.0 x 7 x 22.23(22.23/20,22.23/16)
5"	125 x 1.6/1.2 x 7 x 22.23 (22.23/20)

Wet Dry

HC-09 004 SUPER THIN TURBO TILE BLADE(超薄波纹陶瓷片)



FEATURES: • Super thin turbo rim and soft bond give a dramatic improvement on cutting speed.

APPLICATIONS: • All kinds of ceramic tiles and porcelain.

INCHES	SIZE
4"	105x 0.8/1.2x 10x 22.23
4. 5"	115x 1.0/1.4x 10x 22.23
5"	125x 1.0/1.4x 10x 22.23
6"	150x 1.2/1.6x 10x 22.23
7"	180x 1.2/1.6x 10x 22.23
8"	200x 1.4/1.8x 10x 22.23
9"	230x 1.6/2.0x 10x 22.23
10"	250x 1.6/2.0x 10x 22.23

Wet Dry

• HC-02 DIAMOND SAW BLADE FOR STONES

INFORMATION:

Hot pressing, brazed or laser welded processes make sure fast, precise, and chip-free cutting for marble,granite, sandstone etc.Specially teeth designed and mature bond system make sure stable cutting speed.



CUTTING FOR STONES

HC-02 010 GRANITE SAW BLADE(花岗岩片)



FEATURES: • Extremely fast and smooth cutting is obtained from specially designed fine diamond ordering arrangement process and mature bond system.

APPLICATIONS: • Granite

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32×1.7×10	8
4.5"	115	7/8"	22.23	32×1.8×10	8
5"	125	7/8"	22.23	32×1.9×10	9
6"	150	7/8"	22.23	32×1.9×10	12
7"	180	7/8"	22.23	36×2.2×10	14
8"	200	7/8"	22.23	40×2.2×10	14
9"	230	7/8"	22.23	38×2.4×10	18
12"	300	1"	25.4	40×3.0×10/12	21
14"	350	1"	25.4	40×3.2×10/12	24
16"	400	1"	25.4	40×3.4×10/12	28
18"	450	1"	25.4	40×3.6×10/12	32
20"	500	1"	25.4	40×3.6×10/12	35
24"	600	1"	25.4	40×4.2×10/12	42

Wet Dry

• HC-02 DIAMOND SAW BLADE FOR CONCRETE

INFORMATION:

Hot pressing, brazed or laser welded processes make sure fast, precise, and chip-free cutting for marble,granite, sandstone etc.Specially teeth designed and mature bond system make sure stable cutting speed.



CUTTING FOR CONCRETE

HC-02 007 RING SAW BLADE (环锯)



FEATURES: • More cutting depth, Better clearance effect.

APPLICATIONS: • Cured concrete.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
14"	350	11.338"	288	40×4.0×10/12	18/22

Wet Dry

HC-02 005 WALL SAW BLADE (墙锯)



FEATURES: • V-shape sandwich segments provide fast and stable cutting.

APPLICATIONS: • Concrete wall, reinforced concrete structure, brick wall.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
18"	460	2.36"	60	50×4.6×10	25
20"	500	2.36"	60	50×4.6×10	28
24"	600	2.36"	60	50×4.6×10	32
30"	760	2.36"	60	50×4.6×10	40
32"	800	2.36"	60	50×4.5×10	42
42"	1050	2.36"	60	50×4.5×10	50
48"	1200	2.36"	60	50×4.5×10	58
54"	1400	2.36"	60	50×4.5×10	68
63"	1500	2.36"	60	50×4.5×10	75

Wet Dry

• HC-06 DIAMOND CORE BIT

INFORMATION:

Diamond hole saws are also called diamond core drill bits. Laser welded diamond core drill bits can be used in wet and dry drilling. The bond materials and the diamonds used on the laser welded diamond core drill bits are specially adjusted to fit the wet and dry drillings respectively. This can make the core bits perform better in drilling speed and/or lifespan.



DRILLING

GENERAL PURPOSE



HC-06 003 DIAMOND CORE BITS (金刚石打孔钻)

FEATURES: • Laser welded core bits are designed for maximum cutting capacity required by professional application.
Standard segment provides long life, V-shape segment offers easy start of cutting.
The precisely machined barrel insures that each bit runs true and vibration free. Crowned type is available.

APPLICATIONS: • Cured reinforced concrete, green concrete, and abrasive materials.
MACHINERY: • Hydraulic drilling machines, electric hand-held drills.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
0.87"	22	33.78"	350	10×3×8/10	3
1.10"	28	33.78"	350	15×3×8/10	3
1.26"	32	6.69"	170	15×3×8/10	3
1.5"	38	6.69"	170	15×3/3.5×8/10	4
1.89"	48	6.69"	170	24×3/3.5×8/10	4
2.05"	52	6.69"	170	24×3/3.5×8/10	4
2.56"	65	6.69"	170	24×3/3.5×8/10	4
3.07"	78	6.69"	170	24×3/3.5×8/10	5
3.58"	91	6.69"	170	24×3/3.5×8/10	5
4.21"	107	6.69"	170	24×3/3.5×8/10	6
4.61"	117	6.69"	170	24×3/3.5×8/10	6
5"	127	6.69"	170	24×3/3.5×8/10	8
5.98"	152	6.69"	170	24×3/3.5×8/10	10
6.38"	162	6.69"	170	24×3/3.5×8/10	10

Dry Dry

• HC-06/08 DIAMOND CORE BIT

INFORMATION:

Diamond hole saws are also called diamond core drill bits. Laser welded diamond core drill bits can be used in wet and dry drilling. The bond materials and the diamonds used on the laser welded diamond core drill bits are specially adjusted to fit the wet and dry drillings respectively. This can make the core bits perform better in drilling speed and/or lifespan.



DRILLING

FOR STONES

HC-06 003 DIAMOND CORE BITS' ACCESSORIES (孔钻配件)



HC-06 004 DIAMOND CORE BIT BOX SET (孔钻套装)





• HC-05 DIAMOND TUCK POINT BLADE
INFORMATION:
Used on hand held circular saws and small ginders.



CUTTING
TUCK POINT BLADE

HC-05 001 TUCK POINT BLADE (开槽片)



FEATURES:
- Provide constant depth of cut and far fewer blade changes than conventional abrasive blades. Its normally used for grooving.
- With the TCT segmented protect, it can be used on heavy duty machine for grooving, mortar ranking on board materials.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32×6.0×8/10	8
4.5"	115	7/8"	22.23	34×6.0×8/10	8
5"	125	7/8"	22.23	34×6.0×8/10	9
6"	150	7/8"	22.23	32×6.0×8/10	12
7"	180	7/8"	22.23	34×6.0×8/10	14
8"	200	7/8"	22.23	38×6.4×8/10	16
9"	230	7/8"	22.23	38×6.4×8/10	18

Wet

HC-05 002 CRACK CHASER (尖型开槽片)



FEATURES:
- Brazed
- Provide constant depth with angle cut on marble, granite, bricks, concrete and other materials.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	32×6.0×8/10	8
4.5"	115	7/8"	22.23	34×6.0×8/10	8
5"	125	7/8"	22.23	34×6.0×8/10	9
6"	150	7/8"	22.23	32×6.0×8/10	12
7"	180	7/8"	22.23	34×6.0×8/10	14
8"	200	7/8"	22.23	38×6.4×8/10	16
9"	230	7/8"	22.23	38×6.4×8/10	18

Wet

• HC-05 DIAMOND TUCK POINT BLADE
INFORMATION:
Used on hand held circular saws and small ginders.



CUTTING
TUCK POINT BLADE

HC-05 003 SANDWICH SAW BLADE (三明治开槽片)



FEATURES:
- Sintered, Brazed, Laser Welded.
- Combined double saw blades.
- Special for grooving.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	35×5×7/10	8/9/16
4.5"	115	7/8"	22.23	38×5.4×7/10	8
5"	125	7/8"	22.23	37×5.4×7/10	9
6"	150	7/8"	22.23	38×5.4×7/10	12
7"	180	7/8"	22.23	35×5.4×7/10	14
8"	200	7/8"	22.23	39×6.2×7/10	14
9"	230	7/8"	22.23	34×6.2×7 2/10	16/18

Wet

HC-05 004 TURBO CRACK CHASER BLADE (波纹开槽片)



FEATURES:
- Sintered
- Provide constant depth with angle cut on marble, granite, bricks, concrete and other materials.

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
4"	105	7/8"	22.23	13×11
4.5"	115	7/8"	22.23	13×11
5"	125	7/8"	22.23	13×11
7"	180	7/8"	22.23	13×11

Wet

• HC-04 DIAMOND GRINDING WHEEL

FEATURES :

Various styles of diamond grinding wheel can be chosen, arranged segments or continuous rim are brazed on the cup wheel used for fast grinding concrete surface and floor. Various bonds available for hard and soft building materials.

APPLICATIONS:

Concrete and stones.



GRINDING CUP WHEEL

HC-04 001 SINGLE ROW CUP GRINDING WHEEL (单排磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	100	7/8"	22.23	30×5×7.2	8
4.125"	105	7/8"	22.23	35×5×7.2	8
4.5"	110	7/8"	22.23	32×5×7.2	8
4.5"	115	7/8"	22.23	30×5×7.2	9
5"	125	7/8"	22.23	30×5×7.2	10
6"	150	7/8"	22.23	30×5×7.2	12
7"	178	7/8"	22.23	35×5×7.2	12
7.1"	180	7/8"	22.23	30×5×7.2	13
9"	230	7/8"	22.23	32×5×7.2	18

Wet

HC-04 002 DOUBLE ROW CUP GRINDING WHEEL (双排磨轮)

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	100	7/8"	22.23	30×5×7.2	12
4.125"	105	7/8"	22.23	35×5×7.2	12
4.5"	110	7/8"	22.23	32×5×7.2	12
4.5"	115	7/8"	22.23	30×5×7.2	18
5"	125	7/8"	22.23	30×5×7.2	20
6"	150	7/8"	22.23	30×5×7.2	24
7"	178	7/8"	22.23	35×5×7.2	24
7.1"	180	7/8"	22.23	30×5×7.2	26
9"	230	7/8"	22.23	32×5×7.2	36

Wet



HC-04 003 SEGMENTED TURBO CUP GRINDING WHEEL (斜齿磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4.125"	105	7/8"	22.23	24×7×5/8	10/13
4.5"	115	7/8"	22.23	25×7×5/8	9/18
5"	125	7/8"	22.23	25×7×5/8	9/18
6"	150	7/8"	22.23	25×8×5/8	10/20
7.1"	180	7/8"	22.23	25×8×5/8	12/18/24
9"	230	7/8"	22.23	29×8×5/8	18/24/32

Wet

• HC-04 DIAMOND GRINDING WHEEL

FEATURES :

Various styles of diamond grinding wheel can be chosen, arranged segments or continuous rim are brazed on the cup wheel used for fast grinding concrete surface and floor. Various bonds available for hard and soft building materials.

APPLICATIONS:

Concrete and stones.



GRINDING CUP WHEEL

HC-04 004 CONTINUOUS TURBO CUP GRINDING WHEEL (波纹磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
4"	100	7/8"	22.23	100×20×4.5/7
4.125"	105	7/8"	22.23	105×20×4.5/7
4.5"	115	7/8"	22.23	115×20×4.5/7
5"	125	7/8"	22.23	125×20×4.5/7
6"	150	7/8"	22.23	150×20×4.5/7
7.1"	180	7/8"	22.23	180×20×4.5/7

Wet

HC-04 005 "U" ROW CUP GRINDING WHEEL (U型齿磨轮)

OUTER DIAMETER		ARBOR SIZE		SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
4.5"	115	7/8"	22.23	115×26×5
5"	125	7/8"	22.23	125×26×5

Wet



HC-04 006 FLOOR GRINDING HEAD (地板磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
10"	250	1"	25.4	40×10×10	30
10"	250	1"	25.4	40×10×10	35
10"	250	1"	25.4	40×10×10	20

Wet

• HC-04 DIAMOND GRINDING WHEEL

FEATURES :

Various styles of diamond grinding wheel can be chosen, arranged segments or continuous rim are brazed on the cup wheel used for fast grinding concrete surface and floor. Various bonds available for hard and soft building materials.

APPLICATIONS:

Concrete and stones.



GRINDING CUP WHEEL

HC-04 007 "L" ROW CUP GRINDING WHEEL (L型磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4.5"	115	7/8"	22.23	45×5	7
5"	125	7/8"	22.23	48×5	7
6"	150	7/8"	22.23	58×5	7
7"	180	7/8"	22.23	58×5	7

Wet

• HC-04 DIAMOND GRINDING WHEEL

FEATURES :

Various styles of diamond grinding wheel can be chosen, arranged segments or continuous rim are brazed on the cup wheel used for fast grinding concrete surface and floor. Various bonds available for hard and soft building materials.

APPLICATIONS:

Concrete and stones.



GRINDING CUP WHEEL

HC-04 009 "T" ROW CUP GRINDING WHEEL (T型磨轮)

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	100	7/8"	22.23	30×5×7.2	8
4.125"	105	7/8"	22.23	31×5×7.2	8
4.3"	110	7/8"	22.23	32×5×7.2	8
4.5"	115	7/8"	22.23	30×5×7.2	9
5"	125	7/8"	22.23	30×5×7.2	10
6"	150	7/8"	22.23	30×5×7.2	12
7"	178	7/8"	22.23	35×5×7.2	12
7.1"	180	7/8"	22.23	30×5×7.2	13
9"	230	7/8"	22.23	32×5×7.2	18

Wet



HC-04 008 R3 CUP GRINDING WHEEL (R3型磨轮)

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
7"	178	7/8"	22.23	50/21×5/7	18
9"	230	7/8"	22.23	50/21×5/7	18
10"	250	7/8"	22.23	50/21×5/7	18

Wet



HC-04 010 "S"ROW CUP GRINDING WHEEL (S型磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
5"	125	7/8"	22.23	13×10×5/8	10
7.1"	180	7/8"	22.23	13×10×5/8	14
9"	230	7/8"	22.23	13×10×5/8	20

Wet

• HC-04 DIAMOND GRINDING WHEEL

FEATURES :

Various styles of diamond grinding wheel can be chosen, arranged segments or continuous rim are brazed on the cup wheel used for fast grinding concrete surface and floor. Various bonds available for hard and soft building materials.

APPLICATIONS:

Concrete and stones.



GRINDING CUP WHEEL

HC-04 011 SINTERED TURBO CUP GRINDING WHEEL (烧结波纹磨轮)

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
3.27"	83	7/8"	22.23	83×10×5

Wet



HC-04 012 SINTERED CONTINUOUS CUP GRINDING WHEEL (烧结连边磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)	
3.27"	83	7/8"	22.23	83×10×5
4"	105	7/8"	22.23	105×10/20×5

Wet

• HC-04 DIAMOND GRINDING WHEEL

FEATURES :

Various styles of diamond grinding wheel can be chosen, arranged segments or continuous rim are brazed on the cup wheel used for fast grinding concrete surface and floor. Various bonds available for hard and soft building materials.

APPLICATIONS:

Concrete and stones.



GRINDING CUP WHEEL

HC-04 013 BOW SEG. CUP GRINDING WHEEL (弓型齿磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
5"	125	7/8"	22.23	36×24×5.2	8
7"	180	7/8"	22.23	36×24×5.2	12

Wet

HC-04 014 ALTERNATIVE SEG. DOUBLE ROW CUP GRINDING WHEEL (交替齿双排磨轮)

OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	100	7/8"	22.23	30×5×7.2	12
4.125"	105	7/8"	22.23	31×5×7.2	12
4.3"	110	7/8"	22.23	32×5×7.2	12
4.3"	110	7/8"	22.23	30×5×7.2	18
5"	125	7/8"	22.23	30×5×7.2	20
6"	150	7/8"	22.23	30×5×7.2	24
7"	178	7/8"	22.23	35×5×7.2	24
7.1"	180	7/8"	22.23	30×5×7.2	26
9"	230	7/8"	22.23	32×5×7.2	36

Wet



• HC-04 DIAMOND GRINDING WHEEL

FEATURES :

Various styles of diamond grinding wheel can be chosen, arranged segments or continuous rim are brazed on the cup wheel used for fast grinding concrete surface and floor. Various bonds available for hard and soft building materials.

APPLICATIONS:

Concrete and stones.



GRINDING CUPWHEEL

HC-04 015 CONTINUOUS LADDER SEG. CUP GRINDING WHEEL (连续梯型齿磨轮)



OUTER DIAMETER		ARBOR SIZE		SEGMENT DIMENSION	SEGMENT NUMBER
INCHES	METRIC(MM)	INCHES	METRIC(MM)		
4"	105	7/8"	22.23	20×5/8	16
4.5"	115	7/8"	22.23	20×5/8	16
5"	125	7/8"	22.23	20×5/8	16
6"	150	7/8"	22.23	20×5/8	16
7"	180	7/8"	22.23	20×5/8	16


Wet

HC-10 001-003 DIAMOND GRINDING PLATES(磨块)


FEATURES: • Broad range of bond achieves maximum capacity for floor preparation, such as surface grinding and coating removal. Aggressive and efficient for various floors. Wet or dry use.

APPLICATIONS: • Concrete and terrazzo floor.

001



002



003



Surface Pro™ Terrazzo Plugs

- Fits all plug-type terrazzo grinding machines
- Use with Surface Pro™ terrazzo plug drive plate

NO	SPECIFICATIONS	GRAIN SIZES
1	Φ75×4T	20/250
2	Φ75×4T	30/400
3	Φ75×4T	60/800
4	Φ75×4T	120/1500

Wet

NO	SPECIFICATIONS	GRAIN SIZES
1	Φ290×2T	20/250
2	Φ290×2T	30/400
3	Φ290×2T	60/800
4	Φ290×2T	120/1500

Wet

• HC-02 TUNGSTEN CARBIDE BLADE

INFORMATION:

Tungsten Carbide cutting blades with higher quality carbided tipes for smooth cutting



CUTTING WOOD/ALUMINUM

HC-02 012 TUNGSTEN CARBIDE BLADE (合金锯片)



FEATURES: • Highest quality T.C.T blades In China, Accurate angle. The best balance with professional detection. High quality heat treatment.

SPECIFICATIONS
4×30T
4×30T(ST)
4×40T
7×40T
7×60T
7×80T
8×60T
8×80T
8×100T
9×40T
9×60T
9×80T
9×100T
10×40T

SPECIFICATIONS
10×60T
10×80T
10×100T
10×120T
12×60T
12×80T
12×100T
12×120T
14×80T
14×100T
16×80T
16×100T
16×120T

Dry

• HC-08 ABRASIVE FLAP DISC

INFORMATION:

Aluminium oxide abrasives are used on high tensile strength metals, such as carbon and alloy steel, tough iron, and nonferrous alloys. Silicon carbide abrasives are used on hard and brittle substances, such as grey iron and cemented carbide, and low tensile strength metals, such as brass, aluminium, and copper.



GRINDING STEEL

HC-08 011 ABRASIVE FLAP DISC (百叶轮)



FEATURES: 1-Cool running.2- High stock removal.3- Non-loading consistent finish.4-Available diameters from P24 to P400.5-Available grain: Ceramic, Aluminium oxide, Silicon carbide, Zirconia.6-Available Backing: Fiber glass backing, nylon backing, plastic backing.
APPLICATIONS: Weld Grinding, Cleaning, Deburring
MACHINERY: Angle grinder.

INCHES	SPECIFICATIONS
4"	100MM×15.8MM
4-5"	115MM×22.2MM
5"	125MM×22.2MM
7"	180MM×22.2MM

Dry

• HC-07 POLISHING PAD

INFORMATION:

Polishing and buffing are finishing processes for smoothing a workpiece's surface using an abrasive and a work wheel, and polishing is often used to enhance the looks of an item, prevent contamination of instruments, remove oxidation, create a reflective surface, or prevent corrosion in pipes.



POLISHING

HC-07 001 POLISHING PADS (软磨片)





Wet Dry

DRY FLEXIBLE POLISHING PAD

ITEM NUMBER	DIAMETER INCHES	DIAMETER METRIC(MM)	THICKNESS	GRIT
DP-80	3"	80	2.2mm/3.8mm	50# 100# 200# 400# 800# 1500# 3000# 5000# Buff
DP-100	4"	100		
DP-125	5"	125		

GRIT	50	100	200	400	800	1500	3000	BUFF
COLOR								

HC-07 003 DIAMOND POLISHING PADS' BACKER (软磨片接头)



RIGID BACKER

ITEM NUMBER	DIAMETER INCHES	DIAMETER METRIC(MM)	ARBOR
RB-80	3"	80	M14/M16
RB-100	4"	100	
RB-125	5"	125	

Conform to the standard :

CE EN397+A1:2012
ANSI/ISEA Z89.1 TYPE II CLASS C
AS/NZS 1801:1997+A1:1999
GB2811-2007

Certified by:




W-1000-A

- ABS shell for great impact resistance and durability
- 6-point ratchet suspension for excellent impact absorption
- 4-point chin strap
- Coverable vents design at back
- Resistant to extreme temperatures –30° C to +50° C
- Color can choose Blue,yellow,red,orange,green or customized

Color:



SAFETY HELMET





M-5015



M-5016


Conform to the standard :
CE EN397+A1:2012
ANSI/SEA Z89.1 TYPE I CLASS C
AS/NZS 1801:1997+A1:1999
GB2811-2007
Certified by:

W-2000

- HDPE shell for impact resistance and durability
- 6-point ratchet suspension for excellent impact absorption
- 4-point chin strap
- Vents to dissipate heat rapidly
- Color can choose Blue,yellow,red,orange,green or customized

Color:







W-018

- HDPE or ABS shell,
- Vents to dissipate heat rapidly,
- High intensity fiber tape for the head hoop,
- Knob and buckle available for ratchet adjustment,
- 6-point attachment provides impact protection,
- Go with different brands ear muffs and safety masks,
- Color can choose blue,yellow,red,orange,green or customized.

Color:







W-019
UNVENTED HELMET



W-018R
REFLECTIVE HELMET

W-037

- HDPE or ABS shell,
- Fiber tape head hoop for better comfort,
- Ratchet adjustment knob,tight and reliable,
- 6-point attachment provides impact protection,
- Color can choose blue,yellow,red,orange,green or customized.

Color:







W-038
UNVENTED HELMET

W-003







W-003R
REFLECTIVE HELMET

- HDPE shell,
- Soft new PP material for the head hoop ,
- Ratchet adjustment knob, tight and reliable,
- Electrical insulation
- Go with different brands ear muffs and safety masks,
- 4-point attachment provides impact protection,
- Color can choose blue, yellow, red, orange, green or customized

Color:

W-003F





- HDPE shell,
- Electrical insulation
- High intensity fiber tape for the head hoop,
- Knob and buckle available for ratchet adjustment,
- 4-point attachment provides impact protection,
- Color can choose blue,yellow,red,orange,green or customized.

Color:

W-003V







W-003VR
REFLECTIVE HELMET

- HDPE shell,
- Soft new PP material for the head hoop ,
- Ratchet adjustment knob, tight and reliable,
- Vents to dissipate heat rapidly,
- Go with different brands ear muffs and safety masks,
- 4-point attachment provides impact protection,
- Color can choose blue, yellow, red, orange, green or customized

Color:

W-003FV





- HDPE shell,
- Full brim for improved protection,
- Fiber tape head hoop for better comfort,
- Ratchet adjustment knob,tight and reliable,
- 4-point attachment provides impact protection,
- Color can choose blue,yellow,red,orange,green or customized.

Color:

W-001



- HDPE or ABS shell, ≡ – shape design,
- Soft new PP material for the head hoop,
- Ratchet adjustment knob, tight and reliable,
- 4–point attachment provides impact protection,
- Color can choose blue, yellow, red, orange, green or customized

Color:

W-006



- Polycarbonate shell
- Protect against high temperature metal melting
- Soft new PP material for the head hoop
- Ratchet adjustment knob,tight and reliable
- 8–point attachment provides impact protection
- Color can choose blue,yellow,red,orange,green or customized

Color:

W-036



- HDPE or ABS shell,
- Soft new PP material for the head hoop ,
- Ratchet adjustment knob, tight and reliable,
- Vents to dissipate heat rapidly,
- Go with different brands ear muffs and safety masks,
- 6–point attachment provides impact protection,
- Color can choose blue, yellow, red, orange, green or customized

Color:

W-036R

REFLECTIVE HELMET

W-007



- HDPE or ABS shell,
- Soft new PP material for the head hoop ,
- Ratchet adjustment knob, tight and reliable,
- 4–point attachment provides impact protection,
- Color can choose blue, yellow, red, orange, green or customized

Color:

W-039



- High density HDPE shell ,
- Soft new PP matrial for the head hoop
- Button styple adjustment for easy size adjustment
- 4–point suspension provides impact protection .
- Color can choose Blue , yellow,red,orange, green ,white or customized

Color:

W-033



- HDPE or ABS shell,
- Soft new PP material for the head hoop,
- Ratchet adjustment buckle,tight and reliable,
- 6–point attachment provides impact protection,
- Color can choose blue,yellow,red,orange,green or customized.

Color:

W-012

Conform to the standard :
CE EN397+A1:2012
ANSI/ISEA Z89.1,TYPE I,CLASS B,GMC
AS/NZS 1801:1997+A1:1999
GB2811-2007



- HDPE or ABS shell, M – shape design,
- Soft new PP material for the head hoop ,
- Ratchet adjustment knob, tight and reliable,
- 4–point attachment provides impact protection,
- Color can choose blue, yellow, red, orange, green or customized

Color:

W-014

Conform to the standard :
CE EN397+A1:2012
ANSI/ISEA Z89.1,TYPE I,CLASS C
AS/NZS 1801:1997+A1:1999
GB2811-2007



- HDPE or ABS shell,lightweight and durbale,
- Side vents dissipate heat rapidly,
- Soft new PP material for the head hoop,
- Knob and buckle available for ratchet adjustment,
- 6–point attachment provides impact protection,
- Color can choose blue,yellow,red,orange,green or customized.

Color:

W-026

Conform to the standard :
CE EN397+A1:2012
ANSI/ISEA Z89.1,TYPE I,CLASS C
AS/NZS 1801:1997+A1:1999
GB2811-2007



- HDPE shell,I–shape design,
- Soft new PP material for the head hoop,
- Ratchet adjustment knob,tight and reliable,
- 6–point attachment provides impact protection,
- Color can choose blue,yellow,red,orange,green or customized.

Color:

Conform to the standard :
CE EN812:2012
Certified by:



WH-001

BUMP CAP

- Sport style fashion baseball cap design.
- Velcro closure at the back of the cap,it can be adjusted according to user' s head.
- The ergonomically shaped hard shell with integrated shock–absorbing elements ensures safety and optimal comfort.
- Adjustable fastening and soft foam insert cushions to help protect the head. Ventilation holes in the side for user comfort.
- Removable inner shell made of ABS+EVA material, comfortable wearing and secure protection.
- Available in Black,Red,Navy,Blue and Grey,Yellow Etc.






WH-001L

BUMP CAP WITH LED LIGHT

OUTER SHELL



INNER SHELL



CHIN STRIPS

Picture	Model No.	Applicable helmet type
	W-3001A	W-001,W-005,W-008,W-009,W-014,W-018,W-019,W-026,W-033, W-036,W-037,W-038
	W-3001B	W-001,W-005,W-008,W-009,W-014,W-018,W-019,W-026, W-033,W-036,
	W-3001C	W-001,W-005,W-008,W-009,W-014,W-018,W-019,W-026, W-033,W-036,
	W-3001D	W-001,W-005,W-008,W-009,W-014,W-018,W-019,W-026,W-033, W-036,W-037,W-038
	W-3001E	W-002, W-003, W-007, W-010, W-012
	W-3001F	W-003.W-010
	W-3001G	W-003, W-037, W-038



FACE SHIELD





M-5015

SAFETY HELMET COMBINATION

- Headgear with safety goggle,
  excellent protection for head,face and hearing.
- Applied for outdoor working like garden working ,
  logging work,Forestry work

Conform to the standard :
EN397+A1:2012
ANSI/ISEA Z89.1-2014 Type II,Class C
EN 166:2001
ISO 16321-1 :2021
ANSI/ISEA Z87.1-2020
Certified by:



F-4001



W-1000-A

FORESTRY HELMET

- Safety helmet match with face shield and ear muff,
  excellent protection for head,face and hearing.
- Applied for outdoor working like logging work, forestry work.

Conform to the standard :
CE EN397,EN352-3,EN1731,EN ISO16321-3
ANSI/ISEA Z89.1,ANSI/ISEA Z87.1,ANSI S3.19
Certified by:



M-7005



W-003



E-2017



M-5009



M-5016



A



B

FORESTRY HELMET

- Safety helmet match with face shield and ear muff,
  excellent protection for head,face and hearing.
- Applied for outdoor working like logging work,
  forestry work.

Conform to the standard :
EN397+A1:2012
ANSI/ISEA Z89.1-2014 Type II,Class C
EN1731
ANSI/ISEA Z87.1-2020
EN352-3:2020
ANSI S3.19-1974
Certified by:



M-8001



W-1000-A



E-2026F

FORESTRY HELMET

- Safety helmet match with face shield and ear muff, excellent protection for head,face and hearing.
- Applied for outdoor working like logging work, forestry work.

Conform to the standard :
EN397,EN352-3,EN1731/EN166,EN ISO16321
ANSI/ISEA Z89.1,ANSI/ISEA Z87.1,ANSI S3.19

Certified by:



M-5013



M-5014

FACE SHIELD

- HDPE headgear,face shield can choose PC or PVC
- Ratchet adjustment suspension with sweatband for improve comfort
- Flip up for different viewing angles

Conform to the standard :
CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15

Certified by:



M-6001



M-5002A



M-5011

M-5012

FACE SHIELD

- Headgear with face shield and ear muff, excellent protection for head,face and hearing.
- Applied for outdoor working like garden working , logging work,Forestry work

Conform to the standard :
CE EN166/EN1731,
EN ISO16321,
EN352-1,ANSI S3.19
ANSI/ISEA Z87.1,AS/NZS 1337.1

Certified by:

FACE SHIELD

- HDPE headgear,face shield can choose steel mesh
- Ratchet adjustment suspension with sweatband for improve comfort
- Flip up for different viewing angles

Conform to the standard :
CE EN1731:2006
EN ISO 16321-3:2022
ANSI/ISEA Z87.1-2020

Certified by:



M-5004A



M-5100



M-8004

Conform to the standard :
EN 166:2002

Certified by:

ECS CE 1883

FACE SHIELD

- Pet material
- ANTI FOG
- 0.2mm thickness
- Protecting against fluid splashing



FACE SHIELD

- Kickstand adopts ABS,Aluminum material.
- Face shield can choose PC,PVC or Steel mesh
- Buckle and collapsible band design fits perfectly to various helmets.
- Flip up to adjust 4 viewing angles. Ideal for steel works.
- Aluminum work,furance,logging etc.





M-5001C



M-5001A







VISOR BRACKET



M-7001/M-7001A/
M-7001B



M-7001B1 M-7001B2




M-7001C1 M-7001C2

Model NO	Material	Standard	Color
M-7001	Impact Resistance ABS material	CE,ANSI	Black
M-7001A	Inner :Impact Resistance ABS material Outer :Aluminum	CE,ANSI	Black
M-7001B	Aluminum	CE,ANSI	Black
M-7001B1	Aluminum	CE,ANSI	Black
M-7001B2	Aluminum	CE,ANSI	Anodic Coating
M-7001C1	Aluminum	CE,ANSI	Black
M-7001C2	Aluminum	CE,ANSI	Anodic Coating



Visor Bracket + Viser + Safety Helmet = Face Shield Hard Head Visor



M-7002A

M-7003

M-7002A

Size :	20x39.5CM(8"X15.5")
Thickness :	1.0 MM
Material :	PVC
Visible light transmittance :	87 %
Color :	Transparent

M-7003

Size :	20x39.5CM(8"X15.5")
Thickness :	1.0 MM
Material :	PVC
Visible light transmittance :	Can filter more than 99% of ultraviolet light
Color :	Black

M-7006

Size :	20x39.5CM(8"X15.5")
Thickness :	1.0 MM
Material :	PETG
Fitting:	11-hole
Visible light transmittance :	90%
Color :	Transparent

Impact Resistance Wtrength :

B Grade . Can resist a diameter 6mm steel ball by 120m/s high-speed launch and impact the safety mask.And the safety mask not penetrate ,not rupture and not fall off for keeping safe the users .And the same shock strength in an environment which high tempreture 55℃ or low temperature -5℃.



M-7002B

Size :	20x39.5CM(8"X15.5")
Thickness :	1.0 MM
Material :	PC
Visible light transmittance :	90%
Color :	Transparent

Impact Resistance Wtrength :

B Grade . Can resist a diameter 6mm steel ball by 120m/s high-speed launch and impact the safety mask.And the safety mask not penetrate ,not rupture and not fall off for keeping safe the users .And the same shock strength in an environment which high tempreture 55℃ or low temperature -5℃.

M-7007

Size :	20x39.5CM(8"X15.5")
Thickness :	1.0 MM
Material :	PETG
Fitting:	9-hole
Visible light transmittance :	90%
Color :	Transparent

Impact Resistance Wtrength :

B Grade . Can resist a diameter 6mm steel ball by 120m/s high-speed launch and impact the safety mask.And the safety mask not penetrate ,not rupture and not fall off for keeping safe the users .And the same shock strength in an environment which high tempreture 55℃ or low temperature -5℃.



M-7002B1

Size :	20x39.5CM(8"X15.5")
Thickness :	1.5 MM
Material :	PC
Visible light transmittance :	89 %
Color :	Transparent

Impact Resistance Wtrength :

A Grade . Can resist a diameter 6mm steel ball by 190m/s high-speed launch and impact the safety mask.And the safety mask not penetrate ,not rupture and not fall off for keeping safe the users .And the same shock strength in an environment which high tempreture 55℃ or low temperature -5℃.



M-7004

Size :	20x38.5CM(8"X15")
Material :	Non-glare black mesh steel
SPEC.	wire diameter 0.35MM. mesh count 24 mesh/ inch
Aluminum side reinforcement :	NO (Plastic side reinforcement)

Impact Resistance Wtrength :

Can resist a diameter 22mm steel ball(Weight :43g) by 5.1 m/s speed launch and impact the safety mask.And the safety mask not penetrate ,not rupture and not fall off for keeping safe the users.



M-5003A

FACE SHIELD

- PMMA mounded with excellent viewing.
- Ratchet adjustment suspension with sweatband for improved comfort.
- Face shield resistant to heat,acid and alkali,splash proof



M-5006



M-5007

Conform to the standard :

CE EN166:2001	AS/NZS 1337.1
EN ISO16321-1	CSA Z94.3-15
ANSI/ISEA Z87.1	



WELDING MASK



M-8002



M-8001



M-8003

Conform to the standard :

CE EN166/EN1731	AS/NZS 1337.1
EN ISO16321	CSA Z94.3-15
ANSI/ISEA Z87.1	

FACE SHIELD

M-8001
PC mounded with excellent viewing.

M-8002 M-8003
Non-glare black mesh steel mounded with excellent viewing.

- Elastic cord suspension with sweatband for improved comfort.
- Face shield resistant to heat,acid and alkali,splash proof

WELDING MASK

- HIGH quality PP material, flexible and durable,
- Handy ratchet adjustment knob for the head hoop,
- Different sizes for welding filters available,
- Perfectly protect your eyes against UV and IR rays,
- Applied for gas welding, brazing and torch cutting work.



M-2002
GERMANY TYPE WELDING MASK
Glass size:108x93mm

Conform to the standard :

CE EN175	AS/NZS 1337.1
EN ISO16321-2	GB3609.1
ANSI/ISEA Z87.1	

Certified by:

ECS CE 0516

M-2001
GERMANY TYPE WELDING MASK
Glass size:108x50mm





M-2005
TAIWAN TYPE WELDING MASK
Glass size:108x50mm



M-2004
TAIWAN TYPE WELDING MASK
Glass size:108x83mm





M-2006
TAIWAN TYPE WELDING MASK
(THICKEN)
Glass size:108x50mm

Conform to the standard :

CE EN175	AS/NZS 1337.1
EN ISO16321-2	GB3609.1
ANSI/ISEA Z87.1	

Certified by:

CRITT CE 0501



M-3001
AMERICAN TYPE WELDING MASK
Glass size:110x50mm

Conform to the standard :

CE EN175	AS/NZS 1337.1
EN ISO16321-2	GB3609.1
ANSI/ISEA Z87.1	

Certified by:

CRITT CE 0501





M-3002



M-3003



M-3004



M-3006



M-3008



SAFETY EYEWEAR

SAFETY GOGGLE

- Stable,transparent,flexible pvc frame seals tightly to the face.
- Direct or indirect ventilating design prevents fog in the goggle.
- Lens can choose PVC/PC.resists particles and liquid splashing.
- Anti scratch,Anti fog.

Conform to the standard :

CE EN166:2001	AS/NZS 1337.1-2020
EN ISO16321-1:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB14866-2006

Certified by:



F-2001



F-2003

Conform to the standard :

CE EN166:2001	AS/NZS 1337.1-2020
EN ISO16321-1:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB14866-2006

Certified by:



F-2008



F-2009

SAFETY GOGGLE

- Stable,transparent,flexible pvc frame seals tightly to the face.
- Direct or indirect ventilating design prevents fog in the goggle.
- Lens can choose PVC/PC.resists particles and liquid splashing.
- Anti scratch,Anti fog.

SAFETY GOGGLE

- Stable,transparent,flexible PVC frame seals tightly to the face,
- PC lens resists particles and liquid splashing.
- Coating available for anti-scratch,anti-fog function,
- Can do treatment to absorb 99% harmful UV.

Conform to the standard :

CE EN166:2001	AS/NZS 1337.1-2020
EN ISO16321-1:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB14866-2006

Certified by:

ECS CE 1803



F-2007

SAFETY GLASSES

- One-piece design with perfect view.
- Black mesh steel lens applied for agricultural operations work

Conform to the standard :

CE EN1731:2006
EN ISO 16321-3:2022
ANSI/ISEA Z87.1-2020



F-3100A

SAFETY GOGGLE

- Stable,transparent,flexible PVC frame seals tightly to the face,
- PC lens resists particles and liquid splashing.
- Coating available for anti-scratch,anti-fog function,
- Can do treatment to absorb 99% harmful UV.

Conform to the standard :

CE EN166:2001	AS/NZS 1337.1-2020
EN ISO16321-1:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB14866-2006

Certified by:

CE 2834



F-2005

SAFETY GOGGLE

- One-piece design with perfect view
- Head-mounted elastic webbing can be adjust.
- Black mesh steel lens applied for agricultural operations work

Conform to the standard :

CE EN1731:2006
EN ISO 16321-3:2022
ANSI/ISEA Z87.1-2020



F-3100B

SAFETY GOGGLE

- Stable,transparent,flexible PVC frame seals tihtly to the face
- PC lens,resists particles and liquid splashing
- Anti scratch,anti fog

Conform to the standard :

CE EN166:2001	AS/NZS 1337.1-2020
EN ISO16321-1:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB14866-2006

Certified by:

CE 2834



F-2012

SAFETY GOGGLE

- Stable,transparent,flexible PVC frame seals tightly to the face,
- PC lens resists particles and liquid splashing.
- Coating available for anti-scratch,anti-fog function,
- Can do treatment to absorb 99% harmful UV.

Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006



F-2006

WELDING GOGGLE

- Single lens structure,Comfortable to wear.
- Supple PVC frame, PVC lens
- Can go together with eyeglasses.
- Different color frame can be customized.

Conform to the standard :

CE EN175:2001	AS/NZS 1337.1-2020
EN ISO16321-2:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB3609.1-2008



F-1001

WELDING GOGGLE

- Flip-up front design for convenience.
- Flexible PVC indirect ventilating.
- Clear and black PVC lenes for different tasks.
- Protecting eyes under gas welding,brazing and torch cutting work.

Conform to the standard :

CE EN175:2001	AS/NZS 1337.1-2020
EN ISO16321-2:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB3609.1-2008



F-1002

WELDING GOGGLE

- Flip-up front design for convenience.
- Flexible PVC indirect ventilating.
- Clear and black PVC lenes for different tasks.
- Protecting eyes under gas welding,brazing and torch cutting work.

Conform to the standard :

CE EN175:2001	AS/NZS 1337.1-2020
EN ISO16321-2:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB3609.1-2008



F-1003



Conform to the standard :

CE EN166:2001	AS/NZS 1337.1-2020
EN ISO16321-1:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB14866-2006

Certified by:





F-3001

SAFETY GLASSES

- PA material frame,soft and flexible,
- High transparency PC lens,color can be customized,
- Adjustable temple buckles can add cords for easier taking,
- Coating available for anti-scratch,anti-fog function,
- Can do treatment to absorb 99% harmful UV.

SAFETY GLASSES

- PA material frame,soft and flexible,
- High transparency PC lens,color can be customized,
- Adjustable temple buckles can add cords for easier taking,
- Coating available for anti-scratch,anti-fog function,
- Can do treatment to absorb 99% harmful UV.

Conform to the standard :

CE EN166:2001	AS/NZS 1337.1-2020
EN ISO16321-1:2022	CSA Z94.3-15
ANSI/ISEA Z87.1-2020	GB14866-2006

F-3050





Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006

Certified by:

F-3009

SAFETY GLASSES

- One-piece design with perfect view,
- PC lens color can be customized,
- Coating available for anti-scratch,Anti-fog function ,
- Can do treatment to absorb 99% harmful UV.





F-3011L

SAFETY GLASSES

- Lightweight frameless desgin offers extra coziness .
- Lens made of new PC material.
- Color can be customized.
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.





Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006

Certified by:

F-3011

SAFETY GLASSES

- Lightweight frameless desgin offers extra coziness .
- Lens made of new PC material.
- Color can be customized.
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.





F-3011H

SAFETY GLASSES

- Lightweight frameless desgin offers extra coziness .
- With soft foam around inner for wear comfortable
- Lens made of new PC material.
- Color can be customized.
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.

Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006





Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006



SAFETY GLASSES

- Unique cushioned bridge and temples for improved comfort,
- Lens made of new PC material.
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.



F-3010

SAFETY GLASSES

- Lens made of new PC material.
- Color can be customized .
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.



F-3058

Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006



SAFETY GLASSES

- Lens made of new PC material,
- Coating available for anti-scratch,anti-fog function,
- Can do treatment to absorb 99% harmful UV.



F-3049

Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006

SAFETY GLASSES

- Lens made of new PC material.
- Color can be customized .
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.



Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006

F-3059



SAFETY GLASSES

- Lens made of new PC material.
- Color can be customized.
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.



F-3033

Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006

SAFETY GLASSES

- Lens made of new PC material.
- Color can be customized .
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.



F-3053

Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006



Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006



F-3039

SAFETY GLASSES

- Lens made of new PC material.
- Color can be customized.
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.

Conform to the standard :

CE EN166:2001
EN ISO16321-1:2022
ANSI/ISEA Z87.1-2020
AS/NZS 1337.1-2020
CSA Z94.3-15
GB14866-2006



F-3054



SAFETY GLASSES


- Lens made of new PC material.
- Coating available for anti-scratch,Anti-fog function .
- Can do treatment to absorb 99% harmful UV.



PARTICULATE RESPIRATOR





















D-4201

PARTICULATE RESPIRATOR
FFP1/FFP2
Conform to the standard :
CE 149:2001+A1:2009
GB2626-2006
Certified by:



D-4201V



D-4009



D-4011



D-4010




D-4009V



D-4011V



D-4010V



EAR MUFF



E-2001 E-2020

EAR MUFF

New ABS material for shell and head hoop
Easy slide cup adjustment
High quality sponges in the shell
NRR 20DB SNR 22DB

Conform to the standard :
CE EN352-1: 2020
ANSI S3.19-1974
AS/NZS 1270:2002
GB5893.2-1986
Certified by:



E-2021

EAR MUFF

New ABS material for shell and head hoop
Easy slide cup adjustment
High quality sponges in the shell
NRR 22DB SNR 24.4DB

Conform to the standard :
CE EN352-1: 2020
ANSI S3.19-1974
AS/NZS 1270:2002
GB5893.2-1986
Certified by:



E-2023G

EAR MUFF

New ABS materialfor shell and head hoop.
Easy slide cup adjustment.
High quality spone in the shell.
NRR 28DB SNR 33DB .

Conform to the standard :
CE EN352-1: 2020
ANSI S3.19-1974
AS/NZS 1270:2002
GB5893.2-1986



E-2008A



E-2008A1

EAR MUFF

New ABS material for shell and head hoop
Easy slide cup adjustment
High quality sponges in the shell
NRR 25DB SNR 27DB



①Place the ear muff on the outside of the ear
②Adjust the headband length up and down
③Ear pads should be close to the head

Conform to the standard :
CE EN352-1/EN352-3:2020
ANSI S3.19-1974
AS/NZS 1270:2002
GB5893.2-1986
Certified by:





E-2008B



E-2008C





E-2008D



E-2008E



E-2023F



E-2023F1

EAR MUFF

New ABS material for shell and head hoop

Easy slide cup adjustment

High quality sponges in the shell

NRR 28DB SNR 33DB



①Place the ear muff on the outside of the ear
②Adjust the headband length up and down
③Ear pads should be close to the head

Conform to the standard :

CE EN352-1/EN352-3:2020
ANSI S3.19-1974
AS/NZS 1270:2002
GB5893.2-1986

Certified by:



E-2026A

E-2026A1

EAR MUFF

New ABS material for shell

Easy slide cup adjustment

High quality sponges in the shell

It can be used for safety helmet

NRR 25DB SNR 27DB



①Place the ear muff on the outside of the ear
②Adjust the headband length up and down
③Ear pads should be close to the head

Conform to the standard :

CE EN352-1/EN352-3:2020
ANSI S3.19-1974
AS/NZS 1270:2002
GB5893.2-1986

Certified by:



E-2023A



E-2023



E-2023G



E-2023E



E-2023D



E-2023H



E-2026



E-2026C



E-2026D



E-2026E





E-2027A



E-2027A1

EAR MUFF

New ABS material for shell and head hoop

Easy slide cup adjustment

High quality sponges in the shell

NRR 23DB SNR 25DB



①Place the ear muff on the outside of the ear
②Adjust the headband length up and down
③Ear pads should be close to the head

Conform to the standard :

CE EN352-1/EN352-3:2020
ANSI S3.19-1974
AS/NZS 1270:2002
GB5893.2-1986

Certified by:





E-2025C



E-2025C1

EAR MUFF

New ABS material for shell

Easy slide cup adjustment

High quality sponges in the shell

It can be used for safety helmet

NRR 23DB SNR 26DB



①Place the ear muff on the outside of the ear
②Adjust the headband length up and down
③Ear pads should be close to the head

Conform to the standard :

CE EN352-1/EN352-3:2020
ANSI S3.19-1974
AS/NZS 1270:2002
GB5893.2-1986





E-2027



E-2027C



E-2027D



E-2027E



E-2025A



E-2025B



E-2025D



E-2025E





EAR PLUG

①Rub Fine the earplug with clean and dry hand.

②Another hand raised the upper part of the ear,then put the rub fine earplug into the ear canal.

③Hand-held earplugs hold for 30~40 seconds. Until the entire earplugs fully rebound

(Remove earplugs： For comfortable pluck earplugs, please rotate.Pulling out the earplugs)





Notice : Do not plug the ear plug directly into the ear canal, that is no sound insulation effect



E-1013

BULLET TYPE EARPLUG

Polyurethane foam material

Bullet shape

Polyurethane foam material

Bullet shape with string

SNR 33DB





Conform to the standard :

CE EN352-2：2020

AS/NZS 1270:2002

ANSI S3.19-1974

Certified by:



E-1020

EAR PLUG

Polyurethane foam material

Bell shape

Polyurethane foam material

Bell shape with string

SNR 33DB





Conform to the standard :

CE EN352-2：2020

AS/NZS 1270:2002

ANSI S3.19-1974

Certified by:



Conform to the standard :
CE EN352-2: 2020 AS/NZS 1270:2002
ANSI S3.19-1974
Certified by:

E-1001

MUSHROOM TYPE EARPLUG

Silicon material
Mushroom shape
Silicon material
Mushroom shape with string

SNR 29DB





①Fingers hold the stem part of the earplugs.
Another hand raised the upper part of the ear,
then put the earplug into the ear canal.

②Round head part of the ear plugs into the ear, stem part on the outside of the ear

③Earplugs correct wear position. (Remove earplugs ; For comfortable pluck earplugs, please rotate.Pulling out the earplugs)

Notice : Do not plug the ear plug directly into the ear canal, that is no sound insulation effect



Conform to the standard :
CE EN352-2: 2020 AS/NZS 1270:2002
ANSI S3.19-1974
Certified by:

E-1007

CHRISTMAS TREE TYPE EARPLUG

Silicon material
Christmas tree shape
Silicon material
Christmas tree shape with string

SNR 29DB



PACKAGING SERIES







PLASTIC CHAIN
COLLAPSIBLE CONE



1510
Plastic roller package



1511
Cardboard roller package

Feature

Apply full new Polyethylene material

Various color are available such as white, red, yellow, pink, black

Different diameter available

Standard for flat or round







Φ6mm Round



Φ 2mm Round

Φ 3mm Round

Φ 4mmRound



Φ 7mm Flat



Φ 8mm Flat



Φ 8mm Flat



Φ10mm Round



Φ12mm Round



Φ14mm Round

Model No	Diameter	Exterior Length	Interior Width	Section	Density	Tensile force	UV stablised
MPC-1501	2mm	10mm	7mm	Round	9gram/mt	8Kgs	YES
MPC-1502	3mm	13mm	11mm	Round	17gram/mt	18Kgs	YES
MPC-1503	4mm	27mm	19mm	Round	30gram/mt	18Kgs	YES
MPC-1504	6mm	27mm	20mm	Flat	55gram/mt	57Kgs	YES
MPC-1504S	6mm	25mm	22mm	Round	71gram/mt	67.5Kgs	YES
MPC-1504L	6mm	41mm	21mm	Flat	50gram/mt	45Kgs	YES
MPC-1505	7mm	35mm	23mm	Flat	95gram/mt	73Kgs	YES
MPC-1506	8mm	38mm	27mm	Flat	110gram/mt	89Kgs	YES
MPC-1506L	8mm	54mm	27mm	Flat	106gram/mt	89Kgs	YES
MPC-1506F	8mm	60mm	27mm	Flat	106gram/mt	89Kgs	YES
MPC-1507	10mm	55mm	38mm	Round	185gram/mt	120Kgs	YES
MPC-1508	12mm	62mm	42mm	Round	285gram/mt	150Kgs	YES
MPC-1509	14mm	70mm	50mm	Round	460gram/mt	180Kgs	YES



8mm C hook



8mm S hook



6mm S hook



8mm Q quick connector



4mm S hook



3mm S hook



2mm S hook



7mm Q quick connector

COLLAPSIBLE CONE



Feature

300D endurable Oxford cloth body

ABS or Polyethylene base providing excellent fading resistance

The quality mesh interlayer keeps the cone upstanding

The top flashing light and bottom beacon light enhance the warning performance

Model No	Base Material	Base Size	Collar Tape	Cone Height	Qty Per Case
MCC-1101	PP	19X19X4.5cm	7cm	30cm	40pcs
MCC-1102	PP	19X19X4.5cm	7cm	35cm	40pcs
MCC-1103	PP	24.5X24.5X3.8cm	3.5cm+3.5cm	40cm	20pcs
MCC-1104	PP	24.5X24.5X3.8cm	3.5cm+3.5cm	45cm	20pcs
MCC-1105	PP	24.5X24.5X3.8cm	3.5cm+3.5cm	50cm	20pcs
MCC-1106	PP	30.6X30.6X3.8cm	3.5cm+3.5cm	55cm	10pcs
MCC-1107	PP	30.6X30.6X3.8cm	3.5cm+3.5cm	60cm	10pcs
MCC-1108	PP	30.6X30.6X3.8cm	3.5cm+3.5cm	65cm	10pcs
MCC-1109	PP	30.6X30.6X3.8cm	3.5cm+3.5cm	70cm	10pcs
MCC-1110	PP	30.6X30.6X3.8cm	15cm+10cm	72cm	10pcs
MCC-1111	ABS	24.4X24.4X3.75cm	3.5cm+3.5cm	40cm	20pcs
MCC-1112	ABS	24.4X24.4X3.75cm	3.5cm+3.5cm	45cm	20pcs
MCC-1113	ABS	24.4X24.4X3.75cm	3.5cm+3.5cm	50cm	20pcs
MCC-1114	ABS	30.5X30.5X5cm	3.5cm+3.5cm	55cm	10pcs
MCC-1115	ABS	30.5X30.5X5cm	3.5cm+3.5cm	60cm	10pcs
MCC-1116	ABS	30.5X30.5X5cm	3.5cm+3.5cm	65cm	10pcs
MCC-1117	ABS	30.5X30.5X5cm	3.5cm+3.5cm	70cm	10pcs
MCC-1118	ABS	30.5X30.5X5cm	15cm+10cm	72cm	10pcs









1119

Model No	
1119	Top flashing light, alkaline battery
1120	Bottom blinking light, Lithium battery
1121	Polyester-PVC bag
1122	Black rubber block
1123	Black rubber anti-slip mat
1124	3PCS cone kits package
1125	5PCS cone kits package





1120



1121



1122



1123



1124



1125





H103 Tool Holder



H104 Tool Holder

H102 Tool Holder


Details Description

Tool Holder ,
Carbon steel coated with plastic powder.
Size:60x28cm

Packing Details

G.W/N.W:6/5kg
Packing:1pc/ploy bag,2 pcs/ctn
CTN:61x31x25cm





Details Description

Knock-down Type Hook ,
Carbon steel coated with plastic powder.
The hooks can be taken off

Packing Details

G.W/N.W:17/16kg
Packing:1set/white box, 10 sets/ctn
CTN:61.5x17x30cm



Details Description

Tool Holder ,
Carbon steel coated with plastic powder.
Size:Diameter 12mm Length:29cm Width:8.5cm

Packing Details

G.W/N.W:9/8kg
Packing:1pc/ploy bag,12 pcs/ctn
CTN:32.5x28.5x23cm



H105 Tool Holder



H106 Tool Holder

H107B Tool Holder



H107C Tool Holder



Details Description

Tool Holder
Carbon steel coated with plastic powder.
Size:40x12.5x4.5cm

Packing Details

G.W/N.W:16.5/16kg
Packing:1pc/ploy bag,24 pcs/ctn
CTN:41.5x20x10.5cm



Details Description

Tool Holder
Carbon steel coated with plastic powder.
The hooks can be taken off

Packing Details

G.W/N.W:16.5/15.5kg
Packing:1set/white box, 12 sets/ctn
CTN:52.5x29x27cm



Details Description

Tool Holder
carbon steel with zinc plating
Size:37x21.5x9cm

Packing Details

G.W/N.W:14.5/13.5kg
Packing:30 pcs/ctn
CTN:54x42.5x47.5cm



Details Description

Tool Holder
Carbon steel coated with plastic powder.
Size:32.5x11cm

Packing Details

G.W/N.W:11/8.5kg
Packing:1pc/color box,12pcs/ctn
CTN:46x34.5x52cm







H113 Utility Hook



Details Description

Utility Hook
Carbon steel powder-coated
Size:390x160x300mm

Packing Details

G.W/N.W:17/16kg
Packing:1pc/ploy bag, 40pcs/ctn
CTN:40x25x25cm

H113A Utility Hook



Details Description

Utility Hook
Carbon steel powder-coated
Size:390x160x300mm

Packing Details

G.W/N.W:17/16kg
Packing:1pc/ploy bag, 40pcs/ctn
CTN:40x25x25cm

H114 Utility Hook



Details Description

Utility Hook
Carbon steel ,with powder-coated.
Size:420x290x95x180mm

Packing Details

G.W/N.W:15.5/14.5kg
Packing:1pc/ploy bag, 30pcs/ctn
CTN:43.5x31x62cm

H114A Utility Hook



Details Description

Utility Hook
Carbon steel ,with powder-coated.
Size:360x236x90x125mm

Packing Details

G.W/N.W:11.5/10.5kg
Packing:1pc/ploy bag, 32pcs/ctn
CTN:37x37x66cm





UTILITY HOOK

H115 Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 150x245x250mm

Packing Details

G.W/N.W:14.5/13.5kg
Packing:1pc/polybag,30pcs/ctn
CTN:75.5x30.5x45cm

H115A Utility Hook



Details Description

Utility Hook,
Carbon steel , with powder-coated
Size: 165x245x250mm

Packing Details

G.W/N.W:7/6.5kg
Packing:1pc/polybag,12pcs/ctn
CTN:50x37x26.5cm

H116A Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 230mmx260mm

Packing Details

G.W/N.W:10.5/10 kg
Packing:1pc/polybag, 30pcs/ctn
CTN:50x47x27cm

H116B Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated
Size: 230mmX260mm

Packing Details

G.W/N.W:5/4.5kg
Packing:1pc/polybag ,12pcs/ctn
CTN:33x33x26.5cm

H116C Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 230mmX260mm

Packing Details

G.W/N.W:5/4.5kg
Packing:1pc/polybag ,12pcs/ctn
CTN:33x33x26.5cm



H117 Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated
Size:150x155mm

Packing Details

G.W/N.W:14/13kg
Packing:1pc/polybag,30pcs/ctn
CTN:35x27.5x35cm



H118 Utility Hook



Details Description

Utility Hook,
Carbon steel ,with zinc plated
Size:225x270mm

Packing Details

G.W/N.W:13/12kg
Packing:40 pcs/ctn
CTN:55x45x30cm



H119 Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size:150x240mm

Packing Details

G.W/N.W:13/12kg
Packing:1pc/ploy bag, 24pcs/ctn
CTN:45x35x25cm



H120E Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size:90x210mm

Packing Details

G.W/N.W:15.4/12.5kg
Packing:1 pc/ poly bag,30 pcs/ctn
CTN:58x35x46cm



H121A Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 120x73x90 mm

Packing Details

G.W/N.W:15.5/14.5kg
Packing:1pc/ploy bag, 100pcs/ctn
CTN:39x17x65cm

H121B Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 120x172x90mm

Packing Details

G.W/N.W:18/17kg
Packing:1pc/ploy bag, 80pcs/ctn
CTN:61.5x31x25.5cm

H121C Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 120x250x90mm

Packing Details

G.W/N.W:21.5/20kg
Packing:1pc/ploy bag, 100pcs/ctn
CTN:38x34x63.5cm

H121D Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 120x320x90mm

Packing Details

G.W/N.W:16/15kg
Packing:1pc/ploy bag, 50pcs/ctn
CTN:43x16.5x64cm



H122A Utility Hook

Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 120x85x195mm

Packing Details

G.W/N.W:4.5/4kg
Packing:1pc/ploy bag, 20pcs/ctn
CTN:35x25x15cm





H122B Utility Hook

Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 120x85x380mm

Packing Details

G.W/N.W:10/9kg
Packing:1pc/ploy bag, 30pcs/ctn
CTN:59x41x49cm





H123 Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated.
Size: 150x80mm x110mm

Packing Details

G.W/N.W:17/16kg
Packing:1pc/ploy bag, 80pcs/ctn
CTN:47.5x25x47cm



H123A Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated.
Size: 100x190mm,

Packing Details

G.W/N.W:2/1.8kg
Packing:1pc/ploy bag, 10pcs/ctn
CTN:25x20x14cm



H124 Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated.
Size: 115x150mm

Packing Details

G.W/N.W:7.5/6.5kg
Packing:1pc/ploy bag, 36pcs/ctn
CTN:45.5x23x27.5cm

KIMPORT







H125A Utility Hook



Details Description

Utility Hook,
Carbon steel, powder-coated
Size:120x80mm

Packing Details

G.W/N.W:17/16kg
Packing:1pc/ploy bag, 240pcs/ctn
CTN:32x28.5x35cm

H125A1 Utility Hook



Details Description

Utility Hook,
Carbon steel, powder-coated
Size:80x100mm

Packing Details

G.W/N.W:14/13kg
Packing:1pc/ploy bag,200pcs/ctn
CTN:26x24x45.5cm

H125B Utility Hook

PATENT NO.
ZL 2006 3 0117199.2



Details Description

Utility Hook,
Carbon steel, powder-coated
Size:150x110mm

Packing Details

G.W/N.W:21.5/20kg
Packing:1pc/ploy bag,200pcs/ctn
CTN:33x25.5x33cm

H125C Utility Hook



Details Description

Utility Hook,
Carbon steel, powder-coated
Size: 213x150mm

Packing Details

G.W/N.W:21.5/20kg
Packing:1pc/ploy bag, 100pcs/ctn
CTN:35x24x56.5cm

H125C1 Utility Hook



Details Description

Utility Hook,
Carbon steel, powder-coated
Size: 160x200mm

Packing Details

G.W/N.W:9.5/8.5kg
Packing:1pc/ploy bag,60 pcs/ctn
CTN:39x23x33.5cm

H125D Utility Hook



Details Description

Utility Hook,
Carbon steel, powder-coated
Size:300x250mm

Packing Details

G.W/N.W:21/20kg
Packing:1pc/ploy bag,80pcs/ctn
CTN:57.5x34x43cm







H125D1 Utility Hook



Details Description

Utility Hook,
Carbon steel, powder-coated
Size:285x190mm,

Packing Details

G.W/N.W:12.8/11kg
Packing:1pc/ploy bag, 60pcs/ctn
CTN:43x33x36.5cm

H125E Utility Hook



Details Description

Utility Hook,
Carbon steel, powder-coated
Size:200x200mm

Packing Details

G.W/N.W:12.5/11.5kg
Packing:1pc/ploy bag,48pcs/ctn
CTN:42x42x25cm

H125F Utility Hook



Details Description

Utility Hook,
Carbon steel, powder-coated
Size:250x200mm

Packing Details

G.W/N.W:14/13kg
Packing:1pc/ploy bag,50pcs/ctn
CTN:46x27x48cm

H125G Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 295x265x105mm

Packing Details

G.W/N.W:10.5/10kg
Packing:1pc/ploy bag, 24pcs/ctn
CTN:42.5x29.5x38cm

H125G1 Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 300x200x105mm

Packing Details

G.W/N.W:7.4/6kg
Packing:2pc/ploy bag,10sets/ctn
CTN:64.5x29.5x15.8cm

H125H Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 275x295mm

Packing Details

G.W/N.W:15.5/14.5kg
Packing:1pc/ploy bag,64pcs/ctn
CTN: 35x33x66cm



H125I Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size:150x132mm

Packing Details

G.W/N.W:18/17kg
Packing:1pc/ploy bag,144pcs/ctn
CTN:38x34x38cm



H125K Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size:285x215x105mm,

Packing Details

G.W/N.W:14/12kg
Packing:40pcs/ctns
CTN:29x46x42cm



H126A Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size:70x150x110mm

Packing Details

G.W/N.W:26.5/25kg
Packing:1pc/ploy bag, 250pcs/ctn
CTN:64.5x17x45cm



H126B Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 160x235x160mm

Packing Details

G.W/N.W:25.5/24kg
Packing:1pc/ploy bag,100pcs/ctn
CTN:56x25.5x42.5cm

H126B1 Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 210x180mm,

Packing Details

G.W/N.W:5/4kg
Packing:1pc/ploy bag,20pcs/ctn
CTN:40x24.5x22.5cm



H126C Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 195x288x163mm

Packing Details

G.W/N.W:17/16kg
Packing:1pc/ploy bag, 64pcs/ctn
CTN:44x32x34cm



H127 Utility Hook



Details Description

Utility Hook,
Carbon steel with plastic powder-coated.
with black sponge wrap
Size:200x210x240mm

Packing Details

G.W/N.W:17/16kg
Packing:1pc/ploy bag, 60pcs/ctn
CTN:54x28.5x44.5cm

H127A Utility Hook



Details Description

Utility Hook,
Carbon steel with plastic powder-coated.
with black sponge wrap
Size:185x215x225mm

Packing Details

G.W/N.W:15/14kg
Packing:1pc/ploy bag, 64pcs/ctn
CTN:48x27x34cm



H128 Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 90x195x270mm

Packing Details

G.W/N.W:11/10kg
Packing:1pc/ploy bag, 30pcs/ctn
CTN:52x35x62.5cm

H129 Utility Hook




Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 205x95x75mm

Packing Details

G.W/N.W:16/15kg
Packing:1pc/ploy bag, 100pcs/ctn
CTN:55x32x47.5cm



H130 Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 175x71mm

Packing Details

G.W/N.W:20.5/19kg
Packing:1pc/ploy bag, 200pcs/ctn
CTN:39x19.5x43cm

H130C Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated .
Size: 170x145mm

Packing Details

G.W/N.W:5/4.5kg
Packing:4pcs/ploy bag, 40pcs/ctn
CTN:36x18x16cm



H130D Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size:200x150mm

Packing Details

G.W/N.W:7/6kg
Packing:4pcs/ploy bag, 50pcs/ctn
CTN:34x21.5x21cm



H131A Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size:345x190mm

Packing Details

G.W/N.W:17/16kg
Packing:1pc/ploy bag, 80pcs/ctn
CTN:41.5x26x40cm



H131A1 Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 300x190mm,

Packing Details

G.W/N.W:4.3/3.5kg
Packing:1pc/ploy bag, 20pcs/ctn
CTN:35.5x22.5x22cm



H131B Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size:500x190mm

Packing Details

G.W/N.W:12/11kg
Packing: 1pc/ploy bag, 40pcs/ctn
CTN:52.5x31x22cm

H131B1 Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Size: 450x200mm,

Packing Details

G.W/N.W:5.8/4.5kg
Packing:1pc/ploy bag, 20pcs/ctn
CTN:50x22x28cm

H131C Utility Hook



Details Description

Utility Hook,
Carbon steel with powder-coated
Garage hook 150x350mm

Packing Details

G.W/N.W:11.5/10.5kg
Packing: 1pc/ploy bag, 50pcs/ctn
CTN:37.5x17.5x62cm



H131C1 Utility Hook



H131D Utility Hook



H132 Utility Hook



H133 Utility Hook



H133B Utility Hook



H133C Utility Hook



Details Description

Utility Hook,
Carbon steel ,with powder-coated ,
Garage hook 500x190mm

Packing Details

G.W/N.W:8/6.5kg
Packing:1 pc/ poly bag,20 pcs/ctn
CTN:57x41x16cm



Details Description

Utility Hook,
Carbon steel ,with powder-coated ,
Garage hook 150x200mm

Packing Details

G.W/N.W:7/6kg
Packing:1pc/ploy bag, 50pcs/ctn
CTN:34x21.5x21cm



Details Description

Utility Hook,
Carbon steel , coated with plastic powder.
with a black sponge wrap
Size:300x170x95mm

Packing Details

G.W/N.W:5/4.5kg
Packing:1pc/ploy bag, 12pcs/ctn
CTN:42.5x29x10cm



Details Description

Utility Hook,
Carbon steel , coated with plastic powder.
Size: 190x260mm

Packing Details

G.W/N.W:13/12kg
Packing:1pc/ploy bag, 12pcs/ctn
CTN:42.5x37.5x25cm



Details Description

carbon steel with zinc plating
Size: 280x175x53mm

Packing Details

G.W/N.W:13.3/12.3kg
Packing:1pc/polybag,24pcs/ctn
CTN:37x30x38cm



Details Description

carbon steel with zinc plating
Size: 280x175x53mm/2pcs

Packing Details

G.W/N.W:10.5/9.5kg
Packing:12sets/ctn
CTN:41.5x27x26cm



H135 Utility Hook



H136A Utility Hook



H136B Utility Hook



H136C Utility Hook



H136D Utility Hook



H136E Utility Hook



Details Description

Utility Hook
Carbon steel with zinc finish ,
soaking liquid plastic
Size:128x65x55mm

Packing Details

G.W/N.W:19/18kg
Packing:1pc/ploy bag,200pcs/ctn
CTN:44x30x29cm



Details Description

Utility Hook
Carbon steel with zinc plated,
soaking liquid plastic
Size:130X90mm

Packing Details

G.W/N.W:16/15kg
Packing:1pc/ploy bag, 100pcs/ctn
CTN:49.5x29.5x19cm



Details Description

Utility Hook
Carbon steel with zinc plated,
soaking liquid plastic

Packing Details

G.W/N.W:20/19kg
Packing:1pc/ploy bag, 200pcs/ctn
CTN:39x27x45cm



Details Description

Utility Hook
Carbon steel, coated with plastic powder.
Size: 8.6x3.5x1.2cm

Packing Details

G.W/N.W:15.5/14.5kg
Packing:1pc/ploy bag, 288pcs/ctn
CTN:21x15.5x30.8cm



Details Description

Utility Hook
Carbon steel,
coated with plastic powder.

Packing Details

G.W/N.W:11.0/10.0kg
Packing:1pc/ploy bag, 120pcs/ctn
CTN:46x31x16.5cm



Details Description

Utility Hook
Carbon steel,
coated with plastic powder.

Packing Details

G.W/N.W:12.0/11.0kg
Packing:1pc/ploy bag, 160pcs/ctn
CTN:47x30.5x11.5cm









H136F Utility Hook



Details Description

Utility Hook
Carbon steel,
coated with plastic powder.
Size: 139.5x16x2.8mm

Packing Details

G.W/N.W:9.5/8kg
Packing:200pcs/ctn
CTN:27.5x12x20cm

H136G Utility Hook



Details Description

Utility Hook
Carbon steel,
coated with plastic powder.
Size: 200x20x4mm

Packing Details

G.W/N.W:12.5/11.5kg
Packing:100pcs/ctn
CTN:37x17.5x11cm

H136H Utility Hook



Details Description

Utility Hook
Carbon steel,
coated with plastic powder.
Size: 320x30x 5mm

Packing Details

G.W/N.W:22/21kg
Packing:60pcs/ctn
CTN:45.5x19.5x21cm

H137 Utility Hook



Details Description

S Hook
Carbon steel with zinc plated
Size: 184x80mm

Packing Details

G.W/N.W:8/7kg
Packing:1pc/ploy bag, 100pcs/ctn
CTN:37x20.5x17.5cm

H137A Utility Hook



Details Description

Utility Hook
Carbon steel with zinc plated,
soaking liquid plastic
Size: 14.6x6.4cm

Packing Details

G.W/N.W:16.5/15.5kg
Packing:1pc/ploy bag, 480pcs/ctn
CTN:33x30x23cm

H137B Utility Hook



Details Description

Utility Hook
Carbon steel with zinc plated,
soaking liquid plastic
Size: 22.4x11.1cm

Packing Details

G.W/N.W:16.5/15.5kg
Packing:1pc/ploy bag, 90pcs/ctn
CTN:39.5x26x19.5cm



H141 Tire Hook



Details Description

4pcs Tire Hook,
Carbon steel with zinc plated
Size: 20.3x12cm

Packing Details

G.W/N.W:15/14kg
Packing:4pcs/set,
1set/double blister 20 sets/ctn
CTN:44x36x29cm

H141A Tire Hook



Details Description

1pc Tire Hook,
Carbon steel with zinc plated
Size: 20.3x12cm

Packing Details

G.W/N.W:8.2/7.2kg
Packing:48pcs/ctn
CTN:28x22.5x28.5cm



H141B Tire Hook



Details Description

4pcs Tire Hook,
Carbon steel with zinc plated
Size: 20x12cm

Packing Details

G.W/N.W:16.0x15.0kg
Packing:4pcs/set,
1set/double blister 20 sets/ctn
CTN:34.5x53x36cm



H145 Hook Set



Details Description

6 pcs Hook Set,
Carbon steel coated with plastic powder
With 12 screws and plugs.
2pcs L-shape 300x250x95mm
2pcs L-shape 210x200x60mm
1pc L-shape 213x150x85mm
1pc L-shape 140x110x50mm

Packing Details

G.W/N.W:12.5/11.5kg
Packing:1set/double blister, 10sets/ctn
CTN:39.5x39.5x25.5cm

H145A Hook Set



Details Description

6 pcs Hook Set,
Carbon steel coated with plastic powder.
2pcs L-shape 120x80x45mm
2pcs L-shape 150x110x50mm
2pcs L-shape 200x200x60mm

Packing Details

G.W/N.W:10/8.5kg
Packing:1set/double blister, 10sets/ctn
CTN:26x37.5x35cm

H145D Hook Set



Details Description

6 pcs Hook Set,
2pcs L-shape 300x250mm ,
2pc L-shape 200x200mm ,
1pc L-shape 213x150mm,
1pc L-shape 150x110mm,

Packing Details

G.W/N.W:14.5/13kg
Packing:10pcs/ctns,
CTN:33x29.5x33.5cm



H146 Hook Set



Details Description

8 pcs Hook Set,
Carbon steel coated with plastic powder.
2pcs L-shape 300x250x95mm
1pc L-shape 213x150x85mm
1pc L-shape 140x110x50mm
1pc L-shape 120x80x45mm
1pc G-shape 70x150x110mm
2pcs L-shape flat hooks

Packing Details

G.W/N.W:25/24kg
Packing:1set/double blister, 20sets/ctn
CTN:54x31x51cm



H147 Hook Set



Details Description

14 pcs Hook Set,
Carbon steel coated with plastic powder.
2pcs T-shape 420x290x95x180mm
4pcs L-shape 213x150x85mm
4pcs L-shape 140x110x50mm
4pcs G-shape 70x150x110mm
Screw driver Diameter 6mm
Iron stick length:100mm
The head :No.2

Packing Details

G.W/N.W:17/16kg
Packing:1set/double blister 6sets/ctn
CTN:52x47x27cm



H148 Hook Set



Details Description

10 pcs Hook Set,
Carbon steel coated with plastic powde
2pcs T-shape 420x290x95x180mm
2pcs U-shape 240x210x200mm
4pcs L-shape 213x150x85mm
2pcs L-shape 140x110x50mm

Packing Details

G.W/N.W:18/17kg
Packing:1set/double blister,6sets/ctn
CTN:52x47x27cm





H148A Hook Set



Details Description

10 pcs Hook Set,
Carbon steel coated with plastic powder.
2pcs G-shape 150x110x70mm
2pcs L-shape 150x110x50mm
6pcs-shape
130x70mm,
200x50mm ,
150x60mm

Packing Details

G.W/N.W:9.5/8.5kg
Packing:1set/double blister, 10sets/ctn
CTN:28x36x48cm





H149 Utility Hooks kit



Details Description

14 pcs Utility Hooks kit,
Carbon steel coated with plastic powder.
With four pieces of sponge
2pcs T-shape 420x290x95x180mm
4pcs L-shape 213x150x85mm
4pcs L-shape 140x110x50mm
2pcs G-shape 70x150x110mm
2pcs U-shape 240x210x200mm

Packing Details

G.W/N.W:14/13kg
Packing:1set/color box , 5sets/ctn
CTN:50x30x29cm



H150 Utility Hooks kit



Details Description

12 pcs Utility Hooks kit,
Carbon steel coated with plastic powder.
With four pieces of sponge
34 screws and plugs
2pcs T-shape a420x290x95x180mm
4pcs L-shape 213x150x85mm
2pcs L-shape 140x110x50mm
2pcs G-shape 160x235x160mm
2pcs U-shape 240x210x200mm

Packing Details

G.W/N.W:19.6/18.6kg
Packing:1set/color box 6sets/ctn
CTN:49x32x40cm



H151 Utility Hooks kit



Details Description

10pcs Utility Hooks kit,
Carbon steel coated with plastic powder.
With four pieces of sponge
4pcs L-shape 213x150x85mm
2pcs L-shape 140x110x50mm
2pcs G-shape 160x235x160mm
2pcs U-shape 240x210x201mm

Packing Details

G.W/N.W:13/12kg
Packing:1set/color box ,6sets/ctn
CTN:54x27x28cm



H152 Utility Hooks kit



Details Description

15 pcs Utility Hooks kit,
Carbon steel coated with plastic powder.
With 10 pieces of sponge
2pcs T-shape 420x290x95x180mm
4pcs L-shape 300x250x85mm
2pcs L-shape 213x150x85mm
2pcs L-shape 140x110x50mm
2pcs L-shape 120x80x50mm
2pcs flat hook 88x42mm
1pcs hook 205x95x75mm

Packing Details

G.W/N.W:15/14kg
Packing:1set/white box,5sets/ctn
CTN:45x34.5x43.5cm



H153 Utility Hooks kit



Details Description

16 pcs Utility Hooks kit,
Carbon steel coated with plastic powder.
With 10 pieces of sponge
2pcs T-shape 420x290x95x180mm
4pcs L-shape 300x250x85mm
2pcs L-shape 213x150x85mm
2pcs L-shape 140x110x50mm
2pcs L-shape 120x80x50mm
3pcs flat hook 88x42mm
1pcs hook 205x95x76mm

Packing Details

G.W/N.W:16/14kg
Packing:1set/white box,5sets/ctn
CTN:43x31x40cm





H857

Details Description

Adjustable Hat Stand
Adjustable Size: 92x12.5x11.5cm- 167.5x12.5x11.5cm

Packing Details

G.W/N.W:10/11kg
Packing:1 set/color box,8sets / ctn
CTN:87.5x29x52cm

PAINT MIXER





H700

PATENT NO.
ZL 2006 3 0117202.0

Paint Mixer
carbon steel with powder coated
1 pc/ poly bag

ITEMS NO.	SIZE (mm)	N.W/G.W (kg)	PACKING	CTN(cm)
H700	50x400x8	15/16	100 pcs/ctn	47x47x15
	60x400x8	11/12	36 pcs/ctn	43x23.5x18
	80x400x8	11/13	50 pcs/ctn	44.5x44.5x22
	85x400x8	10.5/11.5	48 pcs/ctn	44x44x19
	100x600x10	19/20	50 pcs/ctn	62x62x21
	120x600x10	9 /10	20 pcs/ctn	65x39x23.5
	140x600x10	10/11	10 pcs/ctn	64x30x15
	100x545x9.5	18/19	10 pcs/inner box.40pcs/ctn	59.5x34x48
	80x400xSDS10	6/7	10pcs/inner box.20pcs/ctn	46.5x20.5x34.5
	120x600xSDS10	10/11.5	10pcs/inner box.20pcs/ctn	67x27.5x50.5

H701

Paint Mixer
carbon steel with powder coated
1 pc/ poly bag



SIZE (mm)	N.W/G.W (kg)	PACKING	CTN(cm)
60x400x8	15/16	72 pcs/ctn	45.5x45.5x15.5
80x400x8	14/15	48 pcs/ctn	44.5x44.5x22
85x400x8	15/16	50pcs/ctn	45x44x25.5
100x600x10	21/22	48 pcs/ctn	64x40x45
120x600x10	13/14	25 pcs/ctn	65x57x26

H702

Paint Mixer
carbon steel with powder coated
1 pc/ poly bag



SIZE (mm)	N.W/G.W (kg)	PACKING	CTN(cm)
85x300x8	9/11	48 pcs/ctn	40x35x43
85x400x8	14/15	50pcs/ctn	40x45x25
100x600x10	24/25	60 pcs/ctn	60x34x60

H703

PATENT NO.
ZL 2006 3 0116505.0

Paint Mixer
carbon steel with powder coated
1 pc/ poly bag



SIZE (mm)	N.W/G.W (kg)	PACKING	CTN(cm)
85x400x8	16/17	48 pcs/ctn	44x35x51.5
100x600x10	10/11	24 pcs/ctn	64.5x53x20



H703A/B/C
H704/H705

Paint Mixer
carbon steel with powder coated
1 pc/ poly bag

ITEMS NO.	SIZE (mm)	N.W/G.W (kg)	PACKING	CTN(cm)
H703A	60x40x8	12.5/13.5	48pc/ctn	45x31.5x27
H703B	80x400x8	12.5/13	40pcs/ctn	45x35x32
H703C	100x600x8	10.2/11.5	24pcs/ctn	64.5x29.5x41
H704	100x600x8	11/12	24 pcs/ctn	63x31x42
	100x500x8	14/14.8	30 pcs/ctn	55x44x27.5
H705	85x400x8	13/14	50 pcs/ctn	44x39x43



H708

Paint Mixer
carbon steel with powder coated
1 pc/ poly bag

PATENT NO.
ZL 2006 3 0116506.5

SIZE (mm)	N.W/G.W (kg)	PACKING	CTN (cm)
70x400x8	17.5/18.5	60pcs/ctn	66x32x45
80x400x8	15/16	60 pcs/ctn	65x44x29
100x600x10	17/18	30 pcs/ctn	64x44x29
120x600x10	12/13	20 pcs/ctn	64x53x23
100x600xM14	13/14	20 pcs/ctn	65x41x21
120x600xM14	6/7	10 pcs/ctn	65.5x50x14.5
140x600xM14	7/8	10 pcs/ctn	65.5x50x14.5



H706/H707

Paint Mixer
carbon steel with powder coated
1 pc/ poly bag

ITEMS NO.	SIZE (mm)	N.W/G.W (kg)	PACKING	CTN(cm)
H706	85x400x8	14/15	48 pcs/ctn	43x43x25
H707	80x400x8	13/14	48 pcs/ctn	46x46x31
	80x400x10	14/15	48 pcs/ctn	46x46x31
	100x600x10	11/12	24 pcs/ctn	65x38x26



H708A/H709/H710

Paint Mixer
carbon steel with powder coated
1 pc/ poly bag

ITEMS NO.	SIZE (mm)	N.W/G.W (kg)	PACKING	CTN (cm)
H708A	100x510x10	5/6	10 pcs/ctn	58x27x20.5
H709	120x600x12	12/13	10 pcs/ctn	65.5x54x12
	135x600x12	11/12	10 pcs/ctn	67x62x14
	120x600xM14	23/24	24 pcs/ctn	65x53.5x24.5
	120x600x10	20/21	24 pcs/ctn	66.4x65x23.5
	140x600xM14	12/13	10 pcs/ctn	67x62x14.5
	160x600xM14	15/16	10 pcs/ctn	67x65x20
H710	160x600xM14	17/18	10 pcs/ctn	67x65x20

STORAGE ORGANIZER










DETAILS DESCRIBING:
Carbon steel coated with plastic powder.

Garage Organizer

ITEMS NO.: H101
SIZE: 1700-2400mm, 2400-3300mm
N.W/G.W: 9/10 kg
PACKING: 1 set/ctn
CTN: 116*34*6.5 cm

Tool Holder

ITEMS NO.: H102
SIZE: 60*28 cm
N.W/G.W: 5/6 kg
PACKING: 1 pc/ploy bag, 2 pc/ctn
CTN: 61*31*25cm





DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Knock-down Type Hook

ITEMS NO.: H103
SIZE: 60*30.5 cm
N.W/G.W: 16/17 kg
PACKING: 1 set/white box, 10 sets/ctn
CTN: 61.5*17*30 cm



PATENT NUMBER: ZL 2009 3 0202499.4

DETAILS DESCRIBING:
Carbon steel coated with plastic powder.
The hooks can be taken off





DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Tool Holder

ITEMS NO.: H104
SIZE: Diameter: 1.2 cm Length: 2.9 cm Width: 8.5 cm
N.W/G.W: 8/9 kg
PACKING: 1 pc/ploy bag, 12 pcs/ctn
CTN: 32.5*28.5*23 cm



DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Tool Holdere

ITEMS NO.: H105
SIZE: 40*12.5*4.5 cm
N.W/G.W: 16/16.5 kg
PACKING: 1 pc/ploy bag, 24 pcs/ctn
CTN: 41.5*20*10.5 cm





DETAILS DESCRIBING:
Carbon steel coated with plastic powder
The hooks can be taken off

PATENT NUMBER: ZL 2009 3 0202500.3

Tool Holder

ITEMS NO.: H106
SIZE: 50.5*13 cm
N.W/G.W: 15.5/16.5 kg
PACKING: 1 set/white box, 12 sets/ctn
CTN: 52.5*29*27 cm



DETAILS DESCRIBING:
Material: aluminium + PP

Tool Holder

ITEMS NO.: H106A
SIZE: 50*9 cm
N.W/G.W: 11/12 kg
PACKING: 1 pcs/poly bag, 24 pcs/ctn
CTN: 52*44*38 cm



DETAILS DESCRIBING:
Carbon steel with zinc plating, soaking liquid plastic

Tool Holder

ITEMS NO.: H106B
SIZE: 44.5*10.2 cm
N.W/G.W: 10/11 kg
PACKING: 1 set/ploy bag, 50 sets/ctn
CTN: 46.5*33*38 cm



Storage organizer

STORAGE ORGANIZER

DETAILS DESCRIBING:
Carbon steel with zinc plating,
Soaking liquid plastic



Tool Holder

ITEMS NO.: H106C
SIZE: 40*10.5 cm
N.W/G.W: 14/15 kg
PACKING: 1 set/blister card, 40 sets/ctn
CTN: 51*35*32 cm





DETAILS DESCRIBING:
Carbon steel with zinc plating,
soaking liquid plastic

Tool Holder

ITEMS NO.: H106D
SIZE: 43*11.7 cm
N.W/G.W: 17/18 kg
PACKING: 1 set/blister card, 45 sets/ctn
CTN: 55*44*24.5 cm



DETAILS DESCRIBING:
Material: aluminium + carbon steel,
Soaking liquid plastic

Tool Holder

ITEMS NO.: H107
N.W/G.W: 14/15 kg
PACKING: 20 pcs/ctn
CTN: 95*16*30 cm





DETAILS DESCRIBING:
Material: aluminium + carbon steel,
Soaking liquid plastic

Tool Holder

ITEMS NO.: H107A
SIZE: 59*13.9 cm
N.W/G.W: 14.5/15.5 kg
PACKING: 1 set/ploy bag, 24 sets/ctn
CTN: 61*29*38 cm

Water Pipe Holder

ITEMS NO.: H108
SIZE: 46*30.6 cm
N.W/G.W: 24/25 kg
PACKING: 40 pcs/ctn
CTN: 81*43*43 cm



DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Water Pipe Holder

ITEMS NO.: H108A
SIZE: 31.5*26.5*6.7 cm
N.W/G.W: 8/9 kg
PACKING: 1 set/poly bag, 16 sets/ctn
CTN: 55*33*55 cm



DETAILS DESCRIBING:
Carbon steel with zinc plated

DETAILS DESCRIBING:
Carbon steel with zinc plated

Water Pipe Holder

ITEMS NO.: H108B
SIZE: 102*51 cm
N.W/G.W: 15/16 kg
PACKING: 1 set/inner box, 4 sets/ctn
CTN: 87*84*70.5 cm



DETAILS DESCRIBING:
Carbon steel with zinc plated

Water Pipe Holder

ITEMS NO.: H108C
SIZE: 85.5*48.5 cm
N.W/G.W: 6.3/7.3 kg
PACKING: 1 set/inner box, 2 sets/ctn
CTN: 65.5*61*87 cm








Storage organizer

STORAGE ORGANIZER



DETAILS DESCRIBING:
Carbon steel with black powder coated and fibreboard

Tool Holder

ITEMS NO.: H109
SIZE: Fibreboard dimension: 60*40 cm
N.W/G.W: 18/20 kg
PACKING: 1 set/box, 4 sets/ctn
CTN: 62*42.5*24 cm



DETAILS DESCRIBING:
Magnetic tool holder



Magnetic Tool Holder


ITEMS NO.: H110
SIZE: 34.5*5.5 cm
N.W/G.W: 17/18 kg
PACKING: 30 pcs/ctn
CTN: 51*26*16 cm

DETAILS DESCRIBING:
Material: PP

Plastic Tool Holder

ITEMS NO.: H111
SIZE: 24.2*14.5 cm
N.W/G.W: 6.6/7.6 kg
PACKING: 96 pcs/ctn
CTN: 57*48*34 cm






DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Tool Holder

ITEMS NO.: H112
N.W/G.W: 19/21 kg
PACKING: 40 sets/ctn
CTN: 53*21*51 cm








DETAILS DESCRIBING:
Carbon steel powder-coated

Utility Hook

ITEMS NO.: H113
SIZE: a:39 cm b:16 cm c:30 cm
d:4 cm e:10 cm
N.W/G.W: 16/17 kg
PACKING: 1 pc/ploy bag, 40 pcs/ctn
CTN: 40*25*25 cm



DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H114
SIZE: 42*29*9.5*18 cm
N.W/G.W: 14.5/15.5 kg
PACKING: 1 pc/ploy bag, 30 pcs/ctn
CTN: 43.5*31*62 cm



PATENT NUMBER: ZL 2006 3 0117198.8




DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H114A
SIZE: 36*23.6*9*12.5 cm
N.W/G.W: 10.5/11.5 kg
PACKING: 1 pc/ploy bag, 32 pcs/ctn
CTN: 37*37*66 cm

Storage organizer

STORAGE ORGANIZER





DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H115
SIZE: 15*24.5*25 cm
N.W/G.W: 13.5/14.5 kg
PACKING: 1 pc/polybag, 30 pcs/ctn
CTN: 75.5*30.5*45 cm

DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H115A
SIZE: 16.5*24.5*25 cm
N.W/G.W: 6.5/7 kg
PACKING: 1 pc/polybag, 12 pcs/ctn
CTN: 50*37*26.5 cm



DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook


ITEMS NO.: H116A
SIZE: 23*26 cm
N.W/G.W: 18/19 kg
PACKING: 1 pc/polybag, 60 pcs/ctn
CTN: 47.5*35*63 cm



DETAILS DESCRIBING:
Carbon steel, with powder-coated

Utility Hook

ITEMS NO.: H116B
SIZE: 23*26 cm
N.W/G.W: 4.5/5 kg
PACKING: 1 pc/polybag, 12 pcs/ctn
CTN: 33*33*26.5 cm



DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H116C
SIZE: 23*26 cm
N.W/G.W: 4.5/5 kg
PACKING: 1 pc/polybag, 12 pcs/ctn
CTN: 33*33*26.5 cm





DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H117
SIZE: 15*15.5 cm
N.W/G.W: 13/14 kg
PACKING: 1 pc/polybag, 30 pcs/ctn
CTN: 35*27.5*35 cm




DETAILS DESCRIBING:
Carbon steel with zinc plated

Utility Hook

ITEMS NO.: H118
SIZE: 22.5*27 cm
N.W/G.W: 12/13 kg
PACKING: 40 pcs/ctn
CTN: 55*45*30 cm





DETAILS DESCRIBING:
Carbon steel with powder-coated


Utility Hook

ITEMS NO.: H119
SIZE: 15*24 cm
N.W/G.W: 12/13 kg
PACKING: 1 pc/ploy bag, 24 pcs/ctn
CTN: 45*35*25 cm

DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook






ITEMS NO.	SIZE	N.W/G.W	PACKING	CTN
H120A	a:16*b:7*c:7 cm	12/13 kg	1pc/ploy bag, 100pcs/ctn	39*17*65 cm
H120B	a:20*b:16.5*c:7 cm	18/19 kg	1pc/ploy bag, 100pcs/ctn	52*33.5*69 cm
H120C	a:21.5*b:20*c:7 cm	9/10 kg	1pc/ploy bag, 50pcs/ctn	43*35*21 cm
H120D	a:31.5*b:20.5*c:7 cm	8/9 kg	1pc/ploy bag, 30pcs/ctn	45.5*39*21 cm

Storage organizer

STORAGE ORGANIZER





DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.	SIZE	N.W/G.W	PACKING	CTN
H121A	a:12*b:7.3*c:9 cm	14.5/15.5 kg	1pc/ploy bag, 100pcs/ctn	39*17*65 cm
H121B	a:12*b:17.2*c:9 cm	17/18 kg	1pc/ploy bag, 80pcs/ctn	61.5*31*25.5 cm
H121C	a:12*b:25*c:9 cm	12/13 kg	1pc/ploy bag, 50pcs/ctn	40*29*71.5 cm
H121D	a:12*b:32*c:9 cm	15/16 kg	1pc/ploy bag, 50pcs/ctn	43*16.5*64 cm





DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H122A
SIZE: a:12*b:8.5*c:19.5 cm
N.W/G.W: 11/12 kg
PACKING: 1 pc/ploy bag, 48 pcs/ctn
CTN: 58*44*40 cm

H122B
a:12*b:8.5*c:38 cm
9/10 kg
1 pc/ploy bag, 30 pcs/ctn
59*41*49 cm



DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H123
SIZE: a:1.5*b:8*c:11 cm
N.W/G.W: 16/17 kg
PACKING: 1 pc/ploy bag, 80 pcs/ctn
CTN: 47.5*25*47cm

19/20.5 kg
1 pc/ploy bag, 100 pcs/ctn
38.5*25*59 cm



DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H124
SIZE: 11.5*15 cm
N.W/G.W: 6.5/7.5 kg
PACKING: 1 pc/ploy bag, 36 pcs/ctn
CTN: 45.5*23*27.5 cm

PATENT NUMBER: ZL 2006 3 0117199.2





DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.	SIZE	N.W/G.W	PACKING	CTN
H125A	a:12*b:8 cm	14.5/15.5 kg	1pc/ploy bag, 240pcs/ctn	32*28.5*35 cm
H125B	a:15*b:11 cm	20/21.5 kg	1pc/ploy bag, 200pcs/ctn	33*25.5*33 cm
H125C	a:21.3*b:15 cm	20/21.5 kg	1pc/ploy bag, 100pcs/ctn	35*24*56.5 cm
H125D	a:30*b:25 cm	20/21 kg	1pc/ploy bag, 80pcs/ctn	57.5*34*43 cm
H125E	a:20*b:20 cm	11.5/12.5 kg	1pc/ploy bag, 48pcs/ctn	42*42*25 cm
H125F	a:25*b:20 cm	13/14 kg	1pc/ploy bag, 50pcs/ctn	46*27*48 cm




DETAILS DESCRIBING:
Carbon steel, powder-coated

Utility Hook

ITEMS NO.: H125G
SIZE:
N.W/G.W: 10/10.5 kg
PACKING: 1 pc/ploy bag, 24 pcs/ctn
CTN: 42.5*29.5*38 cm



H \ I



J

DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.	SIZE	N.W/G.W	PACKING	CTN
H125H	a:15*b:13.2 cm	17/18 kg	1pc/ploy bag, 144pcs/ctn	38*34*38 cm
H125 I	a:26.5*b:40 cm	10/10.5 kg	1pc/ploy bag, 24pcs/ctn	35*33*68 cm
H125J	a:27.5*b:29.5 cm	14.5/15.5 kg	1pc/ploy bag, 64pcs/ctn	42.5*29.5*38 cm

Storage organizer

STORAGE ORGANIZER

PATENT NUMBER: ZL 2006 3 0117200.1





DETAILS DESCRIBING:
Carbon steel with powder-coated

Utility Hook

ITEMS NO.: H126A	H126B	H126C
SIZE: a:7*b:15*c:11 cm	a:16*b:23.5*c:16 cm	a:19.5*b:28.8*c:16.3 cm
N.W/G.W: 25/26.5 kg	24/25.5 kg	16/17 kg
PACKING: 1 pc/ploy bag, 250 pcs/ctn	1 pc/ploy bag, 100 pcs/ctn	1 pc/ploy bag, 64 pcs/ctn
CTN: 64.5*17*45cm	56*25.5*42.5 cm	44*32*34 cm



PATENT NUMBER: ZL 2007 3 0121859.9



DETAILS DESCRIBING:
Carbon steel with plastic powder-coated.
With black sponge wrap

Utility Hook

ITEMS NO.: H127	H127A
SIZE: 20*21*24 cm	18.5*21.5*22.5 cm
N.W/G.W: 16/17 kg	14/15 kg
PACKING: 1 pc/ploy bag, 60 pcs/ctn	1 pc/ploy bag, 64 pcs/ctn
CTN: 54*28.5*44.5 cm	46*27*34 cm


DETAILS DESCRIBING:
Carbon steel, with powder-coated

Utility Hook

ITEMS NO.: H128
SIZE: 9*19.5*27 cm
N.W/G.W: 10/11 kg
PACKING: 1 pc/ploy bag, 30 pcs/ctn
CTN: 52*36*62.5 cm







DETAILS DESCRIBING:
Carbon steel, with powder-coated

Utility Hook

ITEMS NO.: H129
SIZE: 20.5*9.5*7.5 cm
N.W/G.W: 15/16 kg
PACKING: 1 pc/ploy bag, 100 pcs/ctn
CTN: 55*32*47.5 cm



DETAILS DESCRIBING:
Carbon steel, with powder-coated

Utility Hook

ITEMS NO.: H130
SIZE: a:17.5* b:7.1 cm
N.W/G.W: 19/20.5 kg
PACKING: 1 pc/ploy bag, 200 pcs/ctn
CTN: 39*19.5*43 cm



DETAILS DESCRIBING:
Carbon steel, with powder-coate

Utility Hook

ITEMS NO.: H131A	H131B
SIZE: a:34.5* b:19 cm	a:50* b:19 cm
N.W/G.W: 16/17 kg	11/12 kg
PACKING: 1 pc/ploy bag, 80 pcs/ctn	1 pc/ploy bag, 40 pcs/ctn
CTN: 41.5*26*40 cm	52.5*31*22 cm

STORAGE ORGANIZER



DETAILS DESCRIBING:
Carbon steel, coated with plastic powder, with a black sponge wrap



Utility Hook

ITEMS NO.: H132
SIZE: 30*17*9.5 cm
N.W/G.W: 4.5/5 kg
PACKING: 1 pc/ploy bag, 12 pcs/ctn
CTN: 42.5*29*10 cm



DETAILS DESCRIBING:
Carbon steel, coated with plastic powder

Utility Hook

ITEMS NO.: H133
SIZE: 19*26 cm
N.W/G.W: 12/13 kg
PACKING: 1 pc/ploy bag, 12 pcs/ctn
CTN: 42.5*37.5*25 cm



DETAILS DESCRIBING:
Carbon steel coated with zinc plated

Ladder Holder


ITEMS NO.: H133B
SIZE: 28*17.5*3 cm
N.W/G.W: 12.3/13.3 kg
PACKING: 1 pcs/polybag, 24 pcs/ctn
CTN: 37*30*38 cm



DETAILS DESCRIBING:
Carbon steel, coated with plastic powder

Utility Hook


ITEMS NO.: H134
SIZE: 31.5*41 cm
N.W/G.W: 19/20 kg
PACKING: 1 pc/ploy bag, 30 pcs/ctn
CTN: 48*29*31 cm



DETAILS DESCRIBING:
Carbon steel with zinc finish, soaking liquid plastic

Utility Hook

ITEMS NO.: H135
SIZE: 12.8*6.5*5.5 cm
N.W/G.W: 18/18 kg
PACKING: 1 pc/ploy bag, 200 pcs/ctn
CTN: 44*30*29 cm



DETAILS DESCRIBING:
Carbon steel with zinc plated, soaking liquid plastic

Utility Hook


ITEMS NO.: H136A	H136B
SIZE: 13*8 cm	12.5*9 cm
N.W/G.W: 15/16 kg	19/20 kg
PACKING: 1 pc/ploy bag, 100 pcs/ctn	1 pc/ploy bag, 200 pcs/ctn
CTN: 49.5*29.5*19 cm	39*27*45 cm



DETAILS DESCRIBING:
Carbon steel, coated with plastic powder

Utility Hook

ITEMS NO.: H136C
SIZE: 8.8*3.5*1.2 cm
N.W/G.W: 14.5/15.5 kg
PACKING: 1 pc/ploy bag, 288 pcs/ctn
CTN: 21*15.5*30.8 cm



DETAILS DESCRIBING:
S hook
Carbon steel with zinc plated

Utility Hook

ITEMS NO.: H137
SIZE: 184*80 cm
N.W/G.W: 7/8 kg
PACKING: 1 pc/ploy bag, 100 pcs/ctn
CTN: 37*20.5*17.5 cm

Storage organizer

STORAGE ORGANIZER



DETAILS DESCRIBING:
Carbon steel with zinc plated,
Soaking liquid plastic

Aluminium Hook


ITEMS NO.: H137A
SIZE: 14.6*6.4 cm
N.W/G.W: 15.5/16.5 kg
PACKING: 1 pc/ploy bag, 480 pcs/ctn
CTN: 33*30*23 cm



DETAILS DESCRIBING:
Carbon steel with zinc plated,
Soaking liquid plastic

Aluminium Hook

ITEMS NO.: H137B
SIZE: 22.4*11.1 cm
N.W/G.W: 15.5/16.5 kg
PACKING: 1 pc/ploy bag, 90 pcs/ctn
CTN: 39.5*26*19.5 cm



DETAILS DESCRIBING:
Aluminium hook


Aluminium Hook

ITEMS NO.:	H138A	H138B
SIZE:	22*17*16.5 cm	16*11.5*10 cm
N.W/G.W:	15/16 kg	10/11 kg
PACKING:	1 pc/poly bag, 120 pcs/ctn	1 pc/poly bag, 120 pcs/ctn
CTN:	48*38*31 cm	47*43*31 cm

DETAILS DESCRIBING:
Aluminium hook








Aluminium Hook

ITEMS NO.:	H139A	H139B	H139C
SIZE:	12*8*4.5 cm	15.5*14*6 cm	20*18*6.5 cm
N.W/G.W:	14/15 kg	9/10 kg	11/12 kg
PACKING:	1 pc/poly bag, 300 pcs/ctn	1 pc/poly bag, 120 pcs/ctn	1 pc/poly bag, 120 pcs/ctn
CTN:	48*37*21 cm	33*32*31 cm	42*41*31 cm

DETAILS DESCRIBING:
Aluminium hook

Aluminium Hook


ITEMS NO.:	H139D	H139E
SIZE:	11.7*8.2*5.3 cm	13.8*11.8*5.8 cm
N.W/G.W:	12/13 kg	15.5/16.5 kg
PACKING:	1 pc/poly bag, 180 pcs/ctn	1 pc/poly bag, 180 pcs/ctn
CTN:	25.5*27*47 cm	47*41*42 cm



DETAILS DESCRIBING:
Aluminium hook set

Aluminium Hook

ITEMS NO.: H139F
SIZE: 2pcs L-shape without plastic dipped 11.7*8.2 cm
2pcs L-shape with plastic dipped 12*8.5 cm
2pcs L-shape without plastic dipped 13.8*11.8 cm
2pcs L-shape with plastic dipped 14*12 cm
Including 16pcs screw 4*40mm and plugs
N.W/G.W: 16/17 kg
PACKING: 1 set/double blister, 12 sets/ctn
CTN: 48*33*38 cm





DETAILS DESCRIBING:
Aluminium hook

Aluminium Hook

ITEMS NO.: H140
SIZE: 8.8*17*13 cm
N.W/G.W: 14/15 kg
PACKING: 1 pc/poly bag, 180 pcs/ctn
CTN: 49*40*31 cm



DETAILS DESCRIBING:
Carbon steel with zinc plated

Tire Hook

ITEMS NO.: H141
N.W/G.W: 14/15 kg
PACKING: 4 pcs/set, 1 set/double blister, 20 sets/ctn
CTN: 44*36*29 cm



STORAGE ORGANIZER

DETAILS DESCRIBING:
8pcs hook set

6PCS Hook Set

ITEMS NO.: H142
SIZE: 1pc G-shape 16*11.5*10 cm
1pc G-shape 22*17*16.5 cm
1pc L-shape 12*8*4.5 cm
1pc L-shape 15.5*14*6 cm
1pc L-shape 20*19*8.5 cm
Similiar with G-shape 8.8*17*13 cm
N.W/G.W: 7/8 kg
PACKING: 1 set/froth card, 12 sets/ctn
CTN: 39.5*34*33 cm



DETAILS DESCRIBING:
10pcs hook set

10pcs Hook Set

ITEMS NO.: H143
SIZE: 2pcs G-shape 22*17*16.5 cm
4pcs L-shape 12*8*4.5 cm
2pcs round L-shape 11.5*15 cm
2pcs L-shape flat hooks
N.W/G.W: 9/10kg
PACKING: 1 set/froth card, 12 sets/ctn
CTN: 45*38*33 cm



DETAILS DESCRIBING:
9pcs hook set

9PCS Hook Set

ITEMS NO.: H144
SIZE: 2pcs G-shape 16*11.5*10 cm
2pcs L-shape 12*8*4.5 cm
3pcs Similiar with G-shape 8.8*17*13 cm
2pcs L-shape flat hooks
N.W/G.W: 14/15 kg
PACKING: 1 set/froth card, 18 sets/ctn
CTN: 72.5*49.5*23 cm





DETAILS DESCRIBING:
Carbon steel coated with plastic powder.
With 12 screws and plugs

6PCS Hook Set

ITEMS NO.: H145
SIZE: 2pcs L-shape 30*25*9.5 cm
2pcs L-shape 21*20*6 cm
1pc L-shape 21.3*15*8.5 cm
1pc L-shape 14*11*5 cm
N.W/G.W: 11.5/12.5 kg
PACKING: 1 set/double blister, 10 sets/ctn
CTN: 39.5*39.5*25.5 cm



DETAILS DESCRIBING:
Carbon steel coated with plastic powder

8PCS Hook Set

ITEMS NO.: H146
SIZE: 2pcs L-shape 30*25*9.5 cm
1pc L-shape 21.3*15*8.5 cm
1pc L-shape 14*11*5 cm
1pc L-shape 12*8*4.5 cm
1pc G-shape 7*15*11 cm
2pcs L-shape flat hooks
N.W/G.W: 24/25 kg
PACKING: 1 set/double blister, 20 sets/ctn
CTN: 54*31*51 cm



DETAILS DESCRIBING:
Carbon steel coated with plastic powder

14PCS Hook Set

ITEMS NO.: H147
SIZE: 2pcs T-shape a:42*b:29*c:9.5*d:16 cm
4pcs L-shape 21.3*15*8.5 cm
4pcs L-shape 14*11*5 cm
4pcs G-shape 7*15*11 cm
Screw driver Diameter: 0.8 cm
Iron stick length:10 cm The head :No.2
N.W/G.W: 16/17 kg
PACKING: 1 set/double blister, 6 sets/ctn
CTN: 52*47*27 cm

Storage organizer

STORAGE ORGANIZER



DETAILS DESCRIBING:
Carbon steel coated with plastic powder

10PCS Hook Set

ITEMS NO.: H148
SIZE: 2pcs T-shape a:42*b:29*c:9.5*d:18 cm
2pcs U-shape 24*21*20 cm
4pcs L-shape 21.3*15*8.5 cm
2pcs L-shape 14*11*5 cm
N.W/G.W: 17/18 kg
PACKING: 1 set/double blister, 6 sets/ctn
CTN: 52*47*27 cm

DETAILS DESCRIBING:
Carbon steel coated with plastic powder.
With four pieces of sponge

10PCS Utility Hooks Kit

ITEMS NO.: H151
SIZE: 4pcs L-shape 21.3*15*8.5 cm
2pcs L-shape 14*11*5 cm
2pcs G-shape 16*23.5*16 cm
2pcs U-shape 24*21*20.1 cm
N.W/G.W: 12/13 kg
PACKING: 1 set/color box, 6 sets/ctn
CTN: 54*27*28 cm





DETAILS DESCRIBING:
Carbon steel coated with plastic powder.
With four pieces of sponge

14 PCS Utility Hooks Kit

ITEMS NO.: H149
SIZE: 2pcs T-shape a:42*b:29*c:9.5*d:18 cm
4pcs L-shape 21.3*15*8.5 cm
4pcs L-shape 14*11*5 cm
4pcs G-shape 7*15*11 cm
N.W/G.W: 13/14 kg
PACKING: 1 set/color box, 5 sets/ctn
CTN: 50*30*29 cm







DETAILS DESCRIBING:
Carbon steel coated with plastic powder.
With 10 pieces of sponge

15PCS Utility Hooks Kit

ITEMS NO.: H152
SIZE: 2pcs T-shape a:42*b:29*c:9.5*d:18 cm
4pcs L-shape 30*25*8.5 cm
2pcs L-shape 21.3*15*8.5 cm
2pcs L-shape 14*11*5 cm
2pcs L-shape 12*8*5 cm
2pcs flat hook 8.8*4.2 cm
1pcs hook 20.5*9.5*7.5 cm
N.W/G.W: 14/15 kg
PACKING: 1 set/white box, 5 sets/ctn
CTN: 45*34.5*43.5 cm





DETAILS DESCRIBING:
12 pcs utility hooks kit,
Carbon steel coated with plastic powder.
With four pieces of sponge 34 screws and plugs

12PCS Utility Hooks Kit

ITEMS NO.: H150
SIZE: 2pcs T-shape a:42*b:29*c:9.5*d:18 cm
4pcs L-shape 21.3*15*8.5 cm
2pcs L-shape 14*11*5 cm
2pcs G-shape 16*23.5*16 cm
2pcs U-shape 24*21*20 cm
N.W/G.W: 15/16 kg
PACKING: 1 set/color box, 5 sets/ctn
CTN: 49.5*30.5*26.8 cm



DETAILS DESCRIBING:
Carbon steel coated with plastic powder.
With 10 pieces of sponge

16PCS Utility Hooks Kit

ITEMS NO.: H153
SIZE: 2pcs T-shape a:42*b:29*c:9.5*d:18 cm
4pcs L-shape 30*25*8.5 cm
2pcs L-shape 21.3*15*8.5 cm
2pcs L-shape 14*11*5 cm
2pcs L-shape 12*8*5 cm
3pcs flat hook 8.8*4.2 cm
1pcs hook 20.5*9.5*7.6 cm
N.W/G.W: 14/16 kg
PACKING: 1 set/white box, 5 sets/ctn
CTN: 43*31*40 cm

Storage organizer

STORAGE ORGANIZER

DETAILS DESCRIBING:
12 pcs Utility Hooks kit
Carbon steel coated with plastic powder.
With 4 pieces of sponge

12PCS Utility Hooks Kit

ITEMS NO.: H154
SIZE: 2pcs new T-shape 36*23.3*12.3 cm
2pcs L-shape 14.5*13*75 cm
4pcs L-shape 27*29.8*6.5 cm
2pcs G-shape 19*28.5*16.5*5.5 cm
2pcs U-shape 22.5*21.8*18.5 cm
N.W/G.W: 15/16 kg
PACKING: 1 set/inner box, 5 sets/ctn
CTN: 40*35*27 cm



DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Ladder Holder

ITEMS NO.: H155
SIZE: 15.5*12.7*5.5 cm
N.W/G.W: 14/15 kg
PACKING: 1 pcs/polybag, 36 pcs/ctn
CTN: 41*34*36 cm







DETAILS DESCRIBING:
Carbon steel coated with zinc plated

Ladder Holder

ITEMS NO.: H156
SIZE: 36.3*30.8 cm
N.W/G.W: 12.3/13.3 kg
PACKING: 2 pcs/ set, 2 sets/ inner box, 6 sets/ctn
CTN: 35*33*33.5 cm





DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Log Holder with Tools

ITEMS NO.: H157
SIZE: 40*35.2*87 cm
N.W/G.W: 21/22 kg
PACKING: 1 set/inner box, 3 sets/ctn
CTN: 84*44*16.5 cm



DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Log Holder with Tools

ITEMS NO.: H158
SIZE: 37.5*33*74 cm
N.W/G.W: 17/18 kg
PACKING: 1 set/inner box, 3 sets/ctn
CTN: 78*37*32.5 cm

Storage organizer

DETAILS DESCRIBING:
Carbon steel with wood

Flooring Installation Kit

ITEMS NO.: H159
SIZE:
N.W/G.W: 17/18 kg
PACKING: 2 sets/inner box, 16 sets/ctn
CTN: 34*32*38 cm



KIMPORT





DETAILS DESCRIBING:
Carbon steel with PP

Flooring Installation Kit

ITEMS NO.: H160A
N.W/G.W: 11/12.5 kg
PACKING: 1 set/inner box, 24 sets/ctn
CTN: 35.7*29.5*26.5 cm

DETAILS DESCRIBING:
Carbon steel with powder coated

Tire Hook

ITEMS NO.: H161
SIZE: 32.2*30.5 cm
N.W/G.W: 16/17 kg
PACKING: 4 pcs/inner box, 8 boxes/ctn
CTN: 42*35.5*38 cm





Storage organizer



DETAILS DESCRIBING:
Material: aluminium

Store Plus

ITEMS NO.: H162
SIZE: 78*81 cm
N.W/G.W: 17/18 kg
PACKING: 1 set/inner box, 10 sets/ctn
CTN: 81*28*42 cm

Ladder Platform

DETAILS DESCRIBING:
A3 steel,surface be coated with plastic powder

PATENT NUMBER: ZL 2007 3 0295373.7



A



B









DETAILS DESCRIBING:
Ladder platform A3 steel, surface be coated with plastic powder

Ladder Platform

ITEMS NO.:	H200A	H200B
N.W/G.W:	10/11 kg	13/14 kg
PACKING:	1pc/inner box, 4 pcs/ctn	1pc/white box, 4 pcs/ctn
CTN:	52*38.5*23cm	36.5*31.5*32.5cm

BRACKETS



PATENT NUMBER: ZL 2007 3 0121097.2











DETAILS DESCRIBING:
Carbon steel with powder coated, plastic wrap handle.
(Not provide the board)

Multi-function Worktable

ITEMS NO.: H201
SIZE: handle length:50 cm, bracket length:103 cm
N.W/G.W: 15/18 kg
PACKING: 1 pc/white box, 3 pcs/ctn
CTN: 105*55*22 cm

PATENT NUMBER: ZL 2006 3 0117205.4



DETAILS DESCRIBING:
2 pcs white microwave bracket set,
Carbon steel with plastic powder coated

Microwave Bracket Set

ITEMS NO.: H206
SIZE: 28.5*20*3 cm, max length: 48 cm
N.W/G.W: 14/15 kg
PACKING: 2 pc/color box, 6 sets/ctn
CTN: 46*36.5*35.5 cm

PATENT NUMBER: ZL 2006 3 0117204.X



DETAILS DESCRIBING:
2 pcs silver microwave bracket set,
Carbon steel coated with plastic powder

Microwave Bracket Set

ITEMS NO.: H207
SIZE: 33*22*3 cm, max length:50 cm
N.W/G.W: 13/14 kg
PACKING: 2 pc/color box, 6 sets/ctn
CTN: 35.5*25.5*23 cm





PATENT NUMBER: ZL 2006 3 0117343.2

DETAILS DESCRIBING:
2 pcs microwave bracket set,
Carbon steel with powder coated

Microwave Bracket Set

ITEMS NO.: H208
SIZE: 30*20.5*3 cm
N.W/G.W: 17/18kg
PACKING: 2 pc/color box, 12 sets/ctn
CTN: 56*32.5*43 cm



DETAILS DESCRIBING:
Carbon steel with powder coated

Lamp Bracket

ITEMS NO.: H209
SIZE: base width: 104*104*104 cm, H: 146 cm
N.W/G.W: 10.8/13 kg
PACKING: 2 pcs/ctn
CTN: 109*17.5*25.8 cm



DETAILS DESCRIBING:
Carbon steel with powder coated, plastic wheels

Electric-drill Bracket



ITEMS NO.: H210
SIZE: 17.5*18 cm
N.W/G.W: 10/11 kg
PACKING: 10 pcs/ctn
CTN: 53.5*42*20 cm

BRACKETS



DETAILS DESCRIBING:
Carbon steel, with hot zincification

Wood Storage Bracket

ITEMS NO.: H211
SIZE: 3"*2.5"
N.W/G.W: 10/11 kg
PACKING: 2 pcs/set, 2 sets/ctn
CTN: 36*33*23 cm



DETAILS DESCRIBING:
Carbon steel, with hot zincification

Wood Storage Bracket

ITEMS NO.: H212
SIZE: 2"*2"
N.W/G.W: 8/9 kg
PACKING: 2 pcs/set, 2 sets/ctn
CTN: 36*33*27 cm



DETAILS DESCRIBING:
Carbon steel coated with plastic powder

Wood Storage Bracket

ITEMS NO.: H213
SIZE: 150*30 cm
N.W/G.W: 15/16 kg
PACKING: 4 sets/ctn
CTN: 165*38*30 cm



DETAILS DESCRIBING:
Knock-down type wood storage bracket
Carbon steel coated with plastic powder

Wood Storage Bracket

ITEMS NO.: H214
SIZE: 150*30 cm
N.W/G.W: 16/17 kg
PACKING: 4 sets/ctn
CTN: 85*33.5*16 cm



PATENT NUMBER: ZL 2006 3 0117197.3

DETAILS DESCRIBING:
Carbon steel by zincification, with aluminum frame

Billboard Frame

ITEMS NO.: H215
SIZE: 99*58.5*48.5 cm
N.W/G.W: 7/8 kg
PACKING: 2 sets/ctn
CTN: 101*47.5*16 cm



DETAILS DESCRIBING:
Carbon steel by zincification, with aluminum frame

Billboard Frame

ITEMS NO.: H216
SIZE: 119*70*64.5 cm
N.W/G.W: 7/8 kg
PACKING: 1 set/ctn
CTN: 120*9*66.5 cm



PATENT NUMBER: ZL 2006 3 0117196.9

DETAILS DESCRIBING:
Carbon steel by zincification, with aluminum frame

Billboard Frame

ITEMS NO.: H217
SIZE: 119*70*46 cm
N.W/G.W: 5/6 kg
PACKING: 1 set/ctn
CTN: 120.5*9*62 cm





QY020E

Description of goods

Paint Mixer Rod:
(1) 600 * 100mm, material a 3 + TPR, rod hexagonal steel diameter 9.2 mm, 440G, surface treatment spray
(2) 400 * 80mm, material a 3 + TPR, rod hexagonal steel diameter 7.8 mm, 225G, surface treatment spray
(3) 400 * 60 * 2mm, material a 3 + TPR, rod hexagonal steel diameter 7.8 mm, 200G, surface treatment spray
(4) 60 * 400mm, rod round steel diameter 8.0 mm, material a 3 + PP + TPR
Bricklaying Trowel:
(1) 360 * 130mm, handle ABS + TPR, plate stainless steel thickness 0.7 mm, 370g
(2) 280 * 130mm, both sides with teeth 8 * 8mm, handle ABS + TPR, plate stainless steel thickness 0.7 mm, 315g
(3) Trapezoid, 120(90) * 80mm, handle + TPR, handle ABS, plate stainless steel thickness 0.7 mm, 215g
Plastic Sand Board:
(1) RUBBER cleaning sand board, material PS + RUBBER, 280 * 140 * 10mm, 315g
(2) Sponge cleaning sand board, material PS + Sponge, 280 * 140 * 30mm, 190g
(3) Pu sand board, 280 * 140mm, 120g
(4) ABS sand board, material ABS, 280 * 130 * 3mm, 175g



QY021E

Description of goods

Bricklaying Trowel:
(1) 280*130mm, handle ABS TPR, bottom plate stainless steel thickness 0.7mm, 320g
(2) 280*130mm, two sides with teeth 8*8mm, handle ABS TPR, bottom plate stainless steel thickness 0.7mm, 315g
Plastic Sand Board:
(1) EVA Clean Sand Board, Material PS EVA, 280*140*10mm, 195g
(2) Sponge Clean Sand Board, material PS sponge, 280*140*30mm, 190g
Plastic Scraper:
(1) 243*72mm, material PP TPR, 145g
(2) 143*72mm, material PP TPR, 85g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24			39.5*29*17



QY022E

Description of goods

Ceramic Tile Tool 8-Piece Set:
1 PC SPONGE block, size 200 * 110 * 50mm
1 PC SPONGE sand board, size 280 * 140 * 30mm, material PS + Sponge
1 PC Plastic cross bag (100pc) , material PP
1 PC Seam scraper, material TPR
1 PC Rubber scraper, material PP + RUBBER
1 PC Tile Pliers Size: 210 * 55mm, PP handle, Chuck material ABS, main material A3, thickness 3mm, blade material YG6, Size 13 * 1.5 mm, 205g
1 PC Ceramic tile pull wire

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	11.3	12.5	59*56*24



QY009E02

Description of goods

Plastic Bucket 12L, size 350*245*205mm, 960g, zinc plated handle, with PP roller
EVA Tile Cleaner, PS+EVA 280*140*10mm,195g
Sponge Tile Cleaner, PP+SPONGE 280*140*30mm,190g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	5	6.5	76.5*38*42



QY010E01-12

Description of goods

Plastic bucket 10L, size 420*235*175mm, 1050g, with PS roller, 2K handle PS+TPR
Sponge Tile Cleaner 280*140*30mm, 220g, 2K handle PS+TPR
EVA Tile Cleaner 280*140*10mm, 220g
Grid, ABS, Size：280*183*80mm, 95g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	6.2	7.2	73*45*36.5



QY010E02-12

Description of goods

Plastic Bucket 10L, size 420*235*175mm, 1050g, with PS roller, K handle PS+TPR
Sponge Tile Cleaner 280*140*30mm, 220g
grid, ABS, Size：280*183*80mm, 95g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	6.2	7.2	73*45*36.5



QY011E01-24

Description of goods

Plastic Bucket 24L, size 495*270*275mm, 1820g, with double PP roller, 2K handle PS+TPR,
EVA Tile Cleaner 280*140*10mm, 225g, 2K handle PS+TPR
Sponge Tile Cleaner 280*140*30mm, 220g
Grid, ABS, Size: 300*225*100mm, 185g, 4pc Universal bottom foot roller

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	11	12.5	84*54*44



QY011E02-24

Description of goods

Plastic Bucket 24L, size 495*270*275mm, 1820g, with double PP roller
EVA Tile Cleaner 280*140*10mm
Sponge Tile Vleaner 280*140*30mm

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	11	12.5	84*54*44



QY011E03-24

Description of goods

Plastic Bucket 24L, size 495 * 270 * 275mm, 1820g, with double PP roller, 2K handle PS + TPR
Eva Tile Cleaner 280 * 140 * 10mm, 225g, 2K handle PS + TPR,
Sponge Tile Cleaner 280 * 140 * 30mm, 220g
Stainless Steel Bricklaying Trowel, 280 * 130mm, both sides with teeth 8 * 8mm, handle ABS + TPR, bottom plate stainless steel thickness 0.7 mm, 315g
Grid, ABS, size: 300 * 225 * 100mm, 185g
Sponge Block, 165 * 110 * 60mm, 25g
Rubber Scraper, 200 * 74mm, 135g
4PC universal bottom foot roller

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	11	12.5	84*54*44



QY014E

Description of goods

Five sets of rubber scraper, pp plastic slotting knife, size 106 * 38mm, four multi-angle scraper, material TPR
Semi-circular angle 2/4/6/8/10/14/20
The plane angle is 3/5/6/8/10/14, 58g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6/BOX,72/CTN	9	10.5	26*18*17



QY014E01

Description of goods

Five sets of rubber scraper, pp plastic slotting knife, size 106 * 38mm, four multi-angle scraper, material TPR
Semi-circular angle 2/4/6/8/10/14/20
The plane angle is 3/5/6/8/10/14, 58g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6/BOX,72/CTN	9	10.5	26*18*17



QY014E02

Description of goods

Wiper Blade 5 sets, pp plastic box, size 106 * 38mm, four multi-angle blade, material TPR
Semi-circular angle 2/4/6/8/10/14/20
The plane angle is 3/5/6/8/10/14, 58g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
100/CTN	4.7	5.5	33*20*21



QY013E04

Description of goods

Plastic frictioning device with blade Size: 190mm, 17.5g
Material: ABS
Plastic frictioning device Size: 116mm, 3/6/10/13/17R, 29g
Material: ABS+TPR
Steel removel device for glue Size: 190mm, Material: Steel+TPR, 40g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12/BOX,72/CTN	12	13	55*42*51




QY013E

Description of goods

KIT for silicone remover Size: 185mm
1PCS Plastic removel device
1PCS Frictionaing device with 5PCS Rubber head. 46g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
40	3	4	53*30*33



QY013E03

Description of goods

Kit for Silicone remover Size: 185mm
1PCS Plastic removel device, multi-angle scraper 2PC, semicircle angle, right angle
Plane Angle 5/8/10/16, material TPR, 40g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
40	3	4	53*30*33



QY013E02

Description of goods

KIT for silicone remover Size: 185mm material ABS+SK5,17.5g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10/BOX,80/CTN	3.4	4.1	35.5*26*40



QY014E03

Description of goods

WIPE rubber scraper four-piece set, pp plastic slotting knife, size 106 * 38mm, three multi-angle scraper, material TPR, multi-angle scraper 2PC, semi-circular angle, right angle
Plane Angle 5/8/10/16, material TPR, 50g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6/BOX,72/CTN	9	10.5	26*18*17



QY015E

Description of goods

Wiper blade 4-piece set, pp plastic slotting knife, size 106 * 38mm, three multi-angle blade, material TPR, semi-circular angle, right angle
The plane angle is 5/8/10/16,44g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6/BOX,72/CTN	9	10.5	26*18*17



QY016E

Description of goods

Multi-angle scraper 5 sets, material TPR, semicircle angle 3/6/8/9/10/12/15/22/25, right angle
The plane angle is 0/3/4/5/6/8/9/10/14/16, 36g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
100/CTN	5.6	6.6	33*20*21



QY017E

Description of goods

Wiper Blade 4-piece set, 2k handle hook and seam brush, material ABS + TPR, stainless steel hook and seam knife head, size 195 * 22mm, brush wire material PE, out front 15mm, 56g
Three multi-angle scraper, material TPR, semi-circular angle, right angle
The plane angle is 5/8/10/16, 44g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10/BOX,100/CTN	13	16.2	92*53*29



QY018E

Description of goods

2 pieces set 2k sewing machine, materials ABS + TPR, blade size 165 * 35mm, 37g, spatula size 150 * 45mm, 35g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10/BOX,60/CTN7		8	60*33*45



QY019E

Description of goods

Three-piece 2k beauty seam machine, material ABS + TPR, blade size 190 * 30mm, 25g, spatula size 185 * 30mm, 30g, nozzle size 42 * 62mm, 9g

QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12/BOX,48/CTN	8	9	55*42*34





QY001A

Description of goods

Plastic sanding block Size: 165*85mm
ABS, EVA (T4mm)
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 145g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	42.5*12.5*9	60	8.7	9.7	44*34*29



QY001A-02

Description of goods

Plastic sanding block Size: 185*99mm
ABS, EVA (T4mm)
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 165g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	46.5*18.5*9	60	10	11	48*39*30



QY002A

Description of goods

Plastic sanding block Size: 210*103mm
ABS, EVA (T4mm)
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 185g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	54*21.5*10	60	11	12	55*45*33



QY003A

Description of goods

Foamed plastic granding block, Handle: PS 2, 28*80mm
EVA: 228*80*6mm
Zinc plated steel clamp, T1.0mm, one screw, use with sanding mesh, 176g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*23*10	60	10.5	11.5	48*45*33



QY004A

Description of goods

Foamed plastic granding block, Handle: PS 230*103mm
EVA: 230*103*6mm
Zinc plated steel clamp, T1.0mm, one screw, use with sanding mesh, 195g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	59*23*10	60	12	13	60*48*33



QY005A

Description of goods

Foamed plastic granding block, Handle: PS 230*120mm
EVA: 230*120*6mm
Zinc plated steel clamp, T1.0mm, one screw, 230g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	64*23*10	60	14	15	65*48*33



QY006A

Description of goods

Sanding block,Handle: PS 225*78mm
EVA: 225*78*6mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 200g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*23*10	60	12	13	48*45*33



QY007A

Description of goods

Sanding block, Handle: PS 230*105mm
EVA: 230*105*6mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 245g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	58*23*10	60	14.7	15.7	59*48*33



QY007A-2

Description of goods

Sanding block, Handle: PS 230*115mm
EVA: 230*115*6mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 245g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	62*23*10	60	14.7	15.7	63*48*33



QY007A02

Description of goods

Sanding block, Handle: PS 230*105mm
EVA: 230*104*6mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 330g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	58*23*10	60	19.8	21	59*48*33



QY008A

Description of goods

Sanding block, Handle: PS 230*120mm
EVA: 230*120*6mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 270g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	64*23*10	60	16.2	17.3	65*48*33



QY008A02

Description of goods

Sanding block,Size: 265*105mm
Handle:PS, EVA (T6mm)
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 245g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	58*27*10	60	14.7	15.7	59*56*33



QY009A

Description of goods

Sanding block, Size: 165*85mm ABS & EVA,
plastic clamp, use with sanding paper, 100g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	43*16.5*9	60	6	7	44*34*30



QY010A

Description of goods

Handle: PS 230*80mm
EVA: 230*80*6mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, sanding paper, sanding cloth, 210g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*23*10	60	12.6	13.6	48*45*33



QY011A

Description of goods

Handle: PS 230*105mm
EVA: 230*105*6mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, sanding paper, sanding cloth, 220g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	58*23*10	60	13.2	14.5	59*48*33



QY011A-01

Description of goods

Handle: PS183*80mm
EVA: 183*80*6mm
PA clamp, use with sanding mesh, sanding paper, sanding cloth, 115g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	50.5*18.5*9	60	6.9	7.9	51.5*39*30



QY011A-02

Description of goods

Handle: PS 230*80mm
EVA: 230*80*6mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, sanding paper, sanding cloth, 210g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*23*10	60	12.6	13.6	48*45*33



QY012A

Description of goods

Hand sanding block 230x80mm PS handle with plastic turn-lock clasp, Black EVA base board 230x80x6mm 185g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	46.5*23.5*10	60	11	12	49*47.5*33



QY012A-02

Description of goods

Sanding block, Handle: PS 8*80mm
EVA:188*80*4mm
Zinc plated steel clamp, T1.0mm, use with sanding mesh, 165g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
			9.5	11	44*39*30



QY0013A

Description of goods

Sanding block, Size:225*83mm
ABS, EVA (T6mm)
Zinc plated steel clamp, T1.0mm, 175g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*23*10	60	10.5	11.6	48*45*33



QY013A02

Description of goods

Sanding block, Size: 225*105mm
ABS, EVA (T6mm)
Zinc plated steel clamp, T1.0mm, 205g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	58*23*10	60	12.3	13.3	59*48*33



QY014A

Description of goods

Sanding block, Size: 225*120mm
ABS, EVA (T6mm)
Zinc plated steel clamp, T1.0mm, 225g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	64*23*10	60	13.8	15	65*48*33



QY015A

Description of goods

Size: 210*103mm
ABS, EVA (T6mm)
Zinc plated steel clamp, T1.0mm
Can be used with telescopic pole, 245g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	56*21*8	60	14.7	16	57*44*27



QY015A02

Description of goods

Size: 210*103mm
ABS, EVA (T6mm)
Zinc plated steel clamp, T1.0mm
Can be used with telescopic pole, 230g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	51*21*8	60	13.8	15	52*44*30



QY016A

Description of goods

Size: 225*83mm
ABS, EVA (T6mm)
Zinc plated steel clamp, T1.0mm
Can be used with telescopic pole,160g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*23*8	60	9.6	11	48*45*27



QY016A02

Description of goods

Size: 225*83mm, PP handle, ABS, EVA (T6mm)
Zinc plated steel clamp, T1.0mm
Can be used with telescopic pole, 180g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*25*8	60	9.6	11	52*45*27




QY017A

Description of goods

Size: 235*80mm, Aluminium
EVA: T6mm
Zinc plated steel clamp, T1.0mm, 290g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*23*9	60	17.4	18.5	48*45*30





QY018A

Description of goods

Size: 130*68mm
Material: PVC

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	32*13*7.5	60	9.5	11	33*28*25



QY019A

Description of goods

Size: 130*70mm
Material: PVC, 200g （New materials）

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	32*13.5*7.5	60	12	13	37*27*22



QY020A

Description of goods

PP handle 230*80mm
Steel board, power-coated, Steel handle, steel board connect with plastic board, with felt, used with napping board (Sponge or other board), 300g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	45*25*8	60	18	19	52*48*27



QY021A

Description of goods

Steel handle 230*80mm
Steel board, power-coated, Steel handle,steel board connect with plastic board, with felt, used with napping board (Sponge or other board), 255g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	43*23*6	60	15.3	16.3	48*44*21



QY023A01

Description of goods

Sanding block, 2K handle, ABS+TPR, Al board: 235*80*1.2mm,
Zinc plated steel clamp, T1.0mm
Zinc plated steel clamp, T1.0mm
EVA: 235*80*6mm, 180g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	44*23*9	60	10.8	12	48*45*30



QY023A02

Description of goods

Sanding block, 2K handle, ABS+TPR, Al board: 230*105*1.2mm,
Zinc plated steel clamp, T1.0mm
EVA: 230*105*6mm, 210g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	58*23*9	60	12.5	14	59*48*30



QY023A03

Description of goods

Plastic sanding block Size: 165*85mm
ABS, EVA (T4mm)
Zinc plated steel clamp, T1.0mm,use with sanding mesh, 145g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	64*23*9	60	13.8	15	66*48*30



QY024A

Description of goods

Wood handle sanding board With aluminium plate & hook pad
170x68mm EVA baseboard, 245g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	37*17.5*9	60	14.7	16	38*37*30



QY025A

Description of goods

Wood handle sanding board With aluminium plate & hook pad
170x90mm EVA baseboard

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	48*17.5*9	60	13.5	14.5	49*35*30



QY026A

Description of goods

Wood handle sanding board With aluminium plate & hook pad
275x70mm
Al board: 2mm （T） EVA baseboard, 380g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	39*28*9	60	19	20	40*29*49



QY027A

Description of goods

Wood handle sanding board With aluminium plate & hook pad
400x70mm
Al board: 2mm （T） EVA baseboard, 470g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	40.5*39*9	60	23.5	25	42*40*49





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY001B03	Foam float trowel PS+EVA 240*120*8mm	10	54*24.5*9	60	11	12	65*51*30
QY001B04	Foam float trowel PS+EVA 240*120*10mm	10	54*24.5*10	60	11.5	12.5	65*51*33
QY001B05	Foam float trowel PS+EVA 250*130*8mm	10	59*25.5*9	60	11.5	12	70*53*30
QY001B06	Foam float trowel PS+EVA 250*130*10mm	10	59*25.5*10	60	12	13	70*53*33
QY001B01	Foam float trowel PS+EVA 280*140*8mm	10	75*28.5*9	60	11.5	12.5	76*59*30
QY001B02	Foam float trowel PS+EVA 280*140*10mm，200g	10	75*28.5*10	60	12	14	76*59*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY002B03	Felt trowel PS+FELT 240*120*8mm	10	54*24.5*9	60	12.5	13.5	65*51*30
QY002B04	Felt trowel PS+FELT 240*120*10mm	10	54*24.5*10	60	13	14	65*51*33
QY002B05	Felt trowel PS+FELT 250*130*8mm	10	59*25.5*9	60	12	13.5	70*53*30
QY002B06	Felt trowel PS+FELT 250*130*10mm	10	59*25.5*10	60	12.5	14	70*53*33
QY002B01	Felt trowel PS+FELT 280*140*8mm	10	75*28.5*9	60	15	16	76*59*30
QY002B02	Felt trowel PS+FELT 280*140*10mm，200g	10	75*28.5*10	60	16	17	76*59*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY003B03	Felt trowel PS+FELT 240*120*8mm	10	64*24.5*9	60	12.5	13.5	65*51*30
QY003B04	Felt trowel PS+FELT 240*120*10mm	10	64*24.5*10	60	13	14	65*51*33
QY003B05	Felt trowel PS+FELT 250*130*8mm	10	69*25.5*9	60	12	13.5	70*53*30
QY003B06	Felt trowel PS+FELT 250*130*10mm	10	69*25.5*10	60	12.5	14	70*53*33
QY003B01	Felt trowel PS+Felt 280*140*8mm	10	75*28.5*9	60	15	16	76*59*30
QY003B02	Felt trowel PS+Felt 280*140*10mm，290g	10	75*28.5*10	60	16	17	76*59*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004B07-W	Sponge trowel Material: PS+Sponge 240*100*25mm	10	54*24.5*12	60	8	9.5	55*51*39
QY004B03-W	Sponge trowel Material: PS+Sponge 240*120*25mm	10	64*24.5*12	60	10.8	12	65*51*39
QY004B04-W	Sponge trowel Material: PS+Sponge 240*120*30mm，140g	10	64*24.5*14	60	11	12.5	65*51*45
QY004B08-W	Sponge trowel Material: PS+Sponge 250*100*30mm	10	54*25.5*14	60	8.5	10	55*53*45
QY004B05-W	Sponge trowel Material: PS+Sponge 250*130*25mm	10	69*25.5*12	60	9.4	10.8	70*53*39
QY004B06-W	Sponge trowel Material: PS+Sponge 250*130*30mm	10	69*25.5*14	60	9.5	11	70*51*45
QY004B01-W	Sponge trowel Material: PS+Sponge 280*140*25mm，190g	10	75*28.5*12	60	12.2	13.5	76*59*39
QY004B02-W	Sponge trowel Material: PS+Sponge 280*140*30mm	10	75*28.5*14	60	12.5	14	76*59*45





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004B07-G	Sponge trowel Material: PS+Sponge 240*100*25mm	10	54*24.5*12	60	12.2	13.5	55*51*39
QY004B03-G	Sponge trowel Material: PS+Sponge 240*120*25mm	10	64*24.5*12	60	12.6	14	65*51*39
QY004B04-G	Sponge trowel Material: PS+Sponge 240*120*30mm	10	64*24.5*14	60	12.2	13.5	65*51*45
QY004B08-G	Sponge trowel Material: PS+Sponge 250*100*30mm	10	54*25.5*14	60	12.5	14	55*53*45
QY004B05-G	Sponge trowel Material: PS+Sponge 250*130*25mm	10	69*25.5*12	60	12.2	13.5	70*53*39
QY004B06-G	Sponge trowel Material: PS+Sponge 250*130*30mm	10	69*25.5*14	60	12.5	14	70*51*45
QY004B01-G	Sponge trowel Material: PS+Sponge 280*140*25mm，190g	10	75*28.5*12	60	12.2	13.5	76*59*39
QY004B02-G	Sponge trowel Material: PS+Sponge 280*140*30mm	10	75*28.5*14	60	12.5	14	76*59*45



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004B07	Sponge trowel Material: PS+Sponge, 240*100*25mm	10	54*24.5*12	60	8	9.5	55*51*39
QY004B03	Sponge trowel Material: PS+Sponge 240*120*25mm	10	64*24.5*12	60	10.8	12	65*51*39
QY004B04	Sponge trowel Material: PS+Sponge 240*120*30mm	10	64*24.5*14	60	11	12.5	65*51*45
QY004B08	Sponge trowel Material: PS+Sponge 250*100*30mm	10	54*25.5*14	60	8.5	10	55*53*45
QY004B05	Sponge trowel Material: PS+Sponge 250*130*25mm	10	69*25.5*12	60	9.4	10.8	70*53*39
QY004B06	Sponge trowel Material: PS+Sponge 250*130*30mm	10	69*25.5*14	60	9.5	11	70*51*45
QY004B01	Sponge trowel Material: PS+Sponge 280*140*25mm，190g	10	75*28.5*12	60	12.2	13.5	76*59*39
QY004B02	Sponge trowel Material: PS+Sponge 280*140*30mm	10	75*28.5*14	60	12.5	14	76*59*45





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004B07-C	Sponge trowel Material: PS+Sponge Strong water absorption with out 240*100*25mm	10	54*24.5*12	60	8	9.5	55*51*39
QY004B03-C	Sponge trowel Material: PS+Sponge with out 240*120*25mm	10	64*24.5*12	60	10.8	12	65*51*39
QY004B04-C	Sponge trowel Material: PS+Sponge Strong water absorption with out 240*120*30mm	10	64*24.5*14	60	11	12.5	65*51*45
QY004B08-C	Sponge trowel Material: PS+Sponge Strong water absorption with out 250*100*30mm	10	54*25.5*14	60	8.5	10	55*53*45
QY004B05-C	Sponge trowel Material: PS+Sponge Strong water absorption with out 250*130*25mm	10	69*25.5*12	60	9.4	10.8	70*53*39
QY004B06-C	Sponge trowel Material: PS+Sponge Strong water absorption with out 250*130*30mm	10	69*25.5*14	60	9.5	11	70*51*45
QY004B01-C	Sponge trowel Material: PS+Sponge Strong water absorption with out 280*140*25mm	10	75*28.5*12	60	12.2	13.5	76*59*39
QY004B02-C	Sponge trowel Material: PS+Sponge Strong water absorption with out 280*140*30mm	10	75*28.5*14	60	12.5	14	76*59*45



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004B07-F	Sponge trowel Material:PS+Sponge Strong water absorption, with out 243*100*25mm	10	54*24.5*12	60	8	9.5	55*51*39
QY004B03-F	Sponge trowel Material: PS+Sponge with out 240*120*25mm	10	64*24.5*12	60	10.8	12	65*51*39
QY004B04-F	Sponge trowel Material: PS+Sponge Strong water absorption 240*120*30mm	10	64*24.5*14	60	11	12.5	65*51*45
QY004B08-F	Sponge trowel Material: PS+Sponge with out 253*100*30mm	10	54*25.5*14	60	8.5	10	55*53*45
QY004B05-F	Sponge trowel Material: PS+Sponge Strong water absorption 253*130*25mm	10	69*25.5*12	60	9.4	10.8	70*53*39
QY004B06-F	Sponge trowel Material: PS+Sponge Strong water absorption 253*130*30mm	10	69*25.5*14	60	9.5	11	70*51*45
QY004B01-F	Sponge trowel Material: PS+Sponge Strong water absorption 283*140*25mm	10	75*28.5*12	60	12.2	13.5	76*59*39
QY004B02-F	Sponge trowel Material: PS+Sponge Strong water absorption 283*140*30mm	10	75*28.5*14	60	12.5	14	76*59*45



QY004B02-40

Description of goods

Sponge Trowel Material: PS+Sponge Brown
280*140*40mm, 200g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	75*28.5*16	60	11.5	13	76*59*51





QY004B02-H

Description of goods

Sponge Trowel Material: PS+Sponge
Strong absorbent, grid pattern, 280*140*30mm

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	75*28.5*14	60	12.5	14	76*59*45



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY005B09	Rubber float trowel, Material: PS+Rubber 240*100*10mm	10	55*24.5*10	60	16.5	18	56*50*33
QY005B10	Rubber float trowel, Material: PS+Rubber 240*100*15mm	10	55*24.5*11	60	17	18.5	56*50*36
QY005B05	Rubber float trowel, Material: PS+Rubber 240*120*10mm	10	64*24.5*10	60	17	18.5	66*50*33
QY005B06	Rubber float trowel, Material: PS+Rubber 240*120*15mm	10	64*24.5*11	60	17.5	19	66*50*36
QY005B07	Rubber float trowel, Material: PS+Rubber 250*130*10mm	10	69*25.5*10	60	19.5	21	70*52*33
QY005B08	Rubber float trowel, Material: PS+Rubber 250*130*15mm	10	69*25.5*11	60	20	21.5	70*52*36
QY005B01	Rubber float trowel, Material: PS+Rubber 280*140*10mm	10	74*28.5*10	60	19.5	21	76*59*33
QY005B02	Rubber float trowel, Material: PS+Rubber 280*140*15mm	10	74*28.5*11	60	20	21.5	76*59*36
QY005B03	Rubber float trowel, Material: PS+Rubber 280*140*18mm, 345g	10	74*28.5*12	60	20.5	22	76*59*39
QY005B04	Rubber float trowel, Material: PS+Rubber 280*140*20mm	10	74*28.5*12.5	60	21.5	23	76*59*41





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY005B08-R	Rubber float trowel,Material: PS+ Soft Rubber 250*130*18mm	10	69*25.5*12.5	60	20	21.5	70*52*41
QY005B03-R	Rubber float trowel,Material: PS+ Soft Rubber 280*140*18mm, 345g	10	74*28.5*12	60	20.5	22	75*58*39



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY001BK01	Foam float trowel, PS+TPR handle, PS+EVA 280*140*8mm	10	74*28.5*9	60	12	13	76*59*30
QY001BK02	Foam float trowel, TPR+PS PS+EVA 280*140*10mm, 234g	10	74*28.5*10	60	12.5	13.5	76*59*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY003BK01	Felt trowel PS+Felt 280*140*8mm	10	74*28.5*9	60	15	16	76*59*30
QY003BK02	Felt trowel PS+Felt 280*140*10mm,337g	10	74*28.5*10	60	16	17	76*59*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BK01-N	Sponge trowel Material: 2K handle PS+TPR+Sponge 280*140*25mm	10	69*25.5*12.5	60	20	21.5	70*52*41
QY004BK02-N	Sponge trowel Material: 2K handle PS+TPR+Sponge 280*140*30mm	10	74*28.5*12	60	20.5	22	75*58*39



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BK01	Rubber float trowel,Material: PS+ Soft Rubber 250*130*18mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY004BK02	Rubber float trowel,Material: PS+ Soft Rubber 280*148*18mm, 345g	10	74*28.5*14	60	12.5	14	76*59*45



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BK01-G	Sponge trowel Material: PS+ Filter mesh Sponge 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY004BK02-G	Sponge trowel Material: PS+Filter mesh Sponge 280*148*30mm,230g	10	74*28.5*14	60	12.5	14	76*59*45





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BK01-C	Sponge trowel Material: PS+Sponge with cut 280*148*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY004BK02-C	Sponge trowel Material: PS+Sponge Strong water absorption with out 280*140*30mm	10	74.28.5*14	60	12.5	14	76*59*45



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BK01-F	Sponge trowel Material: PS+Sponge Strong water absorption 280*140*25mm	10	69*25.5*12.5	60	20	21.5	70*52*41
QY004B02-F	Sponge trowel Material: PS+Sponge Strong water absorption 280*140*30mm	10	74*28.5*12	60	20.5	22	75*58*39



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BK02	Sponge trowel Material: PS+Sponge Brown 280*140*40mm	10	74*28.5*15	60	14.2	15.2	76*59*48





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BK	Sponge trowel Material: PS+Sponge Strong absorbent, grid pattern, 280*140*30mm	10	74.28.5*14	60	14	15	76*59*45



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY005BK01	Rubber trowel Handle: PS+TPR Rubber: 280*140*10mm、370g	10	74*28.5*10	60	21.6	23	76*59*33
QY005BK02	Rubber trowel Handle: PS+TPR Rubber: 280*140*15mm	10	74*28.5*11	60	22.5	24	76*59*36
QY005BK03	Rubber trowel Handle: PS+TPR Rubber: 280*140*18mm	10	74*28.5*12	60	23.3	25	76*59*38
QY005BK04	Rubber trowel Handle: PS+TPR Rubber: 280*140*20mm	10	74*28.5*12.5	60	24	26	76*59*41





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY005BK03	Rubber trowel Handle: PS+TPR Soft Rubber: 250*130*18mm	10	69*25.5*12	60	20.5	22	71*53*38
QY005BK06	Rubber trowel Handle: PS+TPR Soft Rubber: 280*140*18mm、361g	10	74*28.5*12.5	60	22	24	76*59*41



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY001BD01	Float trowel Handle: PS+TPR EVA: 280*140*8mm	10	74*28.5*9	60	12.5	13.5	76*59*30
QY001BD02	Float trowel Handle: PS+TPR EVA: 280*140*10mm、220g	10	74*28.5*10	60	13	14	76*59*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY002BD01	Felt trowel Handle: PS+TPR Felt: 280*140*8mm	10	74*28.5*9	60	15.5	17	76*59*30
QY002BD02	Felt trowel Handle: PS+TPR Felt: 280*140*10mm、328g	10	74*28.5*10	60	16.5	18	76*59*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BD01	Sponge trowel Material: 2K handle PS+TPR+Sponge 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY004BD02	Sponge trowel Material: 2K handle PS+TPR+Sponge 280*140*30mm	10	74*28.5*13	60	12.5	14	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BD01-G	Sponge trowel Material: PS+Fibermesh Sponge 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY004BD02-G	Sponge trowel Material: PS+Fiber mesh Sponge 280*140*30mm、225g	10	74*28.5*13	60	12.5	14	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BD01	Sponge trowel Material: PS+Sponge 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY004BD02	Sponge trowel Material: PS+Sponge 280*140*30mm	10	74*28.5*13	60	12.5	14	76*59*42





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BD01-F	Sponge trowel Material: PS+Sponge Strong water absorption with cut 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY004BD02-F	Sponge trowel Material: Strong water absorption PS+Sponge with cut 280*140*30mm	10	74*28.5*13	60	12.5	14	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BD01-C	Sponge trowel Material: PS+Sponge Strong water absorption 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY004BD02-C	Sponge trowel Material: PS+Sponge Strong water absorption 280*140*30mm	10	74*28.5*13	60	12.5	14	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BD02-Z	Sponge trowel Material: PS+Sponge Brown 280*140*40mm, 237g	10	74*28.5*15	60	12.5	14	76*59*48





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY004BD	Sponge trowel Material: PS+Sponge Strong absorbent, grid pattern, 280*140*30mm, 226g	10	74*28.5*13	60	12.5	14	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY005BD01	Rubber trowel Handle: PS+TPR Rubber: 280*140*10mm, 379g	10	74*28.5*10	60	19.5	21	76*59*33
QY005BD02	Rubber trowel Handle: PS+TPR Rubber: 280*140*15mm	10	74*28.5*12	60	20	21.5	76*59*38
QY005BD03	Rubber trowel Handle: PS+TPR Rubber: 280*140*18mm	10	74*28.5*12.5	60	20.5	22	76*59*41
QY005BD04	Rubber trowel Handle: PS+TPR Rubber: 280*140*20mm	10	74*.28.5*13	60	21.5	23	76*59*42





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY005BD05	Rubber trowel Handle: PS+TPR Soft Rubber: 250*130*18mm	10	69*25.5*12.5	60	20.5	22	76*59*30
QY005BD06	Rubber trowel Handle: PS+TPR Soft Rubber: 280*140*18mm, 361g	10	74*28.5*12.5	60	20.5	22	76*59*41



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B01	EVA float trowel Size:265*126mm, ABS, EVA: 280*140*8mm	10	74*28.5*10	60	13.2	14.5	76*59*33
QY006B05	Foam float trowel PS+EVA 250*130*8mm	10	69*25.5*9	60	11.5	12.5	71*52*30
QY006B06	Foam float trowel PS+EVA 250*130*10mm	10	69*25.5*10	60	12	13	71*52*33
QY006B02	EVA float trowel Size:265*126mm, ABS, EVA: 280*140*10mm, 236g	10	74*28.5*10	60	13.5	15	76*59*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B01-2	Felt trowel Handle: 265*127mm, ABS, Felt: 280*140mm*8mm	10	74*28.5*9	60	16.5	18	76*59*30
QY006B02-2	Felt trowel Handle: 265*127mm, ABS, Felt: 280*140mm*10mm, 352g	10	74*28.5*10	60	17	18.5	76*59*33
QY006B05-2	Felt trowel PS+FELT 250*130*9mm	10	69*25.5*9	60	12	13.5	71*52*30
QY006B06-2	Felt trowel PS+FELT 250*130*10mm	10	69*25.5*10	60	12.5	14	71*52*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B05-4	Sponge trowel Material: PS+Sponge 250*130*25mm	10	69*25.5*12.5	60	9.4	10.8	71*52*41
QY006B06-4	Sponge trowel Material: PS+Sponge 250*130*30mm	10	69*25.5*13	60	9.5	11	71*52*42
QY006B01-4	Sponge trowel Material: PS+Sponge 280*140*25mm, 225g	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY006B02-4	Sponge trowel Material: PS+Sponge 280*140*30mm	10	74*28.5*13	60	12.5	14	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B05-5	Sponge trowel Material: PS+Sponge 250*130*25mm	10	69*25.5*12.5	60	9.4	10.8	71*52*41
QY006B06-5	Sponge trowel Material: PS+Sponge 250*130*30mm	10	69*25.5*13	60	9.5	11	71*52*42
QY006B01-5	Sponge trowel Material: PS+Sponge 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY0046B02-5	Sponge trowel Material: PS+Sponge 280*140*30mm	10	74*28.5*13	60	12.5	14	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B05-7	Sponge trowel Material: PS+Sponge with cut 250*130*25mm	10	69*25.5*12.5	60	9.4	10.8	71*52*41
QY006B06-7	Sponge trowel Material: PS+Sponge Strong absorbent with cut 250*130*30mm	10	69*25.5*13	60	9.5	11	71*52*42
QY006B01-7	Sponge trowel Material: PS+Sponge Strong absorbent with cut 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY006B02-7	Sponge trowel Material: PS+Sponge Strong absorbent with cut 280*140*30mm	10	74*28.5*13	60	12.5	14	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B05-8	Sponge trowel Material: PS+Sponge Strong absorbent 250*130*25mm	10	69*25.5*12.5	60	9.4	10.8	71*52*41
QY006B06-8	Sponge trowel Material: PS+Sponge Strong absorbent 250*130*30mm	10	69*25.5*13	60	9.5	11	71*52*42
QY006B01-8	Sponge trowel Material: PS+Sponge Strong absorbent 280*140*25mm	10	74*28.5*12.5	60	12.2	13.5	76*59*41
QY006B02-8	Sponge trowel Material: PS+Sponge Strong absorbent 280*140*30mm	10	74*28.5*13	60	12.5	14	76*59*42



QY006B02-9

Description of goods

Sponge Trowel Material: PS+Sponge brown
280*140*40mm

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*28.5*15	60	12.5	14	76*59*48





QY006B02-10

Description of goods

Sponge Trowel Material: PS+Sponge Strong absorbent, grid pattern

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*28.5*13	60	12.5	14	76*59*42





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B05-9	Sponge trowel Material: PS+Sponge 250*130*25mm, Filter cotton	10	69*25.5*12.5	60	9.4	10.8	71*52*41
QY006B06-9	Sponge trowel Material: PS+Sponge 250*130*30mm	10	69*25.5*13	60	9.5	11	71*52*42
QY006B01-9	Felt trowel Handle: 265*127mm, ABS, SPONGE: 280*140mm*25mm	10	74*28.5*12.5	60	12	13.5	76*59*41
QY006B02-9	Sponge trowel Handle: 265*127mm, ABS, Sponge: 280*140mm*30mm, 231g	10			13	14.5	75*57*43



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B06-10	Felt trowel: PS+rubber 250*130*15mm	10	69*25.5*12	60	12.5	14	71*52*38
QY006B05-10	Sponge trowel Material: PS+rubber 250*130*10mm*	10	69*25.5*10	60	9.4	10.8	71*52*33
QY006B01-10	Handle: 265*127mm, ABS, Rubber: 280*140mm*10mm	10	74*28.5*10	60	19.5	21	76*59*33
QY006B02-10	Handle: 265*127mm, ABS, Rubber: 280*140mm*15mm, 338g <10mm>	10	74*28.5*11	60	20	21.5	76*59*36



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006B05-10	Sponge trowel Material: PS+ soft rubber 250*130*18mm	10	69*25.5*12.5	60	9.4	10.8	71*52*41
QY006B01-10	Handle: 265*127mm, ABS, soft Rubber: 280*140mm*18mm, 382g	10	74*28.5*12	60	19.5	21	76*59*38



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY010B-01	Sponge trowel with velcro Handle: PS, 265*127mm, White Velcro taping on back, Sponge: 280*140mm*30mm, 218g	10	74*28.5*13	60	20.5	22	76*59*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY010B-02	Sponge trowel with velcro Handle: PS, 265*127mm, Black Velcro taping on back, Sponge: 280*140mm*30mm, 246g	10	74*28.5*13.5	60	20	20.5	



QY010BK-03

Description of goods

Sponge Trowel With Velero Handle: PS, 265*127mm,
Black Velero linging on back
Sponge: 280*140mm*30mm, 243g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*28.5*13	60	20.5	22	76*59*42



QY010BD-04

Description of goods

Sponge Trowel With Velero Handle: PS, 265*127mm,
Black Velero linging on back
Sponge: 280*140mm*30mm, 234g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*28.5*13	60	20.5	22	76*59*42



QY011B

Description of goods

250*95mm,PS+TPR,258g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	61*25.5*11	48	12.4	13.4	62*27*46



QY007B-01

Description of goods

1K handle clean cloth set, handle size 230 * 105mm,
material PS, clean cloth size 250 * 120 * 25mm
No sand / Medium sand / Coarse sand, handle 136G, 274g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
4	27*26*26	32	8.6	9.6	56*56*54



QY007B-02

Description of goods

2k handle cleaning cloth set, handle size 230 * 105mm,
material PS + TPR, cleaning cloth size 250 * 120 * 25mm
No sand / Medium sand / Coarse sand, 292g, handle 153G,
White 37.5, red 45.6 g, Blue 55.5, Black 43.4 g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
4	27*26*26	32	9	10	56*56*54



QY007B-03

Description of goods

1k handle cleaning cloth set, handle size 230 * 105mm,
material PP, cleaning cloth size 150 * 90 * 20mm,
No sand / Medium sand / Coarse sand

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	47*15.5*18	32	5.5	6.5	49*33*56



QY013B

Description of goods

EVA Trowel Size: 390*90*10mm, PS handle, 300g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	47*39.5*10	50	24	25	49*41*55



QY026B01

Description of goods

EVA Rubber Trowel Handle: PS, 265*85mm, EVA(T8mm),
Bevel, 160g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	46*26.5*9	60	12	13	55*48*30



QY026B02

Description of goods

EVA Rubber Trowel Handle
PS, 260*80mm, sponge (T25mm), Bevel

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	46*26.5*12	60	12	13	55*48*41



QY017B03

Description of goods

ABS Float Trowel Size: 280*130/140*3mm, ABS, 178g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	56*28.5*11	60	11	12	59*58*33



QY017B01

Description of goods

ABS Float Trowel Size: 280*140*3mm, ABS, 180g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	56*28.5*11	60	11	12	59*58*33



QY021B

Description of goods

Plastic Trowel With Notches, ABS Trowel Size: 230*100*3mm, ABS, notches 5/8mm,155g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	52*23.5*9	60	9.6	10.5	54*49*30



QY019B

Description of goods

ABS Trowel With Rubber Scraper Size: 230*115*3mm, ABS, with rubber cover, notchss 5/8mm, 176g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	59*23.5*9	60	11.5	12.5	61*49*30



QY018B

Description of goods

ABS Trowel Size: 280*115*3mm, ABS, notches 5/8mm, R8mm, 210g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	59*28.5*10	60	12.7	13	61*59*33





CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
7414 QY022B	PU trowel Size: 240*120mm, PU, Weight: 70-110g			60	5.5	6.5	63*24*37
7413 QY023B	PU trowel Size: 280*140mm, PU, Weight: 90-150g			36	4	5	59*29*37
7412 QY024B	PU trowel Size: 320*180mm, PU, Weight: 150-220g			36	6.5	7.5	72*33*37



QY025B

Description of goods

Rubber Trowel Handle: PP 220*120mm
Rubber 215*140*10mm, 215g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*22*9	60	11	12	76*46*30



QY004B02-H

Description of goods

Sponge Trowel Material: PS+Sponge
Strong absorbent, grid pattern, 280*140*30mm

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	75*28.5*14	60	12.5	14	76*59*45



QY-P-001

Description of goods

Rubber Pad, Low Density



QY-P-002

Description of goods

Rubber Pad, High Density



QY-P-003

Description of goods

Rubber Pad, Low Density, Soft



QY-P-010

Description of goods

Rubber Pad, Low Density



QY-P-011

Description of goods

Sponge Block



QY-P-001

Description of goods

EVA Pad



QY-P-005

Description of goods

White Felt Pad



QY-P-001

Description of goods

Filter Sponge



QY-P-012

Description of goods

Cellulose Sponge Block



QY-P-013

Description of goods

Composite Sponge



QY-P-007

Description of goods

Strong Absorbent Sponge



QY-P-008

Description of goods

Strong Absorbent Sponge, With Cut



QY-P-009

Description of goods

Strong Absorbent, Grid Pattern Sponge



QY-P-014

Description of goods

White Clean Cloth, No Sand



QY-P-015

Description of goods

Color Clean Cloth, Fine Sand / Medium Sand / Coarse Sand





QY001C

Description of goods

Wood / PP / 2K Handle, Steel Board: 250*140*1.2mm,
Zinc-plated, 425/402/433g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*25.5*9	60	26	28	76*53*30





QY001C-2

Description of goods

Plaster Tray PS / PS+TPR handle material
Size: 265*128mm, 348g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	69*27*9	60	6.5	7.5	71*56*30





QY001C-3

Description of goods

Plaster Tray ABS Handle, Material: ABS+A3
Size: 350*150mm, 595g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
8	66*35.5*10	40	23.8	25	68*37*55



QY006C

Description of goods

Rubber trowel wood/PP/2K handle,
Al board: 220*80*1.2mm,
Rubber: 240*100*12mm,
237(13MM)/253(15MM)/219(13MM)g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	55*24.5*9	60	15	16	57*51*30



QY005C

Description of goods

Sponge Trowel Wood / PP / 2K handle, Al Board: 280*80*1.2mm,
Sponge: 305*100*20mm,197g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	55*31*9	60	11.8	13	64*56*30



QY004C

Description of goods

Triangel Rubber Trowel Beech Wood Handle,
Al Board: 350*65*1.2mm,
Triangel Rubber: 350*75mm, 324g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	42*36.5*9	50	16.3	17.5	44*38*49



QY003C

Description of goods

Rubber Trowel Wood Handle
Al Board: 120*120*1.2mm
Rubber: 140*140*10mm, 189g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*14.5*9	60	11.3	12.5	76*31*30



QY007C03

Description of goods

EVA Rubber Trowel Wood / PP / 2K handle,
Al board 220*82*1.2mm
EVA(T17mm)+Rubber(T3mm):
240*100*20mm, 345/295/266(13+3mm)g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	54*24.5*11	60	20.5	21.5	56*51*36



QY007C02

Description of goods

EVA Rubber Trowel Wood / PP / 2K handle,
Al board 220*82*1.2mm
EVA(T17mm)+Rubber(T3mm): 240*100*20mm,
345/295/266(13+3mm)g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	54*24.5*12	60	20.5	21.5	56*51*36



QY007C01

Description of goods

EVA Rubber Trowel Wood / PP / 2K handle,
Al board 220*82*1.2mm
EVA(T17mm)+Rubber(T3mm):
240*100*20mm, 345/295/266(13+3mm)g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	54*24.5*11	60	20.5	21.5	56*51*36



QY008C

Description of goods

EVA Rubber Trowel Wood / PP / 2K handle,
Al board 220*82*1.2mm
EVA(T20mm)+Rubber(T5mm): 240*100*25mm, 462g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	54*24.5*11	40	18.5	19.5	56*51*24



QY010C

Description of goods

Green Rubber Trowel Size: 240*100*15mm,
Wood / PP / 2Khandle, 660g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	54*24.5*11	40	26.4	28	56*51*24



QY009C

Description of goods

Wood / PP / 2K Handle, Al board 220*80*1.2mm
EVA: 240*100*15mm, 405(2K)g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	54*24.5*10	40	16.2	17.5	56*51*22



QY011C02

Description of goods

EVA Trowel Size: 280*140*10mm, Wood / PP / 2K handle,
Al board T 1.2mm

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*28.5*10	60	12	13	75*59*33



QY011C

Description of goods

Rubber Trowel Wood / PP / 2K handle,
Al board: 265*127*1.0mm
Rubber: 280*140*10mm

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	74*28.5*10	60	19.5	21	75*59*33



QY011C03

Description of goods

EVA Rubber Trowel Wood / PP / 2K handle,
Al board: 220*80*1.2mm
Rubber: 240*100*15mm,138g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	54*24.5*10	60	8.2	9.2	56*51*33



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY013C04	Wood trowel Handle: Wood Size: 90*304mm	6	31*31*10	24	6	7	32*32*44
QY013C03	Wood trowel Handle: Wood Size: 90*355mm	6	36*31*10	24	6	7	37*32*44
QY013C02	Wood trowel Handle: Wood Size: 90*405mm	6	41*31*10	24	6	7	42*32*44
QY013C01	Wood trowel Handle: Wood Size: 90*450mm	6	46*31*10	24	6.6	7.5	47*32*44
QY013C	Wood trowel Handle: Wood Size: 126*304mm	6	42*31*10	24	6.6	7.5	43*32*44



7450 QY014C

Description of goods

Arrow ABS Trowel Pine Tree Wood Handle, Size: 270*180mm, ABS board, 196g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	72*30.5*6.5	60	12	12.3	74*62*22



QY015C

Description of goods

ABS Trowel Pine Tree Wood Handle, Size: 270*180mm, ABS board, 268g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	72*30.5*6.	60	11.5	13	74*62*22



QY001D

Description of goods

Large Wallpaper Scraper ABS Handle, Stainless Steel Blade Blade size: 610X87mm, blade 201#, thickness 0.4mm, 210g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	61*9*11	72	15.5	17	62*47*13



QY001D-02

Description of goods

Large Wallpaper Scraper ABS Handle, Stainless Steel Blade Blade Size: 618mmX85mm, blade 201#, thickness 0.4mm

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	62*9*11	72	16.7	18	64*47*13



QY001D-03

Description of goods

Sponge Trowel Material: PS+Sponge Strong absorbent, grid pattern, 280*140*30mm

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	30*9*11	72	5.6	6.6	63*47*13



QY001D-04

Description of goods

Large Wallpaper Scraper ABS Handle, Stainless Steel Blade Blade size: 610mmX88mm, blade 201#, thickness 0.4mm, 202g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	61*9*11	72	14.5	15.5	63*47*13



QY001D-05

Description of goods

Large Wallpaper Scraper ABS Handle, Stainless Steel Blade Blade Size: 304mmX70mm, BLade 201#, thickness 0.4mm, 85g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	31*9*11	72	6.2	7.2	33*47*13



QY002D

Description of goods

Large Wallpaper Scraper ABS Handle,
Stainless Steel Blade Blade Size: 610X84mm, 209g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	62*9*11	72	15.5	17	64*47*13



QY002D-02

Description of goods

Large Wallpaper Scraper ABS Handle,
Stainless Steel Blade Blade Size: 600X86mm, 241g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	61*9*11	72	15.5	17	63*47*13



QY003D

Description of goods

Large Wallpaper Scraper ABS Handle,
Stainless Steel Blade Blade Size: 305*68mm, 58g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	31*9*11	72	4.2	5.2	33*47*13



QY003D02

Description of goods

Aluminium Scraper Ruler Size: 555*58MM(L*W),
Material: Aluminium,1.2mm(T)170g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	61.5*20*6	48	8.2	9.2	63*42*28



QY003D03

Description of goods

Aluminium Scraper Ruler Size: 600MM(L),
Material: Aluminium , 1.2mm(T), 218g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	61.5*20*6	48	10.3	11.5	63*42*28



QY004D

Description of goods

Plastic Wallpaper Scraper Size: 450mm,
Material: PP, 63g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	46*32*15	72	4.5	5.5	47*33*47



QY005D

Description of goods

Plastic Wallpaper Scraper Size: 450mm,
Material: PP, 86g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	46*32*15	72	7	8	47*33*47



QY005D02

Description of goods

Plastic Wallpaper Scraper Size: 450mm,
Material: PP, 125g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	46*32*15	72	9	10	47*33*47



QY005D03

Description of goods

Plastic Wallpaper Scraper Size: 450mm,
Material: PP, 145g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	46*32*15	72	10.5	11.5	47*33*47



QY006D

Description of goods

Plastic Wallpaper Scraper Size: 300*138mm,
Weight 112g, Material: PP

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	31.5*14*14	72	5.7	7	32.5*29*45



QY006D02

Description of goods

ABS Wallpaper Scraper Size: 235*120mm,
Material: PS, 71g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10/bag		200	13.4	14.4	25*24*34



QY006D03

Description of goods

ABS Wallpaper Scraper Size: 200（152）*118mm,
Material: ABS, 45g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	20.5*12.5*9	120	5.4	5.9	26*22*30



QY006D04

Description of goods

PP Scraper With Flannelette Size: 98*75mm,
Material: PP, 20g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	10.5*9*13	200	4.4	5.1	50*23*15



QY006D05

Description of goods

PP Scraper With Flannelette Size: 100*73mm, cutter
Material: PP

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	24*22*11	144	6	7.2	46*26*36



QY007D

Description of goods

PP Scraper Size: 270mm,
Material: PP, 65g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	28.5*21.5*6	60	3.9	4.9	45*30*21



QY008D

Description of goods

PP Scraper Size: 280mm, Weight 110g,
Material: PP

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	27.5*17.5*12	60	13.8	14.8	57*37*39



QY008D01

Description of goods

PP Scraper Size: 270mm, Weight 100m,
Material: PP, 100g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
25	27.5*17.5*28	100	10	11	37*29*58



QY008D03

Description of goods

PP Scraper Size: 230（95）*135mm, Weight 63g,
Material: PP

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	23.5*14*11	120	7.7	8.7	30*25*36



QY008D04

Description of goods

PP Scraper Size: 190（115）*105mm, Weight 42g,
Material: PP

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	20*11*11	120	5.1	6.1	36*21*24



QY008D05

Description of goods

PP Scraper Size: 240*120mm, Weight 93g,
Material: PS

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10/ bag		160	15	15.3	25*24.5*29.5



QY009DT01

Description of goods

2/4/6 inch 180*51/100/150MM, Material ABS, 61g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	27.5*20*7.5	144	11.7	12.7	42*29*25



QY009DT02

Description of goods

1.5/3/6 inch, 180*38/80/150MM, Material ABS, 75g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	27.5*20*7.5	144	10.8	11.8	42*29*25



QY009DT03

Description of goods

1.5/2/3/4/6, Material ABS, 180*38/51/80/100/150MM, 117g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
24	27.5*20*18	144	16.8	17.8	57*29*42



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY009DP-01	Plastic scraper 180*38mm,ABS,14g	20	19*5*9	200	2.8	3.5	29*20*20
QY009DP-02	Plastic scraper 180*51mm,ABS,17g	20	19*8*9	200	3.4	3.8	45*20*20
QY009DP-03	Plastic scraper 180*80mm,ABS,21g	20	19*8.5*10	200	4.2	5.5	47*20*22
QY009DP-04	Plastic scraper 180*100mm,ABS,25g	20	19*10.5*10	200	5	5.7	66*20*22
QY009DP-05	Plastic scraper 180*150mm,ABS,39g	20	19*15.5*10	200	7.8	8.8	55*20*33
QY009DP-06	Plastic scraper 200*202mm,ABS,62g	20	21*21*11	200	12.4	13.4	59*44*22



QY009D02

Description of goods

Material: stainless blade with PE handle,
110*48/76/100/120MM, 115g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	14*13*24	120	13.8	14.8	42*30*25



QY009D04

Description of goods

Material: PP, 78*50mm, 100*80mm,
100*100mm, 100*120mm, 47g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	23*15.5*10	200	9.6	10.6	55*24*33



QY009D05

Description of goods

PP Handle, Stainless steel blade
440mm, Handle PP, 140mm（L), 300mm（201#）,
1.0MM(T), 115g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
25	44.5*9*11.5	100	12	13	46*2*25



QY009D06

Description of goods

Magnetic Clamp Size: 80*50mm, 2pcs magnetic.
Material ABS+TPR+65Mn+Magnetic steel
（25*19*5mm，2pc）, 77g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
60	34*31*25	120	9.2	10	36*33*52



QY009D07

Description of goods

Brick Jointer Stainless Steel
225*24mm, 08mm（T), 33g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)



QY009D08

Description of goods

Barrel Opener. Material ABS, 205*60*28mm, 60g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
		100	6	6.5	42*30*22



QY009D09

Description of goods

Paint Spatula, 310 * 110mm,
material a 3 + aluminum alloy + Sk5 + PVC,
iron rod diameter 19mm, wall thickness 0.9 mm,
surface spray, 175g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	38*29*7.5	60	13	14.5	60*39*42.5



QY010D

Description of goods

Plastic Funnel Size: 55/75/100/125mm
Material: PP, 40g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	48*18*21	48	1.9	2.8	49*34*44



QY011D

Description of goods

Painting Cup With Cover. Size: Open dia.108mm,
bottom dia.90mm, total height 116mm, Thickness 1.1mm,
Cover diameter118. material: PP, 85g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
12	37*31*13	48	4.2	5.2	56*38*32



QY012D

Description of goods

ABS Paint Mud tray Size: 352(310)*118(75)*85 (12inch),
Material: ABS, 175g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	36*25*16	40	7	7.5	52*38*34



QY012D02

Description of goods

ABS Paint Mud Tray Size: 348 (320)*120(76)*85(12inch)
Material: ABS+A3, Steel Blade: tinplated, 248g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	36*25*16	40	9.9	10.9	52*37*34



QY012D03

Description of goods

Paint Mud Tray Size: 406 (365)*120(80)*90 (14inch)
Material: PP, Steel blade: tinplated, 310g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	37*25*16	40	12.4	13.4	52*38*34



QY013D01

Description of goods

Single Product With Black Hanger, plus paper card,
transparent label, each set of plastic bags.

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
	420*60*8mm	40	9	9.5	45*36*15



QY013D02

Description of goods

Single Product With Black Hanger, plus paper card,
transparent label, each set of plastic bags.

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
	420*80*80	40	9.5	10	47*45*17.5



QY013D03

Description of goods

Black Hanger Rings, each in a plastic bag.

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
	640*100*9.5mm	25	12	12.5	68.5*32*27



QY013D04

Description of goods

A single product with black rings, affix product labels, add transparent labels, each set of plastic bags, 5 a big bag.

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
	420*60*6mm	40	4	4.5	45*35*11.5



QY001E

Description of goods

Plastic Scraper Size: 180*78*10mm, PP, Cover: PVC, 65g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	18.5*8.5*18	120	8.3	8.8	39*26*19



QY002E

Description of goods

Tile Cutting Knife, 145*23*10mm, Material: ABS+Alloy steel, YG6X, 25g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
30	22*13.5*11.5	300	7.7	8.7	60*23*29



QY003E

Description of goods

Smearing Stick, Size: 143*25*16mm, material : ABS+rubber, 28g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
inner bag		144	4	4.5	39*24*20



QY004E-04

Description of goods

Scraper With Teeth, 3PC set, 131 * 90mm, thickness 1.8 mm, square teeth 3 * 3 & 4 * 4mm, right angle 6 * 3mm, material PP, single 17g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
inner bag		180	11.7	12.2	38*37*26



QY004E-03

Description of goods

Scraper With Teeth, 176 * 133mm, thickness 1.8 mm, square teeth 10 * 10 & 4 * 4mm, right angle 6 * 3 * 6mm, trapezoid 8 * 3mm, material PP, single 37g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
50	14.5*10*18	200	8.7	9.5	31*22*19



QY004E-05

Description of goods

With Tooth Scraper, 2PC set, 131 * 90 & ; 176 * 133mm, thickness 1.8 mm, square tooth 3 * 3 & ; 4 * 4mm, right angle 6 * 3mm, square tooth 10 * 10 & ; 4 * 4mm, right angle 6 * 3 * 6mm, trapezoid 8 * 3mm, material PP, single 54g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	21*13.5*7	100	5.5	6.5	58*46.5*48



QY004E-06

Description of goods

Scraper Set, with notches blade
Size: 170*115mm, Square notches 8*8&6*6&4*4mm,
Weight 31g, Material: PP、Rubber scraper,
Handle: wood, 180*40*20mm,
Rubber: 200*50*5mm, 155g, sponge 200*110*60mm, 185g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
	75*28.5*14	20	3.7	4.2	41*30*34



QY004E

Description of goods

Plastic Scraper Size: 170*115mm, Square notches 8*8&6*6&4*4mm, Weight 31g, Material: PP

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	17.5*12*5	200	6.4	4	25*18*30



QY004E-02

Description of goods

Plastic Scraper Size: 180*140mm, Thickness 1.8mm
Weight 42g, Material: ABS, Square notches 10*10&6*6&8*8&4*4mm

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
50	14.5*10*18	200	8.7	9.5	31*22*19



QY005E

Description of goods

Tile Pliers Size: 210 * 55mm, PP handle, Chuck ABS, body material a 3, thickness 3mm, blade material YG6, Size 13 * 1.5 mm, 205g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
50				12	33*25*14



QY006E01

Description of goods

Rubber Scraper, Handle: PP, 180*40*20mm,
Rubber: 200*50*5mm, 140g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	21*16*16	80	11	12.5	34*22*34



QY006E02

Description of goods

Rubber Scraper, Handle: PP, 280*40*20mm,
Rubber: 300*50*5mm, 210g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
20	31*16*16	80	17	17.5	34*33*34



CODE NO	DESCRIPTION OF GOODS	QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
QY006E03	Rubber scraper, Handle: wood, 130*40*20mm, Rubber: 150*50*5mm, 110g	20	16*16*16	80	9.5	10.5	34*34*17
QY006E04	Rubber scraper, Handle: wood, 180*40*20mm, Rubber: 200*50*5mm, 155g	20	21*16*16	80	11.6	12.6	44*34*17
QY006E05	Rubber scraper, Handle: wood, 230*40*20mm, Rubber: 250*50*5mm, 200g	20	26*16*16	80	16.2	17.2	54*34*17
QY006E06	Rubber scraper, Handle: wood, 280*40*20mm, Rubber: 300*50*5mm, 245g	20	31*16*16	80	20	21.5	34*33*34



QY007E

Description of goods

Ceramic Tile Cutter PP Handle, Alloy Blade, Size: 210mm,
Particle alloy double blade size 50 * 20mm, 60g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
6	27.5*23.5*7.5	48	5.1	6.3	49*29*34



QY007E02

Description of goods

Ceramic Tile Cutter PP Handle, Alloy Blade,
Size: 140mm, Granular alloy single blade 28 * 16mm, 20g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	19*13*7	60	12.6	13.6	27*20*24



QY008E

Description of goods

ABS Rod For Beautiful The Glue In The Crevice Size: 125mm,
Material: PP, 6g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
		450	2.4	2.9	42*19*29



QY004F

Description of goods

Aluminum Trowel Material:aluminium alloy.
Aluminum die casting frame, 65# Mn steel blade.
Size:450*90*85mm, 640g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
3	46*31*10.5	18	11.8	13	64*47*34




QY005F

Description of goods

Trowel Material: A3 alloy, Size: 280*150*85mm, 835g

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
3	31*29*10.5	18	11.9	13.4	60*32*34





QY001G

Description of goods

Plastic Folding Ruler Size: 2m/10f

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	23.5*8.5*6.5	200	18.6	19.6	38*25*37



QY002G

Description of goods

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	13.5*7*5.5	200	8.6	11.6	29*16*32



QY001G-01

Description of goods

Plastic Folding Ruler Size: 2m/10f, Rivets

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	23.5*8.5*6.5	200	24	25	23.5*8.5*6.5



QY002G-01

Description of goods

Plastic Folding Ruler Size: 1m/10f, Rivets

QTY/BOX	SIZE OF BOX	QTY/CTN	NW/CTN(KG)	GW/CTN(KG)	SIZE OF CARTON(CM)
10	13.5*7*5.5	200	9.4	10.4	13.5*7*5.5





LD-0621



Suction Lift

ITEM NO.	TYPE
SX060301	1.5"
SX060302	5"



Single Head Suction Lift

ITEM NO.	TYPE
SX060309	2"



Single Head Suction Lift

ITEM NO.	TYPE
SX060303	5"



Double Head Suction Lift

ITEM NO.	TYPE
SX060304	5"





Adjustable
Double Head Suction Lift

ITEM NO.	TYPE
SX060321	5"



Adjustable
Double Head Suction Lift

ITEM NO.	TYPE
SX060308	5"



Three Head Suction Lift

ITEM NO.	TYPE
SX060306	5"



Four Head Suction Lift

ITEM NO.	TYPE
SX060307	5"



Aluminium
Single Head Suction Lift

ITEM NO.	TYPE
SX060310	5"



Aluminium
Double Head Suction Lift

ITEM NO.	TYPE
SX060311	5"



Aluminium
Three Head Suction Lift

ITEM NO.	TYPE
SX060313	5"



Broach Retainer

ITEM NO.	TYPE
SX060315	5"



Suction Lift With Air Pump

ITEM NO.	TYPE
SX060314	8"
	6"



Broach Retainer

ITEM NO.	TYPE
SX060320	5"



Suction Lift

ITEM NO.	TYPE
SX060318	3"



Broach Retainer

ITEM NO.	TYPE
SX060317	5"
	2"



2pc Strip Holder

ITEM NO.	TYPE
SX060312	8cm



Suction Lift

ITEM NO.	TYPE
SX060316	145mm



Walking Stick Clamp

ITEM NO.	TYPE
SX060319	φ80mm



LD-0621



Rubber Hammer With
Orbicular Wooden Handle

ITEM NO.	TYPE
SX020101	8OZ
SX020102	10OZ
SX020103	12OZ
SX020104	16OZ



American Style Rubber
Hammer With Wooden Handle

ITEM NO.	TYPE
SX020201	8OZ
SX020202	10OZ
SX020203	12OZ
SX020204	16OZ
SX020205	24OZ
SX020206	32OZ
SX020207	40OZ
SX020208	600G



Europe/France Style Rubber
Hammer With Wooden Handle

ITEM NO.	TYPE
SX020301	8OZ
SX020302	10OZ
SX020303	12OZ
SX020304	16OZ
SX020305	20OZ
SX020306	24OZ
SX020307	32OZ
SX020308	40OZ

KIMPORT





Rubber Hammer With Fiberglas Handle

ITEM NO.	TYPE
SX020401	8OZ
SX020402	12OZ
SX020403	16OZ
SX020404	24OZ
SX020405	32OZ
SX020406	40OZ
SX020407	600G



Rubber Hammer With Steel Tube Handle

ITEM NO.	TYPE
SX020501	8OZ
SX020502	12OZ
SX020503	16OZ
SX020504	24OZ
SX020505	32OZ
SX020506	40OZ
SX020507	300G



Rubber Hammer With Enwrap Plastic To Fiberglas Handle

ITEM NO.	TYPE
SX021501	8OZ
SX021502	12OZ
SX021503	16OZ
SX021504	24OZ
SX021505	32OZ
SX021506	40OZ



Rubber Hammer With Enwrap Plastic To Fiberglas Handle

ITEM NO.	TYPE
SX021701	8OZ
SX021702	10OZ
SX021703	12OZ
SX021704	16OZ
SX021705	24OZ
SX021706	32OZ
SX021707	40OZ



Rubber Hammer With Rubber Handle

ITEM NO.	TYPE
SX021601	8OZ
SX021602	12OZ
SX021603	16OZ
SX021604	24OZ
SX021605	32OZ



White Rubber Hammer With Wooden Handle

ITEM NO.	TYPE
SX020601	8OZ
SX020602	12OZ
SX020603	16OZ
SX020604	24OZ
SX020605	32OZ
SX020606	600G



White Rubber Hammer With Steel Tube Handle

ITEM NO.	TYPE
SX020701	8OZ
SX020702	12OZ
SX020703	16OZ
SX020704	24OZ
SX020705	32OZ
SX020706	40OZ
SX020707	300G



White Rubber Hammer With Fiberglas Handle

ITEM NO.	TYPE
SX020901	8OZ
SX020902	12OZ
SX020903	16OZ
SX020904	24OZ
SX020905	32OZ
SX020906	40OZ
SX020907	600G



Dead Blow Rubber Hammer

ITEM NO.	TYPE
SX020801	0.5LB
SX020802	1LB
SX020803	1.5LB
SX020804	2LB
SX020805	2.5LB
SX020806	3LB
SX020807	4LB



Dead Blow Rubber Hammer

ITEM NO.	TYPE
SX021801	0.5LB
SX021802	1LB
SX021803	1.5LB



Rubber And Plastic Hammer With Wooden Handle

ITEM NO.	TYPE
SX021001	20mm
SX021002	25mm
SX021003	30mm
SX021004	35mm
SX021005	40mm
SX021006	45mm
SX021007	50mm



Rubber And Plastic Hammer With Steel Tube Handle

ITEM NO.	TYPE
SX021101	20mm
SX021102	25mm
SX021103	30mm
SX021104	35mm
SX021105	40mm
SX021106	45mm



Rubber And Plastic Hammer With Fiberglas Handle

ITEM NO.	TYPE
SX021201	30mm
SX021202	35mm
SX021203	40mm
SX021204	45mm



Stoning Hammer Rubber Head

ITEM NO.	TYPE
SX021401	1000G
SX021402	1250G





Rubber Sanding Block

ITEM NO.	TYPE
SX030101	125X68mm
SX030101-C	125X68mm



Rubber Sanding Block

ITEM NO.	TYPE
SX030102	9"



Plastic Sanding Block

ITEM NO.	TYPE
SX030103	185X85mm
SX030104	210X105mm



Plastic Sanding Block With Rotary Handle

ITEM NO.	TYPE
SX030105	210X105mm



Plastic Sanding Block

ITEM NO.	TYPE
SX030108	230X80mm



Sanding Block

ITEM NO.	TYPE
SX030106	230X105mm



Trowels With Hook Sponge

ITEM NO.	TYPE
SX030902	280X148X35mm



Scrubbing Sponge With Handle

ITEM NO.	TYPE
SX030903	280X148mm



Rubber Hydro-blast Plunger



ITEM NO.	TYPE
SX030301	4"
SX030302	5"
SX030303	5.5"
SX030304	6"
SX030305	6"DOUBLE TIER
SX030306	6"PAGODA STYLE
SX030307	6"NEW





SX030602
Plastic Scraper





SX061001
Siphon Pump





SX060602
Schlep Handle





SX050201
Plastic Square





SX060701
Line Spool





SX030801
Rubber Knee Pad

SX070001
102-part Press Stud Set









SX030803
Rubber Knee Pad



SX030603
Rubber Brush





SX030604
Pet Brush





SX030901
Rubber Door Stopper








SX150101
Digital Tyre Gauge





WORKBENCH SERIES



LD-0628

YH-WB001

- Square tube dimensions: 30x30x(0.7-0.8)mm
- Top board is bamboo







YH-WB001B

- Load capacity: 100kg
- Square tube dimensions: 30x30x(0.7-0.8)mm
- Worksurface is made of steel and aluminum alloy



Adjusted working height from 770mm to1050mm



Work surface tilts and locks in 4 positions



Fold flat for easy storage

SPECIFICATIONS

Item No.	YH-WB001	YH-WB001B
Open Size	60x56x(76.5-106)cm	60x59x(77-107)cm
Packing Size	64.5x49.5x12cm	66x62x11cm
N.W	9.8kg	12.3kg
G.W	10.8kg	13.4kg
QTY/CTN	1pc	1pc
Max Loading	100kg	100kg
20'container	750pcs	620pcs
40'container	1550pcs	1290pcs

WORKBENCH SERIES

YH-WB001C

- Durable worktop with steel and aluminum material provide steady work surface
- Lift board can be moved quickly
- Each clamp can be adjusted in 8 positions









YH-WB001D



SPECIFICATIONS

Item No.	YH-WB001C	YH-WB001D
Open Size	60x65x79.5cm	60x65.5x80.5cm
Packing Size	74.5x48.5x12.2cm	75x13.5x17.5cm
N.W	9.3kg	8.5kg
G.W	10.4kg	9.5kg
QTY/CTN	1pc	1pc
Max Loading	100kg	100kg
20'container	630pcs	1550pcs
40'container	1300pcs	3200pcs



YH-WB001E









SPECIFICATIONS

Open Size	60x79x(73.5-102.5)cm	QTY/CTN	1pc
Packing Size	63x63x21.5cm	Max Loading	100kg
N.W	13.5kg	20'container	320pcs
G.W	15.5kg	40'container	650pcs

YH-WB002

- Square tube dimensions:30x30x(0.7-0.8)mm



Tiltable work surface in different angles





YH-WB004A





SPECIFICATIONS

Item No.	YH-WB002	YH-WB004A
Open Size	75x67.5x(77.3-106.8)cm	75x67.5x(83-129)cm
Packing Size	77x66x14cm	78x23x16cm
N.W	15kg	10.7kg
G.W	16.5kg	11.7kg
QTY/CTN	1pc	1pc
Max Loading	100kg	200kg
20'container	400pcs	930pcs
40'container	820pcs	1930pcs

YH-WB004

- Turnable function in different sides





Work platform
Capacity:200kg



Adjustable rollers
Capacity:45kg



Big roller
Capacity:100kg



Ball bearings line
Capacity:100kg

SPECIFICATIONS

Open Size	75x68x(83-128)cm	QTY/CTN	1pc
Packing Size	77x23x17.8cm	Max Loading	200kg
N.W	11.8kg	20'container	930pcs
G.W	12.7kg	40'container	1930pcs

YH-WB010





- Square tube dimensions: 30x30x(0.7-0.8)mm



Worktop sections can be tilted and clamed at 90 degree



Worktop sections can be tilted and clamed at 45 degree



SPECIFICATIONS

Open Size	60.5x63.5x80cm	QTY/CTN	1pc
Packing Size	89.5x13x15.5cm	Max Loading	100kg
N.W	7kg	20'container	1550pcs
G.W	7.4kg	40'container	3200pcs

WORKBENCH SERIES

YH-WB011

- Square tube dimensions: 25x25x(0.7-0.8)mm







YH-WB013

- Square tube dimensions 30x30x(0.7-0.8)mm







SPECIFICATIONS

Item No.	YH-WB011	YH-WB013
Open Size	60.5x62x79.5cm	60.5x63.5x78.5cm
Packing Size	89x13x14cm	88.5x13.5x15cm
N.W	5.8kg	6.5kg
G.W	6.4kg	7kg
QTY/CTN	1pc	1pc
Max Loading	100kg	100kg
20'container	1750pcs	1700pcs
40'container	3600pcs	3200pcs

YH-WB014

- Square tube dimensions: 25x25x(0.7-0.8)mm









YH-WB015

- Square tube dimensions:20x20x(0.6-0.7)mm

SPECIFICATIONS

Item No.	YH-WB014	YH-WB015
Open Size	60.5x62x76cm	56x62x75.5cm
Packing Size	89x13x13cm	88.5x11x12cm
N.W	5.7kg	4.2kg
G.W	6.2kg	4.6kg
QTY/CTN	1pc	1pc
Max Loading	100kg	100kg
20'container	1900pcs	2300pcs
40'container	3800pcs	4500pcs

WORKBENCH SERIES

YH-WB020D

- Square tube dimensions:25x25x(0.7-0.8)mm







YH-WB026A

- Worksurface is bamboo board
- Workbench can work in six different heights to meet various need



Clamps for wood



Clamps can be adjusted for different shapes of woods

SPECIFICATIONS

Item No.	YH-WB020D	YH-WB026A
Open Size	60.5x64x(85.5-110.5)cm	60.5x71.5x(20.5-78.5)cm
Packing Size	84x16.5x15cm	73.7x59.8x15cm
N.W	8.1kg	12kg
G.W	9.2kg	12.8kg
QTY/CTN	1pc	1pc
Max Loading	100kg	70kg
20'container	1340pcs	410pcs
40'container	2700pcs	850pcs

WORKBENCH SERIES

YH-WB026B

SPECIFICATIONS

Open Size	60x72.5x(20.5-78.5)cm
Packing Size	94x63.5x22cm
N.W	13kg
G.W	14.5kg
QTY/CTN	1pc
Max Loading	100kg
20'container	215pcs
40'container	445pcs









Adjustable height is 20.5cm and Max capacity is 80kg



Adjustable height is 39cm and Max capacity is 30kg



Adjustable height is 46.5cm and Max capacity is 36kg





Adjustable height is 60cm and Max capacity is 140kg



Adjustable height is 85cm and Max capacity is 90kg



Adjustable height is 78.5cm and Max capacity is 200kg



YH-WB029

SPECIFICATIONS

Open Size	63.5x53.3x(84-124)cm	QTY/CTN	1pc
Packing Size	71.2x14.5x17cm	Max Loading	100kg
N.W	8.6kg	20'container	1500pcs
G.W	9.2kg	40'container	2500pcs

WORK TABLE SERIES



LD-0628

WORK TABLE SERIES



YH-WT006C



13 Watt Fluorescent Cabinet Light



Grounded Outlets



Ball Bearing Sliding Drawers

YH-WT008D-1



Full width peg board for organized tool storage



Side panel tray for accessory storage



SPECIFICATIONS

Item No.	YH-WT006C	YH-WT008D-1
Open Size	120x61x155cm	90x49x141cm
Packing Size	123x65.5x9cm	103.5x54.5x12.5cm
N.W	37kg	26.5kg
G.W	39.5kg	28.5kg
QTY/CTN	1pc	1pc
Max Loading	150kg	100kg
20'container	380pcs	420pcs



YH-WT006



Peg board for hanging tools



Rivet fix system is easier for assembly



YH-WT006A



Two drawers with handles



Screw fix system

SPECIFICATIONS

Item No.	YH-WT006	YH-WT006A
Open Size	121x61x150cm	121x61x155cm
Packing Size	124x65.5x9cm	123.5x65.5x8.5cm
N.W	33kg	32.5kg
G.W	35kg	34kg
QTY/CTN	1pc	1pc
Max Loading	100kg	100kg
20'container	400pcs	400pcs

WORK TABLE SERIES



YH-WT005



Work clamp function



Peg board for hanging tools

YH-WT007







SPECIFICATIONS

Item No.	YH-WT005	YH-WT007
Open Size	121x61x150cm	121x61x97cm
Packing Size	124x69.5x8.7cm	124.5x69.5x8.5cm
N.W	34.5kg	32kg
G.W	36.5kg	34kg
QTY/CTN	1pc	1pc
Max Loading	100kg	100kg
20'container	369pcs	380pcs

WORK TABLE SERIES



YH-WT008



Peg board for hanging tools



With storage shelf

YH-WT036



Big drawer with two handles



SPECIFICATIONS

Item No.	YH-WT008	YH-WT036
Open Size	90x48x140cm	121x61x150cm
Packing Size	101x53x7.5cm	124x65x7.5cm
N.W	21kg	30.5kg
G.W	22kg	32kg
QTY/CTN	1pc	1pc
Max Loading	100kg	100kg
20'container	720pcs	420pcs

YH-WT036A



YH-WT036B



SPECIFICATIONS

Item No.	YH-WT036A	YH-WT036B
Open Size	121x61x154.5cm	121x61x154.5cm
Packing Size	123.5x64.5x8.5cm	123.5x66x8cm
N.W	29.5kg	31.5kg
G.W	31kg	33kg
QTY/CTN	1pc	1pc
Max Loading	100kg	100kg
20'container	400pcs	400pcs

WORK TABLE SERIES



YH-WT037







YH-WT039



2 storage cabinets above work surface keeping tools organized and easily accessible



4 ball bearing sliding drawers for storing supplies

SPECIFICATIONS

Item No.	YH-WT037	YH-WT039
Open Size	121x61x158cm	120.5x58x173.5cm
Packing Size	124x64x9cm	128.5x67x16.5cm
N.W	48kg	49kg
G.W	50kg	52kg
QTY/CTN	1pc	1pc
Max Loading	200kg	454kg
20'container	340pcs	214pcs



YH-WT040

YH-WT043





SPECIFICATIONS

Item No.	YH-WT040	YH-WT043
Open Size	121.5x60.9x90.2cm	150x60x91cm
Packing Size	124x65x8cm	154x67.5x9.5cm
N.W	24kg	35kg
G.W	25.5kg	38kg
QTY/CTN	1pc	1pc
Max Loading	150kg	250kg
20'container	420pcs	290pcs
40'container	840pcs	600pcs

WELDING SERIES




LD-0628

YH-WT018



SPECIFICATIONS

Open Size	122 x59x85.5cm
Packing Size	96x58x85cm(with pallet)
N.W	72kg
G.W	82.5kg
QTY/CTN	1pc
Max Loading	250kg
20'container	40pcs
40'container	80pcs





Three drawers with ball bearing slides



Top surface with backstop for secure placement of Multiple welders

WELDING SERIES

YH-WB030

- Square tube dimensions:30x30x(0.7-0.8)mm
- Worksurface is galvanized board



Tiltable work surface in different degrees



Welding function workbench



Easy moving





YH-WB031-1

- Material:Steel frame
- Heavy duty steel surface is zinc plated to resist rust
- Adjustable table angle with five positive stops
- Retractable edge guides for use as a fence or for clamping
- Join additional tables for a larger work surface







SPECIFICATIONS

Item No.	YH-WB030	YH-WB031-1
Open Size	78x73x(77.6-92.5)cm	66x59x83cm
Packing Size	53x7.2x77.7cm	78x55x10cm
N.W	17.5kg	15.8kg
G.W	18.5kg	16.8kg
QTY/CTN	1pc	1pc
Max Loading	130kg	150kg
20'container	900pcs	600pcs
40'container	1900pcs	1170pcs

YH-WT021





Platform and chains for gas cylinders




Easy storage hooks for hoses and cables

SPECIFICATIONS

Open Size	95x49.5x93cm	QTY/CTN	1pc
Packing Size	95x42x11cm	Max Loading	150kg
N.W	17kg	20'container	589pcs
G.W	18.5kg	40'container	1050pcs

SAWHORSE SERIES



LD-0628

SAWHORSE SERIES



◀ YH-SH017

▼ YH-SH017A





Easy fold



Easy carry



Adjustable feet

SPECIFICATIONS

Item No.	YH-SH017	YH-SH017A
Open Size	96.5x(45-64.5)x(64-102.5)cm	97x(45-64.5)x(63.5-101.5)cm
Packing Size	99.5x7.5x12.5cm	98x7.8x12.5cm
N.W	8.3kg	8.3kg
G.W	8.8kg	8.8kg
QTY/CTN	1pc	1pc
Max Loading	200kg	200kg
20'container	2000pcs	2000pcs
40'container	2500pcs	2500pcs

SAWHORSE SERIES

YH-HPP





Easy carry



Support 2x4" wood



Fold flat for easy storage



Transform 2 sawhorses into a solid jobsite table





Push button to adjust the height

SPECIFICATIONS

Open Size	107x(46.4-61.5)x(65-82.2)cm	QTY/CTN	2pcs
Packing Size	91x17.5x16cm	Max Loading	590kg/pc
N.W	15.60kg	20'container	2000pcs
G.W	16.50kg	40'container	2700pcs



YH-MPP



Transform 2 sawhorses into a solid jobsite table



Flip-down material support

YH-OPP







Fold flat for easy storage



SPECIFICATIONS

Item No.	YH-MPP	YH-OPP
Open Size	118.5x57x75cm	86.5x64x76.5 cm
Packing Size	105.5x32x13.4cm	90x50x32.8cm
N.W	25.20kg	27.00kg
G.W	26.70kg	29.60kg
QTY/CTN	4pcs	6pcs
Max Loading	500kg/pc	363kg/pc
20'container	2480pcs	1140pcs
40'container	3280pcs	2400pcs

SAWHORSE SERIES

YH-SH029A











SPECIFICATIONS

Open Size	99.8x39.2x80cm	QTY/CTN	2pcs
Packing Size	101.2x 9.5x11cm	Max Loading	125kg/pc
N.W	8.8kg	20'container	3800pcs
G.W	9.2kg	40'container	4800pcs



YH-SH028

YH-SH032





Adjustable feet



Foldable



Easy carry

SPECIFICATIONS

Item No.	YH-SH028	YH-SH032
Open Size	99.5x48x78cm	99.5x50x(64.5-91)cm
Packing Size	107x12.5x9.5cm	101x8x14.5cm
N.W	8.2kg	7.1kg
G.W	8.6kg	7.5kg
QTY/CTN	2pcs	1pc
Max Loading	125kg/pc	150kg
20'container	4000pcs	2200pcs
40'container	5100pcs	2900pcs

SAWHORSE SERIES

YH-SH022









SPECIFICATIONS

Item No.	YH-SH022	YH-SH022A	YH-SH022B	YH-SH022C	YH-SH023
Open Size	68x58x(80-130)cm	68x58x(80-130)cm	68x58x(80-130)cm	68x53.8x(80-120)cm	68x58x(86-130)cm
Packing Size	77.8x12.5x11.5cm	78.5x11.2x13.7cm	77.8x11.5x12cm	77x12x11cm	77x12x12.5cm
N.W	6.35kg	6.6kg	5.8kg	4.8kg	6.50kg
G.W	6.65kg	6.9kg	6.2kg	5.2kg	7.00kg
QTY/CTN	1pc	1pc	1pc	1pc	1pc
Max Loading	200kg	150kg	180kg	150kg	150kg
20'container	2500pcs	2300pcs	2520pcs	2800pcs	2400pcs
40'container	3200pcs	3200pcs	3500pcs	4200pcs	3000pcs

YH-SH022A



YH-SH022B



YH-SH022C



YH-SH023



SAWHORSE SERIES

YH-SH027





YH-SH027B



YH-SH034





Easy for storage



YH-SH043





UK Design Worldwide Patent

YH-SH045





YH-SH046







UK Design Worldwide Patent

SPECIFICATIONS

Item No.	YH-SH027	YH-SH027B	YH-SH034	YH-SH043
Open Size	63.5x43x72cm	78x40x74cm	79.5x54.5x72cm	80x85x79cm
Packing Size	73.5x12x13cm	78x9.3x9.5cm	78x9/17x13cm	101.3x15.5x3.7cm
N.W	4.8kg	3.28kg	3.1kg	7.1kg
G.W	5.5kg	3.58kg	3.4kg	7.5kg
QTY/CTN	2pcs	1pc	1pc	1pc
Max Loading	100kg	100kg	250kg	200kg
20'container	4800pcs	4000pcs	2023pcs	2145pcs
40'container	8000pcs	6000pcs	4100pcs	2790pcs

SPECIFICATIONS

Item No.	YH-SH045	YH-SH046
Open Size	110.8x38x90.5cm	133.8x50x74.5cm
Packing Size	112x40.5x6cm	117x19.3x8.3cm
N.W	10.85kg	13.5kg
G.W	12.1kg	14.37kg
QTY/CTN	1pc	1pc
Max Loading	150kg	300kg
20'container	1050pcs	1200pcs
40'container	1800pcs	1500pcs

MITER SAW STAND SERIES



LD-0628

MITER SAW STAND SERIES

YH-MS080











SPECIFICATIONS

Open Size	(109-167.5)x70x(84.5-95.5)cm	QTY/CTN	1pc
Packing Size	126x26x19.5cm	Max Loading	150kg
N.W	13.5kg	20'container	440pcs
G.W	15.4kg	40'container	905pcs

YH-MS056













SPECIFICATIONS

Open Size	(105-175)x77x(84-99)cm	QTY/CTN	1pc
Packing Size	124x31x19.5cm	Max Loading	150kg
N.W	15.5kg	20'container	380pcs
G.W	18.5kg	40'container	788pcs

MITER SAW STAND SERIES

YH-MS029I-3









SPECIFICATIONS

Open Size	(120-203)x63.2x(90-100)cm	QTY/CTN	1pc
Packing Size	135x30x21cm	Max Loading	150kg
N.W	17.2kg	20'container	355pcs
G.W	19.2kg	40'container	720pcs

MITER SAW STAND SERIES

YH-MS029D





Two-outlet power strip with safety switch

YH-MS029G







SPECIFICATIONS

Item No.	YH-MS029D	YH-MS029G
Open Size	(120-203)x63.2x(99-101.5)cm	(116-200)x63.2x(90-100)cm
Packing Size	131.5x32x30.5cm	124x30x20cm
N.W	20.9kg	13kg
G.W	22.4kg	14.5kg
QTY/CTN	1pc	1pc
Max Loading	150kg	150kg
20'container	205pcs	410pcs
40'container	440pcs	860pcs

YH-MS030





YH-MS038









SPECIFICATIONS

Item No.	YH-MS030	YH-MS038
Open Size	115x62x74cm	80x(58.5-66.5)x(71.5-82.5)cm
Packing Size	91.5x27.5x24.5cm	93.5x29.5x26.5cm
N.W	11.8kg	13.2kg
G.W	12.8kg	15kg
QTY/CTN	1pc	1pc
Max Loading	200kg	150kg
20'container	450pcs	390pcs
40'container	918pcs	790pcs

YH-MS036





3-Outlet GFCI Power Center



Quick Folding Design for Easy Transportation & Storage



Miter Saw Mounted

SPECIFICATIONS

Open Size	(149.5-314)X69.5X(91-102)cm	QTY/CTN	1pc
Packing Size	135.5X29.5/42.3X26.5cm	Max Loading	220kg
N.W	26.9kg	20'container	198pcs
G.W	29kg	40'container	396pcs

MITER SAW STAND SERIES

YH-MS037



Quick-release leg lock levers



Flip-down material support





SPECIFICATIONS

Open Size	(90-188)X61X(80-91)cm	QTY/CTN	1pc
Packing Size	93.5x30.7x26.5cm	Max Loading	220kg
N.W	19.7kg	20'container	370pcs
G.W	21.5kg	40'container	750pcs

YH-MS052







SPECIFICATIONS

Open Size	Miter saw stand:73.5x57x84.5cm	G.W	15.2kg
	Table saw stand :105.5x57x59cm	QTY/CTN	1pc
	Hand truck:56x57x106.5cm	Max Loading	136kg
Packing Size	83.5x62.5x19cm	20'container	294pcs
N.W	12.9kg	40'container	596pcs

MITER SAW STAND SERIES

YH-MS053











SPECIFICATIONS

Open Size	120x71x58cm	QTY/CTN	1pc
Packing Size	96.5x66.5x18cm	Max Loading	150kg
N.W	15.9kg	20'container	252pcs
G.W	18.5kg	40'container	504pcs

YH-MS055



ACCESSORIES OPTIONAL



SPECIFICATIONS

Open Size	107x44x56/66.5/76cm	QTY/CTN	1pc
Packing Size	119.5x62.5x14.5cm	Max Loading	200kg
N.W	21.4kg	20'container	262pcs
G.W	24.7kg	40'container	547pcs

MITER SAW STAND SERIES

YH-MS066





SPECIFICATIONS

Open Size	(92-146)x74x(66.5-84.5)cm	QTY/CTN	1pc
Packing Size	119.5x36x29cm	Max Loading	150kg
N.W	15.3kg	20'container	120pcs
G.W	19.8kg	40'container	250pcs

MITER SAW STAND SERIES

YH-MS042





Mounted with miter saws



Easily transport



Adjustable height

SPECIFICATIONS

Open Size	(111.5-183.5)x57x24.5/68/82cm	QTY/CTN	1pc
Packing Size	118x56.5x18.5cm	Max Loading	150kg
N.W	22.5kg	20'container	220pcs
G.W	25.4kg	40'container	480pcs

YH-MS042B















SPECIFICATIONS


Open Size	(111.5-190.5)x56.5x28.5/73/86.5cm	QTY/CTN	1pc
Packing Size	118x55x21cm	Max Loading	150kg
N.W	23.8kg	20'container	196pcs
G.W	26.4kg	40'container	416pcs

MITER SAW STAND SERIES

YH-MS046









SPECIFICATIONS

Open Size	(91-171)x60x(59.5-82)cm	QTY/CTN	1pc
Packing Size	79x56x18.5cm	Max Loading	150kg
N.W	15.6kg	20'container	370pcs
G.W	17.4kg	40'container	760pcs

YH-MS046F







SPECIFICATIONS

Open Size	70x60x(59.5-82)cm	QTY/CTN	1pc
Packing Size	78.5x69.5x19cm	Max Loading	150kg
N.W	12.3kg	20'container	290pcs
G.W	13.2kg	40'container	604pcs

YH-MS050C









SPECIFICATIONS

Open Size	(93.5-198.5)x64x(82.5-93.5)cm	QTY/CTN	1pc
Packing Size	89.5x25x15.3cm	Max Loading	150kg
N.W	9.8kg	20'container	880pcs
G.W	10.8kg	40'container	1810pcs

MITER SAW STAND SERIES

YH-MS019



YH-MS020B





YH-MS020




YH-MS040



SPECIFICATIONS

Item No.	YH-MS019	YH-MS020B	YH-MS020	YH-MS040
Open Size	82x58x81.5cm	67.3x59x85.8cm	85.5x70x87cm	72x66x82cm
Packing Size	82.5x26x7.3cm	56x9.5x9.5cm	73.5x9.2x8.2cm	70.5x6.7x10.3cm
N.W	10kg	6.0kg	6.5kg	6.5kg
G.W	10.6kg	6.3kg	6.8kg	6.6kg
QTY/CTN	1pc	1pc	1pc	1pc
Max Loading	220kg	150kg	135kg	220kg
20'container	1600pcs	2500pcs	2340pcs	2390pcs
40'container	3200pcs	3000pcs	2859pcs	2910pcs

ROLLER STAND SERIES



LD-0628

YH-RS010











SPECIFICATIONS

Open Size	43 x 48.5 x (80-122)cm	QTY/CTN	1pc
Packing Size	64x21.6x8.5cm	Max Loading	30/45/60kg
N.W	5kg	20'container	2300pcs
G.W	5.5kg		

YH-RS004 (BULK)



YH-RS004 (EQUIPPED)





YH-RS004EI



SPECIFICATIONS

Item No.	YH-RS004(Bulk)	YH-RS004(Equipped)	YH-RS004EI
Open Size	43x48.5x(67-106)cm	43x48.5x(67-106)cm	43x49.5x(68-110)cm
Packing Size	63x12.5x9cm	77x45x8cm	78.5x43.5x8cm
N.W	4kg	4kg	4kg
G.W	4.4kg	4.8kg	4.8kg
QTY/CTN	1pc	1pc	1pc
Max Loading	30/45/60kg	30/45/60kg	30/45/60kg
20'container	4100pcs	1000pcs	1000pcs
40'container	4500pcs	2100pcs	2000pcs

ROLLER STAND SERIES



YH-RS007 (EQUIPPED)



Ball bearings line



Big roller



Normal sawhorse



Handle of adjusting the height

YH-RS015

- Open Size：58 X47 x (71-110)cm(Height of roller level)
- H77.5-115cm(Drum + height)
- Folding size: 57 x7.5 x79.5 cm






SPECIFICATIONS

Item No.	YH-RS007(Equipped)	YH-RS015
Open Size	43x50x(70-110)cm	58x47x(71-110)cm
Packing Size	78x44.5x8cm	80.5x58.2x8.5cm
N.W	5kg	4.1kg
G.W	5.9kg	5.2kg
QTY/CTN	1pc	1pc
Max Loading	30/45/60kg	30/45kg
20'container	1000pcs	700pcs
40'container	2100pcs	1476pcs

SCAFFOLD SERIES



LD-0628

YH-SD602





2X



1X



4X

SPECIFICATIONS

Open Size	186x116x356cm	G.W	154kg
Packing Size	191.5x76.5x13.5cm(6ft scaffold)	QTY/CTN	1pc
	109x76x10cm(Guardrail)	Max Loading	370kg
	60.5x41.5x11cm(Outrigger set)	20'container	45pcs
N.W	147kg	40'container	90pcs



YH-SD601







YH-SD407







SPECIFICATIONS

Item No.	YH-SD601	YH-SD407
Open Size	187x73x190cm	134x72x162cm
Packing Size	191.5x76.5x13.5cm	127x73x15cm
N.W	54kg	32.7kg
G.W	57kg	35kg
QTY/CTN	1pc	1pc
Max Loading	450kg	226kg
20'container	153pcs	200pcs
40'container	306pcs	415pcs

SCAFFOLD SERIES



YH-SD401



YH-SD402





SPECIFICATIONS

Item No.	YH-SD401	YH-SD402
Open Size	109x53x126cm	109.5x53.5x126cm
Packing Size	124.5x60x15cm	118x59.7x11.8cm
N.W	23kg	23kg
G.W	25kg	25kg
QTY/CTN	1pc	1pc
Max Loading	226kg	226kg
20'container	250pcs	320pcs
40'container	500pcs	620pcs



YH-SD403





YH-SD403C







SPECIFICATIONS

Item No.	YH-SD403	YH-SD403C
Open Size	109.5x53.5x152.5cm	118x54.5x166cm
Packing Size	118x59.7x11.8cm	121x60.5x12.8cm
N.W	24kg	29.5kg
G.W	25.5kg	30.7kg
QTY/CTN	1pc	1pc
Max Loading	226kg	270kg
20'container	320cs	270pcs
40'container	620pcs	550pcs

SCAFFOLD SERIES



YH-SD404






YH-SD405



SPECIFICATIONS

Item No.	YH-SD404	YH-SD405
Open Size	104x50.5x140cm	100 x 54.5 x 116.5cm
Packing Size	111x54x13cm	108 x 58 x 10cm
N.W	18.2kg	20.5kg
G.W	20kg	22kg
QTY/CTN	1pc	1pc
Max Loading	226kg	227kg
20'container	380pcs	450pcs
40'container	750pcs	920pcs
40'container HQ	864pcs	

HAND TRUCK SERIES



LD-0628

HAND TRUCK SERIES

YH-HK015











YH-HK023





SPECIFICATIONS

Item No.	YH-HK015	YH-HK023
Open Size	40x40.5x(63.5-100)cm	52x48.5x(79.5-107)cm
Packing Size	66x40x22cm	82x50.5x7cm
N.W	11.6kg	6.3kg
G.W	13.6kg	7.3kg
QTY/CTN	4pcs	1pc
Max Loading	70kg	120kg
20'container	2000pcs	1000pcs
40'container	4000pcs	2000pcs

YH-HK014





YH-HK013







YH-HK013C



SPECIFICATIONS

Item No.	YH-HK014	YH-HK013	YH-HK013C
Open Size	43x42x(74-99.5)cm	48x41x(73-100)cm	48x41x(77-99)cm
Packing Size	76.5x44.5x6cm	74.5x49x6cm	75x50x7cm
N.W	4.6kg	4kg	4.3kg
G.W	5.3kg	4.8kg	5kg
QTY/CTN	1pc	1pc	1pc
Max Loading	70kg	70kg	90kg
20'container	1350pcs	1100pcs	1100pcs
40'container	2800pcs	2200pcs	2200pcs

HAND TRUCK SERIES

YH-HK001



YH-HK003





YH-HK004





YH-HK004A



SPECIFICATIONS

Item No.	YH-HK001	YH-HK003	YH-HK004	YH-HK004A
Open Size	48x47x120cm	50x48.8x118cm	49.5x54x(77-113.5)cm	49.5x62x(77-113.5)cm
N.W	9.2kg	12.4kg	13.6kg	15kg
G.W	9.2kg	12.5kg	13.7kg	15.1kg
QTY/CTN	1pc	1pc	1pc	1pc
Max Loading	200kg	150kg	200kg	200kg
20'container	380pcs	220pcs	500pcs	500pcs
40'container	760pcs	440pcs	920pcs	920pcs



YH-HK020



YH-HK021R





YH-HK061

SPECIFICATIONS

Item No.	YH-HK020	YH-HK021R	YH-HK061
Open Size	48.5x(44.5-64.5)x117cm	48.5x(52.5-74)x118cm	40x41x(71.5-109)cm
N.W	10kg	11.5kg	5.4kg
G.W	10.2kg	11.7kg	6.1kg
QTY/CTN	1pc	1pc	1pc
Max Loading	150kg	150kg	90kg
20'container	310pcs	230pcs	820pcs
40'container	620pcs	550pcs	1760pcs

HAND TRUCK SERIES



YH-HK005

YH-HK006






SPECIFICATIONS

Item No.	YH-HK005	YH-HK006
Open Size	73x47x82cm	62x47x87cm
Packing Size	74.5x48.5x(6.5-12)cm	93x62.5x(6.2-15.2)cm
N.W	7kg	12.9kg
G.W	7.7kg	14kg
QTY/CTN	1pc	1pc
Max Loading	150kg	250kg
20'container	850pcs	450pcs
40'container	1700pcs	930pcs

STORAGE SHELF SERIES



LD-0628

STORAGE SHELF SERIES



YH-SF030

YH-SF025





SPECIFICATIONS

Item No.	YH-SF030	YH-SF025
Open Size	183x122x61cm	121x61x90cm
Packing Size	124.5x65x8.5cm	124.5x64.5x6cm
N.W	38.2kg	19kg
G.W	39.5kg	20.5kg
QTY/CTN	1pc	1pc
Max Loading	360kg	100kg
20'container	380pcs	580pcs
40'container	560pcs	1050pcs

STORAGE SHELF SERIES



YH-SF022



YH-SF023



YH-SF024

SPECIFICATIONS			
Item No.	YH-SF022	YH-SF023	YH-SF024
Open Size	90x50x182.5cm	70x30x152cm	70x35x150cm
Packing Size	94.5x55x9cm	80x36x8.5cm	153x38.5x5cm
N.W	27.35kg	18kg	9.8kg
G.W	28.45kg	19kg	10.8kg
QTY/CTN	1pc	1pc	1pc
Max Loading	150kg	150kg	70kg
20'container	590pcs	900pcs	940pcs
40'container	760pcs	1150pcs	1980pcs



YH-SF026



YH-SF031








YH-SF037

SPECIFICATIONS			
Item No.	YH-SF026	YH-SF031	YH-SF037
Open Size	80x30x167.5cm	76.5x40x182.5cm	80.5x40.5x182.5cm
Packing Size	90x35.2x8cm	94.5x44.5x10.5cm	94.5x44x9cm
N.W	15.8kg	24.7kg	19kg
G.W	16.8kg	27.3kg	20kg
QTY/CTN	1pc	1pc	1pc
Max Loading	100kg	100kg	150kg
20'container	1000pcs	600pcs	725pcs
40'container	1300pcs	800pcs	1100pcs

RAMP SERIES



LD-0628

YH-CR001



- Load capacity:400kg/pair
- Steel or aluminum

YH-CR013



YH-CR005



- Load capacity (Folded) :2300kg/pair
- Load capacity (Unfolded) :1100kg/pair
- A handle on the side when folded for easy transportation

YH-CR007A










SPECIFICATIONS

Item No.	YH-CR001	YH-CR013	YH-CR005	YH-CR007A
Open Size	150x22.5x4	193x22.5x5cm	196x25x5	183x22.5x9.5
Packing Size	152x25x6.5cm	183x25x7.5cm	62x37.5x28.5cm	186x25.5x8cm
N.W	6.6kg	16.5kg	31.4kg	16.5kg
G.W	7.7kg	18kg	33.5kg	17.5kg
QTY/CTN	1Pair	1Pair	1Pair	1Pair
Max Loading	400kg	450kg	2300kg	370kg
20'container	1120Pairs	899Pairs	460Pairs	790Pairs
40'container	2320Pairs	1860Pairs	754Pairs	1600Pairs

WORK PLATFORM SERIES




LD-0628



YH-WP025

YH-WP028





YH-WP029





SPECIFICATIONS

Item No.	YH-WP025	YH-WP028	YH-WP029
Open Size	128x37x49cm	138.5x38x52cm	136.5x38x52cm
Packing Size	103x37.2x17cm	108.5x38.5x10cm	106.5x38.5x10cm
N.W	9.8kg	4.35kg	4.6kg
G.W	10.2kg	4.5kg	4.75kg
QTY/CTN	1pc	1pc	1pc
Max Loading	150kg	100kg	100kg
20'container	486pcs	736pcs	736pcs
40'container	1000pcs	1500pcs	1500pcs

YH-MV005





- Minimum square:305x305mm
- Maximum square configuration:864x864mm
- Maximum rectangle configuration:457x1270mm

YH-MV007



- Adjustable frame can be sized to fit the item you are moving.
- Minimum square size 305 x 305mm
- Maximum square size 914 x 914mm
- Maximum rectangle size 508 x 1320mm
- Move heavy stationary tools
- With four adjustable knobs

YH-MV006R



YH-MV006A



SPECIFICATIONS

Item No.	YH-MV005	YH-MV007	YH-MV006R	YH-MV006A
Open Size	(30.5X30.5 cm) to (86.4x86.4 cm)	(30.5X30.5 cm) to (91.4x91.4 cm)	38x1.8cm	57.5x29x1.8cm
Packing Size	50x40x20cm	47 x 23.5 x13.5cm	38.8 x 38.8 x28.3cm	67x28x31.5cm
N.W	23.80kg	7.65kg	10.4kg	13.4kg
G.W	25.98kg	8.4kg	10.8kg	14.3kg
QTY/CTN	4pcs	1pc	4pcs	4pcs
Max Loading	180kg	180kg	250kg	250kg
20'container	2600pcs	2000pcs	2600pcs	1840pcs
40'container	3400pcs	4100pcs	5340pcs	3840pcs

OTHER HAND TOOLS SERIES

YH-WR020B



YH-WR021



YH-SC001



YH-MV001



SPECIFICATIONS

Item No.	YH-WR020B	YH-WR021	YH-SC001	YH-MV001
Open Size	140x33x10cm	130x30x130.5cm	9x9.3x14.5cm	10.6x8x3.4cm(Plastic tray)
Packing Size	144x35x10.5cm	140.5x38.5x7.5cm	51.5x40.5x31.5cm	42x37x31cm
N.W	5.7kg	6.7kg	16.8kg	14kg
G.W	6.9kg	7.8kg	17.62kg	15kg
QTY/CTN	1pc	1pc	20Pairs (40pcs)	12pcs
Max Loading	150kg	150kg	100kg	100kg
20'container	560pcs	690pcs	8400Pairs (16800pcs)	6725pcs
40'container	1130pcs	1400pcs	17600Pairs (35200pcs)	14198pcs

YX-FA320



YX-FA360



Model	SIZE (L×W×H (mm))	MEASUREMENT (L×W×H (mm))	GW/NW (kg)	PCS/CTN	20'
YX-FA320	320×215×80	465×345×565	17.6/15.6	12	3500
YX-FA360	360×310×100	565×335×385	11/13	5	5000

YX-FA200



YX-FA460



YX-FA350



Model	SIZE (L×W×H (mm))	MEASUREMENT (L×W×H (mm))	GW/NW (kg)	PCS/CTN	20'
YX-FA200	200×160×90	420×360×375	13.5/12.5	16	7300
YX-FA460	460×350×182	480×370×180	5/4.8	1	900
YX-FA350	350×145×415	440×390×480	15.5/14.5	3	900

YX-FA270



YX-FA560



YX-FA415



Model	SIZE (L×W×H (mm))	MEASUREMENT (L×W×H (mm))	GW/NW (kg)	PCS/CTN	20'
YX-FA270	270×185×65	410×410×290	17/15	8	2100
YX-FA560	560×385×146	410×160×590	6/5.4	6	730
YX-FA415	415×350×148	380×160×450	4.8/4.2	1	1050

YX-H160A



YX-H160B



YX-H02FT



YX-H305



Model	SIZE (L×W (mm))	MEASUREMENT (L×W×H (mm))	GW/NW (kg)	PCS/CTN	20'
YX-H160A	160×160	490×350×440	15/14	36	12300
YX-H160B	160×160	490×350×440	15/14	36	12300
YX-H02FT	/	435×285×610	12/11	50	1700
YX-H03TP	/	350×240×280	8.5/7.5	72	79000

YX-H04CF



YX-H02CFT



YX-H05FT



Model	SIZE (L×W (mm))	MEASUREMENT (L×W×H (mm))	GW/NW (kg)	PCS/CTN	20'
YX-H04CF	/	385×365×355	9.5/8.5	32	16700
YX-H02CFT	/	500×410×360	29.5/27	20	7300
YX-H05FT	/	420×360×405	18/17	16	6700

YX-H05ST



YX-H05STA



Model	SIZE (L×W×H (mm))	MEASUREMENT (L×W×H (mm))	GW/NW (kg)	PCS/CTN	20'
YX-H05ST	/	390×330×330	17/16	6	3600
YX-H05STA	/	390×330×330	17/16	6	3600

DRAIN ROD SET SERIES



Economical practical

注重细节 经济实用

Ideal tools can be used to clean and remove obstructions from most underdround drainage pipes, chimney.

用于清除地下排水管道、烟囱中障碍物的理想工具。

Easy operation

High quality raw materials

Random splicing

YX-ST2000



YX-ST920A



YX-ST920B



Model	MEASUREMENT (L×W×H(mm))	GW/NW (kg)	PCS/CTN
YX-ST2000	2040×250×180	21/20	8
YX-ST920A	950×240×220	14/13	8
YX-ST920B	950×240×220	14.5/13.5	8

DRAIN ROD SET SERIES

YX-ST930M14



YX-ST930M15



YX-ST920M13



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-ST930M14	950×320×180	15/14	8	3940
YX-ST930M15	950×260×290	21/20	8	3630
YX-ST920M13	945×275×335	18/17	8	2480

YX-STX01A





YX-STX01B



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-STX01A	330×230×405	8.5/8	96
YX-STX01B	330×230×405	8.5/8	96



Φ100mm



YX-ST100

Φ200mm



YX-ST200

Φ250mm



YX-ST250

Φ400mm



YX-ST400

Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-ST100	560×410×360	7.5/7	24
YX-ST200	480×350×360	6.5/6	24
YX-ST250	430×300×360	5.5/5	24
YX-ST400	400×250×360	4.5/4	24



YX-STR02



YX-STC03



YX-ST604




YX-TG02




Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-STR02	345×205×405	16/15	96
YX-STC03	360×240×215	17/16	100
YX-STG04	340×290×135	10.5/9.5	60
YX-TGQ2	300×225×415	22/21	48

DRAIN ROD SET SERIES

YX-YC06G




YX-YC06P



YX-BLS3M

YX-BH1028



Model	MEASUREMENT (L×W×H)mm	GW/NW (kg)	PCS/CTN	20'
YX-YC06G	1420×360×170	8.5/7.5	6	2990
YX-YC06P	1420×360×170	8.5/7.5	6	2990
YX-BLS3M	585×260×460	9/8	36	3720
YX-BH1028	415×350×390	14.8/13.8	6	2800

YX-YC150P



YX-YC200P



YX-YC200PA



Model	DIAMETER (mm)	MEASUREMENT (L×W×H)mm	GW/NW (kg)	PCS/CTN
YX-YC150P	150	505×315×685	5/4	50
YX-YC200P	200	655×414×710	5.5/4.5	50
YX-YC200PA	200	655×414×710	5.5/4.5	50

YX-YC100G



YX-YC150G




YX-YC250G



Model	DIAMETER (mm)	MEASUREMENT (L×W×H)mm	GW/NW (kg)	PCS/CTN
YX-YC100G	100	450×105×125	7/6	50
YX-YC150G	150	495×325×660	8/7	50
YX-YC250G	250	815×535×735	17.5/16.5	50

YX-YC200×200G



YX-YC200×300G



YX-YC200×350G



Model	DIAMETER (mm)	MEASUREMENT (L×W×H)mm	GW/NW (kg)	PCS/CTN
YX-YC200×200G	200×200	655×425×685	12/11	50
YX-YC200×300G	200×300	655×485×790	14/13	50
YX-YC200x350G	200×350	735×675×735	17/16	50

YX-TS84



YX-TS155



YX-TS126



YX-TS118A





Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-TS84	460×220×135	6/5	16
YX-TS155	445×215×135	5/4	16
YX-TS126	315×215×135	3.5/2.5	16
YX-TS118A	480×380×480	6.5/5.5	64

YX-TS118B



YX-EP80

EMERGENCY PUMP series





Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-TS118B	615×255×460	5.8/4.8	20
YX-EP80	505×400×455	9/8	24

YX-TS118C









YX-TS500




YX-PICKUP





Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-TS118C	570×570×525	16.3/14.5	32
YX-TS500	530×230×835	11.5/10	750
YX-PICKUP	670×160×160	5.5/2.6	84

YX-MT001







Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-MT001	525×395×455	11/10	6

CABLE ROD KIT SERIES

YX-Q330



YX-Q1000



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q330	360×240×240	8/7	36	45200
YX-Q1000	1030×260×260	18.5/17.5	36	13400

YX-Q330M26



YX-Q1000M26




Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q330M26	360×240×240	8/7	36	45200
YX-Q1000M26	1030×260×260	18.5/17.5	36	13400

YX-Q330M15




YX-Q1000M15



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q330M15	360×240×240	8/7	36	45200
YX-Q1000M15	1030×260×260	18.5/17.5	36	13400

YX-Q1000M17



YX-Q430M16



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q1000M17	1030×260×260	18.5/17.5	36	13400
YX-Q430M16	460×240×240	10/9	36	36000

YX-Q330M17



YX-Q1000M23



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q330M17	360×240×240	8/7	36	45200
YX-Q1000M23	1030×260×260	18.5/17.5	36	13400

YX-Q330M22



YX-Q1000M22



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q330M22	360×240×240	8/7	36	45200
YX-Q1000M22	1030×260×250	18.5/17.5	36	13400

CABLE ROD KIT SERIES

YX-Q1000B23





YX-Q1000B23A





Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q1000B23	1050×270×270	20/19	16	5800
YX-Q1000B23A	1050×270×270	20/19	16	5800

YX-Q1000M30



YX-Q1000C



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q1000M30	1085×235×305	18/17	15	5200
YX-Q1000C	1085×235×305	18/17	15	5200

YX-Q330M18



YX-ST925A



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-Q330M18	360×240×240	8/7	36	45200







YX-SJQ



YX-SJQA





YX-QM7



YX-KZQ



YX-DLWT





Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-QM7	305×215×195	5.8/4.6	144	294000
YX-KZQ	/	/	/	/
YX-DLWT	/	/	/	/

GLASS SUCKER SERIES



YX-BX12A



YX-BX12B



YX-BX12



YX-BX06



YX-BX12C



YX-BX12 YX-BX06 YX-BX12C

Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-BX12A	495×345×445	11/10	20
YX-BX12B	495×345×445	16/15	20
YX-BX12	550×400×255	13.5/12.5	48
YX-BX06	240×195×220	3.5/2.5	48
YX-BX12C	515×375×390	8.8/7.8	10

YX-WT3M



YX-WT4M



YX-WT5M



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-WT3M	620×505×425	13/12	48
YX-WT4M	335×275×165	13/12	40
YX-WT5M	705×340×240	9/8	20

YX-WT4-295



YX-WT4-300



YX-WT4-450



YX-WT5-348



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN
YX-WT4-295	385×225×350	9/8	48
YX-WT4-300	610×410×375	20/19	72
YX-WT4-450	540×225×350	13/12	48
YX-WT5-348	415×360×350	11/10	48

YX-WT1.5 YX-WT1.5A YX-SC300



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-WT1.5	360×230×180	3.9/3.4	36	68200
YX-WT1.5A	290×150×275	1.3/0.8	28	78200
YX-SC300	520×520×590	26.5/25.5	96	16300
YX-WT1.5A	235×200×245	4/3.5	48	112600

YX-DKQ01 YX-SHQ YX-5"ZBQ



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-DKQ01	315×215×170	12.1/11.1	18	24500
YX-SHQ	290×235×210	7/6.5	48	90600
YX-5"ZBQ	235×200×130	1.23/1.13	12	51050

YX-WT300 YX-MD01 YX-BMQ01



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-WT300	240×195×220	8.9/7.9	48	8800
YX-MD01	235×225×435	6.5/6	40	45200
YX-BMQ01	585×235×320	6/5	100	87900

YX-CT03S YX-CT03M YX-CT03L



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-CT03S	290×250×280	13.5/12.5	48	50300
YX-CT03M	300×295×210	13/12	24	43400
YX-CT03L	330×310×240	18/17	24	32100

YX-CT04S YX-CT04M YX-CT04L



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-CT04S	290×250×280	15/14	48	61400
YX-CT04M	300×295×210	18.5/17.5	32	44900
YX-CT04L	330×310×240	25/24	24	25400

YX-CT05M YX-CT05L YX-CT06M YX-CT06L



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-CT05M	330×310×220	16.8/15.8	24	27000
YX-CT05L	330×310×240	23/22	18	22000
YX-CT06M	300×310×220	13/12	24	27000
YX-CT06L	330×310×240	19/18	18	22000

YX-CT50ZT



YX-CT4MN





Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-CT50ZT	320×215×350	16.8/15.8	48	54000
YX-W11.5A	320×215×350	11/10	48	68200

YX-CT60-90S



YX-CT90M



YX-CT90S







Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-CT60-90S	330×310×240	10.2/9.2	24	27000
YX-CT90M	330×310×240	12.8/11.8	24	27000
YX-CT90S	330×310×240	8.1/7.1	24	27000

YX-CT50A



YX-CT87A



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-CT50A	320×215×350	11/9.6	48	54000
YX-CT87A	330×310×240	15/14	24	27000


YX-CT50



YX-CT87



YX-CT01



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-CT50	320×215×350	11/9.6	48	54000
YX-CT87	205×185×555	10/9	18	25000
YX-CT01	455×370×370	11/10	48	9480



Model	MEASUREMENT L×W×H(mm)	GW/NW (kg)	PCS/CTN	20'
YX-CG25	180×120×176	2.5/2	96	682100
YX-CG35	242×182×176	4.2/3.8	96	381100
YX-CG50	220×170×254	5.7/5.2	72	206800
YX-CG62.5	424×212×250	11.2/10.7	72	88300
YX-CG75	330×245×256	10.5/9.5	48	84800
YX-CG25A	345×270×140	20/18	500	120000
YX-CG32	345×270×140	27/26	500	10000

TOOLS SERIES

YX-DTC470



Model	MEASUREMENT (L×W×H)(mm)	GW/NW (kg)	PCS/CTN	20'
YX-DTC470	480×470×470	15/13.5	6	1470



YX-SHJM5 YX-SHJM4 YX-SHJM3 YX-SHJM2

Model	MEASUREMENT (L×W×H)(mm)	GW/NW (kg)	PCS/CTN
YX-SHJM5	625×620×410	24/23	4
YX-SHJM4	620×315×640	19/18	4
YX-SHJM3	620×315×480	14.5/13.5	4
YX-SHJM2	620×315×640	19/18	8

YX-XD2P YX-XD3P YX-GG5P YX-GG2P



Model	MEASUREMENT (L×W×H)(mm)	GW/NW (kg)	PCS/CTN	20'
YX-XD2P	235×225×435	6.5/6	40	45200
YX-XD3P	235×225×435	7/6.5	40	45200
YX-GG5P	445×420×445	20/19	98	30000
YX-GG2P	600×425×425	15/14	48	11500

YX-TBTS YX-TBT YX-LGM3 YX-LGM2



Model	MEASUREMENT (L×W×H)(mm)	GW/NW (kg)	PCS/CTN	20'
YX-TBTS	340×210×510	10/9	250	185400
YX-TBT	440×305×215	13/12	50	46800
YX-LGM3	550×260×215	14.5/13.5	24	21100
YX-LGM2	380×260×215	10/9	24	30500

YX-JD001 YX-ZPZ01



Model	MEASUREMENT (L×W×H)(mm)	LENGTH (m)	GW/NW (kg)	PCS/CTN
YX-JD001	420×245×815	/	29.5/28.5	20
YX-ZPZ01	465×445×285	/	3/2.5	4

TOOLS SERIES

YX-YZJDM6 YX-YZJDM8 YX-YZJSM6 YX-YZJSM8



Model	SIZE L×W×H (mm)	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-YZJDM6	108×108×110	285×205×675	9.5/9	50	34200
YX-YZJDM8	120×120×110	285×205×675	11/10.5	50	34200
YX-YZJSM6	108×108×180	315×285×670	13/12.5	50	22400
YX-YZJSM8	120×120×180	315×285×670	13/12.5	50	22400

YX-YZJ0SM4 YX-YZJ0SM6



Model	SIZE L×W×H (mm)	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-YZJSM4	150×57×65	370×175×505	10.5/10	40	33100
YX-YZJSM6	217×58×62	495×235×365	15.5/15	40	25400

YX-YZJSM12



Model	SIZE L×W×H (mm)	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-YZJSM12	217×117×62	495×235×370	15/14.5	20	12500

YX-BE01 YX-BE02 YX-BE03



Model	SIZE L×W×H (mm)	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-BE01	140×85×140	220×220×185	15.5/14.5	100	303300
YX-BE02	140×120×140	220×220×220	18.9/17.9	80	203700
YX-BE03	140×120×240	320×220×255	19/18	80	127000

YX-CZ YX-BLACKBOARD



Model	SIZE L×W×H (mm)	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-CZ	90×90×165	215×205×165	11.5/10.5	10	37100
YX-BLACKBOARD	765×355×180	785×155×380	22/21	6	3500

YX-TRAY270M4 YX-TRAY280M4 YX-TRAY335 YX-TRAY280



Model	SIZE L×W×H (mm)	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-TRAY270M4	270×256×63	535×285×670	13.5/13	12	6600
YX-TRAY280M4	280×270×60	565×315×270	15.5/15	12	6700
YX-TRAY335	335×185×30	370×205×375	7/6.5	12	11400
YX-TRAY280	280×185×45	315×210×465	7/6.5	12	10600

YX-SL01 YX-SL02 YX-SL03



Model	SIZE L×W×H (mm)	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-SL01	330×330×70	450×330×360	14.2/13.2	12	6100
YX-SL02	370×320×300	330×330×450	15/14	10	5000
YX-SL03	445×400×350	400×340×530	14.3/13.3	8	3000

YX-FC01 YX-2SL



Model	SIZE L×W×H (mm)	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-FC01	560×465×270	620×310×450	17.5/16.5	3	900
YX-2SL	515×470×890	1005×485×85	4.2/5	1	650

YX-JG130 YX-JG155 YX-HXQ24



Model	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-JG130	370×20×430	17/16	24	19600
YX-JG155	475×250×340	17/16	16	10300
YX-HXQ24	735×715×400	12.5/11	8	990

YX-BS001A YX-BS002 YX-BS003



Model	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-BS001A	490×200×265	15/14	24	24000
YX-BS002	670×360×530	11/10	10	2030
YX-BS003	780×280×320	19/18	4	1400

YX-CK001 YX-CK002 YX-RLHK



Model	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-CK001	585×320×520	20/19	4	45200
YX-CK002	565×320×380	17/16	4	45200
YX-RLHK	1145×420×290	19.5/18.5	8	1500

YX-CK004 YX-TK002 YX-TK001



Model	MEASUREMENT L×W×H (mm)	GW/NW (kg)	PCS/CTN	20'
YX-CK004	510×410×140	12.5/11.5	6	5700
YX-TK002	455×285×225	19.2/18.2	14	13000
YX-TK001	455×205×415	16/15	8	11500



Bike Hanger Item No.: YF-2057

Material: iron powder coated, dipped steel

Size: 35*25cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Bike Hanger Item No.: YF-2049

Material: steel with protective coating

Size: 35*25cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Stroage Hanger Item No.: YF-2013-A

Material: steel with protective coating

Size: 11*15cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Stroage Hanger Item No.: YF-2013-B

Material: steel with protective coating

Size: 15*22cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Stroage Hanger Item No.: YF-2013-C

Material: steel with protective coating

Size: 19*27cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Stroage Hanger Item No.: YF-2013-D

Material: steel with protective coating

Size: 20*21cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Stroage Hanger Item No.: YF-2013-E

Material: steel with protective coating

Size: 25*30cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Stroage Hanger Item No.: YF-2013-F

Material: steel with protective coating

Size: 15*22cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Stroage Hanger Item No.: YF-2014-G

Material: steel with protective coating

Size: 21*25cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Stroage Hanger Item No.: YF-2013-H

Material: steel with protective coating

Size: 16.5*23.5cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



OVERHEAD HOOK Item No.: YF-2013-I

Material: steel with protective coating

Size: 30.5*42.5cm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable







Paint Mixer Item No.: YF-2102-A

Material: zinc plated iron

Size: 90*550mm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Paint Mixer Item No.: YF-2102-B

Material: zinc plated iron

Size: 120*550mm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Paint Mixer Item No.: YF-2112

Material: powder coated iron

Size: 80*500mm / 100*600mm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Paint Mixer Item No.: YF-2115

Material: powder coated iron

Size: 60*400mm / 80*400mm
100*600m / 120*600mm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Paint Mixer Item No.: YF-2116

Material: zinc plated iron

Size: 60*400mm / 80*400mm
100*600mm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Paint Mixer Item No.: YF-2119SDS

Material: zinc plated iron

Size: 80*400mm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Paint Mixer Item No.: YF-2123SDS

Material: zinc plated iron

Size: 80*400mm

Unit Packing: poly bag w/ hangtag, bulk

OEM/ODM: acceptable



Profile Gauge
Item No.: YF-2004

Material: zinc plated iron

Size: 5"/12.5*6.3*2cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Profile Gauge
Item No.: YF-2005

Material: zinc plated iron

Size: 6"/15*8.3*2cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Profile Gauge
Item No.: YF-2006

Material: zinc plated iron

Size: 6"/15*8.3*1.5cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Profile Gauge
Item No.: YF-2006-B

Material: zinc plated iron

Size: 6"/15*8.3*1.5cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Contour Gauge
Item No.: YF-2007

Material: ABS plastic

Size: 5"/15*10*2cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Contour Gauge with lock
Item No.: YF-2007-B

Material: ABS plastic

Size: 5"/15.5*13*2cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Contour Gauge with lock
Item No.: YF-2007-C

Material: ABS plastic

Size: 5"/15.5*13*2cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Contour Gauge with lock
Item No.: YF-2007-D

Material: ABS plastic

Size: 5"/20*13*2cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Contour Gauge with lock
Item No.: YF-2008

Material: ABS plastic

Size: 6"/18*10*2cm

Unit Packing: slide card/blister card/ box, customized

OEM/ODM: acceptable



Contour Gauge Item No.: YF-2009

Material: ABS plastic

Size: 10"/28.5*10*2cm

Unit Packing: slide card/blister card/box, customized

OEM/ODM: acceptable



Contour Gauge with lock Item No.: YF-2009-B

Material: ABS plastic

Size: 10"/30.7*10*2cm

Unit Packing: slide card/blister card/box, customized

OEM/ODM: acceptable



Contour Gauge with lock Item No.: YF-2009-C

Material: ABS plastic

Size: 10"/28*10*2cm

Unit Packing: slide card/blister card/box, customized

OEM/ODM: acceptable



Contour Gauge with lock Item No.: YF-2009-D

Material: ABS plastic

Size: 10"/38*10*2cm

Unit Packing: slide card/blister card/box, customized

OEM/ODM: acceptable



Contour Gauge Item No.: YF-2010

Material: ABS plastic

Size: 8"/20*8.3*2cm

Unit Packing: slide card/blister card/box, customized

OEM/ODM: acceptable



Contour Gauge Item No.: YF-2012

Material: ABS plastic

Size: 20"/53.5*10*2cm

Unit Packing: slide card/blister card/box, customized

OEM/ODM: acceptable

Cash Case Item No.: YF-2002

Material: powder coated surface, plastic inner

Size: 12.5*9.5*5.5cm

Unit Packing: shrinp wrap, custmized

OEM/ODM: acceptable





Cash Case Item No.: YF-2002-1

Material: powder coated surface, plastic inner

Size: 16*13*8cm

Unit Packing: shrinp wrap, custmized

OEM/ODM: acceptable

Cash Case Item No.: YF-2002-2

Material: powder coated surface, plastic inner

Size: 20*16*9cm

Unit Packing: shrinp wrap, custmized

OEM/ODM: acceptable





Cash Case Item No.: YF-2002-3

Material: powder coated surface, plastic inner

Size: 25*20*9cm

Unit Packing: shrinp wrap, custmized

OEM/ODM: acceptable

Cash Case Item No.: YF-2002-4

Material: powder coated surface, plastic inner

Size: 30*22.5*9cm

Unit Packing: shrinp wrap, custmized

OEM/ODM: acceptable



BOOK SAFE



- **Item No.:YF-2002-A**
  Size: 18*11.5*5.5cm
- **Item No.:YF-2002-B**
  Size: 24*15.5*5.5cm
- **Item No.:YF-2002-C**
  Size: 26.5*19.5*6.5cm

Material: thick paper surface, iron inner, side is plastic
Unit Packing: shrinp wrap, custmized
OEM/ODM: acceptable











Paper Brick Maker Item No.: YF-2300
Material: powder coated iron
Size: 31*14*15cm
Unit Packing: customized box
OEM/ODM: acceptable

Paper Brick Maker Item No.: YF-2300B
Material: powder coated iron
Size: 31*14*15cm
Unit Packing: customized box
OEM/ODM: acceptable





Paper Brick Maker Item No.: YF-2300C
Material: powder coated iron
Size: 31*14*15cm
Unit Packing: customized box
OEM/ODM: acceptable


Paper Brick Maker Item No.: YF-2300D
Material: powder coated iron
Size: 38*31*18cm
Unit Packing: customized box
OEM/ODM: acceptable



SUMP PUMPS

THERMOPLASTIC SUMP PUMP

- Continuous duty, thermally protected, efficient PSC motor
- Tough thermoplastic construction
- Tethered float switch for automatic operation
- 1-3/4" solid allowed to pass
- Easy installation
- Maximum pumping capacity to 4200GPH
- Maximum lifting the water up to 31'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		5'	10'	15'	20'	30'	
Q400B3	1/4	2400	1500	700	-	-	18'
Q550B3	3/8	2900	2100	1400	800	-	22'
Q750B3	5/8	3400	2600	1700	700	-	22'
Q900B3	3/4	4200	3800	3100	2400	300	31'

THERMOPLASTIC SUMP PUMP

- Continuous duty,thermally protected,efficient PSC motor
- Tough thermoplastic construction
- Tethered float switch for automatic operation
- 1-3/4" solid allowed to pass
- Easy installation
- Maximum pumping capacity to 4200GPM
- Maximum lifting the water up to 31'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		5'	10'	15'	20'	30'	
Q400B1	1/4	2400	1500	700	-	-	18'
Q550B1	3/8	2900	2100	1400	800	-	22'
Q750B1	5/8	3400	2600	1700	700	-	22'
Q900B1	3/4	4200	3800	3100	2400	300	31'

AUTOMATIC SUBMERSIBLE SUMP PUMP

- Reinforced,corrsion-resistant thermoplastic submersible sump pump
- Piggy-back tether float switch for automatic operation
- Top Sunction design filters debris and reduce clogging
- 1/5"solid be allowed to pass
- Heavy duty efficient PSC motor with thermal overload protector
- 1-1/2" or 1-1/4"NPT discharge with adaptor for easy installation
- Maximum pumping capacity to 3600GPM
- Maximum lifting water up to 29'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET						Hmax (Ft)
		0'	5'	10'	15'	20'	25'	
Q280110	1/5	2550	2300	1800	1100	-	-	20'
Q450110	1/3	3200	2800	2300	1400	1200	-	25'
Q550110	1/2	3600	3200	2800	2200	1700	800	29'

AUTOMATIC SUBMERSIBLE SUMP PUMP

- Reinforced,corrsion-resistant thermoplastic submersible sump pump
- Piggy-back vertical float switch for automatic operation
- Top Sunction design filters debris and reduce clogging
- 1/5"solid be allowed to pass
- Heavy duty efficient PSC motor with thermal overload protector
- 1-1/2" or 1-1/4"NPT discharge with adaptor for easy installation
- Maximum pumping capacity to 3600GPM
- Maximum lifting water up to 29'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET						Hmax (Ft)
		0'	5'	10'	15'	20'	25'	
Q280110-V	1/5	2550	2300	1800	1100	-	-	20'
Q450110-V	1/3	3200	2800	2300	1400	1200	-	25'
Q550110-V	1/2	3600	3200	2800	2200	1700	800	29'

SUMP PUMPS

SUMP PUMPS

STAINLESS STEEL SUMP PUMP

- Heavy-duty, corrsion-resistant stainless steel submersible sump pump
- The energy-efficient PSC motor include 8' power cord
- 1/5" solid be allowed to pass
- Easy access handle
- Maximum pumping capacity to 3400GPM
- Maximum lifting water up to 35'




Q40054R
Q55054R
Q75054R
Q90054R



MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		5'	10'	15'	20'	30'	
Q40054R	1/4	1800	1500	400	-	-	20'
Q55054R	3/8	2200	1850	1300	800	-	28'
Q75054R	5/8	3100	2750	2300	1800	1250	35'
Q90054R	3/4	3400	2950	2400	1900	1300	35'

STAINLESS STEEL SUMP PUMP

- Heavy-duty, corrsion-resistant stainless steel submersible sump pump
- The energy-efficient PSC motor include 8' power cord
- 1-1/4" solid be allowed to pass
- Easy access handle
- Maximum pumping capacity to 4100GPM
- Maximum lifting water up to 35'



Q550B54R
Q750B54R
Q900B54R
Q1100B54R




MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		5'	10'	15'	20'	25'	
Q550B54R	1/4	2600	1900	1300	800	-	25'
Q750B54R	3/8	3300	2600	2000	1500	900	30'
Q900B54R	5/8	3700	3100	2500	2000	1400	35'
Q1100B54R	3/4	4100	3600	3100	2500	1900	35'

SUMP PUMPS

SUMP PUMPS

CAST IRON SUMP PUMP

- Rugged, corrsion-resistant Cast iron submersible pump
- Tethered float switch and Vertical float switch design are available
- Energy-efficient PSC motor with build in thermal overload protector
- 2/5" solid be allowed to pass
- 1-1/2" or 1-1/4"NPT discharge with adaptor for easy installation
- Maximum pumping capacity to 4400GPM
- Maximum lifting water up to 30'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET						Hmax (Ft)
		0'	5'	10'	15'	20'	25'	
JHS018	1/4	3200	2700	2000	1100	-	-	20'
JHS025	1/3	3500	3100	2700	2000	700	-	23'
JHS037	1/2	3900	3700	3400	3000	2150	800	28'
JHS055	3/4	4400	4200	4000	3400	2800	1300	30'

STAINLESS STEEL SUMP PUMP

- Heavy-duty, corrsion-resistant stainless steel submersible pump
- Tethered float switch and Vertical float switch design are available
- Energy-efficient PSC motor to save running cost
- Oil Chamber design with ball bearing and lip seals for long life
- 3/4" solid be allowed to pass
- 1-1/2" or 1-1/4"NPT discharge with adaptor for easy installation
- Maximum pumping capacity to 4300GPM
- Maximum lifting water up to 26'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET						Hmax (Ft)
		0'	5'	10'	15'	20'	25'	
Q45082Z	1/2	4300	3700	3000	2500	1700	500	26'
Q45082V	1/2	4300	3700	3000	2500	1700	500	26'

SUMP PUMPS

THERMOPLASTIC PEDESTAL SUMP PUMP

- Durable thermoplastic pedestal sump pump
- Heavy duty efficient PSC motor with thermal overload protector
- 1-1/4"NPT discharge with adaptor
- Workable for 12" diameter or larger sump sink
- Maximum pumping capacity to 4600GPM
- Maximum lifting water up to 22'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		0'	5'	10'	15'	20'	
JHSS025	1/3	3900	3100	2300	1200	-	20'
JHSS037	1/2	4600	4000	3300	2400	1100	22'

THERMOPLASTIC PEDESTAL SUMP PUMP

- Rugged cast iron pedestal sump pump
- Heavy duty efficient PSC motor with thermal overload protector
- 1-1/2" or 1-1/4"NPT discharge with adaptor
- Workable for 12" diameter or larger sump sink
- Maximum pumping capacity to 4600GPM
- Maximum lifting water up to 22'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		0'	5'	10'	15'	20'	
JHSS025T	1/3	3900	3100	2300	1200	-	20'
JHSS037T	1/2	4600	4000	3300	2400	1100	22'

STAINLESS STEEL UTILITY PUMP

- Heavy duty, corrosion-resistant, stainless steel construction
- Bottom suction design removes water down to 1/2"
- 1-1/4"NPT discharge with garden hose adapter included
- Easy installation, include 8' power cord
- Maximum pumping capacity to 3400GPH
- Maximum lifting water up to 34'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		5'	10'	15'	20'	25'	
Q40051R	1/4	1900	1400	400	50	-	22
Q55051R	3/8	2250	1800	1300	800	200	27.5
Q75051R	5/8	3100	2700	2300	1800	1300	34
Q90051R	3/4	3400	2900	2450	1950	1350	34

STAINLESS STEEL UTILITY PUMP

- Heavy duty, corrosion-resistant, stainless steel construction
- Bottom suction design removes water down to 1/2"
- 1-1/4"NPT discharge with garden hose adapter included
- Easy installation, include 8' power cord
- Maximum pumping capacity to 3400GPH
- Maximum lifting water up to 35'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET				Hmax (Ft)
		5'	10'	15'	20'	
Q40054R-U	1/4	1800	1200	400	-	20'
Q55054R-U	3/8	2200	1700	1300	800	28'
Q75054R-U	5/8	3100	2600	2300	1800	35'
Q90054R-U	3/4	3400	2800	2400	1900	35'

THERMOPLASTIC UTILITY PUMP

- Corrosion-resistant, reforced thermoplastic construction
- Bottom suction design removes water down to 1/12"
- 1"NPT discharge with garden hose adapter included
- Easy installation, include 8' power cord
- Maximum pumping capacity to 1100GPH
- Maximum lifting water up to 17'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET				Hmax (Ft)
		0'	5'	10'	15'	
Q2007	1/6	1100	780	400	50	17'

THERMOPLASTIC UTILITY PUMP

- Corrosion-resistant, reforced thermoplastic construction
- Bottom suction design removes water down to 1/5"
- 1-1/4"NPT discharge
- Easy installation, include 8' power cord
- Maximum pumping capacity to 1350GPH
- Maximum lifting water up to 25'






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET				Hmax (Ft)
		5'	10'	15'	20'	
Q280109	1/5	1300	1050	700	320	25'
Q350109	1/4	1350	1070	730	370	25'

Utility Pumps

THERMOPLASTIC UTILITY PUMP

- Corrosion-resistant,reforced thermoplastic construction
- Bottom suction design removes water down to 1/5"
- 1"NPT discharge with garden hose adapter included
- Easy installation, include 8' power cord
- Maximum pumping capacity to 4600GPH
- Maximum lifting water up to 38'





MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		5'	10'	15'	20'	25'	
Q2503	1/5	1300	700	250	-	-	19'
Q4003	1/4	1750	1300	750	250	-	24'
Q5503	3/8	2900	2450	1700	800	-	25'
Q7503	5/8	3500	3000	2500	1800	1100	34'
Q9003	3/4	4450	4000	3400	2600	1800	38'

Drill Pump

- Pump up to 85GPH
- Compatible with any electric drill
- Effectively empties clogged sinks and washing
- Machines, drains aquariums, tanks and more



MODEL	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET				
	0'	5'	10'	15'	20'
JDP-20	85	72	51	31	-

Transfer Pumps


- Single phase 115V/60Hz, 5000RPM
- Thermoplastic pump head and body
- Includes suction attachment removes water to with 1/8" of surface
- SJTW power cord with length of 7ft



MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET						Hmax (Ft)
		0'	5'	10'	20'	30'	40'	
THP-12	1/12	350	320	300	240	145	62	42'

CAST IRON SEWAGE PUMP

- Rugged cast iron construction
- Piggy-back tether float swtich and vertical float switch are available
- 2"soild be allowed to pass
- Energy-efficient PSC motor
- 1-1/2" or 1-1/4"NPT discharge with adaptor
- Easy access handle






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		0'	5'	10'	15'	20'	
JHE037	1/2	4600	4300	3800	2400	700	25'
JHE055	3/4	5200	4500	3900	2900	1600	30'

STAINLESS STEEL SEWAGE PUMP

- Heavy-duty, corrsion-resistant stainless steel submersible pump
- Tethered float switch and Vertical float switch design are available
- Energy-efficient PSC motor to save running cost
- Oil Chamber design with ball bearing and lip seals for long life
- 2" solid be allowed to pass





MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET						Hmax (Ft)
		0'	5'	10'	15'	20'	25'	
Q85084Z-S	3/4	5200	4800	4500	4100	3500	3000	35'
Q85084V-S	3/4	5200	4800	4500	4100	3500	3000	35'

SHALLOW WELL JET PUMP

- Corrsion-resistant stainless steel pump body
- Heavy-duty dual-voltage motor,preset at 230V
- Energy-efficient PSC motor with automatic thermal overload protector
- Self priming after pump housing is initially filled
- Stable performance to depths of water 25' or less
- L-handle for easy portability



MODEL	HP	PERFORMANCE (GPH) AT 40PSI DISCHARGE PRESSURE DIFFERENT DEPTHS TO WATER					Pressure Shut-off
		5'	10'	15'	20'	25'	
JGP9007 INOX	3/4	1200	1000	800	750	700	62PSI
JGP11007 INOX	1	1700	1300	1100	1000	900	64PSI

SHALLOW WELL JET PUMP

- Rugged cast iron constructon
- Heavy-duty dual-voltage motor, preset at 230V
- Energy-efficient PSC motor with automatic thermal overload protector
- Self priming after pump housing is initially filled
- Stable performance to depths of water 25' or less
- Pre-wired pressure switch preset for 30/50 PSI operation



MODEL	HP	PERFORMANCE (GPH) AT 40PSI DISCHARGE PRESSURE DIFFERENT DEPTHS TO WATER						Pressure Shut-off
		0'	5'	10'	15'	20'	25'	
JGP500SW	1/2	420	390	350	330	300	270	67PSI
JGP750SW	3/4	560	540	480	450	400	350	66PSI
JGP1000SW	1	820	720	700	600	540	400	66PSI

SHALLOW WELL JET PUMP

- Corrsion-resistant thermoplastic pump body
- Heavy-duty dual-voltage motor,preset at 230V
- Energy-efficient PSC motor with automatic thermal overload protector
- Self priming after pump housing is initially filled
- Stable performance to depths of water 25' or less
- Pre-wired pressure switch preset for 30/50 PSI operation



MODEL	HP	PERFORMANCE (GPH) AT 40PSI DISCHARGE PRESSURE DIFFERENT DEPTHS TO WATER					Pressure Shut-off
		5'	10'	15'	20'	25'	
JGP750ET	3/4	390	360	330	300	270	65PSI
JGP1000ET	1	540	480	440	400	340	67PSI

CONVERTIBLE JET PUMP


- Rugged cast iron constructon
- Heavy-duty dual-voltage motor,preset at 230V
- Self priming after pump housing is initially filled
- Stable performance to depths of water 70' or less
- Pre-wired pressure switch preset for 30/50 PSI operation
- Ejector Kit included



MODEL	HP	PERFORMANCE (GPH) AT 40PSI DISCHARGE PRESSURE DIFFERENT DEPTHS TO WATER								Pressure Shut-off
		5'	10'	20'	30'	40'	50'	60'	70'	
JGP750W	3/4	540	480	380	360	320	270	210	180	65PSI
JGP1000W	1	810	680	540	450	420	360	300	270	65PSI

SPRINKLER PUMP

- Corrosion-resistant stainless steel construction
- Heavy-duty single voltage motor
- Energy-efficient PSC motor with automatic thermal overload protector
- Self priming after pump housing is initially filled
- L-handle for easy portability






MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		5'	10'	15'	20'	25'	
JGP1001WINOX	1	2600	2300	1900	1600	1200	145'

SPRINKLER PUMP

- Rugged cast iron construction
- Heavy-duty single voltage motor
- Energy-efficient PSC motor with automatic thermal overload protector
- Self priming after pump housing is initially filled
- Handle for easy portability





MODEL	HP	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
		5'	10'	15'	20'	25'	
JGP9007HT	3/4	1200	1100	800	750	700	135'
JGP11007HT	1	1700	1300	1100	1000	900	145'

BOOSTER SYSTEM

- Corrosion-resistant stainless steel construction
- Heavy-duty dual-voltage motor, preset at 230V
- Energy-efficient PSC motor with automatic thermal overload protector
- Stable performance to depths of water 25' or less
- Ideal for compact installations



MODEL	HP	PERFORMANCE (GPH) AT 40PSI DISCHARGE PRESSURE DIFFERENT DEPTHS TO WATER					Pressure Shut-off
		5'	10'	15'	20'	25'	
JGP9007BUINOX	3/4	1200	1000	800	750	700	62PSI
JGP11007 BUINOX	1	1700	1300	1100	1000	900	64PSI

SHALLOW WELL JET PUMP AND TANK SYSTEM

- Corrosion-resistant stainless steel construction
- Heavy-duty dual-voltage motor,preset at 230V
- Energy-efficient PSC motor with automatic thermal overload protector
- Stable performance to depths of water 25' or less
- Pre-wired pressure switch preset for 30/50 PSI operation
- Ideal for compact installations



MODEL	HP	PERFORMANCE (GPH) AT 40PSI DISCHARGE PRESSURE DIFFERENT DEPTHS TO WATER					Pressure Shut-off
		5'	10'	15'	20'	25'	
JGP9007DSUINOX	3/4	1200	1000	800	750	700	62PSI
JGP11007 DSUINOX	1	1700	1300	1100	1000	900	64PSI


4" SUBMERSIBLE BOREHOLE PUMPS

- **MATERIAL:**

  Pump casing: Stainless steel
  Pump base: Stainless steel
  Discharge body: Plastic or Stainless steel
  Impeller: Plastic(PPO-GF20)
  Diffuser: Plastic(PPO-GF20)

- **Performance:**

  Maximum pumping capacity to 1350GPH
  Maximum lifting water up to 200'





MSP750X6AM13T
MSP900X9AM13T
MSP1000X8AM13T


MSP750X6AM12T
MSP900X9AM12T
MSP1000X8AM12T

MODEL	HP	IMPELLERS	DIA. OF DISCHARGE PIPE	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
				0'	30'	60'	90'	120'	
MSP750X6AM12T/13T	½	6	1"	1190	1050	900	600	250	135'
MSP900X9AM12T/13T	3/4	9	1"	1190	1100	950	785	625	200'
MSP1000X8AM12T/13T	1	8	1"	1350	1250	1050	785	585	180'

4" SUBMERSIBLE BOREHOLE PUMPS

- **MATERIAL:**

  Pump casing: Stainless steel
  Pump base: Stainless steel
  Impeller: Plastic(POM)
  Diffuser: Plastic(PC)





100QJD4-27
100QJD4-43
100QJD4-54

MODEL	HP	IMPELLERS	DIA. OF DISCHARGE PIPE	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET							Hmax (Ft)
				0'	30'	60'	90'	130'	160'	200'	
100QJD4-27	1/2	4	1¼"	1375	1190	800	500	-	-	-	115'
100QJD4-43	3/4	6	1¼"	1375	950	800	600	100	20	-	175'
100QJD4-54	1	9	1¼"	1375	1150	1050	1000	900	750	580	265'

Fountain Pumps

- Single phase 115V/60Hz
- Operates continuously as a recirculating pump
- Easy disassembly for cleaning
- Ideal for magnificent water display in gardens, ponds, outdoor and indoor water systems, etc.
- SJTW power cord with length of 20ft

Optional Accessories





PERFORMANCE

MODEL	HP	MAXIMUM	
		GALLONS PER HOUR	HEAD IN FEET
HYP-018	1/40	240	4.5
HYP-028	1/26	320	5.2
HYP-038	1/19	400	6.5
HYP-050	1/15	550	8.2
HYP-085	1/9	800	11
HYP-120	1/6	950	13.7

Fountain Pumps

- Single phase 115V/60Hz
- Operates continuously as a recirculating pump
- Easy disassembly for cleaning
- Ideal for magnificent water display in gardens, ponds, outdoor and indoor water systems, etc.
- Stainless steel pump body
- SJTW power cord with length of 20ft

Optional Accessories





PERFORMANCE

MODEL	HP	MAXIMUM	
		GALLONS PER HOUR	HEAD IN FEET
HYP-038B	1/19	370	6
HYP-050B	1/15	550	8
HYP-085B	1/9	800	10.5
HYP-120B	1/6	950	13

Booster Circulator


- The UPD series pump is a circulating pump designed for pressure boosting of domestic application.
- The pump provides additional pressure to showers, taps and similar outlet points for domestic application.
- The UPD is for using in open systems.
- Approval from the local water company must be obtained if the pump is to be connected directly to the water main.
- The pump incorporates a flow swtich which starts or stops the pump when a tap is turned on or off.
- With cable 4ft
- Stainless steel encapsulated rotor
- Stainless steel rotor can and bearing plate
- Pump can be set to "Manual", "Automatic" or "off"
- Flow up to 6.6GPM(UPD15-90),14GPM(UPD15-120)
- 110V/60Hz,127V/60Hz, 220V/60Hz
- Max. liquid temperature: 60℃



UPD15-90



UPD15-120



PERFORMANCE

MODEL	HP	CONNECTION	PERFORMANCE-GALLONS PER HOUR AT DISCHARGE HEAD IN FEET					Hmax (Ft)
			0'	10'	20'	30'	40'	
UPD15-90	1/6	3/4"→1/2"	580	580	580	580	580	30
UPD15-120	2/5	1"→3/4", 3/4"→1/2"	920	920	920	920	920	40

Hydrants

- 1'-10' bury depth
- Brass foot valve, hose adapter
- Leak proof seal can be easily replaced
- Easily replace rod, plunger, seat and linkage without digging
- Lockable cast-iron head



PERFORMANCE

MODEL	PIPE CONNECTION & PIPE BURY DEPTH	PIPE	OVERALL LENGTH
UYH-01	3/4"×1'	1"	44.5"
UYH-02	3/4"×2'	1"	56.5"
UYH-03	3/4"×3'	1"	68.5"
UYH-04	3/4"×4'	1"	80.5"
UYH-05	3/4"X5'	1"	92.5"
UYH-06	3/4"×6'	1"	104.5"
UYH-07	3/4"×7'	1"	116.5"
UYH-08	3/4"×8'	1"	128.5"
UYH-10	3/4"×10'	1"	152.5"

Pitcher Pump

- Constructed of heavy duty cast iron
- Designed for shallow well or drive point application for depths to water of 25' or less
- Features adjustable cap for optional handle position
- Ready to install with 1 1/4" pipe
- Can be adapted to fit 1" pipe



Accessories



CV-B6
Check Valves
Rated to 200PSI
Connector: 1/4"~4"
Lead<0.25%
Model

CV-B6-1	1/4"	CV-B6-7	1½"
CV-B6-2	3/8"	CV-B6-8	2"
CV-B6-3	1/2"	CV-B6-9	2½"
CV-B6-4	3/4"	CV-B6-10	3"
CV-B6-5	1	CV-B6-11	4"
CV-B6-6	1¼"		



CV-B5
Foot Valves
Rated to 200PSI
Connector: 1/4"~4"
Lead<0.25%
Model

CV-B5-1	1/4"	CV-B5-7	1½"
CV-B5-2	3/8"	CV-B5-8	2"
CV-B5-3	1/2"	CV-B5-9	2½"
CV-B5-4	3/4"	CV-B5-10	3"
CV-B5-5	1	CV-B5-11	4"
CV-B5-6	1¼"		



PR-75
Pressure Relief Valve
Relieves pressure at
75PSI, 1/2"x3/4"
For use in jet and submersible
well pump systems
Lead<0.25%



T-3
Brass Elbow
1/4"NPT
Lead<0.25%



BTC-3
Long Tank Tee-brass
Lead<0.25%
11"



BTC-1
Short Tank Tee-brass
Lead<0.25%
4"



PA-1
Pitless Adapter
For use with submersible well pumps
Includes seals and O-rings
Pressure tested to 150 PSI, 1" or 1¼"
Lead<0.25%
Model

PA-1	1"
PA-2	1¼"



CV-P1
Sewage Check Valve
Fits 2" discharge lines



CV-P2
Check Valve
1¼" or 1½"
In-line sump pump



KV-1
Torque Arrestor



TA-1
Cable Protector



CV-P3
Sewage Check Valve
2" heavy-duty sewage
Quick, easy installation



CV-P4
Check Valve
Threads directly into 1¼" or 1½" discharge
Accepts 1",1¼" and 1½" discharge pipe



FLK-1
Vertical Float Switch
Ideal for confined areas and
versatile pump operation for
automatic or manual applications



FSK-2
Floating Switch
Single phase, 1.0HP, 13A
Cable specification:
18AWG/16AWG/14AWG
Cable length: 3, 6, 10, 13, 16, 32, 50, 65ft



SK-2A
Pressure Switch
Pressure range: 20-40PSI, 30-50PSI,
40-60PSI
Connector: 1/4" NPT
Single phase 1.5HP, 20A
Model

SK-2A-1	20-40PSI
SK-2A-2	30-50PSI
SK-2A-3	40-60PSI



FV-P1
18" Sump Basin Lid
Rugged structural foam construction



FV-P2
18" Sump Basin Lid
Rugged structural foam construction

TORQUE COMPARISON

SERIES	OK-TOOLS	ANSI	DIN
Hex Bit	>25N.M	18N.M	25N.M
1/4	>82N.M	51N.M	62N.M
3/8	>275N.M	204N.M	202N.M
1/2	>714N.M	509N.M	512N.M
3/4	>1700N.M	1356N.M	1412N.M

>> RATCHET HANDLE



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH23A	1/4	72	164-228	26	23	
RH23B	3/8	72	220-322	33	32	
RH23C	1/2	72	333-480	40	41	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH07D	3/4	24	490-775	64	55	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH08D	3/4	24	510	64	55	

>> RATCHET HANDLE



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH15A	1/4	72	150	26	23	
RH15B	3/8	72	216	33	32	
RH15C	1/2	72	260	40	41	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH19A	1/4	72	150	26	23	
RH19B	3/8	72	198	33	32	
RH19C	1/2	72	260	40	41	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH16A	1/4	72	142	26	23	
RH16B	3/8	72	192.5	33	32	
RH16C	1/2	72	245	40	41	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH17A	1/4	72	140	26	23	
RH17B	3/8	72	198	33	32	
RH17C	1/2	72	250	40	41	

RATCHET HANDLE

» RATCHET HANDLE




ITEM NO.	SIZE	TEETH	L (mm)			REMARKS
RH18A	1/4	72	140	26	23	
RH18B	3/8	72	198	33	32	
RH18C	1/2	72	250	40	41	





ALLOY STEEL INSIDE

ITEM NO.	SIZE	TEETH	L (mm)			REMARKS
RH04A	1/4	72	140	28	30	
RH04B	3/8	72	190	33	35	
RH04C	1/2	72	240	43	43.5	



ITEM NO.	SIZE	TEETH	L (mm)			REMARKS
				27.5	30	Metal steering device
				30.5	35	
				40.5	43.5	



ITEM NO.	SIZE	TEETH	L (mm)			REMARKS
RH06A	1/4	72	148	27.5	30	Plastic steering device
RH06B	3/8	72	198	30.5	35	
RH06C	1/2	72	250	40.5	43.5	

» RATCHET HANDLE



ITEM NO.	SIZE	TEETH	L (mm)			REMARKS
RH24A	1/4	72	140	28	30	
RH24B	3/8	72	190	36	37.5	
RH24C	1/2	72	235	36	43	



ITEM NO.	SIZE	TEETH	L (mm)			REMARKS
RH25A	1/4	72	140	28	30	
RH25B	3/8	72	195	36	37.5	
RH25C	1/2	72	245	46	43	



ITEM NO.	SIZE	TEETH	L (mm)			REMARKS
RH26A	1/4	72	140	28	30	
RH26B	3/8	72	195	36	37.5	
RH26C	1/2	72	245	46	43	



ITEM NO.	SIZE	TEETH	L (mm)			ITEM NO.	SIZE	TEETH	L (mm)		
RH09A	1/4	24	160	27.5	23	RH10A	1/4	45	160	27.5	23
RH09B	3/8	24	220	36	30	RH10B	3/8	45	220	36	30
RH09C	1/2	24	260	46	36	RH10C	1/2	45	260	46	40.5

» RATCHET HANDLE



ITEM NO.	SIZE	TEETH	L(mm)		
RH11A	1/4	24	140	27.5	23
			198	36	30
			250	46	40.5

ITEM NO.	SIZE	TEETH	L(mm)		
RH12A	1/4	45	140	27.5	23
RH12B	3/8	45	198	36	30
RH12C	1/2	45	250	46	40.5



ITEM NO.	SIZE	TEETH	L(mm)		
			140	27.5	23
			198	36	30
			250	46	40.5

ITEM NO.	SIZE	TEETH	L(mm)		
RH14A	1/4	45	140	27.5	23
RH14B	3/8	45	198	36	30
RH14C	1/2	45	250	46	40.5






ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH20A	1/4	72	140	23	21	
RH20B	3/8	72	192	32	31	
RH20C	1/2	72	248	42	37	





ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH21A	1/4	45	140	23	21	
RH21B	3/8	45	198	32	31	
RH21C	1/2	45	250	42	37	

» RATCHET HANDLE





ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH22A	1/4	72	140	23	21	
RH22B	3/8	72	192	32	31	
RH22C	1/2	72	248	42	37	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH27A	1/4	43	140	27.5	28	
RH27B	3/8	41	195	36	37	
RH27C	1/2	45	240	36	42.5	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH28A	1/4	43	140	27.5	25	
RH28B	3/8	41	195	36	32	
RH28C	1/2	45	240	42	38	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH29A	1/4	72	90	26	23	
RH29B	3/8	72	120	33	32	
RH29C	1/2	72	155	40	41	

» RATCHET HANDLE



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH31A	1/4	72	108	26	23	
RH31B	3/8	72	130	33	32	
RH31C	1/2	72	165	40	41	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH30AB	1/4-3/8	72	120	33	38.5	
RH30BC	3/8-1/2	72	155	40	50	
RH30ABC	1/4-3/8-1/2	72	155	40	57	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH32AB	1/4-3/8	72	130	33	38.5	
RH32BC	3/8-1/2	72	165	40	50	
RH32ABC	1/4-3/8-1/2	72	165	40	57	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH33AB	1/4-3/8	72	192.5	33	38.5	
RH33BC	3/8-1/2	72	245	40	50	
RH33ABC	1/4-3/8-1/2	72	245	40	57	

» RATCHET HANDLE



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH34AB	1/4-3/8	72	198	33	38.5	
RH34BC	3/8-1/2	72	250	40	50	
RH34ABC	1/4-3/8-1/2	72	250	40	57	



ITEM NO.	SIZE	TEETH	L(mm)			REMARKS
RH35AB	1/4-3/8	72	198	33	38.5	
RH35BC	3/8-1/2	72	250	40	50	
RH35ABC	1/4-3/8-1/2	72	250	40	57	



ITEM NO.	SIZE	TEETH			
RH02A	1/4	72	38	30	
RH02B	3/8	72	38	35	
RH02C	1/2	72	55	43.5	



ITEM NO.	SIZE	TEETH	L(mm)			
RH01A	1/4	50/72	85	18	22	
RH01AX	hex bit	50/72	85	18	18.6	



» RATCHET HANDLE




STRAIGHT HANDLE



CURVE HANDLE





PROFESSIONAL TOOL KIT

»



» PROFESSIONAL TOOL KIT

207PCS TOOL SET





108PCS TOOL SET



37PCS TOOL SET



» PROFESSIONAL TOOL KIT

94PCS TOOL SET



46PCS TOOL SET



32PCS TOOL SET



82PCS TOOL SET



103PCS TOOL SET



155PCS TOOL SET



PROFESSIONAL TOOL KIT

PROFESSIONAL TOOL KIT

83PCS TOOL SET

ITEM NO.:S5083A01

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 2 SET G.W./N.W.: 13.6/12.8KGS MEASUREMENT: 44.8x30x17CM

108PCS TOOL SET

ITEM NO.:S5020

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 2 SET G.W./N.W.: 16/15KGS MEASUREMENT: 40x20x10.5CM

78PCS TOOL SET

ITEM NO.:S5180094W

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 5 SET G.W./N.W.: 14/13KGS MEASUREMENT: 49.5x34x29CM

26PCS TOOL SET

ITEM NO.:S59026A03

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 4 SET G.W./N.W.: 16/15KGS MEASUREMENT: 39x33x24CM

120PCS TOOL SET

ITEM NO.:S58120A01

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX
QTY: 1 SET G.W./N.W.: 10.2/9.2KGS MEASUREMENT: 46.3x31.5x12CM

38PCS TOOL SET

ITEM NO.:S516023AW



MANNER OF PACKING: COLOR SLEEVE
QTY: 6 SET G.W./N.W.: 13/12KGS MEASUREMENT: 50.5x31x25CM

65PCS TOOL SET

ITEM NO.:H130456

- Chrome- Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 2 SET G.W./N.W.: 16/15KGS MEASUREMENT: 45x32.5x29CM

47PCS TOOL SET

ITEM NO.:H2047A

- Chrome- Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 4 SET G.W./N.W.: 17/15KGS MEASUREMENT: 49x33x38CM

84PCS TOOL SET

ITEM NO.:H2084A

- Chrome- Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 2 SET G.W./N.W.: 15/14KGS MEASUREMENT: 51.5x34x21CM

127PCS TOOL SET

ITEM NO.:H14011A

- Chrome- Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 1 SET G.W./N.W.: 12/11KGS MEASUREMENT: 55.5X9.5X40CM

115PCS TOOL SET

ITEM NO.:H1115A

- Chrome- Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR BOX
QTY: 2 SET G.W./N.W.: 15/14KGS MEASUREMENT: 51.5x34x21CM

83PCS TOOL SET

ITEM NO.:H2083A

- Chrome- Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR BOX
QTY: 3 SET G.W./N.W.: 15/14KGS MEASUREMENT: 52x35x20CM

PROFESSIONAL TOOL KIT

» PROFESSIONAL TOOL KIT

16PCS TOOL SET
ITEM NO.:S51116A01

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 15/12KGS MEASUREMENT: 51.3x10x34CM

16PCS TOOL SET
ITEM NO.:S1116A02

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 13/12KGS MEASUREMENT: 51.3x10x34CM

21PCS TOOL SET
ITEM NO.:S59021D01

- Chrome Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 14.8/13.8KGS MEASUREMENT: 53.3x13.5x39CM

16PCS TOOL SET
ITEM NO.:S51016D01

- Chrome Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 14/13KGS MEASUREMENT: 52.5x12x36CM

19PCS TOOL SET
ITEM NO.:WR15021AW

- Chrome- Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 1 SET G.W./N.W.: 14/13KGS MEASUREMENT: 51.5x10x34CM

22PCS TOOL SET
ITEM NO.:S51022D01

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR CARD
QTY: 2 SET G.W./N.W.: 16.5/15.5KGS MEASUREMENT: 61.5x15x32CM

» PROFESSIONAL TOOL KIT

13PCS TOOL SET
ITEM NO.:S51030D01

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 2 SET G.W./N.W.: 16.5/15.5KGS MEASUREMENT: 53x23.5x39CM

13PCS TOOL SET
ITEM NO.:S59013D02

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR CARD
QTY: 2 SET G.W./N.W.: 16.5/15.5KGS MEASUREMENT: 48.5x28x39CM

13PCS TOOL SET
ITEM NO.:WR1013A02

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 2 SET G.W./N.W.: 15.5/14.5KGS MEASUREMENT: 51.3x19.5x34CM

12PCS TOOL SET
ITEM NO.:WR1012A02

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 1 SET G.W./N.W.: 17/15KGS MEASUREMENT: 45.5x15.5x27CM

12PCS TOOL SET
ITEM NO.:S51512D01

- Chrome- Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX
QTY: 1 SET G.W./N.W.: 9.2/8.7KGS MEASUREMENT: 40.5x22.3x30CM

19PCS TOOL SET
ITEM NO.:WR13027AW

- Chrome- Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 10 SET G.W./N.W.: 58/52KGS MEASUREMENT: 58x31.5x35CM

PROFESSIONAL TOOL KIT

» PROFESSIONAL TOOL KIT



ITEM NO.:SS1302IEW
DESCRIPTION:26PCS TOOL SET
MANNER OF PACKING:COLOR SLEEVE
QTY.:38SET G.W./N.W.:12/11KGS
MEASUREMENT:27x24x24CM



ITEM NO.:SS1303IEW
DESCRIPTION:27PCS TOOL SET
MANNER OF PACKING:COLOR SLEEVE
QTY.:16SET G.W./N.W.:12/11KGS
MEASUREMENT:27x24x24CM

24PCS TOOL SET



15PCS TOOL SET



32PCS TOOL SET



48PCS TOOL SET



32PCS TOOL SET



32PCS TOOL SET



» PROFESSIONAL TOOL KIT

11PCS TOOL SET



11PCS TOOL SET



11PCS TOOL SET



12PCS TOOL SET







16PCS TOOL SET



20PCS TOOL SET



20PCS TOOL SET



PROFESSIONAL TOOL KIT

PROFESSIONAL TOOL KIT

CABINET

» CABINET



ITEM NO.	BACK PANEL(6PCS)
Overall Size	680X338X25MM
Packing Size	725X355X105MM
N.W.	7.5kg
G.W.	9kg



ITEM NO.	THD-24000Z1
Overall Size	600X500X1890MM
Packing Size	660X545X1950MM
N.W.	37kg
G.W.	41kg
20'GP	33pcs
40'GP	72pcs



ITEM NO.	THD-27041H1
Overall Size	680X500X835MM
Drawer Size	1-569X410X73MM
	1-569X410X152MM
	1-569X410X231MM
Packing Size	705X525X880MM
N.W.	37kg
G.W.	40kg
20'GP	84pcs
40'GP	177pcs

» CABINET



ITEM NO.	THW-27000C1
Overall Size	680X280X338MM
Packing Size	695X295X355MM
N.W.	8.6kg
G.W.	9.2kg
20'GP	324pcs
40'GP	702pcs



ITEM NO.	MDF BOARD
Overall Size	2040X500X38MM
Packing Size	2055X515X55MM
N.W.	8.6kg
G.W.	9.2kg





ITEM NO.	THD-27000Z1
Overall Size	680X500X835MM
Packing Size	705X525X880MM
N.W.	23.5kg
G.W.	26.5kg
20'GP	84pcs
40'GP	177pcs



ITEM NO.	THD-27051H1
Overall Size	680X500X835MM
Drawer Size	1-569X410X73MM
	1-569X410X152MM
Packing Size	705X525X880MM
N.W.	39.4kg
G.W.	42.4kg
20'GP	84pcs
40'GP	177pcs



7 LAYER SIDE CABINCT ITEM NO. H14022DW

Rigid metal construction resisting torsional forces, for high loads,10drawers with ball bearings and large stowage room for machines and equipment.Central locking with cylinder lock.



MANNER OF PACKING:COLOR CARD
QTY:1SET MEASUREMENT:78.5X48.5X108.5CM

7 LAYER SIDE CABINCT ITEM NO. H14065DW

Rigid metal construction resisting torsional forces, for high loads,7drawers with ball bearings and large stowage room for machines and equipment.Central locking with cylinder lock.



MANNER OF PACKING:COLOR CARD
QTY:1SET MEASUREMENT:78.5X48.5X95.5CM

6 LAYER CABINCT ITEM NO. H18018DW



MANNER OF PACKING:COLOR CARD
QTY:1SET MEASUREMENT:78.5X48.5X95.5CM

7 LAYER CABINCT ITEM NO. H16065DW



MANNER OF PACKING:COLOR CARD
QTY:1SET MEASUREMENT:78.5X48.5X100.5CM

7 LAYER CABINCT ITEM NO. H1816DW



MANNER OF PACKING:COLOR CARD
QTY:1SET MEASUREMENT:78.5X48.5X100.5CM

4 LAYER CABINCT ITEM NO. H14013D



MANNER OF PACKING:COLOR CARD
QTY:1SET MEASUREMENT:78X50X24CM

7 LAYER CABINCT ITEM NO. H16035DW



MANNER OF PACKING:COLOR CARD
QTY:1SET MEASUREMENT:78.5X48.5X108CM

10 LAYER CABINCT ITEM NO. H16026DW



MANNER OF PACKING:COLOR CARD
QTY:1SET MEASUREMENT:78X54X122CM

SOCKET TRAY



RATCHET COMBINATION TARY



OPEN END SPANNER TRAY



SCREWDRIVER TRAY



HEX KEY TRAY




PLIER TRAY



HAMMER TRAY



COMBINATION WRENCH TRAY



SOCKET TRAY



RATCHET TRAY



SCREWDRIVER TRAY




PLIER TRAY





» CABINET

SOCKET TRAY




BIT SOCKET TRAY




RATCHET COMBINATION TARY



SCREWDRIVER TRAY



HEX KEY TRAY



HAMMER PLIER TRAY




































































ITEM NO.:H8051D

336PCS TOOL SET

MARMEH OF PACKING: TRAY CASE SIZE: [illegible]

QTY: 1 SET G.W./N.W.: 21.3/20.3 KGS

MEASUREMENT: [illegible] UNIT WEIGHT: [illegible]





ITEM NO.:H1208D

Item dimension: 450X240X825MM / 355X380X652MM W/O CASTERS

Item NW: 17.4KGS Export CTN DIM: 590X340X680MM W/O CASTERS

Export CTN GW: 19.6KGS Master PK QTY: 1 SET/1 CTN

Master cube: 0.4



ITEM NO.:H17016DW

Item dimension: 478x450x1022mm

Item NW: 90KGS Export CTN DIM: 700*530*760MM

Export CTN GW: 93KGS Master PK QTY: 1 SET/1CTN

Master cube: 10.7



CABINET




ITEM NO.:H14048D

85PCS TOOL SET

MANNER OF PACKING: COLOR SLEEVE

QTY: 1 SET G.W./N.W.: 13 KG/12.5 KGS

MEASUREMENT: 53.5x28x32CM



89PCS TOOL SET ITEM NO.:H17038DW



MANNER OF PACKING: COLOR SLEEVE

QTY: 1 SET G.W./N.W.: 15/16 KGS MEASUREMENT: 53.5x32.5x32CM

37PCS TOOL SET ITEM NO.:S514064D



MANNER OF PACKING: COLOR SLEEVE

QTY: 1 SET G.W./N.W.: 14/13 KGS MEASUREMENT: 28x26.5x27.5CM



ITEM NO.:H14048D

85PCS TOOL SET

MANNER OF PACKING: COLOR SLEEVE

QTY: 1 SET G.W./N.W.: 13 KG/12.5 KGS

MEASUREMENT: 53.5x28x32CM

- Chrome-Vanadium steel
- Tool box, cantilever type with modules
- Durable & portable, easy to carry
- Powder coat paint for scratch and chemical resistance





ITEM NO.:H14029DW

103PCS TOOL SET

MANNER OF PACKING: COLOR BOX CASE SIZE: 51.5x23.5x23.5CM


QTY: 1 SET G.W./N.W.: 13 KG/12 KGS

MEASUREMENT: 44.5x23.5x24.5CM UNIT WEIGHT: 12.5KGS

- Chrome-Vanadium steel
- Metal construction
- Double latch system
- Ball bearing sides slides drawers
- Top storage area



CABINET



» ALU.SET

103PCS TOOL SET
ITEM NO. H10410W

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR TUBE PKG
QTY: 1SET G.W./N.W.: 13.5/12.5KGS MEASUREMENT: 47x37.5x14CM

118PCS TOOL SET
ITEM NO. H10311

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 14/13KGS MEASUREMENT: 47x18.5x37.5CM

161PCS TOOL SET
ITEM NO. H10500

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 14.5/13.5KGS MEASUREMENT: 47x18.5x37.5CM

153PCS TOOL SET
ITEM NO. H10190

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 14.5/13.5KGS MEASUREMENT: 47x18.5x37.5CM

150PCS TOOL SET

ITEM NO. H15024DW

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR SLEEVE
QTY: 1SET G.W./N.W.: 13.5/12.5KGS MEASUREMENT: 49x39x21.5CM

129PCS TOOL SET

ITEM NO. H15020DW

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1SET G.W./N.W.: 15/14KGS MEASUREMENT: 52x42x19CM

100PCS TOOL SET

ITEM NO. H12010

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 13/12KGS MEASUREMENT: 46.5x35.5x35CM

176PCS TOOL SET

ITEM NO. H17603DW

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 13.5/12.5KGS MEASUREMENT: 47.5x37.5x15CM

53PCS TOOL SET

ITEM NO. H15004DW

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR SLEEVE
QTY: 1SET G.W./N.W.: 4.6/4.2KGS MEASUREMENT: 41x30x12CM

82PCS TOOL SET

ITEM NO. H16003DW

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1SET G.W./N.W.: 21/19.5KGS MEASUREMENT: 57.5x32x14CM

94PCS TOOL SET

ITEM NO. H18003DW

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 17/16KGS MEASUREMENT: 46x38x12CM

129PCS TOOL SET

ITEM NO. H11080

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD
QTY: 1 SET G.W./N.W.: 15/13KGS MEASUREMENT: 44x33x12CM

ALU.SET

» ALU.SET

» ALU.SET

ALU.SET



ITEM NO.:H6038D

186PCS TOOL SET

MANNER OF PACKING: COLOR CARD CASE SIZE: 500x370x200MM
QTY: 1 SET G.W./N.W.: 16/15 KGS
MEASUREMENT: 51x36x24.5CM

- Profiled bands for reinforcement
- Resistant to exposure and temperatures
- Self-folding safety handle
- With trolley,better for transportation



















ALU.SET

» ALU.SET

» ALU.SET

ALU.SET



ALU.SET





ITEM NO.:P9010D-3S

206PCS TOOL SET

MANNER OF PACKING: COLOR CARD

QTY: 1 SET G.W./N.W.: 26/27KGS

MEASUREMENT: 49×44×21CM



177PCS TOOL SET ITEM NO.: H9010A-1



SOCKET TRAY

25PCS TOOL SET ITEM NO.: H9010A-12



PLIER TRAY

82[illegible] ITEM NO.: H9010A-3



HAMMER TRAY

72PCS TOOL SET ITEM NO.: H9010A-4



SOCKET TRAY



108PCS TOOL SET ITEM NO.: S5140108

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR SLEEVE

QTY: 2 SET G.W./N.W.: 15/13KGS MEASUREMENT: 43.5×24×30.5CM

112PCS TOOL SET ITEM NO.: H140112D

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR CARD

QTY: 2 SET G.W./N.W.: 9.5/8.5KGS MEASUREMENT: 42.5×24×6.5CM

183PCS TOOL SET ITEM NO.: H70810-4S

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR BOX CASE SIZE: 49×43.5×14.5CM

QTY: 1 SET G.W./N.W.: 13/12KGS MEASUREMENT: 52×35×14.5CM

51PCS TOOL SET ITEM NO.: H70610-3S

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR BOX CASE SIZE: 45×33×17.5CM

QTY: 1 SET G.W./N.W.: 9/8KGS MEASUREMENT: 52×35×14.5CM

104PCS TOOL SET

ITEM NO. H80690



MANNER OF PACKING: COLOR BOX CASE SIZE: 430x360x115MM
QTY: 2 SET G.W./N.W.: 8.5/7.5KGS MEASUREMENT: 42.5x36x12CM

88PCS TOOL SET

ITEM NO. H80790



MANNER OF PACKING: COLOR BOX CASE SIZE: 410x340x195MM
QTY: 1SET G.W./N.W.: 12.5/11.5KGS MEASUREMENT: 48.5x35.5x20CM

178PCS TOOL SET

ITEM NO. H80760



MANNER OF PACKING: COLOR BOX CASE SIZE: 445x360x125MM
QTY: 1SET G.W./N.W.: 10/9KGS MEASUREMENT: 48x37x15CM

179PCS TOOL SET

ITEM NO. H80770



MANNER OF PACKING: COLOR BOX CASE SIZE: 490x360x125MM
QTY: 1SET G.W./N.W.: 9/8KGS MEASUREMENT: 49x37x15CM

94PCS TOOL SET

ITEM NO. H80610



MANNER OF PACKING: COLOR BOX CASE SIZE: 430x375x140MM
QTY: 2SET G.W./N.W.: 15.2/14.2KGS MEASUREMENT: 45.5x38.5x14CM

86PCS TOOL SET

ITEM NO. H80360



MANNER OF PACKING: COLOR BOX CASE SIZE: 415x320x105MM
QTY: 1SET G.W./N.W.: 10.5/9.5KGS MEASUREMENT: 42.5x33.5x18CM

183PCS TOOL SET

ITEM NO. H70610-2

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR BOX CASE SIZE: 450x330x180MM
QTY: 1 SET G.W./N.W.: 13/12KGS MEASUREMENT: 48.5x34.5x20CM

51PCS TOOL SET

ITEM NO. H70610-55-21

- Chrome-Vanadium steel
- Tough aluminum case
- Adjustable dividers



MANNER OF PACKING: COLOR BOX CASE SIZE: 430x320x170MM
QTY: 1 SET G.W./N.W.: 12.5/11.5KGS MEASUREMENT: 46.5x34.5x20CM

» HOUSEHOLD TOOL KIT

186PCS TOOL SET
ITEM NO. H8058A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX — CASE SIZE: 450x370x230MM
QTY: 1SET — G.W./N.W.: 15/14KGS — MEASUREMENT: 51x28x44CM

146PCS TOOL SET
ITEM NO. H8056A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX — CASE SIZE: 410x370x220MM
QTY: 1SET — G.W./N.W.: 15/14KGS — MEASUREMENT: 51x28x44CM

15PCS TOOL SET
ITEM NO. H8058A14



COMBINATION WRENCH PLIER TRAY

48PCS TOOL SET
ITEM NO. H8058A-6



HAMMER TARY

49PCS TOOL SET
ITEM NO. H8058A-7



SCREWDRIVER TRAY

42PCS TOOL SET
ITEM NO. H8058A-8



RATCHET HANDLE TARY

HOUSEHOLD TOOL KIT

» HOUSEHOLD TOOL KIT

112PCS TOOL SET
ITEM NO. H8013A



MANNER OF PACKING: COLOR BOX — CASE SIZE: 52x28x48CM
QTY: 1SET — G.W./N.W.: 18.3/17.5KGS — MEASUREMENT: 52.5x28.5x51CM

127PCS TOOL SET
ITEM NO. H8015A



MANNER OF PACKING: COLOR BOX — CASE SIZE: 350x280x110MM
QTY: 5SET — G.W./N.W.: 16.7/15.7KGS — MEASUREMENT: 36x30x30CM

98PCS TOOL SET
ITEM NO. H5045A



MANNER OF PACKING: COLOR BOX — CASE SIZE: 400x270x230MM
QTY: 2SET — G.W./N.W.: 15.5/14.9KGS — MEASUREMENT: 55.5x41x31.5CM

78PCS TOOL SET
ITEM NO. H5101A



MANNER OF PACKING: COLOR BOX — CASE SIZE: 410x270x230MM
QTY: 2SET — G.W./N.W.: 15.5/14.9KGS — MEASUREMENT: 55.5x41x31.5CM

ITEM NO. H5045A-1



SOCKET TARY

ITEM NO. H5045A-2



PLIERS TARY

ITEM NO. H5045A-3



LEVEL TARY

ITEM NO. H5045A-4



SCISSOR TARY

ITEM NO. H5101A-1



HAMMER FILE TARY

ITEM NO. H5101A-2



STAPLE TARY

ITEM NO. H5045A-1



WRENCH PLIER TARY

ITEM NO. H5045A-2



SCREWDRIVER TARY

HOUSEHOLD TOOL KIT

» HOUSEHOLD TOOL KIT

72PCS TOOL SET
ITEM NO. H13038A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX
QTY: 2SET G.W./N.W.: 15/14KGS MEASUREMENT: 37X31.5X33CM

64PCS TOOL SET
ITEM NO. H13037A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX
QTY: 2SET G.W./N.W.: 13/12KGS MEASUREMENT: 31X31.5X33CM

128PCS TOOL SET
ITEM NO. P14006A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX
QTY: 2SET G.W./N.W.: 13/12KGS MEASUREMENT: 51x11.5x43CM

16PCS TOOL SET
ITEM NO. SS1016D01

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR CARD
QTY: 2 SET G.W./N.W.: 13/12KGS MEASUREMENT: 47x33.5x22CM

60PCS TOOL SET
ITEM NO. P7099A



MANNER OF PACKING: COLOR BOX
QTY: 3SET G.W./N.W.: 15.5/14.5KGS MEASUREMENT: 48x34x54CM

42PCS TOOL SET
ITEM NO. P13040AW



MANNER OF PACKING: COLOR CARD
QTY: 2 SET G.W./N.W.: 14/13KGS MEASUREMENT: 47x32x39CM

» HOUSEHOLD TOOL KIT

112PCS TOOL SET
ITEM NO. H14003A

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 2SET G.W./N.W.: 12/11KGS MEASUREMENT: 45x32.5x24CM

104PCS TOOL SET
ITEM NO. H14004A

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 2SET G.W./N.W.: 13/12KGS MEASUREMENT: 49x22x33.5CM

69PCS TOOL SET
ITEM NO. H14039A

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 6SET G.W./N.W.: 15/14KGS MEASUREMENT: 48.5x38x29CM

101PCS TOOL SET
ITEM NO. H14001A

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR BOX
QTY: 1SET G.W./N.W.: 19/18KGS MEASUREMENT: 43x38.5x28CM

56PCS TOOL SET
ITEM NO. H13036A

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 2SET G.W./N.W.: 11.3/10.7KGS MEASUREMENT: 52x33x20CM

32PCS TOOL SET
ITEM NO. H2046A

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 6SET G.W./N.W.: 12.6/11.6KGS MEASUREMENT: 59x32x24.5CM

HOUSEHOLD TOOL KIT

HOUSEHOLD TOOL KIT

» HOUSEHOLD TOOL KIT

45PCS TOOL SET
ITEM NO. H150035AW

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 3SET G.W./N.W.: 11/10KGS MEASUREMENT: 52X25.5X35.3CM

48PCS TOOL SET
ITEM NO. H150348A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 5SET G.W./N.W.: 13.5/14.5KGS MEASUREMENT: 37.5X35.5X27.5CM

49PCS TOOL SET
ITEM NO. H1049A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 4SET G.W./N.W.: 10/11KGS MEASUREMENT: 44x40x29.5CM

92PCS TOOL SET
ITEM NO. H9016A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 4SET G.W./N.W.: 15/16KGS MEASUREMENT: 46X34.5X10.5CM

45PCS TOOL SET
ITEM NO. H5093A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 4SET G.W./N.W.: 10.5/12.5KGS MEASUREMENT: 48.5X31X22.5CM

42PCS TOOL SET
ITEM NO. H5032A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR SLEEVE
QTY: 5SET G.W./N.W.: 13.5/12.5KGS MEASUREMENT: 48.5x34x27CM

» HOUSEHOLD TOOL KIT

134PCS TOOL SET
ITEM NO. H4003A-1

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 1SET G.W./N.W.: 19.5/18.5KGS MEASUREMENT: 50X33.8X30CM

141PCS TOOL SET
ITEM NO. H4001A

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 5SET G.W./N.W.: 13/12KGS MEASUREMENT: 37x34x27CM

100PCS TOOL SET
ITEM NO. H5021A

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX
QTY: 5SET G.W./N.W.: 17.5/16.5KGS MEASUREMENT: 45x39.5x20CM

135PCS TOOL SET
ITEM NO. 01055

- Chrome-Vanadium steel
- Chrome plated



MANNER OF PACKING: COLOR BOX
QTY: 4SET G.W./N.W.: 18/17KGS MEASUREMENT: 38.5x31.5x33.5CM

112PCS TOOL SET
ITEM NO. H15005AW

- Chrome-Vanadium steel
- Chrome plated, mirror polished



MANNER OF PACKING: COLOR SLEEVE
QTY: 4SET G.W./N.W.: 13.2/12.5KGS MEASUREMENT: 55x26x27.5CM

HOUSEHOLD TOOL KIT

» POWER TOOLS

25PCS TOOL SET

ITEM NO. P16036AW



ITEM NO:

CORDLESS DRILL
10mm keyless chuck
Two speed 0-350rpm or 0-1350rpm
Led working light for dark work
21+1 positions torque settings
Softgrip handle
Electronic variable speed control with reverse
20V slide Li-ion battery pack

ROTARY HAMMER
Rated Voltage:110V/23V
Frequency:50/60Hz
Rated Input Power:850W/1050W/1200W
No Load Speed:850RPM
Max Impact Rates:3800BPM/4008PM/4200BPM
Impact Joules:3.8J/4.5J/5.5J

IMPACT DRILL
1/2" Square driver
Led working light for dark work
Soft grip handle
Electronic variable speed control with reevese
18V Li-ion battery pack

Cordless Drill: 12-18V Li-ion drill
No Load Speed: 0-350RPM or 0-1300RPM **Charger Time:** 1 hour
Hammer: 110V or 230V 50/60Hz 1350W
No Load Speed: 0-900RPM



22PCS TOOL SET

ITEM NO. P16036AW





Voltage 12-18V
Battery Capacity: 1.0Ah/1.3Ah/1.5Ah
No load Speed: 0-350 or 0-1350RPM

22PCS TOOL SET

ITEM NO. P16036AW





Voltage 12-18V
Battery Capacity: 1.0Ah/1.3Ah/1.5Ah
No load Speed: 0-350 or 0-1350RPM

POWER TOOLS

» POWER TOOLS

46[illegible]

ITEM NO. P17002AW



15PCS TOOL SET

ITEM NO. P17005AW



27PCS TOOL SET

ITEM NO. P9021A





36PCS TOOL SET

ITEM NO. P9022D-1





37PCS TOOL SET

ITEM NO. P9019A





POWER TOOLS

» POWER TOOLS

46PC

ITEM NO. P1201A



QTY:1SET G.W./N.W.:13/12KGS MEASUREMENT:40×35×26.5CM

15PCS TOOL SET

ITEM NO. P9025A



QTY:1SET G.W./N.W.:10/9KGS MEASUREMENT:35×15×35.5CM

29PCS TOOL SET

ITEM NO. P9024A



QTY:1SET G.W./N.W.:13/12KGS MEASUREMENT:40×38×36CM

16PCS TOOL SET

ITEM NO. P1038A-1



QTY:2SET G.W./N.W.:12.5/11.5KGS MEASUREMENT:35×35×35.5CM

30PCS TOOL SET

ITEM NO. P9014A



Rated Voltage: 3.6V No Load rSpeed:200rpm
LED light: YES Voltage indication:YES
Self Lock:YES QTY: 30PCS
G.W./N.W.: 13/12KGS
Measurement: 36.5×25×44.5CM

47PCS TOOL SET

ITEM NO. P9005A



Rated Voltage: 3.6-4.8V No Load rSpeed:300rpm
LED light: YES OR NO
Voltage indication:YES OR NO
Self Lock:YES OR NO QTY: 10PCS
G.W./N.W.: 12/11KGS
Measurement: 33.5×34×43CM

46PCS TOOL SET

ITEM NO. P9002A-1



Rated Voltage: 3.6-4.8V No Load rSpeed:230rpm
LED light: YES OR NO
Voltage indication:YES OR NO
Self Lock:YES OR NO QTY: 10PCS
G.W./N.W.: 12/11KGS
Measurement: 34×26×43CM

122PCS TOOL SET

ITEM NO. P7002A



MANNER OF PACKING:COLOR BOX
QTY:4SET
G.W./N.W.:12/11KGS
MEASUREMENT:49.3X34.5X32CM

137PCS TOOL SET

ITEM NO. P7004A



MANNER OF PACKING:CUSHION
QTY:4SET
G.W./N.W.:17/15KGS
MEASUREMENT:47.5X27.5X42CM

109PCS TOOL SET

ITEM NO. P7006A



MANNER OF PACKING:COLOR BOX

60PCS TOOL SET

ITEM NO. P7005A



MANNER OF PACKING:COLOR BOX
QTY:3SET
G.W./N.W.:15.5/14.5KGS
MEASUREMENT:47.5X32.5X38CM

121PCS TOOL SET

ITEM NO. P9020D



QTY:1 SET
G.W./N.W.:8/7KGS
MEASUREMENT:45×12.5×34CM



Rated Voltage: 2.4-3.6V
No Load Speed:230rpm
QTY:109PCS
G.W./N.W.: 14.5/13.5KGS
Measurement: 45×35×23CM

» POWER TOOLS

POWER TOOLS

17PCS TOOL SET

ITEM NO. P1203A



QTY:1SET G.W./N.W.:18/17KGS MEASUREMENT:48.5×39×30CM

16PCS TOOL SET

ITEM NO. P8587A



QTY:1SET G.W./N.W.:15/13KGS MEASUREMENT:48.5×36×30CM

18PCS TOOL SET

ITEM NO. P017A



QTY:2SET G.W./N.W.:12.5/12KGS MEASUREMENT:52×27×33.5CM

6PCS TOOL SET

ITEM NO. P9006A



QTY:1SET G.W./N.W.:12.5/12KGS MEASUREMENT:35×35×35.5CM

16PCS TOOL SET

ITEM NO. P1038A



QTY:1SET G.W./N.W.:13/12KGS MEASUREMENT:35×30×25.5CM

16PCS TOOL SET

ITEM NO. P9023A



QTY:1SET G.W./N.W.:15/13.5KGS MEASUREMENT:35×35×35.5CM

7PCS TOOL SET

ITEM NO. P9012A



QTY:1SET G.W./N.W.:15/14KGS MEASUREMENT:35×35×35.5CM

8PCS TOOL SET

ITEM NO. P1061A



QTY:1SET G.W./N.W.:16.5/15.5KGS MEASUREMENT:35×35×35.5CM

» OTHERS

OTHERS

32PCS TOOL SET



36PCS TOOL SET



5PCS TOOL SET



89PCS TOOL SET



102PCS TOOL SET



29PCS TOOL SET



7PCS TOOL SET



8PCS TOOL SET



10PCS TOOL SET



62PCS TOOL SET



30PCS TOOL SET



42PCS TOOL SET



21PCS TOOL SET



37PCS TOOL SET



16PCS TOOL SET



8PCS TOOL SET



106PCS TOOL SET



36PCS TOOL SET



» OTHERS

OTHERS

44PCS TOOL SET



61PCS TOOL



13PCS TOOL SET



37PCS TOOL SET



30PCS TOOL SET



45PCS TOOL SET



90PCS TOOL SET



86PCS TOOL SET



128PCS TOOL SET



108PCS TOOL SET



40PCS TOOL SET



12PCS TOOL SET



40PCS TOOL SET



100PCS TOOL SET



42PCS TOOL SET



44PCS TOOL SET



76PCS TOOL SET



157PCS TOOL SET



25PCS TOOL SET



23PCS TOOL SET



25PCS TOOL SET



29PCS TOOL SET



27PCS TOOL SET



13PCS TOOL SET



48PCS TOOL SET



106PCS TOOL SET



35PCS TOOL SET



49PCS TOOL SET



9PCS TOOL SET



17PCS TOOL SET



9PCS TOOL SET



26PCS TOOL SET



56PCS TOOL SET







VDE TOOLS

VDE COMBINATION PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	MEDIUM HARD WIRE	HARD WIRE	INNER	MASTER
M160101	6"(160mm)	2.0	1.6	6	60
M160102	7"(180mm)	2.4	2.0	6	60
M160103	8"(200mm)	2.5	2.2	6	60

VDE LONG NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	MEDIUM HARD WIRE	HARD WIRE	INNER	MASTER
M160104	6"(160mm)	2.0	1.6	6	60
M160105	8"(200mm)	2.4	2.0	6	60

VDE BENT NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	MEDIUM HARD WIRE	HARD WIRE	INNER	MASTER
M160106	6"(160mm)	2.0	1.6	6	60
M160107	8"(200mm)	2.4	2.0	6	60

VDE DIAGONAL CUTTING PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	SOFT WIRE	MEDIUM HARD WIRE	HARD WIRE	INNER	MASTER
M160108	6"(160mm)	2.5	2.4	2	6	60

HEAVY DUTY DIAGONAL CUTTING PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	SOFT WIRE	MEDIUM HARD WIRE	HARD WIRE	INNER	MASTER
M160109	7"(180mm)	4	2.7	2.2	6	60

VDE FLAT NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900




ITEM NO.	SPEC.	L3 MAX.	W3 MAX.	D1 MAX.	T1 MAX.
M160110	6"(160mm)	48	16	6.5	9

VDE ROUND NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	L3 MAX.	W3 MAX.	D1 MAX.	T1 MAX.
M160111	6"(160mm)	48	16	2.6	9

VDE WIRE STRIPPER

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	AWG	MM²	INNER	MASTER
M160112	6"(160mm)	5.0	10.0	6	60

VDE WATERPUMP PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	MM(MAX)	INNER	MASTER
M160113	10"(250mm)	28	6	48

CABLE SHEARS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	MM	MM²	INNER	MASTER
M160114	6"(160mm)	6	16	6	60

CABLE SHEARS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	MM	MM²	INNER	MASTER
M160115	10"(250mm)	22	150	6	48

VDE COMBINATION PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160116	6"(160mm)	1.6	3.4	32	25	11.2
M160117	7"(180mm)	1.6	3.4	36	28	12.5
M160118	8"(200mm)	1.6	3.4	40	32	14.0

VDE LONG NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160119	6"(160mm)	1.6	2.2	53	19	10.0
M160120	8"(200mm)	1.6	2.6	80	22	12.0

VDE DIAGONAL CUTTING PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160121	6"(160mm)	1.6	2.6	22	25	12
M160122	7"(180mm)	1.6	2.6	25	32	14

VDE ROUND NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900




ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160123	6"(160mm)	/	/	50	19	10

VDE FLAT NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160124	6"(160mm)	/	/	50	18	10

VDE BENT NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160125	6"(160mm)	1.6	2.2	53	19	10.0
M160126	8"(200mm)	1.6	2.6	80	22	12.0

VDE WIRE STRIPPER

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160127	6"(160mm)	/	/	35	23	10

CABLE SHEARS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	MM	MM²	INNER	MASTER
M160128	6"(160mm)	22	6	60	
M160129	10"(250mm)	60	6	48	

VDE WATERPUMP PLIERS

- Material: CR-V
- Surface: black finished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPECIFICATION	INNER	MASTER
M160130	10"	6	48



LEVERAGE COMBINATION PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160131	6"(160mm)	1.6	3.4	32	25	11.2
M160132	7"(180mm)	1.6	3.4	36	28	12.5
M160133	8"(200mm)	1.6	3.4	40	32	14.0

LEVERAGE DIAGONAL CUTTING PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160134	6"(160mm)	1.6	2.6	32	28	12

LEVERAGE LONG NOSE PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160135	6"(160mm)	1.6	2.2	53	19	10.0
M160136	8"(200mm)	1.6	2.6	80	22	12.0

LEVERAGE HEAVY DUTY DIAGONAL CUTTING PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	HARD WIRE	SOFT WIRE	L3 MAX.	W3 MAX.	T1 MAX.
M160137	7"(160mm)	1.6	2.6	25	32	14

COMBINATION PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160138	6"	PVC card	6	60
M160139	7"	PVC card	6	60
M160140	8"	PVC card	6	60

LONG NOSE PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160141	6"	PVC card	6	60
M160142	7"	PVC card	6	60
M160143	8"	PVC card	6	60

DIAGONAL CUTTING PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160144	6"	PVC card	6	60

HEAVY DUTY DIAGONAL CUTTING PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160145	7"	PVC card	6	60
M160146	8"	PVC card	6	60

BENT NOSE PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160147	6"	PVC card	6	60
M160148	7"	PVC card	6	60
M160149	8"	PVC card	6	60

ROUND NOSE PLIERS

1000V IEC 60900

- Material: CR-V
- Surface: polished
- Handle: Injection insulated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160150	6"	PVC card	6	60

FLAT NOSE PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160151	6"	PVC card	6	60

WIRE STRIPPER

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160152	6"	PVC card	6	60

CABLE SHEARS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160153	6"	PVC card	6	60

WATERPUMP PLIERS

- Material: CR-V
- Surface: polished
- Handle: Injection insulated

1000V IEC 60900



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160154	10"	PVC card	6	60

COMBINATION PLIERS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160155	6"	PVC card	6	60
M160156	7"	PVC card	6	60
M160157	8"	PVC card	6	60

LONG NOSE PLIERS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160158	6"	PVC card	6	60
M160159	8"	PVC card	6	60

BENT NOSE PLIERS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160160	6"	PVC card	6	60
M160161	8"	PVC card	6	60

DIAGONAL CUTTING PLIERS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160162	6"	PVC card	6	60

HEAVY DUTY DIAGONAL CUTTING PLIERS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160163	7"	PVC card	6	60

FLAT NOSE PLIERS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160164	6"	PVC card	6	60

ROUND NOSE PLIERS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160165	6"	PVC card	6	60

WIRE STRIPPER

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160166	6"	PVC card	6	60

CABLE SHEARS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160167	8"	PVC card	6	60
M160168	10"	PVC card	6	48

WATERPUMP PLIERS

- Material: CR-V
- Surface: polished
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160169	10"	PVC card	6	48
M160170	12"	PVC card	6	36

HACKSAW

- Material: Zinc alloy body with Bi-metal saw blade
- Dipping handle

1000V IEC 60900



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160171	12"x1/2"x24T	Color label	6	30

ADJUSTABLE WRENCH

- Material: CR-V
- Surface: Chrome plated
- Dipping handle

1000V



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M160172	8"	Color label	6	30
M160173	10"	Color label	6	30
M160174	12"	Color label	6	30

VDE SCREWDRIVER

- Material: CR-V and SUP11
- PP+TPR handle

1000V



SLOTTED

ITEM NO.	▭	▭	Ø mm	▭
M160201	0.4	2.5	2.5	75
M160202	0.6	3.5	3.5	100
M160203	0.8	4.0	4.0	100
M160204	1.0	5.5	5.5	125
M160205	1.2	6.5	6.5	150

PHILLIPS

ITEM NO.	⊕	Ø mm	▭
M160206	PH0	3.0	75
M160207	PH1	5.0	80
M160208	PH1	5.0	100
M160209	PH2	6.0	100

PACKING: Plastic hanger + Color label. INNER: 12pcs. MASTER: 240pcs.

VDE SCREWDRIVER

- Material: CR-V and SUP11
- PP+TPR handle

1000V



SLOTTED

ITEM NO.	▭	▭	Ø mm	▭
M160210	0.4	2.5	2.5	60
M160211	0.5	3.0	3.0	75
M160212	0.8	4.0	4.0	100
M160213	1.0	5.5	5.5	125
M160214	1.2	6.5	6.5	150

PHILLIPS

ITEM NO.	⊕	Ø mm	▭
M160215	PH0	3.0	75
M160216	PH1	5.0	100
M160217	PH2	6.0	100

PACKING: Plastic hanger + Color label. INNER: 12pcs. MASTER: 240pcs.

VDE SCREWDRIVER

- Material: S2
- PP+TPE handle

1000V



SLOTTED

ITEM NO.	▭	▭	Ø mm	▭
M160250	0.4	2.5	2.5	75
M160251	0.6	3.0	3.0	100
M160252	0.8	4.0	4.0	100
M160253	1.0	5.5	5.5	125
M160254	1.2	6.5	6.5	150
M160255	1.2	8.0	8.0	175

PHILLIPS

ITEM NO.	DESC.	⊕	Ø mm	▭
M160256	Regular size	PH0	3.0	60
M160257		PH1	4.5	80
M160258		PH2	6.0	100
M160259		PH3	8.0	150
M160260	Extended size	PH0	3.0	100
M160261		PH1	4.5	150
M160262		PH2	6.0	175
M160263		PH3	8.0	200

POZI

ITEM NO.	DESC.	⊕	Ø mm	▭
M160264	Regular size	Pz0	3.0	60
M160265		Pz1	4.5	80
M160266		Pz2	6.0	100
M160267		Pz3	8.0	150
M160268	Extended size	Pz0	3.0	100
M160269		Pz1	4.5	150
M160270		Pz2	6.0	175
M160271		Pz3	8.0	200

PACKING: Plastic hanger + Color label. INNER: 12pcs. MASTER: 240pcs.

VDE SCREWDRIVER

- S2 blade
- PP+TPE handle

1000V



PACKING: Plastic hanger + Color label. INNER: 12pcs. MASTER: 240pcs.

VDE SCREWDRIVER

- Material: CR-V and SUP11
- PP+TPR handle

1000V



SLOTTED

ITEM NO.	▭	▭	Ø mm	▭
M160218	0.4	2.5	2.5	60
M160219	0.5	3.0	3.0	75
M160220	0.6	3.5	3.5	100
M160221	0.8	4.0	4.0	100
M160222	1.0	5.5	5.5	125
M160223	1.2	6.5	6.5	150
M160224	1.2	8.0	8.0	150
M160225	1.2	8.0	8.0	175

PHILLIPS

ITEM NO.	⊕	Ø mm	▭
M160226	PH0	3.0	75
M160227	PH1	5.0	80
M160228	PH1	5.0	100
M160229	PH2	6.0	100
M160230	PH3	8.0	150

POZI

ITEM NO.	⊕	Ø mm	▭
M160231	Pz1	5.0	80
M160232	Pz1	5.0	100
M160233	Pz2	6.0	100
M160234	Pz3	8.0	150

PACKING: Plastic hanger + Color label. INNER: 12pcs. MASTER: 240pcs.

VDE SCREWDRIVER

- Material: CR-V and SUP11
- PP+TPR handle

1000V

SLOTTED

ITEM NO.	▭	▭	Ø mm	▭
M160272	0.5	2.5	2.5	75
M160273	0.6	3.0	3.0	75
M160274	0.6	3.0	3.0	100
M160275	0.8	4.0	4.0	100
M160276	1.0	5.5	5.5	125
M160277	1.2	6.5	6.5	150
M160278	1.6	8.0	8.0	175

PHILLIPS

ITEM NO.	⊕	Ø mm	▭
M160279	PH0	3.0	75
M160280	PH1	5.0	80
M160281	PH2	6.0	100
M160282	PH3	8.0	150

POZI

ITEM NO.	⊕	Ø mm	▭
M160283	Pz1	5.0	80
M160284	Pz2	6.0	100
M160285	Pz3	8.0	150

VDE SCREWDRIVER

- Material: CR-V and SUP11
- PP+TPR handle

1000V



SLOTTED

ITEM NO.			Ø mm	
M160235	0.6	3.5	3.5	75
M160236	0.8	4.0	4.0	100
M160237	1.0	5.5	5.5	125
M160238	1.2	6.5	6.5	150

PHILLIPS

ITEM NO.		Ø mm	
M160239	PH0	3.0	75
M160240	PH1	5.0	100
M160241	PH2	6.0	100

PACKING: Plastic hanger + Color label, INNER: 12pcs, MASTER: 240pcs.

VDE SCREWDRIVER

- Material: CR-V and SUP11
- PP+TPR handle

1000V



SLOTTED

ITEM NO.			Ø mm	
M160242	0.4	2.5	2.5	75
M160243	0.5	3.0	3.0	75
M160244	0.8	4.0	4.0	100
M160245	1.0	5.5	5.5	125
M160246	1.2	6.5	6.5	150

PHILLIPS

ITEM NO.		Ø mm	
M160247	PH0	3.0	75
M160248	PH1	5.0	100
M160249	PH2	6.0	100

PACKING: Plastic hanger + Color label, INNER: 12pcs, MASTER: 240pcs.



VDE INSULATED CABLE KNIFE

VDE SCREWDRIVER

- SZ blade
- PP+TPR handle

1000V



SLOTTED

ITEM NO.			Ø mm	
M160287	0.6	3.5	3.0	100
M160288	0.8	4.0	4.0	100
M160289	1.0	5.5	5.5	125
M160290	1.2	6.5	6.5	150

PHILLIPS

ITEM NO.		Ø mm	
M160291	PH1	5.0	80
M160292	PH2	6.0	100

POZI

ITEM NO.		Ø mm	
M160293	Pz1	5.0	100
M160294	Pz2	6.0	100

TORX

ITEM NO.		Ø mm	
M160295	T15	5.0	100
M160296	T20	5.0	125
M160297	T25	6.0	125

PACKING: Plastic hanger + Color label, INNER: 12pcs, MASTER: 240pcs.

VDE SCREWDRIVER

- Material: CR-V
- PP+TPR handle

1000V



SLOTTED

ITEM NO.			Ø mm	
M160298	0.4	2.5	2.5	75
M160299	0.5	3.0	3.0	100
M160300	0.6	3.5	3.5	100
M160301	0.8	4.0	4.0	100
M160302	1.0	5.5	5.5	125
M160303	1.2	6.5	6.5	150
M160304	1.6	8.0	8.0	175

PHILLIPS

ITEM NO.		Ø mm	
M160305	PH0	3.0	80
M160306	PH1	5.0	80
M160307	PH2	6.0	100
M160308	PH3	8.0	150

POZI

ITEM NO.		Ø mm	
M160309	Pz0	3.0	80
M160310	Pz1	5.0	80
M160311	Pz2	6.0	100
M160312	Pz3	8.0	150

PACKING: Plastic hanger + Color label, INNER: 12pcs, MASTER: 240pcs.

VDE INSULATED CABLE KNIFE

- Bor18 blade
- TPE handle

1000V




ITEM NO.	D	L	INNER	MASTER
M160313	52	190mm	12	120

VDE INSULATED CABLE KNIFE WITH INSULATED BLADE BACK

- Bor18 blade
- TPE handle

1000V




ITEM NO.	D	L	INNER	MASTER
M160314	57	195mm	12	120

VDE INSULATED DISMANTLING KNIFE FOR ROUND CABLES

- Bor18 blade
- TPE handle

1000V



ITEM NO.	D	L	INNER	MASTER
M160315	38	180mm	12	120

SICKLE SHAPED VDE INSULATED CABLE KNIFE

- Bor18 blade
- TPE handle

1000V



ITEM NO.	D	L	INNER	MASTER
M160316	60	200mm	12	120

SICKLE SHAPED VDE INSULATED CABLE KNIFE WITH GUIDE SHOE

1000V

- 8cr18 blade
- TPE handle



ITEM NO.	D	L	INNER	MASTER
M160317	45	180mm	12	120

VDE INSULATED CABLE KNIFE WITH INSULATED BLADE

1000V

- 8cr16 blade
- TPE handle



ITEM NO.	D	L	INNER	MASTER
M160318	50	190mm	12	120

INSULATED ADJUSTABLE WRENCH

1000V

- Material: carbon steel
- Surface: chrome plated
- TPE handle



ITEM NO.	SPEC.	○	PACKING	INNER	MASTER
M160319	200mm	26	Plastic hanger + Color label	6	60
M160320	250mm	30		6	48
M160321	300mm	36		6	36

VDE VOLTAGE TESTER

CE

- Test range: 100-500V AC
  VDE/GS: 125-250V AC
  CE: 100-250V AC
- Size: 3x140mm
- CRV blade



ITEM NO.	PACKING	INNER	MASTER
M160322	Color label	12	240

VDE VOLTAGE TESTER

CE

- Test range: 100-500V AC
  VDE/GS: 125-250V AC
  CE: 100-250V AC
- Size: 3.5x190mm
- CRV blade



ITEM NO.	PACKING	INNER	MASTER
M160323	Color label	12	240

VDE 8PCS SCREWDRIVER SET

1000V

- Material: CR-V
- PP+TPR handle



ITEM NO.	SPECITICATION	PACKING	INNER	MASTER
M160324	**4pcs Slotted:** 0.5x3.0x75mm, 0.8x4.0x100mm, 1.0x5.5x125mm, 1.2x6.5x150mm **3pcs Phillips:** PH0x75mm, PH1x100MM, PH2x100mm **1pc CE tester**	Color box	6	24

VDE 7PCS SCREWDRIVER SET

1000V

- Material: CR-V
- PP+TPR handle



ITEM NO.	SPECITICATION	PACKING	INNER	MASTER
M160325	**3pcs Slotted:** 0.5x3.0x75mm, 0.8x4.0x100mm, 1.0x5.5x125mm **2pcs Phillips:** PH1x80mm, PH2x100mm **2pcs Pozi:** PZ1x80mm, PZ2x100mm	Color box	6	24

6PCS PRECISION VDE INSULATED SCREWDRIVER SET

1000V

- 6150CRV blade
- PP+TPR Handle



ITEM NO.	SPECITICATION	PACKING	INNER	MASTER
M160326	**4pcs Slotted:** 0.5x3.0x65mm, 0.4x2.5x65mm, 0.4x2.0x60mm, 0.3x1.8x59mm **2pcs Phillips:** PH0x65mm, PH00x65mm	Color box	6	48

13PCS VDE INSULATED SCREWDRIVER SET

1000V

- 6150CRV blade
- PP+TPR Handle



ITEM NO.	SPECITICATION	PACKING	INNER	MASTER
M160327	**4pcs Slotted:** 1.2x6.5x100mm, 1x5.5x100mm, 0.8x4x100mm, 0.5x3x100mm **2pcs Phillips:** PH2x100mm, PH1x80mm **2pcs Pozi:** Pz2x100mm, Pz1x80mm **3pcs Torx:** T20x100mm, T15x100mm, T10x100mm **1pcs voltage tester** **1pcs screwdriver handle**	Color box	6	24

13PCS VDE INSULATED SCREWDRIVER SET

1000V

- 6150CRV blade
- PP+TPR Handle



ITEM NO.	SPECITICATION	PACKING	INNER	MASTER
M160328	**4pcs Slotted:** 1.2x6.5x100mm, 1x5.5x100mm, 0.8x4x100mm, 0.5x3x100mm **2pcs Phillips:** PH2x100mm, PH1x80mm **2pcs Pozi:** Pz2x100mm, Pz1x80mm **3pcs Torx:** T20x100mm, T15x100mm, T10x100mm **1pcs voltage tester** **1pcs screwdriver handle**	Color box	6	24

13PCS VDE INSULATED SCREWDRIVER SET

1000V

- 6150CRV blade
- PP+TPR Handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160331	**4pcs Slotted:** 1.2x6.5x100mm, 1x5.5x100mm, 0.8x4x100mm, 0.5x3x100mm **2pcs Phillips:** PH2x100mm,PH1x80mm **2pcs Pozi:** PZ2x100mm, PZ1x80mm **3pcs Torx:** T20x100mm, T15x100mm, T10x100mm **1pcs voltage tester** **1pcs screwdriver handle**	Color box	6	24

12PCS T BAR VDE INSULATED SCREWDRIVER SET

1000V

- 6150CRV blade
- PP+TPR Handle









ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160330	**4pcs Slotted:** 1.2x6.5x100mm, 1x5.5x100mm, 0.8x4x100mm, 0.5x3x100mm **2pcs Phillips:** PH2x100mm, PH1x80mm **2pcs Torx:** T20x100mm, T15x100mm **2pcs Voltage tester** **1pc Screwdriver handle**	Color box	6	24

8PCS VDE INSULATED SCREWDRIVER SET

1000V

- 6150CRV blade
- PP+TPR Handle






ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160329	**Slotted:** 1.0x6.5x100mm, 0.8x4.0x100mm, 0.5x3.0x100mm **Phillips:** PH2x100mm, PH1x80mm **2pcs electric box key** **1pc screwdriver handle**	Double blister	6	24

3PCS VDE INSULATED PLIER SET

1000V

- 6150CRV blade
- PVC Handle




ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160332	1pc 180mm combination plier 1pc 200mm long nose plier 1pc 160mm diagonal cutting plier	Plastic box +color table	6	12

5PCS INSULATED RING GEAR WRENCH SET

1000V

- CR-V material
- Insulated dipped



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160333	10-12-13-14-17mm	Plastic box +color table	6	24

7PCS VDE INSULATED OPEN END WRENCH SET

1000V

- CR-V material
- Insulated dipped




ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160343	8-10-12-13-14-17-19mm	Plastic box +color table	6	24

9PCS VDE INSULATED 3/8" SOCKET SET

1000V

- CR-V material
- Insulated dipped



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160344	7pcs 3/8" socket: 8,10,12,13,14,17,19 1pc extension bar: 125mm 1pc reversible ratchet handle	Plastic box +color table	6	24

25PCS INSULATED TOOL SET

- CR-V material
- Insulated dipped

1000V





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160334	1pc 180mm combination plier 1pc 160mm long nose plier 1pc diagonal cutting plier **2pc slotted screwdrivers:** 0.8x4x100mm, 1.0x5.5x125mm **2pc philips screwdrivers:** PH1x80m PH2x100mm **14pc 1/2" sockets:** 10-11-12-13-14-15-17-18-8-22-24-27-30-32mm **1pc 200mm adjustable wrench** **2pcs extension bars:** 1/2"x125mm, 1/2"x250mm **1pc reversible ratchet:** 1/2"x250mm	Color label	2	10

20PCS DIPPED INSULATED TOOL SET, OPEN END WRENCH

- CR-V material
- Insulated dipped

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160335	6-7-8-9-10-11-12-13-14-15-16-17 -18-19-21-22-24-27-30-32mm	Color label	2	10

21PCS INSULATED TOOL SET

- CR-V material
- Insulated dipped

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160336	**1pc 200mm combination plier** **1pc 160mm diagonal cutting plier** **4pcs screwdriver:** PH0x60mm, 0.6x3.5x100mm, 0.8x4x100mm, 1x5.5x125mm **1pc cable knife (straight)** **7pcs 1/2" sockets:** 10-11-12-13-14-17-19mm **4pcs 1/2" Hexagon socket:** 4x120mm, 5x120mm, 6x120mm, 8x120mm **2pcs 1/2" extension bar:** 125mm, 250mm **1pc 1/2" reversible ratchet:** 250mm	Color box	2	10

31PCS DIPPED INSULATED TOOL SET

- CR-V material
- Insulated dipped

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160345	**10pcs Ratchet ring spanner:** 10-11-12-13-14-15-16-17-18-19mm **14pcs 1/2" sockets:** 10-11-12-13-14--16-17-18-19-21-22-24-27-30mm **4pcs 1/2" hexagon socket :** 4-5-6-8mm **2pcs Extension bar:** 125mm, 250mm **1pc reversible ratchet handle**	Color box	2	10

8PCS INSULATED TOOL SET

- S2
- Insulated PP+TPE handle

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160339	**7pcs screwdriver:** 2.5x75mm, 4.0x100mm, 5.5x125mm, 6.5x150mm, PH0x75mm, PH1x80mm, PH2x100mm 1pc voltage tester 125-250V All packed in nylon bag	Color box	6	24

10PCS INSULATED TOOL SET

- CR-V material
- Insulated PP+TPE handle

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160340	1pc 180mm combination plier 1pc 160mm long nose plier 1pc 160mm diagonal cutting plier **6pcs screwdriver:** 2.5x75mm, 4x100mm, 5.5x125mm PH0x75mm, PH1x80mm, PH2x100mm 1pc Voltage tester 125-250V All packed in nylon bag	Color box	6	12

6PCS INSULATED TOOL SET

- CR-V material
- Insulated PP+TPE handle

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160337	1pc 160mm combination plier 1pc 300mm adjustable wrench **3pcs screwdriver:** 3.0x75mm,5.5x125mm, PH2x100mm 1pc voltage tester All packed in nylon bag	Color box	6	24

8PCS INSULATED TOOL SET

- CR-V material
- Insulated PP+TPE handle

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160338	1pc 160mm combination plier 1pc 160mm long nose plier 1pc 160mm diagonal cutting plier 1pc 200mm cable knife **4pcs screwdriver:** 3.0x100mm, 5.5x125mm, PH1x80mm, PH2x100mm All packed in nylon bag	Color box	6	12

10PCS INSULATED TOOL SET

- CR-V material
- Insulated PP+TPE handle

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160341	1pc 250mm waterpump plier 1pc 160mm combination plier 1pc 160mm long nose plier 1pc 160mm wire stripper 1pc 160mm diagonal cutting plier 1pc 200mm cable knife 1pc 200mm adjustable wrench 2pc screwdriver: 5.5x125mm, PH2x100mm 1pc Voltage tester 125-250V All packed in nylon bag	Color box	/	10

4PCS INSULATED TOOL SET

- CR-V material
- Insulated PP+TPE handle

1000V



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M160343	1pc 160mm long nose plier 2pc screwdriver: 5.5x125mm, PH2x100mm All packed in nylon bag	Color box	6	24

"WR" 5-RIVETS CURVED JAW LOCKING PLIER, POSITIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170101	5"	Tied on card	6	60
M170102	7"	Tied on card	6	60
M170103	10"	Tied on card	6	48

"F" 5-RIVETS CURVED JAW LOCKING PLIER, NEGATIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170104	5"	Tied on card	6	60
M170105	7"	Tied on card	6	60
M170106	10"	Tied on card	6	48

"CR" 5-RIVETS STRAIGHT JAW LOCKING PLIER, POSITIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170107	5"	Tied on card	6	60
M170108	7"	Tied on card	6	60
M170109	10"	Tied on card	6	48

"F" 5-RIVETS STRAIGHT JAW LOCKING PLIER, NEGATIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170110	5"	Tied on card	6	60
M170111	7"	Tied on card	6	60
M170112	10"	Tied on card	6	48

"HR" 5-RIVETS CALABASH JAW LOCKING PLIER, POSITIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170113	5"	Tied on card	6	60
M170114	7"	Tied on card	6	60
M170115	10"	Tied on card	6	48

"F" 5-RIVETS CALABASH JAW LOCKING PLIER, NEGATIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170116	5"	Tied on card	6	60
M170117	7"	Tied on card	6	60
M170118	10"	Tied on card	6	48

"CD" 5-RIVETS LONG NOSE PLIER, POSITIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170119	6"	Tied on card	6	72
M170120	9"	Tied on card	6	48

"CD" 5-RIVETS LONG NOSE PLIER, NEGATIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170121	6"	Tied on card	6	72
M170122	9"	Tied on card	6	48

3-RIVETS CALABASH JAW LOCKING PLIER, NEGATIVE OPENING

• Material: Chrome vanadium steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170123	4"	Tied on card	6	72
M170124	5"	Tied on card	6	72
M170125	7"	Tied on card	6	60
M170126	10"	Tied on card	6	48
M170127	12"	Tied on card	6	36

3-RIVETS LONG NOSE PLIER, NEGATIVE OPENING

• Material: Chrome vanadium steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170128	4.5"	Tied on card	6	72
M170129	6.5"	Tied on card	6	72
M170130	9"	Tied on card	6	48

"R"TYPE 3-RIVETS STRAIGHT JAW LOCKING PLIER, NEGATIVE OPENING

• Material: Chrome vanadium steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170131	7"	Tied on card	6	60
M170132	10"	Tied on card	6	48

"C" TYPE 3-RIVETS LOCKING PLIER, NEGATIVE OPENING, MOVABLE HEAD

• Material: Carbon steel, Nickel plated



ITEM NO.	SPEC.	REMARKS	PACKING	INNER	MASTER
M170133	6"	Fixing head	Tied on card	6	60
M170134	11"	Fixing head	Tied on card	6	36
M170135	6"	Movable head	Tied on card	6	60
M170136	11"	Movable head	Tied on card	6	36

"C" TYPE LOCKING PLIER, NEGATIVE OPENING, FIXING HEAD

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170137	6"	Tied on card	6	60
M170138	11"	Tied on card	6	36
M170139	16"	Tied on card	2	6

3-RIVETS QUICK OPEN PLIER, POSITIVE OPENING

• Material: Chrome vanadium steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170140	6.5"	Tied on card	6	60
M170141	7"	Tied on card	6	60
M170142	10"	Tied on card	6	48

"W" TYPE WELDING PLIERS, NEGATIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170143	10"	Tied on card	6	36
M170144	14"	Tied on card	6	24

"C" TYPE LOCKING PLIER, NEGATIVE OPENING, MOVABLE HEAD

• Material: Chrome vanadium steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170145	6"	Tied on card	6	60
M170146	11"	Tied on card	6	36
M170147	16"	Tied on card	2	6

"SM" TYPE EDGE-FOLDED PLIER, NEGATIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170148	8"	Tied on card	6	36
M170149	10"	Tied on card	6	24

WOODWORKING CLAMP

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170150	6"	Color label	2	20
M170151	12"	Color label	2	10

CHAIN PLIER, 3-RIVETS, NEGATIVE OPENING

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170152	18"	Tied on card	2	10

BENCH ANVIL HEAD PLIER, NEGATIVE OPENING

• Material: Chrome vanadium steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170153	6"	Color label	2	20
M170154	9"	Color label	2	10
M170155	11"	Color label	2	10

CABLE LOCKING PLIER

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170156	10"	Tied on card	6	36

FILTER LOCKING PLIER

• Material: Carbon steel, Nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170157	10"	Tied on card	6	36

3-RIVETS CALABASH JAW LOCKING PLIER, NEGATIVE OPENING

• Material: Chrome vanadium steel, Nickel plated
• 2-colored soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170158	4"	Tied on card	6	72
M170159	5"	Tied on card	6	72
M170160	7"	Tied on card	6	60
M170161	10"	Tied on card	6	48
M170162	12"	Tied on card	6	36

3-RIVETS CALABASH JAW LOCKING PLIER, NEGATIVE OPENING

• Material: Chrome vanadium steel, Nickel plated
• 2-colored soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170163	4"	Tied on card	6	72
M170164	5"	Tied on card	6	72
M170165	7"	Tied on card	6	60
M170166	10"	Tied on card	6	48
M170167	12"	Tied on card	6	36

3-RIVETS LONG NOSE PLIER, NEGATIVE OPENING

- Material: Chrome vanadium steel, Nickel plated
- 2-colored soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170168	4.5"	Tied on card	6	72
M170169	6.5"	Tied on card	6	72
M170170	9"	Tied on card	6	48

3-RIVETS LONG NOSE PLIER, NEGATIVE OPENING

- Material: Chrome vanadium steel, Nickel plated
- 2-colored soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170171	4.5"	Tied on card	6	72
M170172	6.5"	Tied on card	6	72
M170173	9"	Tied on card	6	48

LONG NOSE PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Micro-nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170201	5"	PVC card	6	96
M170202	6"	PVC card	6	96
M170203	7"	PVC card	6	60
M170204	8"	PVC card	6	60

DIAGONAL CUTTING PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Micro-nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170205	5"	PVC card	6	96
M170206	6"	PVC card	6	96
M170207	7"	PVC card	6	60

COMBINATION PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Micro-nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170208	6"	PVC card	6	96
M170209	7"	PVC card	6	60
M170210	8"	PVC card	6	60

HEAVY DUTY COMBINATION PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Micro-nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170211	7"	PVC card	6	36
M170212	8"	PVC card	6	36
M170213	9"	PVC card	6	36

HEAVY DUTY HIGH LEVERAGE COMBINATION PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Polished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170214	9"	PVC card	6	36

HEAVY DUTY HIGH LEVERAGE COMBINATION PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Polished
- Crimping function



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170215	9"	PVC card	6	36

SLIP JOINT PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Micro-nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170216	6"	PVC card	6	60
M170217	8"	PVC card	6	48
M170218	10"	PVC card	6	36

WATERPUMP PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Micro-nickel plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170219	8"	PVC card	6	60
M170220	10"	PVC card	6	48
M170221	12"	PVC card	6	36

COMBINATION PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170222	6"	PVC card	6	60
M170223	7"	PVC card	6	60
M170224	8"	PVC card	6	60

LONG NOSE PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170225	6"	PVC card	6	60
M170226	8"	PVC card	6	60

PLIERS

DIAGONAL CUTTING PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170227	6"	PVC card	6	60
M170228	7"	PVC card	6	60

BENT NOSE PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170229	6"	PVC card	6	60
M170230	8"	PVC card	6	60

COMBINATION PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170237	6"	PVC card	6	60
M170238	7"	PVC card	6	60
M170239	8"	PVC card	6	60

LONG NOSE PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170240	6"	PVC card	6	60
M170241	8"	PVC card	6	60

ROUND NOSE PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170231	6"	PVC card	6	60

WIRE STRIPPER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170232	6"	PVC card	6	60

DIAGONAL CUTTING PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170242	6"	PVC card	6	60
M170243	7"	PVC card	6	60

BENT NOSE PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170244	6"	PVC card	6	60
M170245	8"	PVC card	6	60

END CUTTING PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170233	6"	PVC card	6	60

HEAVY DUTY COMBINATION PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170234	7"	PVC card	6	36
M170235	8"	PVC card	6	36
M170236	9"	PVC card	6	36

ROUND NOSE PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170246	6"	PVC card	6	60

WIRE STRIPPER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170247	6"	PVC card	6	60

END CUTTING PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170248	6"	PVC card	6	60

SLIP JOINT PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170249	5"	PVC card	6	60
M170250	8"	PVC card	6	48
M170251	10"	PVC card	6	36

WATERPUMP PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170252	6"	PVC card	6	60
M170253	10"	PVC card	6	48
M170254	12"	PVC card	6	36

HEAVY DUTY COMBINATION PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170255	7"	PVC card	6	36
M170256	8"	PVC card	6	36
M170257	9"	PVC card	6	36

MINI PLIER WITH 2-COLORED SOFT GRIP

- Material: Carbon steel
- Finish: Satin chrome plated





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170258	4.5" Mini combination plier	PVC card	12	120
M170259	4.5" Mini long nose plier			
M170260	4.5" Mini diagonal cutting plier			
M170261	4.5" Mini round nose plier			
M170262	4.5" Mini bent nose plier			
M170263	4.5" End cutting plier			
M170264	4.5" Mini flat nose plier			
M170265	5.5" Mini needle plier			

CRIMPING PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: Satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170266	6.5"	PVC card	6	60

CRIMPING PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: polished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170267	10"	PVC card	6	36

FENCE PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: polished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170268	10"	PVC card	6	36
M170269	12"	PVC card	6	36

FENCE PLIER WITH VINYL GRIP, ROUND HEAD

- Material: Carbon steel
- Finish: polished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170270	10.5"	PVC card	6	36

FENCE PLIER WITH VINYL GRIP, FLAT HEAD

- Material: Carbon steel
- Finish: polished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170271	10.5"	PVC card	6	36

HEAVY DUTY DIAGONAL CUTTING PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: polished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M170272	8"	PVC card	6	60

HEAVY DUTY DIAGONAL CUTTING PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: polished



ITEM NO.	SPECTICATION	PACKING	INNER	MASTER
M170273	10"	PVC card	6	36

BENT NOSE PLIER WITH VINYL GRIP

- Material: Carbon steel
- Finish: polished



ITEM NO.	SPECTICATION	PACKING	INNER	MASTER
M170274	11"	PVC card	6	36

WATERPUMP PLIER WITH HAMMER HEAD, VINYL GRIP

- Material: Carbon steel
- Finish: polished



ITEM NO.	SPECTICATION	PACKING	INNER	MASTER
M170275	12"	PVC card	6	36



CUTTING & SNIPS

BOLT CUTTER

- CR-MO
- Head: black finished
- Body: painting
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010101	12"	Color box	3	18
M010102	14"	Color box	1	20
M010103	18"	Color box	1	20
M010104	24"	Color box	1	10
M010105	30"	Color box	1	6
M010106	36"	Color box	1	5

BOLT CUTTER

- CR-V
- Head: black finished
- Body: painting
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010201	14"	Color card	1	20
M010202	18"	Color card	1	10
M010203	24"	Color card	1	6
M010204	30"	Color card	1	4
M010205	36"	Color card	1	3
M010206	42"	Color card	1	2

BOLT CUTTER

- CR-V
- Head: black finished
- Body: painting
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010301	14"	Color Label	1	20
M010302	18"	Color Label	1	10
M010303	24"	Color Label	1	6
M010304	30"	Color Label	1	4
M010305	36"	Color Label	1	3
M010306	42"	Color Label	1	2

BOLT CUTTER

- CR-V
- Head: black finished
- Body: painting



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M01M01	8"	Double blister	10	40

CUTTING & SNIPS

AVIATION TIN SNIPS

- CR-V
- Satin finished
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010501-S	10"	PVC card	6	48
M010501-L	10"	PVC card	6	48
M010501-R	10"	PVC card	6	48

AVIATION TIN SNIPS

- CR-V
- Satin finished
- Soft handle
- Heavy duty
- STRAIGHT/ LEFT/ RIGHT



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010502-S	10"	PVC card	6	48
M010502-L	10"	PVC card	6	48
M010502-R	10"	PVC card	6	48

AVIATION TIN SNIPS

- CR-V
- Satin finished
- Soft handle
- STRAIGHT/ LEFT/ RIGHT



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010503-S	10"	Half blister	6	48
M010503-L	10"	Half blister	6	48
M010503-R	10"	Half blister	6	48

TIN SNIPS

- High carbon steel
- Stain chrome plated
- Vinyl grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010801	10"	Half blister	6	48

TIN SNIPS

- High carbon steel
- Micro-nickel plated
- Vinyl grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010601	7"	PVC card	6	60
M010602	10"	PVC card	6	48
M010603	12"	PVC card	6	36
M010604	14"	PVC card	6	24

TIN SNIPS

- High carbon steel
- Painting



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010701	6"	PVC card	6	60
M010702	8"	PVC card	6	48
M010703	10"	PVC card	6	36
M010704	12"	PVC card	6	24

AUTOMATIC WIRE STRIPPER

- Alloy steel
- Black finished
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010901	8"	PVC card	6	48

AUTOMATIC WIRE STRIPPER

- 65Mn steel
- Black finished
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010902	6"	PVC card	6	48

WIRE STRIPPER

- Carbon steel
- Black finished
- PVC handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010903	9"	PVC card	6	48

WIRE STRIPPER

- Carbon steel
- Black finished
- PVC handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010904	6"	PVC card	6	48

WIRE STRIPPER

- Carbon steel
- Black finished
- PVC handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010905	6"	PVC card	6	48

WIRE STRIPPER

- Carbon steel
- Painting



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M010906	7"	Double blister	6	48



STEEL FILE

- Material: T12A
- Sandblaster
- Soft handle





ITEM NO.	SPEC.	P.N.	PACKING	INNER	MASTER
M020101	8"	Half round steel file	Half double blister	6	36
M020102	10"				
M020103	8"	Flat steel file	Half double blister	6	36
M020104	10"				
M020105	8"	Round steel file	Half double blister	6	36
M020106	10"				
M020107	8"	Square steel file	Half double blister	6	36
M020108	10"				
M020109	8"	Triangular steel file	Half double blister	6	36
M020110	10"				

WOOD FILE

- Material: T12A
- Sandblaster
- Soft handle





ITEM NO.	SPEC.	P.N.	PACKING	INNER	MASTER
M020111	8"	Half round wood file	Half double blister	6	36
M020112	10"				
M020113	8"	Flat wood file	Half double blister	6	36
M020114	10"				
M020115	8"	Round wood file	Half double blister	6	36
M020116	10"				
M020117	8"	Square wood file	Half double blister	6	36
M020118	10"				
M020119	8"	Triangular wood file	Half double blister	6	36
M020120	10"				

5PCS STEEL FILE

- Material: T12A
- Sandblaster
- Soft handle





ITEM NO.	SPEC.	P.N.	PACKING	INNER	MASTER
M020121	10"	Flat steel file, Half round steel file, Triangular steel file, Square steel file, Round steel file	Pouch bag	6	24
M020122	12"	Flat steel file, Half round steel file, Triangular steel file, Square steel file, Round steel file	Pouch bag	6	24

6PCS NEEDLE FILE SET

- Material: Carbon steel
- Soft handle



ITEM NO.	SPEC.	P.N.	PACKING	INNER	MASTER
M020123	150mm	Half round, Round, Three square, Square, Flat Parallel, Flat taper	Plastic box + Color label	6	48

WOOD CHISEL

- Material: CR-V
- Soft handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020201	1/4"	Plastic hanger + Color label	6	18
M020202	3/8"			
M020203	1/2"			
M020204	5/8"			
M020205	3/4"			
M020206	7/8"			
M020207	1"			
M020208	1-1/4"			
M020209	1-1/2"			

WOOD CHISEL

- Material: CR-V
- Soft handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020210	1/4"	Plastic hanger + Color label	6	18
M020211	3/8"			
M020212	1/2"			
M020213	5/8"			
M020214	3/4"			
M020215	7/8"			
M020216	1"			
M020217	1-1/4"			
M020218	1-1/2"			

WOOD CHISEL

- Material: CR-V
- Transparent handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020219	1/4"	Plastic hanger + Color label	6	18
M020220	3/8"			
M020221	1/2"			
M020222	5/8"			
M020223	3/4"			
M020224	7/8"			
M020225	1"			
M020226	1-1/4"			
M020227	1-1/2"			

WOOD CHISEL

- Material: CR-V
- Wooden handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020228	1/4"	Plastic hanger + Color label	6	18
M020229	3/8"			
M020230	1/2"			
M020231	5/8"			
M020232	3/4"			
M020233	7/8"			
M020234	1"			
M020235	1-1/4"			
M020236	1-1/2"			

FINISHING TOOLS

WOOD CHISEL

- Material: CR-V
- Plastic handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020237	1/4"	Plastic hanger + Color label	6	18
M020238	3/8"			
M020239	1/2"			
M020240	5/8"			
M020241	3/4"			
M020242	7/8"			
M020243	1"			
M020244	1-1/4"			
M020245	1-1/2"			

CARPENTER'S PLANE

- Material: Zinc alloy body
- Blade material: 65Mn



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020246	275mm	Color label	6	36
M020247	250mm	Color label	10	100

CARPENTER'S PLANE

- Material: Iron



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020248	230mm	Color label	6	36

CARPENTER'S PLANE

- Material: Plastic body
- Blade material: 65Mn



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020249	155mm	Color label	6	36

CARPENTER'S PLANE

- Material: Plastic body
- Blade material: 65Mn



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020250	180mm	Color label	6	36

PUTTY KNIFE

- Material: Carbon steel
- Surface: Mirror polish
- Thickness: 0.7mm
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020301	1"	Color label	6	60
M020302	2"	Color label	6	60
M020303	3"	Color label	6	60
M020304	4"	Color label	6	60
M020305	5"	Color label	6	60

PUTTY KNIFE

- Material: Carbon steel
- Surface: Mirror polish
- Thickness: 0.7mm
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020306	1"	Color label	6	60
M020307	2"	Color label	6	60
M020308	3"	Color label	6	60
M020309	4"	Color label	6	60
M020310	5"	Color label	6	60

PUTTY KNIFE

- Material: Carbon steel
- Surface: Mirror polish
- Thickness: 0.7mm
- Soft handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020311	1"	Color label	6	60
M020312	2"	Color label	6	60
M020313	3"	Color label	6	60
M020314	4"	Color label	6	60
M020315	5"	Color label	6	60

PUTTY KNIFE

- Material: Carbon steel
- Surface: Mirror polish
- Thickness: 0.7mm
- Plastic handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020316	1"	Color label	6	60
M020317	2"	Color label	6	60
M020318	3"	Color label	6	60
M020319	4"	Color label	6	60
M020320	5"	Color label	6	60

PUTTY KNIFE

- Material: Carbon steel
- Surface: Mirror polish
- Thickness: 0.7mm
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020321	1"	Color label	6	60
M020322	2"	Color label	6	60
M020323	3"	Color label	6	60
M020324	4"	Color label	6	60
M020325	5"	Color label	6	60

SCRAPER

- Material: Carbon steel
- Surface: Mirror polish
- Thickness: 0.5mm
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020326	300mm	Color label	6	24
M020327	400mm	Color label	6	24
M020328	500mm	Color label	6	24
M020329	600mm	Color label	6	24

TROWEL

- Material: High carbon steel
- Surface: Mirror finish
- Thickness: 0.7mm



ITEM NO.	SPEC.	MATERIAL	PACKING	INNER	MASTER
M020330	11"x5"	Plastic handle	Color label	6	48
M020331	11"x5"	Wooden handle	Color label	6	48

BRICKLAYING TROWEL

- Material: High carbon steel
- Surface: Mirror polish
- Thickness: 0.8mm
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020332	5"	Color label	6	60
M020333	6"	Color label	6	60
M020334	7"	Color label	6	60
M020335	8"	Color label	6	60

BRICKLAYING TROWEL

- Material: High carbon steel
- Surface: Mirror polish
- Thickness: 0.8mm
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020336	5"	Color label	6	60
M020337	6"	Color label	6	60
M020338	7"	Color label	6	60
M020339	8"	Color label	6	60

FOAM TROWEL

- Material: Foam
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020340	9-1/2"	Color label	10	50
M020341	12"x4"	Color label	10	50

PAINT BRUSH

- Material: PP bristle
- Plastic handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020401	0.5"	Color label	6	72
M020402	1"			
M020403	1.5"			
M020404	2"			
M020405	2.5"			
M020406	3"			
M020407	4"			
M020408	5"			
M020409	6"			

PAINT BRUSH

- Material: PP bristle
- Wooden handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020410	0.5"	Color label	6	72
M020411	1"			
M020412	1.5"			
M020413	2"			
M020414	2.5"			
M020415	3"			
M020416	4"			
M020417	5"			
M020418	6"			



SDS HAMMER DRILL BITS

SDS HAMMER DRILL BITS

- Blade material: alloy steel
- Sand blasted
- Anti-rust oil treatment





ITEM NO.	DIA.(MM)	LENGTH(MM)
M020551	4	110
M020552	4	160
M020553	5	110
M020554	5	160
M020555	5.5	110
M020556	5.5	160
M020557	5.5	210
M020558	6	110
M020559	6	160
M020560	6	210
M020561	6	260
M020562	6.5	110
M020563	6.5	160
M020564	6.5	210
M020565	6.5	260
M020566	6.5	310
M020567	7	110
M020568	7	160
M020569	7	210
M020570	7	260
M020571	7	310
M020572	8	110
M020573	8	160
M020574	8	210
M020575	8	260
M020576	8	310
M020577	8	360

ITEM NO.	DIA.(MM)	LENGTH(MM)
M020578	9	110
M020579	9	160
M020580	9	210
M020581	9	260
M020582	9	310
M020583	9	360
M020584	10	110
M020585	10	160
M020586	10	210
M020587	10	260
M020588	10	310
M020589	10	360
M020590	10	460
M020591	11	160
M020592	11	210
M020593	11	260
M020594	11	310
M020595	11	360
M020596	11	460
M020597	12	160
M020598	12	210
M020599	12	260
M020600	12	310
M020601	12	360
M020602	12	460
M020603	13	160
M020604	13	210
M020605	13	260
M020606	13	310
M020607	13	360
M020608	13	460
M020609	13	600
M020610	14	160
M020611	14	210
M020612	14	260
M020613	14	310
M020614	14	360
M020615	14	460
M020616	14	600
M020617	15	160
M020618	15	210
M020619	15	260
M020620	15	310
M020621	15	360
M020622	15	460
M020623	15	600
M020624	16	160
M020625	16	210
M020626	16	260
M020627	16	310

ITEM NO.	DIA.(MM)	LENGTH(MM)
M020628	16	360
M020629	16	460
M020630	16	600
M020631	17	160
M020632	17	210
M020633	17	260
M020634	17	310
M020635	17	360

ITEM NO.	DIA.(MM)	LENGTH(MM)
M020636	17	460
M020637	17	600
M020638	18	210
M020639	18	260
M020640	18	310
M020641	18	360
M020642	18	460
M020643	18	600
M020644	19	210
M020645	19	260
M020646	19	310
M020647	19	360
M020648	19	460
M020649	19	600
M020650	20	210
M020651	20	260
M020652	20	310
M020653	20	360
M020654	20	460
M020655	20	600
M020656	22	260
M020657	22	310
M020658	22	360
M020659	22	460
M020660	22	600
M020661	25	260
M020662	25	310
M020663	25	360
M020664	25	460
M020665	25	600

WOOD DRILL

- Roll forged
- Carbon steel
- Polished





ITEM NO.	DIA.(MM)	L2(MM)	L1(MM)	PACKING
M020630	3	33	61	Plastic hanger + Color label
M020631	4	43	75	
M020632	5	53	90	
M020633	6	57	93	
M020634	7	69	109	
M020635	8	75	117	
M020636	9	81	125	
M020637	10	87	133	
M020638	11	94	142	
M020639	12	101	151	
M020640	13	101	151	
M020641	14	108	160	
M020642	15	114	169	
M020643	16	120	178	
M020644	18	130	195	
M020645	20	140	265	

FINISHING TOOLS

SDS CHISEL

- Material: 40Cr
- Surface: black+chrome
- HRC 48-52



ITEM NO.	SPEC.	P.N.	PACKING	INNER	MASTER
M030501	14x250mm	Point chisel	Plastic hanger + Color label	10	60
M030502	25x14x250mm	Flat type chisel			
M030503	40x14x250mm	Flat type chisel			
M030504	14x250mm	Groove chisel			

HSS TWIST DRILL

- Material: M2
- Angle 135°
- DIN 338 standard






ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M020601	1/16"	Plastic hanger + Color label	10	600
M020602	5/64"		10	600
M020603	3/32"		10	600
M020604	7/64"		10	600
M020605	1/8"		10	600
M020606	9/64"		10	300
M020607	5/32"		10	300
M020608	11/64"		10	300
M020609	3/16"		10	300
M020610	13/64"		10	300
M020611	7/32"		10	200
M020612	15/64"		10	200
M020613	1/4"		10	100
M020614	17/64"		10	100
M020615	9/32"		5	50
M020616	19/64"		5	50
M020617	5/16"		5	50
M020618	21/64"		5	50
M020619	11/32"		5	50
M020620	23/64"		5	50
M020621	3/8"		5	50
M020622	25/64"		5	50
M020623	13/32"		5	50
M020624	27/64"		5	50
M020625	7/16"		5	50
M020626	29/64"		5	50
M020627	15/32"		5	50
M020628	31/64"		5	50
M020629	1/2"		5	50

FLAT WOOD DRILL

- Special carbon steel
- Polished



ITEM NO.	SPEC.	TOTAL LENGTH(MM)		PACKING
		Standard	Long	
M020701	6	152	406	Double blister
M020702	8	152	406	
M020703	9	152	406	
M020704	10	152	406	
M020705	11	152	406	
M020706	12	152	406	
M020707	13	152	406	
M020708	14	152	406	
M020709	15	152	406	
M020710	16	152	406	
M020711	17	152	406	
M020712	18	152	406	
M020713	19	152	406	
M020714	20	152	406	
M020715	21	152	406	
M020716	22	152	406	
M020717	23	152	406	
M020718	24	152	406	
M020719	25	152	406	
M020720	26	152	406	
M020721	26	152	406	
M020722	29	152	406	
M020723	30	152	406	
M020724	31	152	406	
M020725	32	152	406	
M020726	33	152	406	
M020727	35	152	406	
M020728	36	152	406	
M020729	38	152	406	
M020730	40	152	406	

HSS DRILL SET

- Material: M2
- Angle 135°
- DIN 338 standard



ITEM NO.	SPEC.	P.N.	PACKING	INNER	MASTER
M020916	3, 4, 5, 6, 8mm	5PCS HSS drill sets	Plastic box + Color label	6	36
M020917	1, 2, 3, 4, 5, 6, 7, 8, 9, 10mm	10PCS HSS drill sets	Plastic box + Color label	6	24

13PCS HSS DRILL SET

- Material: M2
- Angle 135°
- DIN 338 standard



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M020918	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.2, 4.5, 5, 5.5, 6, 6.5mm	Double blister	6	24

6PCS WOOD DRILL SET

- Roll forged
- Carbon steel
- Polished



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M020919	3, 4, 5, 6, 8, 10mm	Plastic box + Color label	6	24

5PCS MASONRY DRILL SET

- Material: carbon steel
- Surface: electroplated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M020920	3, 4, 5, 6, 10mm	Plastic box + Color label	6	36

41PCS DRILL SET





ITEM NO.	INCLUDES	PACKING	INNER	MASTER
M020921	19pcs Hss drill bits: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 6, 6.5 mm 4pcs Masonry drill bits: 4, 5, 6, 8 mm 4pcs Wood drill bits: 4, 5, 6, 8 mm 16pcs 25mm Screwdriver bits: PZ1, 2*PZ2, PZ3, PH1, 2*PH2, PH3, T10, T15, T20, T25, T27, T30 SLOT 4.0 4pcs Nut driver: 6, 8, 10, 13 mm 1pc countersink 1pc magnetic bits holder	Plastic box + Color label	10	20

101PCS DRILL SET





ITEM NO.	INCLUDES	PACKING	MASTER
M020922	19pcs Hss drill bits: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 8 mm 6pcs Masonry drill bits: 3, 4, 5, 6, 8, 10 mm 6pcs Wood drill bits: 3, 4, 5, 6, 8, 10 mm 45pcs 25mm screwdriver bits: 2*PZ1, 4*PZ2, 2*PZ3, 1*PH0, 2*PH1, 4*PH2, 2*PH3, 2*T10, T15, T20, T25, T27, T30, SLOT 4, 5, 6, 2*(HEX2, 2.5, 3, 4, 5, 6; SQUARE 0, 1, 2, 3 7pcs 50mm screwdriver bits: PZ2, PZ3, PH2, PH3, SLOT4, SLOT5, SLOT6 6pcs nut driver: 4, 5, 5.5, 6, 7, 8, 9, 10, 12 mm 1pc countersink 1pcs magnetic bits holder 4pc drill stopper: 5, 6, 8, 10 mm 1pc hex key 3pcs flat wood bits: 16, 18, 22 mm	Plastic box + Color label	10

SAW BLADE FOR WOOD

- Material: 65Mn
- Carbon steel
- YG6 head



ITEM NO.	OUTER DIA.(dia)	TEETH NUMBER	PACKING	INNER	MASTER
M021001	110	24-40T	Color box	6	60
M021002	160	24-40T	Color box	6	60
M021003	180	24-60T	Color box	6	60
M021004	200	24-60T	Color box	6	48
M021005	230	24-80T	Color box	6	48
M021006	250	24-120T	Color box	6	36
M021007	300	24-120T	Color box	6	24
M021008	350	24-120T	Color box	6	24

SAW BLADE FOR ALUMINIUM

- Material: 65Mn
- YG6 head



ITEM NO.	OUTER DIA.(dia)	TEETH NUMBER	PACKING	INNER	MASTER
M021009	110	40T	Color box	6	60
M021010	160	40-60T	Color box	6	60
M021011	180	40-60T	Color box	6	60
M021012	200	60-80T	Color box	6	48
M021013	230	60-80T	Color box	6	48
M021014	250	80-120T	Color box	6	36
M021015	300	96-120T	Color box	6	24
M021016	350	100-120T	Color box	6	24

WIRE BRUSH

- Wire material: carbon steel
- Wire Dia. 0.33mm
- Size: 170x44mm



ITEM NO.	SIZE	HEIGHT OF EXPOSED WIRE	PACKING	INNER	MASTER
M021101	6x18 lines	28mm	Color label	6	36

WIRE BRUSH

- Wire material: carbon steel
- Wire Dia. 0.33mm
- Size: 180x30mm



ITEM NO.	SIZE	HEIGHT OF EXPOSED WIRE	PACKING	INNER	MASTER
M021102	9x20 lines	28mm	Color label	6	36

WIRE BRUSH

- Wire material: carbon steel
- Wire Dia. 0.33mm
- Size: 260x30mm



ITEM NO.	SIZE	HEIGHT OF EXPOSED WIRE	PACKING	INNER	MASTER
M021103	4x18 lines	28mm	Color label	6	36

WIRE BRUSH

- Wire material: carbon steel
- Wire Dia. 0.33mm
- Size: 500x25mm



ITEM NO.	SIZE	HEIGHT OF EXPOSED WIRE	PACKING	INNER	MASTER
M021104	3x17 lines	28mm	Color label	6	36

WIRE BRUSH

- Wire material: stainless wire
- Wire Dia. 0.33mm
- Size: 260x30mm



ITEM NO.	SIZE	HEIGHT OF EXPOSED WIRE	PACKING	INNER	MASTER
M021106	4x16 lines	28mm	Color label	6	36

3 PIECE MINI WIRE BRUSH SET

- Wire material: stainless, nylon, brass wire
- Brass Wire Dia. 0.17mm , Nylon Wire Dia.0.2mm, Stainless Wire Dia. 0.17mm
- Size: 175x10mm



ITEM NO.	HEIGHT OF EXPOSED WIRE	PACKING	INNER	MASTER
M021108	12mm	Double blister	6	72

WIRE BRUSH WITH SPATULA

- Wire material: carbon steel
- Wire Dia. 0.33mm
- Size: 310x26mm



ITEM NO.	SIZE	HEIGHT OF EXPOSED WIRE	PACKING	INNER	MASTER
M021105	3x17 lines	28mm	Color label	6	36

WIRE BRUSH

- Wire material: Brass wire
- Wire Dia. 0.33mm
- Size: 240x18mm



ITEM NO.	HEIGHT OF EXPOSED WIRE	PACKING	INNER	MASTER
M021107	33mm	Color label	6	72

CLAW HAMMER

- Material: carbon steel
- Head: polished
- Hickory handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030101	8oz	Color label	6	60
M030102	12oz	Color label	6	60
M030103	16oz	Color label	6	48
M030104	20oz	Color label	6	36
M030105	24oz	Color label	6	24

CLAW HAMMER

- Material: carbon steel
- Head: polished
- 2-tone soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030106	8oz	Color label	6	60
M030107	12oz	Color label	6	60
M030108	16oz	Color label	6	48
M030109	20oz	Color label	6	36
M030110	24oz	Color label	6	24

CLAW HAMMER

- Material: carbon steel
- Head: polished
- Tubular handle with soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030111	8oz	Color label	6	60
M030112	12oz	Color label	6	60
M030113	16oz	Color label	6	48
M030114	20oz	Color label	6	36

BALL PEIN HAMMER

- Material: carbon steel
- Head: polished
- 2-tone soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030158	8oz	Color label	6	60
M030159	12oz	Color label	6	60
M030160	16oz	Color label	6	60
M030161	24oz	Color label	6	48
M030162	32oz	Color label	6	48

BALL PEIN HAMMER

- Material: carbon steel
- Head: polished
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030163	8oz	Color label	6	60
M030164	12oz	Color label	6	60
M030165	16oz	Color label	6	60
M030166	24oz	Color label	6	48
M030167	32oz	Color label	6	48

STUBBY CLAW HAMMER

- Material: carbon steel
- Head: polished
- 2-tone soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030196	8oz	Color label	6	60

BOTTLE OPENER HAMMER

- Material: carbon steel
- Head: polished
- Tubular handle with soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030197	8oz	Color label	6	48

MACHINIST HAMMER

- Material: carbon steel
- Head: blackening
- 2-tone soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030116	100g	Color label	6	120
M030117	200g	Color label	6	80
M030118	300g	Color label	6	60
M030119	400g	Color label	6	48
M030120	500g	Color label	6	36
M030121	600g	Color label	4	24
M030122	800g	Color label	4	24
M030123	1000g	Color label	2	18
M030124	1500g	Color label	2	12
M030125	2000g	Color label	2	8

MACHINIST HAMMER

- Material: carbon steel
- Head: blackening
- Hickory wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030126	100g	Color label	6	120
M030127	200g	Color label	6	80
M030128	300g	Color label	6	60
M030129	400g	Color label	6	48
M030130	500g	Color label	6	36
M030131	600g	Color label	4	24
M030132	800g	Color label	4	24
M030133	1000g	Color label	2	18
M030134	1500g	Color label	2	12
M030135	2000g	Color label	2	8

SLEDGE HAMMER

- Material: carbon steel
- Head: polished
- 2-tone soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030136	2lb	Color label	6	96
M030137	3lb	Color label	6	96
M030138	4lb	Color label	6	96
M030139	6lb	Color label	6	96
M030140	8lb	Color label	6	60
M030141	10lb	Color label	6	60
M030142	12lb	Color label	6	48
M030143	14lb	Color label	6	48
M030144	16lb	Color label	6	36
M030145	20lb	Color label	6	36
M030146	24lb	Color label	6	36

SLEDGE HAMMER

- Material: carbon steel
- Head: blackening
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030147	2lb	Color label	6	96
M030148	3lb	Color label	6	96
M030149	4lb	Color label	6	96
M030150	6lb	Color label	6	96
M030151	8lb	Color label	6	60
M030152	10lb	Color label	6	60
M030153	12lb	Color label	6	48
M030154	14lb	Color label	6	48
M030155	16 lb	Color label	6	36
M030156	20 lb	Color label	6	36
M030157	24 lb	Color label	6	36

RUBBER MALLET

- Material: white rubber
- 2-tone soft grip



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030168	8oz	Color label	6	96
M030169	12oz	Color label	6	96
M030170	16oz	Color label	6	60
M030171	24oz	Color label	6	60
M030172	32oz	Color label	6	48

RUBBER MALLET

- Material: white rubber
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030173	8oz	Color label	6	96
M030174	12oz	Color label	6	96
M030175	16oz	Color label	6	60
M030176	24oz	Color label	6	60
M030177	32oz	Color label	6	48

RUBBER MALLET

- Material: black rubber
- Tubular handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030178	8oz	Color label	6	96
M030179	12oz	Color label	6	96
M030180	16oz	Color label	6	60
M030181	24oz	Color label	6	60
M030182	32oz	Color label	6	48

DEAD BLOW HAMMER

- Head: impact of steel ball inside



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030183	0.5lb	Color label	6	96
M030184	1lb	Color label	6	96
M030185	1.5lb	Color label	6	60
M030186	2lb	Color label	6	60
M030187	3lb	Color label	6	48
M030188	4lb	Color label	6	36

AXE

- Material: carbon steel
- Wooden handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M030201	1lb	Color label	6	36
M030202	1.25lb	Color label	6	36
M030203	1.5lb	Color label	6	36
M030204	2lb	Color label	6	36
M030205	2.5lb	Color label	6	36
M030206	3lb	Color label	6	24
M030207	4lb	Color label	6	12

CROW BAR

- Material: carbon steel
- Painting



POLISHED

ITEM NO.	LENGTH	DIA.	PACKING	INNER	MASTER
M030301	12"	1/2"	Color label	3	12
M030302	18"	5/8"	Color label	3	12
M030303	24"	3/4"	Color label	3	12
M030304	30"	3/4"	Color label	3	12
M030305	36"	3/4"	Color label	3	12

9PC TORX KEY SET

- Material: CR-V
- Surface: satin chrome plated



ITEM NO.	DESC	SPEC.	PACKING	INNER	MASTER
M040101	Normal	T10, T15, T20, T25, T27, T30, T40, T45, T50	Slide on card	6	36
M040102	Long				
M040103	Extra long				

7PC TORX KEY SET

- Material: CR-V
- Surface: satin chrome plated



ITEM NO.	DESC	SPEC.	PACKING	INNER	MASTER
M040104	Normal	T10, T15, T20, T25, T27, T30, T40	Slide on card	6	36
M040105	Long				
M040106	Extra long				

7PC HEXAGON KEY SET

- Material: CR-V
- Surface: satin chrome plated
- Ball end



ITEM NO.	DESC	SPEC.	PACKING	INNER	MASTER
M040107	Normal	1.5, 2, 2.5, 3, 4, 5, 6mm	Slide on card	6	36
M040108	Long				
M040109	Extra long				

9PC HEXAGON KEY SET

- Material: CR-V
- Surface: mirror finished and powder coating
- Ball end



ITEM NO.	DESC	SPEC.	PACKING	INNER	MASTER
M040110	Normal	1.5, 2, 2.5, 3, 4, 5, 6, 10mm	Slide on card	6	36
M040111	Long				
M040112	Extra long				

9PC TORX KEY SET

- Material: CR-V
- Surface: mirror finished and powder coating



ITEM NO.	DESC	SPEC.	PACKING	INNER	MASTER
M040113	Normal	T10, T15, T20, T25, T27, T30, T40, T45, T50	Slide on card	6	36
M040114	Long				
M040115	Extra long				

30PC METRIC & IMPERIAL HEXAGON KEY SET

- Material: CR-V
- Surface: black finished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M040116	0.028", 0.035", 0.05", 1/16", 3/64", 5/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/16", 5/8" 0.7, 0.8, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10mm	Double blister	6	24

18PC HEXAGON KEY SET

- Material: CR-V
- Surface: mirror finished and powder coating



ITEM NO.	DESC	SPEC.	PACKING	INNER	MASTER
M040117	Normal	1.5-2-2.5-3-4-5-6-8-10mm T10-T15-T20-T25-T27-T30-T40-T45-T50	Double blister	6	24
M040118	Long				

8PCS FOLDING HEXAGON KEY SET

- Material: CR-V
- Surface: satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M040119	1.5, 2, 2.5, 3, 4, 5, 6, 8mm	Hanger card	12	72
M040120	T8, T10, T15, T20, T25, T27, T30, T40	Hanger card	12	72
M040121	R6,R8,R10,R12,R14,R16,R18,R20,R22mm	Hanger card	12	72

10PCS FOLDING HEXAGON KEY SET

- Material: CR-V
- Surface: satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M040122	1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6mm	Hanger card	12	72
M040123	T8, T7, T9, T6, T10, T15, T20, T25, T27, T30	Hanger card	12	72

10PCS HEXAGON KEY SET

- Material: CR-V
- Surface: satin chrome plated



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M040124	2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8, 10mm	Color label	2	8
M040125	T8, T10, T15, T20, T25, T27, T30, T40, T45, T50	Color label	2	8

29PCS HEXAGON KEY SET

- Material: CR-V
- Surface: satin chrome plated and black finished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M040135	9pcs Torx: T10-T15-T20-T25-T27-T30-T40-T45-T50 10pcs Ball end: H1.27-H1.5-H2.0-H2.5-H3.0-H4.0-H5.0-H6.0-H8.0-H10.0 10pcs Ball end: 3/64-1/16-5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8	Canvas bag	6	18

MULTI-FUNCTIONAL QUICK LOCK WRENCH

- Material: CR-V
- Teflon finish
- Double color soft grip



ITEM NO.	SIZE	OPENING SIZE	PACKING	INNER	MASTER
M040127	6"	7-13mm	Color hanger	6	60
M040128	8"	9-20mm	Color hanger	6	48
M040129	10"	15-30mm	Color hanger	6	36
M040130	12"	19-40mm	Color hanger	4	24

UTILITY KNIFE

- 18mm
- PP+TPR body

6 pcs SK5 blade



ITEM NO.	PACKING	INNER	MASTER
M050101	Blister card	14	144

UTILITY KNIFE

- 18mm
- PP+TPR body

1 pc SK5 blade



ITEM NO.	PACKING	INNER	MASTER
M050102	Blister card	14	144

UTILITY KNIFE

- 18mm
- PP+TPR body

3 pcs SK5 blade



ITEM NO.	PACKING	INNER	MASTER
M050103	Blister card	14	144

UTILITY KNIFE

- 18mm
- Plastic body

1 pc SK5 blade



ITEM NO.	PACKING	INNER	MASTER
M050105	Blister card	14	144

UTILITY KNIFE

- 9mm
- Plastic body

1 pc SK5 blade



ITEM NO.	PACKING	INNER	MASTER
M050106	Blister card	14	144

UTILITY KNIFE

- 18mm
- Aluminum alloy body

1 pc SK5 blade



ITEM NO.	PACKING	INNER	MASTER
M050107	Blister card	14	144

UTILITY KNIFE

- 18mm
- Aluminium-alloy body



1 pc 9×0 blade



ITEM NO.	PACKING	INNER	MASTER
M060108	Blister card	14	144

UTILITY KNIFE

- 19mm
- Aluminium-alloy body

3 pcs 9×0 blade



ITEM NO.	PACKING	INNER	MASTER
M060109	Blister card	14	144

UTILITY KNIFE

- 18mm
- Aluminium-alloy body



6 pcs 9×0 blade



ITEM NO.	PACKING	INNER	MASTER
M060110	Blister card	14	144

UTILITY KNIFE

- 19mm
- Plastic body




6 pcs 9×0 blade



ITEM NO.	PACKING	INNER	MASTER
M060111	Blister card	14	144

UTILITY KNIFE

- 18mm
- Plastic body




3 pcs 9×0 blade



ITEM NO.	PACKING	INNER	MASTER
M060112	Blister card	14	144

UTILITY KNIFE

- 19mm
- Aluminium-alloy body



1 pc 9×0 blade



ITEM NO.	PACKING	INNER	MASTER
M060113	Blister card	14	144



MEASURING & LAYOUT TOOLS

MEASURING TAPE

- Material: ABS case+TPR cover
- #50 carbon steel tape
- Thickness:0.12mm

Inch-Metric



3-STOP

BLADE WIDTH	Single hook	Rear hook
12.5mm	≥1.3m	≥1.7m
16mm	≥1.6m	≥1.8m
19mm	≥1.8m	≥2.5m
25mm	≥2.4m	≥3.4m
27mm	≥2.8m	≥3.8m

ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060101	3mx16mm	Color card	12	120
M060102	5mx19mm	Color card	12	120
M060103	5mx25mm	Color card	12	120
M060104	7.5mx25mm	Color card	12	60

MEASURING TAPE

- Material: ABS case+TPR cover
- #50 carbon steel tape
- Thickness:0.12mm

Inch-Metric



3-STOP

BLADE WIDTH	Single hook	Rear hook
12.5mm	≥1.3m	≥1.7m
16mm	≥1.6m	≥1.8m
19mm	≥1.8m	≥2.5m
25mm	≥2.4m	≥3.4m
27mm	≥2.8m	≥3.8m

ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060103	3mx16mm	Color card	12	120
M060105	5mx19mm	Color card	12	120
M060107	5mx25mm	Color card	12	120
M060108	7.5mx25mm	Color card	12	60

MEASURING TAPE

- Material: ABS case+TPR cover
- #50 carbon steel tape
- Thickness:0.12mm

Inch-Metric

Double-hook strong magnetic hook



2-STOP

BLADE WIDTH	Single hook	Rear hook
12.5mm	≥1.3m	≥1.7m
16mm	≥1.6m	≥1.8m
19mm	≥1.8m	≥2.5m
25mm	≥2.4m	≥3.4m
27mm	≥2.8m	≥3.8m

ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060109	3mx16mm	Color card	12	120
M060110	5mx19mm	Color card	12	120
M060111	5mx25mm	Color card	12	120
M060112	7.5mx25mm	Color card	12	60

MEASURING TAPE

- Material: ABS case+TPR cover
- #50 carbon steel tape
- Thickness:0.12mm

European MID Metric

Double-hook strong magnetic hook



BLADE WIDTH	Single hook	Rear hook
12.5mm	≥1.3m	≥1.7m
16mm	≥1.6m	≥1.8m
19mm	≥1.8m	≥2.5m
25mm	≥2.4m	≥3.4m
27mm	≥2.8m	≥3.8m

ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060113	3mx16mm	Color card	12	120
M060114	5mx19mm	Color card	12	120
M060115	5mx25mm	Color card	12	120
M060116	7.5mx25mm	Color card	12	60

2-IN-1 LASER TAPE

- ABS case+TPR cover
- Self-locking
- Hook with magnetic
- LCD screen
- Thickness:0.13mm

European MID Metric

Double-hook strong magnetic hook

LCD screen



BLADE WIDTH	Body hook	Body width
12.5mm	≥1.3m	≥1.7m

ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060131	5mx19mm	Color card	12	120

MEASURING TAPE

- Material: ABS case +TPR cover
- 450 carbon steel tape
- Thickness:0.12mm

European MID Metric

Double-hook strong magnetic hook



BLADE WIDTH	Body hook	Body width
12.5mm	≥1.3m	≥1.7m

ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060132	3mx16mm	Color card	12	120
M060133	5mx19mm	Color card	12	120
M060134	5mx25mm	Color card	12	120
M060135	5.5mx25mm	Color card	12	120
M060136	7.5mx25mm	Color card	6	60
M060137	8mx25mm	Color card	6	60
M060138	10mx25mm	Color card	6	60

MEASURING TAPE

- Material: ABS case
- 450 carbon steel tape
- Thickness:0.13mm

European MID Metric



BLADE WIDTH	Body hook	Body width
12.5mm	≥1.3m	≥1.7m

ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060139	3mx16mm	Color card	12	120
M060140	5mx19mm	Color card	12	120
M060141	5mx25mm	Color card	12	120
M060142	7.5mx25mm	Color card	6	60
M060143	8mx25mm	Color card	6	60
M060144	10mx25mm	Color card	6	60

MEASURING TAPE

- Material: ABS case
- 450 carbon steel tape
- Thickness:0.12mm

European MID Metric



BLADE WIDTH	Body hook	Body width
12.5mm	≥1.3m	≥1.7m

ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060145	3mx12.5mm	Color card	12	120
M060146	2mx16mm	Color card	12	120
M060147	3mx16mm	Color card	12	120
M060148	5mx19mm	Color card	12	120
M060149	5mx25mm	Color card	12	120
M060150	7.5mx25mm	Color card	6	60
M060151	8mx25mm	Color card	6	60
M060152	10mx25mm	Color card	6	60

VERNIER CALIPER

- Material: carbon steel
- Range:0-150mm



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060201	150mm	Double blister	6	32

VERNIER CALIPER

- Material: stainless steel
- Range:0-150mm



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060202	150mm	Double blister	4	32

ANGLE SQUARE

- Material: carbon steel
- Thickness: 2.0mm



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060207	6"x12"	Color label	6	36
M060208	16"x24"	Color label	6	36

SPEED SQUARE

- Material: aluminum alloy
- Thickness: 2.8mm



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060260	178x180mm	Color card	6	72

2PC CHALK LINE REEL SET

- Aluminum chalk line: 30m
- 4OZ blue chalk



ITEM NO.	PACKING	INNER	MASTER
M060401	Double blister	12	48

CHALK LINE REEL SET



ITEM NO.	P.N.	SPEC.	PACKING	INNER	MASTER
M060402	3pc chalk line reel set	Plastic chalk line 15m 4OZ blue chalk, Split level	Double blister	12	48
M060403	8OZ blue chalk	8OZ powder bottle	Color label	12	60

MEASURING WHEEL

- TPR+ABS wheel steel tube
- Aluminum legs



ITEM NO.	PACKING	INNER	MASTER
M060301	Color box	1	1

FIBERGLASS MEASURING TAPE

- Material: ABS housing
- Plastic handle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060128	13mmx30M	Color card	1	40
M060130	13mmx50M	Color card	1	20

TORPEDO SPIRIT LEVEL

- Aluminum alloy
- Powder coating with TPR
- 3 bubbles, reading range 0-180°
- 3 magnets



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060401	300mm	Color sleeve	15	30

TORPEDO SPIRIT LEVEL

- Aluminum alloy
- Powder coating with TPR
- 3 bubbles, reading range 0-180°
- Magnetic base



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060410	230mm	Plastic hanger + color label	10	100

SPIRIT LEVEL

- Aluminum alloy
- Powder coating
- Magnetic base
- 3 bubbles, 45°, 90° and 180°
- Printing scales



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060405	60cm	Color label	6	48
M060406	80cm	Color label	6	36
M060407	100cm	Color label	6	24
M060408	120cm	Color label	6	24
M060409	150cm	Color label	6	18
M060410	200cm	Color label	6	18

SPIRIT LEVEL

- Aluminum alloy
- Powder coating
- Magnetic base
- 3 bubbles, 45°, 90° and 180°
- Printing scales



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060411	40cm	Color label	6	60
M060412	60cm	Color label	6	48
M060413	80cm	Color label	6	36
M060414	100cm	Color label	6	24
M060415	120cm	Color label	6	24
M060416	150cm	Color label	6	18
M060417	180cm	Color label	6	18
M060418	200cm	Color label	6	18

SPIRIT LEVEL

- Aluminum alloy
- Powder coating
- Magnetic base
- 3 bubbles, 45°, 90° and 180°
- Printing scales



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060402	60cm	Color sleeve	15	30
M060403	120cm	Color sleeve	10	20
M060404	180cm	Color sleeve	4	16

COMBINATION SQUARE

- Size: 300*23*2mm
- Handle material: zinc + aluminum alloy
- Weight: 300g



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M060210	300mm	Color hanging card	10	50

SCREWDRIVER

- Chrome - vanadium blad
- Surface: satin chrome plated
- Black magnetic tips
- Comfort grip handle



PACKING: Plastic hanger + Color label
INNER: 6pcs MASTER: 72pcs

SLOTTED

ITEM NO.			Ø mm	
M070301	0.4	2.5	2.5	75
M070302	0.5	3.0	3.0	75
M070303	0.6	3.5	3.0	75
M070304	0.8	4.0	4.0	75
M070305	0.8	4.0	4.0	100
M070306	1.0	5.5	5.0	75
M070307	1.0	5.5	5.0	100
M070308	1.2	6.5	6.0	100
M070309	1.2	6.5	6.0	125
M070310	1.2	6.5	6.0	150
M070311	1.2	8.0	8.0	150
M070312	1.2	8.0	8.0	200

PHILLIPS

ITEM NO.		Ø mm	
M070313	PH0	3.0	75
M070314	PH0	3.0	100
M070315	PH1	5.0	75
M070316	PH1	5.0	80
M070317	PH1	5.0	100
M070318	PH2	6.0	100
M070319	PH2	6.0	125
M070320	PH2	8.0	150
M070321	PH3	8.0	150
M070322	PH3	8.0	200
M070323	PH4	8.0	200

TORX

ITEM NO.		Ø mm	
M070324	T-5	3.0	60
M070325	T-6	3.0	60
M070326	T-7	3.0	60
M070327	T-8	3.0	60
M070328	T-9	3.0	60
M070329	T-10	3.0	75
M070330	T-15	3.0	100
M070331	T-20	5.0	100
M070332	T-25	6.0	100
M070333	T-27	6.0	100
M070334	T-30	6.0	100
M070335	T-40	6.0	125
M070336	T-45	6.0	125
M070337	T-50	8.0	125

POZI

ITEM NO.		Ø mm	
M070338	Pz0	3.0	75
M070339	Pz0	3.0	100
M070340	Pz1	5.0	75
M070341	Pz1	5.0	100
M070342	Pz2	8.0	100
M070343	Pz3	8.0	150

SCREWDRIVER

- Chrome - vanadium blade
- Surface: satin chrome plated
- Black magnetic tips
- Comfort grip handle



PACKING: Plastic hanger + Color label
INNER: 6pcs MASTER: 72pcs

SLOTTED

ITEM NO.			Ø mm	
M070101	0.5	3.0	3.0	75
M070102	0.5	3.0	3.0	100
M070103	0.5	3.0	3.0	150
M070104	0.8	4.0	4.0	100
M070105	1.0	5.5	5.0	75
M070106	1.0	5.5	5.0	100
M070107	1.0	5.5	5.0	125
M070108	1.0	5.5	5.0	150
M070109	1.2	6.5	6.0	100
M070110	1.2	6.5	6.0	125
M070111	1.2	6.5	6.0	150
M070112	1.2	6.5	6.0	200
M070113	1.6	8.0	8.0	150
M070114	1.6	8.0	8.0	200
M070115	1.0	5.5	5.0	38
M070116	1.2	6.5	6.0	38

PHILLIPS

ITEM NO.		Ø mm	
M070117	PH0	3.0	75
M070118	PH0	3.0	100
M070119	PH0	3.0	150
M070120	PH1	4.0	100
M070121	PH1	6.0	75
M070122	PH1	3.0	100
M070123	PH1	5.0	125
M070124	PH1	3.0	150
M070125	PH2	6.0	100
M070126	PH2	6.0	125
M070127	PH2	8.0	150
M070128	PH2	6.0	200
M070129	PH3	8.0	150
M070130	PH3	8.0	200
M070131	PH1	3.0	38
M070132	PH2	6.0	38

TORX

ITEM NO.		Ø mm	
M070133	T-7	3.0	75
M070134	T-8	3.0	75
M070135	T-9	3.0	75
M070136	T-10	5.0	100
M070137	T-15	5.0	100
M070138	T-20	5.0	100
M070139	T-25	8.0	100
M070140	T-27	8.0	100
M070141	T-30	8.0	100
M070142	T-40	8.0	125

POZI

ITEM NO.		Ø mm	
M070143	Pz0	3.0	75
M070144	Pz1	5.0	100
M070145	Pz2	8.0	100
M070146	Pz3	8.0	150

SQUARE

ITEM NO.		Ø mm	
M070147	S-0	5.0	100
M070148	S-1	5.0	100
M070149	S-2	8.0	100
M070150	S-3	8.0	100

SCREWDRIVER

14PCS SCREWDRIVER SET

- Chrome - vanadium blade
- Surface: satin chrome plated
- Black magnetic tips
- Comfort grip handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M078403	5pcs: Slotted: d.5x38mm, 4x75mm, 5.5x100mm, 6.5x100mm, 8x150mm 2pcs: Phillips: PH2x38mm, PH3x75mm, PH2x100mm, PH2x150mm, PH3x150mm 2pcs: Precision slotted: 1.4x50mm, 2.5x50mm 2pcs: Precision phillips: PH0x50mm, PH1x50mm	BMC + Color label	6	24

31PCS SCREWDRIVER SET

- Material: bits: S150CR-V
- PP+TPR handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M078502	1pc Bit driver 17pc bits 28mm: 3-4-4.5-5mm, PH0-PH1-PH2-PH3, PZ1-PZ2, T10-T15-T20-T25, H4-H5-6 1pc adaptor: 25x9 6pc 1/4" metric socket: 4-5-6-7-8-9mm 6pc 1/4" socket: 5/32", 3/16", 1/4", 9/32", 5/16", 11/32"	Double blister	6	24

19PCS SCREWDRIVER SET

- Material: bits: S150CR-V
- PP+TPR handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M078503	1pc bits driver 18pcs bits(65x25mm): 3-4-5-6mm, PH0-PH1-PH2-PH3, T10-T15-T20-T25, H3-4-5-6, S1-S2	Double blister	6	36

39PCS SCREWDRIVER SET

- Material: bits: S150CR-V
- Socket: carbon steel
- PP+TPR handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M078504	1pc Ratchet screwdriver 31pcs bits 25mm: Slotted: 4-5-5.5-6-7mm Phillips: PH0-PH1-PH1-PH2-PH2-PH3 Pozi: PZ0-1-2-3, Torx: T10-15-20-25-27-30 Hex: H3-4-5-6 Square: SQ-1-2-3 6pcs 1/4" socket: 5-6-7-8-9-10mm	Double blister	6	24

4PCS DIAMOND-COATED SCREWDRIVER SET

- Material: bits: S150CR-V
- Magnetic tip
- PP+TPR handle







DIAMOND-COATED

ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M078505	3pcs: Slotted: 5x125mm,5x100mm 2pcs: Phillips: PH2x125mm,PH1x100mm	Double blister	6	36

8PCS SCREWDRIVER SET

- Material: bits: S150CR-V
- Magnetic tip
- PP+TPR handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M078506	4pcs: Slotted: 6x150mm, 8x125mm, 5x100mm, 6x38mm 4pcs: Phillips: PH2x125mm, PH1x100mm, PH0x75mm, PH2x38mm	Double blister	6	24

SCREWDRIVER

- Chrome - vanadium blade
- Surface: satin chrome plated
- Black magnetic tips
- Comfort grip handle





PACKING: Plastic hanger + Color label.
INNER: 6pcs. MASTER: 72pcs.

SLOTTED

ITEM NO.			Ø mm	
M070201	0.5	3.0	3.0	75
M070202	0.5	3.0	3.0	100
M070203	0.5	3.0	3.0	150
M070204	0.8	4.0	4.0	100
M070205	1.0	5.5	5.0	75
M070206	1.0	5.5	6.0	100
M070207	1.0	5.5	5.0	125
M070208	1.0	5.5	5.0	150
M070209	1.2	6.5	6.0	100
M070210	1.2	6.5	6.0	125
M070211	1.2	6.5	6.0	150
M070212	1.2	6.5	6.0	200
M070213	1.6	8.0	8.0	150
M070214	1.6	8.0	8.0	200
M070215	1.0	5.5	5.0	38
M070216	1.2	6.5	6.0	38

PHILLIPS

ITEM NO.		Ø mm	
M070217	PH0	3.0	75
M070218	PH0	3.0	100
M070219	PH0	3.0	150
M070220	PH1	4.0	100
M070221	PH1	5.0	75
M070222	PH1	6.0	100
M070223	PH1	5.0	125
M070224	PH1	5.0	150
M070225	PH2	6.0	100
M070226	PH2	6.0	125
M070227	PH2	6.0	150
M070228	PH2	6.0	200
M070229	PH3	8.0	150
M070230	PH3	8.0	200
M070231	PH1	5.0	38
M070232	PH2	6.0	38

TORX

ITEM NO.		Ø mm	
M070233	T-7	3.0	75
M070234	T-8	3.0	75
M070235	T-9	3.0	75
M070236	T-15	5.0	100
M070237	T-15	5.0	100
M070238	T-20	5.0	100
M070239	T-25	6.0	100
M070240	T-27	6.0	100
M070241	T-30	6.0	100
M070242	T-40	8.0	125

POZI

ITEM NO.		Ø mm	
M070243	PZ0	3.0	75
M070244	PZ1	5.0	100
M070245	PZ2	6.0	100
M070246	PZ3	6.0	150

SQUARE

ITEM NO.		Ø mm	
M070247	S-0	5.0	100
M070248	S-1	5.0	100
M070249	S-2	6.0	100
M070250	S-3	6.0	100

SCREWDRIVER

- Chrome - vanadium blade
- Surface: satin chrome plated
- Black magnetic tips
- PP+TPR handle





SLOTTED

ITEM NO.			Ø mm	
M070344	1.2	6.5	6.0	100
M070345	1.2	6.5	6.0	150
M070346	1.2	6.5	6.0	200
M070347	1.6	8.0	8.0	150
M070348	1.6	8.0	8.0	200

PHILLIPS

ITEM NO.		Ø mm	
M070349	PH2	6.0	100
M070350	PH2	6.0	150
M070351	PH2	6.0	200
M070352	PH3	8.0	150
M070353	PH3	8.0	200

PACKING: Plastic hanger + Color label. INNER: 6pcs. MASTER: 72pcs.

7PCS SCREWDRIVER SET

- Chrome - vanadium blade
- Surface: satin chrome plated
- Black magnetic tips
- Comfort grip handle





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070401	Slotted: 5/16x6", 1/4x8", 5/32x5", 3/16x4" Phillips: 1/4x8", 3/16x4", 5/32x3"	Double blister	10	20

SCREWDRIVER

4PCS MINI PICK & HOOK SET

- Material: blis: 6150CR-V
- Magnetic tip
- PP+TPR handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070507	1pc straight pick 1pc angle hook 1pc full hook 1pc 90°hook	Single blister	12	72

6PCS PRECISION TORX SCREWDRIVER SET

- Material: blis: 6150CR-V
- Magnetic tip
- PP+TPR handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070508	T5x50mm,T6x50mm,T7x50mm, T8x50mm,T9x50mm,T10x50mm	Double blister	6	36

8PCS SCREWDRIVER SET

- Material: blis: 6150CR-V
- Magnetic tip
- PP+TPR handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070509	3pcs: Slotted: 5x100mm,6x38mm 2pcs Phillips: Ph2x100mm, Ph2x38mm 2pcs Precision slotted: 2x38mm,2.5x38mm 2pcs Precision phillips: Ph0x38mm, Ph1x38mm	Double blister	6	24

15PCS RATCHET SCREWDRIVER SET

- Material: blis: 6150CR-V
- Change bits easily
- PP+TPR handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070510	1pc Ratchet screwdriver 7pcs Bits: 6.35x25mm: Slotted: 5mm, 6mm Phillips: PH1,PH2,PH3 Torx: T10,T15 6pcs 1/4" Socket: 5mm,6mm,7mm,8mm,9mm,10mm 1pc ADP	Double blister	6	36

6PCS SCREWDRIVER SET

- Chrome - vanadium blade
- Surface: satin chrome plated
- Black magnetic tips
- Comfort grip handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070402	Slotted: 4x100mm, 6x150mm Phillips: PH1x75mm, PH2x100mm Pozi: PZ1x100mm, PZ2x150mm	Double blister	6	24

7PCS RATCHET SCREWDRIVER SET

- Material: blis: 6150CR-V
- PP+TPR handle



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070501	1pc Ratchet screwdriver 6pcs bits 25mm: Slotted: 4, 5, 6mm Phillips: PH1, PH2, PH3	Double blister	6	24

10PC SCREWDRIVER BIT SET

- 50mm bits
- S2 Material
- Plated with a color ring



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070601	PH:1-2-3 PZ:1-2-3 SL:4-5 TX:T10-25	Color label	6	36

15PC SCREWDRIVER BIT SET

- 25mm bits
- S2 Material
- Plated with a color ring



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070602	PH:1-2-3, PZ:1-2-3, SL:4-5, TX:T10-15 6pcs bit sets: PH:1-2, PZ:1-2, SL:5	Color label	6	36

20PC SCREWDRIVER BIT SET

- 25mm bits
- S2 Material
- Plated with a color ring



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070603	20pcs 25mm: PH:1-2-3 PZ:1-2-3, SL:3-4-5, HEX:3-4-5-6 TX:T10-15-20-30-27-T8-40	Color label	6	36

36PC PRECISION SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070604	32pcs bits, 4x28mm: SL:1.5-2.0-2.5-3.0-3.5-4.0 PH:PH000-PH00-PH0-PH1 HEX:3.0-1.0-1.3-1.5-2.0-2.5-3.0-4.0 TX:T6-7-8-9-10-15, PZ: 0-1, TRIANGLE: 2.0-3.0 Pentagon 1.0-3.0, Tri-wing: 3.0 1pc Soft Extension Bar 1pc Extension Bar 1pc magnifying glass	Color box	6	48

11PC PRECISION SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070605	10pcs bits: 6.3x25mm SL: 3-4-5-6, PH: 1-2-3 PZ: 0-1-2 1pc Magnetic Bar	Slide-in card	12	48

19PCS T HANDLE, BITS AND SOCKETS SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070606	1pc T-handle 9pc sockets: 5.5-7-8-9-10-11-12-13mm 10pc screwdriver bits: PH:1-2-4-5, PZ:1-2, TX:T10-20, AD:4-5	Double blister	6	36

SCREWDRIVER

37PC PRECISION SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070607	33pcs bits: SL:1.0-1.5-2.0-2.5-3.0-3.5-4.0, PH: PH000,PH00,PH0,PH1,PH2 PZ00,PZ0,PZ1, TX(T3-4-5-6-7-8-9-10-20 Round 1.0-1.5 , HX:1.3-2.5, Triangle:2.0-3.0, Y1.5-S2 1pc precision screwdriver handle 1pc extension bar	Double blister	10	60

44PC PRECISION SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070608	43pcs bits: SL:3-4-5-5.5-6-7, PH: PH0-1-2-3, PZ:0-1-2-3 TX(T8-10-15-20-25-27-30-40 TX with hole: T8-10-15-20-25-27-30-40 HEX(H2-2.5-3-4-5-6, HEX with hole : H2.5-3-4-5-6 1pc Magnetic screwdriver handle	Double blister	6	24

11PC MAGNETIC SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070609	11pcs bits: PH1-2-3, SL:4-5-7, TX(T10-20-30-40 1pc screwdriver handle	Double blister	12	60

5PC MAGNETIC SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070610	4pcs bits: PH:1-2, SL:4-5-7 1pc screwdriver handle	Double blister	12	60

33PC MAGNETIC SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070611	32pcs bits: PH:0-1-2-3, PZ:0-1-2-3, SL:3-4-5-5.5-6-7, TX(T8-10-15-20-25-27-30-40, S:0-1-2 HEX:2-2.5-3-4-5-5.5-6 1pc screwdriver handle	Double blister	12	60

17PC SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070612	1pc multi-function handle 12pcs 25mm Cr-v bits 1pc extension bar(length 60mm) 3pcs saw blade: 1 for metal 1 for drywall/sheetrock, 1 for wood	Color label	6	24

27PCS IMPACT BIT SET

- Impact bits with rim
- S2 material
- Black oxide



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070614	14pcs 25mm bits 12pcs 50mm bits 1pc 65mm stainless steel quick release chuck	Shrink + Color label	6	24

33PCS IMPACT BIT AND NUT DRIVER SET

- Impact bits with rim
- S2 material
- Black oxide



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070615	14pcs 25mm bits 11pcs 50mm bits 2pcs 75mm bits 5pcs impact nut driver with rim	Shrink + Color label	6	24

42PC IMPACT SCREWDRIVER BIT SET

- Material: CRV
- HRC 58-62



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070613	32pcs 25mm Screwdriver Bit: PH: #1*3pc, #2*5pc, #3*3pc Torx: T15*3pc, T20*3pc, T25*3pc, T30*3pc Square: #1*3pc, #2*5pc, #3*3pc 4pcs 50mm Screwdriver Bit: Phillips: #1-2-3, Torx: T15 Square: #2 5pc 75mm ScrewDriver Bit: Phillips: #1-2, Torx: T20-25, Square: #2	Double blister	6	24

20PCS BIT AND SOCKET SET

- Bit material: S2
- Socket material CRV



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070616	12pcs 50mm bits 7pcs 1/4" socket 4-5-6-8-10-11-13mm 1pc 50mm bar 1pc 25mm adapter 1pc Ratchet handle 1pc magnifying glass	Shrink + Color label	6	24

32PCS SCREWDRIVER BIT SET

- S2 material
- Plated with color ring



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070617	31pcs 25mm bits 1pc 25mm adapter 1pc quick release chuck	Shrink + Color label	6	24

15PC 3/8" DRIVE EXTRA LONG TORX BIT SOCKET SET

- S2 alloy steel bits
- Chrome Vanadium steel hex bit socket





ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070616	12pc 144mm 3/8" socket bit Socket: T10-15-20-25-27-30-40-45-47-50-55-60 1pc 3/8" Universal joint 1pc 1/2"-3/8" socket adapter 1pc 1/4"-3/8" socket adapter	Shrink + Color label	1	10

18PC 3/8" DRIVE EXTRA LONG ALLEN HEX BIT SOCKET SET

- S2 alloy steel bits
- Chrome Vanadium steel hex bit socket



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070618	8pc 150mm 3/8" socket bit Socket:1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 3/8" 18pc 150mm 3/8" socket bit Socket: 3-4-4.5-5-5.5-6-7-8-9-10mm	Shrink + Color label	1	10

20PC 3/8" DRIVE LONG BALL END HEX BIT SOCKET SET

- S2 alloy steel bits
- Chrome Vanadium steel hex bit socket



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M070620	10pc metric 3/8" bit: 3-4-4.5-5-5.5-6-7-8-9-10mm 6pc SAE 3/8" bit: 1/8",5/32",3/16",7/32",1/4",9/32",5/16",3/8" 1pc 1/2-3/8" adapter 1pc 3/8" universal joint	Shrink + Color label	1	10



SINGLE HAND RIVERTER

- High quality aluminum alloy body
  Carbon steel heat treatment handle
- Ergonomic handle is comfortable to operate
- Max multiple of arm force 27
- It includes 4 pcs of riveplocos: 2.4-3.2-4.0-4.8mm
- Weight: 470g
- Max working stroke:7mm
- Suitable for all kinds of rivets



ITEM NO.	LENGTH	PACKING	INNER	MASTER
M090101	220mm	BMC+color card	1	10

SEMI-AUTOMATIC NUT RIVETER

- Steel body, reinforced carbon steel heat treatment handle
- Ergonomic design curved handle with PVC sleeve
- Max multiple of arm force 45
- It includes hand nut riveter spare parts: M3-M4-M5-M6-M8-M10-M12
- Weight: 1260g
- Working stroke:7mm



ITEM NO.	LENGTH	PACKING	INNER	MASTER
M090102	360mm	BMC+color card	1	10

3-IN-1 THOUSAND TURNING HEAD RIVETER

- Alumin um alloy body
- Reinforced carbon steel heat treatment handle
- Ergonomic design curved handle with PVC sleeve
- Weight: 1420g



ITEM NO.	LENGTH	PACKING	INNER	MASTER
M090103	275mm	BMC+color card	1	10

3-IN-1 RIVETER

- Steel body, reinforced carbon steel heat treatment handle
- Ergonomic design curved handle with PVC sleeve
- Max multiple of arm force 25
- Weight: 900g



ITEM NO.	LENGTH	PACKING	INNER	MASTER
M090104	260mm	BMC+color card	1	8

CAULKING GUNS

HAND RIVETER

- Steel body, reinforced carbon steel heat treatment handle
- Ergonomic design curved handle with PVC sleeve
- Max multiple of arm force 25
- It includes 6pcs of nosepiece 2.4-3.2-4.0-4.8-6.4mm
- Weight: 800g
- Working stroke: 9mm
- Suitable for all kinds of rivets



ITEM NO.	LENGTH	PACKING	INNER	MASTER
M060105	260mm	Color box	1	20

CAULKING GUN

- Aluminum handle
- Surface: powder painting



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100101	9"	Color label	12	48

FOAM GUN

- Aluminum alloy body, nickel plated
- Aluminum alloy adapter, nickel plated
- Stainless steel barrel and needle
- Brass nozzle nickel coated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100106	325mm	Double blister	6	20

HIGH SPEED PAINT MIXER

- A3 steel
- Powder coating



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100201	60x300mm	Color label	6	36
M100202	80x400mm	Color label	6	36
M100203	100x600mm	Color label	6	36

CAULKING GUN

- Steel handle
- Surface: powder painting



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100102	9"	Color label	12	48

CAULKING GUN

- Aluminum handle
- Surface: powder painting



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100103	10.5"	Color label	6	24

FOAM GUN

- Aluminum alloy body, nickel plated
- Aluminum alloy adapter and brass nozzle, nickel plated
- Aluminum alloy + rubber handle
- Stainless steel barrel and needle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100107	345mm	Double blister	6	20

HIGH SPEED PAINT MIXER

- A3 steel
- Powder coating



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100204	120x600x14mm	Color label	4	12
M100205	140x600x14mm	Color label	4	12

CAULKING GUN

- Heavy duty type
- Steel handle
- Surface: powder painting



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100104	9"	Color label	12	48

CAULKING GUN

- Plastic Rotary



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100105	9"	Color label	6	24

FOAM GUN

- Aluminum alloy body and adapter, teflon coated
- Stainless steel barrel and needle, Brass nozzle, nickel plated
- Aluminum alloy + rubber handle
- Stainless steel barrel and needle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M100108	345mm	Double blister	6	20

OIL FILTER WRENCH

- Material: cold rolled steel
- Handle: pvc
- Finished: black finished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M110305	3-3/4" to 3-1/4"	Double blister	6	36
M110306	3-7/16" to 3-3/4"	Double blister	6	36

WRENCHES

ADJUSTABLE WRENCH

- Material: carbon steel
- Surface: chrome plated



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110101	6"	PVC card	6	60
M110102	8"	PVC card	6	60
M110103	10"	PVC card	6	48
M110104	12"	PVC card	6	36
M110105	15"	PVC card	1	4

ADJUSTABLE WRENCH

- Material: carbon steel
- Surface: black finished



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110106	6"	PVC card	6	60
M110107	8"	PVC card	6	60
M110108	10"	PVC card	6	48
M110109	12"	PVC card	6	36
M110110	15"	PVC card	1	4

ADJUSTABLE WRENCH

- Material: carbon steel
- Surface: chrome plated
- Dipped handle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110111	6"	PVC card	6	60
M110112	8"	PVC card	6	60
M110113	10"	PVC card	6	48
M110114	12"	PVC card	6	36
M110115	15"	PVC card	1	4

ADJUSTABLE WRENCH

- Material: chrome vanadium
- Surface: satin chrome plated
- Soft handle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110116	6"	PVC card	6	60
M110117	8"	PVC card	6	60
M110118	10"	PVC card	6	48
M110119	12"	PVC card	6	36

ADJUSTABLE WRENCH

- Material: chrome vanadium
- Surface: satin chrome plated
- Soft handle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110120	6"	PVC card	6	60
M110121	8"	PVC card	6	60
M110122	10"	PVC card	6	48
M110123	12"	PVC card	6	36

ADJUSTABLE WRENCH

- Material: chrome vanadium
- Surface: satin chrome plated
- Soft handle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110124	6"	PVC card	6	60
M110125	8"	PVC card	6	60
M110126	10"	PVC card	6	48
M110127	12"	PVC card	6	36

4 WAY CROSS WRENCH

- Material: carbon steel
- Surface: mirror finished
- Size: 17-19-21-23mm



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110201	14"	Color label	6	18
M110202	16"	Color label	6	12
M110203	20"	Color label	6	12

4 WAY FOLDABLE CROSS WRENCH

- Material: carbon steel
- Surface: mirror finished
- Size: 17-19-21-23mm



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110204	14"	Pouch bag	3	12

11PCS COMBINATION SPANNER SET

- Material: CR-V
- Surface: mirror finished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M110268	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm	Plastic hanger + color table	6	12

9PCS COMBINATION SPANNER SET

- Material: CR-V
- Surface: mirror finished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M110269	7, 8, 9, 10, 11, 12, 13, 14, 15mm	Plastic hanger + color table	6	24

6PCS DOUBLE OPEN ENDS SPANNER SET

- Material: CR-V
- Surface: mirror finished



ITEM NO.	SPECIFICATION	PACKING	INNER	MASTER
M110360	8x9mm, 10x11mm, 12x13mm, 14x15mm, 17x19mm, 20x22mm	Plastic hanger + color table	6	24

CHAIN WRENCH

- Material: carbon steel
- Surface: chrome plated
- Chain length: 450mm



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110501	12"	Color box	6	24

WRENCHES

COMBINATION SPANNER

- Material: CR-V
- Surface: mirror finished



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110301	6mm	Plastic hanger + color table	6	72
M110302	7mm			
M110303	8mm			
M110304	9mm			
M110305	10mm			
M110306	11mm			
M110307	12mm			
M110308	13mm			
M110309	14mm			
M110310	15mm			
M110311	16mm			
M110312	17mm			
M110313	18mm			
M110314	19mm			
M110315	20mm			
M110316	21mm			
M110317	22mm			
M110318	23mm			
M110319	24mm			
M110320	27mm			
M110321	30mm			
M110322	32mm			

DOUBLE END SPANNER

- Material: CR-V
- Surface: mirror finished



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110323	6x7mm	Plastic hanger + color table	6	72
M110324	8x8mm			
M110325	8x9mm			
M110326	8x10mm			
M110327	10x11mm			
M110328	10x12mm			
M110329	11x13mm			
M110330	11x13mm			
M110331	12x13mm			
M110332	12x14mm			
M110333	13x15mm			
M110334	14x15mm			
M110335	14x17mm			
M110336	15x17mm			
M110337	16x17mm			
M110338	16x18mm			
M110339	17x18mm			
M110340	18x19mm			
M110341	17x21mm			
M110342	18x21mm			
M110343	18x21mm			
M110344	20x22mm			
M110345	21x23mm			
M110346	22x24mm			
M110347	24x26mm			
M110348	24x27mm			
M110349	24x30mm			
M110350	25x27mm			
M110351	25x28mm			
M110352	26x28mm			
M110353	27x30mm			
M110354	27x32mm			
M110355	28x30mm			
M110356	29x32mm			
M110357	30x32mm			

HEAVY DUTY PIPE WRENCH

- Material: CR-MO jaw
- Cast iron body
- Powder coating



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110302	8"	Color label	3	18
M110303	10"	Color label	3	18
M110304	12"	Color label	3	18
M110305	14"	Color label	3	12
M110306	18"	Color label	2	6
M110307	24"	Color label	1	3
M110308	36"	Color label	1	3

GEAR COMBINATION SPANNER

- Material: CR-V
- Surface: mirror finished



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110401	6mm	Plastic hanger + color table	6	72
M110402	7mm			
M110403	8mm			
M110404	9mm			
M110405	10mm			
M110406	11mm			
M110407	12mm			
M110408	13mm			
M110409	14mm			
M110410	15mm			
M110411	16mm			
M110412	17mm			
M110413	18mm			
M110414	19mm			
M110415	20mm			
M110416	21mm			
M110417	22mm			
M110418	23mm			
M110419	24mm			
M110420	25mm			
M110421	26mm			
M110422	27mm			
M110423	30mm			
M110424	32mm			

FLEXIBLE GEAR COMBINATION SPANNER

- Material: CR-V
- Surface: mirror finished



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M110426	8mm	Plastic hanger + color table	6	72
M110428	7mm			
M110427	8mm			
M110428	9mm			
M110429	10mm			
M110430	11mm			
M110431	12mm			
M110432	13mm			
M110433	14mm			
M110434	15mm			
M110435	16mm			
M110436	17mm			
M110437	18mm			
M110438	19mm			
M110439	20mm			
M110440	21mm			
M110441	22mm			
M110442	23mm			
M110443	24mm			
M110444	25mm			
M110445	26mm			
M110446	27mm			
M110447	30mm			
M110448	32mm			

C CLAMP

- Material: cast iron
- Surface: powder coating



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M120101	1"	Color label	12	144
M120102	2"	Color label	12	72
M120103	3"	Color label	6	36
M120104	4"	Color label	6	36
M120105	5"	Color label	6	24
M120106	6"	Color label	6	24
M120107	8"	Color label	6	12

C CLAMP

- Material: Q235 steel
- Surface: powder coating



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M120108	2"	Color label	6	72
M120109	2-1/2"	Color label	6	36
M120110	3"	Color label	6	36

BENCH VISE

- Material: cast iron
- Surface: powder coating



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M120201	4"	Color box	1	4
M120207	6"	Color box	1	4
M120203	8"	Color box	1	2
M120204	8"	Color box	1	1

PIPE CLAMP

- Material: cast iron
- Surface: powder coating



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M120205	3/4"	Double blister	4	12

RAPID CLAMP

- Material: cast iron
- Surface: powder coating



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M120206	60cm	Hanger card	2	6
M120207	90cm	Hanger card	2	8
M120208	120cm	Hanger card	2	6
M120209	150cm	Hanger card	2	6
M120210	180cm	Hanger card	2	6

RAPID CLAMP

- Bar: A3 steel
- Handle: Nylon+TPR



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M120301	6"	Hanger card	4	16
M120302	12"	Hanger card	4	16

SPRING CLAMP

- Material: Nylon+TPR



ITEM NO.	SPEC.	OPENING SIZE	PACKING	INNER	MASTER
M120303	3"	3/4"	Hanger card	6	36
M120304	4"	1"	Hanger card	4	24
M120305	6"	2"	Hanger card	4	24
M120306	9"	3"	Hanger card	4	24

HACKSAW

- Aluminum frame
- TPR handle
- 24T Bi-metal blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130101	12"	Color sleeve	6	36

HACKSAW

- Aluminum frame
- TPR handle
- 24T Bi-metal blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130102	12"	Color sleeve	6	36

HACKSAW

- Steel frame
- ABS handle
- 24T Bi-metal blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130104	12"	Color sleeve	6	36

HACKSAW

- Bibbl frame
- Aluminum handle + TPR grip
- Hi-carbon steel blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130106	12"	Color sleeve	6	36

HACKSAW

- Adjustable steel frame
- PVC handle
- 24T Bi-metal blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130103	10"-12"	Color sleeve	6	36

HACKSAW

- Steel frame
- Aluminum handle
- Hi-carbon steel blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130105	12"	Color sleeve	6	36

MINI HACKSAW

- Aluminum frame
- 24T Bi-metal blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130107	10"-12"	PVC card	12	120

MINI HACKSAW

- Steel frame
- PVC handle
- Hi-carbon steel blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130108	6"	Color sleeve	6	36

BOW SAW

- Steel frame
- Hi-carbon steel blade



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130109	24"	Color sleeve	6	36

PRUNING SHEAR

- #55 carbon steel
- Dipping grip



ITEM NO.	TOTAL LENGTH	CUTTING DIAMETER	PACKING	INNER	MASTER
M130303	6"	5/16"	Double blister	6	36
M130304	8-1/4"	5/16"	Double blister	6	36

PRUNING SHEAR

- #55 carbon steel
- Dipping grip



ITEM NO.	TOTAL LENGTH	CUTTING DIAMETER	PACKING	INNER	MASTER
M130305	8-1/8"	1"	Double blister	6	36

HAND SAW

- Blade: #65Mn
- Thickness: 0.8mm
- Double sides grinding teeth
- ABS+TPR handle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130110	16"	Color sleeve	6	36
M130111	18"	Color sleeve	6	36
M130112	20"	Color sleeve	6	36
M130113	22"	Color sleeve	6	36
M130114	24"	Color sleeve	6	36

HAND SAW

- Blade: #65Mn
- Thickness: 0.8mm
- Three sides grinding teeth
- Beech wood handle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130115	22"	Color sleeve	6	36
M130116	24"	Color sleeve	6	36
M130117	26"	Color sleeve	6	36
M130118	28"	Color sleeve	6	36

PRUNING SHEAR

- Blade material: SK5
- Handle material: PVC+TPR



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130306	7"	Double blister	6	36

PRUNING SHEAR

- Blade material: SK5
- Handle and body material: Aluminium alloy steel
- Surface: Chrome plated + Teflon



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130307	8"	PVC card	6	36

BACK SAW

- Blade : #65Mn
- Thickness : 0.8mm
- Three sides grinding teeth
- Beech wood handle



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130119	12"	Color sleeve	6	36
M130120	14"	Color sleeve	6	36

PRUNING SHEAR

- #55 carbon steel
- Dipping grip



ITEM NO.	TOTAL LENGTH	CUTTING DIAMETER	PACKING	INNER	MASTER
M130201	6-3/8"	5/8"	Double blister	6	36
M130202	8-3/8"	1"	Double blister	6	36

PRUNING SHEAR

- Blade material: SK5
- Handle and body material: Aluminium alloy steel
- Surface: Chrome plated + Teflon



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130308	8"	PVC card	6	36

PRUNING SHEAR

- Blade material: SK5
- Handle and body material: Aluminium alloy steel
- Surface: Chrome plated + Titanium plated gold



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130309	8"	PVC card	6	36

GARDEN TOOLS

BYPASS HAND LOPPER

- Blade material: 65Mn
- Body material: carbon steel
- PP+TPR soft grip
- Surface: Chrome plated + Teflon



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130210	28"	Color label	4	24

BYPASS HAND LOPPER

- Blade material: 65Mn
- Body material: carbon steel
- PP+TPR soft grip
- Surface: Chrome plated + Teflon



Adjustable length



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130211	28"	Color label	4	24

BYPASS HAND LOPPER

- Blade material: 65Mn
- Body material: carbon steel
- PP+TPR soft grip
- Surface: Chrome plated + Teflon



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130212	24"	Color label	4	24

GARDEN SHEAR

- Blade material: carbon steel
- Body material: carbon steel
- PP+TPR soft grip
- Surface: Teflon



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130213	22"	Color label	4	24

GARDEN SHEAR

- Blade material: carbon steel
- Body material: carbon steel
- PP+TPR soft grip
- Surface: Teflon



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130214	22"	Color label	4	24

GARDEN SHEAR

- Blade material: carbon steel
- Body material: carbon steel
- PP+TPR soft grip
- Surface: chrome plated
- Aluminum telescoping 70-86cm



ITEM NO.	PACKING	INNER	MASTER
M130215	Color label	4	24

GARDEN SHEAR

- Blade material: carbon steel
- Body material: carbon steel
- Wooden handle
- Surface: polished



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130216	21"	Color label	4	24

GARDEN TOOL SET

- Blade material: Stainless
- Wooden handle
- Transplanter, Trowel, Fork, Cultivator



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130217	4pcs / set	Bag + color header	6	24

GARDEN TOOL SET

- Blade material: Aluminium alloy
- PP+TPR soft grip
- Transplanter, Trowel, Fork, Cultivator, Hoe



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130218	5pcs / set	Color box	4	16

GARDEN TOOL SET

- Blade material: Aluminium alloy
- 1pc glove
- 1pc shovel
- 1pc cultivator
- 3pc mini shovel
- 1pc saw
- 1pc shear
- 1pc bottle
- 1pc canvas bag



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M130219	10pcs / set	Color box	1	5

GARDEN HOSE

- Function: jet, shower, flat, center, cone, full, mist
- Brass connector
- Latex tube



ITEM NO.	LENGTH	PRESSURE MAX	PACKING	INNER	MASTER
M130301	15M	10kgs	Color box	1	8
M130300	22.5m	10kgs	Color box	1	8

RAKE 14 TEETH

- Thickness: 4.3mm
- Wooden handle Dia.2.7cm
- Wooden handle length 120cm



ITEM NO.	PACKING	INNER	MASTER
M130401	Color label	1	8

RAKE 16 TEETH

- Thickness: 3.0mm
- Wooden handle Dia.2.7cm
- Wooden handle length 130cm



ITEM NO.	PACKING	INNER	MASTER
M130402	Color label	1	6

METAL RAKE 22 TEETH

- 65# carbon steel
- Powder coating
- Size: 55x40.5cm
- Fiberglass handle length 137cm



ITEM NO.	PACKING	INNER	MASTER
M130403	Color label	1	12

RAINCOAT

- 100% PVC
- Thickness: 0.32mm



ITEM NO.	SIZE	PACKING	INNER	MASTER
M140101	S	Transparent bag W / color card	5	20
M140102	M	Transparent bag W / color card	5	20
M140103	L	Transparent bag W / color card	5	20
M140104	XL	Transparent bag W / color card	5	20

RAINCOAT

- 100% PVC
- Thickness: 0.32mm



ITEM NO.	SIZE	PACKING	INNER	MASTER
M140105	S	Transparent bag W / color card	5	20
M140106	M	Transparent bag W / color card	5	20
M140107	L	Transparent bag W / color card	5	20
M140108	XL	Transparent bag W / color card	5	20

RAINCOAT

- 100% PVC



ITEM NO.	THICKNESS	PACKING	INNER	MASTER
M140109	0.1mm	Transparent bag W / color card	5	20
M140110	0.3mm	Transparent bag W / color card	5	20

RAINCOAT

- Thickness: 0.32mm



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M140111	100x125cm	P bag + color header	50	200

OVERALL PROTECTIVE CLOTHING

- PP
- 50g/㎡



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M140201	S	Color bag	5	30
M140202	M	Color bag	5	30
M140203	L	Color bag	5	30
M140204	XL	Color bag	5	30

SAFETY GOGGLES

- PVC
- Transparent
- Elastic strap
- CE ANSI



ITEM NO.	PACKING	INNER	MASTER
M140301	Opp bag + color header	10	100

SAFETY GOGGLES

- PVC
- Transparent
- Elastic strap
- CE



ITEM NO.	PACKING	INNER	MASTER
M140302	Opp bag + color header	10	100

SAFETY GOGGLES

- Lens material: pc
- Frame material: nylon with pc
- Arm material: nylon with pc
- CE ANSI



ITEM NO.	PACKING	INNER	MASTER
M140303	Opp bag + color header	10	50

SAFETY EARMUFF

- Noise reduction
- Soft Headbank Sleeve



ITEM NO.	PACKING	INNER	MASTER
M140304	Opp bag + color header	10	50

SAFETY HELMET

- ABS
- Adjust Manner: Ratchet / Buckle
- CE: EN397



ITEM NO.	PACKING	INNER	MASTER
M140305	Color label	5	20

SAFETY MASK

- Material: non-woven + filter cloth
- Elastic rope
- CE



ITEM NO.	PACKING	INNER	MASTER
M140306	Color box	50	500

FFP2 FOLDABLE MASK WITHOUT VALVE

- Non-woven fabric, melt blown fabric, molded cotton
- Weight: 8g
- EN149: 2001+A1: 2009



ITEM NO.	PACKING	INNER	MASTER
M140312	Opp bag + color header	50	500



CAR ACCESSORIES

FFP2 CUP MASK WITHOUT VALVE

- Non-woven fabric, melt blown fabric, molded cotton
- EN149: 2001+A1: 2009



ITEM NO.	PACKING	INNER	MASTER
M140318	Opp bag + color header	50	500

SAFETY RAIN BOOTS

- Oil and corrosion resistant PVC/NBR material
- Smooth-peel sturdy head
- Non-slip shoe bottom
- Stab-proof steel middle layer



ITEM NO.	PACKING	INNER	MASTER
M140307	Color label	60	20

SAFETY VEST

- 100% Polyster
- Reflective tape width 5cm
- 100g/m²
- Size: 60x50cm



ITEM NO.	COLOR	PACKING	INNER	MASTER
M150101	Orange	Opp bag + color header	5	50
M150102	Yellow	Opp bag + color header	5	50

SAFETY VEST

- 100% Polyster
- Reflective tape width 5cm
- 100g/m²
- Size: 46x50cm



ITEM NO.	COLOR	PACKING	INNER	MASTER
M150103	Orange	Opp bag + color header	5	50
M150104	Yellow	Opp bag + color header	5	50

LATEX GLOVES

- 100% latex
- Industrial use



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M140308	M	Color bag	12	144
M140309	L	Color bag	12	144

LATEX GLOVES

- 100% latex
- Household use



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M150310	M	Color bag	12	144
M150311	L	Color bag	12	144

SAFETY VEST

- 100% Polyster
- 80g/m²
- Size: 46x60cm



ITEM NO.	COLOR	PACKING	INNER	MASTER
M150105	Orange	Opp bag + color header	5	50
M150106	Yellow	Opp bag + color header	5	50

CONE

- PVC
- UV reflective tape



ITEM NO.	HEIGHT	REFLECTIVE STRIP	PACKING	INNER	MASTER
M150107	45cm	10cm	Color label	1	5
M150108	70cm	25cm	Color label	1	5
M150109	90cm	10+15cm	Color label	1	5

CAR ACCESSORIES

COLLAPSIBLE CONE

- 300D Waterproof oxford cloth
- 2 reflective tape



ITEM NO.	BASE	HEIGHT	REFLECTIVE TAPE	PACKING	INNER	MASTER
M150110	34x34cm	45cm	3.5cm	Color label	1	30

POST

- PVC post
- ABS base
- Height: 1.15m
- Base Dia. 40cm



ITEM NO.	REFLECTIVE TAPE WIDTH	PACKING	INNER	MASTER
M150111	25cm	Color label	4	4

BOOSTER CABLE

- Mat. roll: Copper clad aluminum
- PVC handle
- Iron plating copper clip
- CE certification



ITEM NO.	AWG	[illegible]	LENGTH	PACKING	INNER	MASTER
M150117	10AWG	120A	3m	Color card	5	20
M150118	10AWG	100A	3m	Color card	5	20

BOOSTER CABLE

- Material: Copp r clad aluminum
- PVC handle
- Iron plating copper clip
- CE certification



ITEM NO.	AWG	[illegible]	LENGTH	PACKING	INNER	MASTER
M150119	8AWG	200A	3m	Plastic bag + color card	2	10
M150120	6AWG	350A	3.5m			

SAFETY NET

- Material: PE
- 100g/m²
- Hole size: 110x30mm
- Weight: 3.6kgs



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M150112	1.2mx30.0m	Color label	1	1

FOOT AIR PUMP

- Portable manual high pressure
- Total length: 22cm
- Base thickness: 2.5mm
- 70PSI
- 60cm air tube
- Include valve



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M150113	62x100mm	Color box	6	36

48" STEEL BED

- Material: carbon steel
- Nylon wheels, caster 360°
- Max loading: 130kgs



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M150121	1200x400mm	Brown box + color label	1	1



HAND AIR PUMP

- Steel tube
- Handle and base: PP
- 120PSI
- 60cm TPU tube
- Include valve



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M150114	44x570mm	Color hanger	1	12

HAND AIR PUMP

- Steel tube
- 70PSI
- 60cm AIR tube
- Include valve





ITEM NO.	SPEC.	PACKING	INNER	MASTER
M150115	32x390mm	Bag + color header	5	20
M150116	40x390mm	Bag + color header	6	24

FOLDING PLATFORM TROLLEY

- Steel Material
- Platform height: 18.5 cm
- Total height with tubular backrest: 90 cm
- 4pcs 5" PP wheels
- Loading capacity: 300kgs
- Weight: 11.8 kgs



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M150122	81x61cm	Brown box + color label	1	1

DOLLY

- PP material
- 4pcs PP wheels
- Loading capacity: 1000.5S
- Weight: 5.7 kgs



ITEM NO.	SPEC.	PACKING	INNER	MASTER
M150123	77x48cm	Brown box + color label	1	1

CAR ACCESSORIES

HAND PULLER

- Body material: A3 steel
- Hook material: #45 carbon steel
- White zinc plating





ITEM NO.	CAPACITY MA.	WEIGHT	CABLE DIA.	CABLE LEGTH	PACKING	INNER	MASTER
M150124	1Ton	2.05kgs	4.5mm	2.3m	Color box	2	6
M150125	2Ton	2.8kgs	5.0mm	3m	Color box	2	6
M150126	4Ton	4.05kgs	8.0mm	3.5m	Color box	1	2

WINCH

- Body material: A3 steel
- Hook material: #45 carbon steel
- Black finished





ITEM NO.	CAPACITY MA.	WEIGHT	CABLE DIA.	CABLE LEGTH	PACKING	INNER	MASTER
M150127	1200lb	3.45kgs	4.1mm	9.5m	Color box	1	6
M150128	2000lb	5.6kgs	5.0mm	9.5m	Color box	1	6

WIRE ROPE PULLER

- Aluminium body
- Length of Tube 70 +120cm
- For lifting
- Tensioning and Securing tools





ITEM NO.	CAPACITY MA.	WEIGHT	CABLE DIA.	CABLE LEGTH	PACKING	INNER	MASTER
M150129	1.8Ton	12kgs	11mm	25m	Brown box + color label	1	1
M150130	3.2Ton	22.7kgs	16mm	30m			

HITCH BALL

- Material: #45carbon steel
- Screw Diameter: 3/4"
- Screw Length: 2-1/8






ITEM NO.	CAPACITY MAX.	USAGE/MEKT BAL.	PACKING	INNER	MASTER
M150131	5000lb	7	Double blister	6	24


ABOUT THE FILES

Technological Process

Each step of process reflects the efforts of JinFeng, Traditional process, professional equipment, advanced testing facility. Serious work, high quality products. Let JinFeng steel file win the trust of customer.




SHAPE



• Area to be filed will determine the type (round, square, flat, etc.)of the file to be used

CUTTING NO.TABLE



±10% allowance

mm		Bastard ① cuts /cm	Second ② cuts /cm	Smooth ③ cuts /cm	Dead smooth ④ cuts /cm
6"	150	11	16	22	32
8"	200	10	14	20	28
10"	250	9	12	18	25
12"	300	8	11	16	22
14"	350	7	10	14	20
16"	400	6	9	12	17

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

ABOUT THE FILES

The Application Of the File

Filing different metals

Different metals vary greatly in character and properties, some are softer than others are, and some are more ductile and so on. The nature of the metal has to be taken carefully into account when choosing the right file and applying it to the job. For instance, a soft ductile metal requires a keen file and only light pressure must be applied during filing if the work is not to be deformed. Conversely, a hard and less ductile metal may require a file with duller teeth to avoid them biting too deep and breaking off when pressure is applied. When filing a material the user can normally feel whether or not he is using the right file,

and filing in the correct manner. All things being correct, a smooth cutting action and a good clean finish on the work is achieved. If there is stubborn resistance, chances are the wrong file is being used, the file is damaged or the wrong method is being used.


Filing rough castings

Snagging castings, removing fins, spurs and other projections, is hard on normal files. Their teeth are for fast cutting and do not possess the ruggedness for driving against hard projections and edges. This filing engages only a few teeth, thus putting a strain on each. For such work, it is better to use a Foundry file with sturdier teeth and heavy-set edges to resist shelling or breaking out.




Filing die castings

Like foundry castings, die castings usually have sharp corners, webs, fins or flashing which are liable to damage a normal file. In addition, die castings consist of magnesium, zinc, aluminum, alloy or similar combinations of metal which have the tendency to clog regular files. Depending on the shape.



Filing soft materials

Soft materials such as Aluminum, Brass, Copper, Plastics hard rubber and Wood, a Shear Tooth file provides fast material removal with good smoothing qualities. The combination of the Single Cut and the Long Angle helps the Shear Tooth file to clear. Because of the Long Angle the file has a tendency to run to the left on narrow surfaces.
This can be overcome by filing with a diagonal stroke to the right.




※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

Filing Bronze (Copper, tin or other alloying elements)

Bronze is similar in nature to brass in some aspects, but varies according to the percentages of alloying elements.

Average sharpness of the file is satisfactory for some bronzes, while for others, a file that can maintain its sharpness for longer periods is required. Thus, for the harder bronzes, a file with a more acute angle at the top of the tooth is desirable. This is known as a thin topped tooth.




The direction of stroke of the file should be crossed frequently to avoid grooving with bronze and brass.

Filing aluminum


Aluminum is soft and is difficult to file, file teeth clog even under moderate pressure. Filing aluminum is divided into:
1) Filing roughness from aluminum castings,
2) Filing sheet and bar aluminum,
3) Filing aluminum alloys.

To produce a good finish, the Aluminum Type A file has been developed. The file upcut is deep with an open throat, the overcut fine which produces small scallops on the upcut. This breaks up the filings and allows the file to clear. This also overcomes chatter and prevents too large a bite. By using a shearing stroke toward the left, a good finish can be obtained.



Filing plastics

Hard plastics are dense and brittle, and material is removed as light powder. The abrasiveness of hard plastics requires files with high sharp teeth. Soft plastics are filed in shreds so Shear Tooth files should be used for this application.





FILE USE INSTRUCTIONS

THE CHOICE OF THE FILE

1) Bastard cuts files are normally used on soft metal which has lower requests of precision accuracy and fineness. Smooth cuts are widely used on the surface that has high requests of precision accuracy and fineness. Second cuts file are most welcome.
2) New files' cuts are sharp, make sure use it on soft metal firstly, after some days use, then use on harder surface.
3) Quenching material and high hardness surface, use grinding wheel grind the hard surface firstly to make sure it is smooth enough, then use second or smooth cuts files.
4) Right handle helps to make the files work better.

THE USING OF THE FILE

1) Clean the antirust oil before you use the file, as the file is made of high carbon steel, it has high hardness and easy to break, do not try to use as crowbar and tuck the files to remove the debris.
2) Use wire brush to clean the cuts according to the direction of late filing profile frequently.
3) Don't use it too fast and make sure the files are used under stable and balanced condition.
4) Prevent the files falls from high position, it will be break and very dangerous.

THE PRESERVE OF THE FILE

1) Keep the files away from water, oil and other dirties.
2) The files should not over lap each other or belongs with the rest of the tools. Or it may damage the files cuts.

WARING!

Using tools can be dangerous, always take care and keep away from Children. Wear protective eyewear in work area at all time. Select correct type and size of tool for work.


1.	Do not use a new file on hard metal.
2.	Do not use files on the hardening steel.
3.	If the aluminium pieces or the other casting are rough or sanded, after rubbed off, then we can use the file.
4.	Use one side of the file firstly, after it becomes blunt, then turn to the other side of the file.
5.	Using the file, we always need a file brush to clear the fillings between the cuts of the file.
6.	The files should not lap over each other or belongs with the rest of the tools.
7.	Using the file should not be too fast , or otherwise, it will be frayed easily.
8.	Keep the files away from water, the oil or the other dirties.
9.	Smooth files can not be used on soft metal.
10.	Do not try to fold it with hand, it may be easy to break off and hurt your hand.
11.	Do not use any file as crowbar, it may break easily.

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

Steel files



- √ T12 high steel used
- √ High-hardness
- √ Comfortable handle
- √ Good looking
- √ Exquisite craft





STEEL FILE

Name: HAND FILES

Rubin Files & Rasps
Rubin Professional Quality




Shape: Edges parallel in width and tapered slightly in thickness. Double cut, one safe (uncut) edge.
Usage: For work on high alloy tool steels.The safe(uncut)edge allows filing right up to corners.



LENGTH	SIZE/MM	STOCK #			BOXQTY.
		BASTARD CUT	SECOND CUT	SMOOTH CUT	
4"	12.0*3.0	JF10104(1)	JF10104(2)	JF10104(3)	12
5"	14.0*3.2	JF10105(1)	JF10105(2)	JF10105(3)	12
6"	16.0*3.5	JF10106(1)	JF10106(2)	JF10106(3)	12
8"	20.0*4.2	JF10108(1)	JF10108(2)	JF10108(3)	12
10"	24.0*5.2	JF10110(1)	JF10110(2)	JF10110(3)	12
12"	28.0*6.2	JF10112(1)	JF10112(2)	JF10112(3)	6
14"	32.0*7.2	JF10114(1)	JF10114(2)	JF10114(3)	6
16"	36.0*8.0	JF10116(1)	JF10116(2)	JF10116(3)	6
18"	40.0*9.0	JF10118(1)	JF10118(2)	JF10118(3)	6

Name: FLAT FILES

Rubin Files & Rasps
Rubin Professional Quality




Shape: Rectangular in cross section and tapers towards the point in width. Double cut on both sides,single cut on edges.
Usage: Used primarily in plants, machine shops and garages where rapid stock removal of iron and metal is called for.



LENGTH	SIZE/MM	STOCK #			BOXQTY.
		BASTARD CUT	SECOND CUT	SMOOTH CUT	
4"	12.0*3.0	JF10204(1)	JF10204(2)	JF10204(3)	12
5"	14.0*3.2	JF10205(1)	JF10205(2)	JF10205(3)	12
6"	16.0*3.5	JF10206(1)	JF10206(2)	JF10206(3)	12
8"	20.0*4.2	JF10208(1)	JF10208(2)	JF10208(3)	12
10"	24.0*5.2	JF10210(1)	JF10210(2)	JF10210(3)	12
12"	28.0*6.2	JF10212(1)	JF10212(2)	JF10212(3)	6
14"	32.0*7.2	JF10214(1)	JF10214(2)	JF10214(3)	6
16"	36.0*8.0	JF10216(1)	JF10216(2)	JF10216(3)	6
18"	40.0*9.0	JF10218(1)	JF10218(2)	JF10218(3)	6

Name: HALF ROUND FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Rounded on one side and flat on the opposite. Both sides are double cut and taper towards the point in width.
Usage: The half round side makes this file ideal for rounding out holes. Also used on concave, convex and flat surfaces.



LENGTH	SIZE/MM	STOCK #			BOXQTY.
		BASTARD CUT	SECOND CUT	SMOOTH CUT	
4"	12.0*3.5	JF10304(1)	JF10304(2)	JF10304(3)	12
5"	14.0*4.0	JF10305(1)	JF10305(2)	JF10305(3)	12
6"	16.0*5.0	JF10306(1)	JF10306(2)	JF10306(3)	12
8"	20.0*5.5	JF10308(1)	JF10308(2)	JF10308(3)	12
10"	24.0*7.0	JF10310(1)	JF10310(2)	JF10310(3)	12
12"	28.0*8.0	JF10312(1)	JF10312(2)	JF10312(3)	6
14"	32.0*9.0	JF10314(1)	JF10314(2)	JF10314(3)	6
16"	35.0*9.5	JF10316(1)	JF10316(2)	JF10316(3)	6
18"	38.0*10.0	JF10318(1)	JF10318(2)	JF10318(3)	6

Name: SQUARE FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: The cross-section is square. It is double cut and tapers to wards the point.
Usage: For filing square holes, slots, keyways, inside corners and general surface filing. All four sides are equal filing surfaces.



LENGTH	SIZE/MM	STOCK #			BOXQTY.
		BASTARD CUT	SECOND CUT	SMOOTH CUT	
4"	4.0*4.0	JF10404(1)	JF10404(2)	JF10404(3)	12
5"	5.0*5.0	JF10405(1)	JF10405(2)	JF10405(3)	12
6"	6.0*6.0	JF10406(1)	JF10406(2)	JF10406(3)	12
8"	7.5*7.5	JF10408(1)	JF10408(2)	JF10408(3)	12
10"	9.0*9.0	JF10410(1)	JF10410(2)	JF10410(3)	12
12"	11.0*11.0	JF10412(1)	JF10412(2)	JF10412(3)	6
14"	13.5*13.5	JF10414(1)	JF10414(2)	JF10414(3)	6
16"	15.5*15.5	JF10416(1)	JF10416(2)	JF10416(3)	6
18"	17.0*17.0	JF10418(1)	JF10418(2)	JF10418(3)	6

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

STEEL FILE

Name: THREE SQUARE FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Triangular tapered files, double cut on both sides and single cut on edges. Angles are 60 and taper to wards the point.
Usage: For use in corners and holes, filing angles, taps and cutters.



LENGTH	SIZE/MM	STOCK #			BOXQTY.
		BASTARD CUT	SECOND CUT	SMOOTH CUT	
4"	8.0*8.0	JF10504(1)	JF10504(2)	JF10504(3)	12
5"	9.5*9.5	JF10505(1)	JF10505(2)	JF10505(3)	12
6"	11.0*11.0	JF10506(1)	JF10506(2)	JF10506(3)	12
8"	12.5*12.5	JF10508(1)	JF10508(2)	JF10508(3)	12
10"	15.0*15.0	JF10510(1)	JF10510(2)	JF10510(3)	12
12"	17.0*17.0	JF10512(1)	JF10512(2)	JF10512(3)	6
14"	20.0*20.0	JF10514(1)	JF10514(2)	JF10514(3)	6
16"	22.0*22.0	JF10516(1)	JF10516(2)	JF10516(3)	6
18"	24.0*24.0	JF10518(1)	JF10518(2)	JF10518(3)	6

Name: ROUND FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Tapers slightly towards the point.
Usage: Primarily used to enlarge circular holes, moldings, concave surfaces and rounded grooves. Tapered point adapts to numerous hole sizes.



LENGTH	SIZE□	STOCK #			BOXQTY.
		BASTARD CUT	SECOND CUT	SMOOTH CUT	
4"	4.0□	JF10604(1)	JF10604(2)	JF10604(3)	12
5"	5.0□	JF10605(1)	JF10605(2)	JF10605(3)	12
6"	6.0□	JF10606(1)	JF10606(2)	JF10606(3)	12
8"	7.5□	JF10608(1)	JF10608(2)	JF10608(3)	12
10"	9.5□	JF10610(1)	JF10610(2)	JF10610(3)	12
12"	11.0□	JF10612(1)	JF10612(2)	JF10612(3)	6
14"	13.0□	JF10614(1)	JF10614(2)	JF10614(3)	6
16"	15.0□	JF10616(1)	JF10616(2)	JF10616(3)	6
18"	17.0□	JF10618(1)	JF10618(2)	JF10618(3)	6

Remarks:

Name: ONE ROUND FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Tapers slightly towards the point.
Usage: Primarily used to enlarge circular holes, moldings, concave surfaces and rounded grooves. Tapered point adapts to numerous hole sizes.



LENGTH	SIZE□	STOCK #			BOXQTY.
		BASTARD CUT	SECOND CUT	SMOOTH CUT	
4"	4.0□	JF10704(1)	JF10704(2)	JF10704(3)	12
5"	5.0□	JF10705(1)	JF10705(2)	JF10705(3)	12
6"	6.0□	JF10706(1)	JF10706(2)	JF10706(3)	12
8"	7.5□	JF10708(1)	JF10708(2)	JF10708(3)	12
10"	9.5□	JF10710(1)	JF10710(2)	JF10710(3)	12
12"	11.0□	JF10712(1)	JF10712(2)	JF10712(3)	6
14"	13.0□	JF10714(1)	JF10714(2)	JF10714(3)	6
16"	15.0□	JF10716(1)	JF10716(2)	JF10716(3)	6
18"	17.0□	JF10718(1)	JF10718(2)	JF10718(3)	6

Name: CHAIN SAW FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: In a straight line
Usage: Grinding saws, maintenance machines, maintenance machines.

LENGTH	SIZE□	STOCK #	BOXQTY.
8"	5/32	JF10808(4.0)	12
8"	3/16	JF10808(4.8)	12
8"	7/32	JF10808(5.5)	12


Remarks:

※1–BASTARD CUT ※2–SECOND CUT ※3–SMOOTH CUT

STEEL FILE

Name: HAND MILL FILES

Rubin Files & Rasps
Rubin Professional Quality




Shape: Rectangular shape. Tapers slightly in width. Sides and edges are single cut.
Usage: Most common used file for a multitude of Applications. It is suitable for sharpening various Types of saws and tools, draw filing, and finishing Metals. A Mill File is similar to a Flat File except a Mill is single cut and a flat is double cut.



LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
6"	16.0*3.0	JF10906(2)	12
8"	20.0*3.8	JF10908(2)	12
10"	24.0*4.5	JF10910(2)	12
12"	28.0*5.2	JF10912(2)	6
14"	32.0*6.0	JF10914(2)	6

Name: FLAT MILL FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Rectangular shape. Tapers slightly in width. Sides and edges are single cut.
Usage: Most common used file for a multitude of Applications. It is suitable for sharpening various Types of saws and tools, draw filing, and finishing Metals. A Mill File is similar to a Flat File except a Mill is single cut and a flat is double cut.



LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
6"	16.0*3.0	JF11006(2)	12
8"	20.0*3.8	JF11008(2)	12
10"	24.0*4.5	JF11010(2)	12
12"	28.0*5.2	JF11012(2)	6
14"	32.0*6.0	JF11014(2)	6

Remarks:

Name: FEATHER EDGE FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Straight line showing diamond.
Usage: Maintenance of machinery, maintenance machinery, removal of machine surface dirt, increase the use of mechanical life.



LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
3"	17.0*2.5	JF11103(2)	12
4"	20.0*3.5	JF11104(2)	12
5"	24.0*4.0	JF11105(2)	12
6"	28.0*5.0	JF11106(2)	12
8"	32.0*5.5	JF11108(2)	12

Name: FEATHER EDGE FILES

Rubin Files & Rasps
Rubin Professional Quality




Shape: Straight line showing diamond.
Usage: Maintenance of machinery, maintenance machinery, removal of machine surface dirt, increase the use of mechanical life.



LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
5"	19.0*5.2	JF11205	12

Name: DOUBULE FEATHER EDGE FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Straight line showing diamond. Both sides have the handle of the installation.
Usage: Maintenance of machinery, maintenance machinery, removal of machine surface dirt, increase the use of mechanical life.




LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
6"	28.0*9.0	JF11306(2)	12
8"	30.0*10.0	JF11308(2)	12

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

STEEL FILE

Name: KNIFE FILES

Ruixin Files & Rasps
Ruixin Professional Quality




Shape: Knife blade shaped, double cut on both sides, Single cut on the knife edge with safe back (uncut).
Usage: Features a long wedge section for working in slots. Primarily used by tool & die makers dealing with.Acute angles



LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	16.0*4.5	JF11406(1)	JF11406(2)	12
8"	20.0*5.0	JF11408(1)	JF11408(2)	12
10"	21.0*6.0	JF11410(1)	JF11410(2)	12
12"	22.0*7.0	JF11412(1)	JF11412(2)	6

Name: FARMERS OWN FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: One side double cut for fast stock removal and One side single cut for smoother finishing Edge single cut and one edge safe (uncut).
Usage: Has many reasons such as sharpening hoes, Lawn mower blades, sharpening metals and Smoothening plastics




LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	20.0*4.0	JF11506(1)	JF11506(2)	12
8"	24.0*4.5	JF11508(1)	JF11508(2)	12
10"	28.0*5.5	JF11510(1)	JF11510(2)	12
12"	31.0*6.5	JF11512(1)	JF11512(2)	6

Remarks:

Name: BLUNT TRIANGULAR FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Triangular tapered files, double cut on both sides and single cut on edges. Angles are 60 and taper to wards the point.
Usage: For use in corners and holes, filing angles, taps and cutters.



LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
4"	8.0*8.0	JF11604(2)	12
5"	9.5*9.5	JF11605(2)	12
6"	11.0*11.0	JF11606(2)	12
7"	12.0*12.0	JF11607(2)	12
8"	13.0*13.0	JF11608(2)	12

Name: HEAVY TRIANGLUAR FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Triangular tapered files, double cut on both sides and single cut on edges. Angles are 60 and taper to wards the point.
Usage: For use in corners and holes, filing angles, taps and cutters.



LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
4"	9.5*9.5	JF11704(2)	12
5"	10.5*10.5	JF11705(2)	12
6"	12.5*12.5	JF11706(2)	12
7"	13.5*13.5	JF11707(2)	12
8"	15.0*15.0	JF11708(2)	12

Name: SLIM TAPER FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Triangular tapered files, double cut on both sides and single cut on edges. Angles are 60 and taper to wards the point.
Usage: For use in corners and holes, filing angles, taps and cutters.



LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
4"	6.0*6.0	JF11804(2)	12
5"	7.0*7.0	JF11805(2)	12
6"	8.5*8.5	JF11806(2)	12
7"	10.0*10.0	JF11807(2)	12
8"	11.0*11.0	JF11808(2)	12

※1=BASTARD CUT ※2=SECOND CUT ※3=SMOOTH CUT

STEEL FILE

Name: EXTRA SLIM TAPER FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Triangular tapered files, double cut on both sides and single cut on edges. Angles are 60 and taper to wards the point.

Usage: For use in corners and holes, filing angles, taps and cutters.



LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
4"	4.5*4.5	JF11904(2)	12
5"	5.5*5.5	JF11905(2)	12
6"	6.5*6.5	JF11906(2)	12
7"	8.0*8.0	JF11907(2)	12
8"	9.5*9.5	JF11908(2)	12

Name: DOUBLE TRIANGULAR FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Double head.triangular tapered files, double cut on both sides and single cut on edges. Angles are 60 and taper to wards the point.

Usage: For use in corners and holes, filing angles, taps and cutters.



LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
4"	6.0*6.0	JF12004(2)	12
5"	7.0*7.0	JF12005(2)	12
6"	8.5*8.5	JF12006(2)	12
7"	10.0*10.0	JF12007(2)	12
8"	11.0*11.0	JF12008(2)	12

Name: THIN FLAT FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Ultra thin.Rectangular in cross section and tapers towards the point in width. Double cut on both sides,single cut on edges.

Usage: Used primarily in plants, machine shops and garages where rapid+6 stock removal of iron and metal is called for.



LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
4"	12.0*1.2	JF12104(2)	12
6"	14.5*2.0	JF12106(2)	12

Name: THE THIN SHARP FLAT FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: :Ultra thin.Rectangular in cross section and tapers towards the point in width. Double cut on both sides,single cut on edges.


Usage: Used primarily in plants, machine shops and garages where rapid stock removal of iron and metal is called for.



LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
4"	12.0*1.2	JF12204(2)	12
6"	14.5*2.0	JF12206(2)	12

Name: THIN NONGLIAN FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Ultra thin.One side double cut for fast stock removal and One side single cut for smoother finishing Edge single cut and one edge safe (uncut).

Usage: Has many reasons such as sharpening hoes, Lawn mower blades, sharpening metals and Smoothening plastics



LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
4"	9.0*1.0	JF12304(2)	12
6"	14.0*1.5	JF12306(2)	12

Name: BENDING FLAT FILES

Rubin Files & Rasps
Rubin Professional Quality

Shape: file tapers towards the end.

Usage: Commonly used in the automotive industry for metal Finishing and repair work.



LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
8"	20.0*4.5	JF12408(1)	JF12408(2)	12
10"	24.0*5.0	JF12410(1)	JF12410(2)	12
12"	28.0*6.0	JF12412(1)	JF12412(2)	6

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

Aluminum files



- √ T12 high steel used
- √ Durable
- √ Saw tooth unify
- √ Various shapes & wide applications
- √ Sharp wear-resisting
- √ Exquisite Craft





ALUMINUM FILE

Name: ALUMINUM FLAT FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Rectangular in cross section.Shape rectangular.Double cut on both sides.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK #		BOX
		BASTARD CUT	SECOND CUT	
6"	16.0*4.0	JF30106(1)	JF30106(2)	12
8"	20.0*4.5	JF30108(1)	JF30108(2)	12
10"	24.0*5.5	JF30110(1)	JF30110(2)	12
12"	28.0*6.5	JF30112(1)	JF30112(2)	6
14"	32.0*7.5	JF30114(1)	JF30114(2)	6
16"	36.0*8.5	JF30116(1)	JF30116(2)	6

Name: COMBINED FLAT ALUMINUM FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Rectangular in cross section.Two kinds of teeth.Shape rectangular.Double cut on both sides.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK #		BOX
		BASTARD CUT	SECOND CUT	
6"	16.0*4.0	JF30206(1)	JF30206(2)	12
8"	20.0*4.5	JF30208(1)	JF30208(2)	12
10"	24.0*5.5	JF30210(1)	JF30210(2)	12
12"	28.0*6.5	JF30212(1)	JF30212(2)	6
14"	32.0*7.5	JF30214(1)	JF30214(2)	6
16"	36.0*8.5	JF30216(1)	JF30216(2)	6

Name: DOUBLE OBLIQUE TEETH FLAT ALUMINUM FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Rectangular in cross section.Two-way twill.Shape rectangular.Double cut on both sides.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK #		BOX
		BASTARD CUT	SECOND CUT	
6"	16.0*4.0	JF30306(1)	JF30306(2)	12
8"	20.0*4.5	JF30308(1)	JF30308(2)	12
10"	24.0*5.5	JF30310(1)	JF30310(2)	12
12"	28.0*6.5	JF30312(1)	JF30312(2)	6
14"	32.0*7.5	JF30314(1)	JF30314(2)	6

Name: A SINGLE ALUMINUM FLAT FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Rectangular in cross section.One-way tooth pattern.Shape rectangular.Double cut on both sides.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK #		BOX
		BASTARD CUT	SECOND CUT	
6"	16.0*4.0	JF30406(1)	JF30406(2)	12
8"	20.0*4.5	JF30408(1)	JF30408(2)	12
10"	24.0*5.5	JF30410(1)	JF30410(2)	12
12"	28.0*6.5	JF30412(1)	JF30412(2)	6
14"	32.0*7.5	JF30414(1)	JF30414(2)	6

Name: HALF ROUND ALUMINUM FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Was semi-circular, double-sided teeth, to the top gradually reduced, the top smooth.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK #		BOX
		BASTARD CUT	SECOND CUT	
6"	16.0*5.0	JF30506(1)	JF30506(2)	12
8"	20.0*5.5	JF30508(1)	JF30508(2)	12
10"	24.0*7.0	JF30510(1)	JF30510(2)	12
12"	28.0*8.0	JF30512(1)	JF30512(2)	6

Name: DOUBLE HOLE OBLIQUE TEETH HOLLOW ALUMINUM SEMICIRCLE FILES

Ruixin Files & Rasps
Ruixin Professional Quality



Shape: Was semi-circular, single-sided tooth pattern, while the top gradually narrowed, the other end was a straight line, the top smooth, no handle, both ends of the hole.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK #	BOX
		SECOND CUT	
8"	20.0*8.0	JF30608(2)	12
10"	24.0*10.0	JF30610(2)	12

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

ALUMINUM FILE

Name: HELICAL HOLLOW ALUMINUM SEMICIRCLE

Rubin Files & Rasps
Rubin Professional Quality



Shape: Was semi-circular, single-sided teeth, while the tip gradually narrowed, the top smooth, with a handle.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOX
8"	20.0*8.0	JF30708(2)	12
10"	24.0*10.0	JF30710(2)	12

Name: DOUBLE ALUMINUM SEMICIRCLE FILING

Rubin Files & Rasps
Rubin Professional Quality



Shape: Semi-circular, single-sided teeth, was linear, smooth at the top, both sides of the hole.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOX
14"	34.0*9.0	JF30814(2)	6

Name: DOUBLE ALUMINUM FLAT FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Was flat shape, double-tooth pattern, single-sided tooth pattern, was linear, the top smooth, both sides of the hole.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOX
14"	32.0*5.0	JF30914(2)	6

Remarks:

Name: DOUBLE HELICAL GEAR ALUMINUM FLAT FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Was flat shape, double tooth pattern, was linear, the top neat, both sides of the hole.
Usage: Fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOX
10"	24.0*5.0	JF31010(2)	12
14"	32.0*5.0	JF31014(2)	12

Name: CURVED TEETH FILE FRAME

Rubin Files & Rasps
Rubin Professional Quality



File Holder can be used with either flat or half round flexible files without tang. Handle is designed for right and left hand use. Screw adjustment on turnbuckle can be tightened to flex file.

LENGTH	SIZE/MM	STOCK #
14"	35.0*12.0*3.0	JF31114

Name: ALUMINUM SQUARE FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Square cross section, cut on four sides
Usage: Used for fast cutting tooth design for use on aluminum and other soft metals.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOX
6"	6.0*6.0	JF31206	12
8"	7.5*7.5	JF31208	12
10"	9.0*9.0	JF31210	12
12"	11.0*11.0	JF31212	6

※1–BASTARD CUT ※2–SECOND CUT ※3–SMOOTH CUT

Rasp files



- √ #45 high carbon steel used
- √ Good hand feeling
- √ High strength
- √ Durable
- √ Saw tooth unify
- √ Various shapes & wide applications





RASP FILES

Name: FLAT WOOD RASP FILES

Rubbin Files & Rasps
Rubbin Professional Quality



Shape: Flat shape, double-sided teeth, double-sided safety side.
Usage: Used extensively by cabinet makers, leather workers, and aluminum craftsmen.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	16.0*3.5	JF40106(1)	JF40106(2)	12
8"	20.0*4.0	JF40108(1)	JF40108(2)	12
10"	24.0*4.8	JF40110(1)	JF40110(2)	12
12"	28.0*5.8	JF40112(1)	JF40112(2)	6

Name: HALF ROUND WOOD RASP FILES

Rubbin Files & Rasps
Rubbin Professional Quality



Shape: Rasp cut on both sides and single cut on edges. Tapers from heel to point in both width and thickness
Usage: Useful for curved and flat wood or soft metal. Used by cabinet makers and furniture craftsmen.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	16.0*4.5	JF40206(1)	JF40206(2)	12
8"	20.0*5.0	JF40208(1)	JF40208(2)	12
10"	24.0*6.0	JF40210(1)	JF40210(2)	12
12"	28.0*7.0	JF40212(1)	JF40212(2)	6

Name: ROUND WOOD RASP FILES

Rubbin Files & Rasps
Rubbin Professional Quality



Shape: A straight line, the whole body teeth marks, the top is flat.
Usage: Used in leather wood processing.

LENGTH	SIZE/□	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	6.0□	JF40306(1)	JF40306(2)	12
8"	7.5□	JF40308(1)	JF40308(2)	12
10"	9.5□	JF40310(1)	JF40310(2)	12
12"	11.0□	JF40312(1)	JF40312(2)	6

Remarks:

Name: TRIANGULAR WOOD RASP FILES

Rubbin Files & Rasps
Rubbin Professional Quality



Shape: Three vertical faces. There are teeth marks. Top smooth.
Usage: Used in leather wood processing, the need for triangular shape.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	11.0*11.0	JF40406(1)	JF40406(2)	12
8"	12.5*12.5	JF40408(1)	JF40408(2)	12
10"	15.0*15.0	JF40410(1)	JF40410(2)	12
12"	17.0*17.0	JF40412(1)	JF40412(2)	6

Name: SQUARE WOOD RASP FILES

Rubbin Files & Rasps
Rubbin Professional Quality



Shape: Three vertical faces. There are teeth marks. Top smooth.
Usage: Used in leather wood processing,Need quadrilateral machining position.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	8.0*8.0	JF40506(1)	JF40506(2)	12
8"	7.5*7.5	JF40508(1)	JF40508(2)	12
10"	9.0*9.0	JF40510(1)	JF40510(2)	12
12"	11.0*11.0	JF40512(1)	JF40512(2)	6

Name: STEEL WOOD FLAT FILES

Rubbin Files & Rasps
Rubbin Professional Quality



Shape: Rectangular file tanged,cut on four sides,one flat side with rasp cut.
Usage: one flat side with cross cut,two edges with file cut,

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	16.0*4.0	JF40606(1)	JF40606(2)	12
8"	20.0*4.2	JF40608(1)	JF40608(2)	12
10"	24.0*5.2	JF40610(1)	JF40610(2)	12
12"	28.0*6.2	JF40612(1)	JF40612(2)	6

Remarks:

※1—BASTARD CUT ※2—SECOND CUT ※3—SMOOTH CUT

RASP FILES

Name: WELL-REGULATED FLAT WOOD RASP FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Flat shape, double sided teeth, double sided safety side (not cut).
Usage: Used extensively by cabinet makers, leather workers, and aluminum craftsmen.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	16.0*4.0	JF40706(1)	JF40706(2)	12
8"	20.0*4.2	JF40708(1)	JF40708(2)	12
10"	24.0*5.2	JF40710(1)	JF40710(2)	12
12"	28.0*6.2	JF40712(1)	JF40712(2)	6

Name: WELL-REGULATED HALF ROUND WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: Increase the width.Rasp cut on flat and rounded sides with single cut edges.Has a larger radius than a regular Half Round File.s
Usage: Useful for curved and flat wood or soft metal.Used by cabinet makers and furniture craftsmen.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	16.0*5.0	JF40806(1)	JF40806(2)	12
8"	20.0*5.5	JF40808(1)	JF40808(2)	12
10"	24.0*7.0	JF40810(1)	JF40810(2)	12
12"	28.0*8.0	JF40812(1)	JF40812(2)	6

Name: WIDENED WELL-REGULATED HALF ROUND WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: Increase the width.Rasp cut on flat and rounded sides with single cut edges. Has a larger radius than a regular Half Round File.s.
Usage: Useful for curved and flat wood or soft metal. Used by cabinet makers and furniture craftsmen.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	18.0*4.2	JF40906(1)	JF40906(2)	12
8"	22.0*5.0	JF40908(1)	JF40908(2)	12
10"	28.0*5.8	JF40910(1)	JF40910(2)	12
12"	32.0*6.5	JF40912(1)	JF40912(2)	6

Name: STEEL WOOD FALX FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: two side double cut for fast stock removal and two side single cut for smoother finishing Edge single cut and one edge safe (uncut).
Usage: Has many reasons such as sharpening hoes,Lawn mower blades, sharpening metals and Smoothening plastics

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	22.0*5.0	JF40906(1)	JF40906(2)	12
8"	26.0*6.0	JF40908(1)	JF40908(2)	12

Name: SHINY FLAT WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: Electroplated gold coating Flat shape, double-sided teeth, double-sided safety side.
Usage: Used extensively by cabinet makers, leather workers, and aluminum craftsmen.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		SECOND CUT	SMOOTH CUT	
6"	16.0*4.0	JF41106(2)	JF41106(3)	12
8"	20.0*4.2	JF41108(2)	JF41108(3)	12
10"	24.0*5.2	JF41110(2)	JF41110(3)	12

Name: SHINY HALF-ROUND WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: Electroplated gold coating.Rasp cut on both sides and single cut on edges.Tapers from heel to point in both width and thickness
Usage: Useful for curved and flat wood or soft metal. Used by cabinet makers and furniture craftsmen.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		SECOND CUT	SMOOTH CUT	
6"	16.0*5.0	JF41206(2)	JF41206(3)	12
8"	20.0*5.5	JF41208(2)	JF41208(3)	12
10"	24.0*7.0	JF41210(2)	JF41210(3)	12

Remarks:

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

RASP FILES

Name: SHINY ROUND WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: Electroplated gold coating.In a straight line
Usage: Grinding saws. maintenance machines. maintenance machines.

LENGTH	SIZE/□	STOCK #		BOXQTY.
		SECOND CUT	SMOOTH CUT	
6"	6□	JF41306(2)	JF41306(3)	12
8"	7.5□	JF41308(2)	JF41308(3)	12
10"	9.5□	JF41310(2)	JF41310(3)	12

Name: CUSP WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: Semi-circular double-sided teeth from the bottom to the top gradually sharp.
Usage: Processing of wood, cutting of wood, processing of leather

LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
8"	23.0*2.0	JF41408(2)	12
10"	27.0*2.5	JF41410(2)	12
12"	28.0*3.0	JF41412(2)	6

Name: GOLD WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: Electroplated gold coating.Semi-circular double-sided teeth from the bottom to the top gradually sharp.
Usage: Processing of wood, cutting of wood, processing of leather.

LENGTH	SIZE/MM	STOCK #	BOXQTY.
		SECOND CUT	
8"	24.0*3.5	JF41508(2)	12
10"	28.0*4.5	JF41510(2)	12
12"	30.0*5.0	JF41512(2)	6

Remarks:

Name: FOUR IN ONE STEEL RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: One side half round with 1/2 rasp cut and 1/2 double cut . Other side flat with 1/2 rasp cut and 1/2 double cut.
Usage: One side half round with 1/2 rasp cut and 1/2 double cut . Other side flat with 1/2 rasp cut and 1/2 double cut.

LENGTH	SIZE/MM	STOCK #	BOXQTY.
		BASTARD CUT	
8"	22.0*5.0	JF41608(1)	12

Name: WELL-REGULATED FOUR IN ONE WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality




Shape: Margin neatly regular (uncut) .One side half round with 1/2 rasp cut and 1/2 double cut . Other side flat with 1/2 rasp cut and 1/2 double cut.
Usage: An all-around file used by homeowners, hobbyists, blacksmiths, leather and aluminum workers, etc.

LENGTH	SIZE/MM	STOCK #	BOXQTY.
		BASTARD CUT	
8"	23.0*7.0	JF41708(1)	12

Name: HORSESHOE FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Flat with rasp cut on one side and file cut on opposite side.
Usage: Used by blacksmiths and farriers (horseshoers) for racetrack and riding horses. Rasp teeth shape the hoof, while file teeth are used for finishing nails and shoes.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
14"	44.0*5.0	JF41814(1)	JF41814(2)	6

Remarks:

※1–BASTARD CUT ※2–SECOND CUT ※3–SMOOTH CUT

RASP FILES

Name: DOUBLE HORSESHOE FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: Margin neatly regular (uncut) .Flat with rasp cut on file cut on opposite side.

Usage: Used by blacksmiths and farriers (horseshoers) for racetrack and riding horses. Rasp teeth shape the hoof, while file teeth are used for finishing nails and shoes.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
14"	365.0*40.0*8.0	JF41914(1)	JF41914(2)	6

Name: COMBINED STEEL WOOD RASP

Rubin Files & Rasps
Rubin Professional Quality



Shape: the overall shape, the top rounded, double-sided cutting, positive and negative different texture.

Usage: Processing of wood leather

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
6"	41.0*5.0	JF42006(1)	JF42006(2)	12
14"	41.0*5.0	JF42014(1)	JF42014(2)	6

Name: WOOD CHISEL FILES

Rubin Files & Rasps
Rubin Professional Quality



Shape: miniature.the head has a depression. Semi-circular, uniform length.

Usage: Processing of wood, drilling of wood, fine processing of wood.

LENGTH	SIZE/MM	STOCK #		BOXQTY.
		BASTARD CUT	SECOND CUT	
1"	14.0*6.0	JFB41801(1)	JFB41801(2)	12
2"	19.0*6.0	JFB41802(1)	JFB41802(2)	12
3"	24.0*6.0	JFB41803(1)	JFB41803(2)	12

Remarks:

Name: CLEAR TROUGH FILE

Rubin Files & Rasps
Rubin Professional Quality



Shape: Shape similar to the round rasp, according to the different diameter is divided into coarse, medium and fine.

Usage: The handle is longer than the round rasp, when clean the slot it will be very convenient.

LENGTH	SIZE□	STOCK #	BOXQTY.
		SECOND CUT	
3"	3□	JFB42203(2)	12
5"	5□	JFB42205(2)	12
7"	7□	JFB42207(2)	12

Remarks:

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

Needle File



- √ T12 high steel used
- √ Good hand feeling
- √ High strength
- √ Durable
- √ Saw tooth unify
- √ Various shapes & wide applications





NEEDLE FILE

Name:NEEDIE FILES

Rubin Files & Rasps
Rubin Professional Quality



"Y=Included"

Shape: Various types of steel files with a combination.

SET	5PCS	6PCS	8PCS	10PCS	12PCS
Hand	Y	Y	Y	Y	Y
Half Round	Y	Y	Y	Y	Y
Triangular	Y	Y	Y	Y	Y
Square	Y	Y	Y	Y	Y
Round	Y	Y	Y	Y	Y
Flat		Y	Y	Y	Y
Knife			Y	Y	Y
Barrette			Y	Y	Y
Crossing				Y	Y
Ovel				Y	Y
Joint Round					Y
Feather Edge					Y

Usage: Combination processing, multi-purpose.Micro-processing of wood and metal, processing watches and clocks, diamonds, all kinds of precision instruments.

SPECIFICATION	PACKING SIZE/MM	STOCK # SECOND CUT
3*140*5	17.5*7.0	JF51305(2)
3*140*6	17.5*9.0	JF51306(2)
3*140*8	17.5*10.0	JF51308(2)
3*140*10	17.5*12.0	JF51310(2)
3*140*12	17.5*14.0	JF51312(2)
4*160*5	21.0*9.0	JF51405(2)
4*160*6	21.0*10.0	JF51406(2)
4*160*8	21.0*12.0	JF51408(2)
4*160*10	21.0*14.0	JF51410(2)
4*160*12	21.0*16.0	JF51410(2)
5*180*5	23.0*10.0	JF51505(2)
5*180*6	23.0*11.0	JF51506(2)
5*180*8	23.0*13.0	JF51508(2)
5*180*10	23.0*16.0	JF51510(2)
5*180*12	23.0*18.0	JF51512(2)



Name: DIAMOND NEEDLE FILES SET

Rubin Files & Rasps
Rubin Professional Quality



"Y=Included"

Shape: Steel surface plating of diamond powder.Various types of steel files with a combination.

SET	5PCS	6PCS	8PCS	10PCS	12PCS
Hand	Y	Y	Y	Y	Y
Half Round	Y	Y	Y	Y	Y
Triangular	Y	Y	Y	Y	Y
Square	Y	Y	Y	Y	Y
Round	Y	Y	Y	Y	Y
Flat		Y	Y	Y	Y
Knife			Y	Y	Y
Barrette			Y	Y	Y
Crossing				Y	Y
Ovel				Y	Y
Joint Round					Y
Feather Edge					Y

Usage: Combination processing, multi-purpose.Micro-processing of wood and metal, processing watches and clocks, diamonds, all kinds of precision instruments.

SPECIFICATION	PACKING SIZE/MM	STOCK # SECOND CUT
3*140*5	17.5*7.0	JF52305(2)
3*140*6	17.5*8.0	JF52306(2)
3*140*8	17.5*10.0	JF52308(2)
3*140*10	17.5*12.0	JF52310(2)
3*140*12	17.5*14.0	JF52312(2)
4*160*5	21.0*9.0	JF52405(2)
4*160*6	21.0*10.0	JF52406(2)
4*160*8	21.0*12.0	JF52408(2)
4*160*10	21.0*14.0	JF52410(2)
4*160*12	21.0*16.0	JF52410(2)
5*180*5	23.0*10.0	JF52505(2)
5*180*6	23.0*11.0	JF52506(2)
5*180*8	23.0*13.0	JF52508(2)
5*180*10	23.0*16.0	JF52510(2)
5*180*12	23.0*18.0	JF52512(2)



※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

NEEDLE FILE

Name: NEEDLE WOOD FILES

Rubbin Files & Rasps
Rubbin Professional Quality



"Y=Included"

Shape: Various types of needle wood files with a combination.

SET	5PCS	6PCS
Hand	Y	Y
Half Round	Y	Y
Triangular	Y	Y
Square	Y	Y
Round	Y	Y
Flat		Y

Usage: Processing of wood, fine processing.

SPECIFICATION	PACKING SIZE/MM	STOCK # SECOND CUT
3*140*5	17.5*7.0	JF53305(2)
3*140*6	17.5*9.0	JF53306(2)
4*160*5	21.0*9.0	JF53405(2)
4*160*6	21.0*10.0	JF53406(2)
5*180*5	23.0*10.0	JF53505(2)
5*180*6	23.0*11.0	JF53506(2)



Name: DIAMOND SHAPED NEEDLE FILES SET

Rubbin Files & Rasps
Rubbin Professional Quality





UNIT: MM	T	Diamond Particle size
	30	150#
	30	150#
	30	150#
	30	150#
	30	150#
5PCS/SET		



UNIT: MM	T	Diamond Particle size
	30	150#
	30	150#
	30	150#
	30	150#
	30	150#
	30	150#
	30	150#
	30	150#
	30	150#
	30	150#
10PCS/SET		

Name: DIAMOND FLAT INCLINED FILE

Rubbin Files & Rasps
Rubbin Professional Quality



UNIT: MM	T	Diamond Particle size
	70	150#
	60	150#
	60	150#
	50	150#
	50	150#
5PCS/SET		

※1-BASTARD CUT ※2-SECOND CUT ※3-SMOOTH CUT

NEEDLE FILE

Name: DIAMOND FLAT INCLINED FILE


Rubin Files & Rasps
Rubin Professional Quality





UNIT: MM	L	T	Diamond Particle size
	130	30	150#
			200#
			400#
	130	30	150#
			200#
			400#
	130	30	150#
			200#
			400#
	140	50	400#
10PCS/SET			





UNIT: MM	T	Diamond Particle size
	40	150#
		200#
		400#
	50	150#
		200#
		400#
	50	150#
		200#
		400#
	50	150#
		200#
		400#
12PCS/SET		

NEEDLE FILES HIGH QUALITY PACKAGING



JF80100



JFB80200



JFB80300



JFB80400



JFB80500



JFB80600



JFB80700



JFB80800



JFB80900



JFB81000



JFB81100



JFB81200




JFB81300




JFB81400

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

Non Standard Files



- √ T12 high steel used
- √ High strength
- √ Durable
- √ Saw tooth unify
- √ Various shapes & wide applications





NON STANDARD FILES

Name: JF20100 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



Filing a straight line, the top smooth, double-sided teeth, both sides of the sharp teeth.Use for Alloy metal grinding processing, pay attention to the edge of security.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
7"	215.0*13.0*3.0	JF20107(2)	12

Name: JF20200 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



Double-sided teeth, file straight, the top smooth.Use for Alloy metal grinding processing.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
6"	190.0*5.0*3.0	JF20206(2)	12

Name: JF20300 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



Filing was knife-shaped, double-sided teeth, sharp tip.long handle.Processing special shape metal materials.Note that the file tip sharp.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
4"	185.0*7.0*2.5	JF20304(2)	12

Name: JF20400 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



Filing was knife-shaped, double-sided teeth, sharp tip.long handle.Processing special shape metal materials.Note that the file tip sharp.

LENGTH	SIZE/MM	STOCK # BASTARD CUT	BOXQTY.
5"	120.0*40.0*7.0	JF20400(2)	12

Name: JF20500 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



Showing a rectangular, half of the surface for the smooth, half of the teeth marks, the top smooth, filing double Sided the same , no handle.use for repair processing machinery.Can be equipped with adjustable bracket.

LENGTH	SIZE/MM	STOCK # SMOOTH CUT	BOXQTY.
6"	140.0*28.0*5.5	JF20500(1)	12

Name: JF20600 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



Rectangular, double-sided teeth, the top flat, no handle.use for repair processing machinery.Can be equipped with adjustable bracket.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
3"	58.0*27.0*6.5	JF20600(1)	12

Name: JF20700 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



From belly to point Reduced diameter.On both sides of the security side.Top smooth.Double face pattern.No handle.heel three holes.Use for repair processing machinery.Can be equipped with adjustable bracket.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
6"	150.0*26.0*5.0	JF20706(1)	12

Name: JF20800 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



Files belly Semi-circular.Double face pattern.Can be installed handle.Top smooth.From belly to point Reduced diameter.Use for repair processing machinery.Can be used to install the handle.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
4"	140.0*13.0*4.0	JF20804(1)	12

Name: JF20900 NON STANDARD FILES

Rubin Files & Rasps
Rubin Professional Quality



Belly straight type.Rectangular.Double face pattern.Top smooth.Can handle the handle.Use for repair processing machinery.Can be used to install the handle.

LENGTH	SIZE/MM	STOCK # SECOND CUT	BOXQTY.
4"	115.0*12.0*6.0	JF20900(1)	12

Remarks:

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

Handles Series



- √ Single and double color
- √ A variety of size selection
- √ Non-slip handle
- √ Soft rubber handle
- √ Confortable gripping





HANDLES SERIES

Serial number	length	material	Application specification
A series	6-9.5cm	Monochrome plastic	4 " -8 "
A series	8-11cm	Monochrome plastic	8 " -12 "


A1


A2


A3


A4


A5


A6


A7


A8


A9


A10


A11


A12


A13


A14


A15

Serial number	length	material	Application specification
A series	6-9.5cm	Monochrome plastic	4 " -8 "
A series	8-11cm	Monochrome plastic	8 " -12 "


A16


A17


A18


A19


A20


A21


A22


A23


A24


A25


A26


A27


A28


A29


A30

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

HANDLES SERIES

Serial number	length	material	Application specification
B series	6-9.5cm	Monochrome plastic	4 " -8 "
B series	8-11cm	Double color plastic	8 " -12 "


A31


A32


A33


A34


B1


B2


B3


B4


B5


B6


B7


B8


B9


B10


B11

Serial number	length	material	Application specification
B series	6-9.5cm	Monochrome plastic	4 " -8 "
B series	8-11cm	Double color plastic	8 " -12 "


B12


B13


B14


B15


B16


B17


B18


B19


B20


B21


B22


B23


B24


B25


B26

※1~BASTARD CUT ※2~SECOND CUT ※3~SMOOTH CUT

HANDLES SERIES

Serial number	length	material	Application specification
B series	6-9.5cm	Monochrome plastic	4 " -8 "
B series	8-11cm	Double color plastic	8 " -12 "


B27


B28


B29


B30


B31


B32


B33


B34


B35


B36


B37


B38


B39


B40


B41

Serial number	length	material	Application specification
C series	6-9.5cm	Hard wood	4 " -8 "
C series	8-11cm	Hard wood	8 " -12 "


C1


C2


C3


C4


C5


C6


C7


C8


C9


C10


C11


C12

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

HANDLES SERIES

Serial number	length	material	Application specification
F series	4-5cm	Plastic or wood	3 " -4 "
F series	5-6cm	Plastic or wood	5 "



F1



F2



F3



F4



F5



F6



F7



F8



F9



F10



F11



F12



F13



F14



F15



F16



F17

Remarks:

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

High Quality Packaging



- ✓ Transparent Plastic with paper holder
- ✓ Hard plastic box
- ✓ soft hanging bag

HIGH QUALITY PACKAGING

SINGLE HIGH QUALITY PACKAGING


JFB10100


JFB10200


JFB10300


JFB10400


JFB10500


JFB10600


JFB10700


JFB10800


JFB10900


JFB11000


JFB11100


JFB11200


JFB11300


JFB11400


JFB11500


JFB11600


JFB11700


JFB11800


JFB11900


JFB12000


JFB12100


JFB12200


JFB12300

HIGH QUALITY PACKAGING

SMALL FILES HIGH QUALITY PACKAGING



JFB70600



JFB70200



JFB70300



JFB70400



JFB70500

CHAIN SAW FILES HIGH QUALITY PACKAGING



JFB60100



JFB60200



JFB60300



JFB60400



JFB60500



JFB60600



JFB60700



JFB60800



JFB60900



JFB61000

1=BASTARD CUT 2=SECOND CUT 3=SMOOTH CUT

HIGH QUALITY PACKAGING

SET OF THREE-PIECE HIGH QUALITY PACKAGING



JFB30100



JFB30200



JFB30300



JFB30400



JFB30500



JFB30600



JFB30700



JFB30800



JFB30900



JFB31000



JFB31100



JFB31200



JFB31300



JFB31400



JFB31500

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

HIGH QUALITY PACKAGING

SET OF FOUR-PIECE HIGH QUALITY PACKAGING



JFB31600



JFB31700



JFB40100



JFB40200



JFB40300

SET OF FIVE-PIECE HIGH QUALITY PACKAGING



JFB50100



JFB50200



JFB50300



JFB50400



JFB50500



JFB50600



JFB50700



JFB50800

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

HIGH QUALITY PACKAGING



JFB50900



JFB51000



JFB51100



JFB51200

SETS OF COMBINATION HIGH QUALITY PACKAGING



JFB00100



JFB00200



JFB00300



JFB00400



JFB00500



JFB00600



JFB00700

※1－BASTARD CUT ※2－SECOND CUT ※3－SMOOTH CUT

PRODUCT INFORMATION

A



CYLINDER WITHOUT END CUT CODE: A/ZYA/SA

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	A0313M03	3	13	3	26
	A0612M03	6	12	3	35
6mm	A0616M06	6	16	6	40
	A0820M06	8	20	6	40
	A1020M06	10	20	6	40
	A1225M06	12	25	6	40
	A1425M06	14	25	6	40
	A1625M06	16	25	6	40

B



CYLINDER WITH END CUT CODE: B/ZYAS/SB

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	B0313M03	3	13	3	26
	B0612M03	6	12	3	35
6mm	B0616M06	6	16	6	40
	B0820M06	8	20	6	40
	B1020M06	10	20	6	40
	B1225M06	12	25	6	40
	B1425M06	14	25	6	40
	B1625M06	16	25	6	40

C



BALL NOSED CYLINDER CODE: C/WRC/SC

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	C0313M03	3	13	3	26
	C0612M03	6	12	3	35
6mm	C0616M06	6	16	6	40
	C0820M06	8	20	6	40
	C1020M06	10	20	6	40
	C1225M06	12	25	6	40
	C1425M06	14	25	6	40
	C1625M06	16	25	6	40
	C1825M06	18	25	6	40
	C1925M06	19	25	6	40
	C2025M06	20	25	6	40
	C2525M06	25	25	6	40

D



BALL CODE: D/KUD/SD

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	D0303M03	3	2.7	3	36
	D0605M03	6	5.4	3	35
6mm	D0605M06	6	5.4	6	40
	D0807M06	8	7.2	6	40
	D1009M06	10	9	6	40
	D1210M06	12	10.8	6	40
	D1412M06	14	12	6	40
	D1614M06	16	14.4	6	40

PRODUCT INFORMATION

E



OVAL CODE:E/TRE/SE

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	E0305M03	3	5	3	33
	E0605M03	6	5	3	35
6mm	E0610M06	6	10	6	40
	E0813M06	8	13	6	40
	E1016M06	10	16	6	40
	E1220M06	12	20	6	40
	E1422M06	14	22	6	40
	E1625M06	16	25	6	40

F



BALL NOSED TREE CODE:F/RBF/SF

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	F0313M03	3	13	3	32
	F0612M03	6	12	3	35
6mm	F0618M06	6	18	6	40
	F0818M06	8	18	6	40
	F1020M06	10	20	6	40
	F1225M06	12	25	6	40
	F1425M06	14	25	6	40
	F1625M06	16	25	6	40

G



POINTED TREE CODE:G/SPG/SG

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	G0313M03	3	13	3	29
	G0612M03	6	12	3	35
6mm	G0618M06	6	18	6	40
	G0817M06	8	17	6	40
	G1020M06	10	20	6	40
	G1225M06	12	25	6	40
	G1425M06	14	25	6	40
	G1625M06	16	25	6	40

H



FLAME CODE:H/SH

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	H0307M03	3	7	3	31
	H0612M03	6	12	3	35
6mm	H0618M06	6	18	6	40
	H0820M06	8	20	6	40
	H1025M06	10	25	6	40
	H1230M06	12	30	6	40
	H1430M06	14	30	6	40
	H1632M06	16	32	6	40

PRODUCT INFORMATION

J



60° COUNYRTDINK CODE:J/KSJ/SJ

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	J0302M03	3	2	3	36
	J0605M06	6	5	6	45
6mm	J0807M06	8	7	6	45
	J1008M06	10	8.7	6	45
	J1210M06	12	10.4	6	45

K



90° COUNYRTDINK CODE:K/KSK/SK

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	K0302M03	3	1.5	3	36
	K0603M06	6	3	6	40
6mm	K0804M06	8	4	6	40
	K1005M06	10	5	6	40
	K1206M06	12	6	6	40

L



BALL NOSE CONE CODE:L/KEL/SL

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	L0313M03	3	13	3	26
	L0613M03	6	13	3	35
6mm	L0616M06	6	16	6	40
	L0822M06	8	22	6	40
	L1025M06	10	25	6	40
	L1228M06	12	28	6	40
	L1428M06	14	28	6	40
	L1633M06	16	33	6	40

M



CONE CODE:M/SKM/SM

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	M0313M03	3	13	3	27
	M0613M03	6	13	3	35
6mm	M0618M06	6	18	6	40
	M0817M06	8	17	6	40
	M1020M06	10	20	6	40
	M1225M06	12	25	6	40
	M1425M06	14	25	6	40
	M1625M06	16	25	6	40


PRODUCT INFORMATION

N



INVERTED CONE CODE:N/WKN/SN

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	N0305M03	3	5	3	33
	N0606M03	6	6	3	35
6mm	N0607M06	6	7	6	40
	N0809M06	8	9	6	40
	N1005M06	10	5	6	40
	N1213M06	12	13	6	40
	N1616M06	16	16	6	40



RIM SHAPE

Shank	Order No.	Dimensions			
		Cut Dia	Cut Length	Shank Dia	Shank L
3mm	T1002M03	10	2	3	36
6mm	T1203M06	12	3	6	40
	T2506M06	25	6	6	40

Carbide Burr Set

Shipping: The cost quoted is EXW without shipping

MOQ: 50pcs each type, total above 500PCS

Delivery time:carbide burrs 10 to20days

Payment: TT or Credit card from alibaba


























Crafted from the best steel

JIGSAW BLADES T-SHANK

For AEG, Atlas Copco, Bosch, DeWalt, ELU, Festo, Hitachi, Holz-Her, Kress, Makita, Metabo and Bosch multisaw.

Basic for wood

型号 Item	锯条总长 Total Length(mm)	厚度 Thickness (mm)	齿数 Teeth Per Inch	材料 Material
T119B	75	1.0	12	HCS
Softwood (2-15mm), plywood chipboards, wood core plywood, fibre boards.				
T119BO1	75	1.0	12	HCS
T119BO2	83	1.0	12	HCS
For curved cuts, soft wood, OSB, plywood 5/64"- 1/4"				
T111C1	100	1.2	8	HCS
T111C2	100	1.2	8	HCS
Fast, coarse cuts, ideal for jig saws without orbital action, soft wood, OSB, plywood 7/32"- 2-3/8"				

milled & side set

milled & side set

milled & side set

milled & side set

Speed for wood Fast cutting

T144D1	100	1.3	6	HCS
T144D2	100	1.3	5-6 Pro.	HCS
Straight & very fast cuts; plunge cuts hard/soft woods, OSB, plywood 1/4" - 2-3/8"				
T244D1	100	1.3	6	HCS
T244D2	100	1.3	5-6 Pro.	HCS
Curved & fast cuts; plunge cuts hard/soft woods, OSB, plywood 1/4" - 2-3/8"				
T344D	145	1.3	6	HCS
Straight & very fast cuts hard/soft woods, OSB, plywood 1/4" - 4"				

ground & side set

ground & side set

ground & side set

Speed for hard wood

T144DF1	100	1.27	6	Bi-Metal
T144DF2	100	1.27	5-6 Pro.	Bi-Metal
Straight & very fast cuts; plunge cuts, long life hard/soft woods, OSB, plywood, wood with nails 1/4" - 2-3/8"				
T344DF	145	1.27	6	Bi-Metal
Straight & very fast cuts; plunge cuts, long life hard/soft woods, OSB, plywood, wood with nails 1/4" - 4"				

ground & side set

ground & side set

Clean for wood

T101A0	83	1.3	18	HCS
Curved cutting-pointed teeth for splinter free cuts on both sides of the workpiece Double-side laminates, laminated particleboard, MDF, hard/soft woods, plywood 5/64"-3/4"				
T101B1	100	1.3	10	HCS
T101B2	100	1.5	10	HCS
Straight, fine cuts; plunge cuts hard/soft woods, plastic, OSB, plywood, laminated particleboard 3/16"-1-1/4"				
T101BR1	100	1.3	10	HCS
T101BR2	100	1.5	10	HCS
Reverse tooth for splinter-free cuts on top of workpiece; straight, fine down cuts Laminated particleboard, OSB, plywood, hard/soft woods, plastic 3/16"-1-1/4"				

ground & taper ground

ground & taper ground

ground & taper ground

Clean for wood

型号 Item	锯条总长 Total Length(mm)	厚度 Thickness (mm)	齿数 Teeth Per Inch	材料 Material
T101D1	100	1.3	6	HCS
T101D2	100	1.5	5-6 Pro.	HCS
Straight, clean cuts; plunge cuts hard/soft woods, plywood, OSB and plastic 1/4" - 2-3/8"				
T301CD	115	1.3	8	HCS
Straight, medium-fine cuts hard/soft woods, plywood, laminated particleboard 3/16"-2-3/8" and plastic 3/16"-1-1/4"				
T301DL	127	1.3	6	HCS
Straight, clean cuts hard/soft woods, OSB, plywood 1/4" – 3-3/8"				
T308B	115	1.3	12	HCS
For softwood and non-abrasive wooden materials				
T308BO	115	1.3	12	HCS
For softwood and non-abrasive wooden materials, especially for curve cuts				

ground & taper ground

ground & taper ground

ground & taper ground

ground & taper ground

ground & taper ground

Clean for hard wood

T101AIF	100	1.27	14	Bi-Metal
Splinter free cuts hardwood, laminates, laminated boards/HPL(2-30mm), plastic/ epoxy(dia.<30mm)				
T101BF	100	1.27	10	Bi-Metal
Long life; straight, fine cuts; plunge cuts Hard/soft woods, plastic, plywood, laminated particleboard 3/16"-1-1/4"				
T101BRF	100	1.27	10	Bi-Metal
Reverse tooth, clean splinter free surface Laminates, laminated boards (3-30mm), kitchen work tops (3-45mm)				
T301CDF	115	1.27	8	Bi-Metal
Hardwood and softwood(4-65mm), laminated boards/HPL				

ground & taper ground

ground & taper ground

ground & taper ground

ground & taper ground

Progressive for wood

T234X	115	1.3	8-12 Pro.	HCS
Straight, fine, splinter free, accurate cuts in thick and thin material Hard/soft woods, OSB, particleboard, plywood, laminated particleboard				

ground & taper ground

Precision for wood

T101DP	100	1.7	6	HCS
Angled cuts; parallel cuts Hard/soft woods, plywood, particleboard, plastic 1/4" - 2-3/8"				
T144DP	100	1.7	6	HCS
Precise right angle cuts through material, plunge cuts Hard/soft woods, laminated particleboard, plywood 3/16"-2"				
T344DP	152	1.7	6	HCS
Precise right angle cuts through material Hard/soft woods, laminated particleboard, plywood 3/16"-4"				
T301BCP	115	1.7	8	HCS
Clean cuts Hard/soft woods, chipboards, wood core plywood, fibre boards (3-65mm), doors, kitchen work tops(<50mm)				

ground & side set

ground & side set

ground & taper ground

Crafted from the best steel

JIGSAW BLADES T-SHANK

For AEG, Atlas Copco, Bosch, DeWalt, ELU, Festo, Hitachi, Holz-Her, Kress, Makita, Metabo and Bosch multisaw.

Special for laminate precise, clean cuts

型号 Item	锯条总长 Total Length(mm)	厚度 Thickness (mm)	齿数 Teeth Per Inch	材料 Material
T101BIF	83	1.27	14	Bi-Metal

ground & taper ground

Straight cuts Splinter-free cuts in laminate flooring

APPLICATION FOR METAL

Progressive for metal fast cuts & long life in thick or thin metal

T123X	100	1.0	10-21	HSS

milled & wavy set

Fast cuts & long life in thick or thin metal, pipes and metal Pro.files Sheet metal up to 8 gauge, metal 5/64"-3/8",stainless steel 1/16"-1/8", non-ferrous metal 5/64"-3/4", plastics 1/16"-1-1/4", fiberglass 3/64"-3/4"

Basic for metal

T118G	75	1.0	32	HSS

milled & wavy set

Straight cuts Sheet metal 17-26 gauge, very thin metals 1/64" - 3/64" (ferrous and non-ferrous) For material thickness under 3/64"use a thin piece of wood as backing

T118A1	75	1.0	21	HSS
T118A2	92	1.0	17-24	HSS

milled & wavy set

Straight cuts Sheet metal 10-16 gauge, thin metals 1/16" - 1/8"(ferrous and non-ferrous)

T218A1	75	1.0	21	HSS
T218A2	92	1.0	17-24	HSS

milled & wavy set

Curved cuts
Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous)

T318A	130	1.0	21	HSS

milled & wavy set

Straight cuts in pipes, Pro.files & sheet metal Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous), pipes <2-1/2" diameter, tube stock, angle iron

T118B1	75	1.0	12	HSS
T118B2	92	1.0	11-14	HSS

milled & wavy set

Straight cuts Medium-thin metals 1/8"-1/4"(ferrous and non-ferrous)

T318B	130	1.0	12	HSS

milled & wavy set

Straight cuts in pipes, Pro.files & sheet metal Medium-thin metals 5/64"-3/8"

T118E1	75	1.0	14	HSS
T118E2	92	1.0	14-18	HSS

milled & wavy set

Straight cuts Medium-thin metals 5/64"-7/32"(ferrous and non-ferrous)

Flexible for metal Break resistant and durable

T118AF1	75	1.0	21	Bi-Metal
T118AF2	92	1.0	17-24	Bi-Metal

milled & wavy set

Straight cuts & long life
Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous)

Flexible for metal Break resistant and durable

T318AF	130	1.0	21	Bi-Metal

milled & wavy set

Straight cuts in pipes, profiles & sheet metal
Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous), pipes <2-1/2" diameter, tube stock, angle iron

T118EF1	75	1.0	14	Bi-Metal
T118EF2	92	1.0	14-18	Bi-Metal

milled & wavy set

Straight cuts & long life Medium-thin metals 5/64" - 7/32" (ferrous and non-ferrous)

T118BF1	75	1.0	12	Bi-Metal
T118BF2	92	1.0	11-14	Bi-Metal

milled & wavy set

Straight cuts Medium-thin metals 1/8"-1/4"(ferrous and non-ferrous)

T318BF	130	1.0	12	Bi-Metal

milled & wavy set

Straight cuts in pipes, profiles & sheet metal Medium-thin metals 5/64"-3/8"

Speed for metal

T121GF	92	1.0	32	Bi-Metal

milled & wavy set

Very thin metal plate, perforated metal plates (0.5 - 1.5 mm)

T121AF	92	1.0	21	Bi-Metal

milled & wavy set

Thin sheet metals, perforated sheet metals (1-3 mm)

T121BF	92	1.0	12	Bi-Metal

milled & wavy set

Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)

T321AF	132	1.0	21	Bi-Metal

milled & wavy set

Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), thin-walled pipes, closed + open profiles, including aluminium (<65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

T321BF	132	1.0	12	Bi-Metal

milled & wavy set

Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), thick-walled pipes, closed + open profiles, including aluminium (<65 mm),glass fibre reinforced plastic/epoxy (<65 mm)

Precision for metal-sandwich

T1018AFP	250	1.60	24	Bi-Metal

milled & side set

Precision for Metal-Sandwich

Special for aluminum and non-ferrous metals

T127D	100	1.0	8	HSS

milled & side set

Fast, straight cuts Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"

T227D	100	1.0	8	HSS

milled & side set

Fast, curved cuts Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"

T127DF	100	1.0	8	Bi-Metal

milled & side set

Fast, straight cuts & long life
Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"

JIGSAW BLADES T-SHANK

For AEG, Atlas Copco, Bosch, DeWalt, ELU, Festo, Hitachi, Holz-Her, Kress, Makita, Metabo and Bosch multisaw.

Clean for PP	型号 Item	锯条总长 Total Length(mm)	厚度 Thickness (mm)	齿数 Teeth Per Inch	材料 Material
ground & taper ground	T102D	100	1.30	10	HCS
	Clean cuts in PVC, PA, PS sheets, profiles, bars				
Clean for PVC					
ground & taper ground	T102H	100	1.30	10	HCS
	File effect for fine, straight or curved cuts ceramics, glass, fiberglass 3/64" - 5/8"				
ground & taper ground	T302H	132	1.30	10	HCS
	Clean cuts in PVC, PA, PS pipes and profiles.				
Clean for PMMA					
side set& flank ground teeth	T102BF	92	1.27	13	Bi-Metal
	Clean cuts in PMMA sheets.				
Accurate for wood with metal					
milled & side set	T345XF	132	1.27	5-10 Pro.	Bi-Metal
	Progressive tooth design for fast cuts & longer life in thick & thin materials Wood with nails, plywood, particleboard 3/16" - 3-5/8", metal 3/16" - 3/8", non-ferrous metal and aluminum 5/64" - 1-1/4"				
milled & side set	T111CF	100	1.0	8	Bi-Metal
	Straight cuts wood with nails, OSB, plastic 3/16" - 1-1/4"				
milled & side set	T211HF	75	1.0	10	Bi-Metal
	Curve cuts Wood with nails, plastic 1/8" -1-1/4", non-ferrous metal and aluminum 1/8" - 1/2"				
Special for plexiglas					
ground & taper ground	T101A	100	1.27	14	HSS
	Fine & straight cuts plexiglas 5/64" - 3/4"				
Special for soft-material					
ground	T113A	100	1.3	Knife edge	HCS
	Fast, coarse cuts cardboard, leather, carpet, polystyrene, other soft materials				
serrated edge	T313AW	100	1.3	Knife edge	HCS
	Fast, coarse cuts cardboard, leather, carpet, polystyrene, other soft materials				
Basic for Inox					
	T118EFS	83	1.27	18	Bi-Metal
	Sawing in inox / stainless steel				
milled & side set	T118GFS	83	1.27	32	Bi-Metal
	Sawing in inox / stainless steel				




Crafted from the best steel

1/2" shank for reciprocating saws

For Atlas Copco, Black&Decker, Bosch, Flex, Hitachi, Makita, Metabo, Milwaukee, Porter Cable, Skil, Rockwell.


Demolition reciprocating saw blades

型号 Item	锯条长×宽×厚 L×W×T(mm)	齿数 Teeth Per Inch	材料 Material
R611DF	150×19×1.25	6	Bi-Metal
Wood with nails/metal, chipboards (10-100mm), plastic profiles (dia.5-100mm), plastics/glass fibre reinforced plastics, solid (8-50mm), window frames: wood+metal especially for plunge cut			
RS611DF	150×16×1.25	6	Bi-Metal
Wood with nails/metal, chipboards (10-100mm), plastics/glass fibre reinforced plastics, solid (8-50mm) especially for curve cut			
R922DF	225×19×1.25	6	Bi-Metal
Wood with nails/metal, chipboards (10-175mm), plastic profiles (dia.5-175mm), plastics/glass fibre reinforced plastics, solid (8-50mm)			
R1211DF	300X19X1.25	6	Bi-Metal
Wood with nails/metal, chipboards (10-250mm), aerated concrete (10-250mm), plastics/glass fibre reinforced plastics, profiles (5-60mm)			
R610DF	150×22×1.6	6	Bi-Metal
Wood with nails/metal, chipboards (10-100mm), plastics/glass fibre reinforced plastics, solid (8-50mm), wall cutouts: wood+metal (< 75mm) *for rescue/demolition work			
R910DF	225×22×1.6	6	Bi-Metal
Wood with nails/metal, chipboards (10-175mm), plastic profiles (dia.5-175mm), plastics/glass fibre reinforced plastics, solid (8-50mm)			
R825HF	200×19×1.25	10	Bi-Metal
Thick sheet metal (3-12mm), solid pipes/profiles (dia.10-150mm) fast cut			
R825BF	200×19×1.25	14	Bi-Metal
Medium-thick to thick sheet metal (2-8mm) solid pipes/profiles (dia.10-150mm)			
RB620F	150×22×1.6	8+10	Bi-Metal
Demolition for metal 2x2 tooth pitch (8+10TPI) ideal for fast cutting in metals			
RB920F	225×22×1.6	8+10	Bi-Metal
Demolition for metal 2x2 tooth pitch (8+10TPI) ideal for fast cutting in metals			
RD6V	150×19×1.25	10-14	Bi-Metal
All purpose demolition, wood with nails, PVC/plastics, metal (1/8"–1/4"), aluminum and other non-ferrous metals.			
R825VF	200×19×1.25	10-14 Pro.	Bi-Metal
Medium-thick to thick sheet metal (2-12mm) solid pipes/profiles (dia.10-150mm) effortless, fine cut			
RD9V	225×19×1.25	10-14	Bi-Metal
All purpose demolition, wood with nails, PVC/plastics, metal (1/8"–1/4"), aluminum and other non-ferrous metals.			
RD12V	300×19×1.25	10-14	Bi-Metal
All purpose demolition, wood with nails, PVC/plastics, metal (1/8"–1/4"), aluminum and other non-ferrous metals.			



Wood and all purpose reciprocating saw blades

型号 Item	锯条长×宽×厚 L×W×T(mm)	齿数 Teeth Per Inch	材料 Material
R3454XF	150×19×1.27	6-12	Bi-Metal
Wood with nails/metal, chipboard (<100 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<100 mm)			
R3456XF	200×19×1.27	6-12	Bi-Metal
Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)			
R3458XF	225×19×1.27	6-12	Bi-Metal
Wood with nails/metal, chipboard (<175 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<175 mm)			
R3459XF	300X19X1.27	6-12	Bi-Metal
Wood with nails/metal, chipboard (<250 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<250 mm)			
R123XF	150×19×0.9	8-14 Pro.	Bi-Metal
Thin to thick sheet metal (1-8mm),Thin to thick profiles (dia.5-100mm)			
R126XF	225×19×0.9	8-14	Bi-Metal
Thin to thick sheet metal (1-8mm),Thin to thick profiles (dia.5-175mm)			
RFM12	300×19×0.9	9/12	Bi-Metal
Flush Cuts All Purpose:Wood with nails, PVC/plastics,metal (1/8"–1/4")			
RPRW8	200×19×1.3	9/12	HCS
Wood, plywood, chipboard			
R644D	150×19×1.3	6	HCS
Construction timber (6-100mm), wooden panels(< 75mm), boards: chip, MDF (6-60mm), plywood, plastic (6-100mm) especially for plunge cuts			
R1531L	240×19×1.5	5	HCS
Coarse wood, free of nails (15-190mm), pruning green wood (dia. < 190mm), fuel wood (dia.15-190mm)			
R1532L	300×19×1.5	5	HCS
Coarse wood, free of nails (15-250mm), pruning green wood (dia. < 190mm), fuel wood (dia.15-250mm)			
R1542L	240×19×1.5	3	HCS
Coarse wood, free of nails (15-190mm), pruning green wood (dia. < 190mm), fuel wood (dia.15-190mm)			
R234X	200×19×1.25	6-10 Pro.	HCS
Construction timber (6-150mm), boards: chip, MDF (medium-density fibreboard) (6-60mm), plywood, plastic (6-150mm), wooden panels (< 175mm)			
R617K	150×19×1.25	3	HCS
Coarse wood, free of nails (20-100mm), pruning green wood (dia. < 100mm) especially for curved cuts			
R922K	225×19×1.25	3	HCS
Coarse wood, free of nails (20-175mm), fuel wood (dia.20-175mm)			



Crafted from the best steel

1/2" shank for reciprocating saws

For Atlas Copco, Black&Decker, Bosch, Flex, Hitachi, Makita, Metabo, Milwaukee, Porter Cable, Skil, Rockwell.

Basic for wood

	型号 Item	锯条长×宽×厚 L×W×T(mm)	齿数 Teeth Per Inch	材料 Material
 milled & side set	R1217K	300×19×1.25	3	HCS
	Coarse wood, free of nails (20-250mm), pruning green wood (dia. < 250mm)			
 milled & side set	RW66	150×19×1.2	6	HCS
	Wood and PVC/plastics			
 milled & side set	RW96	230×19×1.2	6	HCS
	Wood and PVC/plastics			
 milled & side set	RW126	300×19×1.2	6	HCS
	Wood and PVC/plastics			
 Carbide	RCFP66	150×25×1.2	6	Carbide (tooth)
	Carbide(tooth) for Wood, Cement Board:Wood, cement board, plaster/drywall			

Metal reciprocating saw blades

 milled & side set	RESM6	150×25×1.1	8/10	Bi-Metal
	Speed for heavy metal Patented 2x2 tooth pitch (8+10TPI) ideal for fast cuts in metal			
 milled & side set	RESM9	225×25×1.1	8/10	Bi-Metal
	Speed for heavy metal Patented 2x2 tooth pitch (8+10TPI) ideal for fast cuts in metal			
 milled & wavy set	RECM6	150×25×0.9	14/18	Bi-Metal
	Clean for heavy metal 2x2 tooth geometry (14+18 TPI) ideal for clean cutting in thick metals and provides longer blade life			
 milled & wavy set	RECM9	225×25×0.9	14/18	Bi-Metal
	Clean for heavy metal 2x2 tooth geometry (14+18 TPI) ideal for clean cutting in thick metals and provides longer blade life			
 milled & wavy set	RECM12	300×25×0.9	14/18	Bi-Metal
	Clean for heavy metal 2x2 tooth geometry (14+18 TPI) ideal for clean cutting in thick metals and provides longer blade life			
 milled & wavy set	RETM6	150×25×0.9	20/24	Bi-Metal
	Thin metal, sheet metal (10–16 gauge)			
 milled & wavy set	RETM9	225×25×0.9	20/24	Bi-Metal
	Thin metal, sheet metal (10–16 gauge)			
 milled & wavy set	RM614	150×25× 0.9	14	Bi-Metal
	Thick metal (1/8"~1/2")			
 milled & wavy set	RM914	225×25×0.9	14	Bi-Metal
	Thick metal (1/8"~1/2")			
 milled & wavy set	RM618	150×25×0.9	18	Bi-Metal
	Metal (1/8"~5/16"), metal profiles and pipes			
 milled & wavy set	RM918	225×25×0.9	18	Bi-Metal
	Metal (1/8"~5/16"), metal profiles and pipes			

Metal reciprocating saw blades

 milled & wavy set	RM918	225×25×0.9	18	Bi-Metal
	Metal (1/8"~5/16"), metal profiles and pipes			
 milled & wavy set	RM1218	300×25×0.9	18	Bi-Metal
	Metal (1/8"~5/16"), metal profiles and pipes			
 milled & wavy set	RM624	150×25×0.9	24	Bi-Metal
	Sheet metal (10–16 gauge)			
 milled & wavy set	RM924	225×25×0.9	24	Bi-Metal
	Sheet metal (10–16 gauge)			

Specialty reciprocating saw blades

 coated	RCB9G	225×19×1.0	30G	Carbide grit
	Cast iron, brick, plaster/drywall, tile, fiberglass			
 coated	RCB9DG	225×19×1.0	50G	Carbide grit
	Cast iron, brick, plaster/drywall, tile, fiberglass			

Special for soft-material

 edge	R613A	150×19×1.0	knife edge	HCS
	Polystyrene, insulation (10-100mm)			



HACKSAW BLADE



Item#	L×W×T (inches)	L×W×T (mm)	Teeth Per inch	Material
H1032B	10×1/2×0.025	250×12.7×0.6	32	BIM
H1024B	10×1/2×0.025	250×12.7×0.6	24	BIM
H1018B	10×1/2×0.025	250×12.7×0.6	18	BIM
H1014B	10×1/2×0.025	250×12.7×0.6	14	BIM

For straight cutting, ideal for wood, plastics, angle steel, stainless steel pipes, highly wearable materials, especially pipes



Item#	L×W×T (inches)	L×W×T (mm)	Teeth Per inch	Material
H1232B1	12×1/2×0.025	300×12.7×0.6	32	BIM(M2+6150)
H1224B1	12×1/2×0.025	300×12.7×0.6	24	BIM(M2+6150)
H1218B1	12×1/2×0.025	300×12.7×0.6	18	BIM(M2+6150)
H1214B1	12×1/2×0.025	300×12.7×0.6	14	BIM(M2+6150)

Break resistant for wood, plastics, angle steel, stainless steel pipes, highly wearable materials, especially pipes



Item#	L×W×T (inches)	L×W×T (mm)	Teeth Per inch	Material
H1232B2	12×1/2×0.025	300×12.7×0.6	32	BIM(M2+D6A)
H1224B2	12×1/2×0.025	300×12.7×0.6	24	BIM(M2+D6A)
H1218B2	12×1/2×0.025	300×12.7×0.6	18	BIM(M2+D6A)
H1214B2	12×1/2×0.025	300×12.7×0.6	14	BIM(M2+D6A)

Flexible and break resistant for wood, plastics, angle steel, stainless steel pipes, highly wearable materials, especially pipes



Item#	L×W×T (inches)	L×W×T (mm)	Teeth Per inch	Material
H1232B3	12×1/2×0.025	300×12.7×0.6	32	BIM(M42+D6A)
H1224B3	12×1/2×0.025	300×12.7×0.6	24	BIM(M42+D6A)
H1218B3	12×1/2×0.025	300×12.7×0.6	18	BIM(M42+D6A)
H1214B3	12×1/2×0.025	300×12.7×0.6	14	BIM(M42+D6A)

Flexible and break resistant for wood, plastics, angle steel, stainless steel pipes, highly wearable materials, especially pipes



Specialty Scroll Saw Blade set. 18 pieces. 6 Each: 7 TPI Hook Tooth, 10 TPI Regular Tooth, & 15 TPI Skip Tooth

Fits all scroll saws taking 5" pinned blades


JMD FIXING PART

For time-saving and precise work, JMD's oscillating multifunction tool accessories can work with all brands of oscillating multifunction power tools.

Fixing Part A - Triditional & Durable



Fixing Part C - Quick-change & Time-saving







Multitool blades (wood cutting blades)





Article NO. JMDW001 Size:10mm(3/8"),Milled teeth

CRV Standard Flush-Cut Wood Sawblade

Broad range of applications with hardened teeth.
Saws woods, plastics, plasterboard pipes and profiles.
- Cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture elements (to enable access to a mains socket)
- Filigree adjustment work in wood (subsequently sawing recesses for locks and fittings)



Article NO. JMDW002 Size:20mm(3/4"),Milled teeth

CRV Standard Flush-Cut Wood Sawblade

Broad range of applications with hardened teeth.
Saws woods, plastics, plasterboard pipes and profiles.
- Cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture elements (to enable access to a mains socket)
- Filigree adjustment work in wood (subsequently sawing recesses for locks and fittings)



Article NO. JMDW003 Size:32mm(1-1/4"),Milled teeth

CRV Standard Flush-Cut Wood Sawblade

Broad range of applications with hardened teeth.
Saws woods, plastics, plasterboard pipes and profiles.
- Cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture elements (to enable access to a mains socket)
- Filigree adjustment work in wood (subsequently sawing recesses for locks and fittings)



Article NO. JMDW004 Size:32mm(1-1/4"),3-side grounded teeth

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.



Article NO. JMDW005 Size:68mm(2-11/16"),Milled teeth

CRV Standard Flush-Cut Wood Sawblade

Broad range of applications with hardened teeth.
- Milled and side set teeth for fine, straight cutting into soft wood, plastic, plasterboard pipes and similar material.



Article NO. JMDW006 Size:68mm(2-11/16"),3-side grounded teeth

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.



Article NO. JMDW007 Dia:87mm(3-7/16")

HCS Radial Sawblade

Broad range of applications with hardened teeth.Saws woods,plastics, plasterboard.
- Plunge cutting in solid wood, e.g. for installing a ventilation grille.
- Flush cutting wood (a protruding tenon on a wood joint).
- Cutting a plastic pipe (PVC) to length.



Article NO. JMDW008 Size:34mm(1-5/16") ,Milled teeth

CRV Standard Flush-Cut Wood Sawblade

Broad range of applications with hardened teeth.
- Milled and side set teeth for fine, straight cutting into soft wood, plastic, plasterboard pipes and similar material.



Article NO. JMDW009 Size:34mm(1-5/16") ,3-side grounded teeth

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.



Article NO. JMDW010 Size:45mm(1-3/4") ,3-side grounded teeth

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.

Multitool blades (wood cutting blades)





Article NO. JMDW011 Size:32mm(1-1/4") ,3-side grounded teeth , material:BIM M2

Bi-Metal Precision Flush-Cut Wood Sawblade

Broad range of applications with HSS hardened teeth
- Ground and side set teeth for precision ,clean ,quick cutting into soft & hard wood ,plastic plasterboard pipes and similar material
- Harden HSS teeth for extra-long life



Article NO. JMDW012 Size:45mm(1-3/4") ,3-side grounded teeth , material:BIM M2

Bi-Metal Precision Flush-Cut Wood Sawblade

Broad range of applications with HSS hardened teeth
- Ground and side set teeth for precision ,clean ,quick cutting into soft & hard wood ,plastic ,plasterboard pipes and similar material
- Harden HSS teeth for extra-long life



Article NO. JMDW013 Size:32mm Radians(1-1/4"),Milled teeth

CRV Standard Flush-Cut Wood Sawblade

Broad range of applications with hardened teeth.
Saws woods, plastics, plasterboard pipes and profiles.
- Cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture elements (to enable access to a mains socket)
- Filigree adjustment work in wood (subsequently sawing recesses for locks and fittings)



Article NO. JMDW014 Size:32mm Radians(1-1/4"),3-side grounded teeth

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.



Article NO. JMDW015 Size:45mm Radians(1-3/4"),Milled teeth

CRV Standard Flush-Cut Wood Sawblade

Broad range of applications with hardened teeth.
Saws woods, plastics, plasterboard pipes and profiles.
- Cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture elements (to enable access to a mains socket)
- Filigree adjustment work in wood (subsequently sawing recesses for locks and fittings)



Article NO. JMDW016 Size:45mm Radians(1-3/4"),3-side grounded teeth

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.



Article NO. JMDW017 Size:65mm Radians(2-9/16"),Milled teeth

CRV Standard Flush-Cut Wood Sawblade

Broad range of applications with hardened teeth.
Saws woods, plastics, plasterboard pipes and profiles.
- Cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture elements (to enable access to a mains socket)
- Filigree adjustment work in wood (subsequently sawing recesses for locks and fittings)



Article NO. JMDW018 Size:65mm Radians(2-9/16"),3-side grounded teeth

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.



Article NO. JMDW005LF Size:68mm(2-11/16") ,Milled teeth , material:BIM M2

Extra-Long Life Flush-Cut Wood Sawblade
- Cutting in softwood & hardwood (e.g.for installing a ventilation grille)
- Cutting a recess in furniture elements (to enable access to a mains socket)
- Flush cutting wooden components (dowels ,tenons) to length



Article NO. JMDW009LF Size:34mm(1-5/16") ,Milled teeth , material:BIM M2

Extra-Long Life Flush-Cut Wood Sawblade
- Cutting in softwood & hardwood (e.g.for installing a ventilation grille)
- Cutting a recess in furniture elements (to enable access to a mains socket)
- Flush cutting wooden components (dowels,tenons) to length

Multitool blades (wood cutting blades)(metal cutting blades) , surface with blueing



Article NO. JMDW201 Size:42mm(1-2/3") ,Milled teeth • shank : stainless steel

CRV Standard Flush-Cut Wood Sawblade
Broad range of applications with hardened teeth.
Saws woods, plastics, plasterboard pipes and profiles.
- Cutting in softwood (e.g. for installing a ventilation grille).
- Cutting a recess in furniture elements (to enable access to a mains socket).
- Flush cutting wooden components (dowels, tenons) to length.
- Blueing surface.



Article NO. JMDW202 Size:34mm(1-5/16") ,Milled teeth • shank : stainless steel

CRV Standard Flush-Cut Wood Sawblade
Broad range of applications with hardened teeth.
Saws woods, plastics, plasterboard pipes and profiles.
- Cutting in softwood (e.g. for installing a ventilation grille).
- Cutting a recess in furniture elements (to enable access to a mains socket).
- Flush cutting wooden components (dowels, tenons) to length.
- Blueing surface.



Article NO. JMDW203 Size:34mm(1-5/16") ,Milled teeth • shank : stainless steel

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.
- Blueing surface.



Article NO. JMDW204 Size:68mm(2-11/16") ,3-side grounded teeth • shank : stainless steel

CRV Precision Flush-Cut Wood Sawblade
- Broad range of applications with CRV hardened teeth.
- Ground and side set teeth for precision, clean, quick cutting into soft wood, plastic, plasterboard pipes and similar material.
- Blueing surface.



Article NO. JMDM205 Dia:87mm(3-7/16")

BIM(M42)Radial Sawblade
Broad range of applications with HSS hardened teeth.
Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.
- Cutting a door frame to length on the floor (softwood, hardwood, veneered boards, laminated boards).
- Cutting out laminate/parquet (for installing a partition wall).
- Cutting smaller profile strips to length (aluminium floor cover strip).
- Blueing surface.

Multitool blades (wood & metal cutting blades)





Article NO. JMDM001 Size:10mm(3/8") ,Milled teeth

Bi-Metal Standard Flush-Cut Metal Sawblade
Broad range of applications with HSS hardened teeth.
Saws woods, plastics, sheet metal, copper or aluminium pipes and profiles.
- Flush cutting a nail.
- Filigree adjustment work on non-ferrous profiles.
- Plunge cutting in plasterboard.

Multitool blades (wood & metal cutting blades)



Article NO. JMDM002 Size:20mm(3/4") ,Milled teeth

Bi-Metal Standard Flush-Cut Metal Sawblade
Broad range of applications with HSS hardened teeth.
Saws woods, plastics, sheet metal, copper or aluminium pipes and profiles.
- Flush cutting a nail.
- Filigree adjustment work on non-ferrous profiles.
- Plunge cutting in plasterboard.



Article NO. JMDM003 Size:32mm(1-1/4") ,Milled teeth

Bi-Metal Standard Flush-Cut Metal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.



Article NO. JMDM004 Size:32mm(1-1/4") ,extended saw blade ,Milled teeth

Bi-Metal Standard Flush-Cut Universal Sawblade
Broad range of applications with HSS hardened teeth.
Saws woods, plastics, sheet metal,copper or aluminium pipes and profiles.
- Deep plunge cutting in wood, abrasive wooden materials, plastics.
- Cutting non-ferrous pipes and profiles with smaller dimensions.
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions.



Article NO. JMDM005 Size:45mm(1-3/4") ,extended saw blade ,Milled teeth

Bi-Metal Standard Flush-Cut Universal Sawblade
Broad range of applications with HSS hardened teeth.
Saws woods, plastics, sheet metal,copper or aluminium pipes and profiles.
- Deep plunge cutting in wood, abrasive wooden materials, plastics.
- Cutting non-ferrous pipes and profiles with smaller dimensions.
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions.



Article NO. JMDM006 Dia:80mm(3-1/7") / 87mm(3-7/16")

HSS(M2) Radial Sawblade
Broad range of applications with HSS hardened teeth.
Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.
- Cutting a door frame to length on the floor (softwood, hardwood, veneered boards, laminated boards).
- Cutting out laminate/parquet (for installing a partition wall).
- Cutting smaller profile strips to length (aluminium floor cover strip).



Article NO. JMDM007 Dia:87mm(3-7/16")

HSS(M2) Radial Sawblade
Broad range of applications with HSS hardened teeth.
Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.
- Cutting a door frame to length on the floor (softwood, hardwood, veneered boards, laminated boards).
- Cutting out laminate/parquet (for installing a partition wall).
- Cutting smaller profile strips to length (aluminium floor cover strip).



Article NO. JMDM007B Dia:87mm(3-7/16")

BIM(M42)Radial Sawblade
Broad range of applications with HSS hardened teeth.
Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.
- Cutting a door frame to length on the floor (softwood, hardwood, veneered boards, laminated boards).
- Cutting out laminate/parquet (for installing a partition wall).
- Cutting smaller profile strips to length (aluminium floor cover strip).



Article NO. JMDM008 Dia 100mm(4")

HSS Circular Saw Blade

Broad range of applications with HSS hardened teeth. Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.
- Designed for straight cutting in harder material.
- Cuts sheet metal and harder wood, fiberglass and carbon fiber.



Article NO. JMDM009 Size:45mm(1-3/4") ,Milled teeth

Bi-Metal Standard Flush-Cut Metal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.



Article NO. JMDM010 Size:34mm(1-3/16") ,Milled teeth

Bi-Metal Standard Flush-Cut Metal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.



Article NO. JMDM011 Size:69mm(2-11/16") ,Milled teeth

Bi-Metal Standard Flush-Cut Universal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.



Article NO. JMDM012 Size:44mm(1-3/4") ,extended saw blade ,Milled teeth

Bi-Metal Standard Flush-Cut Universal Sawblade

Broad range of applications with HSS hardened teeth.
Saws woods, plastics, sheet metal,copper or aluminium pipes and profiles.
- Deep plunge cutting in wood, abrasive wooden materials, plastics.
- Cutting non-ferrous pipes and profiles with smaller dimensions.
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions.



Article NO. JMDM013 Size:69mm(2-9/16") ,Milled teeth

Bi-Metal Standard Flush-Cut Universal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.



Article NO. JMDM014 Size:32mm Radians(1-1/4"),Milled teeth

Bi-Metal Standard Flush-Cut Universal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.



Article NO. JMDM015 Size:45mm Radians(1-3/4"),Milled teeth

Bi-Metal Standard Flush-Cut Universal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.

Multitool blades (wood & metal cutting blades)



Article NO. JMDM016 Size:65mm Radians(2-9/16"),Milled teeth

Bi-Metal Standard Flush-Cut Universal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.

Multitool blades (TIN coated blades)





Article NO. JMDM003P Size:32mm(1-1/4") ,Milled teeth

TIN Coated Bi-Metal Standard Flush-Cut Universal Sawblade

Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.
- Additionaly titanium-nitride-coating tooth strip for longer lifetime.
- TIN coated blades.



Article NO. JMDM004P Size:32mm(1-1/4") ,extended saw blade ,Milled teeth

TIN Coated Bi-Metal Standard Flush-Cut Universal Sawblade

Broad range of applications with HSS hardened teeth.
Saws woods, plastics, sheet metal, copper or aluminium pipes and profiles.
- Deep plunge cutting in wood, abrasive wooden materials, plastics.
- Cutting non-ferrous pipes and profiles with smaller dimensions.
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions.
- Additionaly titanium-nitride-coating tooth strip for longer lifetime.
- TIN coated blades.



Article NO. JMDM005P Size:45mm(1-3/4") ,extended saw blade ,Milled teeth

TIN Coated Bi-Metal Standard Flush-Cut Universal Sawblade

Broad range of applications with HSS hardened teeth.
Saws woods, plastics, sheet metal,copper or aluminium pipes and profiles.
- Deep plunge cutting in wood, abrasive wooden materials, plastics.
- Cutting non-ferrous pipes and profiles with smaller dimensions.
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions.
- Additionaly titanium-nitride-coating tooth strip for longer lifetime.
- TIN coated blades.



Article NO. JMDM009P Size:45mm(1-3/4") ,Milled teeth

TIN Coated Bi-Metal Standard Flush-Cut Metal Sawblade
- Broad range of applications with HSS hardened teeth.
- Milled teeth for fine, straight cutting into hard and soft wood, aluminium, plastic and no-ferrous metal.
- TIN coated blades.



Article NO. JMDM006P Dia.80mm(3-1/7") / 87mm(3-7/16")

TIN Coated HSS(M2) Radial Sawblade

Broad range of applications with HSS hardened teeth.
Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.

- Cutting a door frame to length on the floor (softwood, hardwood, veneered boards, laminated boards).
- Cutting out laminate/parquet (for installing a partition wall).
- Cutting smaller profile strips to length (aluminium floor cover strip).
- Additionally titanium-nitride-coating tooth strip for longer lifetime.
- TIN coated blades.



Article NO. JMDM007P Dia.87mm(3-7/16")

TIN Coated HSS(M2) Radial Sawblade

Broad range of applications with HSS hardened teeth.
Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.

- Cutting a door frame to length on the floor (softwood, hardwood, veneered boards, laminated boards).
- Cutting out laminate/parquet (for installing a partition wall).
- Cutting smaller profile strips to length (aluminium floor cover strip).
- Additionally titanium-nitride-coating tooth strip for longer lifetime.
- TIN coated blades.



Article NO. JMDM007BP Dia.87mm(3-7/16")

TIN Coated BIM(M42)Radial Sawblade

Broad range of applications with HSS hardened teeth.
Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.

- Cutting a door frame to length on the floor (softwood, hardwood, veneered boards, laminated boards).
- Cutting out laminate/parquet (for installing a partition wall).
- Cutting smaller profile strips to length (aluminium floor cover strip).
- Additionally titanium-nitride-coating tooth strip for longer lifetime.
- TIN coated blades.



Article NO. JMDM008P Dia.100mm(4")

TIN Coated HSS Circular Saw Blade

Broad range of applications with HSS hardened teeth.
Saws woods, plastics, plasterboard, sheet metal, copper or aluminium.

- Segmentation allows for cutting into corners and right angles.
- Designed for straight cutting in harder material.
- Cuts sheet metal and harder wood, fiberglass and carbon fiber.
- Additionally titanium-nitride-coating tooth strip for longer lifetime.
- TIN coated blades.

Carbide blades





Article NO. JMDT001 Dia. 65mm(2-9/16")

Carbide Grit Radial Sawblade

- Routing joints on wall and floor tiles.
- Smaller cutouts in soft wall tiles.
- Routing grooves in porous concrete, for laying concealed cables and pipes.

Crafted from the best steel

Carbide blades



Article NO. JMDT002 Size:80mm(3-1/8")

Carbide Grit Delta Rasp

- Removing mortar or tile adhesive (when replacing damaged tiles).
- Removing carpet adhesive residues from a mineral surface.
- Rough grinding of filler, tile adhesives, concrete, stone and wood.



Article NO. JMDT003 Size:35mm(1-3/8")

- Removing mortar or tile adhesive (when replacing damaged tiles).
- Removing carpet adhesive residues from a mineral surface.
- Rough grinding of filler, tile adhesives, concrete, stone and wood.
- The finger shape, coated on both side, is especially well suited for artistic work.



Article NO. JMDT004 Dia.87mm(3-7/16")

Carbide Grit Radial Sawblade

Broad range of applications with carbide grit edge.
Cuts tiles, plaster, porous concretes and similar construction materials.

- Routing joints on wall and floor tiles.
- Smaller cutouts in soft wall tiles.
- Routing grooves in porous concrete, for laying concealed cables and pipes.

Diamond blades





Article NO. JMDT005 Dia. 65mm(2-9/16")

Diamond Coated Sawblade

- Routing joints on wall and floor tiles.
- Smaller cutouts in soft wall tiles.
- Routing grooves in porous concrete, for laying concealed cables and pipes.
- Long life.



Article NO. JMDT006 Size:80mm(3-1/8")

Diamond Coated Delta Rasp

- Removing mortar or tile adhesive (when replacing damaged tiles).
- Removing carpet adhesive residues from a mineral surface.
- Rough grinding of filler, tile adhesives, concrete, stone and wood.
- Long life.



Article NO. JMDT007 Dia.87mm(3-7/16")

Diamond Coated Radial Sawblade
- Routing smaller cutouts in soft wall tiles.
- Routing recesses in epoxy/glass fibre reinforced plastic. (in a boat's hull).
- Routing joints on wall and floor tiles.



Article NO. JMDT008 Size:57mm(2-1/4")

Diamond Boot Sawblade

Diamond blade will remove tough grout from between tiled surfaces.
Efficient shape allows aggressive grinding without damaging the tile.
Long-lasting blade enables continuous work on large projects.
- Cutting out marble and brass concrete joints.
- Also for sinking ducts in plaster, brick, pumice and honeycomb stone as well as autoclave aerated concrete.
- Long lasting blades are designed specifically for harder grouts.



Article NO. JMDT009 Dia. 85mm(2-9/16")

Round Diamond Coated Sawblade
- Routing joints on wall and floor tiles.
- Smaller cutouts in soft wall tiles.
- Routing grooves in porous concrete, for laying concealed cables and pipes.
- Long life.

Multimaster blades



Article NO. JMDN001 Size:50mm(2") Material: CrV

Flexible Scraper
- Removing soft carpet adhesive residues.
- Removing paint residues.
- Removing silicone joints.



Article NO. JMDN002 Size:50mm(2") Material: CrV

Rigid Scraper
- Removing mortar or tile adhesive, e.g. when replacing damaged tiles.
- Removing mortar and concrete residues.
- Removing hard, brittle carpet adhesive residues.

Crafted from the best steel

Multimaster blades



Article NO. JMDN003 Size:52x26mm(2-1/16"x1") Material: HCS

Rigid Scraper
- Removing mortar or tile adhesive, e.g. when replacing damaged tiles.
- Removing mortar and concrete residues.
- Removing hard, brittle carpet adhesive residues.



Article NO. JMDN004 Size:52x45mm(2-1/16"x1-3/4") Material: HCS

Flexible Scraper
- Removing soft carpet adhesive residues.
- Removing paint residues.
- Removing silicone joints.



Article NO. JMDN005 Size:28x50mm(1-1/8"x2") Material: HCS

Sharp Scraper
- Cutting soft expansion joints.
- Cutting window putty. (sealing compound)
- Cutting insulation materials.





Article NO. JMDN006 Dia.100mm(4")

HSS Serrated Edge Radial Sawblade
- Flush cutting to length of protruding insulation material, especially polystyrene.
- Cutting insulation panels to size. (fluimroc floor panel/sound insulation panel).
- Cutting soft materials (cardboard, carpet, rubber, leather...).



Article NO. JMDN007 Size:68mm(2-11/16")

CRV Serrated Edge Sawblade

Broad range of applications with serrated edge. Saws carton, polystyrene, carpet, leather, rubber and similar materials.





Article NO. JMDS001 Size:80mm(3-1/8")

Delta Sanding Pad
- Sanding pad with micro Velcro-type fastening system.
- Quick, easy sanding sheet changes.
- Perfectly sanded surfaces for all conditions of material with the comprehensive range of sanding sheets from 36-600 grit.



Article NO. JMDS002 Size:93mm(3-5/8")

Delta Sanding Pad
- Sanding pad with micro Velcro-type fastening system.
- Quick, easy sanding sheet changes.
- Perfectly sanded surfaces for all conditions of material with the comprehensive range of sanding sheets from 36-800 grit.

Delta sandpaper



Article NO. JMDSW80MM Size:80mm(3-1/8")

Aluminum-Oxide Delta Sandpaper for Wood
Grit:60#,120#,240#



Article NO. JMDSW93MM Size:93mm(3-5/8")

Aluminum-Oxide Delta Sandpaper for Wood
Grit:60#,120#,240#



Article NO. JMDSP80MM Size:80mm(3-1/8")

White Delta Sandpaper for Paint
Grit:60#,120#,240#



Article NO. JMDSP93MM Size:93mm(3-5/8")

White Delta Sandpaper for Paint
Grit:60#,120#,240#

Mini circular saw



Article NO. JMDMINIW001 Size:Φ64.8mm* Φ11.1mm*0.66mm Z=44

CRV MINI Circular Saw
- Cutting wood ,plastic board ,organic board ,composite board ,PVC board
- Can produce products according to customer's requirements



Article NO. JMDMINIM001 Size:Φ64.8mm* Φ11.1mm*0.66mm Z=44

HSS MINI Circular Saw
- Cutting aluminum ,iron ,organic board ,composite board ,PVC board ,plastic board ,wood
- Can produce products according to customer's requirements

Crafted from the best steel



Article NO. JMD-JS01
2pc single blister



Article NO. JMD-JS02
2pc sandwich packing



Article NO. JMD-JS03
3pc sandwich packing



Article NO. JMD-JS04
5pc cardboard



Article NO. JMD-JS05
5pc single blister



Article NO. JMD-JS06
5pc sandwich packing



Article NO. JMD-JS07
5pc double blister



Article NO. JMD-JS08
5pc double blister



Article NO. JMD-JS09
6pc single blister

Crafted from the best steel



Article NO. JMD-JS10
10pc single blister



Article NO. JMD-JS11
10pc single blister



Article NO. JMD-JS12
10pc plastic box



Article NO. JMD-RS05
5pc single blister



Article NO. JMD-RS06
5pc double blister



Article NO. JMD-RS07
6pc double blister



Article NO. JMD-JS13
10pc CD box



Article NO. JMD-JS14
25pc single blister



Article NO. JMD-RS01
1pc sandwich packing



Article NO. JMD-RS08
9pc double blister



Article NO. JMD-RS09
10pc double blister



Article NO. JMD-RS10
12pc double blister



Article NO. JMD-RS02
1pc single blister



Article NO. JMD-RS03
2pc single blister



Article NO. JMD-RS04
2pc single blister



Article NO. JMD-RS11
21pc double blister



Article NO. JMD-RS12
32pc double blister



Article NO. JMD-HS1
2pc single blister

Crafted from the best steel



Article NO. JMD-HS2
4pc card packing



Article NO. JMD-HS3
100pcs plastic case



Article NO. JMD-HS4
100pcs plastic case



Article NO. JMD-MT07
5pc double blister



Article NO. JMD-MT08
6pc double blister



Article NO. JMD-MT09
7pc double blister



Article NO. JMD-MT01
1pc double blister



Article NO. JMD-MT02
1pc double blister



Article NO. JMD-MT03
1pc double blister



Article NO. JMD-MT10
8pc double blister



Article NO. JMD-MT11
10pc double blister



Article NO. JMD-MT12
10pc double blister



Article NO. JMD-MT04



Article NO. JMD-MT05



Article NO. JMD-MT06
4pc double blister



Article NO. JMD-MT13
17pc double blister



Article NO. JMD-MT14
20pc double blister



Article NO. JMD-MT15
23pc double blister

PATENT
专利款

专利号：201921697134.8



Stripping
剥线

Stripping of wire range:
0.2-6mm² /24-10 AWG
SK5/Cr12MoV steel blades,
HRC52-60, line of cutting
handicraft, high precision

剥线范围：0.2-6mm² /24-10AWG
剥线刀口材质SK5或铬钼钢，
线切割高精度。



AUTO Micro adjuster
knob & wire stopper
调节旋钮&自动导尺

For desired stripping length
可调节剥线长度导尺




Cutting
剪切

Acurate and straight
wire cutting
锋利剪切



Crimping
压接

For non-insulated
and insulated terminals
Guage 22-10AWG/0.5-6mm²
压接多规格绝缘线端子



PP&TPR handle, PASH
环保材质手柄

Item No. 货号	Length 长度
98065	205mm

SK5



Stripping
剥线

Stripping of wire range:
0.2-6mm² /24-10 AWG
SK5/Cr12MoV steel blades,
HRC52-60, line of cutting
handicraft, high precision

剥线范围：0.2-6mm² /24-10AWG
剥线刀口材质SK5或铬钼钢，
线切割高精度。



Micro adjuster knob &
wire stopper
调节旋钮&自动导尺

For desired stripping length
可调节剥线长度导尺



Cutting
剪切

Acurate and straight
wire cutting
锋利剪切



Crimping
压接

For non-insulated
and insulated terminals
Guage 22-10AWG/0.5-6mm²
压接多规格绝缘线端子



PP&TPR handle, PASH
环保材质手柄

Item No. 货号	Length 长度
98557	205mm



Stripping
剥线

Stripping of wire range:
0.2-6mm² /24-10 AWG
Powder metallurgy headed
剥线范围：0.2-6mm² /24-10AWG
剥线刀口采用粉末冶金工艺，高精度



Micro adjuster knob &
wire stopper
调节旋钮&自动导尺

For desired stripping length
可调节剥线长度导尺



Cutting
剪切

Acurate and straight
wire cutting
精准剪切



Crimping
压接

For non-insulated
and insulated terminals
Guage 22-10AWG/0.5-6mm²
压接多规格绝缘端子



PP&TPR handle, PASH
环保材质手柄

Item No. 货号	Length 长度
98502	205mm

调节螺丝
顺时针旋转，剥线力度变大
逆时针旋转，剥线力度变小
Adjustable knob
In the clockwise direction,Wire stripping strength is bigger
In the anticlockwise direction,Wire stripping strength is smaller

可替换剪切刀片
SK5材质，锋利耐用
Removable cutting blade
SK5,sharp and durable



Stripping
剥线



Cutting
剪切



Crimping
压接



可调节剥线长度导尺
For desired stripping length

可换式口径刀片
适合不同规格的线
Replaceable stripping blade applicable for kinds of wire

端子压接
适用绝缘与非绝缘端子
压接范围：
22-10AWG/0.5-6mm²
Terminal crimping
For insulated and Non-insulated terminals
Crimping range
22-10AWG/0.5-6mm²

PATENT

PP+TPR
符合人体工程学设计，
使用更舒适
With human-engineering desgin,more suitable

Wire size:

A款	AWG	美规线号	24	16	14	12	
	MM	公制线径	0.5	1.2	1.6	2.0	
	MM²	公制截面积	0.2	1.3	2.0	3.5	
B款	AWG	美规线号	18	14	12	10	8
	MM	公制线径	1.0	1.6	2.0	2.6	3.2
	MM²	公制截面积	0.8	2.0	3.5	5.5	8.0
C款	AWG	美规线号	17	15	14	12	10
	MM	公制线径	1.05	1.3	1.6	2.0	2.6
	MM²	公制截面积	0.9	1.25	2.0	3.5	5.5

Item No. 货号	Length 长度
98501	180mm

PATENT

Stripping of wire range:
0.2-6mm² /24-10 AWG

SK5/Cr12MoV steel blades,
HRC52-60, line of cutting
handicraft, high precision

剥线范围：0.2-6mm² /24-10AWG
剥线刀口材质SK5或铬钼矾，
线切割高精度。

Acurate and straight
wire cutting
锋利剪切

For insulated terminals
压接绝缘端子

PP&TPR handle，PASH
环保材质手柄



Item No. 货号	Length 长度
98061	160mm

PATENT

Stripping of wire range:
0.2-6mm² /24-10 AWG

SK5/Cr12MoV steel blades,
HRC52-60, line of cutting
handicraft, high precision

剥线范围：0.2-6mm² /24-10AWG
剥线刀口材质SK5或铬钼矾，
线切割高精度。

Acurate and straight
wire cutting
锋利剪切

For insulated terminals
压接绝缘端子

PP&TPR handle，PASH
环保材质手柄



Item No. 货号	Length 长度
98063	160mm



HOT SALE



剥线
Stripping

91003

刀片材质：65MN
本体材质：尼龙
手柄材质：50#钢
Blade material:65MN blade
Body materia:Nylon
Handle material:50# steel



特利剪切
Wire cutting



调节旋钮
Adjustable shear pressure

剥同轴线模块
Strip the coaxial line module

剥对绞线和圆线
Strip the twisted and round wires in material UTP & STP

刀片深度调节
Adjust blade depth

弹簧
spring

剪切电线
Cutting

剥扁平线
Stripping flat wireline



91008

本体材质：ABS
刀片材质：SK5
Body material:ABS
Blade material:SK5




91009

本体材质：尼龙
刀片材质：65MN
Body material: Nylon
Blade material: 65MN



98566



98506



98050



98005

New Design
Precision Cutting.
Longer life.
新颖设计、精准剪切、持久耐用

PATENT

Sharp edge for cutting wire
锋利剪切

Multilocation for reel wire high precise design of milling edge
剥线精准

cutting electric circuit wire by bottom, widely used .
抄底剪线，应用广泛













clamping
夹持

More Applications For：适用于：

1. **Home Electronic Appliances** 1. 家用
2. **Electric Circuit of Automobile** 2. 电路板
3. **Other Precision wirings for D.I.Y. Items** 3. 其他DIY

Item No. 货号	Length 长度
98102	165mm

New Design
Precision Cutting.
Longer life.
新颖设计、精准剪切、持久耐用

HOT SALE

Sharp edge for cutting wire
锋利剪切

cutting electric circuit wire by bottom, widely used .
抄底剪线，应用广泛











More Applications For：适用于：

1. **Home Electronic Appliances** 1. 家用
2. **Electric Circuit of Automobile** 2. 电路板
3. **Other Precision wirings for D.I.Y. Items** 3. 其他DIY

Item No. 货号	Length 长度
98116	140mm

New Process Design
Precision Cutting.
Longer life.
新颖设计、精准剪切、持久耐用

HOT SALE







More Applications For：适用于：

1. Home Electronic Appliances 1. 家用


2. Electric Circuit of Automobile 2. 电路板

3. Other Precision wirings for D.I.Y. Items 3. 其他DIY


Item No. 货号	Length 长度
98119	190mm

New Process Design
Precision Cutting.
Longer life.
新颖设计、精准剪切、持久耐用

PATENT







More Applications For：适用于：

1. Home Electronic Appliances 1. 家用

2. Electric Circuit of Automobile 2. 电路板

3. Other Precision wirings for D.I.Y. Items 3. 其他DIY

Item No. 货号	Length 长度
98120	190mm



98093



98101



98071



91007



98103



98083



91006



91005



98070



98080



98092



98079



98088



98073



98077



98078



Cutting
剪切



Crimping
压接



Bolts cutting
剪螺丝



Crimping
压接



Stripping
剥线

Acurate and straight wire cutting
裁剪剪切

For insulated terminals crimping guage: 22-10AWG
压接22-10AWG绝缘端子

Bolts cutting for range:
4-40 6-32 8-32 10-32 10-24
剪切多规格螺丝

For non-insulated terminals crimping guage: 22-10AWG
压接22-10AWG非绝缘端子

Wire stripping for range:
22- 10AWG
剥线范围22-10AWG

TPR handle
TPR材质手柄



HOT SALE

Mass Production, High Quality and Lower Price.

Item No. 货号	Length 长度
98022	240mm



98019



98023



98008



98014

PATENT

Item No. 货号	Length 长度
98800	175mm



压接准备
Preparation before crimping

剥线并插入端子
Peel the wire and insert it into the ferrule terminal



压接
Use a crimping tool to tighten



完成
Crimping completed




压接钳口
合金钢，高强度钳口
压接范围：
0.25-10mm² /AWG23-7
Crimping Jaw
Alloy steel with great intensity
Crimping range
0.25-10mm² /AWG23-7

压力调节器
"一" 方向是调松
"十" 方向是调紧
Crimp regulator
turn"-"direction to make it loosen
turn"+"direction to make it tighten

自定义释放设置
当极压操作卡住时，可向上拨动拨杆
Customize releasing: Selting when the crimping jaw is stucked, hold tighen the handle, and pull up the the plectrum

PP+TPR
符合人体工程学设计，
使用更舒服
With human-engineering design, more suitable

Item No. 货号	Length 长度
91001	175mm





Item No. 货号	
98308	1200pc 压接钳组套 Newly HSC8 6-4square crimper took set wire ferrule crimp tool kit with 1200 terminal



裁剪式打孔设计，
打孔根底不粘连。
Tailored configuration design, clean punching without any conglutination.



应用力学杠杆原理，
打孔更轻松。
Using physical lever principles economize labour.




打孔针头部V型刀口，
剪裁更容易。
V shape blade design for perforating needle head for easy cutting.



打孔针采用4CR不锈钢材质，
硬度HRC50-55。
Needle Material: Stainless steel, HRC50-55.

HOT SALE



98338

Best choice for household

HOT SALE



98305

Best choice for household

NEW



98500


HOT SALE



98304

98310


HOT SALE





98309

HOT SALE







98324



98329

Best choice for household



98301

285pcs/399pcs/500pcs,etc.
DIY for assortment



98316



98410

Size: 230 x 113 x 31 mm



98411

Size: 225 x 99 x 35 mm



98401

Size: 57 x 39 x 18 mm



98402

Size: 73 x 39 x 25 mm

Blade Material:
- Teflon coated blade.

NEW





The switch can adjust the cutting range from 64mm to 42mm

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

专利产品 PATENTED PRODUCT
- Patent : ZL 201922071382.8
  ZL 201930572248.9

ANT-PC-348 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-348-42	220mm	Ø42mm	48	16.5/14.5	51x31x37.5
ANT-PC-348-64	285mm	Ø64mm	24	14/12.5	37x35x38

NEW





After the ABS sleeve is put on, the cutting range is reduced to 42-51mm,and the tool tip cuts into the pipe first.

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

专利产品 PATENTED PRODUCT
- Patent : ZL 201922071004.X
  ZL 201930572537.9

ANT-PC-349 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-349-36	196mm	Ø36mm	60	-	36.5x27.5x54.5
ANT-PC-349-51	223mm		48		52x31.5x32.5
ANT-PC-349-75	285mm	Ø75mm	24		37x34.5x39.5

Blade Material:
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.

NEW



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

专利产品 PATENTED PRODUCT
- Patent : ZL 202130368289.3

ANT-PC-350-64

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-350-42	220mm	Ø42mm	48	14.5/12.5	52x29.5x31.5
ANT-PC-350-64	275mm	Ø64mm	24	12/10	37x35x38

NEW



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

专利产品 PATENTED PRODUCT
- Patent : ZL 202230015415.1

ANT-PC-351-64

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-351-42	205mm	Ø42mm	48	14.5/12.5	52.5x29.5x34.5
ANT-PC-351-64	270mm	Ø64mm	24	13.5/11.5	37x35x30.5

Blade Material:
- Teflon coated blade.

NEW



专利产品 PATENTED PRODUCT
- Patent : ZL 202020375441.0
  ZL 202130371703.6

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-352-64

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-352-64	270mm	Ø64mm	24	15.5/14	37x35x38

NEW



专利产品 PATENTED PRODUCT
- Patent : ZL 202230517167.0

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.



ANT-PC-355-64

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-355-64	280mm	Ø64mm	24	15.5/14	37x35x38

PVC PIPE CUTTER SERIES

NEW



专利产品 PATENTED PRODUCT
- Patent : ZL 202230178168.7



Rotary cutting



ANT-PC-353-32

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-353-32	200mm	Ø32mm	72	12/10	51.5x28.5x31.5

NEW



专利产品 PATENTED PRODUCT
- Patent : ZL 202230178180.8

ANT-PC-353-34

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-353-34	185mm	Ø34mm	60	13/11	40x29.5x50.5

NEW



专利产品 PATENTED PRODUCT

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-353-42

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-353-42	200mm	Ø42mm	48	13.5/11.5	52x29.5x31.5
ANT-PC-353-42-1	215mm	Ø42mm	48	17/15	51x31x37.5

NEW



专利产品 PATENTED PRODUCT
- Patent : ZL 202230178223.2

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-353-64

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-353-64	255mm	Ø64mm	24	24/22	37x35x44.5

Blade Material:
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.

NEW

ABS HANDLE



专利产品 PATENTED PRODUCT

- Patent : ZL 202021297354.4
  ZL 201830066033.5



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-346 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-346-36	196mm	Ø36mm	60	16/14	
ANT-PC-346-42	220mm	Ø42mm	48	18.5/16.3	58x33x42
ANT-PC-346-64	280mm	Ø64mm	24	15.5/13.5	37x35x44.5

TPR HANDLE



专利产品 PATENTED PRODUCT

- Patent : ZL 201830066035.4



- Cutter Body Material: PA+GF30.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-347 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-347-42	220mm	Ø42mm	48	17.5/15.3	58x33x42



专利产品 PATENTED PRODUCT

- Patent : ZL 202230015609.1



- Cutter Body Material: PA+GF30.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-301V

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301V	220mm	Ø42mm	60	14.5/13	40x29.5x50.5


PVC PIPE CUTTER SERIES

Blade Material:
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



专利产品 PATENTED PRODUCT

- Patent : ZL 202021297588.9
  ZL 201530294591.3





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.

ANT-PC-337 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-337-42	220mm	Ø42mm	24	12/10	33x30x37
ANT-PC-337-64	250mm	Ø64mm	24	15/13	37x35x38



专利产品 PATENTED PRODUCT

- Patent : ZL 2014 2048 45106
  ZL 2014 504 138





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.

ANT-PC-317 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-317-42	220mm	Ø42mm	24	11/9.5	33x30x37
ANT-PC-317-51	240mm	Ø51mm	24	12.5/10.5	33x30x37
ANT-PC-317-64	250mm	Ø64mm	24	15/13	37x35x38



专利产品 PATENTED PRODUCT

- Patent : ZL 201630437248.4





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.

ANT-PC-341 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-341-42	220mm	Ø42mm	24	9.5/8.7	33x30x37
ANT-PC-341-51	230mm	Ø51mm	24	11/9	33x30x37
ANT-PC-341-64	260mm	Ø64mm	24	14/12	37x35x38

Blade Material:
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



专利产品 PATENTED PRODUCT

- Patent : ZL 201630437247.X





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.

ANT-PC-339 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-339-42	225mm	Ø42mm	24	11.5/9.5	33x30x37
ANT-PC-339-64	250mm	Ø64mm	24	14/12	37x35x38



专利产品 PATENTED PRODUCT

- Patent : ZL 201330556816.7





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-335

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-335	230mm	Ø42mm	48	23.5/21.3	58x33.5x33



专利产品 PATENTED PRODUCT

- Patent : ZL 201330556054.2



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-336

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-336	300mm	Ø64mm	24	19/17	37x35x38

PVC PIPE CUTTER SERIES

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.







ANT-PC-301B
Soft dipped handles.

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.

ANT-PC-301

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301	190mm	Ø42mm	48	14/12	49x27.5x33.5





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-301D

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301D	190mm	Ø42mm	48	14/12	49x27.5x29.5



专利产品 PATENTED PRODUCT

- Patent : ZL 2011 3049 09947



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.

ANT-PC-301E

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301E	190mm	Ø42mm	12/48	13/11	49x27.5x29.5

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



专利产品 PATENTED PRODUCT

- Patent : ZL 2016 2044 5853.0
  ZL 2016 2044 5842.2



- Cutter Body Material: Iron.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-301T

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301T	200mm	Ø42mm	48	17/15	49x27.5x33.5



专利产品 PATENTED PRODUCT

- Patent : ZL 2014 3036 66496



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-301L

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301L	205mm	Ø42mm	48	14/12	49x27.5x29.5



专利产品 PATENTED PRODUCT

- Patent : ZL 2011 3049 83019



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Patent product.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-322

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-322	200mm	Ø42mm	48	14/12	49x27.5x29.5

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



专利产品 PATENTED PRODUCT

- Patent : ZL 201730227163.8
  ZL 201720690542.5



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.

ANT-PC-301I

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301I	205mm	Ø42mm	48	13.5/11.5	49x27.5x33.5





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.

ANT-PC-301M

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301M	205mm	Ø42mm	48	14.5/12.5	52x29.5x31.5



专利产品 PATENTED PRODUCT

- Patent : ZL 201730073015.5



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.

ANT-PC-301J

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301J	205mm	Ø42mm	48	14/12	52x27.5x33.5

NEW



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Patent product.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-301H

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-301H	220mm	Ø42mm	60	15.5/13.5	52x29.5x31.5

NEW



专利产品 PATENTED PRODUCT

- Patent : ZL 201530328987.5

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-354 series

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-354-36	190mm	Ø36mm	72	14.5/13	63x26.5x31.5
ANT-PC-354-42	195mm	Ø42mm	72	18/16	-



专利产品 PATENTED PRODUCT

- Patent : ZL 2011 3049 2083.8



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.

ANT-PC-304C

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
PC-304C	200mm	Ø36mm	48	12.5/10.5	42x26.5x31.5

PVC PIPE CUTTER SERIES

Blade Material:

- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 57°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-308

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-308	220mm	Ø42mm	24	12.5/10.5	33x30x37

IRON BODY



- Cutter Body Material: Iron.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-308T

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-308T	230mm	Ø42mm	48	22/20	50x33x37



专利产品 PATENTED PRODUCT

- Patent : ZL 2017300680315



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-308C

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-308C	220mm	Ø42mm	24	11.5/10	33x30x37

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Easy to change the blade.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-302

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-302	230mm	Ø42mm	48	21/19	51x31x41



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Easy to change the blade.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-302A

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-302A	230mm	Ø42mm	48	21/19	51x31x37.5



专利产品 PATENTED PRODUCT

● Patent : ZL 201630499147.X

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-302B

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-302B	235mm	Ø42mm	48	23/21	51x31x37.5

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



专利产品 PATENTED PRODUCT

● Patent : ZL 2014 3036 70472

- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-302C

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-302C	235mm	Ø42mm	48	21/19	51x31x37.5





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft handle, comfortable grip.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-309

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-309	220mm	Ø42mm	48	19/17	51x31x37.5





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-310

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-310	225mm	Ø42mm	48	18.5/17	51x31x37.5

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SKS blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.

Aluminium die-casting body









ANT-PC-303A

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303A	205mm	Ø36mm	72	13.5/11.5	51.5x28.5x31.5









ANT-PC-303B

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303B	240mm	Ø50mm	48	11.5/9.5	43x33.3x35









ANT-PC-303F

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303F	210mm	Ø36mm	72	15/13	51.5x28.5x31.5







ANT-PC-303L

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303L	210mm	Ø36mm	72	13.5/11.5	51.5x28.5x31.5







ANT-PC-303M

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303M	205mm	Ø40mm	72	15/13	51.5x28.5x31.5

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SKS blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.

Aluminium die-casting body

NEW



专利产品 PATENTED PRODUCT
- Patent : ZL 202221298433.6
  ZL 202230317271.2
  ZL 202122218657.3

NEW



专利产品 PATENTED PRODUCT
- Patent : ZL 202230287402.X



NEW



Nylon body




ANT-PC-303QS

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303QS	205mm	Ø32mm	72	12/10	51.5x28.5x37.5



ANT-PC-354-32

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-354-32	200mm	Ø32mm	72	12/10	51x28.5x37.5



ANT-PC-303N

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303N	200mm	Ø36mm	72	12/10	51.5x28x28



ANT-PC-303S

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303S	200mm	Ø33mm	120	13/11	51.5x28x46

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.







Rotary cutting

ANT-PC-303C

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303C	210mm	Ø38mm	60	9.5/7.7	51.5x28.5x31.5







Rotary cutting

ANT-PC-303D

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303D	205mm	Ø50mm	60	8.5/6.5	51.5x28.5x31.5







Rotary cutting

ANT-PC-303E

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303E	240mm	Ø61mm	50	9/7.5	53x33x35

ABS body







Rotary cutting

ANT-PC-303G

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303G	232mm	Ø36mm	60	9/8	56x32.5x38

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.

Aluminium die-casting body



专利产品 PATENTED PRODUCT

- Patent : ZL 201530328987.5





Rotary cutting

ANT-PC-303H

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303H	200mm	Ø36mm	60	15/13	51.5x28.5x31.5



专利产品 PATENTED PRODUCT

- Patent : ZL 201530329046.3







Rotary cutting

ANT-PC-303K

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303K	210mm	Ø42mm	60	15.5/13.5	68.5x28.5x26.5





ANT-PC-303P

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
ANT-PC-303P	200mm	Ø34mm	48	9.7/7.7	57x28.5x38

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Soft dipped handles.



ANT-PC-312

Item No.	Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card	
				G.W/N.W.(kgs)	MEAS(cm)
PC-312	225mm	Ø42mm	48	20.7/18.7	51x31x37.5
PC-312A	240mm	Ø42mm	48	21/19	58x33x33



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.

ANT-PC-313B

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-313B	285mm	Ø63mm	24	17/15	37X35X38

专利产品 PATENTED PRODUCT
● Patent : ZL 2011 3049 01860

PVC PIPE CUTTER SERIES

Blade Material:
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Easy to change the blade.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.



ANT-PC-63

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-63	430mm	Ø63mm	12	15/13.5	58x33.5x25.5





- Cutter Body Material: Aluminium Die-casting.
- Cutter Body Surface Treatment: Plastic-Spraying.
- Rubber handles for more comfortable.
- Apply to cut PVC, PPR, PE, PEX Pipe and other plastic pipe.



ANT-PC-75

Item No.	Length.	Max scope of cutting	Carton / QTY(pcs)	Slide Blister Card	
				G.W/N.W. (kgs)	MEAS (cm)
ANT-PC-75	490mm	Ø75mm	12	21/20	53x38x26

PVC PIPE CUTTER SERIES



NEW

- Blade material:GCr15 blade
- Cutter body material: aluminium die-casting
- Cutter body surface treatment: surface plastic-spraying
- Apply to cut aluminum, copper and other non-ferrous metal pipe, but can t cut stainless iron, iron tube.

ANT-CC-42

Item No.	Length	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card	
				G.W/N.W.(kgs)	MEAS(cm)
ANT-CC-42	220mm	Ø42mm	24	10.5/9	52.5x31x26
ANT-CC-64	248mm	Ø64mm	24	14/12	58x33x26
ANT-CC-110	350mm	Ø127mm	12	18/16	38x37x43

SLOTS SCISSORS




Blade Material:

- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless Steel Blade, HRC 55°, surface polishing.



Parts List



1. Body
2. Handle
3. Blade seat
4. Blade
5. Ingranaggio mobile
6. Safety catch
7. Bolt with washer
8. Nut
9. Blade retainer pin
10. Pin
11. Hook
12. Shifting gear spring
13. Safety catch spring
14. Torsion spring
15. Ring
16. Flat head screw
17. Spring

Applications

Clima Plus line



Euro Plus line



ANT-PC-323

Length	Carton/QTY (pcs)	Slide Blister Card	
		G.W/N.W.(kgs)	MEAS(cm)
290mm	24	15/13	40x27x29

LD-0758

HEAVY DUTY MULTIFUNCTIONAL SCISSORS

Heavy Duty Multifunctional Scissors
重型多功能剪刀



ANT-PC-316





Additional 4 baldes stored in handle of this unit.
手柄内藏四片备用刀片





Multi-function slot angle scissors

Suitable for cutting edge clamp of paint-free board less than 1 mm, electrical wire slot less than 30 mm width, etc.

- Blade Material: Stainless Steel Blade, surface polishing.
- Cutter Body Material: 50#steel body, chrome plated.
- Blade fixed lock design, easy to accept, safe and convenient.
- Clear calibration adjusting disc, easy to adjust, accurate operation.
- The handle: PVC soft dipped handle.
- Blade can be replaced.

ANT-PC-314B

Length	Carton /QTY (pcs)	Double Blister Card	
		G.W/N.W.(kgs)	MEAS(cm)
220mm	32	12.6/10.6	53.5x30.2x61.5





专利产品 PATENTED PRODUCT
● Patent: 2018 207581610

ANT-PC-315

Length	Carton /QTY (pcs)	Double Blister Card	
		G.W/N.W.(kgs)	MEAS(cm)
245mm	32	13.5/11.5	67x34x53.5



Scope of application



ANT-PC-315A

Length	Carton /QTY (pcs)	Double Blister Card	
		G.W/N.W.(kgs)	MEAS(cm)
245mm	32	11.5/9.5	55x36x46





- CRV head, HRC 50°±2, surface electroplated / black oxide coation.
- 45# steel body and handles, HRC 40°±2, surface electroplated/black oxide coating.



CURVED JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W.(kgs)	MEAS(cm)
SNK-11205	13.8cm/5"	72	15/13	42x21.5x38
SNK-11207	18.5cm/7"	72	17/15	34.5x26x33.5
SNK-11210	22cm/10"	24	14/12	31x21x26



ROUND JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W.(kgs)	MEAS(cm)
SNK-10505	13.8cm/5"	72	20/18	42x21.5x38
SNK-10507	18.5cm/7"	72	23/21	34.5x26x33.5
SNK-10510	22cm/10"	48	24/22	40x31x24



ROUND JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W.(kgs)	MEAS(cm)
SNK-11305	13.8cm/5"	72	15/13	42x21.5x38
SNK-11307	18.5cm/7"	48	17/15	36.5x26x24
SNK-11310	22cm/10"	24	14/12	31x21x26



CURVED JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W.(kgs)	MEAS(cm)
SNK-11105	13.8cm/5"	72	15/13	42x21.5x38
SNK-11107	18.5cm/7"	72	23/21	34.5x26x33.4
SNK-11110	22cm/10"	48	24/22	40x31x24



STRAIGHT JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W.(kgs)	MEAS(cm)
SNK-11405	13.8cm/5"	72	15/13	42x21.5x38
SNK-11407	18.5cm/7"	48	17/15	36.5x26x24
SNK-11410	22cm/10"	24	14/12	31x21x26



STRAIGHT JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W.(kgs)	MEAS(cm)
SNK-10805	13.8cm/5"	72	17/15.5	42x21.5x38
SNK-10807	18.5cm/7"	72	23/21	34.5x26x33.5
SNK-10810	22cm/10"	48	24/22	40x31x24

NEW



CURVED JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-11205A	13.8cm/5"	72	15/13	42x21.5x38
SNK-11207A	18.5cm/7"	72	17/15	34.5x26x33.5
SNK-11210A	22cm/10"	24	15.5/13.5	31x21x26

NEW



CURVED JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-11205B	13.8cm/5"	72	15/13	42x21.5x38
SNK-11207B	18.5cm/7"	72	17/15	34.5x26x33.5
SNK-11210B	22cm/10"	24	15/13	31x21x26

NEW



ROUND JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-11305A	13.8cm/5"	72	15/13	42x21.5x38
SNK-11307A	18.5cm/7"	48	17/15	36.5x26x24
SNK-11310A	22cm/10"	24	14/12	31x21x26

NEW



ROUND JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-11305B	13.8cm/5"	72	15/13	42x21.5x38
SNK-11307B	18.5cm/7"	48	17/15	36.5x26x24
SNK-11310B	22cm/10"	24	14/12	31x21x26

NEW



STRAIGHT JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-11405A	13.8cm/5"	72	15/13	42x21.5x38
SNK-11407A	18.5cm/7"	48	17/15	36.5x26x24
SNK-11410A	22cm/10"	24	14/12	31x21x26

NEW



STRAIGHT JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-11405B	13.8cm/5"	72	15/13	42x21.5x38
SNK-11407B	18.5cm/7"	48	17/15	36.5x26x24
SNK-11410B	22cm/10"	24	14/12	31x21x26



CURVED JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-11210YL	22cm/10"	24	14.5/12.5	31x21x26



- CRV head, HRC 50°±2, surface electroplated / black oxide coation or 45# Steel head, HRC 40°±2
- A3 Steel body and handles.
- Surface electroplated/black oxide coating.








R JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-10607	19cm/7"	48	18/16	34.5x26x33.5
SNK-10610	23.5cm/10"	24	15/13	31x21x26



R JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-10610A	23cm/10"	24	16/14	31x21x26



- 45# Steel head, HRC 40°±2
- A3 Steel body and handles.
- Surface electroplated/black oxide coating.



V JAW LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-10710	25cm/10"	48	23.5/21.5	41x31x24



LONG NOSE LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-10965	17cm/6.5"	72	12/10	34x26x28.5
SNK-10909	22.2cm/10"	48	23/21	40x31x22



- CRV head, HRC 50°±2, surface electroplated / black oxide coation.
- 45# steel body and handles, HRC 40°±2, surface electroplated/black oxide coating.



LONG NOSE LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W.(kgs)	MEAS(cm)
SNK-11065	17cm/6.5"	72	15/13	34x26x28.5
SNK-11009	22.2cm/10"	48	18.5/16.5	40x31x22





- 45# Steel head, HRC 40°±2
- A3 Steel body and handles.
- Surface electroplated/black oxide coating.

OIL FITER MASTER LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W./(kgs)	MEAS(cm)
SNK-11510	24cm/10"	48	22.5/20.5	49.5x33.5x24

NEW





OIL FITER MASTER LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W./(kgs)	MEAS(cm)
SNK-11511	30cm/12"	6/24	17.5/15.5	39.5x26.5x47.5





- 45# Steel head, HRC 40°±2
- A3 Steel body and handles.
- Surface electroplated/black oxide coating.

CHAIN LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W./(kgs)	MEAS(cm)
SNK-10318	45cm/18"	24	33/31	35x28x20

NEW





CHAIN LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W./(kgs)	MEAS(cm)
SNK-10319	23cm/50cm	6/36	26/24	41x35x25.5





WELDING LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W./(kgs)	MEAS(cm)
SNK-10410	23cm/10"	24	20.5/18.5	33x29x30





SM LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W./(kgs)	MEAS(cm)
SNK-10108	17.5cm/7"	24	13.5/11.5	28.5x22.5x29
SNK-10110	25cm/10"	24	21/19	33x29x30





C LOCKING PLIERS

Item No.	Length	Carton /QTY (pcs)	Slide Blister Card	
			G.W/N.W./(kgs)	MEAS(cm)
SNK-10206	16.5cm/6"	60	11/9	56x24x23
SNK-10209	22.5cm/9.5"	36	26.2/25.2	47.5x31x27.5
SNK-10211	28cm/11"	24	14.7/12.7	37x35x28
SNK-10214	36cm/14"	16	15/13	46x40.5x16.5
SNK-10218	45cm/18"	12	32/30	55.5x17.5x20





Blade material
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless steel blade, HRC 55°, surface polishing.

Shears body:
Aluminium die casting plastic-spraying with PVC soft dipped.





ANT-PS-801

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
210mm	20mm	60	17.8/15.8	50x29.5x35



ANT-PS-801B

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
210mm	20mm	60	18/16	50x29.5x35



ANT-PS-802

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
220mm	20mm	60	19.5/17.5	50x29.5x30



ANT-PS-803

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
210mm	20mm	60	17.5/15.5	50x29.5x35



ANT-PS-803Q
Simple and light style

PRUNING SHEARS SERIES

Blade material
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless steel blade, HRC 55°, surface polishing.

Shears body:
Aluminium die casting plastic-spraying with PVC soft dipped.





ANT-PS-804

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
200mm	15mm	60	15.6/13.6	50x29.5x35



Hand and wrist protection, and optimisation of the force exerted are provided by the revolving handle

ANT-PS-805

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
210mm	20mm	60	19.3/17.3	50x29.5x35



Hand and wrist protection, and optimisation of the force exerted are provided by the revolving handle

ANT-PS-805A

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
210mm	20mm	60	19.3/17.3	50x29.5x35



ANT-PS-814

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
200mm	15mm	60	15.5/13.5	50x29.5x26.5





三挡调节
Three gears adjustment

ANT-PS-816

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.WN.W. (kgs)	MEAS(cm)
200mm	20mm	60	15.5/13.5	65x27.5x30

Blade material
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless steel blade, HRC 55°, surface polishing.

Shears body:
Aluminium die casting plastic-spraying with PVC soft dipped.





ANT-PS-818

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.W/N.W. (kgs)	Double Blister Card MEAS(cm)
200mm	15mm	60	15.6/13.6	50x29.5x26.5



ANT-PS-819

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.W/N.W. (kgs)	Double Blister Card MEAS(cm)
192mm	15mm	60	16/14	49.5x28x27

NEW



ANT-PS-837A

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.W/N.W. (kgs)	Double Blister Card MEAS(cm)
200mm	15mm	60	16/14	50x29.5x28.5

专利产品 仿冒必究
PATENTED PRODUCT


NEW



ANT-PS-837C

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.W/N.W. (kgs)	Double Blister Card MEAS(cm)
200mm	15mm	60	16/14	50x29.5x28.5

NEW



Adjust the handle opening size

ANT-PS-838

Length.	Max scope of cutting	Carton /QTY (pcs)	Double Blister Card G.W/N.W. (kgs)	Double Blister Card MEAS(cm)
220mm	15mm	60	14/12	50x29.5x28.5

专利产品 仿冒必究
PATENTED PRODUCT

Blade material
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless steel blade, HRC 55°, surface polishing.

Shears body:
Aluminium die casting with plastic-spraying.





ANT-PS-806A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
200mm	15mm	60	12/10	49.5x28.5x27.3



ANT-PS-807A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
200mm	15mm	60	13/11	49.5x28.5x27.3



ANT-PS-806B

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
200mm	15mm	60	11/9	49.5x28.5x27.3



ANT-PS-807B

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
200mm	15mm	60	12.5/10.5	49.5x28.5x27.3



ANT-PS-806C

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	15mm	60	11/9	49.5x28.5x27.3



ANT-PS-807C

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
205mm	15mm	60	12/10	49.5x28.5x27.3



ANT-PS-806D

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
215mm	15mm	60	11/9	49.5x28.5x27.3



ANT-PS-807D

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
215mm	15mm	60	12/10	49.5x28.5x27.3

Blade material
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless steel blade, HRC 55°, surface polishing.

Shears body:
Steel with plastic-spraying.





- Steel handles.

ANT-PS-808A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
190mm	10mm	60	15.8/13.8	49.5x28.5x27.3



- Steel handles.

ANT-PS-808A-1

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
190mm	10mm	60	16/14	49.5x28.5x27.3



- Steel handles.

ANT-PS-808B

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
220mm	15mm	60	19/17	50x29.5x30



- Steel handles.

ANT-PS-808C

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
220mm	15mm	60	19/17	50x29.5x30



- Soft handles

ANT-PS-811A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
175mm	10mm	60	10/8	49.5x28x27.3



- Soft handles

ANT-PS-811B

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
195mm	10mm	60	10/8	49.5x28.5x27.3



- Soft handles

ANT-PS-812A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
180mm	10mm	60	9.5/7.5	49.5x28.5x27.3



- Soft handles

ANT-PS-812B

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS (cm)
170mm	10mm	60	10/8	49.5x28.5x27.3

Blade material
- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless steel blade, HRC 55°, surface polishing.

Shears body:
Aluminium die casting with plastic-spraying.





- Soft handles

ANT-PS-821

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
215mm	15mm	48	14/12	39.2x29x29.8

Shears body material: Aluminium die casting



- Soft handles

ANT-PS-827

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	16/14	50x29.5x26.5



- Handle can soft dipped

ANT-PS-826

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
210mm	10mm	60	16.8/14.8	50x29.5x29

Shears body material: Aluminium die casting



- Soft dipped handles.

ANT-PS-835

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	16/14	50x29.5x29



- Soft handles

ANT-PS-815

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
185mm	10mm	60	9/7.5	56.5x27x18



- Soft handles

ANT-PS-815A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
185mm	10mm	60	9/7	56.5x27x18



- Soft handles

ANT-PS-815B

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	9/7	50x29.5x23



- Soft handles

ANT-PS-815C

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
225mm	10mm	60	9/7	50x29.5x23

- **Blade material**
  Stainless steel blade, HRC 55°, surface polishing.
- **Handle material:** PVC
- **Main cut iron sheet**




Max thickness of iron sheet 0.5mm



ANT-PS-825

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	11/9	50x28x28.5

Max thickness of iron sheet 0.5mm



ANT-PS-825A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	11.5/9.5	50x28x28.5

Max thickness of iron sheet 0.5mm



ANT-PS-831

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	13/11	48x28.5x26

Max thickness of iron sheet 0.5mm



ANT-PS-831A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	13.5/11.5	48x28.5x26

Max thickness of iron sheet 0.5mm

NEW



ANT-PS-833F

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
220mm	10mm	10/60	15/13.3	50x31x26

MULTIPURPOSE SCISSORS SERIES

- **Blade material**
  Stainless steel blade, HRC 55°, surface polishing.
- **Handle material:** PVC
- **Main cut iron sheet**



Max thickness of iron sheet 1.0mm



ANT-PS-832

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	11.5/9.5	48x28.5x26

Max thickness of iron sheet 1.0mm



ANT-PS-832A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	11/9	48x28.5x26

Max thickness of iron sheet 1.5mm



ANT-PS-833

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	16/14	48x28.5x26

Max thickness of iron sheet 1.5mm



ANT-PS-833A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
205mm	10mm	60	16/14	48x28.5x26

Max thickness of iron sheet 2.0mm



ANT-PS-833D

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
215mm	10mm	60	14/12	50x31x26

Max thickness of iron sheet 2.0mm



ANT-PS-833E

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
225mm	10mm	60	15/13	50x31x26



ANT-WS-110A

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
200mm	10mm	60	10/8	38x33x43



ANT-WS-110B

Length.	Max scope of cutting	Carton /QTY (pcs)	Slide Blister Card G.W/N.W. (kgs)	Slide Blister Card MEAS(cm)
180mm	10mm	60	9/7	56.5x27x18

- **Blade material:** 65Mn blade
- **Body material:** Nylon
- **Handle material:** 50# steel

Use for 0.5-5mm 2 wire





ANT-WS-104


Length.	Carton /QTY (pcs)	Slide Blister Card	
		G.WN.W. (kgs)	MEAS (cm)
175mm	48	10/8	53x26x28.5





ANT-WS-108

Length.	Carton /QTY (pcs)	Slide Blister Card	
		G.WN.W. (kgs)	MEAS (cm)
205mm	48	17.5/15.5	58x29x34





ANT-WS-109

Length.	Carton /QTY (pcs)	Slide Blister Card	
		G.WN.W. (kgs)	MEAS (cm)
205mm	48	16/14	58x29x24

ANT-WS-103

- Blade Material: 65Mn
- Body material: zinc alloy, surface plastic-spraying
- Handle material: PVC
- Handle color: One or double colors offered.



ANT-WS-103B
Handle B



ANT-WS-103

Length.	Carton /QTY (pcs)	Slide Blister Card	
		G.WN.W. (kgs)	MEAS (cm)
175mm	48	15.5/13.5	44x25x40

ANT-WS-103-1

- Blade Material: 65Mn
- Body material: zinc alloy, surface plastic-spraying
- Handle material: PVC
- Handle color: One or double colors offered.



ANT-WS-103-1B
Handle B



ANT-WS-103-1

Length.	Carton /QTY (pcs)	Slide Blister Card	
		G.WN.W. (kgs)	MEAS (cm)
180mm	40	16/14	48x26x35.5

PART Number	WIRE SIZE	BLADE
No.3000A Single Wire	0.5/1.2/1.6/2.0mm (AWG 24/16/14/12)	0.5 1.2 1.6 2.0
PNo.3000B Single Wire	1.0/1.6/2.0/2.6/3.2mm (AWG 18/14/12/10/8)	1.0 1.6 2.0 2.6 3.2
No.3000C Single Wire	0.9/1.25/2.0/3.5/5.5mm² (AWG 17/16/14/12/10)	0.9 1.25 2.0 3.5 5.5
No.3000D Double Vinyl cord	0.75mm²x2/1.25m²x2 (AWG 18x2/16x2)	0.75x2 . 1.25x2
No.3000G Coax Wire	5C2V(5.6)/3C2V(3.8mm)	3.8 5.6
No.3000VA Flat Cable	VA,IV(WF)1.6mmx2/20mmx2 (AWG 14x2/12x2)	1.6x2 . 2.0x2

ELECTRIC PIPE CUTTER

Blade material

- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless steel blade, HRC 55°, surface polishing.

Model **FBEC-421801**

Product name	Electric pipe cutter
Structural style	Electric hand-held
Battery Optimized Mode	Lithium battery
Rated battery voltage	18V
Rated Capacity of Lithium Barrtery	2Ah
Overall quality	1.25kg
Maximum shear diameter	Ø42mm



This product can cut up to 42mm of the PVC Plastic pipe







1st generation 18V/2Nh battery pack
Name: 18V Battery Pack (I)
Model: **FB-1820QP01**
Voltage: DC18V
Capacity: 2Nh/36Wh
Battery pack type: combination rechargeable battery combination
Battery cell type: Steel shell cylindrical carp ion rechargeable battery
Cell specification: CR18650



ELECTRIC PIPE CUTTER

Blade material

- 65Mn blade, HRC 53°, surface electroplated
- SK5 blade, HRC 53°, surface electroplated
- Stainless steel blade, HRC 55°, surface polishing.

Model **FBET-251801**

Product name	Electric trimmer
Structural style	Electric hand-held
Battery Optimized Mode	Lithium battery
Rated battery voltage	18V
Rated Capacity of Lithium Barrtery	2Ah
Overall quality	1.05kg
Maximum shear diameter	Ø25mm



Cutting branches with diameter less than 25mm







1st generation 18V/2Nh battery pack
Name: 18V Battery Pack (I)
Model: **FB-1820QP01**
Voltage: DC18V
Capacity: 2Nh/36Wh
Battery pack type: combination rechargeable battery combination
Battery cell type: Steel shell cylindrical carp ion rechargeable battery
Cell specification: CR18650



CORDLESS PRUNING SAW





Model **FBCPS-1001801**

Product name:	4" Cordless Pruning saw
Voltage:	DC18V
Linear speed:	8m/s
Guide bar length:	100mm
Number of chain links:	28
Chain width:	0.043"
Chain pitch:	1/4"
Oil pot volume:	ml

Model **FBCPS-1501801**

Product name:	6" Cordless Pruning saw
Voltage:	DC18V
Linear speed:	8m/s
Guide bar length:	150mm
Number of chain links:	36
Chain width:	0.043"
Chain pitch:	1/4"
Oil pot volume:	ml



2nd generation 18V/2Ah battery pack
Name: 18V potassium battery pack (II)
Model: **FB-1820QP02**
Voltage: DC18V
Capacity: 2Ah/36Wh



2nd generation 18V/2Ah battery pack
Name: 18V potassium battery pack (II)
Model: **FB-1810QP02**
Voltage: DC18V
Capacity: 4Ah/72Wh

Battery pack type: combination rechargeable battery combination
Battery cell type: Steel shell cylindrical potassium ion rechargeable
Battery cell specification: ICR18650

TELESCOPIC COMPOUND ANVIL LOPER

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with chrome plated coating
- Aluminium alloy anvil
- Cutting capacity 1¾"
- Oval aluminum alloy handle
- Comfortable grip
- 6 levels extendable handle from 20"-32.5"



JJ-L544377

Length.	Blade's lenth	Carton (QTY (pcs)	Slide Blister Card	
			G.W/N.W. (kgs)	MEAS(cm)
27"-39"	1¼"	6	10.5/9.8	75.5x39x14

TELESCOPIC GEAR ACTION WAVY BLADE HEDGE SHEARS

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with polish
- Power saving heavy duty gear mechanism
- Blade's lenth:12"
- Oval aluminum alloy handle
- Comfortable grip
- 4 levels extendable handle from 14.5"-22.5"



JJ-H554377

Length.	Blade's lenth	Carton (QTY (pcs)	Slide Blister Card	
			G.W/N.W. (kgs)	MEAS(cm)
28"-35.5"	12"	6	8.2/7.5	78.5x35x12.5

TELESCOPIC WAVY LONG BLADE HEDGE SHEARS

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with polish
- Tension adjuster included
- Blade's lenth:12"
- Triangular tubular steel handle
- Comfortable grip
- 4 levels extendable handle from 16"-22"



JJ-H033111

Length.	Blade's lenth	Carton (QTY (pcs)	Slide Blister Card	
			G.W/N.W. (kgs)	MEAS(cm)
16"-22"	12"	6	8.5/8	67x29.5x12.5

TELESCOPIC COMPOUND BYPASS LOPPER

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with chrome plated coating
- Cutting capacity 1½"
- Triangular tubular steel handle
- Comfortable grip
- 6 levels extendable handle from 19"-29"



JJ-L073111

Length.	Blade's lenth	Carton (QTY (pcs)	Slide Blister Card	
			G.W/N.W. (kgs)	MEAS(cm)
19"-29"	1½"	6	10/9.5	65.5x34.5x10.5

16" BYPASS LOPPER

- Hardened carbon steel blades
- Shot blasting blades
- Cutting capacity:1"
- Triangular tubular steel handle
- Comfortable grip



JJ-L053071

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
16"	-	12	8.5/8.7	40x25x28

20" GEAR ACTION BYPASS LOPPER

- Hardened carbon steel blades
- Upper blade with non-stick coationg
- Lower blade with chrome plated coation
- Power saving gear mechanism
- Cutting capacity:1"
- Triangular tubular steel handle
- Comfortable grip



JJ-L083071

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
20"	-	8	7/6.2	52.5x30.5x13.5

23" WAVY BLADE HEDGE SHEARS

- Hardened carbon steel blades
- Upper blade with non-stick coationg
- Lower blade with polish
- Tension adjuster included
- Blade's length:10"
- Triangular tubular steel handle
- Comfortable grip



JJ-H523071

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
23"	10"	6	7.3/8.6	64x25.5x14

27" BYPASS LOPPER

- Hardened carbon steel blades
- Upper blade with non-stick coationg
- Lower blade with chrome plated coating
- Shock absorber bumper included
- Cutting capacity:1"
- Triangular tubular steel handle
- Comfortable grip



JJ-L063071

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
27"	-	6	7.6/8.9	71x39x15

23.5" WAVY BLADE HEDGE SHEARS

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with polish
- Tension adjuster included
- Blade's length:10"
- Triangular tubular steel handle
- Comfortable grip



JJ-H522078

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
23.5"	10"	6	7/6.6	69x32x12

30" COMPOUND BYPASS LOPPER

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with chrome plated coating
- Compound heavy duty mechanism
- Cutting capacity:1½"
- Triangular tubular steel handle
- Comfortable grip



JJ-L072078

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
30"	1½"	6	7.7/9.3	76.5x38.5x10

30" COMPOUND BYPASS LOPPER

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with chrome plated coating
- Cutting capacity:1½"
- Triangular tubular steel handle
- Comfortable grip



JJ-L022078

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
30"	1½"	6	9/8.4	77.5x37x9

TELESCOPIC WAVY BLADE HEDGE SHEARS



- Hardened carbon steel blades
- Upper blade with non-stick coationg
- Lower blade with polish
- Tension adjuster included
- Blade's length:10"
- Aluminum alloy handle with reinforced rib design
- Comfortable grip
- 3 levels extendable handle from 16.5"-21"

JJ-H524081

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
27"-33"	10"	6	8.3/7.4	70.5x37.5x9.7

TELESCOPIC STRAIGHT BLADE HEDGE SHEARS



- Hardened carbon steel blades
- Upper blade with non-stick coationg
- Lower blade with polish
- Tension adjuster included
- Blade's length:10"
- Aluminum alloy handle with reinforced rib design
- Comfortable grip
- 3 levels extendable handle from 16.5"-21"

JJ-H514081

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
27"-33"	10"	6	8.5/7.7	75x32x18

TELESCOPIC COMPOUND BYPASS LOPPER



- Hardened carbon steel blades
- Upper blade with non-stick coationg
- Lower blade with chrome plated coating
- Compound heavy duty mechanism
- Cutting capacity:1"
- Aluminum alloy handle with reinforced rib design
- Comfortable grip
- 4 levels extendable handle from 20"-27"

JJ-L074081

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
27"-33"	-	6	8.3/7.4	70.5x37.5x9.7

15" BYPASS LOPPER



- Hardened carbon steel blades
- Shot blasting blades
- Cutting capacity:1"
- Triangular tubular steel handle
- Comfortable grip

JJ-L050202

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
15"	7"	12	6.5/6	42x28x20

21" STRAIGHT BLADE HEDGE SHEARS



- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with non-stick coating
- Tension adjuster included
- Blade's length:12"
- Triangular tubular steel handle
- Comfortable grip

JJ-H080202

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
21"	10"	6	7/6.6	69x32x12

21" WAVY BLADE HEDGE SHEARS



- Carbon steel blades
- Polished blades
- Blade's length:10"
- Oval tubular steel handle
- Comfortable grip

JJ-H100202

Length.	Blade's lenth	Carton /QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
21"	10"	6	10.3/9.5	56.5x25.5x12.5



PRUNER & LOPPER COMBO KITS

- 8" Bypass pruner
- 21" Hedge shears
- 24" Bypass lopper

JJ-S301

Length.	Carton /QTY (pcs)	Slide Blister Card	
		G.WN.W. (kgs)	MEAS(cm)
2PCS	12	9.5/9	46x31x20.3



PRUNER & LOPPER COMBO KITS

- 8" Bypass pruner
- 15" Bypass lopper

JJ-S202

Length.	Carton /QTY (pcs)	Slide Blister Card	
		G.WN.W. (kgs)	MEAS(cm)
2PCS	12	9.5/9	46x31x20.3

24" BYPASS LOPPER

- Hardened carbon steel blades
- Shirt blasting blades
- Cutting capacity:1"
- Oval tubular steel handle
- Comfortable grip



21" STRAIGHT BLADE HEDGE SHEARS

- Carbon steel blades
- Polished blades
- Blade's length:10"
- Oval tubular steel handle
- Comfortable grip

JJ-L052003+JJ-H092003

Length.	Carton/QTY (pcs)	Slide Blister Card	
		G.WN.W. (kgs)	MEAS(cm)
2PCS	12	12.7/11.7	88.5x28x22

26.5" BYPASS LOPPER

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with chrome plated coating
- Shock absorber bumper inchluded
- Cutting capacity:1"
- Triangular tubular steel handle
- Comfortable grip



JJ-L062003

Length.	Blade's lenth	Carton/QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
26.5"	1"	6	6.8/6.3	68x34x9

TELESCOPIC POTATE HANDLE STRAIGHT BLADE HEDGE SHEARS

- Hardened carbon steel blades
- Upper blade with non-stick coating
- Lower blade with polish
- Torsion adjuster included
- Blade's length:10"
- Round tubular steel handle
- Anti-slip PVC grip
- Handle extendable from 13"-22"



JJ-H091010

Length.	Blade's lenth	Carton/QTY (pcs)	Slide Blister Card	
			G.WN.W. (kgs)	MEAS(cm)
23.5"-32.5"	10"	6	-	-

JJ1316X/JJ1322X TUBE CUTTER


Max thickness:2mm
Precise cutting from Ø3 to Ø22 mm according to the type of tube.
Can cutting copper tube, plastic pipe, stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.



JJ1316X



Smooth groove in rollers can stabilize demaged flares and cut it easily.






JJ1322X

Item No.	Main Material	Spec.A mm(*OD)	L mm	H mm	E maxi mm
JJ1316X	Zinc Die-cast	3-16mm(1/8"-5/8")	50	35	2
JJ1322X	Zinc Die-cast	3-22mm(1/8"-7/8")	57	39	2

JJ2322X TUBE CUTTER

Max thickness:2mm
Precise cutting from Ø3 to Ø22 mm according to the type of tube.
Can cutting copper tube,plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.





JJ2322X

JJ2328X TUBE CUTTER

Max thickness:3mm
Precise cutting from Ø3 to Ø28 mm according to the type of tube.
Can cutting copper tube,plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.



Smooth groove in rollers can stabilize demaged flares and cut it easily.




JJ2328X

Item No.	Main Material	Spec.A mm(*OD)	L mm	H mm	E maxi mm
JJ2322X	Zinc Die-cast	3-22mm(1/8"-7/8")	65	42.5	2
JJ2328X	Zinc Die-cast	3-28mm(1/8"-1.1/8")	80	53	3

JJ3330X TUBE CUTTER

Max thickness:3mm
Precise cutting from Ø3 to Ø30 mm according to the type of tube.
Can cutting copper tube, plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.







Item No.	Main Material	Spec.A mm("OD)	L mm	H mm	E maxi mm
JJ3330X	Zinc Die-cast	3-30mm(1/8"-1.1/8")	70	51	3

JJ4330X/JJ4330L TUBE CUTTER


Max thickness:3.5mm
Precise cutting from Ø3 to Ø30 mm according to the type of tube.
Can cutting copper tube,plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.
With the precision screw mechanical structure, you can always keep flexible feed.
The rotatable chamfering tools can be used to remove the thorns and sharp edges of the tube.
The knob is equipped with an alternate cutter wheel.













Item No.	Main Material	Spec.A mm("OD)	L mm	H mm	E maxi mm
JJ4330X	Zinc Die-cast	3-30mm(1/8"-1.1/8")	L1(104) L2(126)	63	3.5
JJ4330L	Aluminum Die-cast	3-30mm(1/8"-1.1/8")	L1(104) L2(126)	63	3.5

JJ5635X/JJ5642X TUBE CUTTER






Max thickness:3mm
Precise cutting from Ø6 to Ø42 mm according to the type of tube.
Can cutting copper tube, plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.
With the precision screw mechanical structure, you can always keep flexible feed.
The rotatable chamfering tools can be used to remove the thorns and sharp edges of the tube.
The knob is equipped with an alternate cutter wheel.









JJ5635X JJ5642X

Item No.	Main Material	Spec.A mm("OD)	L mm	H mm	E maxi mm
JJ5635X	Zinc Die-cast	6-35mm(1/4"-1.3/8")	150	56	3
JJ5642X	Zinc Die-cast	6-42mm(1/4"-1.5/8")	167	56	3


JJ6342X/JJ6335X TUBE CUTTER





Max thickness:3.5mm
Precise cutting from Ø3 to Ø42 mm according to the type of tube.
Can cutting copper tube,plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.
With the precision screw mechanical structure, you can always keep flexible feed.
The rotatable chamfering tools can be used to remove the thorns and sharp edges of the tube.
The knob is equipped with an alternate cutter wheel.








Item No.	Main Material	Spec.A mm("OD)	L mm	H mm	E maxi mm
JJ6342X	Zinc Die-cast	3-42mm(1/8"-1.3/4")	180	75	3.5
JJ6335X	Zinc Die-cast	3-35mm(1/8"-1.3/8")	160	70	3.5

JJ71042X TUBE CUTTER

Max thickness:5mm
Precise cutting from ϕ10 to ϕ42 mm according to the type of tube.
Can cutting copper tube,plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Options with GCR15 material cutter wheel or SKD material cutter wheel.
With the precision screw mechanical structure, you can always keep flexible feed.






Item No.	Main Material	Spec.A mm("OD)	L mm	H mm	E maxi mm
JJ71042X	Zinc Die-cast	10-42mm(3/8"-1.5/8")	L1(157) L2(243)	118	5

JJ8335L TUBE CUTTER

Max thickness:3mm
Precise cutting from ϕ3 to ϕ35 mm according to the type of tube.
Can cutting copper tube,plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.
With the precision screw mechanical structure, you can always keep flexible feed.
The rotatable chamfering tools can be used to remove the thorns and sharp edges of the tube.
The knob is equipped with an alternate cutter wheel.


Smooth groove in rollers can stabilize demaged flares and cut it easily.


Spare cutting wheel spare cutting wheel included in handle under snap-off cap.





Item No.	Main Material	Spec.A mm("OD)	L mm	H mm	E maxi mm
JJ8335L	Aluminum Die-cast	3-35mm(1/8"-1.3/8")	137	54	3

JJ9432L/JJ9550L/JJ9670L TUBE CUTTER


Max thickness:5mm
Precise cutting from Ø4 to Ø70 mm according to the type of tube.
Can cutting copper tube, plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Options with SKD11 material cutter wheel or SKH13 material cutter wheel.
With the precision screw mechanical structure, you can always keep flexible feed.
With the precision screw mechanical structure, you can always keep flexible feed.
Roller using 6PCS(JJ9432L,JJ9550L),12PCS(JJ9670L),bearing rollers, cutting wheels with bearings, rotation more flexible, cut more powerful, more precision.


Smooth groove in rollers can stabilize demaged flares and cut it easily.


JJ9432L


JJ9550L


JJ9670L









Bearing type cutting wheel

Item No.	Main Material	Spec.A mm("OD)	L mm	H mm	E maxi mm
JJ9432L	Aluminum Die-cast	4-32mm(1/4"-1.1/4")	155	58	5
JJ9550L	Aluminum Die-cast	5-50mm(1/4"-2")	187	68	5
JJ9670L	Aluminum Die-cast	6-70mm(1/4"-2.3/4")	270	100	5

JJCT274L/JJCT312L TUBE CUTTER







Max thickness:3mm
Precise cutting from Ø4 to Ø42 mm according to the type of tube.
Can cutting copper tube,plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Smooth groove in rollers can stabilize demaged flares and cut it easily.
Options with GCR15 material cutter wheel or SKD material cutter wheel.
With the precision screw mechanical structure, you can always keep flexible feed.
The rotatable chamfering tools can be used to remove the thorns and sharp edges of the tube.
The standby cutting wheel is mounted in the back hole of the rotatable chamfering blade.



JJCT274L



JJCT312L

Item No.	Main Material	Spec.A mm("OD)	L mm	H mm	E maxi mm
JJCT274L	Aluminum Die-cast	4-28mm(1/8"-1.1/8")	128	56	3
JJCT312L	Aluminum Die-cast	6-42mm(1/4"-1.5/8")	152	60	3

JJ815X/JJ822X TUBE CUTTER


Max thickness:2mm
Precise cutting Ø15mm or Ø22mm according to the type of tube.
Can cutting copper tube,plastic pipe,stainless steel tube and aluminum tube.
When cutting, the blade can always keep rolling cutting in the same circle.
Options with GCR15 material cutter wheel or SKD material cutter wheel.



JJ815X




JJ822X



Item No.	Main Material	Spec.A mm	L mm	H mm	E maxi mm
JJ815X	Zinc Die-cast	15	48	48	2
JJ822X	Zinc Die-cast	22	56	56	2

JJ6810L 3-in-1 180° Tube bender





Item No.	Main Material	Spec.A mm("OD)	L mm	H mm
JJ6810L	Aluminum Die-cast	6-8-10mm(1/4"-5/16"-3/8")	260	80

JJCT191 45° Flaring tool





•Loosen the ingot screw at the 2 end of the splint, loosen 2-3 teeth at the A end, and loosen until the splint can be completely opened at the B end(VIEW1);




• Put the pipe that needs flaring into the hole corresponding to the splint, adjust the head of the pipe about 1mm higher than the splint, and lock the ingot screw at the two ends of the splint(VIEW2);






• Low slowly turn the handle until confirm the cone head is at the core of the pipe, turn the handle, the force inside the cone head into the pipe, the pipe is open until it forms a precise and there are rules of 45 ° bell mouth, then let conical head cyclotron 1-2 second, the resulting friction causes bell mouth more smooth and beautiful;

• Rotate the flaring handle, rotate the flaring cone head from the position shown in VIEW3 to the position shown in VIEW4, and put the flaring cone into the splint at an inclined Angle(VIEW5);







• Loosen the cone head by rotating the handle until it can exit the splint, loosen the ingot screw at the second end of the splint, and remove the pipe that has finished flaring.





Item No.	Main Material	Size	L mm	H mm
JJCT191	Steel	5-16mm(3/16"-5/8")		

JJCT809 New type flaring tool



Item No.	Main Material	Size	L mm	H mm
JJCT809	Steel	6-19mm(1/4"-3/4")		

JJ668L Sanitary adjustable wrench




- Suitable for cleaning, washbasin and pipe nut.
- Do not injure the ornamental pipe and nut,such as gold-plated,copper,etc.
- Small space is more convenient to use.
- Large open volume 6-68mm.

Item No.	Main Material	Size	L mm	H mm
JJ668L	Aluminum Die-cast	6-68mm		

PROFESSIONAL COPPER TUBE TOOLS AND REFRIGERATION TOOLS

HEAVY DUTY DEBURRING TOOL


Order NO.	Picture
JJPR2000S	PLASTIC EDGE OFF  This is Polyacetal body handle.Most competitive tool.Holds all 3.2mm blades. The blade is replaceable.
JJPR1000L	RIPID BURR  Steel housing for long life of handle.Blade is replaceable. Holds universal heavy duty blade.12mm hexagonal aluminum painted or oxidation body.
JJPR2000L	PORTABLE TYPE RIPID BURR  Steel housing for long life of handle.Blade is replaceable. Holds universal heavy duty blade.12mm hexagonal aluminum painted or oxidation body.with pocket clip.
JJPR3000L	RUGGED RIPID BURR  Steel housing for long life of handle.Blade is replaceable. Holds universal heavy duty blade.19mm aluminum anodize body.
JJPR4000L	PORTABLE TYPE RIPID BURR  Steel housing, Blade is replaceable. Holds all 3.2mm blade. Blade can be stored from backside.10mm hexagonal aluminum anodize body with pocket clip.
JJPR1100S	CLASSIC BURR  This is Polyacetal body handle.Here the blades can replaced & stored 6mm back side of the handle.

PLUMBING INNER-OUTER REAMER

Order NO.	Picture	Range		Product Description
JJPR338S-1		3-38 mm	1/8" - 1 1/2"	ABS plastic body,65Mn blade, hardened.Reamer for plastic and soft metals.
JJPR338S-2		3-38 mm	1/8" - 1 1/2"	ABS plastic body,HSS M2 blade, hardened.Reamer for stainless steel.
JJPR442S		4-42 mm	5/32" - 1-21/32"	ABS plastic body,65Mn blade, hardened.Reamer for plastic and soft metals.
JJPR340X		3-40 mm	1/8" - 1-5/8"	Die-cast metal body , 65Mn blade, hardened,paint Prished.

JJ5-IN-1 FAUCET AND SINK INSTALLER


- Adopt high strength Aluminum alloy forging,strong and durable,not east to deform
- Through the design,increase the torque, the hole can be inserted with a strut for adding the rotating torque
- The sleeve is made of PP engineering plastic anti-skid pattern to release hand force easily
- The use of water pipes slotted design,narrow space easy to operate



Item No.	Main Material	L mm	H1 mm	H2 mm	
JJ5-IN-1	PP	254	50	29	

JJ8-IN-1 FAUCET AND SINK INSTALLER

- Adopt high strength Aluminum alloy forging, strong and durable, not east to deform
- Through the design,increase the torque, the hole can be inserted with a strut for adding the rotating torque
- The sleeve is made of PP engineering plastic anti-skid pattern to release hand force easily
- The use of water pipes slotted design,narrow space easy to operate



Item No.	Main Material	L mm	H1 mm	H2 mm	
JJ8-IN-1	PP	254	50	29	

JJ16-IN-1-P FAUCET AND SINK INSTALLER

Material: PP+30% fiber, PA6
Scope of application: Single head: 4/6 angle nut;
three head: 2/3/4/6 angle nut

Characteristics:
1. Anti slip wrench, user-friendly, hands safe,
2. Universal water heating tools, suitable for 99% of faucet nuts.
3. Widely used, it is very suitable for repair and assembly of sink, faucet and water heater.



Item No.	Main Material	L mm	H1 mm	H2 mm	
JJ16-IN-1-P	PP+30% fiber+PA6	280	53	26	

JJ16-IN-1-A FAUCET AND SINK INSTALLER

Material: PP+30% fiber, aluminium
Scope of application: Single head: 4/6 angle nut;
three head: 2/3/4/6 angle nut


Characteristics:
1. Anti slip wrench, user-friendly, hands safe,
2. Universal water heating tools, suitable for 99% of faucet nuts.
3. Widely used, it is very suitable for repair and assembly of sink, faucet and water heater.



Item No.	Main Material	L mm	H1 mm	H2 mm	
JJ16-IN-1-A	PP+30% fiber+aluminium	280	53	26	

JJ1001 FAUCET AND SINK INSTALLER







Item No.	Main Material	L mm	H1 mm	H2 mm	
JJ1001	PP+aluminium	296	50	18	

JJ1002 MULTIFUNCTIONAL DEBURRING TOOL

1/4 3/8 1/2 5/8 3/4 1

- *6 dimensiuni: 1/4", 3/8", 1/2", 5/8", 3/4" si 1"*
- *tevi de cupru, PEX, CPVC si PE-RT*
- *usor de masurat adancimea de introducere si debavurarea tevii dupa introducere*
- *poate fi folosir pentru a deconecta fitingurile*





Item No.	Main Material	L mm	H1 mm	H2 mm	
JJ1002	PP	140	75	34	



MODEL NO.	IFH01-20H-23	IFH01-30H-23	IFH01-20H-13	IFH01-33H-13	IFH02-50H
POWER	2KW	3KW	2KW	3KW	5KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	300-400V 3~50Hz
SETTING (w)	20/1000/2000	25/2000/3000	25/1000/2000	25/1500/3000	30/2500/5000
IP RATING	IP24	IP24	IP24	IP24	IP24
AIR OUTPUT (m³/h)	421	496	260	514	774
HEATING AREA (m²)	20	30	20	30	48
PRODUCT MEAS (mm)	191*169*287	198*230*310	235*225*330	270*255*400	270*255*400
PACKING MEAS (mm)	226*204*328	250*240*348	250*240*348	295*295*435	295*295*435
PACKING (pcs/ctn)	1	1	1	1	1
N.W. (kgs)	2.9	3.9	3.5	4.6	5.6
G.W. (kgs)	3.6	4.4	4.0	5.3	6.3
QTY/20' (pcs)	2000	1400	1400	760	760
QTY/40' (pcs)	4110	2876	2876	1530	1530
QTY/40HQ (pcs)	4750	3300	3300	1760	1760









MODEL NO.	IFH03-90-G	IFH03-150-G	IFH03-220	IFH03-300
POWER	9KW	15KW	22KW	30KW
ELECTRIC SUPPLY	400V 3~50Hz	400V 3~50Hz	400V 3~50Hz	400V 3~50Hz
SETTING (w)	52/4500/9000	95/5000/10000/15000	145/11000/22000	120/15000/30000
IP RATING	IPX4	IPX4	IPX4	IPX4
AIR OUTPUT (m³/h)	1198	2246	2867	3870
HEATING AREA (m²)	80	120	180	240
PRODUCT MEAS (mm)	355*300*490	410*360*550	430*430*600	485*350*665
PACKING MEAS (mm)	365*315*520	420*365*570	445*445*640	540*480*790
PACKING (pcs/ctn)	1	1	1	1
N.W. (kgs)	9.6	14.5	19.2	24.5
G.W. (kgs)	10.6	15.6	21.0	26.0
QTY/20' (pcs)	468	322	220	140
QTY/40' (pcs)	970	667	457	290
QTY/40HQ (pcs)	1137	782	535	340











MODEL NO.	BG-E2	BG-E3	BG-E2A	BG-E3A
POWER	2KW	3KW	2KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
SETTING (w)	25/2000	30/3000	25/2000	30/3000
IP RATING	IPX4	IPX4	IPX4	IPX4
AIR OUTPUT (m³/h)	238	287	293	312
HEATING AREA (m²)	20	30	20	30
PRODUCT MEAS (mm)	225*220*285	250*245*315	285*230*340	315*250*370
PACKING MEAS (mm)	235*235*305	260*260*335	300*245*350	325*260*375
PACKING (pcs/ctn)	1	1	1	1
N.W. (kgs)	3.5	4.4	3.8	4.7
G.W. (kgs)	3.8	4.9	4.3	5.3
QTY/20' (pcs)	1662	1236	1088	884
QTY/40' (pcs)	3443	2561	2255	1830
QTY/40HQ (pcs)	4037	3003	2643	2146



MODEL NO.	BG-E2B	BG-E3B	BGP1403-03-15T
POWER	2KW	3KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
SETTING (w)	25/2000	30/3000	40/1500/3000
IP RATING	IPX4	IPX4	IPX4
AIR OUTPUT (m³/h)	266	247	458
HEATING AREA (m²)	20	30	30
PRODUCT MEAS (mm)	200*280*315	255*310*350	270*340*370
PACKING MEAS (mm)	290*210*345	310*260*380	375*295*315
PACKING (pcs/ctn)	1	1	1
N.W. (kgs)	3.6	4.6	5.0
G.W. (kgs)	4.0	5.0	5.8
QTY/20' (pcs)	1332	914	800
QTY/40' (pcs)	2760	1893	1660
QTY/40HQ (pcs)	3236	2220	1940







MODEL NO.	BG-C3/1-13	BG-C5/3	BG-C9/3
POWER	3KW	5KW	9KW
ELECTRIC SUPPLY	220-240V~50Hz	380-400V~50Hz	380-400V 3~50Hz
SETTING (w)	25/1500/3000	30/2500/5000	52/4500/9000
IP RATING	IPX4	IPX4	IPX4
AIR OUTPUT (m^3/h)	386	411	742
HEATING AREA (m^2)	30	48	80
PRODUCT MEAS (mm)	315*330*400	315*330*400	335*335*415
PACKING MEAS (mm)	335*335*415	335*335*415	415*370*470
PACKING (pcs/ctn)	1	1	1
N.W. (kgs)	6.66	7.6	11.48
G.W. (kgs)	7.3	8.38	12.44
QTY/20' (pcs)	610	600	388
QTY/40' (pcs)	1245	1245	804
QTY/40HQ (pcs)	1460	1460	942

MODEL NO.	BG-C15/3-19G	BG-C30/3-19G
POWER	15KW	30KW
ELECTRIC SUPPLY	380-400V 3~50Hz	380-400V 3~50Hz
SETTING (w)	110/5000/10000/15000	70/15000/30000
IP RATING	IPX4	/
AIR OUTPUT (m^3/h)	1766	3481
HEATING AREA (m^2)	120	240
PRODUCT MEAS (mm)	495*520*860	645*565*860
PACKING MEAS (mm)	505*410*530	660*450*590
PACKING (pcs/ctn)	1	1
N.W. (kgs)	21.73	31.18
G.W. (kgs)	23.98	35.61
QTY/20' (pcs)	255	158
QTY/40' (pcs)	529	320
QTY/40HQ (pcs)	620	388



MODEL NO.	BGP1307-02-18G	BGP1307-03-18G	BGP1307-05-18G	BGP1307-09-18G
POWER	2KW	3KW	5KW	9KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	400V 3~50Hz	400V 3~50Hz
SETTING (w)	40/2000	40/1500/3000	80/2500/5000	80/4500/9000
IP RATING	IPX4	IPX4	IPX4	IPX4
AIR OUTPUT (m³/h)	320	348	738	1063
HEATING AREA (m²)	20	30	48	80
PRODUCT MEAS (mm)	310*210*340	310*210*340	400*240*380	440*300*430
PACKING MEAS (mm)	355*275*330	355*275*330	440*290*390	490*360*445
PACKING (pcs/ctn)	1	1	1	1
N.W. (kgs)	4.6	4.9	6.56	10.38
G.W. (kgs)	5.2	5.5	7.16	11.56
QTY/20' (pcs)	811	811	570	360
QTY/40' (pcs)	1622	1622	1170	740
QTY/40HQ (pcs)	1973	1973	1370	870









MODEL NO.	BGP1307-100-18G	BGP1307-150-19G	BGP1307-300-19G
POWER	10KW	15KW	30KW
ELECTRIC SUPPLY	400V 3~50Hz	400V 3~50Hz	400V 3~50Hz
SETTING (w)	80/5000/10000	95/5000/10000/15000	120/20000/30000
IP RATING	IPX4	IPX4	IPX4
AIR OUTPUT (m³/h)	1063	1520	4080
HEATING AREA (m²)	90	120	240
PRODUCT MEAS (mm)	440*300*430	322*600*555	433*709*614
PACKING MEAS (mm)	490*360*445	710*340*440	880*458*560
PACKING (pcs/ctn)	1	1	1
N.W. (kgs)	10. 38	17. 9	31
G.W. (kgs)	11. 56	21. 32	34. 6
QTY/20' (pcs)	360	280	122
QTY/40' (pcs)	740	540	255
QTY/40HQ (pcs)	870	640	300












MODEL NO.	BGP1308-02	BGP1308-03	BGP1308-05	BGP1308-09
POWER	2KW	3KW	5KW	9KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	380-400V 3~50Hz	380-400V 3~50Hz
SETTING (w)	30/2000	30/1500/3000	50/2500/5000	55/4500/9000
IP RATING	—	—	—	—
AIR OUTPUT (m³/h)	291	253	380	701
HEATING AREA (m²)	20	30	48	80
PRODUCT MEAS (mm)	210*195*275	210*195*275	275*220*330	315*250*370
PACKING MEAS (mm)	240*210*255	240*210*255	335*275*325	375*310*380
PACKING (pcs/ctn)	1	1	1	1
N.W. (kgs)	2.9	3.2	4.6	6.4
G.W. (kgs)	3.2	3.5	5.3	7.3
QTY/20' (pcs)	2178	2178	933	633
QTY/40' (pcs)	4510	4510	1933	1312
QTY/40HQ (pcs)	5291	5291	2266	1539



MODEL NO.	BGP1505-02-17	BGP1505-03-17	BGP1505-05	BGP1505-05-1	BGP1505-09
POWER	2KW	3KW	5KW	5KW	9KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	380-400V 3~50Hz	220-240V~50Hz	380-400V 3~50Hz
SETTING (w)	40/2000	40/1500/3000	55/2500/5000	40/3300/5000	60/4500/9000
IP RATING	IPX4	IPX4	—	—	—
AIR OUTPUT (m³/h)	239	286	366	260	760
HEATING AREA (m²)	20	30	48	48	80
PRODUCT MEAS (mm)	230*220*290	245*240*310	330*290*360	330*290*360	330*330*400
PACKING MEAS (mm)	280*245*245	290*250*285	392*338*385	392*338*385	430*385*385
PACKING (pcs/ctn)	1	1	1	1	1
N.W. (kgs)	3.0	3.4	6.5	6.1	8.2
G.W. (kgs)	3.4	3.7	7.2	6.8	9.1
QTY/20' (pcs)	1647	1355	535	535	439
QTY/40' (pcs)	3411	2807	1110	1110	910
QTY/40HQ (pcs)	4000	3291	1300	1300	1065







MODEL NO.	BGP2103-100	BGP2103-150	BGP2103-200	BGP2103-300
POWER	10KW	15KW	20KW	30KW
ELECTRIC SUPPLY	400V 3~50Hz	400V 3~50Hz	400V 3~50Hz	400V 3~50Hz
SETTING (w)	130/5000/10000	130/7500/15000	150/10000/20000	150/15000/30000
IP RATING	—	—	—	—
AIR OUTPUT (m³/h)	1639	1544	2492	2305
HEATING AREA (m²)	80	120	160	240
PRODUCT MEAS (mm)	570*415*460	570*415*460	635*438*513	635*438*513
PACKING MEAS (mm)	605*440*490	605*440*490	670*465*550	670*465*550
PACKING (pcs/ctn)	1	1	1	1
N.W. (kgs)	15.63	16.12	22.67	22.92
G.W. (kgs)	18.01	18.5	25.48	25.73
QTY/20' (pcs)	214	214	163	163
QTY/40' (pcs)	444	444	338	338
QTY/40HQ (pcs)	512	512	396	396







ELECTRIC FORCED AIR HEATER



- Built-in thermostat
- Effective and quiet heat
- PTC ceramic Heating Element
- Overheat shut-off system
- Steel body with heavy-duty operating components
- Application Area: commercial & household, workshops, Garages etc

LD-0760





MODEL NO.	BGP1401-02	BGP1401-03
POWER	2KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
SETTING (w)	1000/2000	1500/3000
AIR OUTPUT (m^3/h)	197	290
HEATING AREA (m^2)	20	30
PRODUCT MEAS (mm)	130*165*220	170*220*290
PACKING MEAS (mm)	365*285*445	240*185*275
INNER BOX MEAS (mm)	170*135*210	/
PACKING (pcs/ctn)	8	1
N.W. (kgs)	(1.46)11.68	2.61
G.W. (kgs)	(1.59)13.58	2.90
QTY/20' (pcs)	4840	2333
QTY/40' (pcs)	10024	5666
QTY/40HQ (pcs)	11744	2833









MODEL NO.	BGP1506-02	BGP1506-03	BGP1506-05	BGP1506-05-1	BGP1506-09
POWER	2KW	3KW	5KW	5KW	9KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	380-400V 3~50Hz	380-400V 3~50Hz	380-400V 3~50Hz
SETTING (w)	25/1000/2000	25/1500/3000	50/3300/5000	40/3000/5000	80/6000/9000
AIR OUTPUT (m^3/h)	197	280	588	561	1180
HEATING AREA (m^2)	20	30	48	48	80
PRODUCT MEAS (mm)	210*160*217	265*210*290	300*235*345	300*235*345	395*307*455
PACKING MEAS (mm)	455*345*480	290*215*310	330*250*355	330*250*355	410*320*520
INNER BOX MEAS (mm)	220*165*230	/	/	/	/
PACKING (pcs/ctn)	8	1	1	1	1
N.W. (kgs)	(1.55)12.4	2.85	4.32	4.32	6.9
G.W. (kgs)	(1.75)14.9	3.42	4.86	4.86	7.8
QTY/20' (pcs)	2912	1400	933	933	410
QTY/40' (pcs)	6032	2900	1933	1933	850
QTY/40HQ (pcs)	7072	3400	2266	2266	1000









MODEL NO.	BGP1506-02-1	BGP1506-02-2	BGP1506-03-1	BGP1506-03-2
POWER	2KW	2KW	3KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
SETTING (w)	25/1000/2000	25/1000/2000	25/2000/300	30/2000/300
AIR OUTPUT (m^3/h)	180	180	220	220
HEATING AREA (m^2)	20	20	30	30
PRODUCT MEAS (mm)	210*160*226	210*160*217	250*142*268	247*168*265
PACKING MEAS (mm)	445*285*495	455*345*480	255*155*285	255*180*280
INNER BOX MEAS (mm)	210*128*226	220*165*230	/	/
PACKING (pcs/ctn)	8	8	1	1
N.W. (kgs)	(1.4)12	(1.5)12	1.9	2.1
G.W. (kgs)	(1.5)14	(1.7)15	2.2	2.3
QTY/20' (pcs)	3500	2912	2465	2546
QTY/40' (pcs)	7360	6032	5140	5092
QTY/40HQ (pcs)	8860	7072	6030	6183









MODEL NO.	BGP1606-02	BGP1606-28	BGP1606-03
POWER	2KW	2.8KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
SETTING (w)	25/1000/2000	25/1900/2000	30/2000/3000
AIR OUTPUT (m^3/h)	197	238	238
HEATING AREA (m^2)	20	30	30
PRODUCT MEAS (mm)	210*160*221	200*220*280	200*220*280
PACKING MEAS (mm)	455*345*480	210*230*290	210*230*290
INNER BOX MEAS (mm)	220*165*230	/	/
PACKING (pcs/ctn)	8	1	1
N.W. (kgs)	(1.6)13.2	2.4	2.4
G.W. (kgs)	(1.8)15.3	2.7	2.7
QTY/20' (pcs)	2920	1856	1856
QTY/40' (pcs)	6080	3926	3926
QTY/40HQ (pcs)	7072	4640	4640











MODEL NO.	BGP2106-20	BGP2106-28	BGP2106-30
POWER	2KW	2.8KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
SETTING (w)	20/1000/2000	25/1900/2800	25/2000/3000
AIR OUTPUT (m^3/h)	103	322	322
HEATING AREA (m^2)	20	30	30
PRODUCT MEAS (mm)	212*135*242	250*155*275	250*155*275
PACKING MEAS (mm)	795*445*270	250*175*285	250*175*285
INNER BOX MEAS (mm)	220*150*245	/	/
PACKING (pcs/ctn)	10	1	1
N.W. (kgs)	(1.35)13.5	1.95	1.95
G.W. (kgs)	(1.6)16.8	2.3	2.3
QTY/20' (pcs)	2920	2250	2250
QTY/40' (pcs)	6080	4780	4780
QTY/40HQ (pcs)	7072	5450	5450









MODEL NO.	BGP1911-28
POWER	2.8KW
ELECTRIC SUPPLY	220-240V~50Hz
SETTING (w)	25/1400/2800
IP RATING	/
AIR OUTPUT (m³/h)	415
HEATING AREA (m²)	30
PRODUCT MEAS (mm)	235*142*392
PACKING MEAS (mm)	590*305*855
INNER BOX MEAS (mm)	285*190*415
PACKING (pcs/ctn)	6
N.W. (kgs)	(2.52) 17.52
G.W. (kgs)	(2.95) 19
QTY/20' (pcs)	1080
QTY/40' (pcs)	2280
QTY/40HQ (pcs)	2640











MODEL NO.	BGP2305-20	BGP2305-30	BGP2305-50
POWER	2KW	3KW	5KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	AC 380-400V~50Hz
SETTING (w)	25/1000/2000	30/2000/3000	50/3300/5000
AIR OUTPUT (m³/h)	142	253	604
HEATING AREA (m²)	20	30	48
PRODUCT MEAS (mm)	141*122*178	179*135*216	211*248*290
PACKING MEAS (mm)	366*330*455	215*170*255	255*280*360
INNER BOX MEAS (mm)	173*155*215	/	/
PACKING (pcs/ctn)	8	1	1
N.W. (kgs)	1.3	1.8	/
G.W. (kgs)	1.7	2.2	/
QTY/20' (pcs)	3920	3000	1185
QTY/40' (pcs)	8080	6220	2378
QTY/40HQ (pcs)	9680	7450	2684









LD-0760





MODEL NO.	BGP1601-02	BGP1601-03
POWER	2KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
SETTING (w)	25/1350/2000	30/2000/3000
AIR OUTPUT (m^3/h)	171	171
HEATING AREA (m^2)	20	30
PRODUCT MEAS (mm)	310*248*323	310*248*323
PACKING MEAS (mm)	335*290*370	335*290*370
PACKING (pcs/ctn)	1	1
N.W. (kgs)	3.1	3.1
G.W. (kgs)	4.1	4.1
QTY/20' (pcs)	780	780
QTY/40' (pcs)	1560	1560
QTY/40HQ (pcs)	1890	1890











MODEL NO.	BGP1604-02-18	BGP1604-28-18	BGP1604-03-18
POWER	2KW	2KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
SETTING (w)	20/1400/2000	20/1900/2800	20/2000/3000
AIR OUTPUT (m^3/h)	227	253	260
HEATING AREA (m^2)	20	20	30
PRODUCT MEAS (mm)	160*205*322	160*205* 378	160*205*378
PACKING MEAS (mm)	270*190*325	270*190* 380	270*190*380
PACKING (pcs/ctn)	1	1	1
N.W. (kgs)	3.0	3.4	3.4
G.W. (kgs)	3.5	3.9	3.9
QTY/20' (pcs)	1630	1300	1300
QTY/40' (pcs)	3360	2890	2890
QTY/40HQ (pcs)	3950	3390	3390



MODEL NO.	BGP1703-02	BGP1703-03
POWER	2KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
SETTING (w)	25/1000/2000	25/2000/3000
AIR OUTPUT (m^3/h)	148	187
HEATING AREA (m^2)	20	30
PRODUCT MEAS (mm)	165*170*245	220*220*275
PACKING MEAS (mm)	450*420*605	245*235*320
INNER BOX MEAS (mm)	215*200*285	/
PACKING (pcs/ctn)	8	1
N.W. (kgs)	(2.0)16	2.8
G.W. (kgs)	(2.3)19.6	3.4
QTY/20' (pcs)	1792	1520
QTY/40' (pcs)	4056	3150
QTY/40HQ (pcs)	4752	3690



MODEL NO.	BGP1713-02	BGP1713-03
POWER	2KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
SETTING (w)	25/1000/2000	25/2000/3000
AIR OUTPUT (m³/h)	148	187
HEATING AREA (m²)	20	30
PRODUCT MEAS (mm)	220*170*310	251*180*359
PACKING MEAS (mm)	470*430*295	255*215*325
INNER BOX MEAS (mm)	225*205*270	/
PACKING (pcs/ctn)	4	1
N.W. (kgs)	2.2	2.86
G.W. (kgs)	2.5(10.3)	3.24
QTY/20' (pcs)	1920	1500
QTY/40' (pcs)	3900	3100
QTY/40HQ (pcs)	4560	3600











MODEL NO.	BGP1815-02	BGP1815-03
POWER	2KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
SETTING (w)	25/1000/2000	30/2000/3000
AIR OUTPUT (m³/h)	191	238
HEATING AREA (m²)	20	30
PRODUCT MEAS (mm)	219*220*282	245*240*294
PACKING MEAS (mm)	239*260*290	265*280*325
PACKING (pcs/ctn)	1	1
N.W. (kgs)	1.95	2.2
G.W. (kgs)	2.65	3.05
QTY/20' (pcs)	1550	1160
QTY/40' (pcs)	3230	2420
QTY/40HQ (pcs)	3800	2820









MODEL NO.	BGP1917-24	BGP1917-30
POWER	2.4KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
SETTING (w)	43/1200/2400	43/1500/3000
IP RATING	IP20	IP20
AIR OUTPUT (m^3/h)	510	510
HEATING AREA (m^2)	30	30
PRODUCT MEAS (mm)	300*287*332	300*287*332
PACKING MEAS (mm)	615*315*685	615*315*685
INNER BOX MEAS (mm)	300*300*330	300*300*330
PACKING (pcs/ctn)	4	4
N.W. (kgs)	2.75(11)	2.75(11)
G.W. (kgs)	3.53(15.58)	3.53(15.58)
QTY/20' (pcs)	840	840
QTY/40' (pcs)	1740	1740
QTY/40HQ (pcs)	2400	2400









MODEL NO.	BGP2001-20	BGP2001-28	BGP2001-30
POWER	2KW	2.8KW	3KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
SETTING (w)	20/1000/2000	8/1900/2800	6/2000/3000
IP RATING	—	—	—
AIR OUTPUT (m^3/h)	139	322	322
HEATING AREA (m^2)	20	30	30
PRODUCT MEAS (mm)	210*130*260	234*130*284	234*130*284
PACKING MEAS (mm)	260*190*310	285*175*330	285*175*330
INNER BOX MEAS (mm)	—	—	—
PACKING (pcs/ctn)	1	1	1
N.W. (kgs)	1.4	1.46	1.46
G.W. (kgs)	1.8	1.85	1.85
QTY/20' (pcs)	1950	1600	1600
QTY/40' (pcs)	3980	3320	3320
QTY/40HQ (pcs)	4650	3900	3900











MODEL NO.	BGP2006-30	BGP2006-60	BGP2006-90	BGP2006-150
POWER	3KW	6KW	9KW	15KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
SETTING (w)	45/2000/3000	3000/6000	4500/9000	7500/15000
IP RATING	IP20	IP20	IP20	IP20
AIR OUTPUT (m³/h)	300	600	600	900
HEATING AREA (m²)	30	50	80	120
PRODUCT MEAS (mm)	234*200*610	364*240*670	364*240*670	364*240*1100
PACKING MEAS (mm)	300*280*700	430*320*805	430*320*805	445*335*1150
PACKING (pcs/ctn)	1	1	1	1
N.W. (kgs)	7	12.7	12.9	21.4
G.W. (kgs)	8	14.7	14.7	23.4
QTY/20' (pcs)	470	250	250	160
QTY/40' (pcs)	980	520	520	335
QTY/40HQ (pcs)	1150	610	610	395



MODEL NO.	BGP2002-23
POWER	2.3KW
ELECTRIC SUPPLY	220-240V~50Hz
SETTING (w)	25/1200/2300
IP RATING	IP20
AIR OUTPUT (m³/h)	178
HEATING AREA (m²)	25
PRODUCT MEAS (mm)	212*230*270
PACKING MEAS (mm)	605*530*330
INNER BOX MEAS (mm)	290*257*305
PACKING (pcs/ctn)	4
N.W. (kgs)	2.55
G.W. (kgs)	3.15(13.93)
QTY/20' (pcs)	1056
QTY/40' (pcs)	2192
QTY/40HQ (pcs)	2568

KEROSENE / DIESEL FORCED AIR HEATER



Runs on efficient, clean-burning kerosene & Diesel Fuel
Optional remote external thermostat
Easily-life handle and extension cord wrap
Optional Built-in calibrated air pressure gauge, and fuel gauge
Convenient, built-in thermostat for precise and convenient temperature control
Safety features include high-temperature limit shut off, flame-out fuel cut, and thermocouple

LD-0760



MODEL NO.	BGO1601-10PLUS	BGO1601-20PLUS	BGO1601-30PLUS	BGO1601-50PLUS
ERP	Y	Y	Y	Y
POWER	10KW	20KW	30KW	50KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	450	550	750	1100
EXTERNAL THERMOSTAT	Y	Y	Y	Y
IP RATING	IPX4	IPX4	IPX4	IPX4
FUEL CONSUMPTION (Kg/H)	0.82	1.65	2.4	4.0
TANK CAPACITY (L)	19	19	340	50
MOTOR POWER (w)	186	230	230	340
PRODUCT MEAS (mm)	752*305*430	752*305*430	860*320*610	1010*555*610
PACKING MEAS (mm)	795*370*440	795*370*440	905*420*490	1045*465*510
N.W. (kgs)	14.8	14.9	22.2	27.8
G.W. (kgs)	16.9	17	24.9	32.1
QTY/20' (pcs)	215	215	150	112
QTY/40' (pcs)	430	430	311	234
QTY/40HQ (pcs)	520	520	365	274











MODEL NO.	BGO1601-10	BGO1601-20	BGO1601-30
ERP	Y	Y	Y
POWER	10KW	20KW	30KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	450	550	750
EXTERNAL THERMOSTAT	Y	Y	Y
IP RATING	IPX4	IPX4	IPX4
FUEL CONSUMPTION (Kg/H)	0.82	1.6	2.4
TANK CAPACITY (L)	12	19	38
MOTOR POWER (w)	186	230	230
PRODUCT MEAS (mm)	660*260*380	752*305*416	855*470*588
PACKING MEAS (mm)	690*325*410	795*370*440	905*420*490
N.W. (kgs)	10	13.4	19.2
G.W. (kgs)	12.3	15.3	21.8
QTY/20' (pcs)	304	215	146
QTY/40' (pcs)	630	430	311
QTY/40HQ (pcs)	739	520	369











MODEL NO.	BGO1601-50	BGO1601-60
ERP	Y	Y
POWER	50KW	60KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	1100	1200
EXTERNAL THERMOSTAT	Y	Y
IP RATING	IPX4	IPX4
FUEL CONSUMPTION (Kg/H)	4.0	4.7
TANK CAPACITY (L)	50	50
MOTOR POWER (w)	340	340
PRODUCT MEAS (mm)	1076*515*585	1070*515*645
PACKING MEAS (mm)	1045*465*510	1045*465*570
N.W. (kgs)	23.2	24.5
G.W. (kgs)	26.3	28.5
QTY/20' (pcs)	105	105
QTY/40' (pcs)	218	218
QTY/40HQ (pcs)	256	256









MODEL NO.	BGO1401-10	BGO1401-20	BGO1401-30	BGO1401-50	BGO1401-60
ERP	—	Y	Y	—	—
EN298	Y	—	—	Y	Y
POWER	10KW	20KW	30KW	50KW	60KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	450	550	720	750	1100
EXTERNAL THERMOSTAT	—	—	—	—	—
IP RATING	—	IPX4	IPX4	—	—
FUEL CONSUMPTION (Kg/H)	0.8	1.65	2.4	4.0	4.7
TANK CAPACITY (L)	12	12	19	38	50
MOTOR POWER (w)	230	230	230	340	340
PRODUCT MEAS (mm)	660*260*380	660*260*380	830*410*540	860*456*600	1050*490*615
PACKING MEAS (mm)	690*325*410	690*325*410	770*370*490	880*395*525	1045*465*570
N.W. (kgs)	10	10	18	21.8	27.6
G.W. (kgs)	12.3	12.3	20.5	24.8	31.6
QTY/20' (pcs)	300	300	204	160	101
QTY/40' (pcs)	640	640	420	330	209
QTY/40HQ (pcs)	740	740	475	388	245



MODEL NO.	BGO-20C-1	BGO-30C-1	BGO-20C-16	BGO-30C-16
EN298	—	Y	—	Y
POWER	20KW	30KW	20KW	30KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	600	793	600	750
EXTERNAL THERMOSTAT	—	Y	—	Y
IP RATING	IPX4	—	IPX4	—
FUEL CONSUMPTION (Kg/H)	1.65	2.4	1.6	2.4
TANK CAPACITY (L)	38	50	24	50
MOTOR POWER (w)	230	340	230	340
PRODUCT MEAS (mm)	840*490*695	1050*515*605	840*450*695	1110*490*750
PACKING MEAS (mm)	835*410*480	1045*465*525	825*360*525	1075*445*565
N.W. (kgs)	21.3	26.5	22.6	33
G.W. (kgs)	23.2	29.5	24.2	37.2
QTY/20' (pcs)	166	109	180	100
QTY/40' (pcs)	345	227	350	210
QTY/40HQ (pcs)	405	266	435	240





Connector



Remote External Thermostat



MODEL NO.	BGO-30B	BGO-50B	BGO-60B	BGO-80B
EN298	—	—	—	Y
POWER	30KW	50KW	50KW	80KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	780	2000	2000	2000
EXTERNAL THERMOSTAT	Y	Y	Y	Y
IP RATING	IPX4	IPX4	IPX4	—
FUEL CONSUMPTION (Kg/H)	2.4	3.8	4.7	6.3
TANK CAPACITY (L)	56	69	69	69
MOTOR POWER (w)	250	900	900	900
PRODUCT MEAS (mm)	1110*490*750	1370*560*995	1370*560*995	1370*560*995
PACKING MEAS (mm)	1075*445*565	1275*505*795	1275*505*795	1275*505*795
N.W. (kgs)	34.4	59	59	59
G.W. (kgs)	37.8	65	65	65
QTY/20' (pcs)	100	50	50	50
QTY/40' (pcs)	210	95	95	95
QTY/40HQ (pcs)	240	120	120	120



MODEL NO.	BGO-70A	BGO-100A	BGO-150A-F
EN298	—	Y	—
POWER	70KW	100KW	150KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	1300	1300	5000
EXTERNAL THERMOSTAT	Y	Y	Y
IP RATING	IPX4	—	—
FUEL CONSUMPTION (Kg/H)	5.4	7.9	12
TANK CAPACITY (L)	69	69	120
MOTOR POWER (w)	430	430	1050
PRODUCT MEAS (mm)	1215*580*705	1215*580*705	1676*647*1093
PACKING MEAS (mm)	1110*505*680	1110*505*680	1780*690*1135
N.W. (kgs)	40.8	40.8	90
G.W. (kgs)	45.8	45.8	150
QTY/20' (pcs)	66	66	9
QTY/40' (pcs)	150	150	19
QTY/40HQ (pcs)	170	170	38











MODEL NO.	BGO1402-20	BGO1402-45
POWER	20KW	40KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	—	—
EXTERNAL THERMOSTAT	—	—
IP RATING	IPX4	IPX4
FUEL CONSUMPTION (Kg/H)	1.6	3.2
TANK CAPACITY (L)	10.5	38
MOTOR POWER (w)	30/38	38
PRODUCT MEAS (mm)	575*340*635	925*635*860
PACKING MEAS (mm)	580*380*605	710*690*940
N.W. (kgs)	18.2	28.4
G.W. (kgs)	19.9	34.8
QTY/20' (pcs)	208	60
QTY/40' (pcs)	430	126
QTY/40HQ (pcs)	507	147

LD-0760



PROPANE FORCED AIR HEATER



Portable air heater
Function on propane gas (LPG)
Deflation and ignition separate design
Efficient & comfortable heating for large place
Special nozzle, with strong oxygen supply make combustion completely
Built-in safety device on ignition /overheat
Adjustable gas valve with "T" model
Regulator & 1.5 meters hose included
Ideal for construction sites, green houses, utility / farm buildings, barns and factories

LD-0760







MODEL NO.	BGA1902-20T
POWER	9-20KW
ELECTRIC SUPPLY	AC100-240V 50/60Hz DC18V
AIR OUTPUT (m³/h)	500
EXTERNAL THERMOSTAT	—
IP RATING	IPX4
FUEL CONSUMPTION (kg/h)	0.65-1.45
GAS TYPE	G30
PRESSURE MBAR	700
HEATING SPACE (m²)	350
PRODUCT MEAS (mm)	451*246*422
PACKING MEAS (mm)	500*295*415
N.W. (kgs)	6.88
G.W. (kgs)	—
QTY/20' (pcs)	450
QTY/40' (pcs)	947
QTY/40HQ (pcs)	1110



MODEL NO.	BGA2003-10	BGA2003-15
POWER	10KW	15KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	320	320
EXTERNAL THERMOSTAT	—	—
IP RATING	IPX4	IPX4
FUEL CONSUMPTION (kg/h)	0.73	1.09
GAS TYPE	G30	G30
PRESSURE MBAR	700	700
HEATING SPACE (m²)	100	150
PRODUCT MEAS (mm)	371*185*318	371*185*318
PACKING MEAS (mm)	445*245*340	445*245*340
N.W. (kgs)	3.8	3.8
G.W. (kgs)	5.8	5.8
QTY/20' (pcs)	775	775
QTY/40' (pcs)	1560	1560
QTY/40HQ (pcs)	1834	1834











MODEL NO.	BGA2003-30	BGA2003-30T
POWER	30KW	18-30KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	450	450
EXTERNAL THERMOSTAT	—	—
IP RATING	IPX4	IPX4
FUEL CONSUMPTION (kg/h)	2.18	1.3-2.18
GAS TYPE	G30	G30
PRESSURE MBAR	700	700
HEATING SPACE (m²)	300	300
PRODUCT MEAS (mm)	475*222*365	475*222*365
PACKING MEAS (mm)	545*275*380	545*275*380
N.W. (kgs)	5.2	5.2
G.W. (kgs)	7.5	7.5
QTY/20' (pcs)	490	490
QTY/40' (pcs)	1018	1018
QTY/40HQ (pcs)	1193	1193









MODEL NO.	BGA1401-12	BGA1401-17	BGA1401-33
POWER	12KW	17KW	33KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	320	320	650
EXTERNAL THERMOSTAT	—	—	—
IP RATING	—	—	—
FUEL CONSUMPTION (kg/h)	0.87	1.23	2.4
GAS TYPE	G30	G30	G30
PRESSURE MBAR	700	700	700
HEATING SPACE (m²)	120	170	330
PRODUCT MEAS (mm)	380*190*305	380*190*305	475*226*355
PACKING MEAS (mm)	390*215*290	390*215*290	490*250*355
N.W. (kgs)	3.8	3.8	5.7
G.W. (kgs)	4.5	4.5	6.5
QTY/20' (pcs)	1120	1120	640
QTY/40' (pcs)	2320	2320	1330
QTY/40HQ (pcs)	2720	2720	1560












MODEL NO.	BGA1401-51	BGA1401-70
POWER	51KW	70KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	650	650
EXTERNAL THERMOSTAT	—	—
IP RATING	—	—
FUEL CONSUMPTION (kg/h)	3.7	5.0
GAS TYPE	G30	G30
PRESSURE MBAR	1500	1500
HEATING SPACE (m²)	510	700
PRODUCT MEAS (mm)	583*226*365	666*245*395
PACKING MEAS (mm)	605*250*380	690*250*410
N.W. (kgs)	6.6	7.1
G.W. (kgs)	7.3	8.2
QTY/20' (pcs)	510	390
QTY/40' (pcs)	1055	800
QTY/40HQ (pcs)	1236	936











MODEL NO.	BGA1401-12T	BGA1401-17T	BGA1401-33T	BGA1401-51T
POWER	7-12KW	10-17KW	18-33KW	30-51KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	320	320	650	650
EXTERNAL THERMOSTAT	—	—	—	—
IP RATING	—	—	—	—
FUEL CONSUMPTION (kg/h)	0.5-0.81	0.65-1.17	1.3-2.4	2.2-3.7
GAS TYPE	G30	G30	G30	G30
PRESSURE MBAR	700	700	700	700
HEATING SPACE (m²)	120	170	330	330
PRODUCT MEAS (mm)	380*190*305	380*190*305	480*226*360	583*226*365
PACKING MEAS (mm)	390*215*290	390*215*290	490*250*355	605*250*360
N.W. (kgs)	3.8	3.8	5.65	6.6
G.W. (kgs)	4.5	4.5	6.5	7.6
QTY/20' (pcs)	1120	1120	640	510
QTY/40' (pcs)	2320	2320	1330	1065
QTY/40HQ (pcs)	2720	2720	1560	1236



MODEL NO.	BGA2201-15	BGA2201-30	BGA2201-50
POWER	15KW	30KW	50KW
ELECTRIC SUPPLY	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ
AIR OUTPUT (m³/h)	320	580	650
EXTERNAL THERMOSTAT	—	—	—
IP RATING	—	—	—
FUEL CONSUMPTION (kg/h)	1.09	2.18	3.63
GAS TYPE	G30	G30	G30
PRESSURE MBAR	300	700	1500
HEATING SPACE (m²)	150	300	750
PRODUCT MEAS (mm)	410*185*300	460*185*310	570*220*340
PACKING MEAS (mm)	445*230*330	500*215*350	600*250*380
N.W. (kgs)	4.3	4.8	6
G.W. (kgs)	5.4	6	7.6
QTY/20' (pcs)	829	744	490
QTY/40' (pcs)	1700	1540	1010
QTY/40HQ (pcs)	2000	1800	1190



MODEL NO.	BGA2301-10	BGA2301-15	BGA2301-30
POWER	10KW	15KW	30KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	320	320	580
EXTERNAL THERMOSTAT	—	—	—
IP RATING	—	—	—
FUEL CONSUMPTION (kg/h)	0.73	1.09	2.18
GAS TYPE	G30	G30	G30
PRESSURE MBAR	0.7	0.7	0.7
HEATING SPACE (m²)	100	150	300
PRODUCT MEAS (mm)	375*187*305	375*187*305	470*187*350
PACKING MEAS (mm)	390*200*290	390*200*290	495*210*315
N.W. (kgs)	3.6	3.6	5.2
G.W. (kgs)	4.5	4.5	6. 2
QTY/20' (pcs)	1240	1240	865
QTY/40' (pcs)	2560	2560	1760
QTY/40HQ (pcs)	2940	2940	2020









MODEL NO.	BGA2301-10-E	BGA2301-15-E	BGA2301-30-E
POWER	10KW	15KW	30KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	320	320	580
EXTERNAL THERMOSTAT	—	—	—
IP RATING	—	—	—
FUEL CONSUMPTION (kg/h)	0.73	1.09	2.18
GAS TYPE	G30	G30	G30
PRESSURE MBAR	0.7	0.7	0.7
HEATING SPACE (m²)	100	150	300
PRODUCT MEAS (mm)	370*185*340	370*185*340	470*187*350
PACKING MEAS (mm)	395*210*315	395*210*315	495*210*315
N.W. (kgs)	4.5	4.5	6.1
G.W. (kgs)	5.2	5.2	6.7
QTY/20' (pcs)	1100	1110	865
QTY/40' (pcs)	2220	2220	1760
QTY/40HQ (pcs)	2540	2540	2020











MODEL NO.	BGA1401-10	BGA1401-15	BGA1401-30	BGA1401-50	BGA1401-30T	BGA1401-50T
ERP	—	—	—	—	—	—
POWER	10KW	15KW	30KW	50KW	18-30KW	30-50KW
ELECTRIC SUPPLY	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ
AIR OUTPUT (m³/h)	320	320	650	650	650	650
EXTERNAL THERMOSTAT	—	—	—	—	Y	Y
IP RATING	—	—	—	—	—	—
FUEL CONSUMPTION (kg/h)	0.73	1.09	2.18	3.63	1.30-2.18	2.18-3.63
GAS TYPE	G30	G30	G30	G30	G30	G30
PRESSURE MBAR	700	700	700	1500	700	1500
HEATING SPACE (m²)	100	150	300	500	300	500
PRODUCT MEAS (mm)	380*190*305	380*190*305	475*225*360	580*225*360	475*225*360	580*225*360
PACKING MEAS (mm)	390*215*290	390*215*290	490*250*355	605*250*360	490*250*355	605*250*360
N.W. (kgs)	3.8	3.8	6.1	6.8	6.3	7
G.W. (kgs)	4.5	4.5	6.8	7.9	7	7.7
QTY/20' (pcs)	1120	1120	640	510	640	510
QTY/40' (pcs)	2320	2320	1330	1055	1330	1055
QTY/40HQ (pcs)	2720	2720	1560	1236	1560	1236






MODEL NO.	BGA1401-10-18	BGA1401-15-18	BGA1401-30-18	BGA1401-50-18	BGA1401-30T-18	BGA1401-50T-18
ERP	Y	Y	Y	Y	Y	Y
POWER	10KW	15KW	30KW	50KW	18-30KW	30-50KW
ELECTRIC SUPPLY	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ	220-240V~50HZ
AIR OUTPUT (m³/h)	580	580	1000	1000	1000	1000
EXTERNAL THERMOSTAT	—	—	—	—	Y	Y
IP RATING	—	—	—	—	—	—
FUEL CONSUMPTION (kg/h)	0.73	1.09	2.18	3.63	1.30-2.18	2.18-3.63
GAS TYPE	G30	G30	G30	G30	G30	G30
PRESSURE MBAR	700	700	700	1500	700	1500
HEATING SPACE (m²)	100	150	300	500	300	500
PRODUCT MEAS (mm)	380*190*305	380*190*305	465*245*385	665*250*410	465*245*385	665*250*410
PACKING MEAS (mm)	390*215*290	390*215*290	490*270*370	690*270*395	490*270*370	690*270*395
N.W. (kgs)	3.7	3.7	5.8	7.7	5.9	7.8
G.W. (kgs)	4.8	4.8	7.3	9.4	7.3	9.5
QTY/20' (pcs)	1120	1120	580	390	580	390
QTY/40' (pcs)	2320	2320	1200	800	1200	800
QTY/40HQ (pcs)	2720	2720	1400	930	1400	930







MODEL NO.	BGA2006-55-LP	BGA2006-55-NG
POWER	55KW	55KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	2000	2000
EXTERNAL THERMOSTAT	Y	Y
IP RATING	IPX4	IPX4
FUEL CONSUMPTION	3.81kg/h	6.7m³/h/4.7kg/h
GAS TYPE	NG/G30	LNG/G30
PRESSURE MBAR	1500	1500
HEATING SPACE (m²)	550	550
PRODUCT MEAS (mm)	627*330*535	627*330*535
PACKING MEAS (mm)	645*385*510	645*385*510
N.W. (kgs)	10.5	10.5
G.W. (kgs)	14	14
QTY/20' (pcs)	220	220
QTY/40' (pcs)	455	455
QTY/40HQ (pcs)	535	535












MODEL NO.	BGA1903-70	BGA1801-90-F
POWER	70KW	90KW
ELECTRIC SUPPLY	220-240V~50Hz	220-240V~50Hz
AIR OUTPUT (m³/h)	4800	6500
EXTERNAL THERMOSTAT	Y	Y
IP RATING	IPX4	IPX4
FUEL CONSUMPTION (kg/h)	7m³/h	9.3m³/h/6.6kg/h
GAS TYPE	NG	NG/LP
PRESSURE MBAR	25	25
HEATING SPACE (m²)	700	800
PRODUCT MEAS (mm)	1082*325*570	1130*615*535
PACKING MEAS (mm)	1185*396*640	1190*680*675
N.W. (kgs)	23.5	39
G.W. (kgs)	30.5	70
QTY/20' (pcs)	79	39
QTY/40' (pcs)	180	87
QTY/40HQ (pcs)	200	87







AIR-CONDITIONER

Rapid cooling Large area refrigeration



BGK1801-27 Series

High powerLarge refrigeration

≈1 Household
Air
Conditioner

Any large space can effectively cool down

LD-0760





Model		BGK1801-27-X	BGK1801-27-20-X	BGK1801-27	BGK1801-27-20-E
Power		220V-240V 50Hz	220V-240V 50Hz	220V-240V 50Hz	100V 50/60Hz
Refrigerating capacity KW	KW	2.7	2.7	2.7	2.2/2.5
	BTU	9200	9200	9200	7500/8500
Cool air volume	(m^3/h)	400	400	400	350/400
Rated Input Power (KW)		0.95	0.95	0.95	0.88/1.05
Rated Input Current (A)		4.2	4.2	4.2	10/10.6
Water Tank (L)		5	5	5	5
Product size (mm)		405*430*855	405*430*855	405*430*855	405*430*855
Packing size (mm)		484*515*965	484*515*965	484*515*965	484*515*965
Addional parts box (mm)		/	/	/	/
G.W. (Kg)		47	47	47	47
N.W. (Kg)		42	42	42	42
Suitable for area	M2	8-18	8-18	8-18	8-18
	sq.ft	86-193	86-193	86-193	86-193
Operation Condition		18-45°C	18-45°C	18-45°C	18-45°C
Refrigerant		R290	R290	R410a	R410a
Qty of 20' (pcs)		96	96	96	96
Qty of 40' (pcs)		192	192	192	192
Qty of 40'HQ (pcs)		192	192	192	192
Country		EU/UK	EU/UK	SAA/CB	JAPAN



Universal wheel design
All models are wheel-moving design, easy to install in corners and other small spaces.



Cold and heat separate design
Improving cooling effect



Bucket design






Model		BGK1801-45	BGK1801-65
Power		220V-240V 50Hz	220V-240V 50Hz
Refrigerating capacity KW	KW	4.5	6.5
	BTU	15300	22200
Cool air volume	(m^3/h)	800	1200
Rated Input Power (KW)		2	3
Rated Input Current (A)		9	13.5
Water Tank (L)		8	13
Product size (mm)		520 *480 *1035	630 *560 *1245
Packing size (mm)		610 *570 *1110	720 *650 *1450
Addional parts box (mm)		370*350*260	380*280 *515
G.W. (Kg)		75	122
N.W. (Kg)		70	98
Suitable for area	M2	16-30	22-43
	sq.ft	172-322	236-462
Operation Condition		18-45°C	18-45°C
Refrigerant		R410a	R410a
Qty of 20" (pcs)		69	27
Qty of 40" (pcs)		141	54
Qty of 40"HQ (pcs)		141	54
Country		SAA/CB	SAA/CB




Dust cover design



Distance air supply



High Performance Compressor









Model		BGK1901-20-20-X	BGK1901-20	BGK1901-20/20-E
Power		220V-240V 50Hz	220V-240V 50Hz	100V 50/60Hz
Refrigerating capacity KW	KW	2	2	1.6/1.8
	BTU	6800	6800	5500/6100
Cool air volume	(m^3/h)	230	230	200/230
Rated Input Power (KW)		0.7	0.7	0.7/0.8
Rated Input Current (A)		3.2	3.2	8.2/8.2
Water Tank (L)		3	3	3
Product size (mm)		465*287*586	465*287*586	465*287*586
Packing size (mm)		560*325*715	560*325*715	560*325*715
Addional parts box (mm)		/	/	/
G.W. (Kg)		28.3	28.3	28.3
N.W. (Kg)		25.5	25.5	25.5
Suitable for area	M2	5-10	5-10	5-10
	sq.ft	53-108	53-108	53-108
Operation Condition		20-43°C	20-43°C	20-43°C
Refrigerant		R290	R410a	R410a
Qty of 20" (pcs)		210	210	210
Qty of 40" (pcs)		441	441	441
Qty of 40"HQ (pcs)		441	441	441
Country		EU/UKCA	SAA/CB	JAPAN



Universal wheel design
All models are wheel-moving design, easy to install in corners and other small spaces.



Convenient cleanable filter



Bucket design

BGK1901 Series







Model		BGK1901-38	BGK1901-38-20	BGK1901-62	BGK1901-62-20-X	BGK1901-71
Power		220V 60Hz	200V 3 phase 50/60Hz	220V 60Hz	220-240V 50Hz	220V 60Hz
Refrigerating capacity KW	KW	3.8	3.4/3.8	6.2	5.3	7.1
	BTU	13000	11600/13000	21100	18000	24200
Cool air volume	(m^3/h)	450	550/600	800	800	1200
Rated Input Power (KW)		1.6	1.21/1.45	2.4	2.2	2.9
Rated Input Current (A)		7.5	4.4/4.7	10.8	10	13.3
Water Tank (L)		25	25	25	25	25
Product size (mm)		496*562*943	496*562*943	625*560*1135	625*560*1135	615*665*1160
Packing size (mm)		590*665*1065	590*665*1015	750*685*1185	750*685*1185	700*740*1340(with tray)
Addional parts box (mm)		520*320*320	370*350*260	515*415*385	515*415*385	515*445*415
G.W. (Kg)		60	72	100	108/3.75(parts)	130
N.W. (Kg)		55	62	90	95	105
Suitable for area	M2	12-25	12-25	20-41	20-41	23-47
	sq.ft	130-269	130-269	216-442	216-442	248-508
Operation Condition		18-45°C	18-45°C	18-45°C	18-45°C	18-45°C
Refrigerant		R410a	R407C	R410a	R290	R410a
Qty of 20" (pcs)		54	54	24	24	24
Qty of 40" (pcs)		114	114	51	51	48
Qty of 40"HQ (pcs)		114	114	88	88	48
Country		Korea	JAPAN	Korea	EU/UKCA	Korea



Smart PCB control



Hot Air Exhaust



High Voltage protection switch

MOBILE INDUSTRIAL


AIR CONDITIONER





Model		BGK1801-150	BGK1801-250
Power		3N 380V 50Hz	3N 380V 50Hz
Refrigerating capacity KW	KW	15	25
	BTU	51100	85300
Cool air volume	(m^3/h)	2700	3800
Rated Input Power (KW)		5.65	11.2
Rated Input Current (A)		13.2	20
Water Tank (L)		/	/
Product size (mm)		1320*785*1050	1400*890*1525
Packing size (mm)		1410*925*1210	1480*970*1650
Addional parts box (mm)		/	/
G.W. (Kg)		250	410
N.W. (Kg)		200	335
Suitable for area	M2	/	/
	sq.ft	/	/
Operation Condition		18-45℃	18-45℃
Refrigerant		R22	R22
Qty of 20" (pcs)		8	7
Qty of 40" (pcs)		16	15
Qty of 40"HQ (pcs)		32	15
Country		-	-

LD-0760



INDUSTRIAL DEHUMIDIFIER

WITH INTELLIGENT CONTROL



QUIET FAN

BRAND COMPRESSOR

QUICK RESPONSE

DEFROST

DEHUMIDIFICATION

SAFETY

Stable and durable push halogen industrial dehumidifier

LD-0760





Model	BGD 1701-50	BGD1701-50-19	BGD1701-50-X01
Power	220-240V / 50HZ 700W	220-240V / 50HZ 750W	110V / 50HZ 800W
Humidity extaction	50L/D (30℃ RH80%) 30L/D (27℃ RH60%)	50L/D (30℃ Rh80%) 30L/D (27℃ RH60%)	50L/D (30℃ Rh80%) 30L/D (27℃ RH60%)
Air volume	300m³/h	300m³/h	300m³/h
Working space	120-180m²	120-180m²	120-180m²
Working temperature	5-35℃	5-35℃	5-35℃
Refrigerant	R410a	R290	R290
Noise level	56dB	56dB	56dB
Compressor	Rotation type	Rotation type	Rotation type
Control model	Electronic	Electronic	Electronic
Water tank capacity	7.0L	7.0L	7.0L
Product size(mm)	480*450*655	480*450*655	480*450*655
Packing size (mm)	510*420*725	510*420*725	510*420*725
G.W.(Kg)	32	32	32
N.W.(Kg)	30	30	30
Qty of 20' (pcs)	177	177	177
Qty of 40' (pcs)	375	375	375
Qty of 40'HQ (pcs)	375	375	375
Country	CB	EU/UKCA	EU/UKCA



Washable Air Filter



Wheels For Improved Mobility



Room Humidity Display





Model	BGD1701-90-X	BGD 1701-90
Power	220-240V / 50HZ 1250W	220-240V / 50HZ 1250W
Humidity extaction	90L/D (30℃ RH80%) 50L/D (27℃ RH60%)	90L/D (30℃ RH80%) 50L/D(27℃ RH60%)
Air volume	500m³/h	500m³/h
Working space	210-310m²	210-310m²
Working temperature	5-35℃	5-35℃
Refrigerant	R290	R410a
Noise level	60dB	60dB
Compressor	Rotation type	Rotation type
Control model	Electronic	Electronic
Water tank capacity	-	-
Product size(mm)	480*405*910	480*405*910
Packing size (mm)	580*500*980	580*500*980
G.W.(Kg)	52	52
N.W.(Kg)	48	48
Qty of 20' (pcs)	88	88
Qty of 40' (pcs)	184	184
Qty of 40'HQ (pcs)	184	184
Country	EU/UKCA	CB



Washable Air Filter



Wheels For Improved Mobility



Room Humidity Display





Model	BGD 1702-50	BGD1702-50-19
Power	220-240V / 50HZ 700W	220-240V / 50HZ 750W
Humidity extaction	50L/D (30℃ RH80%) 30L/D (27℃ RH60%)	50L/D (30℃ RH80%) 50L/D (27℃ RH60%)
Air volume	350m³/h	350m³/h
Working space	120-180m²	120-180m²
Working temperature	5-35℃	5-35℃
Refrigerant	R410a	R290
Noise level	56dB	56dB
Compressor	Rotation type	Rotation type
Control model	Electronic	Electronic
Water tank capacity	7.0L	7.0L
Product size(mm)	495*480*658	495*480*658
Packing size (mm)	505*455*720	505*455*720
G.W.(Kg)	34	34
N.W.(Kg)	32	32
Qty of 20' (pcs)	165	165
Qty of 40' (pcs)	345	345
Qty of 40'HQ (pcs)	345	345
Country	CB	EU



Washable Air Filter



Wheels For Improved Mobility



Room Humidity Display





Model	BGD1702-80-X	BGD1702-80-X01	BGD1702-80	BGD1702-80-18
Power	220-240V / 50HZ 1000W	220-240V / 50HZ 1000W	220-240V / 50HZ 1000W	220-240V / 50HZ 1250W
Humidity extaction	70L/D (30℃ Rh80%) 40L/D (27℃ RH60%)	70L/D (30℃ Rh80%) 40L/D (27℃ RH60%)	80L/D (30℃ Rh80%) 45L/D (27℃ RH60%)	80L/D (30℃ Rh80%) 45L/D (27℃ RH60%)
Air volume	400m³/h	400m³/h	400m³/h	860m³/h
Working space	160-250m²	160-250m²	160-250m²	100-160m²
Working temperature	5-35℃	5-35℃	5-35℃	5-35℃
Refrigerant	R290	R290	R410a	R410a
Noise level	56dB	56dB	56dB	56dB
Compressor	Rotation type	Rotation type	Rotation type	Rotation type
Control model	Electronic	Electronic	Electronic	Electronic
Water tank capacity	-	-	-	-
Product size(mm)	545*460*870	545*460*870	545*460*870	545*460*870
Packing size (mm)	615*535*1055	615*535*1055	615*535*1055	615*535*1055
G.W.(Kg)	43	45	45	50
N.W.(Kg)	40	42	42	46
Qty of 20' (pcs)	76	76	76	76
Qty of 40' (pcs)	160	160	164	164
Qty of 40'HQ (pcs)	160	160	164	164
Country	EU/UKCA	EU/UKCA	CB	CB



Washable Air Filter



Wheels For Improved Mobility



Room Humidity Display

LD-0760

INDUSTRIAL DEHUMIDIFIER

WITH INTELLIGENT CONTROL




PREVENT LEAKAGE

ANTIFREEZE

EXCHANGE



Model	BGD2304-30-X
Power	220-240V / 50HZ 500W
Humidity extaction	30L/d(30℃ Rh80%) 20L/d(27℃ RH60%)
Air volume	300m³/h
Working space	70-110m²
Working temperature	5-35℃
Refrigerant	R290
Noise level	56dB
Compressor	Rotation type
Control model	Electronic
Water tank capacity	7L
Product size(mm)	444*336*607
Packing size (mm)	520*425*660
G.W.(Kg)	26
N.W.(Kg)	24
Qty of 20' (pcs)	177
Qty of 40' (pcs)	360
Qty of 40'HQ (pcs)	476
Country	EU/UKCA



Washable Air Filter



Wheels For Improved Mobility



Room Humidity Display





Model	BGD2304-50-X	BGD2304-50-X01	BGD2304-50-X02
Power	AC220-240V/50HZ 900W	110V / 50HZ 800W	AC220-240V / 50HZ 900W
Humidity extaction	50L/d(30℃ Rh80%) 30L/d(27℃ RH60%)	50L/d(30℃ Rh80%) 30L/d(27℃ RH60%)	50L/d(30℃ Rh80%) 30L/d(27℃ RH60%)
Air volume	300m³/h	300m³/h	300m³/h
Working space	70-110m²	70-110m²	70-110m²
Working temperature	5-35℃	5-35℃	5-35℃
Refrigerant	R290	R290	R290
Noise level	56dB	56dB	56dB
Compressor	Rotation type	Rotation type	Rotation type
Control model	Electronic	Electronic	Electronic
Water tank capacity	7L	7L	7L
Product size(mm)	438*376*607	438*376*607	438*376*607
Packing size (mm)	520*425*660	520*425*660	520*425*660
G.W.(Kg)	27	27	27
N.W.(Kg)	25	25	25
Qty of 20' (pcs)	177	177	177
Qty of 40' (pcs)	360	360	360
Qty of 40'HQ (pcs)	476	476	476
Country	EU/UKCA	UK	EU/UKCA



Washable Air Filter



Wheels For Improved Mobility




Room Humidity Display

AIR SCRUBBER

Key Feature

- With Built-in UV-C light
- With HEPA Filter
- With Filter change warning light
- With Hour Meter
- Variable Speed control
- With Stackable, cord wrap,inlet design



ECO

LD-0760

Following the demand of the mainstream market, ECO energy saving, silent, APP Internet smart remote control product will come soon.





Model	BGJ2101-550-1	BGJ2101-550	BGJ2102-500
Electric Supply	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
Setting (W)	180	180	210
Product Meast. (mm)	620*410*645	620*410*645	438*328*412
Packing Meast. (mm)	635*415*670	635*415*670	505*390*465
Packing (pc/ctn)	1	1	1
Air output (CFM)	500	500	500
N.W. (kgs)	16. 5	16. 5	15.5
G.W. (kgs)	18.5	18.5	17.5
Qty/20' (pcs)	153	153	280
QTY/40' (pcs)	318	318	590
QTY/40'HQ (pcs)	386	386	690







产品储备展示 PRODUCT STOCK DISPLAY

我们拥有精良的设备、先进工艺、高精度测试仪器，从而大大提高了加工精度，有效的保证了产品品质，也缩短了产品的制作周期，并通过技术创新，不断提高产品质量，赢得客户的信赖。

We have sophisticated equipment, advanced technology, high-precision testing instruments, so as to greatly improve the processing accuracy, effectively ensure product quality, but also shorten the production cycle of products, and through technological innovation, constantly improve product quality, win the trust of customers.



办公环境 OFFICE ENVIRONMENT

现代企业的竞争归根结底是人才的竞争,人才是所有资源中最宝贵的资源，人才对企业来说至关重要的。中紧面对充满竞争的二十一世纪，在发展成为既大又强的企业过程中，做到了吸引人才，储备人才，开发人才和培养人才，并实行了人才的引进，使用和培训机制。

In the final analysis, the competition of modern enterprises is the competition of talents. Talents are the most precious resource among all resources, and talents are of great importance to enterprises. Facing the 21st century full of competition, in the process of developing into a large and strong enterprise, it has attracted talents, reserved talents, developed talents and cultivated talents, and implemented the introduction, use and training mechanism of talents.



铝泵体钢板水箱系列
Aluminum pump body steel plate water tank series

型号(MODEL) SD-50



普通款钢板厚度2mm
Ordinary steel plate thickness 2mm



不锈钢精密钢板厚度2mm
Plastic piston steel plate-thickness 2mm



全铜活塞钢板厚度2mm
All copper piston steel plate-thickness 2mm



精压款钢板厚度2mm
Fine steel plate thickness 2mm

• 产品特点及用途：

手动试压泵外形大气，使用方便，具有双阀锁压功能，使压力更精

manual pressure test pump is atmospheric in appearance, easy to use and has double valve pressure locking function to make the pressure more accurate.

图例 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note
	SD-50	0-5 MPA 0-50 BAR	45 ML	8.5 / 8 KGS	12L	49.5x18.5x28.5	2mm钢板厚度 2mmThe thickness of plate
	SD-50	0-5 MPA 0-50 BAR	45 ML	8.5 / 8 KGS	12L	49.5x18.5x28.5	2mm钢板厚度 2mmThe thickness of plate
	SD-50	0-5 MPA 0-50 BAR	45 ML	9.2/ 8.7 KGS	12L	49.5x18.5x28.5	2mm钢板厚度 2mmThe thickness of plate
	SD-50	0-5 MPA 0-50 BAR	45 ML	8.5 / 8 KGS	12L	49.5x18.5x28.5	2mm钢板厚度 2mmThe thickness of plate

铜泵体钢板水箱系列
Brass pump body steel water tanks

型号(MODEL) SD-100/160/250





• 产品特点及用途：

此类试压泵外形大气，使用方便，操作及维护容易。泵体及出水部分全部采用铜件制作，不易生锈，具有良好的耐腐蚀性，适用于各种恶劣环境的工作场地。

This kind of pressure test pump has the advantages of atmospheric appearance, convenient use and easy operation and maintenance. The pump body and water outlet part are all made of copper parts, which are not easy to rust and have good corrosion resistance. It is suitable for working sites in various harsh environments.

图例 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note
	SD-16	16Kg/cm²	13ML	7.5KGS	12L	50x19x33	一根高压管x1.5M One high pressure pipe x1.5M
	SD-25	25Kg/cm²	13ML	7.5KGS	12L	50x19x33	一根高压管x1.5M One high pressure pipe x1.5M
	SD-40	40Kg/cm²	13ML	7.5KGS	12L	50x19x33	一根高压管x1.5M One high pressure pipe x1.5M
	SD-60	60Kg/cm²	13ML	7.5KGS	12L	50x19x33	一根高压管x1.5M One high pressure pipe x1.5M
	SD-100	100Kg/cm²	12ML	7.5KGS	12L	50x19x33	一根高压管x1.5M One high pressure pipe x1.5M
	SD-140	160Kg/cm²	11ML	7.5KGS	12L	50x19x33	一根高压管x1.5M One high pressure pipe x1.5M
	SD-250	250Kg/cm²	11ML	7.5KGS	12L	50x19x33	一根高压管x1.5M One high pressure pipe x1.5M

型号(MODEL) ZD-50/100



• 产品特点及用途：

ZD-50/100手动试压泵采用自动和手动锁压下结合的工作方式，在测试中更容易获得精确压力。泵体及出水部分全部采用铜件制作，不易生锈，具有良好的耐腐蚀性，适用于各种恶劣环境的工作场地。

Zd-50 / 100 manual pressure test pump adopts the combination of automatic and manual pressure locking, which makes it easier to obtain accurate pressure in the test. The pump body and water outlet part are all made of copper parts, which are not easy to rust and have good corrosion resistance. It is suitable for working sites in various harsh environments.

图例 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note
	ZD-50	0-5 MPA	16 ML	5.0/4.5KGS	10 L	42x21x26	1mm钢板厚度 1mm The thickness of plate
	ZD-100	0-10 MPA	16 ML	5.0/4.5KGS	10 L	42x21x26	1mm钢板厚度 1mm The thickness of plate

型号(MODEL) DC-25/50/100



• 产品特点及用途：

此类手动试压泵操作及维护容易，泵体及出水部分全部采用铜件制作，不易生锈，具有良好耐腐蚀性，适用于各种恶劣环境的工作场地。

This kind of manual pressure test pump is easy to operate and maintain. The pump body and water outlet part are all made of copper parts, which is not easy to rust and has good corrosion resharsh environmentsistance. It is suitable for working sites in various

图例 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note
	DC-25	0-2.5 MPA	16 ML	6/5.5KGS	13 L	53x30x29	钢板厚度1mm□ □ □ □ 2mm
	DC-50	0-5 MPA	16 ML	6/5.5KGS	13 L	53x30x29	钢板厚度1mm□ □ □ □ 2mm
	DC-100	0-10 MPA	16 ML	6/5.5KGS	13 L	53x30x29	钢板厚度1mm□ □ □ □ 2mm

型号(MODEL) EP-50/100



• 产品特点及用途：

此类试压泵外形大气，使用方便，操作及维护容易。泵体及出水部分全部采用铜件制作。不易生锈，具有良好的耐腐蚀性，适用于各种恶劣环境的工作场地。

This kind of pressure test pump has the advantages of atmospheric appearance, convenient use and easy operation and maintenance. The pump body and water outlet part are all made of copper parts, which are not easy to rust and have good corrosion resistance. It is suitable for working sites in various harsh environments.

图例 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note
	EP-50	0-5MPa	30ML	9.7/9.2KGS	12 L	52.5x20x29	钢板厚度2mm铝氧化活塞 Steel plate thickness 2mm aluminum oxide piston
							面板厚度5mm全铜活塞 Panel thickness 5mm all copper piston
	EP-100	0-10MPA	30ML	9.7/9.2KGS	12 L	52.5x20x29	钢板厚度2mm铝氧化活塞 Steel plate thickness 2mm aluminum oxide piston
							面板厚度5mm全铜活塞 Panel thickness 5mm all copper piston

型号(MODEL) SD-16/25/40/60



• 产品特点及用途：

此类手动试压泵操作及维护容易，泵体及出水部分全部采用铜件制作，不易生锈，具有良好耐腐蚀性，适用于各种恶劣环境的工作场地。

This kind of manual pressure test pump is easy to operate and maintain. The pump body and water outlet part are all made of copper parts, which is not easy to rust and has good corrosion resistance. It is suitable for working sites in various harsh environments.

图例 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note	
	SD-16	0-1.6MPA	13ML	4.5/4.0KGS	5 L	32x20x26	□ □ iron box	钢板厚度1mm Steel plate thickness 1mm
	SD-25	0-2.5MPA	13ML	4.5/4.0KGS	5 L	32x20x26	铁箱 iron box	钢板厚度1mm Steel plate thickness 1mm
	SD-40	0-4.0MPA	13ML	4.5/4.0KGS	5 L	32x20x26	铁箱 iron box	钢板厚度1mm Steel plate thickness 1mm
	SD-60	0-6.0MPA	13ML	4.5/4.0KGS	5 L	32x20x26	铁箱 iron box	钢板厚度1mm Steel plate thickness 1mm

铜泵体钢板水箱系列
Brass pump body steel water tanks

型号(MODEL) SD-100/160/250



• 产品特点及用途：

此类手动试压泵操作及维护容易，泵体及出水部分全部采用铜件制作，不易生锈，具有良好耐腐蚀性，适用于各种恶劣环境的工作场地。

This kind of manual pressure test pump is easy to operate and maintain. The pump body and water outlet rust and has good corrosion resistance. It is suitable for working sites in various port are all made of copper parts, which is not easy to harsh environments.

图片 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note
	SD-100	0-10 MPA	13 ML	5.5/4.5KGS	5 L	32x20x26	钢板护边加强2mm Steel plate flanging reinforcement 2mm
	SD-160	0-16 MPA	12 ML	5.5/4.5KGS	5 L	32x20x26	钢板护边加强2mm Steel plate flanging reinforcement 2mm
	SD-250	0-25 MPA	11 ML	5.5/4.5KGS	5 L	32x20x26	钢板护边加强2mm Steel plate flanging reinforcement 2mm

铜泵体钢板水箱系列
Brass pump body steel water tanks

型号(MODEL) SD-25E/40E/50E/100E



• 产品特点及用途：

本产品结构简单，操作及维护容易，泵体及出水部分全部采用铜件制作，不易生锈，具有良好的耐腐蚀性，适用于各种恶劣环境的工作场地，是管道施工的必备工具。

The product has tmeinterance. The pump body and water outlet part are all made of copper parts, he advantages of simple structure, easy operation and which is not easy to rust and has good corrosion resistance. It is suitable for working sites in various harsconstruction.h environments. It is a necessary tool for pipeline

图片 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note	
	SD-25E	0-2.5MPA	1.8ML	5.0/4.5KGS	5 L	32x20x26	塑料箱 Plastic box	环氧厚度2mm Steel plate thickness 2mm
	SD-40E	0-4.0MPA	1.8ML	5.0/4.5KGS	5 L	32x20x26	塑料箱 Plastic box	环氧厚度2mm Steel plate thickness 2mm
	SD-50E	0-5.0MPA	1.8ML	5.0/4.5KGS	5 L	32x20x26	塑料箱 Plastic box	环氧厚度2mm Steel plate thickness 2mm
	SD-100A	0-10MPA	1.8ML	5.0/4.5KGS	5 L	32x20x26	铁箱 Iron box	环氧厚度2mm Steel plate thickness 2mm
	SD-100E	0-10MPA	1.8ML	5.0/4.5KGS	5 L	32x20x26	塑料箱 Plastic box	环氧厚度2mm Steel plate thickness 2mm

铝泵体钢板水箱系列
Aluminum pump body steel plate water tank series

型号(MODEL) SD-25C/25B/40B/50B/60B









• 产品特点及用途：

本产品结构简单，操作及维护容易，泵体及出水部分全部采用铝件制作，不易生锈，适用于各种恶劣环境的工作场地，是管道施工的必备工具。

• Product features and uses :

This product has the advantages of simple structure, easy operation and maintenance. The pump body and the outlet part are all made of aluminum, which is not easy to rust. It is suitable for all kinds of harsh environment work sites, and is an essential tool for pipeline construction.

图片 Photo	型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note	
	SD-25C	2.5MPA	1.8ML	2.0/1.8KGS	5 L	31x19x11	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
	SD-25B	2.5MPA	1.8ML	2.5/2.0KGS	5 L	31x19x11	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
	SD-40B	4.0MPA	3.0ML	5.0/4.0KGS	10 L	32x20x26	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
	SD-60B	6.0MPA	3.0ML	5.0/4.5KGS	10 L	32x20x26	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
	SD-50	5.0MPA	1.2ML	3.8/3.5KGS	5 L	32.5x21.5x25	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
	SD-70	7.0MPA	1.2ML	3.8/3.5KGS	5 L	32.5x21.5x25	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm

铸钢泵体钢板水箱系列
Cast steel pump body steel plate water tank series

型号(MODEL) SSD-6.0/10/16/25/40/60/80



• 产品特点及用途：

出口型2.5-80Mpa工程增加厚测压手动试压泵。
精湛工艺，强劲性能，超高品质。

• Product features and uses :

Export type 2.5-80mpa engineering thickened and thickened competitive manual pressure test pump.
Exquisite technology, strong performance and super high quality.

型号 MODEL	压力 Pressure	流量 Flow volume	毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note	
SSD-2.5	2.5MPa	32ML	8KGS	12L	335x168x300	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
SSD-6.0	6.0MPa	32ML	8KGS	12L	335x168x300	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
SSD-10	10MPa	22ML	8.5KGS	12L	335x168x300	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
SSD-16	16MPa	22ML	8.5KGS	22L	335x168x300	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
SSD-25	25MPa	22ML	9.5KGS	22L	415x195x380	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
SSD-40	40MPa	15ML	10.5KGS	22L	415x195x380	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
SSD-60	60MPa	10ML	15KGS	22L	415x195x380	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm
SSD-80	80MPa	10ML	20KGS	22L	415x195x380	铁箱 Iron box	钢板厚度1mm Steel plate thickness 1mm

铝泵体钢板水箱系列
Aluminum pump body steel plate water tank series

型号(MODEL) 2DSY-25/40/60/80/100



• 产品特点及用途：

2DSY系列手动试压泵，双缸高低压输出压力稳定，结构合理，维护稳定，是管道施工、压力容器测试、管道压力检测的可靠设备。
广泛应用于建筑、装修工地、消防工地以及花园材质的物业管理、压力容器等生产场所。

• Product features and uses :

2dsy series manual pressure test pump has stable high and low pressure output pressure of double cylinders, reasonable structure and stable maintenance. It is areliable equipment for pipeline construction, pressure vessel test and pipeline pressure monitoring.
It is widely used in construction, decoration site, fire site, property management of garden materials, pressure vessels and other production pisces.

型号 MODEL	压力 Pressure	流量 Flow volume		毛重/净重 G.W/N.W	水箱容积 Water tank volume	尺寸 Meas cm	备注 Note	
2DSY-25	25MPa	高压5	低压10	21KGS	42 L	52x28x58	铁箱 Iron box	铁板厚度1mm Steel plate thickness 1mm
2DSY-40	40MPa	高压5	低压10	21KGS	42 L	52x28x58	铁箱 Iron box	铁板厚度1mm Steel plate thickness 1mm
2DSY-60	60MPa	高压3	低压10	25KGS	42 L	52x28x58	铁箱 Iron box	铁板厚度1mm Steel plate thickness 1mm
2DSY-80	80MPa	高压3	低压10	25KGS	42 L	52x28x58	铁箱 Iron box	铁板厚度1mm Steel plate thickness 1mm
2DSY-100	100MPa	高压3	低压10	25KGS	42 L	52x28x58	铁箱 Iron box	铁板厚度1mm Steel plate thickness 1mm

QXB便携式空调清洗机系列
Portable air conditioner cleaning

型号(MODEL) QXB-35/60



QXB-60



QXB-35

• 产品特点及用途：

高压输出按照高效率、低损耗设计。
差动式操作令输出波动很小，输出压力平稳。简单而坚固的结构令拆装、维护简单容易。
小巧轻便的结构携带方便。
万能喷枪可使清洗工作容易，几乎处处都能清洗。
用途：空调清洗、墙面清洗、车辆发动机部位清洗、农用工具及机械清洗、喷洒农药和杀虫剂、印刷机械清洗、管道清洁疏通、食品加工设备及厨房清洗。

• Product features and uses :

High voltage output is designed according to high efficiency and low loss.
Differential operation makes the output fluctuation very small and the output pressure balanced.
Simple and firm structure makes disassembly and maintenance simple and easy.
Small and light structure, easy to carry.
Universal spray gun can make cleaning easy and can be cleaned almost everywhere.
Uses: air conditioning cleaning, wall cleaning, vehicle engine cleaning, agricultmachinery cleaning, pipeline cleaning and dredging, food processing equipment tural tools and machinery cleaning, spraying pesticides and pesticides, printing and kitchen cleaning.

型号 MODEL	压力 Pressure	电压 Voltage	功率 Power	流量 Flow volume	毛重/净重 G.W/N.W	尺寸 Meas cm	备注 Note
QXB-35	0-3.5 MPA 0-35 BAR	110 /120V/220V	250W	180L/H	13.5 / 12 KGS	40 x 30 x 29	塑箱 Plastic box
QXB-60	0-6.0MPA 0-60BAR	110 /120V/220V	400W	180L/H	17.5 / 16 KGS	40 x 30 x 29	塑箱 Plastic box

型号(MODEL) DSY-25/25A/40/50



• 产品特点及用途：

此DSY便携式手提电动试压泵系列，产品具体结构紧凑、输出压力稳定、能耗低、携带方便、维护容易，能管道施工、压力容器测试、管道压力监测的理想设备。
广泛应用于建筑、装修工地、消防工地以及花园对楼的物业管理、压力容器等生产场所。

• Product features and uses :

This dsy portable portable electric pressure test pump series has the advantages of compact production structure, stable output pressure, low energy consumconstruction, pressure vessel test and pipeline pressure monitoring.convenient carrying and easy maintenance. It is a reliable equipment for pipeline construction, pressure vessel test and pipeline pressure monitoring.
It is widely used in construction, decoration site, fire site, property management of garden materials, pressure vessels and other productionplaces.

图例 Photo	型号 MODEL	压力 Pressure	电压 Voltage	功率 Power	流量 Flov volume	毛重/净重 G.W/N.W	尺寸 Meas cm	备注 Note
	DSY-25	0-2.5 MPA 0-25 BAR	110/120/220V	150W	180 L/H	11.5/10KGS	42 x 27x 32	纸箱 carton 木箱 woodenbox
	DSY-25A	0-2.5 MPA 0-25 BAR	110/220V	200W	380 L/H	10.5/9KGS	42 x 27x 32	纸箱 carton 木箱 woodenbox
	DSY-40	0-4.0MPA 0-40 BAR	110/120/220V	150W	180L/H	14.5/13KGS	42 x 27x 32	纸箱 carton 木箱 woodenbox
	DSY-50	0-5.0MPA 0-50 BAR	110/220V	300W	380 L/H	11.5/10KGS	42 x 27x 32	纸箱 carton 木箱 woodenbox

DSY便携式电动试压泵系列
Portable electric pressure test pump DSY series

型号(MODEL) DSY-60/60A/60B/100





• 产品特点及用途：

此DSY便携式手提电动试压泵系列，产品具体结构紧凑、输出压力稳定、能耗低、携带方便、维护容易，能管道施工、压力容器测试、管道压力监测的理想设备。
广泛应用于建筑、装修工地、消防工地以及花园对楼的物业管理、压力容器等生产场所。

• Product features and uses :

This dsy portable portable electric pressure test pump series has the advantages of compact production structure, stable output pressure, low energy consumption, convenient carrying and easy maintenance. It is a reliable equipment for pipeline construction, pressure vessel test and pipeline pressure monitoring.
It is widely used in construction, decoration site, fire site, property management of garden materials, pressure vessels and other production places.

图例 Photo	型号 MODEL	压力 Pressure	电压 Voltage	功率 Power	流量 Flov volume	毛重/净重 G.W/N.W	尺寸 Meas cm	备注 Note
	DSY-60	0-6.0 MPA 0-60 BAR	110/120/220V	250W	180_/H	13.5/12 KGS	40 x 30 x 29	塑箱 Plasticbox
	DSY-60C	0-6.0 MPA 0-60 BAR	110/120/220V	250W	180_/H	13.5/12 KGS	40 x 30 x 29	塑箱 Plasticbox
	DSY-60A	0-6.0 MPA 0-60 BAR	110/120/220V	400W	480L/H	17/15KGS	40 x 30 x 29	塑箱 Plasticbox
	DSY-60B	0-6.0 MPA 0-60 BAR	110/120/220V	700W	480L/H	21 /19 KGS	40 x 30 x 29	塑箱 Plasticbox
	DSY-100	0-10 MPA 0-100 BAR	110/120/220V	380W	180L/H	14/12.5 KGS	40 x 30 x 29	塑箱 Plasticbox

3D便携式电动试压泵系列
Portable electric pressure test pump 3D series

型号(MODEL) 3DSY-25/40/60/80/100





• 产品特点及用途：

DSY便携式手提电动试压泵系列，产品结构紧凑、输出压力稳定、省时省力、携带方便、维护简易，是施工、压力容器测试、管道压力检测的可靠设备。

广泛应用于建筑、装修工地、消防工地以及花园物业管理、压力容器等生产场所。

• Product features and uses :

This dsy portable portable electric pressure test pump series has the advantages of compact production structure, stable output pressure, low energy consumption, convenient carrying and easy maintenance. It is a reliable equipment for pipeline construction, pressure vessel test and pipeline pressure monitoring.

It is widely used in construction, decoration site, fire site, property management garden materials, pressure vessels and other production places.

图例 Photo	型号 MODEL	压力 Pressure	电压 Voltage	功率 Power	流量 Flow volume	毛重/净重 G.W/N.W	尺寸 Meas cm	备注 Note
	3DSY-25	2.5 MPA	380 / 220V	0.75 KW	360 L/H	24 KG	38 x 25 x 56	木箱 woodenbox
	3DSY-40	4.0 MPA	380 / 220V	0.75 KW	360 L/H	24 KG	38 x 25 x 56	木箱 woodenbox
	3DSY-60	6.0 MPA	380 / 220V	0.75 KW	360 L/H	24 KG	38 x 25 x 56	木箱 woodenbox
	3DSY-80	8.0 MPA	380 / 220V	0.90 KW	360 L/H	25 KG	38 x 25 x 56	木箱 woodenbox
	3DSY-100	10 MPA	380 / 220V	0.90 KW	360 L/H	25 KG	38 x 25 x 56	木箱 woodenbox

3DSB超大流量电动试压泵系列
Electric pressure test pump 3DSB super flow series

型号(MODEL) 3DSB-25/40/100



• 产品特点及用途：

该产品具有体积小、流量大、效益高、运行平稳、安全可靠，试验压力可任意调节，分方大、小流量两种可供选择。

适用于锅炉、管道、工程安装等大型低压压力容器进行水压、密封、强度测试和爆破试验，加上清洗附件，还可作清洗机使用。

注意事项：使用前请加机油。

The product has the advantages of small volume, large flow, high benefit, stable operation, safety and reliability. The test pressure can be adjusted arbitrarily. It can be divided into large flow and small flow.

It is most suitable for water pressure, sealing, strength test and explosion test of large low-pressure pressure vessels such as boilers, pipelines and engineering installation. With cleaning accessories, it can also be used as a cleaning machine.

Precautions: Please add oil before use.

图例 Photo	型号 MODEL	压力 Pressure	电压 Voltage	功率 Power	流量 Flow volume	毛重/净重 G.W/N.W	尺寸 Meas cm	备注 Note
	3DSB-25	0-2.5 MPA	380 V	1.5 KW	2200 L/H	44/ 36 KGS	62X42X72	木箱 wooden box
	3DSB-25	0-2.5 MPA	220 V	2.2 KW	2000 L/H	44/ 36 KGS	72X42x60	木箱 wooden box
	3DSB-40	0-4.0 MPA	380 V	1.5 KW	2000 L/H	44/ 36 KGS	72x42X60	木箱 wooden box
	3DSB-40	0-4.0 MPA	220 V	2.2 KW	2000 L/H	44/ 36KGS	72X42X60	木箱 wooden box
	3DSB-100	0-10 MPA	380/220 V	3.0KW	H900 L/H	56/ 48 KGS	72x42X60	木箱 wooden box

3DSB超大流量电动试压泵系列
Electric pressure test pump 3DSB super flow series

型号(MODEL) 3DSB-E





• 产品特点及用途：

该产品具有体积小、流量大、效益高、运行平稳、安全可靠，试验压力可任意调节，分为大、小流量两种可供选择。
最适用于锅炉、管道、工程安装等大型低压压力容器进行水压、密封、强度及试验移动试验，配上清洗附件，还可作清洗机使用。
注意事项：使用前添加机油。

The product has the advantages of small volume, large flow, high benefit, stableoperation, safety and reliability. The test pressure can be adjusted arbitrarily. It can be divided into large flow and small flow.
It is most suitable for water pressure, sealing, strength test and explosion test of large low-pressure pressure vessels such as boilers, pipelines and engineering installation. With cleaning accessories, it can also be used as a cleaning machine.
Precautions: Please add oil before use.

图例 Photo	型号 MODEL	压力 Pressure	电压 Voltage	功率 Power	流量 Flow volume	毛重/净重 G.W/N.W	尺寸 Meas.cm	备注 Note
	3DSB-E	0-4.0MPa	380 V	1.5 KW	1000 L/H	40/35 KGS	70×45×55	包括 carton

4DSY大流量电动试压泵系列
Electric pressure test pump 4DSY large flow series

型号(MODEL) 4DSY-4/6.3/1016/25



• 产品特点及用途：

4DSY系列电动试压泵泵专供各类压力容器、管道、锅炉、阀门、压力仪表、消防器材作水压试验中获得工业压油体的理想设备。试压泵产品及配套试压，试验工程，已应用在航空领域的试压试验
并且在国防科研重点开发项目中也用。如：高压爆破试验，深海试验，空间技术，高温高压试验，异形管试验等。
该试压泵系按水压试验要求的特殊设计，在试压的初始阶段具有较大流量，能迅速实施快速，以减轻实施时间。当压力超过1.6MPa后，为使试压过程能较平稳而缓慢地进行，则流量自动减小。
所以本泵在高、低压时有两种流量，并能自动更换，凡在额定排出压力以下，可进行任意的压水试验。

T4dsy series electric pressure test pump is an ideal equipment for obtaining high-pressure liquid in laboratory and hydrostatic test for all kinds of pressurevessels, pipelines, boilers, valves, pressure vessels and fire-fighting equipment.Pressure test pump products and supporting pressure test and test projects haveboen applied to pressure test in aviation field and in key national defense scientificresearch and development projects. Such as: high pressure blasting test, deep seatest, space technology, high temperature and high pressure test, special-shapedpipe test, etc.
The pressure test pump is specially designed according to the requirements ofhydraulic test. In the initial stage of pressure test, it has large flow, rapid liquid fillingand pressure rise, so as to shorten the experimental time. When the pressureexceeds 1.6Mpa, in order to make the pressure test process more stable and slow.The flow is automatically reduced. Therefore, the pump has two flows at high andlow pressure and can change automatically. Any numerical hydrostatic test can becarried out below the rated discharge pressure.

图例 Photo	型号 MODEL	压力 Pressure Mpa	流量 Flow volume (L/H)		配套电机 Matchingelectric machine			整机重量 G.W. (kg)	体积 Volume (mm)
			高压 High pressure	低压 Low pressure	型号 Model	功率 Power (KW)	电压 Voltage		
	4DSY-4.0	4.0	160	350	YS9024-T	1.5.2.2	220V/380V	110	820X470X870
	4DSY-6.3	6.3	146	320	YS9024-T	1.5.2.2	220V/380V	110	820X470X870
	4DSY-10	10	104	290	YS9024-T	1.5.2.2	220V/380V	110	820X470X870
	4DSY-16	16	65	240	YS9024-T	1.5.2.2	220V/380V	110	820X470X870
	4DSY-25	25	50	220	YS9024-T	1.5.2.2	220V/380V	110	820X470X870

4DSY大流量电动试压泵系列

Electric pressure test pump 4DSY large flow series

型号(MODEL) SD-16/25/40/60



• 产品特点及用途：

4DSY系列电动试压泵是专供各类压力容器、管道、锅炉、阀门、压力容器、消防器材作实验室和水压试验中获得高压液体的理想设备。试压泵产品及配套试压、试验工程，已应用在航空领域的试压试验并在国防科研重点开发项目中应用。如：高压爆破试验、深海试验、空间技术、高温高压试验、异形管试验等。

该测压泵系按水压试验要求而特殊设计，在试压的初始阶段具有较大流量、快速充液和升压，以缩短实验时间。当压力超过1.6MPa后，为使试压过程能够平稳而缓慢地进行。所流量自动减少。所以本泵在高、低压时自动转换流量，并随自动变换，凡在额定排出压力以下，可进行任意耐压试验。

T4dsy series electric pressure test pump is an ideal equipment for obtaining high-pressure liquid in laboratory and hydrostatic test for all kinds of pressure vessels, pipelines, boilers, valves, pressure vessels and fire-fighting equipment.Pressure test pump products and supporting pressure test and test projects haveboen applied to pressure test in aviation field and in key national defense scientific research and development projects. Such as: high pressure blasting test, deep seatest, space technology, high temperature and high pressure test, special-shapedpipe test, etc.

The pressure test pump is specially designed according to the requirements of hydraulic test. In the initial stage of pressure test, it has large flow, rapid liquid fillingand pressure rise, so as to shorten the experimental time. When the pressureexceeds 1.6Mpa, in order to make the pressure test process more stable and slow.The flow is automatically reduced. Therefore, the pump has two flows at high andlow pressure and can change automatically. Any numerical hydrostatic test can becarried out below the rated discharge pressure.

图例 Photo	型号 MODEL	压力 Pressure Mpa	流量 High pressure	流量 Low pressure	型号 Model	功率 Power (KW)	电压 Voltage	整机重量 G.W. (kg)	体积 Volume (mm)
	4DSY-180/4	4	180	500	YS9024-T	1.5,2.2	220V,240V,380V,480V	120	820X470X870
	4DSY-165/6.3	6.3	165	500	YS9024-T	1.5,2.2	220V,240V,380V,480V	120	820X470X870
	4DSY-105/10	10	105	480	YS9024-T	1.5,2.2	220V,240V,380V,480V	120	820X470X870
	4DSY-65/16	16	65	480	YS9024-T	1.5,2.2	220V,240V,380V,480V	120	820X470X870
	4DSY-40/25	25	40	450	YS9024-T	2.2,3.0	380V,480V	138	820X470X870
	4DSY-30/40	40	30	380	YS9024-T	2.2,3.0	380V,480V	138	820X470X870
	4DSY-22/63	63	22	350	YS9024-T	2.2,3.0	380V,480V	138	820X470X870
	4DSY-15/80	80	15	320	YS9024-T	2.2,3.0	380V,480V	138	820X470X870

6DSY电动试压泵系列

Electric pressure test pump 6dsy series

型号(MODEL) 6DSY-/25/40/60/100/160/250/400



• 产品特点及用途：

6DSY系列电动试压泵是专供各类压力容器、管道、锅炉、阀门、压力容器、消防器材作实验室和水压试验中获得高压液体的理想设备。试压泵产品及配套试压、试验工程，已应用在航空领域的试压试验并在国防科研重点开发项目中应用。如：高压爆破试验、深海试验、空间技术、高温高压试验、异形管试验等。

该测压泵系按水压试验要求而特殊设计，在试压的初始阶段具有较大流量、快速充液和升压，以缩短实验时间。当压力超过1.6MPa后，为使试压过程能够平稳而缓慢地进行。所流量自动减少。所以本泵在高、低压时自动转换流量，并随自动变换，凡在额定排出压力以下，可进行任意耐压试验。

6dsy series electric pressure test pump is an ideal equipment for obtaininghigh-pressure liquid in laboratory and hydrostatic test for all kinds of pressure vessels, pipelines, boilers, valves, pressure vessels and fire-fighting equipment. Pressure test pump products and supporting pressure test and test projects have been applied to pressure test in aviation field and in key national defense scientific research and development projects. Such as: high pressure blasting test, deep sea test, space technology, high temperature and high pressure test, special-shaped pipe test, etc.

The pressure test pump is specially designed according to the requirements of hydraulic test. In the initial stage of pressure test, it has large flow, rapid liquidfilling and pressure rise, so as to shorten the experimental time. When the pressure exceeds 1.6Mpa, in order to make the pressure test process more stable and slow. The flow is automatically reduced. Therefore, the pump has two flows athigh and low pressure and can change automatically. Any numerical hydrostatic test can be carried out below the rated discharge pressure.

图片 Photo	型号 Model	压力 Pressure Mpa	流量 Flow volume (L/H) 高压 High pressure	流量 Flow volume (L/H) 低压 Low pressure	电压 Voltage	功率 Power	整机重量 G.W. (kg)	体积 volume (CM)	备注 Note
	6DSY-25	2.5 MPA	108	500	380 / 220V	1.1 KW	50 KG	54 x 35 x 76	木箱 woodenbox
	6DSY-40	4.0 MPA	108	500	380 / 220V	1.1 KW	50 KG	54 x 35 x 76	木箱 woodenbox
	6DSY-63	6.3 MPA	105	480	380 / 220V	1.1 KW	50 KG	54 x 35 x 76	木箱 woodenbox
	6DSY-100	10 MPA	105	480	380 / 220V	1.1 KW	50 KG	54 x 35 x 76	木箱 woodenbox
	6DSY-160	16 MPA	105	480	380V	1.1 KW	60 KG	54 x 35 x 76	木箱 woodenbox
	6DSY-250	25 MPA	90	480	380V	1.5 KW	60 KG	54 x 35 x 76	木箱 woodenbox
	6DSY-400	40 MPA	90	480	380V	1.5 KW	60 KG	54 x 35 x 76	木箱 woodenbox

DC-120/160便携式电动试压泵系列型号
Portable electric pressure test pumpDC-120 / 160 series

型号(MODEL)	DC-360/360A/360B



- **产品特点及用途：**

此DC便携式手提电动试压泵系列，产品制作结构紧凑、输出压力稳定、低耗能、耗时方便、维护容易，是管道施工、压力容器测试、管道压力监测的可靠设备。
广泛应用于建筑、装修工地、消防工地以及花园材质的物业管理、压力容器等生产场所。

- **Product features and uses：**

This DC portable portable electric pressure test pump series has the advantages of compact production structure, stable output pressure, low energy consumption, convenient carrying and easy maintenance. It is a reliable equipment for pipeline construction, pressure vessel test and pipeline pressure monitoring.
It is widely used in construction, decoration site, fire site, property management of garden materials, pressure vessels and other production places.

图片 Photo	型号 Model	压力 Pressure	电压 Voltage		功率 Power	流量 Flow	转速 Speed	频率 Frequency	毛净重 G.W/N.W KGS	尺寸(cm) Size(cm)
	DC-120	0-1.2 MPA 0-12 BAR	Input 220V	output 24V	120W	360L/H		50HZ	4.5/3.5	36x24.5x21
	DC-160	0-1.6 MPA 0-16 BAR	Input 220V	output 24V	180W	360L/H		50HZ	4.8/3.8	38x24.5x21

DC-360便携式电动试压泵系列
Portable electric pressure test pump DC-360 series

型号(MODEL)	DC-360/360A/360B



- **产品特点及用途：**

此DC便携式手提电动试压泵系列，产品制作结构紧凑、输出压力稳定、低耗能、耗时方便、维护容易，是管道施工、压力容器测试、管道压力监测的可靠设备。
广泛应用于建筑、装修工地、消防工地以及花园材质的物业管理、压力容器等生产场所。

- **Product features and uses：**

This DC portable portable electric pressure test pump series has the advantages of compact production structure, stable output pressure, low energy consumption, convenient carrying and easy maintenance. It is a reliable equipment for pipeline construction, pressure vessel test and pipeline pressure monitoring.
It is widely used in construction, decoration site, fire site, property management of garden materials, pressure vessels and other production places.

图片 Photo	型号 Model	压力 Pressure	电压 Voltage	功率 Power	流量 Flow	转速 Speed	频率 Frequency	毛净重 G.W/N.W KGS	尺寸(cm) Size(cm)
	DC-360	2.5MPA 4.0MPA 6.0MPA	220V	1.8KW	420L/H	2800R/min	50HZ	15.6/10.7	40x25x35
	DC-360A	2.5MPA 4.0MPA 6.0MPA	220V	1.8KW	420L/H	2800R/min	50HZ	12.4/8.4	46x27x27
	DC-360B	2.5MPA 4.0MPA 6.0MPA	220V	1.8KW	420L/H	2800R/min	50HZ	12.6/8.6	46x27x27

DC-360清洗试压二用机系列
Cleaning and pressure test machine DC- 360 series

型号(MODEL) DC-360/360A/360B





• 产品特点及用途：

此DC便携式手提电动试压泵系列，产品制作结构紧凑、输出压力稳定、噪音低、携带方便、维护容易、适宜油压工、压力容器测试、管道压力监测的可靠设备。
广泛应用于建筑、装修工地、消防工地以及花园材质的物业管理、压力容器等生产场所。

• Product features and uses：

This DC portable portable electric pressure test pump series has the advantagesof compact production structure, stable output pressure, low energy consumption,convenient carrying and easy maintenance. It is a reliable equipment for pipelineconstruction, pressure vessel test and pipeline pressure monitoring.
It is widely used in construction, decoration site, fire site, property management ofgarden materials, pressure vessels and other production places.

图例 Photo	型号 Model	压力 Pressure	电压 Voltage	功率 Power	流量 Flow	转速 Speed	频率 Frequency	毛净重 G.W/N.W KGS	尺寸(cm) Size(cm)
	DC-360-2	2.5MPA 4.0MPA 6.0MPA	220V	1.8KW	420L/H	2800R/min	50HZ	15.6/10.7	40x25x35
	DC-360A-2	2.5MPA 4.0MPA 6.0MPA	220V	1.8KW	420L/H	2800R/min	50HZ	12.4/8.4	46x27x27
	DC-360B-2	2.5MPA 4.0MPA 6.0MPA	220V	1.8KW	420L/H	2800R/min	50HZ	12.6/8.6	46x27x27

DC-390B大流量便携式电动试压泵
Large flow portable electric pressure test pump dc- 390A

型号(MODEL) DC-390A



• 产品特点及用途：

本产品结构紧凑、输出稳定、耗电低、携带方便、维护容易、适宜油压工、压力容器测试、管道压力监测的可靠设备。
广泛应用于建筑、装修工地、消防工地以及花园材质的物业管理、压力容器等生产场所。

The product has the advantages of compact structure, stable output, low energyconsumption, convenient carrying and easy maintenance. It is a reliableequipment for pipeline construction, pressure vessel test and pipeline pressuretest.
It is widely used in construction and decoration sites, property management ofgarden village houses, pressure vessels and other production places.

图例 Photo	型号 Model	压力 Pressure	电压 Voltage	功率 Power	流量 Flow	转速 Speed	频率 Frequency	毛净重 G.W/N.W KGS	尺寸(cm) Size(cm)
	DC-390A	6.0MPA	220 / 380	1.6KW	600L/H	2800R/min	50HZ	28/23	50x35x60

DC-390大流量电动试压泵
Large flow electric pressure test pump DC-390

型号(MODEL) 3DSY-25/40/60/80/100



• 产品特点及用途：

此DC便携式手提电动试压泵系列，产品制作结构紧凑、输出压力稳定、噪音低、携带方便、维护容易、适宜油压工、压力容器测试、管道压力监测的可靠设备。
广泛应用于建筑、装修工地、消防工地以及花园材质的物业管理、压力容器等生产场所。

This DC portable portable electric pressure test pump series has the advantagesof compact production structure, stable output pressure, low energy consumption,convenient carrying and easy maintenance. It is a reliable equipment for pipelineconstruction, pressure vessel test and pipeline pressure monitoring.
It is widely used in construction, decoration site, fire site, property management ofgarden materials, pressure vessels and other production places.

图例 Photo	型号 Model	压力 Pressure	电压 Voltage	功率 Power	流量 Flow	转速 Speed	频率 Frequency	毛净重 G.W/N.W KGS	尺寸(cm) Size(cm)
	DC-390	6.0MPA	220 / 380	1.6KW	600L/H	2800R/min	50HZ	28/23	50x35x60

RATCHET STRAP





RS2502 RS2503 RS2504 RS2505 RS2506 RS2507 RS2508

Parameter table

Item	Type	WLL	BS	STF	Standard
RS2501	Color-Zinc Plated	4,00 daN	8,00 daN	40daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
RS2502	Black-Painted	4,00 daN	8,00 daN	40daN	
RS2503	Molded Rubber Handle	4,00 daN	8,00 daN	40daN	
RS2504	Molded Rubber Handle	4,00 daN	8,00 daN	40daN	
RS2505	Molded Rubber Handle	4,00 daN	8,00 daN	40daN	
RS2506	Molded Rubber Handle	4,00 daN	8,00 daN	40daN	
RS2507	Molded Rubber Handle	4,00 daN	8,00 daN	40daN	
RS2508	Molded Rubber Handle	4,00 daN	8,00 daN	40daN	

Hook Option



A B C D E F

LD-0795

1. Do not use the ratchet strap for lifting.
2. Do not use the damaged Ratchet strap.
3. Do not use overload.
4. Do not use the webbing knot.
5. Do not wring or twist the ratchet strap.
6. Keep the webbing away from sharp or abrasive edges.
7. Periodic inspect the ratchet strap to ensure the tie-down or webbing in good condition, or replace the ratchet strap at once.

Package



Application



RATCHET STRAP




RS2702


RS2703


RS2704


RS2705


RS2706


RS2707


RS3201

Parameter table

Item	Type	WLL	BS	STF	Standard
RS2701	Iron Handle	750 daN	1500 daN	75 daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
RS2702	Integreted Handle	750 daN	1500 daN	75 daN	
RS2703	Black Integreted Handle	750 daN	1500 daN	75 daN	
RS2704	Rubber Handle	750 daN	1500 daN	75 daN	
RS2705	Black Rubber Handle	750 daN	1500 daN	75 daN	
RS2706	Straight Type Handle	750 daN	1500 daN	75 daN	
RS2707	Black Iron Handle	750 daN	1500 daN	75 daN	
RS3201	Deluxe Molded Handle	750 daN	1500 daN	75 daN	

Hook Option


A


B


C


D


E


F

TERMS AND DEFINATION:

STANDARD HAND FORCE SHF: Hand operation force of 500N (50 daN on the label).

STANDARD TENSION FORCE STF: Residual force after release the handle of the ratchet.

ELONGATION: The measurement of stretch, at a given load, expressed as a percentage of the original unloaded length. All materials subject to tension will stretch and different materials have different rates of stretch at the same tensile load

Package



Application







RATCHET STRAP




RS3802


RS3803


RS3804


RS3805


RS3806


RS3807


RS3808

Parameter table

Item	Type	WLL	BS	STF	Standard
RS3801	Iron Handle	1500 daN	3000 daN	150 daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
RS3802	Aluminum Handle	1500 daN	3000 daN	150 daN	
RS3803	Rubber Handle	1500 daN	3000 daN	150 daN	
RS3804	Plastic Handle	1500 daN	3000 daN	150 daN	
RS3805	Blue Painted Alu Handle	1500 daN	3000 daN	150 daN	
RS3806	Straight Type Alu Handle	1500 daN	3000 daN	150 daN	
RS3807	Deluxe Molded Handle (Black)	1000 daN	2000 daN	100 daN	
RS3808	Deluxe Molded Handle	1000 daN	2000 daN	100 daN	

Hook Option


A


B


C


D


E


F


G

ENVIROMENT CONSIDERATIONS:

TEMPERATURE: Tie downs using polypropylene or ployester webbing shall not be used at temperatures in excess of 194 degrees F (90 degrees C) or below -40 degrees F(-40 degrees C).

REPARE: There shall be no repairs of webbing, hardware or stitching/sew patterns!

Package



Application







RATCHET STRAP



RS5001



RS5002 RS5003 RS5004 RS5005 RS5006 RS5007 RS5008

Parameter table

Item	Type	WLL	BS	STF	Standard
RS5001	Plastic Handle	2500 daN	5000 daN	300 daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
RS5002	Aluminum Handle	2500 daN	5000 daN	300 daN	
RS5003	Yellow Painted Rubber Handle	2500 daN	5000 daN	300 daN	
RS5004	Deluxe Finger Type Handle	2500 daN	5000 daN	300 daN	
RS5005	Green Alu Handle	2500 daN	5000 daN	300 daN	
RS5006	Finger Type Handle	2500 daN	5000 daN	300 daN	
RS5007	Rubber Handle	2500 daN	5000 daN	300 daN	
RS5008	Black Painted	2500 daN	5000 daN	300 daN	

Hook Option



A B C D E F

NOTE: All Ratchet strap, must come with a label indicating size, maximum load, and WLL(working load limited). Remember, the WLL is not the maximum load, always use the WLL when selecting ratchet strap. It is the responsibility of the user to determine the number of straps needed to secure his load safely based on the WLL rule.

Europe Standard (EN12195-2):
Working Load Limited (WLL) : Maximum Load : Webbing Max Capacity = 1:2:3

America Standard (WSTDA-T-1):
Working Load Limited (WLL) : Maximum Load = 1:3

Package



Application



RATCHET STRAP

LIGHT DUTY



RS5008



RS5009



RS5010



EB5002

Parameter table

Item	Type	WLL	BS	STF	Standard
RS5008	Light Duty Iron Handle	1,000 daN	2,000 daN	100 daN	EN12195-2 AS/NZS 4380:2001 WSTDA-T-1
RS5009	Light Duty Rubber Handle	1,000 daN	2,000 daN	100 daN	
RS5010	Light Duty Steel Handle	1,000 daN	2,000 daN	100 daN	
EB5002	Light Duty Iron Handle	800 daN	1600daN	100 daN	

AMERICAN TYPE



RS5011



RS5012



RS5013



RS5014



RS5015



RS5016

Parameter table

Item	Type	WLL	BS	Standard
RS5011	Aluminum Handle	3,333 lbs	10,000lbs	WSTDA-T-1
RS5012	Aluminum Handle	3,333 lbs	10,000lbs	
RS5013	Plastic Handle	3,333 lbs	10,000lbs	
RS5014	Aluminum Handle	3,333 lbs	10,000lbs	
RS5015	Molded Rubber Handle	3,333 lbs	10,000lbs	
RS5016	Finger Type Handle	3,333 lbs	10,000lbs	

Hook Option



A



B



C



D



E



F

RATCHET STRAP



E-RS5041



E-RS5042



E-RS5043

Parameter table

Item	Type	WLL	BS	STF	Standard
E-RS5041	Ergo Type	2500 daN	5000 daN	500 daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
E-RS5042	Ergo Type	2500 daN	5000 daN	500 daN	
E-RS5043	Blue Painted Ergo Type	2500 daN	5000 daN	500 daN	

LD-0795

SUPER HEAVY DUTY

100mm/75mm wide, rated to 10000kg, they are recommended for heavy vehicle or larger trucks.



RS7501



RS10001

Parameter table

Item	Type	WLL	BS	STF	Standard
RS7501	Aluminum Handle	5,000 daN	10,000 daN	500 daN	EN12195-2 AS/NZS 4380:2001 WSTDA-T-1
RS10001	Aluminum Handle	5,000 daN	10,000 daN	500 daN	



TIRE STRAP



RS5031

4% EL 100% PE -40°~100°



RS5034

4% EL 100% PE -40°~100°



RS5032

4% EL 100% PE -40°~100°

Parameter table

Item	Type	WLL	BS	STF	Standard
RS5031	2" Ratchet Strap with Buckle Strap, Eyelet Strap, 3 pieces	3300 lbs	10000 lbs	300 daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
RS5032	2" Ratchet Strap with J Hook, Eyelet Strap, 3 pieces,	2500 daN	5000 daN	300 daN	
RS5034	Deluxe 2" Tire Strap	2500 daN	5000 daN	300 daN	

CAR TRANSPORT TIE DOWN



RS5033

4% EL 100% PE -40°~100°



RS3831

4% EL 100% PE -40°~100°



RS3832

4% EL 100% PE -40°~100°

Parameter table

Item	Type	WLL	BS	STF	Standard
RS5033	2" Ratchet Strap with Swivel Hook, Anti-Slip Rubber Block	2,500 daN	5,000 daN	300 daN	EN12195-2 AS/NZS 4380:2001 WSTDA-T-1
RS3831	1.5" Ratchet Strap with Swivel Hook, Anti-Slip Grip Tube	1,500 daN	3,000 daN	150 daN	
RS3832	1.5" Ratchet Strap with J Hook, Anti-Slip Grip Tube	1,500 daN	3,000 daN	150 daN	

BUCKLE STRAP



BS2501

4% EL 100% PE



BS2502

4% EL 100% PE



BS2503

4% EL 100% PE

Parameter table

Item	Type	WLL	BS	Standard
BS2501	Zinc-Alloy	125 daN	250 daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
BS2502	Black Painted	125 daN	250 daN	
BS2503	Zinc-Alloy	175 daN	350 daN	













BS2505
WLL: 225 daN
BS: 450 daN

BS2508
WLL: 300 daN
BS: 600 daN

BS2504
WLL: 175 daN
BS: 350 daN

BS2506
WLL: 300 daN
BS: 600 daN

BS2507
WLL: 300 daN
BS: 600 daN

Hook Option



A B C D E F

LD-0795

BUCKLE STRAP



BS2901

Zinc-Alloy Button
Iron Base





BS2902

Zinc-Alloy Button
Iron Base
Black Painted





BS2903

Rubber Coated Button
Iron Base





BS2904

Zinc-Alloy Button
Iron Base



LD-0795

Buckle strap Feature:
- Pull to lock tight and stay tight
- Light weight and Low elongation
- Qualified material and long lifetime
- With or without hook
- Very simple and effective
- Ideal for: motorcycles, ATV's, PWC's



BS2910



BS2905



BS2906



BS2907



BS2908



BS2909

Parameter table

Item	Type	WLL	BS	Standard
BS2901	Zinc-Alloy,Iron Base	450 daN	900 daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
BS2902	Black Painted	450 daN	900 daN	
BS2903	Zinc-Plated,Rubber Button	300 daN	600 daN	
BS2904	Zinc-Alloy,Iron Base	300 daN	600 daN	
BS2905	Black Painted	300 daN	600 daN	
BS2906	Zinc-Alloy	300 daN	600 daN	
BS2907	Black Painted	350 daN	700 daN	
BS2908	Zinc-Plated,Rubber Button	300 daN	600 daN	
BS2909	Zinc-Plated,Rubber Button	300 daN	600 daN	
BS2910	Zinc-Alloy	1250Lbs	2500Lbs	

Hook Option



A



B



C



D



E

BUCKLE STRAP



BS3804

4% EL 100% PE



BS3801



BS3802



BS3803

Parameter table

Item	Type	WLL	BS	Standard
BS3801	Zinc Alloy	450 daN	900 daN	EN 12195-2 AS/NZS 4380:2001 WSTDA-T-1
BS3802	Zinc-Alloy,Iron Base	300 daN	600 daN	
BS3803	Black Painted	450 daN	900 daN	
BS3804	Zinc-Alloy	1250Lbs	2500Lbs	

LD-0795

GUANGFA Buckle strap products is made of High strength polyester yarn, can be widely used in logistics and transportation and goods fixed, etc. They are light, safe, reliable, portable, and easy to operate. Meanwhile, they can protect goods from damaging. All the products can meet Europe and America Standard.



EB5001

4% EL 100% PE



BS5001



BS5002

Parameter table

Item	Type	WLL	BS	Standard
BS5001	Zinc Alloy, Iron Base	750 daN	1500 daN	EN12195-2 AS/NZS 4380:2001 WSTDA-T-1
BS5002	Zinc-Alloy	450 daN	900 daN	
EB5001	Zinc-Alloy, Iron Base	750 daN	1500 daN	

AXLE STRAP



AS5002
2"*24" 5000 lbs Axle Strap



AS5001
2"*24"-10000 lbs Axle Strap



AS5003
2"*24"-10000 lbs Axle Strap

OVER-CENTER BUCKLE STRAP



OBS4707

Size: 47mm * 5m
Breaking Strength: 750kg
Webbing Material: PP
Buckle Material: Zinc Plated
Hook: Flat Hook + Slide Ring



OBS4701

Size: 47mm * 0.8m
Breaking Strength: 600kg
Webbing Material: PP or PE
Buckle Material: AISI304 or AISI430
Hook: Slider Hook



OBS4702

Size: 47mm * 0.8m
Breaking Strength: 800kg
Webbing Material: PP or PE
Buckle Material: AISI304 or AISI430
Hook: Slider Hook

Hook Option



A



B



C



D



OBS4703

Size: 47mm * 0.8m
Breaking Strength: 1200kg
Webbing Material: PP or PE
Buckle Material: AISI304 or AISI430
Hook: Flat Hook



OBS4704

Size: 47mm * 0.8m
Breaking Strength: 1360kg
Webbing Material: PP or PE
Buckle Material: AISI304 or AISI430
Hook: Flat Hook



OBS4705

Size: 47mm * 0.8m
Breaking Strength: 1200kg
Webbing Material: PP or PE
Buckle Material: AISI304 or AISI430
Hook: Flat Hook



OBS4706

Size: 47mm * 0.8m
Breaking Strength: 1360kg
Webbing Material: PP or PE
Buckle Material: AISI304 or AISI430
Hook: Flat Hook

TOW STRAP

TS5001

15% EL 100% PE




TS5002


TS5003


TS5004


TS5005


TS5006

Parameter table

Item	Width	WLL	BS	Standard
TS5001	50mm	2,500 daN	5,000 daN	EN12195-2 AS/NZS 4380:2001 WSTDA-T-1
TS5002	50mm	2,000 daN	4,000 daN	
TS5003	50mm	1,500 daN	3,000 daN	
TS5004	50mm	1,000 daN	2,000 daN	
TS5005	50mm	750 daN	1,500 daN	
TS5006	50mm	500 daN	1,000 daN	

WINCH STRAP



WS5002

4% EL 100% PE


WS5001


WS7501


WS7502


WS10001


WS10002

Parameter table

Item	Width	WLL	BS	Option	Standard
WS5001	2"	3,333 lbs	10,000 lbs	Zinc-Plated	WSTDA-T-1
WS5002	2"	3,333 lbs	10,000 lbs	Black Painted	
WS7501	3"	5,000 lbs	15,000 lbs	Zinc-Plated	
WS7502	3"	5,000 lbs	15,000 lbs	Black Painted	
WS10001	4"	5,400 lbs	16,200 lbs	Zinc-Plated	
WS10002	4"	5,400 lbs	16,200 lbs	Black Painted	

RECOVERY STRAP



Reinforced Eyelets: All our Recovery strap with reinforced eyelets on both ends, as this is normally the area that would take the most abuse.



SS5001

Size: 2" * 20'
Breaking Strength: 20,000 lbs
Working Load Limited: 10,000 lbs
Reinforced Loop Ends

SS10001

Size: 4" * 30'
Breaking Strength: 40,000 lbs
Working Load Limited: 20,000 lbs
Reinforced Loop Ends

SS7501

Size: 3" * 30'
Breaking Strength: 30,000 lbs
Working Load Limited: 15,000 lbs
Reinforced Loop Ends

Important:
Never attempt to recover a vehicle without all the necessary equipment.
Only use equipment that is properly rated for the particular situation, if in doubt, don't use it.
Never exceed the minimum breaking strength of the strap or working load limited of shackles.





SS5002

Size: 2" * 65'
Breaking Strength: 11000 Lbs
Working Load Limited: 5500 Lbs
Reinforced Loop Ends
Movable Protective Sleeve

SS6501

Size: 2.8" * 30'
Breaking Strength: 39700 Lbs
Working Load Limited: 19850 Lbs
Reinforced Loop Ends
Movable Protective Sleeve

SS8501


Size: 3.1" * 10'
Breaking Strength: 26500 Lbs
Working Load Limited: 13250 Lbs
Reinforced Loop Ends
Movable Protective Sleeve







SLACK LINE



Slack line is all about balance, fitness and Fun!
It's the perfect backyard activity for the whole family that doubles as a cross trainer. Strengthening core, lower body, joints and balance skills are key benefits that translate to every other sport, but you won't even know you're getting a work out.

LD-0795



SL5001

Main Slackline: 2 inch (50mm) ×15m (49 ft)
Main Ratchet: Carbon-Steel Ratchet × 2.4m (8.4 ft)
Max. Capacity: 3 tons





SL5002

Main Slackline: 2 inch (50mm) ×15m (49 ft)
Main Ratchet: Carbon-Steel Ratchet × 2.4m (8.4 ft)
Max. Capacity: 3 tons





SL5003

Main Slackline:2 inch (50mm) ×13m (43 ft)
Main Ratchet:Blue Painted Carbon-Steel Ratchet × 2.4m (8.4 ft)
Max. Capacity: 3 tons



FLAT WEBBING SLING

Webbing sling is an alternative product to replace the wire rope, it is simple and lighter than the same range of metal sling or chain. It has the advantages of absorption of shock, noncorrosive, nonconductive, no sparkling and so on.



Flat Webbing Sling is the most popular kind of webbing sling, has the maximum load up to 30 tons, effective length up to 100 meters, normally safety factor is 5:1, 6:1, 7:1, 8:1.
GUANGFA flat webbing sling is made of 100% high tension industrial polyester yarn, it is an all-purpose lifting sling, which is both high strong and non-damaging to its load. Extremely light in weight and infinitely flexible in all directions, it is easy and quick to manipulate even when awkwardly shaped or fragile loads are being lifted.
Manufactured to EN1492-1, JB/TB8521-2007, complied with GS CE safety require. Customers could choice special length base on special require.

Size A



1t 2t 3t 4t 5t 6t 7t 8t

Size B



1t 2t 3t 4t 5t 6t 7t 8t

Color	WLL (T)	WLL(working load limit)							Double Multi-set SWL(T)			
				<7°	a<45°	a>45 a<60°	a<45°	a>45 a<60°	a<45°	a<45°	a>45 a<60°	a>45 a<60°
		M=1.0	M=0.8	M=2.0	M=1.4	M=1.0	M=0.7	M=0.5	M=1.4	M=1.12	M=1.0	M=0.8
Violet	1	1	0.8	2	1.4	1	0.7	0.5	1.4	1.12	1	0.8
Green	2	2	1.6	4	2.8	2	1.4	1.0	2.8	2.24	2	1.6
Yellow	3	3	2.4	6	4.2	3	2.1	1.5	4.2	3.36	3	2.4
Grey	4	4	3.2	8	5.6	4	2.8	2.0	5.6	4.48	4	3.2
Red	5	5	4.0	10	7.0	5	3.5	2.5	7.0	5.60	5	4.0
Brown	6	6	4.8	12	8.4	6	4.2	3.0	8.4	6.72	6	4.8
Blue	8	8	6.4	16	11.2	8	5.6	4.0	11.2	8.96	8	6.4
Orange	10	10	8.0	20	14.0	10	7.0	5.0	14.0	11.20	10	8.0
Orange	12	12	9.6	24	16.8	12	8.4	6.0	16.8	13.44	12	9.6
Orange	20	20	16.0	40	28.0	20	14.0	10.0	28.0	22.40	20	16.0
Orange	30	30	24.0	60	42.0	30	21.0	15.0	42.0	33.60	30	24.0

The advantage of flat webbing sling:

1. Light weight, easy to use;
2. Lifting smoothly and security;
3. Various loading methods will suit different condition;
4. Smoothly surface will not damage the loaded objects;
5. High strength/weight ratio;
6. Additional anti-abrasion & anti-incision sleeve will offer better protection;
7. Unique label & color make the webbing sling easy to identity even it has been abrased;
8. Light and soft make the webbing sling can be used in small space;
9. Nonconducting, no danger of electricity;
10. Conform to the Europe Standard EN1492-2:2000 and China Standard JB/T8521-2007;
11. The elongation of webbing sling less than 7%;
12. Working temperature range -40-100 centidegree.

Item	Polyester	Nylon	Polypropylene
Acid	*	no	ok
Alkali	ok	ok	ok
Alcohol	no	ok	ok
Alkali	**	ok	ok
Bleacher	ok	no	ok
Detergent	ok	ok	ok
Ether	No	ok	ok
Halide	ok	ok	ok
Organic	ok	ok	ok
Ketone	ok	ok	ok
Petroleum	ok	ok	ok
Lubrication	ok	ok	ok
Soap	ok	ok	ok
Seawater	ok	ok	ok
Mild alkali	ok	ok	ok

Eye type for webbing slings

A	B	C	D	E	F
					

ROUND WEBBING SLING

Color	WLL (T)	WLL(working load limit)							Double Multi-set SWL(T)			
				<7°	a<45°	a>45 a<60°	a<45°	a>45 a<60°	a<45°	a<45°	a>45 a<60°	a>45 a<60°
		M=1.0	M=0.8	M=2.0	M=1.4	M=1.0	M=0.7	M=0.5	M=1.4	M=1.12	M=1.0	M=0.8
Violet	1	1	0.8	2	1.4	1	0.7	0.5	1.4	1.12	1	0.8
Green	2	2	1.6	4	2.8	2	1.4	1.0	2.8	2.24	2	1.6
Yellow	3	3	2.4	6	4.2	3	2.1	1.5	4.2	3.36	3	2.4
Grey	4	4	3.2	8	5.6	4	2.8	2.0	5.6	4.48	4	3.2
Red	5	5	4.0	10	7.0	5	3.5	2.5	7.0	5.60	5	4.0
Brown	6	6	4.8	12	8.4	6	4.2	3.0	8.4	6.72	6	4.8
Blue	8	8	6.4	16	11.2	8	5.6	4.0	11.2	8.96	8	6.4
Orange	10	10	8.0	20	14.0	10	7.0	5.0	14.0	11.20	10	8.0
Orange	12	12	9.6	24	16.8	12	8.4	6.0	16.8	13.44	12	9.6
Orange	20	20	16.0	40	28.0	20	14.0	10.0	28.0	22.40	20	16.0
Orange	30	30	24.0	60	42.0	30	21.0	15.0	42.0	33.60	30	24.0

How To Use



Straight	Choked	β<7°	Straight	Choked	β<7°
Mode coefficient					
1.0	0.8	2.0	1.0	0.8	2.0

Supposing the rated working load is 3000 kgs, the lifting method is choked (mode coefficient=0.8), then the maximum working load is 2400kgs.



7°<β<45°		45°<β<60°	
Mode coefficient			
1.4	1.12	1.0	0.8

Supposing the rated working load is 3000kgs,the lifting method is choked with 2 webbing slings, 7°<β<45°(mode coefficient=1.12),then the maximum working load is 3360kgs.


Round sling has the maximum load up to 300 tons, effective length up to 80 meters, mormally safety factor is 6:1, 7:1.
Round sling is made of 100% high tension industrial polyester yarn, the inner strands are endless cycle, outer with sleeve to protect the inner strands, Attention: outer sleeve is not for loading!
If the round sling is damaged badly, the outer sleeve break and the inner strands will get cut, that means the sling cannot use any more!

The advantage of flat webbing sling:

1. Especially suit to loading round objects;
2. Smoothly surface will not damage the loaded objects;
3. Various loading methods will suit different condition;
4. Load equally will increase its life;
5. High strength/weight ratio;
6. Additional anti-abrasion & anti-incision sleeve will offer better protection;
7. Unique label & color make the webbing sling easy to identity even it has been abraded;
8. Light and soft make the webbing sling can be used in small space;
9. Nonconducting, no danger of electricity;
10. Conform to the Europe Standard EN1492-2:2000 and China Standard JB/T8521-2007;
11. The elongation of webbing sling less than 7%;
12. Working temperature range -40-100 centidegree.


1. ROUND SLING (RS)






2. EYE-EYE ROUND SLING (RD)






3. TWIN ROUND SLING (RT)










RATCHET TIE DOWN




RTD2501
Size: 1"
BS: 800kg/1760 lbs
Type: Steel Handle






RTD2502
Size: 1"
BS: 800kg/1760 lbs
Type: Black Painted






RTD2503
Size: 1"
BS: 800kg/1760 lbs
Type: Rubber Handle






RTD2504
Size: 1"
BS: 800kg/1760 lbs
Type: Rubber Handle






RTD2505
Size: 1"
BS: 800kg/1760 lbs
Type: Rubber Handle






RTD2506
Size: 1"
BS: 800kg/1760 lbs
Type: Rubber Handle






RTD2507
Size: 1"
BS: 800kg/1760 lbs
Type: Rubber Handle






RTD2701
Size: 1 1/16"
BS: 1500kg/3300 lbs
Type: Steel Handle






RTD2702
Size: 1 1/16"
BS: 1500kg/3300 lbs
Type: Black Painted






RTD2703
Size: 1 1/16"
BS: 1500kg/3300 lbs
Type: Integreted Handle






RTD2704
Size: 1 1/16"
BS: 1500kg/3300 lbs
Type: Rubber Handle






RTD2705
Size: 1 1/16"
BS: 1500kg/3300 lbs
Type: White Zinc






RTD3201
Size: 1 1/4"
BS: 1500kg/3300 lbs
Type: T-Handle






RTD3202
Size: 1 1/4"
BS: 1500kg/3300 lbs
Type: Deluxe Handle






RTD3801
Size: 1.5"
BS: 3000kg/6600 lbs
Type: Plastic Handle






RTD3802
Size: 1.5"
BS: 3000kg/6600 lbs
Type: Aluminum Handle






RTD3803
Size: 1.5"
BS: 3000kg/6600 lbs
Type: Aluminum Handle






RTD3804
Size: 1.5"
BS: 3000kg/6600 lbs
Type: Steel Handle



RATCHET TIE DOWN




RTD3805
Size: 1.5"
BS: 3000kg/6600 lbs
Type: Rubber Handle






RTD3806
Size: 1.5"
BS: 2000kg/4400 lbs
Type: Steel Handle






RTD3807
Size: 1.5"
BS: 2000kg/4400 lbs
Type: Rubber Handle






RTD3808
Size: 1.5"
BS: 2000kg/4400 lbs
Type: Deluxe Handle






RTD3809
Size: 1.5"
BS: 3000kg/6600 lbs
Type: Aluminum Handle






RTD5001
Size: 2"
BS: 5000kg/11000 lbs
Type: Plastic Handle






RTD5002
Size: 2"
BS: 5000kg/11000 lbs
Type: Aluminum Handle






RTD5003
Size: 2"
BS: 5000kg/11000 lbs
Type: White Zinc






RTD5004
Size: 2"
BS: 5000kg/11000 lbs
Type: Black Painted






RTD5005
Size: 2"
BS: 5000kg/11000 lbs
Type: Green-Alu Handle






RTD5006
Size: 2"
BS: 5000kg/11000 lbs
Type: Blue Painted






RTD5007
Size: 2"
BS: 5000kg/11000 lbs
Type: Rubber Handle






RTD5008
Size: 2"
BS: 5000kg/11000 lbs
Type: Yellow Painted






RTD5009
Size: 2"
BS: 5000kg/11000 lbs
Type: Orange Painted






RTD5010
Size: 2"
BS: 5000kg/11000 lbs
Type: Plastic Finger Type






RTD5011
Size: 2"
BS: 5000kg/11000 lbs
Type: Plastic Finger -Red






RTD5012
Size: 2"
BS: 5000kg/11000 lbs
Type: Black Painted






RTD5013
Size: 2"
BS: 5000kg/11000 lbs
Type: Deluxe Finger Type



RATCHET TIE DOWN




RTD5014
Size: 2"
BS: 5000kg/11000 lbs
Type: Ergo Type






RTD5015
Size: 2"
BS: 5000kg/11000 lbs
Type: Blue Painted Ergo Type






RTD5016
Size: 2"
BS: 5000kg/11000 lbs
Type: Ergo Type-2






RTD5017
Size: 2"
BS: 5000kg/11000 lbs
Type: Long Finger Type






RTD5018
Size: 1.5"
BS: 5000kg/11000 lbs
Type: White Zinc-Long





RTD5019
Size: 2"
BS: 2000kg/4400 lbs
Type: Steel Handle






RTD5020
Size: 2"
BS: 5000kg/11000 lbs
Type: White Zinc






RTD5021
Size: 2"
BS: 2000kg/4400 lbs
Type: Blue Painted






RTD5022
Size: 2"
BS: 2000kg/4400 lbs
Type: Rubber Handle






RTD5023
Size: 2"
BS: 5000kg/11000 lbs
Type: Mid-Alu Handle






RTD5024
Size: 2"
BS: 5000kg/11000 lbs
Type: Short-Alu Handle






RTD5025
Size: 2"
BS: 5000kg/11000 lbs
Type: Short-Plastic Handle






RTD7501
Size: 3"
BS: 10000kg/22000 lbs
Type: Aluminum Handle





RTD10001
Size: 4"
BS: 10000kg/22000 lbs
Type: Aluminum Handle






RATCHET TIE DOWN



STD2501


SIZE:1"
BS: 800kg/1700 lbs
MATERIAL: Stainless Steel





STD2702


SIZE:1 1/16"
BS: 1500kg/3000 lbs
MATERIAL: Stainless Steel





STD3803


SIZE:1.5"
BS: 2000kg/4400 lbs
MATERIAL: Stainless Steel





STD3805


SIZE:1.5"
BS: 2500kg/3500 lbs
MATERIAL: Stainless Steel





STD5001


SIZE: 2"
BS: 3,000KG/6,600LBS
MATERIAL: Stainless Steel





STD5008

SIZE: 2"
BS: 2000kg/4400 lbs
MATERIAL: Stainless Steel






LD-0795

OBU4701

Size: 2"
BS: 600kg/1320 lbs
Material: AISI304/430





OBU4702


Size: 2"
BS: 600kg/1320 lbs
Material: AISI304/430



OBU4703

Size: 2"
BS: 1200kg/2640 lbs
Material: AISI304/430





OBU4704


Size: 2"
BS: 1360kg/3000 lbs
Material: AISI304/430



OBU4705

Size: 2"
BS: 1200kg/2640 lbs
Material: AISI304/430





OBU4706

Size: 2"
BS: 1360kg/3000 lbs
Material: AISI304/430



OBU4710

Size: 2"
BS: 750kg/1650 lbs
Material: Steel





OBU4711

Size: 2"
BS: 1360kg/3000 lbs
Material: AISI304/430

CAM BUCKLE




BU2001
Size: 3/4"
BS: 150kg/330 lbs






BU2501
Size: 1"
BS: 250kg/550 lbs






BU2502
Size: 1"
BS: 250kg/550 lbs






BU2503
Size: 1"
BS: 350kg/770 lbs






BU2504
Size: 1"
BS: 350kg/770 lbs






BU2505
Size: 1"
BS: 450kg/990 lbs






BU2506
Size: 1"
BS: 450kg/990 lbs






BU2507
Size: 1"
BS: 500kg/1100 lbs





BU2508
Size: 1"
BS: 1135kg/2500 lbs





BU2901
Size: 1"
BS: 600kg/1320 lbs





BU2902
Size: 1"
BS: 600kg/1320 lbs





BU2903
Size: 1"
BS: 600kg/1320 lbs





BU2907
Size: 1"
BS: 600kg/1320 lbs






BU2908
Size: 1"
BS: 600kg/1320 lbs





BU3801
Size: 1.5"
BS: 750kg/1650 lbs





BU3802
Size: 1.5"
BS: 750kg/1650 lbs






BU3803
Size: 1.5"
BS: 750kg/1650 lbs






BU3804
Size: 1.5"
BS: 750kg/1650 lbs






BU3805
Size: 1.5"
BS: 1135kg/2500 lbs






BU5001
Size: 2"
BS: 1135kg/2500 lbs






BU5002
Size: 2"
BS: 1360kg/3000 lbs






BU5003
Size: 2"
BS: 1135kg/2500 lbs



WIRE HOOK




DH2501
Size: 1"
BS: 800kg/1760 lbs






DH2502
Size: 1"
BS: 1000kg/2200 lbs






DH2503
Size: 1"
BS: 1500kg/3300 lbs






DH2504
Size: 1"
BS: 1500kg/3300 lbs






DH3801
Size: 1.5"
BS: 1500kg/3300 lbs






DH3802
Size: 1.5"
BS: 2000kg/4400 lbs






DH2505
Size: 1"
BS: 800kg/1760 lbs






DH3803
Size: 1.5"
BS: 2000kg/4400 lbs






DH3804
Size: 1.5"
BS: 3000kg/6600 lbs






DH3805
Size: 1.5"
BS: 3000kg/6600 lbs






JH3801
Size: 1.5"
BS: 3000kg/6600 lbs






JH3802
Size: 1.5"
BS: 3000kg/6600 lbs






SJH2501
Size: 1"
BS: 3000kg/6600 lbs






SJH3802
Size: 1.5"
BS: 3000kg/6600 lbs






DH5001
Size: 2"
BS: 5000kg/11000 lbs






DH5002
Size: 2"
BS: 4000kg/8800 lbs






DH5003
Size: 2"
BS: 3000kg/6600 lbs






DH5004
Size: 2"
BS: 2000kg/4400 lbs



WIRE HOOK




DH5005
Size: 2"
BS: 5000kg/11000 lbs






DH5006
Size: 2"
BS: 5000kg/11000 lbs






DH5007
Size: 2"
BS: 5000kg/11000 lbs






JH5001
Size: 2"
BS: 5000kg/11000 lbs





JH5002
Size: 2"
BS: 5000kg/11000 lbs






SJH5001
Size: 2"
BS: 5000kg/11000 lbs






SJH5002
Size: 2"
BS: 5000kg/11000 lbs





DH7501
Size: 3"
BS: 10000kg/22000 lbs





UH3801
Size: 1.5"
BS: 3000kg/6600 lbs






UH5001
Size: 2"
BS: 5000kg/11000 lbs






UH7501
Size: 3"
BS: 10000kg/22000 lbs



S HOOK




SH2501
Size: 1"
BS: 680kg/1500 lbs





SH2502
Size: 1"
BS: 800kg/1760 lbs






SH2503
Size: 1"
BS: 1135kg/2500 lbs





SH2504
Size: 1"
BS: 550kg/1200 lbs






SH2505
Size: 1"
BS: 680kg/1500 lbs






SH2506
Size: 1"
BS: 800kg/1760 lbs






SH2507
Size: 1"
BS: 1135kg/2500 lbs





SH2508
Size: 1"
BS: 1500kg/3300 lbs






SH2509
Size: 1"
BS: 800kg/1760 lbs






SH2510
Size: 1"
BS: 1135kg/2500 lbs






SH2511
Size: 1"
BS: 800kg/1760 lbs






SH2512
Size: 1"
BS: 680kg/1500 lbs



FLAT HOOK




FH7501
SIZE: 2"
BS: 3,000KG/6,600LBS
MATERIAL: Stainless Steel






FH7502
SIZE: 2"
BS: 3,000KG/6,600LBS
MATERIAL: Stainless Steel






FH5001
Size: 2"
BS: 5000kg/11000 lbs






FH5002
Size: 2"
BS: 5000kg/11000 lbs





FH5003
Size: 2"
BS: 5000kg/11000 lbs





FH5004
Size: 2"
BS: 5000kg/11000 lbs






FH5005
Size: 2"
BS: 5000kg/11000 lbs






FH5006
SIZE: 2"
BS: 3,000KG/6,600LBS
MATERIAL: Stainless Steel






FH2502
Size: 1"
BS: 1500kg/3300 lbs



FORGED HOOK




TH5001
Size: 2"
BS: 5000kg/11000 lbs






TH5002
Size: 2"
BS: 4000kg/8800 lbs






TH5003
Size: 2"
BS: 3000kg/6600 lbs






TH5004
Size: 2"
BS: 2000kg/4400 lbs






TH5005
Size: 2"
BS: 1500kg/3300 lbs






TH5006
Size: 2"
BS: 1000kg/2200 lbs






TH5007
SIZE: 2"
BS: 3,000KG/6,600LBS
MATERIAL: Stainless Steel





TH2501
Size: 1"
BS: 1500kg/3300 lbs






TH2502
Size:1"
BS: 2000kg/4400 lbs



D RING




DR5001
Size: 2"
BS: 5000kg/11000 lbs






DR5002
Size: 2"
BS: 5000kg/11000 lbs






DR5003
Size: 2"
BS: 3000kg/6600 lbs





DR5004
Size: 2"
BS: 5000kg/11000 lbs






DR5005
Size: 2"
BS: 5000kg/11000 lbs





DR5006
Size: 2"
BS: 3000kg/6600 lbs





DR5007
Size: 2"
BS: 3000kg/6600 lbs





DR5008
Size: 2"
BS: 3000kg/6600 lbs





DR2501
Size: 1"
BS: 800kg/1760 lbs



E HOOK



CB3001
Size: 30mm
BS: 3000kg/6600 lbs





CB4001
Size: 40mm
BS: 4000kg/8800 lbs





CB5001
Size: 50mm
BS: 5000kg/11000 lbs






CB3801
SIZE: 38mm
BS: 3,000KG/6,600LBS





CB5002
Size: 50mm
BS: 5000kg/11000 lbs






CB5003
Size: 2"
BS: 5000kg/11000 lbs






EH5001
Size: 2"
BS: 1600kg/3500 lbs






EH5002
Size: 2"
BS: 1600kg/3500 lbs





EH5003
SIZE: 2"
BS: 3,000KG/6,600LBS





PB2501
Size:1"
BS: 1500kg/3300 lbs



RATCHET STRAP


1PR5001A


1PR5002A


1PR5010A


2PR3803A


2PR3807A


1PR3809A


4PR2504A


4PB2908A


4PR2507A


2PR2702A


2PR2704A


2PR2504A


2PR2505A


1PR3804A


1PR3807A


1PR2706A


1PR2709A


1PR2508A


1PR2502A


1PR2503A


1PR2509A


1PR5001B


1PR2705B


1PR2706B


1PR2504B


PR7501


PR3832


1PR2501-S


1PSS7503

Work Light

MX-G1001 Series









ITEM NO.								
MX-G1001	18W SMD	2000LM	18650 7.4V 6600mAh	2H	5H	180*180*980	> 75	IP44/IK06
MX-G1002	24W SMD	2800LM	18650 7.4V 10000mAh	4.5H	6.5-7H	180*180*1180	> 75	IP44/IK06
MX-G1005	36W SMD	5000LM	18650 14.8V 11000mAh	4.5H	7H	180*180*1450	> 75	IP44/IK06
MX-G1001AC	25W SMD	2000LM	AC110-240V	-	-	180*180*980	> 75	IP44/IK06
MX-G1002AC	35W SMD	2800LM	AC110-240V	-	-	180*180*1180	> 75	IP44/IK06
MX-G1005AC	88W SMD	8000LM	AC110-240V	-	-	180*180*1450	> 75	IP44/IK06

Work Light

MX-G1008/ 1009











ITEM NO.								
MX-G1008	20W COB	3000LM	18650 7.4V 4400mAh	1H	6H	130*125*730	> 75	IP54/IK06
MX-G1009	20W COB	2000LM	18650 7.4V 4400mAh	2H	6H	130*125*730	> 75	IP54/IK06

Work Light

MX-5085/-02



ITEM NO.							CRI	IP/IK
MX-5085	124W SMD	8000LM	18650 7.4V 4400mAh	2.5H	5-6H	660*600*1620	> 75	IP55/IK08
MX-5085-02	124W SMD	7000LM	18650 7.4V 4400mAh	2.5H	5-6H	660*600*2080	> 75	IP55/IK08

Work Light

MX-G1010



ITEM NO.							CRI	IP/IK
MX-G1010	35W SMD	SMD 3000LM COB 1000LM	18650 7.4V 4400mAh	SMD 3H COB 5H	6H	125*125*405	> 75	IP54/IK06

Work Light

MX-5073









ITEM NO.								
MX-5073	20W COB	1500LM	18650 3.7V 4400mAh	3.5H	4-5H	202*144*346	> 75	IK08

Work Light

MX-5080









ITEM NO.								
MX-5080	28W COB*2	5000LM	18650 14.8V 4400mAh	2H	6H	510*370*180	> 75	IK08

Work Light

MX-5075A/B









ITEM NO.								
MX-5075A	30W COB	3000LM	18650 7.4V 4400mAh	2H	6H	99*125*471	> 75	IK08
MX-5075B	20W COB	1500LM	18650 3.7V 4400mAh	5H	4-5H	79*102*350	> 75	IK08

Work Light

MX-5072A/B









ITEM NO.								
MX-5072A	20W COB	1500LM	18650 3.7V 4400mAh	2.5H	4H	150*353*144	> 75	IP65/IK08
MX-5072B	20W COB	1500LM	18650 3.7V 4400mAh	2.5H	4H	150*353*144	> 75	IP65/IK08

Work Light

MX-5059/5068 Series









ITEM NO.							CRI	IP/IK
MX-5059A	20W COB	1500LM	18650 3.7V 4400mAh	4H	7-8H	243*230*35	> 75	IP65/IK08
MX-5059C	20W COB	1500LM	18650 3.7V 4400mAh	3.5H	7-8H	243*230*35	> 75	IP65/IK08
MX-5068A	10W COB	800LM	18650 3.7V 2200mAh	2H	3.5H	215*180*35	> 75	IP65/IK08
MX-5068C	10W COB	800LM	4*AA	-	-	215*180*35	> 75	IP54/IK08

Work Light

MX-5069/5070 Series











ITEM NO.							CRI	IP/IK
MX-5069A	10W COB	800LM	18650 3.7V 2200mAh	2H	3.5H	220*150*100	> 75	IP65/IK08
MX-5070A	20W COB	1500LM	18650 3.7V 4400mAh	3.5H	7-8H	235*187*100	> 75	IP65/IK08
MX-5069B	10W SMD	800LM	18650 3.7V 2200mAh	2H	3.5H	220*150*100	> 75	IP65/IK08
MX-5070B	20W SMD	1500LM	18650 3.7V 4400mAh	3.5H	7-8H	235*187*100	> 75	IP54/IK08

Work Light

MX-5071A











ITEM NO.								
MX-5071A	10W COB	XPG 500LM COB 800LM	18650 3.7V 2200mAh	XPG 8H COB 6H	3-4H	78*101*45	> 75	IP65/IK08

Work Light

MX-5071











ITEM NO.								
MX-5071	10W COB	800LM	18650 3.7V 2200mAh	8H	3-4H	116*38*109	> 75	IP65/IK08

Work Light

MX-5092











ITEM NO.							CRI	IP/IK
MX-5092	10W COB 1W SMD	600LM	Li-polymer 3.7V 800mAh	2H 10H	3.5H	100*47*31.5	> 75	IP65/IK08

Work Light

MX-5065











ITEM NO.							CRI	IP/IK
MX-5065	5W XPG	500LM	Li-polymer 3.7V 2000mAh	3H	3.5H	62*46*156	> 75	IK08

Work Light

MX-5086/-01









ITEM NO.							CRI	IP/IK
MX-5086	20W COB	4000LM	18650 7.4V 4400mAh	5H	5.5H	250*133*133	> 75	IP54/IK06
MX-5086-01	20W COB	2000LM	18650 3.7V 4400mAh	2.5H	4.5H	250*133*133	> 75	IP54/IK06

Work Light

MX-5097









ITEM NO.							CRI	IP/IK
MX-5097	COB	2000LM	Li-polymer 3.7V 4000mAh	3H	5H	38*161.6*126.5	> 75	IPX4/IK06

Work Light

MX-5081 A/B









ITEM NO.							CRI	IP/IK
MX-5081A	20W COB	2500LM	18650 3.7V 4400mAh	2.5H	4-5H	85*57*274	> 75	IP65/IK08
MX-5081B	20W COB	2100LM	18650 3.7V 4400mAh	2.5H	4-5H	85*57*274	> 75	IP65/IK08

Work Light

MX-5082 A/B









ITEM NO.							CRI	IP/IK
MX-5082A	20W COB	2000LM	18650 3.7V 4400mAh	3H	4-5H	96*57*307	> 75	IP65/IK08
MX-5082B	20W COB 5W XPG	2000LM 500LM	18650 3.7V 4400mAh	2.5H 10H	4-5H	96*57*307	> 75	IP65/IK08

Work Light

MX-BD29/-02









ITEM NO.							CRI	IP/IK
MX-BD29	SMD+XPG	1500LM 500LM	18650 3,7V 4400mAh	SMD 3H XPG 3H	4-5H	60*60*285	> 75	IP44/IK08
MX-BD29-02	SMD+XPG	2000LM 500LM	18650 3,7V 4400mAh	SMD 2H XPG 3H	4-5H	60*60*390	> 75	IP44/IK08

Work Light

MX-BD30/-02









ITEM NO.							CRI	IP/IK
MX-BD30	20W COB+1LED	1600LM	18650 3,7V 4400mAh	1H 20mins	4H	60*60*385	> 75	IPX4/IK08
MX-BD30-02	10W COB+1LED	1100LM	18650 3,7V 3000mAh	2H	2,5H	60*60*435	> 75	IPX4/IK08

Work Light

MX-BD35









ITEM NO.								
MX-BD35	20W XHP50	600LM	18650 3.7V 2200mAh	2H	3.5H	164*164*29	> 75	IK08

Work Light

MX-5090





ITEM NO.								
MX-5090	COB+SMD	350LM	14650 3.7V 1100mAh	2H	3H	308*25*20	> 75	IP44/IK08

Work Light

MX-5067









ITEM NO.							CRI	IP/IK
MX-5067	10W COB	1000LM	18650 3.7V 4400mAh/ 4*AA	3H	4H	120*100*225	> 75	IP65/IK08

Work Light

MX-5060









ITEM NO.							CRI	IP/IK
MX-5060	15W LED	800LM	18650 3.7V 4400mAh	4.5H	7.5H	125*256*90	> 75	IK08

Work Light

MX-5057/5058 Series







ITEM NO.								
MX-5057	10W COB	1100LM	18650 3.7V 4400mAh	4.5H	6H	170*42*127	> 75	IP54/IK08
MX-5057-AA	10W COB	600LM	4*AA	3H	-	170*42*127	> 75	IP54/IK08
MX-5058	10W COB	1100LM	18650 3.7V 4400mAh	4.5H	6H	170*42*127	> 75	IP54/IK08
MX-5058-AA	10W COB	600LM	4*AA	3H	-	170*42*127	> 75	IP54/IK08

Work Light


MX-5063/B/C



ITEM NO.								
MX-5063	5W COB	500LM	4*AA	3H	-	136*37*101	> 75	IP54/IK08
MX-5063B	5W COB	500LM	18650 3.7V 2200mAh	3H	3.5H	136*37*101	> 75	IP54/IK08
MX-5063C	5W COB	500LM	18650 3.7V 2200mAh	3H	3.5H	136*37*101	> 75	IK08

Work Light

MX-5087



ITEM NO.								
MX-5087	40W SMD	2000LM	18650 3.7V 4400mAh	3H	4-5H	1388.5*73*170.5	> 75	IP65/IK08

Work Light

MX-5078B



ITEM NO.								
MX-5078B	10W SMD	1000LM	18650 3.7V 2200mAh	4H	3H	70*70*1060	> 75	IP65/IK08

Work Light

MX-S1068 / S1069









ITEM NO.								
MX-S1068	18W PB	1000LM	103450 3.7V 2000 mAh	2H	3-3.5H	129*50*29mm	180m	IPX64/1K07
MX-S1069	18W PB	1000LM	18650 3.7V 2200mAh	2H	3-3.5H	155*34*31mm	150m	IPX64/1K07

Work Light

MX-BD25/26/27









ITEM NO.								
MX-BD25	3W COB+3W LED	200LM	18650 3.7V 2200mAh	3H	2-3H	85*45*218	> 75	IPX4/1K07
MX-BD26	3W COB+3W LED	200LM	3*AA	3H	-	85*45*218	> 75	IPX4/1K07
MX-BD27	5W COB+3W LED	300LM	18650 3.7V 2200mAh	3H	2-3H	85*45*255	> 75	IPX4/1K07

Work Light

MX-5056/5055 Series



ITEM NO.							CRI	IP/IK
MX-5056	20W COB	2000LM	18650 11.1V 4400mAh	3.5H	5-6H	240*80*210	> 75	IP65/IK08
MX-5056A	30W COB	2500LM	18650 11.1V 5200mAh	3H	7-8H	240*80*210	> 75	IP65/IK08
MX-5056B	20W COB	2000LM	·	·	·	240*80*210	> 75	IP65/IK08
MX-5056C	30W COB	2500LM	·	·	·	240*80*210	> 75	IP65/IK08
MX-5055	10W COB	1000LM	18650 3.7V 4400mAh	3.5H	5-6H	225*80*200	> 75	IP65/IK08
MX-5055A	10W COB	1000LM	·	·	·	225*80*200	> 75	IP65/IK08

Work Light

MX-5051/52/53-C 52-D



MX-5053-C MX-5051-C MX-5052-C MX-5052-D

ITEM NO.							CRI	IP/IK
MX-5051-C	10W COB	850LM	18650 3.7V 2200mAh	2.5H	5H	115*100*190	> 75	IP65/IK08
MX-5052-C	10W COB	850LM	18650 3.7V 2200mAh	2.5H	5H	80*35*370	> 75	IP65/IK08
MX-5052-D	15W LED	800LM	·	·	·	80*35*370	> 75	IP65/IK08
MX-5053-C	10W COB	850LM	·	·	·	90*90*170	> 75	IP65/IK08



Spot Light

MX-6008A/B



ITEM NO.								
MX-6008A	18W XHP50 10W SMD	1800LM 1000LM	18650 3.7V 4400mAh	XHP50 5H SMD 4H	4H	216*105*143	500M	IP55/IK08
MX-6008B	30W XHP70 10W SMD	2500LM 1000LM	18650 3.7V 4400mAh	XHP70 3H SMD 4H	4H	216*105*143	500M	IP55/IK08

Spot Light

MX-6006/6007



ITEM NO.								
MX-6006A	18W XHP50 15W COB	1500LM 1300LM	18650 3.7V 4400mAh	3H 3.5H	4-6H	168*89*185	440M	IP67/1K08
MX-6006B	30W XHP70 15W COB	2500LM 1300LM	18650 3.7V 4400mAh	2H 3.5H	4-6H	168*89*185	500M	IP67/1K08
MX-6007A	18W XHP50 15W COB	1500LM 1200LM	18650 3.7V 4400mAh	3H 3.5H	4-6H	168*89*136	440M	IP67/1K08
MX-6007B	30W XHP70 15W COB	2500LM 1200LM	18650 3.7V 4400mAh	2H 3.5H	4-6H	168*89*136	500M	IP67/1K08

Spot Light

MX-6006 Series





ITEM NO.								
MX-6006C	80W XHP110	6000LM	18650 7.4V 4400mAh	2H	5-6H	168*89*185	550M	IP67/1K08
MX-6006D	40W WHITE LASER	1600LM	18650 3.7V 4400mAh	2.5H	4-6H	173*89*185	650M	IP67/1K08

Spot Light

MX-6009A/B



ITEM NO.								
MX-6009A	18W XHP50 5W COB	1500LM 400LM	18650 3.7V 2200mAh	2H 3H	3-4H	92*140*169	400M	IP67/IK08
MX-6009B	30W XHP70 5W COB	2000LM 400LM	18650 3.7V 2200mAh	1.5H 3H	3-4H	92*140*169	400M	IP67/IK08

Spot Light

MX-6010



ITEM NO.								
MX-6010	40W WHITE LASER	1000LM	18650 3.7V 2200mAh	2H	3-4H	150.5*186.1*86	700M	IP67/IK08



Spot Light

MX-6001Series

ITEM NO.								
MX-6001-B	5W XPG	300LM	4*AA	3H	-	147*75*160	180M	IP67/1K08
MX-6001-C	5W XPG	900LM	18650 3.7V 2200mAh	4.5H	6H	147*75*160	280M	IP67/1K08
MX-6001-F	18W XHP50	1000LM	18650 3.7V 2200mAh	1.5H	3.5H	147*75*160	280M	IP67/1K08

Spot Light

MX-6005 Series

ITEM NO.								
MX-6005-C	18W XHP50	800LM	3*D	4H	-	170*50*185	200M	IP67/1K08
MX-6005-D	18W XHP50	1500LM	18650 3.7V 4400mAh	4H	5H	170*50*185	400M	IP67/1K08
MX-6005-E	30W XHP70	1800LM	18650 3.7V 4400mAh	2.5H	5H	170*50*185	400M	IP67/1K08



Flash Light

MX-S1028 / S1021-COB



ITEM NO.								
MX-S1028	120W COB	12000LM	26650 7.4V 5000mAh	3H	7H	63*63*287	400M	IPX4/IK07
MX-S1021-COB	80W COB 6W COB	6000LM 500LM	26650 7.4V 4000mAh	3H	6.5H	60*60*305	188M	IPX4/IK07

Flash Light

MX-S1070



ITEM NO.	P70	700LM	Li-polymer 3.7V 1500mAh	2.5H	2.5H	32*16*140	116M	IPX8/IK07
MX-S1070								

Flash Light

MX-S1052



ITEM NO.	P70	4000LM	21700 3.7V 4800mAh	1.5H	4H	D41*162.8	339M	IPX8/IK07
MX-S1052								

MX-S1032 / S1030



ITEM NO.								
MX-S1032	10W P8 / COB	1000LM / 400LM	18650 3.7V 2200mAh	4H	3-4H	50*29*125.8	300M	IPX4/IK07
MX-S1030	5W COB / P8	500LM	18650 3.7V 2200mAh	4H	3-4H	25.5*23.5*124	150M	IPX4/IK07

MX-S1023-1 / S1040



ITEM NO.								
MX-S1023-1	5W P8	600LM	16340 3.7V 700mAh	2H	2-3H	D22*H95	150M	IPX4/IK07
MX-S1040	5W P8	400LM	10850 3.7V 750mAh	2H	2H	D20*146	135M	IPX4/IK07

MX-S1053 / S2005-A



ITEM NO.								
MX-S1053	5W P50	500LM	16340 3.7V 700mAh	2H	3H	D22*H79	200M	IPX4/IK07
MX-S2005-A	10W L2	700LM	18650 3.7V 2200mAh	2H	2-3H	D31*H116	66M	IPX4/IK07

MX-M001 / M002



ITEM NO.								
MX-M001	5W P8 / COB	700LM	Li-polymer 3.7V 450mAh	1.5H	1-2H	47*67*24.5	30M	IPX4/IK07
MX-M002	5W XPG	120LM	Li-polymer 3.7V 130mAh	1.5H	1H	69*34*18.4	30M	IK07

Camping Lantern

MX-5089



ITEM NO.								
MX-5089	10W COB	500LM	18650 3.7V 2200mAh	Light 2.5H Fan 4H	3.5H	200*110*80	> 75	IK08

Camping Lantern

MX-Y80





ITEM NO.								
MX-Y80	COB	2500LM	18650 3.7V 4400mAh	2.5H	5H	203.5*116*115.6	> 75	IP54/IK07

MX-Y77 / MX-Y7






ITEM NO.							CRI	IP/IK
MX-Y77	3 SMD	100LM	3*AAA	6H	-	70*70*38	> 75	IPX4/IK07
MX-Y7	7 LED	20LM	4*AA	-	-	110*110*170	> 75	IPX4/IK07

MX-Y67 / Y71





ITEM NO.							CRI	IP/IK
MX-Y67	4 COB+6 LED	300LM	3*D / 6*AAA	7H	-	92*100*180	> 75	IPX4/IK07
MX-Y71	15 SMD+6 LED	210LM	3* AA	4H	-	100*100*130	> 75	IP22/IK07



MX-D127 / D128





ITEM NO.								
MX-D127	8W COB	500LM	Li-polymer 3.7V 1200mAh	2.5H	3.5H	70*38*44	28M	IPX5/IK07
MX-D128	7W COB 5W P8	700LM	Li-polymer 3.7V 1200mAh	1.5H	2.5-3.5H	70*38*44	60M	IPX5/IK07

MX-D129 / D130





ITEM NO.								
MX-D129	8W XPL 1W COB	XPL 1000LM COB 100LM	Li-polymer 3.7V 1200mAh	1.5H 10H	2.5H	64.5*43.3*40	132M	IPX5/IK07
MX-D130	P8 LED	600LM	Li-polymer 3.7V 1200mAh	2H	3-4H	64.5*43.3*52	87.5M	IPX5/IK07

MX-D135 / D136





ITEM NO.								
MX-D135	40W SMD	930LM	Li-polymer 3.7V 4000mAh	2.5H	4H	232*27*12.5	40M	IPX5/IK07
MX-D136	39W SMD	1000LM	Li-polymer 3.7V 4000mAh	4H	4-4.5H	232*27*12.5	50M	IP65/IK08

MX-D126 / MX-D126B





ITEM NO.								
MX-D126B	XPG COB	600LM 300LM	Li-polymer 3.7V 2000mAh	3.5H	2.5H	70*43.7*37.8	120M	IPX5/IK07
MX-D126	4 XPG LED XHP 50	2000LM	Li-polymer 3.7V 4000mAh	3.5H	4.5H	70*43.7*37.8	165M	IPX5/IK07

MX-D119 / D113





ITEM NO.								
MX-D119	18W XHP 50	1150LM	18650 3.7V 4400mAh / 4*AA	7H	6.5H	85*111*80	150M	IPX5/1K07
MX-D113	10W L2	1000LM	18650 3.7V 2200mAh	2H	3.5H	65*44*46	110M	IPX5/1K07

MX-Q1-17 / Q1-18





ITEM NO.								
MX-Q1-17	5W XPG	400LM	4*AA	1.5H	.	75*80*55	150M	IP54/1K07
MX-Q1-18	10W T6	400LM	18650 3.7V 4400mAh	6H	5H	75*80*55	500M	IPX4/1K07

MX-D117 / D121





ITEM NO.								
MX-D117	XHP 50	1500LM	18650 3.7V 2200mAh	1.5H	3-4H	86.5*47*44.3	150M	IP54/1K07
MX-D121	CREE XPG3	350LM	3*AAA	2H	-	55*65*47	164M	IPX4/1K07

MX-D116 / MX-H105





ITEM NO.								
MX-D116	3W XPE	150LM	Li-polymer 1200mAh	2H	2H	75*55*45	50M	IPX4/1K07
MX-H105	4 SMD	60LM	3*AAA	2H	-	60*50*45	90M	IPX4/1K07





38PC MULTI-FUNCTION PRECISION SCREWDRIVER SET COMBINATION

38PC多功能精密螺丝刀套装组合

配件:塑料手柄 1/4棘轮螺丝批

Accessories: Plastic handle 1/4 ratchet screwdriver

材质:	S2	Material:	S2
表面工艺:	喷砂	Surface Technology:	sandblasting
单套尺寸:	15.5*9.3*3.5cm	Single set size:	15.5*9.3*3.5cm
单套重量:	0.39*kg	Single set weight:	0.39*kg
装箱数:	42套/箱	Qty:	42 sets/box
整箱尺寸:	32*28.5*25cm	FCL size:	32*28.5*25cm
整箱重量:	16.8kg	FCL weight:	16.8kg

产品规格参数

PRODUCT SPECIFICATIONS

⊖	7PC	SL0.4*2.0,SL0.4*2.5,SL0.6*3.0,SL0.8*4.0,SL1.0*5.0,SL1.0*5.5,SL1.0*6.0
⊕	7PC	PH0*2 PH1*2 PH2*2 PH3
✱	6PC	T10 T15 T20 T25 T30 T40
◉	7PC	H2 H2.5 H3 H4 H5 H5.5 H6
◉	8PC	PZ0*2 PZ1*2 PZ2*2 PZ3*2
◉	2PC	SQ1 SQ2





MT0501



23PC MULTI-FUNCTION PRECISION SCREWDRIVER SET COMBINATION

23PC多功能精密螺丝刀套装组合

配件:60MM一体磁性接杆 1/4双头棘轮扳手

Accessories: 60mm integrated magnetic post 1/4 double-ended ratchet wrench

材质:	批头:S2 套筒:S0BV30	Material:	Bit: S2 Sleeve: S0BV30
表面工艺:	喷砂套筒表面镀亚光	Surface Technology:	Sleeve Matt
单套尺寸:	15.5*9.3*3.5cm	Single set size:	15.5*9.3*3.5cm
单套重量:	0.41*kg	Single set weight:	0.41*kg
装箱数:	42套/箱	Qty:	42 sets/box
整箱尺寸:	32*28.5*25cm	FCL size:	32*28.5*25cm
整箱重量:	17.5kg	FCL weight:	17.5kg

产品规格参数

PRODUCT SPECIFICATIONS

⊖	2PC	SL0.8*4.0 SL1.0*5.0
⊕	2PC	PH1 PH2
✱	4PC	T15 T20 T25 T30
◉	4PC	H3 H4 H5 H6
◎	9PC	1/4×25MM套筒，规格:4-5-6-7-8-9-10-11-12MM





MT0503



10PC CARVING KNIFE SET

10PC雕刻刀套装

配件:铝合金手柄

Accessories: aluminum alloy handle

材质:	T10	Material:	T10
表面工艺:	/	Surface Technology:	/
单套尺寸:	15.5*9.3*3.5cm	Single set size:	15.5*9.3*3.5cm
单套重量:	0.156kg	Single set weight:	0.156kg
装箱数:	42套/箱	Qty:	42 sets/box
整箱尺寸:	32*28.5*25cm	FCL size:	32*28.5*25cm
整箱重量:	7kg	FCL weight:	7kg

产品规格参数

PRODUCT SPECIFICATIONS

刀片	8PC	2号*2 20号*1 21号*4 22号*2





MT0502



18PC MULTI-FUNCTION PRECISION SCREWDRIVER SET COMBINATION

18PC多功能精密螺丝刀套装组合

配件:H4X120MM 磁性接杆 4MM迷你棘轮螺丝批 塑料手柄

Accessories: H4x120mm Magnetic Post 4mm Mini Ratchet Screwdriver Plastic Handle

材质:	S2	Material:	S2
表面工艺:	镀铬	Surface Technology:	chrome
单套尺寸:	15.5*9.3*3.5cm	Single set size:	15.5*9.3*3.5cm
单套重量:	0.224kg	Single set weight:	0.224kg
装箱数:	42套/箱	Qty:	42 sets/box
整箱尺寸:	32*28.5*25cm	FCL size:	32*28.5*25cm
整箱重量:	10kg	FCL weight:	10kg

产品规格参数

PRODUCT SPECIFICATIONS

⊖	4PC	SL0.4*2.0 SL0.4*2.5 SL0.6*3.0 SL0.8*4.0
⊕	4PC	PH00 PH0 PH1 PH2
✱	8PC	T4 T5 T6 T7 T8 T9 T10 T15





MT0504







26PC PRECISION SCREW GROUP SET H4X28L

26PC精密螺丝小组套H4X28L

配件:手柄*1 防滑帽*1

Accessories: handle*1 non-slip cap*1

材质:	CR-V	Material:	CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	14.3*6.45*1.82cm	Single set size:	14.3*6.45*1.82cm
单套重量:	0.193*kg	Single set weight:	0.193*kg
装箱数:	80套/箱	Qty:	80 sets/box
整箱尺寸:	30*32*23.5cm	FCL size:	30*32*23.5cm
整箱重量:	16kg	FCL weight:	16kg

产品规格参数

PRODUCT SPECIFICATIONS

3PC	SL1.0 SL2.0 SL3.0
5PC	PH000 PH00 PH0 PH1 PH2
8PC	T1 T2 T3 T5 T6 T7 T8 T9
3PC	P0.8 P1.2 P1.5
1PC	Y0.6
4PC	H0.7 H0.9 H2.0 H2.5





MT0505



78PC PRECISION SCREW GROUP SET H4X28MM

78PC精密螺丝小组套H4X28MM

配件:塑料撬棒,镊子,铝合金撬棒,直尺,美工刀,三角片
防静电手腕,吸盘,针,手柄,转换接头,软管

Accessories: plastic spudger, tweezers, aluminum alloy spudger, ruler, utility knife, triangular piece
Anti-static wrist, suction cup, needle, handle, adapter, hose

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	27*14*6cm	Single set size:	27*14*6cm
单套重量:	0.705*kg	Single set weight:	0.705*kg
装箱数:	18套/箱	Qty:	18 sets/box
整箱尺寸:	42*38*37.5cm	FCL size:	42*38*37.5cm
整箱重量:	14kg	FCL weight:	14kg

产品规格参数

PRODUCT SPECIFICATIONS

7PC	SL1.0 SL1.5 SL2.0 SL2.5 SL3.0 SL3.5 SL4.0				
9PC	T3 T4 T5 T6 T7H T8H T9H T10H T15H				
3PC	SQ0 SQ1 SQ2				
8PC	PH000 PH00 PH0 PH1 PH2 JIS000 JIS00 JIS0				
3PC	P2 P5 P6	2PC	Y0 Y1	1PC	0.8
12PC	H0.7 H0.9 H1.3 H1.5 H2.0 H2.5 H3.0 H3.5 H4.0 H4.5 H5 H6				
5PC	M2.5 M3.0 M3.5 M4.0 M5.0				





MT0507



31PC PRECISION SCREW GROUP SET H4X30MM

31PC精密螺丝小组套H4X30MM

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	16*4.5*3.1cm	Single set size:	16*4.5*3.1cm
单套重量:	0.09*kg	Single set weight:	0.09*kg
装箱数:	140套/箱	Qty:	140 sets/box
整箱尺寸:	46*32*34cm	FCL size:	46*32*34cm
整箱重量:	13kg	FCL weight:	13kg

产品规格参数

PRODUCT SPECIFICATIONS

PH00-SL1.5 PH0-SL2.0 PH1-SL3.0 PH2-SL4.0
T4-T5 T6-T8 T9-T10 T15-T20
PH00-SL2.0 SL1.0-T20 PH1-SL3.0
H1.5-H2.0 H2.5-H3.0 H4-U2.6
△2.0-△2.3 Y2-Y3 S0-S1





MT0506



15PC PRECISION SCREW GROUP SET H4X45MM

15PC精密螺丝小组套H4X45MM

配件:手柄，撬杆*2，卡针，强力屏幕吸盘

Accessories: handle, pry bar*2, card pin, strong screen suction cup

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	19*9.5*3.4cm	Single set size:	19*9.5*3.4cm
单套重量:	0.268kg	Single set weight:	0.268kg
装箱数:	64套/箱	Qty:	64 sets/box
整箱尺寸:	39*39*29cm	FCL size:	39*39*29cm
整箱重量:	18kg	FCL weight:	18kg

产品规格参数

PRODUCT SPECIFICATIONS

5PC	SL1.0、SL1.5、SL2.0、SL3.0、SL4.0
2PC	TT8,TT10
2PC	PH000,PH00
1PC	U2.6





MT0508







110PC PRECISION SCREW GROUP SET H4X28MM

110PC精密螺丝小组套H4X28MM

配件:金属手柄*1，软杆*1，延长杆*1，塑胶撬棒*2，三角片*2
T型卡针*1，尖嘴镊子*1，转接头*1，加磁器*1，吸盘
Accessories: Metal handle*1, soft rod*1, extension rod*1, plastic spudger*2, triangular piece*2, T-pin*1, pointed tweezers*1, adapter*1, magnetizer*1 , sucker

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	16*10.5*4.7cm	Single set size:	16*10.5*4.7cm
单套重量:	0.5*kg	Single set weight:	0.5*kg
装箱数:	36套/箱	Qty:	36 sets/box
整箱尺寸:	33*32.5*30cm	FCL size:	33*32.5*30cm
整箱重量:	19kg	FCL weight:	19kg

产品规格参数

PRODUCT SPECIFICATIONS

13PC	SL1.0*1,SL1.5*2,SL2.0*2,SL2.5*2,SL3.0*2,SL3.5*2,SL4.0*2		
18PC	T1*3,T2*2,T3*2,T4*2,T5*2,T6,T7,T8,T9,T10,T15,T20		
4PC	PZ00,PZ0,PZ1,PZ2	6PC	0.8*2，1.2*2，1.5*1，2.0*1
10PC	PH000*2，PH00*2，PH0*2，PH1*2，PH2*2		
5PC	0.6*2,Y2.0*1,Y2.5*1,Y3.0*1	6PC	U2.6*2,U3.0*4
12PC	H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5,H6		
4PC	2.0,2.3,2.7,3.0	1PC	W2.5*1
1PC	G3.8		
7PC	M2.5,M3.0,M3.5,M4.0,M4.5,M5.0,M5.5	3PC	S0,S1,S2
7PC	T6H T7H T8H T9H T10H T15H T20H	2PC	0.8,1.0





MT0509



21PC PRECISION PANEL SET

21PC精密小组套

配件:手柄
Accessories: handle

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	15*8.5*2.6cm	Single set size:	15*8.5*2.6cm
单套重量:	0.146*kg	Single set weight:	0.146*kg
装箱数:	96套/箱	Qty:	96 sets/box
整箱尺寸:	35*31*32.7cm	FCL size:	35*31*32.7cm
整箱重量:	15kg	FCL weight:	15kg

产品规格参数

PRODUCT SPECIFICATIONS

5PC	PH000,PH00,PH0,PH1,PH2	
5PC	1.0,1.5,2.0,3.0,4.0	
8PC	T5,T6,T7,T8,T9,T10,T15,T20	
1PC	2.0	
1PC	U2.6	





MT0510



22PC PRECISION SCREW GROUP SET H4X28MM

22PC精密螺丝小组套H4X28MM

配件:金属手柄
ACCESSORIES: METAL HANDLE

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	14.1*7.8*2.1cm	Single set size:	14.1*7.8*2.1cm
单套重量:	0.175kg	Single set weight:	0.175kg
装箱数:	100套/箱	Qty:	100 sets/box
整箱尺寸:	30*40*23cm	FCL size:	30*40*23cm
整箱重量:	18.5kg	FCL weight:	18.5kg

产品规格参数

PRODUCT SPECIFICATIONS

3PC	SL1.5,SL2.5,SL3.0	
10PC	T2,T3,T4,T5,T6H,T7H,T8H,T9H,T10H,T15H	
3PC	PH000,PH1,PH2	
3PC	0.8,1.2,1.5	
1PC	Y0.6	
1PC	U2.6	





MT0511



31PC PRECISION PANEL SET

31PC精密小组套

包装要求:热收缩磨封塑套气泡垫13X18
PACKAGING REQUIREMENTS:
HEAT SHRINKABLE PLASTIC SLEEVE BUBBLE PAD 13X18

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	19.5*7.5*2.2cm	Single set size:	19.5*7.5*2.2cm
单套重量:	0.16*kg	Single set weight:	0.16*kg
装箱数:	100套/箱	Qty:	100 sets/box
整箱尺寸:	38.5*38.5*23.5cm	FCL size:	38.5*38.5*23.5cm
整箱重量:	17kg	FCL weight:	17kg

产品规格参数

PRODUCT SPECIFICATIONS

6PC	PH000,PH00,PH0,PH1	
7PC	SL1.0,SL1.5,SL2.0,SL2.5,SL3.0,SL3.5,SL4.0	
9PC	T4,T5,T6,T7,T8,T9,T10,T15,T20	
8PC	H0.7,H0.9,H1.3,H1.5,H2.0,H2.5,H3.0,H4.0	
2PC	PZ0,PZ1	





MT0512







4PC PRECISION GROUP SET H4X120L DOUBLE HEAD BATCH

4PC精密小组套H4X120L 双头批

配件:手柄*1

ACCESSORIES: HANDLE*1

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	14.8*7*2.55cm	Single set size:	14.8*7*2.55cm
单套重量:	0.1kg	Single set weight:	0.1kg
装箱数:	120套/箱	Qty:	120 sets/box
整箱尺寸:	36*30.5*32cm	FCL size:	36*30.5*32cm
整箱重量:	12.5kg	FCL weight:	12.5kg

产品规格参数

PRODUCT SPECIFICATIONS

一字2.0 PH00,一字3.0PH0,一字4.0PH1





MT0513



35C PRECISION PANEL SET

35C精密小组套装

配件：金属手柄，60MM延长杆、镊子

ACCESSORIES: METAL HANDLE, 60MM EXTENSION ROD, TWEEZERS

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	19.3*9.3*1.55cm	Single set size:	19.3*9.3*1.55cm
单套重量:	0.24kg	Single set weight:	0.24kg
装箱数:	6套/内箱，24套/外箱	Qty:	6 sets/inner carton, 24 sets/outer carton
整箱尺寸:	21*17.2*22cm	FCL size:	21*17.2*22cm
整箱重量:	6kg	FCL weight:	6kg

产品规格参数

PRODUCT SPECIFICATIONS

⊕	4PC	PH000,PH00,PH0,PH1
⊖	3PC	1.5，2.0，3.0
✱	8PC	T2,T3,T4,T5H,T6H,T8H,T10H,T15H
◉	2PC	H1.5,H2.0
Y	1PC	Y0.6
△	1PC	△2.3
⊕	1PC	W1.5
◉	2PC	P0.8,P1.2
○	1PC	U2.6
◎	6PC	M2.5,M3.0,M3.5,M4.0,M4.5,M5.0
○	3PC	G3.8,G4.5,JN PH2,

MT0514







18PC PRECISION SCREW GROUP SET H4X28MM

18PC精密螺丝小组套H4X28MM

配件:手柄*1 吸盘*1 通针*1 拆机棒*2 三角片*1

ACCESSORIES: METAL HANDLE

材质:	S2/CR-V	Material:	S2/CR-V
表面工艺:	镀镍/镀铬/磷化	Surface Technology:	Nickel/Chrome/Phosphate
单套尺寸:	16.5*8.2*2.4cm	Single set size:	16.5*8.2*2.4cm
单套重量:	0.15kg	Single set weight:	0.15kg
装箱数:	96套/箱	Qty:	96 sets/box
整箱尺寸:	34*34*30.5cm	FCL size:	34*34*30.5cm
整箱重量:	15.5kg	FCL weight:	15.5kg

产品规格参数

PRODUCT SPECIFICATIONS

⊖	1PC	SL1.2
◉	6PC	T4,T5,T6H,T7H,T8H,T10H
⊕	2PC	PH000,PH00
◉	2PC	0.8,2.0
Y	1PC	Y2.0





MT0515



BOTTLE OPENER - TYPE A/B

开瓶器-A/B款

材质:	锌合金
表面工艺:	镀镍/镀铬/镀钛
单套尺寸:	15*4.24*3.2cm/16*4.24*3.45cm
单套重量:	0.1kg/0.12kg
装箱数:	12套/展示盒，72套/外箱
整箱尺寸:	52.5*48.5*18.5cm
整箱重量:	9.1kg/10.5kg

Material:	Zinc alloy
Surface Technology:	Nickel/Chrome/Titanium
Single set size:	15*4.24*3.2cm/16*4.24*3.45cm
Single set weight:	0.1kg/0.12kg
Qty:	12 sets/display box, 72 sets/outer carton
FCL size:	52.5*48.5*18.5cm
FCL weight:	9.1kg/10.5kg

MT0516-A



MT0517-B







17PC PRECISION SCREW GROUP SET

17PC精密螺丝小组套

材质：	S2/CR-V	Material:	S2/CR-V
表面工艺：	镀镍/镀铬/磷化	Surface Technology:	Nickel/chrome/phosphating
单套尺寸：	14.8*7.8*3cm	Single set size:	14.8*7.8*3cm
单套重量：	0.14kg	Single set weight:	0.14kg
装箱数：	32套/箱	Qty:	32 sets/carton
整箱尺寸：	46.5*32.5*29cm	FCL size:	46.5*32.5*29cm
整箱重量：	6kg	FCL weight:	6kg

产品规格参数

PRODUCT SPECIFICATIONS

⊕	4PC	PH000，PH00，PH0，PH1
⊖	4PC	SL1.0，SL1.5，SL2.0，SL3.0
◉	7PC	T4，T5，T6，T7，T8，T9，T10
◉	1PC	P0.8

MT0518



21PC PRECISION PANEL SET

29PC精密螺丝小组套

配件： 塑胶手柄(带快夹头)

Accessories: Plastic handle (with quick chuck)

材质：	S2/CR-V	Material:	S2/CR-V
表面工艺：	镀镍/镀铬/磷化	Surface Technology:	Nickel/chrome/phosphating
单套尺寸：	14.8*7.8*3cm	Single set size:	14.8*7.8*3cm
单套重量：	0.182kg	Single set weight:	0.182kg
装箱数：	32套/箱	Qty:	32 sets/carton
整箱尺寸：	46.5*32.5*29cm	FCL size:	46.5*32.5*29cm
整箱重量：	7kg	FCL weight:	7kg

产品规格参数

PRODUCT SPECIFICATIONS

⊕	4PC	PH000，PH00，PH0，PH1
⊖	5PC	SL0.7，SL1.0，SL1.2，SL1.5，SL2.0
◉	5PC	H0.7，H0.9，H1.3，H1.5，H2.0
◉	4PC	T4，T5，T6，T7
◉	3PC	PZ00，PZ0，PZ1
◉	2PC	P0.8，P2.0
◉	1PC	S0
○	1PC	SIM1.0
⊙	1PC	TA3.0
⊖	1PC	U2.6
⊛	1PC	Y3.0

MT0519



32PC PRECISION SCREW GROUP SET

32PC精密螺丝小组套

配件： 塑胶手柄(带快夹头)、H4-78L转接杆(杆身哑光铬、铝头镀镍)

ACCESSORIES: PLASTIC HANDLE (WITH QUICK CHUCK), H4-78L ADAPTER LEVER (SHAFT MATT CHROME, ALUMINUM HEAD NICKEL PLATED)

材质：	S2/CR-V	Material:	S2/CR-V
表面工艺：	镀镍/镀铬/磷化	Surface Technology:	Nickel/chrome/phosphating
单套尺寸：	14.8*7.8*3cm	Single set size:	14.8*7.8*3cm
单套重量：	0.203kg	Single set weight:	0.203kg
装箱数：	30套/箱	Qty:	30 sets/carton
整箱尺寸：	32.5*23.5*54cm	FCL size:	32.5*23.5*54cm
整箱重量：	8kg	FCL weight:	8kg

产品规格参数

PRODUCT SPECIFICATIONS

⊕	4PC	PH000，PH00，PH0，PH1
⊖	9PC	SL0.7,SL1.0,SL1.2,SL1.5,SL2.0,SL2.5,SL3.0,SL3.5,SL4.0
◉	8PC	H0.7，H0.9，H1.3，H1.5，H2.0，H2.5，H3.0，H4.0
◉	3PC	T4，T5，T6
◎	5PC	TS7，TS8，TS9，TS10，TS15
◉	1PC	P0.8

MT0520



43PC PRECISION SCREW GROUP SLEEVE

43PC精密螺丝小组套

配件： 塑胶手柄(带快夹头)

ACCESSORIES: PLASTIC HANDLE (WITH QUICK CHUCK)

材质：	S2/CR-V	Material:	S2/CR-V
表面工艺：	镀镍/镀铬/磷化	Surface Technology:	Nickel/chrome/phosphating
单套尺寸：	14.8*7.8*3cm	Single set size:	14.8*7.8*3cm
单套重量：	0.203kg	Single set weight:	0.203kg
装箱数：	30套/箱	Qty:	30 sets/carton
整箱尺寸：	48*25*49.5cm	FCL size:	48*25*49.5cm
整箱重量：	9kg	FCL weight:	9kg

产品规格参数

PRODUCT SPECIFICATIONS

⊕	5PC	PH000，PH00，PH0，PH1，PH2
⊖	9PC	SL0.7,SL1.0,SL1.2,SL1.5,SL1.8,SL2.0,SL2.5,SL3.0,SL3.5
◉	7PC	H0.7，H0.9，H1.3，H1.5，H2.0，H2.5，H3.0
◉	8PC	T4，T5，T6，T7，T8，T9，T10，T15
◎	5PC	TS7，TS8，TS9，TS10，TS15
◉	1PC	P0.8
◉	3PC	PZ00，PZ0，PZ1
○	1PC	SIM1.0
⊙	1PC	TA3.0
⊖	1PC	U2.6
⊛	1PC	Y3.0

MT0521







51PC PRECISION PANEL SET

51PC精密螺丝小组套

配件： 金属手柄、防静电镊子、磁垫

Accessories: Metal handle, antistatic forceps, magnetic pad

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化
单套尺寸：	14.5*9.6*42cm
单套重量：	0.396kg
装箱数：	48套/箱
整箱尺寸：	31*30.5*37.5cm
整箱重量：	20kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating
Single set size:	14.5*9.6*42cm
Single set weight:	0.396kg
Qty:	48 sets/carton
FCL size:	31*30.5*37.5cm
FCL weight:	20kg

产品规格参数

PRODUCT SPECIFICATIONS

- 5PC PH000，PH00，PH0，PH1，PH2
- 5PC SL1.0，SL1.5，SL2.0，SL3.0，SL4.0
- 6PC H1.5，H2.0，H2.5，H3.0，H3.5，H4.0
- 4PC T1，T2，T3，T4
- 7PC TT5，TT6，TT8，TT9，TT10，TT15，TT20
- 3PC PZ0，PZ1，PZ2
- 3PC P0.8，P1.2，P1.5
- 2PC S0，S1
- 1PC SIM0.8
- 2PC TA2.0，TA2.3
- 2PC U2.6，U3.0
- 3PC Y0.6，Y2.0，Y2.5
- 2PC W1.5，W2.5
- 1PC M2.5
- 1PC IN PH2
- 1PC G3

MT0522





57PC PRECISION SCREW GROUP SET

57PC精密螺丝小组套

配件： 金属手柄

Accessories: Metal handle

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化
单套尺寸：	15.5*7.2*2cm
单套重量：	0.275kg
装箱数：	64套/箱
整箱尺寸：	32.5*31*21.5cm
整箱重量：	18.5kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating
Single set size:	15.5*7.2*2cm
Single set weight:	0.275kg
Qty:	64 sets/carton
FCL size:	32.5*31*21.5cm
FCL weight:	18.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 5PC PH000，PH00，PH0*2，PH1*2，PH2*2
- 5PC SL1.0*2，SL1.5*2，SL2.0，SL3.0，SL4.0
- 6PC H1.5，H2.0，H2.5，H3.0，H3.5，H4.0
- 4PC T1*2，T2*2，T3，T4
- 7PC TT5，TT6，TT8，TT9，TT10，TT15，TT20
- 3PC PZ0，PZ1，PZ2
- 3PC P0.8*2，P1.2*2，P1.5
- 2PC S0，S1
- 1PC SIM0.8
- 2PC TA2.0，TA2.3
- 2PC U2.6，U3.0
- 3PC Y0.6*2，Y2.0，Y2.5
- 2PC W1.5，W2.5
- 1PC G3

MT0523









17PC PRECISION SCREW GROUP SET

17PC精密螺丝小组套

配件： 金属手柄

Accessories: Metal handle

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化
单套尺寸：	16.5*8.2*2.4cm
单套重量：	0.163kg
装箱数：	96套/箱
整箱尺寸：	34*34*30.5cm
整箱重量：	16.8kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating
Single set size:	16.5*8.2*2.4cm
Single set weight:	0.163kg
Qty:	96 sets/carton
FCL size:	34*34*30.5cm
FCL weight:	16.8kg

产品规格参数

PRODUCT SPECIFICATIONS

- 4PC PH000，PH00，PH0，PH1
- 4PC SL1.0，SL1.5，SL2.0，SL3.0
- 7PC T4，T5，T6，T7，T8，T9，T10
- 1PC P0.8

MT0524



15PC ENGRAVING KNIFE SET

15PC雕刻刀小组套

配件： 铝合金手柄

Accessories: Aluminum alloy handle

材质：	T10钢
表面工艺：	-
单套尺寸：	16.5*8.2*2.4cm
单套重量：	0.112kg
装箱数：	96套/箱
整箱尺寸：	34*34*30.5cm
整箱重量：	12kg

Material:	T10钢
Surface Technology:	-
Single set size:	16.5*8.2*2.4cm
Single set weight:	0.112kg
Qty:	96套/箱
FCL size:	34*34*30.5cm
FCL weight:	12kg

产品规格参数

PRODUCT SPECIFICATIONS

- 1号雕刻刀片 3PC
- 3号雕刻刀片 3PC
- 4号雕刻刀片 3PC
- 11号雕刻刀片 3PC
- 12号雕刻刀片 3PC

MT0525



66PC BATCH HEADER SET SET

66PC批头组套

配件： 金属手柄*1、软杆*1、1/4转接头*1

ACCESSORIES: METAL HANDLE*1, SOFT BAR*1, 1/4 ADAPTER*1

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化
单套尺寸：	16.5*7.7*3.4cm
单套重量：	0.36kg
装箱数：	36套/箱
整箱尺寸：	38*25*24cm
整箱重量：	14.5kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating
Single set size:	16.5*7.7*3.4cm
Single set weight:	0.36kg
Qty:	36 sets/carton
FCL size:	38*25*24cm
FCL weight:	14.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 5PC PH000-PH00-PH0-PH1-PH2
- 6PC SL1.0,SL1.5,SL2.0,SL2.5,SL3.0,SL4.0
- 11PC H0.7, H0.9, H1.3, H1.5, H2.0, H2.5, H3.0, H3.5, H4.0, H4.5, H5.0
- 4PC T2-T3-T4-T5
- 8PC T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H
- 3PC P2-P5-P6
- 3PC S0,S1,S2
- 1PC SIM0.8
- 3PC U4-U6-U8
- 2PC △2.0-△3.0
- 4PC Y000-Y00-Y0-Y1
- 3PC G3.8-GA5-U+/-
- 4PC JIS000-JIS00-JIS0-JIS1
- 6PC M2.5-M3.0-M3.5-M4.0-M5.0-M5.5

MT0526



77PC PRECISION SCREW SET SLEEVE

77PC精密螺丝组套

配件： 塑胶手柄、防静电弯头镊子、充磁器、大/小圆型撬棒、三角撬片、吸盘、T型取卡针

ACCESSORIES: PLASTIC HANDLES, ANTI-STATIC ELBOW TWEEZERS, MAGNETIZERS LARGE/SMALL ROUND CROWBARS, TRIANGULAR PRYS, SUCTION CUPS, T-PINS

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化
单套尺寸：	19*10.9*3.1cm
单套重量：	0.41kg
装箱数：	42套/箱
整箱尺寸：	39*34*23cm
整箱重量：	18.5kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating
Single set size:	19*10.9*3.1cm
Single set weight:	0.41kg
Qty:	42 sets/carton
FCL size:	39*34*23cm
FCL weight:	18.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 5PC PH000，PH00，PH0，PH1，PH2
- 6PC SL1.0，SL1.5，SL2.0，SL3.0，SL3.5，SL4.0
- 8PC H0.9，H1.3，H1.5，H2.0，H2.5，H3.0，H3.5，H4.0
- 7PC H1/16，H5/64，H3/32，H7/64，H1/8，H9/64，H5/32
- 9PC T2，T3，T4，T5，T6，T7，T8，T9，T10
- 6PC T7H，T8H，T9H，T10H，T15H，T20H
- 4PC PZ00-PZ0-PZ1-PZ2
- 4PC P0.8-P1.2-P1.5-P2.0
- 3PC S0-S1-S2
- 4PC △2.0-△2.3-△2.7-△3.0
- 7PC M2.5-M3.0-M3.5-M4.0-M5.0-M5.5
- 1PC U2.6
- 4PC Y000-Y00-Y0-Y1
- 1PC SIM0.8

MT0527







23PC PRECISION SCREW GROUP SET

23PC精密螺丝小组套

配件： 金属手柄

Accessories: Metal handle

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化/化学镍
单套尺寸：	14.5*10.3*2.95cm
单套重量：	0.288kg
装箱数：	60套/箱
整箱尺寸：	32*30*31cm
整箱重量：	18.5kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating/Chemical nickel
Single set size:	14.5*10.3*2.95cm
Single set weight:	0.288kg
Qty:	60 sets/carton
FCL size:	32*30*31cm
FCL weight:	18.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 3PC SL1.2, SL1.5, SL2.0
- 3PC PH00, PH0, PH1
- 3PC T4, T5, T6
- 1PC △2.3
- 1PC U2.6
- 3PC T8H, T10H, T15H
- 3PC H1.5, H2.0, H3.0
- 3PC P0.8, P1.2, P1.5
- 1PC W1.5
- 1PC Y2.0

MT0528



33PC BATCH HEADER SET SET

33PC批头组套

配件： 金属手柄

ACCESSORIES: METAL HANDLE

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化/化学镍
单套尺寸：	14.5*10.3*2.95cm
单套重量：	0.26kg
装箱数：	60套/箱
整箱尺寸：	32*30*31cm
整箱重量：	16.5kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating/Chemical nickel
Single set size:	14.5*10.3*2.95cm
Single set weight:	0.26kg
Qty:	60sets/carton
FCL size:	32*30*31cm
FCL weight:	16.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 4PC SL1.5, SL2.0, SL2.5, SL3.0
- 5PC PH000, PH00, PH0, PH1, PH2
- 3PC T4, T5, T6
- 1PC △2.3
- 1PC U2.6
- 1PC W1.5
- 3PC Y0.8, Y1.5, Y2.5
- 2PC S0, S1
- 5PC T7H, T8H, T9H, T10H, T15H
- 4PC H1.3, H1.5, H2.0, H3.0
- 3PC P0.8, P1.2, P1.5

MT0530



25PC ENGRAVING KNIFE SET

25PC雕刻刀小组套

配件： 铝合金手柄

Accessories: Aluminum alloy handle

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化
单套尺寸：	16*6.9*1.8cm
单套重量：	0.148kg
装箱数：	80套/箱
整箱尺寸：	33*29*19.5cm
整箱重量：	13kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating
Single set size:	16*6.9*1.8cm
Single set weight:	0.148kg
Qty:	80 sets/carton
FCL size:	33*29*19.5cm
FCL weight:	13kg

产品规格参数

PRODUCT SPECIFICATIONS

- 3PC SL1.0, SL3.0, SL4.0
- 5PC PH000, PH00, PH0, PH1, PH2
- 4PC T2, T3, T4, T5
- 1PC △2.3
- 2PC H1.5, H2.0
- 3PC T6H, T8H, T10H
- 1PC U2.6
- 2PC P0.8, P1.2
- 3PC Y0.6, Y1.5, Y2.5

MT0529



36PC PRECISION SCREW SET SLEEVE

36PC精密螺丝组套

配件： 塑料包装手柄*1、延长杆*1、金属软杆*1、
迷你小剪钳*1、塑胶放大镜*1、不锈钢镊子*1

ACCESSORIES: PLASTIC PACKAGING HANDLE*1, EXTENSION ROD*1, METAL SOFT ROD*1, MINI SMALL CUTTER*1, PLASTIC MAGNIFYING GLASS*1, STAINLESS STEEL TWEEZERS*1

材质：	S2/CR-V
表面工艺：	镀镍/镀铬/磷化
单套尺寸：	18.2*13.5*2.4cm
单套重量：	0.309kg
装箱数：	60套/箱
整箱尺寸：	42*38.5*26.5cm
整箱重量：	19.5kg

Material:	S2/CR-V
Surface Technology:	Nickel/chrome/phosphating
Single set size:	18.2*13.5*2.4cm
Single set weight:	0.309kg
Qty:	60 sets/carton
FCL size:	42*38.5*26.5cm
FCL weight:	19.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 7PC SL1.0, SL1.5, SL2.0, SL2.5, SL3.0, SL3.5, SL4.0
- 4PC PH000, PH00, PH0, PH1
- 9PC T4, T5, T6, T7, T8, T9, T10, T15, T20
- 8PC H0.7, H0.9, H1.3, H1.5, H2.0, H2.5, H3.0, H4.0
- 2PC PZ0, PZ1

MT0531







26PC PRECISION SCREW GROUP SET

26PC精密螺丝小组套

配件：金属手柄、尖头镊子、圆头镊子、金属撬棒、黑色塑胶撬棒、软杆

Accessories: metal handle, pointed tweezers, round tweezers, metal crowbar, black plastic prowbar, soft bar

材质：	S2/CR-V	Material:	S2/CR-V
表面工艺：	镀镍/镀铬/磷化	Surface Technology:	Nickel plating/chrome plating/phosphating
单套尺寸：	15*8.3*2.7cm	Single set size:	15*8.3*2.7cm
单套重量：	0.255kg	Single set weight:	0.255kg
装箱数：	72套/箱	Qty:	72 sets/carton
整箱尺寸：	35.5*32*27.2cm	FCL size:	35.5*32*27.2cm
整箱重量：	20.5kg	FCL weight:	20.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 2PC SL1.5, SL2.0
- 3PC PH0000,PH000,PH00
- 5PC T2, T3, T4, T5, T6
- 2PC △2.3, △2.0
- 2PC U2.0, U2.3
- 1PC M2.5
- 2PC P0.8, P1.2
- 1PC W1.5
- 2PC Y0.6, Y1.5

MT0532



54PC PRECISION SCREW SET

54PC精密螺丝组套

配件：塑胶手柄、尖头镊子、五槽延长杆、软杆

Accessories: plastic handle, pointed tweezers, five-slot extension rod, soft rod

材质：	S2/CR-V	Material:	S2/CR-V
表面工艺：	镀镍/镀铬/磷化	Surface Technology:	Nickel plating/chrome plating/phosphating
单套尺寸：	14.7*12.4*3.8cm	Single set size:	14.7*12.4*3.8cm
单套重量：	0.4kg	Single set weight:	0.4kg
装箱数：	48套/箱	Qty:	48 sets/carton
整箱尺寸：	39*31*35cm	FCL size:	39*31*35cm
整箱重量：	20.5kg	FCL weight:	20.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 5PC PH000, PH00, PH0, PH1, PH2
- 7PC SL1.3,SL1.5,SL2.0,SL2.5,SL3.0,SL3.5,SL4.0
- 10PC T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 10PC H1.3,H1.5,H2.0,H2.5,H3.0,H3.5,H4.0,H4.5,H5.0,H6.0
- 7PC M2.5,M3.0,M3.5,M4.0,M4.5,M5.0,M5.5
- 3PC Y0.6, Y2.0, Y3.0
- 2PC PZ0,PZ1
- 2PC P0.8, P1.2
- 2PC △2.3,△3.0
- 1PC 1.0
- 1PC U2.6

MT0533



66PC BATCH HEADER SET SET

66PC批头组套

配件：金属手柄、尖头镊子、圆头镊子、金属撬棒、黑色塑胶撬棒、软杆

ACCESSORIES: METAL HANDLE, POINTED TWEEZERS, ROUND TWEEZERS, METAL CROWBAR, BLACK PLASTIC PROWBAR, SOFT BAR

材质：	S2/CR-V	Material:	S2/CR-V
表面工艺：	镀镍/镀铬/磷化/化学镍	Surface Technology:	Nickel plating/chrome plating/phosphating/chemical nickel
单套尺寸：	15*8.3*4.0cm	Single set size:	15*8.3*4.0cm
单套重量：	0.405kg	Single set weight:	0.405kg
装箱数：	48套/箱	Qty:	48 sets/carton
整箱尺寸：	35.5*32*27cm	FCL size:	35.5*32*27cm
整箱重量：	21.5kg	FCL weight:	21.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 8PC PH0000,PH000,PH00*2,PH0,PH1,PH2
- 7PC SL1.0-1.5-2.0-2.5-3.0-3.5-4.0
- 13PC T1,T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 9PC H0.7-0.9-1.3-1.5-2.0-2.5-3.0-3.5-4.0
- 6PC P0.8*2-P1.2*2-P1.5-P2.0
- 2PC △2.0,△2.3
- 1PC IN-PH2
- 1PC G3(IN Y2)
- 3PC Y0.6,Y1.5,Y2.5
- 4PC U2.0-U2.3-U2.6-U3.0
- 3PC S0-S1-S2
- 1PC SIM0.8
- 1PC W2.5
- 1PC M2.5

MT0534



91PC PRECISION SCREW SET SLEEVE

91PC精密螺丝组套

配件：金属手柄、金属撬棒、软杆

ACCESSORIES: METAL HANDLE, METAL CROWBAR, SOFT BAR

材质：	S2/CR-V	Material:	S2/CR-V
表面工艺：	镀镍/镀铬/磷化	Surface Technology:	Nickel plating/chrome plating/phosphating
单套尺寸：	18.2*13.5*2.4cm	Single set size:	16.9*8.7*4.2cm
单套重量：	0.309kg	Single set weight:	0.5kg
装箱数：	60套/箱	Qty:	40 sets/carton
整箱尺寸：	42*38.5*26.5cm	FCL size:	37.5*35.5*23.5cm
整箱重量：	19.5kg	FCL weight:	21.5kg

产品规格参数

PRODUCT SPECIFICATIONS

- 9PC PH0000,PH000,PH00*2,PH0*2,PH1*2,PH2
- 10PC SL1.0-1.5*2-2.0*2-2.5*2-3.0-3.5-4.0
- 13PC T1,T2,T3,T4,T5,T6,T7,T8,T9,T10,T15,T20
- 9PC H0.7-0.9-1.3-1.5-2.0-2.5-3.0-3.5-4.0
- 6PC P0.8*2-P1.2*2-P1.5-P2.0
- 4PC △2.0-△2.3-△2.6-△3.0
- 4PC PZ00-PZ0-PZ1-PZ2
- 7PC M2.5-M3.0-M3.5-M4.0-M4.5-M5.0-M5.5
- 1PC IN-PH2
- 2PC G3.8-G4.5
- 1PC G3(IN Y2)
- 6PC 4#-4.5#-5#-5.5#-6#-7#
- 5PC Y0.6*2-Y1.5*2-Y2.5
- 4PC U2.0-U2.3-U2.6-U3.0
- 3PC S0-S1-S2
- 2PC SIM0.8-1.0
- 2PC W2.0-W2.5

MT0535













DISPLAY OF SCREWDRIVER BITS, A COMPLETE RANGE TO MEET THE USE IN INDUSTRIAL AND MANUAL FIELDS

螺丝刀批头展示，种类齐全满足工业及手工领域使用

图标样式	批头规格	批头样式
	PH000 PH00 PH0 PH1 PH2	
	SL1.0 SL1.5 SL2.0 SL2.5 SL3.0 SL3.5 SL4.0	
	T1 T2 T3 T4 T5 T6 T7 T8 T9 T10 T15 T20	
	T5H T6H T7H T8H T9H T10H T15H T20H T25H	
	P2（☆0.8） P5（☆1.2） P6（☆1.5） P8（☆2.0）	
	H0.7 H0.9 H1.5 H2.0 H2.5 H3.0 H3.5 H4.0 H4.5 H5 H6	
	H1/16 H1/8 H2/32 H5/32 H5/32 H7/64 H9/64	
	PZ000 PZ00 PZ0 PZ1 PZ2	
	Y0.6 Y1.0 Y1.5 Y2.0 Y2.5 Y3.0 Y3.5	
	△2.0 △2.3 △2.6 △3.0	
	U2.0 U2.6 U3.0 U8	
	S0 S1 S2	
	W1.5 W2.0 W2.5	
	0.8 1.0	
	M2.5 M3.0 M3.5 M4.0 M4.5 M5.0 M5.5	
	G3.8 G4.5	
	IN PH2	
	Magnetize 5.0	

规格长度	图示
H4*25L	
H4*28L	
H4*32L	
H4*45L	
H4*45L双头	
H4*75L双头	
H4*120L双头	
H6.35*25L	
H6.35*50L	
H6.35*50L双头	
H6.35*65L双头	
H6.35*85L双头	
H6.35*110L双头	





五金类配件 HARDWARE ACCESSORIES

配件样式		规格/尺寸	材质	表面处理
	尖嘴镊子	10mm(W)*122mm(L)	不锈钢	/
	圆嘴镊子	10mm(W)*122mm(L)	不锈钢	/
	弯头镊子	10mm(W)*122mm(L)	不锈钢	/
	卡针	7.4mm(W)*33mm(L)	A3钢	镀镍
	金属撬棒(尖头-弯头)	5mm(W)*165mm(L)	不锈钢	镀镍
	金属撬棒(尖头-圆头)	7mm(W)*175mm(L)	不锈钢	镀镍
	金属撬棒(弯尖头-弯平头)	10mm(W)*175mm(L)	不锈钢	镀镍
	15厘米钢尺	19.5mm(W)*170mm(L)	不锈钢	/
	小美工刀	13mm(W)*113mm(L)	不锈钢	/
	金属撬片	20mm(W)*120mm(L)	不锈钢	/

手柄类配件 HANDLE ACCESSORIES

配件样式		规格/尺寸	材质	表面处理
	棘轮手柄	Φ27*115mm(L)	碳钢+PP	镀亚光
	棘轮手柄	33mm(W)*126mm(L)	铝合金+PP	镀亮铬
	棘轮手柄	Φ20*125mm(L)	碳钢+尼龙	镀亮铬
	手柄	Φ16*116mm(L)	铝合金手柄	发黑
	手柄	Φ12*94mm(L)	铝合金	阳极氧化
	手柄	Φ12*90mm(L)	6150+铝合金	阳极氧化
	手柄	Φ15*98mm(L)	铝合金	银色亮光氧化
	手柄	Φ16*108mm(L)	铝合金+PP	发黑
	手柄	Φ10*122mm(L)	铝合金	阳极氧化
	手柄	Φ16*107mm(L)	铝合金+PP	阳极氧化

塑料类配件 PLASTIC ACCESSORIES

配件样式		规格/尺寸	材质	表面处理
	圆型撬棒	Φ8*81mm(L)	ABS	/
	十字撬棒	Φ11*83mm(L)	ABS	/
35MM吸盘 24MM吸盘	35MM吸盘	Φ35mm	PVC	透明
	24MM吸盘	Φ24mm	PVC	/
	黑塑胶尖头撬棒	Φ6.5*150mm(L)	/	黑色
	黑塑胶大撬棒	8.5mm(W)*148mm(L)	/	黑色
大翘片 小翘片 加强筋	大翘片	30mm(W)*30mm(L)	ABS	/
	小翘片	23.5mm(W)*23.5mm(L)	ABS	/
		40mm(L)*40mm(W)*20.5mm(H)	PP	/
	撬棒	Φ12*72mm(L)	ABS	/
	撬棒	Φ13*78mm(L)	ABS	/

接杆软管类配件 POST HOSE ACCESSORIES

配件样式		规格/尺寸	材质	表面处理
	6.35接杆	Φ11*60mm(L)	S0BV30	阳极氧化
	H4-120接杆	(铝头Φ7.5*25mm)*120mm(L)	6150(CR-V)钢	镀亚光，转接铝头表面镀亮铬
	软管	Φ10*130mm(L)	弹簧钢	阳极氧化
	软管	Φ10*145mm(L)	弹簧钢	杆身黑色,双头镀镍
	三槽接杆	(铁头Φ7.8*28mm)*120mm(L)	6150+铝合金	发黑
	H4-55接杆	(铝头Φ7.5*25mm)*55mm(L)	铝合金	阳极氧化
	四槽接杆	(铝头Φ7.5*25mm)*107mm(L)	6150+铝合金	发黑
	1/4转换头	Φ7.5*25mm(L)	铝合金	镀镍
	H4-55接杆	(铝头Φ7.5*25mm)*55mm(L)	6150+铝合金	发黑
	H4-155接杆	(铝头Φ7.5*25mm)*115mm(L)	6150+铝合金	发黑


GAS CYLINDER Vs. REGULATOR
WITH MANOMETER LEVEL INDICATOR

TYPE OF GAS IN THE CYLIDERS

The LPG contained in the cylinders are supplied either as Butune, or Propane, or a mix LPG of the two depending of country of use. Large quantities of flammable vapour can be produced from relatively small amounts of liquid LPG stored in cylinders and gas tanks. This makes LPG an ideal portable fuel. Cylinders must always remain upright to ensure only vapour exits the cylinder valve before it enters the regulators.

At atmospheric pressure Butane boils at -2C and propane boils at -45C

Contained in cylinders or bulk tank, LPG remains a liquid under pressure and this pressure depends on the type of LPG and the ambient or cylinder temperature surrounding the cylinder. The chart shows the vapor pressure within a gas cylinder at various ambient temperatures.




VAPORISATION IN THE CYLINDER

When there is an off-take of gas from the gas cylinder, the gas volume consumed is regenerated by boiling off the liquid part. This vaporisation cools down the liquid. The heat required to continue the LPG to boil is transferred from the surrounding air in contact with the cylinder.

Propane or mixed LPG delivers high pressure at colder temperatures and is vaporized faster so it is used and stored outside. Butane is used mainly for indoor or summer use.

During off-take, the temperature and pressure decreases. When only a small drop of liquid remains in the cylinder, the gas pressure has reached the minimum of 0.3bar, The larger the cylinder the greater the surface area, and the more GAS vapor can be supplied



TYPICAL VAPOURISATION RATES ON CYLINDERS

The GAS flow rate supplied depends on the type of gas, the liquid gas level in the cylinder, the ambient temperature, and the duration of use.

Cylinders can only supply a certain rate of vapor and must be sized correctly to meet the consumption of the appliances. Often an overlooked part of a LPG installation is the correct sizing or number of cylinders applied to ensure that the cylinder regulator delivers the correct flow rate.

The nominal capacity of the regulator is normally "the worst case scenario", to ensure the regulator operate in both very cold or hot climatic conditions and at lowest cylinder contents. This means in most cases our regulators are able to supply more than the rated capacity for a short time. However off-take rates for cylinders are typically less than the regulators nominal capacity as indicated in the overview.

Recommended maximum offtake rates for LPG cylinders

Cylinder Size kg	Offtake rate kg/h	Offtake rate kw(kilowatt)
15kg	0.70kg/h	9.70
13kg	1.05kg/h	14.60
19kg	1.32kg/h	18.35
47kg	2.37kg/h	32.94

NEW EU LAW
"GAS APPLIANCE REGULATION"

The new EU law GAR demand manufactures /importers/retailers to conduct a risk assessment for the products sold.

GAR demand IGT must use "State of art' components and technologies and it is the obligation of manufacturer/importer/retailer to select the most appropriate product solution to eliminate and reduce the risk described in the risk assessment.

Based on the risk assessment Manufacturer/Importer/Retailer must review old products made and sold to GAD before 21april 2018 and improve them if needed under GAR.

All levels in the supply chain must comply with following demands in GAR:

- Eliminate or reduce the risks as far as possible (inherently safe design and construction)
- Take necessary protection measures in relation to risk that cannot be eliminated
- Inform the users of any residual risk, due to any short comings are required

IGT have identified in our risk assessment :

- Risk of gas accidents that can be eliminated 100% by applying a manual excess flow valve.
- Risk of gas leakage that requires a manometer as necessary protection measures built onto the regulator (inherently safe design requirement) for the consumer as such risk cannot be eliminated
- IGT also have identified risk of connecting the gas hose to the nozzle gas tight by physically weak clients and it is our evaluation that a threaded connection 1/4" Lh in brass can be connected with the hose nut 1/4" in brass by all clients including client without significant physical strength.

For EU the recommended regulators to meet the GAR best possible are IGT Models : A310iep-PM, A100isp-PM or A235isp-PMV, A500isp-PM for now.


EU Importers/retailers are welcome to make their own risk assessment to GAR and continue to buy the simple regulators if their own risk assessment shows this is sufficient to meet above GAR demands. Whenever there is a gas accident with product supplied under GAR the risk assessment that was made and used by the retailer shall be presented to police/gas authorities and insurance companies in the EU country and these will then evaluate if the risk assessment made is correct and justified to GAR.

If these bodies find the risk assessment was not correct and the accident could have been eliminated or reduced by using for example A310iep-PM then the retailer is responsible not IGT.


Gas Safety Features



IGT regulators with low level indicator will help users to make a precise & convenient leak test, and continuously monitor low gas level.



The automatic hose failure safety(Excess Flow Valve) Cut off 90% of gas flow and reduce an accident



Diaphragm relief valve, opens at a preset pressure i.e 150mbar. Protect against over pressure in down stream pipes. Only for outdoor use or in ventilated compartments.



IGT regulators with manual excess flow valve will cut off 100% of gas flow in case of a big leakage and stop an accident before it develops.

IGT Low Level Indicator and Leak detection gauge

The main purpose of the indicator is to enable the end user to conduct easily a gas leak test before consumption is started up.

This should be done regularly to identify any small gas leaks before they develop into gas accidents. See our online UTUBE videos. The gas level indicator function is working on the gas pressure

The special IGT indicator has a scale of 0-4 bar(Butane) and 0-6 bar (Propane/ 0-2 bar LPG) when gas pressure exceeds these pressures the scale indicate "full" gas level. And the needle stands firm at the end of the scale.

This scenario will be actual for most full new cylinders. The manometer gauge will start moving down only when the gas pressure is less than 4-6 bar. This happens at normal surrounding temperatures when the gas level is low inside the gas cylinder.

Typically Then there is then 0,5-1 kg gas left in the cylinder. As the remaining gas is consumed the needle will move towards the yellow part and indicate to the consumer the gas lower level.

LPG A200isp-PM
0-2 bar scale



Butane
0-4 bar scale



Propane
0-6 bar scale



Gas Safety Features

Level indication: LP Gas - Butane - Propane

Actual gas level can only be observed during gas consumption from the gas cylinder to gas appliance.

EMPTY	Cylinder empty no more liquid Gas Do not use before cylinder is re-filled.Pressure less than 0,3.
LOW	Early warning – Plan re-fil soonest. Liquid level estimate 0,2-0,8 kg – 1 to 4 hr use Pressure between 0,3 and 1,3 bar.
HIGH	Sufficient level of gas inside cylinder. Ready to go on. Estimated level of gas min. 1kg – 5 hr use Pressure between 1,3 and 7,5 bar.

Leak detection: LP Gas - Butane - Propane

- Regulator is connected to gas appliance by a gas hose. Gas appliance should be in shut off position.
- Regulator is attached in correct position on the gas cylinder valve.
- The Regulator is switched to ON position. The dial of the indicator should then go into green area.
- The Regulator switch is moved back to OFF position. The dial of the indicator should then remain in green area.
- Wait 1 minute. If the dial is still in the same green area the installation is safe without leaks. If the dial have moved to yellow or blue colour, the installation is not safe and should be checked by using leak Detecting spray.
- Any leak should be eliminated before use of the gas appliance.

Warranty:

All IGT Regulators are supplied with 5 years warranty Terms applies.

LOW PRESSURE REGULATOR - Compact
Snap on regulator for LPG A100is-P

Application:

Used in conjunction with a cylinder valve to reduce cylinder pressure to a 28-50 mbar outlet pressure.

Connected with domestic Appliances: Stoves, Cookers, Cabinet Heaters, Patio Heaters, BBQ, etc.

Technical Infrmation

Inlet size	20 / 21 /22 / 25.6 /27 mm
Outlet size	8 / 10 / 11mm thread 1/4"LH
Rated capacity	1.5 kg/h
Optional excess flow valve	Either Automatic or Manual Activated
Outlet pressure options	28 mbar, 29 mbar, 30 mbar 37 mbar 50 mbar
Optional diaphragm	Relief valve
Optional manometer	For leak test and gas level indication
Body and cover	Die cast zinc alloy/Optional Aluminum
Diaphragm	NBR



Basic Type
A100is-P



Standard Type
A100ise-P





Premium Type
A100isp-P




Premium Plus Type
A100isp-PM


IGT type A100is regulator





A dual seal can be added
It can establish a gas tight connection to the cylinder valve up to 17 bar.





Metal integrated on/off push guarantee regulator can always be disconnected from the valve,

Standard

Most common outlets threads

G1/2" LH Brass



M20x1.5




G1/4" LH Brass



H6:3/8" LH Thread connector Zinc




H4:1/4" LH Thread connector Zinc



Most Common Outlets Nozzles

H51: Gas Hose ID 10-11mm



H50: Gas Hose 8mm



The G1/4"LH thread is recommended in Brass to ensure a low torgue connection to a brass nut and nipple on the hose side.
Brass to brass: 2-3Nm
Brass to zinc: 12-14Nm
Steel to zinc: >18Nm
Force needed to establish a gas tight connection.

Compact Snap on regulator

Basic + Standard Type A100isp-P

Inlet size	20 / 21 /22 / 25.6 /27 mm
Outlet size	8 / 10 / 11mm
Capacity	1.5 kg/h
Excess Flow	Auto
Color options	Silver metallic
Regulator Size	Diameter Ø63mm


Pic 1


Pic 2


Pic 3


Pic 4

Premium Type A100isp-P

Inlet size	20 / 21 /22 / 25.6 /27 mm, G61
Outlet size	8 / 10 / 11mm, 1/4" LH thread
Capacity	1.5 kg/h
Excess Flow	Manual
Color options	Silver, blue, yellow, orange, red, Silver metallic
Regulator Size	Diameter Ø63mm


Pic 5


Pic 6


Pic 7


Pic 8

Premium Plus Type A100isp-PM

Inlet size	20 / 21 /22 / 25.6 /27 mm, Bayonet
Outlet size	8 / 10 / 11mm, 1/4" LH thread
Capacity	1.5 kg/h
Manometer	Gas leak & level indicator with 360° rotating
Excess Flow	Manual
Color options	Silver, blue, yellow, orange, red, Silver metallic
Regulator Size	Diameter Ø63mm


Pic 9


Pic 10


Pic 11


Pic 12

LOW PRESSURE REGULATOR - Jumbo
Click on Regulator for LPG A235is-P

Application:

Used in conjunction with a cylinder valve to reduce cylinder pressure to a 28-67 mbar outlet pressure.

Connected with domestic Appliances: Stoves, Cookers, Cabinet Heaters, Patio Heaters, BBQ, etc.

Technical Infrmation

Inlet size	35mm
Outlet size	8 / 10 / 11mm , 3/8" BSP or G1/2" thread connector
Rated capacity	1.5 kg/h
Optional excess flow valve	Either Automatic or Manual Activated
Outlet pressure options	28 / 29 / 30 / 37 mbar / 50 mbar / 67 mbar
Optional diaphragm	Relief valve
Optional manometer	For leak test and gas level indication
Body and cover	Die cast zinc alloy/Optional Aluminum
Diaphragm	NBR



Basic Type
A235is-P



Standard Type
A235is-P




Premium Type
A235isp-P



Premium Plus Type
A235is-PPM

Jumbo click on regulator

IGT Type A235is-P Regulator



G56: 35mm inlet (Click on system)





Two stage regulator securing less than 2 bar pressure at valve seal. And a flow performance up to 2 kg gas/h



Extra security inter lock feature. To ensure gas flow cannot be opened unless locking ring in locked position

Basic Standard Type A235is-P

Inlet size	35mm
Outlet size	8mm / 10mm / 11mm
Capacity	1.5 - 2.0 kg/h
Excess Flow	No
Color options	Silver metallic
Regulator Size	Diameter Ø63mm



Pic 1



Pic 2

Standard Type A235/A235is-P

Inlet size	35mm
Outlet size	8/ 10 / 11mm, 3/8" BSP or G1/2" thread connector
Capacity	1.5 kg/h
Excess Flow	Automatic
Safety on/off switch	With or Without
Color options	Silver, Blue, Yellow, Red, Orange, Sliver Matalic
Regulator Size	Diameter Ø76mm and Ø63mm


Pic 3

Premium Type A235isp-P

Inlet size	35mm
Outlet size	8/ 10 / 11mm, 1/4" LH thread
Capacity	1.5 - 2.0 kg/h
Excess Flow	Manual
Safety on/off switch	Yes
Color options	Silver, Blue, Yellow, Red, Orange, Sliver Matalic
Regulator Size	Diameter Ø63mm


Pic 4


Pic 5

Premium Plus Type A235isp-PPM

Inlet size	35mm
Outlet size	8mm / 10mm / 11mm
Capacity	1.5 - 2.0 kg/h
Excess Flow	Manual
Safety on/off switch	Yes
Manometer	Gas leak & level indicator with 360° rotating
Color options	Silver, Blue, Yellow, Red, Orange, Sliver Matalic
Regulator Size	Diameter Ø63mm


Pic 6


Pic 7

LOW PRESSURE REGULATOR - Regulator for LPG A235IT

Application:

Used in conjunction with a cylinder valve to reduce cylinder pressure to a 28-67 mbar outlet pressure.

Connected with domestic Appliances: Stoves, Cookers, Cabinet Heaters, Patio Heaters, BBQ, etc.

Technical Infrmation

Inlet size	35mm
Outlet size	8 / 10 / 11mm , 1/4"LH thread , 3/8"LH , Chile
Rated capacity	1.5 kg/h
Optional excess flow valve	Either Automatic or Manual Activated
Outlet pressure options	28 / 29 / 30 / 37 / 50 / 67 mbar
Optional diaphragm	Relief valve
Optional manometer	For leak test and gas level indication
Body and cover	Die cast zinc alloy/Optional Aluminum
Diaphragm	NBR



Basic Type
A235IT



Standard Type
A235IT



Premium Type
A235IT-P



Premium Plus Type
A235ITP-PM

LOW PRESSURE REGULATOR - Hand Wheel Regulator for LPG A300i-P

Application:

Used in conjunction with a hand wheel cylinder valve to reduce cylinder pressure to a 28-50 mbar outlet pressure.

Connected with domestic Appliances: Stoves, Cookers, Cabinet Heaters, Patio Heaters, BBQ, etc.

Technical Infrmation

Inlet size	Numerous possible types of inlet
Outlet size	8 / 10 / 11mm nozzle, 1/4"LH thread connector
Rated capacity	1.5 kg/h
Outlet pressure options	28 mbar, 30 mbar 37 mbar 50 mbar
Nut options	Brass or Steel
Optional manometer	For leak test and gas level indication
Body and cover	Die cast zinc alloy/Optional Aluminum
Diaphragm	NBR



Basic Type
A300i/A310i-P



Standard Type
A300ie/A310ie-P




Premium Type
A300iep/A310ip-P




Premium Plus Type
A300ip-M/A310ip-PM

Hand wheel on regulator





Filter at inlet to prevent foreign matters to enter regulator




Inlet pressed secured by crimping included rubber o-ring as secondary seal

Standard

Most Common Inlets


G1: W20x1/14" LH



G2: W21.8X1/14" LH



G5: W21.8X1.8/14" LH



G12: W21.8X1/14" LH



G7: 5/8" LH Hardnose



G10: US POL 0.880 NGO LH



Hand wheel on regulator

Standard Type A300ie/A310ie-P

Inlet size	Numerous possible types of inlet
Outlet size	8mm / 10mm / 11mm, 1/4" LH
Capacity	1.5 kg/h
Excess Flow	Yes
Color options	Sliver, Blue, Red, Yellow, Silver metallic
Regulator Size	Diameter Ø63mm


Pic 1


Pic 2


Pic 3


Pic 4


Pic 5


Pic 6


Pic 7


Pic 8


Pic 9


Pic 10


Pic 11


Pic 12

Hand wheel on regulator

Premium Type A300iep/A310iep-P

Inlet size	Numerous possible types of inlet
Outlet size	8mm / 10mm / 11mm, 1/4" LH
Capacity	1.5 kg/h
Excess Flow	Yes
Color options	Sliver, Blue, Red, Silver metallic
Regulator Size	Diameter Ø63mm


Pic 13


Pic 14


Pic 15

Premium Plus Type A300iep/A310iep-PM

Inlet size	Numerous possible types of inlet
Outlet size	8mm / 10mm / 11mm, 1/4" LH
Capacity	1.5 kg/h
Manometer	Gas leak & level indicator with 360° rotating
Excess Flow	Yes
Color options	Sliver, Blue, Red, Yellow, Silver metallic
Regulator Size	Diameter Ø63mm


Pic 16


Pic 17


Pic 18



Pic 19


Pic 20


Pic 21

Regulators for use in CARAVAN & BOAT

- Regulators for use in Caravans and Boats shall meat EN16129 / Appendix D/M.
- Installation shall be made according to EN1949 and for boats ISO10239 as well.
- National rules may apply.
- Professional gas leak test as per EN1949 - recommended DVGW arbeitsblatt G 607.
- Can be conducted though the test point M5 on the ball vavle.
- Observe hose length of Maximum 450mm to coper tubing.



Boat & Caravan A511i-P / A511i-PM


Pic 31

Inlets: M14x1.5


Pic 32

Inlets: M16x1.5

Boat & Caravan A235is-P / A235is-PM


Pic 33


Pic 34

Caravan & boat regulator

Technical Infrmation

Inlet size	Numerous possible types of inlet
Outlet size	8 / 10 / 11mm nozzle, 1/4"LH - M20x1.5
Rated capacity	1.5 kg/h
Outlet pressure options	30 mbar
Excess flow	Manual
Safety on/off switch	With or Without
Optional manometer	For leak test and gas level indication
Diaphragm	Ø63mm
PRV	Yes

A311iep-PM/A300iep-PM


Pic 22


Pic 23


Pic 24


Pic 25


Pic 26


Pic 27


Pic 28


Pic 29


Pic 30

LOW PRESSURE REGULATOR - Camping Regulator for LPG A500is - A512is

Application:

Used for outdoor camping gas cylinders for household.
The rotating inlet allow easy mounting of regulator to gas cylinder.
Instead of rotating the 2-3kg gas cylinder rotate the inlet wheel!

Technical Infrmation

Inlet size	M14, M16, 7/16"
Outlet size	8/10/11 mm nozzle, 1/4" LH thread connector
Rated capacity	1.5 kg/h
Optional excess flow valve	Either Automatic or Manual Activated
Outlet pressure options	28 mbar, 30 mbar
Optional rotating inlet	Yes
Optional diaphragm	Relief valve
Optional manometer	For leak test and gas level indication
Body and cover	Die cast zinc alloy/Optional Aluminum
Diaphragm	NBR

Basic Type A500is
Regulator size: Diameter Ø63mm



Pic 1

Standard Type A500is
Regulator size: Diameter Ø63mm



Pic 2

Standard Type A512is-P
Regulator size: Diameter Ø63mm



Rotating Inlet Pic 3

Premium Type A500is-PM
Regulator size: Diameter Ø63mm



Pic 4



360° rotating manometer Pic 5

Premium Type A512isp-M
Regulator size: Diameter Ø63mm



Pic 6

A300USL - Single Stage Low Pressure Gas Regulator

Features:

Excess flow valve
diaphragm relief valve
50000 times cycle test = simulation of 10 years life time
PLI 9prduct liability insurance) 5 million usd
5 years limited warranty

Optional features:

Manometer for leak test and gas level indication.



Technical Infrmation

Inlet Pressure	25-250 PSIG
Outlet Pressure	280mm H2o=(11"W.C.)
Flow capacity	1.5Kg/hr
BTU/hr	70500
Inlet Connection	QCC / P.O.L / LCC
Outlet Connection	5/8"- 18 UNF
Application	BBQ, Fish Cookers, Gas Heaters, Stoves
Braided hose	Option



Pic 1



Pic 2

High Pressure Regulator



Pic 3



Pic 4

Technical Infrmation

Inlet	1/4 - 18 NPT
Outlet	1/4 - 18 NPT
Inlet Pressure	0 - 20 PSIG
Outlet Pressure	25 - 250 PSIG
BTU	142810

CSA Approved USA & CANADA AUSTRALIA

A300USL - Single Stage Low Pressure Gas Regulator

95000 BTU Regulator


Pic 5

Technical Infrmation

Inlet	QCC-1 / LCC
Outlet	3/8" FLARE - 5/8" 18 UNF
Inlet Pressure	25 - 250 PSIG
Outlet Pressure	11 W.C.
BTU	95200
Certificate	CSA - AGA

Optional with QCC or POL type inlet and Hose assemblies.

Two stage Regulator


Pic 6

Technical Infrmation

Inlet	US POL / QCC-1
Outlet	1/4"-18 NPT or 3/8"-18 NPT
Inlet Pressure	25 - 250 PSIG
Outlet Pressure	11 W.C.
BTU	124800

Governor Regulator


Pic 7

Inlet	3/8"-18 NPT, 1/2"-14 NPT
Outlet	3/8"- 18 NPT, 1/2"-14 NPT
Inlet Pressure	1/2 PSIG (Max) In + Out
Delivery Pressure	NG 5 W.C - LPG 11 W.C
BTU	180.000


Pic 8

Inlet	3/8"- 18 NPT, 1/2"-14 NPT
Outlet	3/8"- 18 NPT, 1/2"-14 NPT
Inlet Pressure	1/2 PSIG (Max) In + Out
Delivery Pressure	4 W.C - 10 W.C
BTU	100.000


Pic 9

Inlet	1/4" - 18 NPT, 3/8"-18 NPT
Outlet	1/4" - 18 NPT, 916"-24 UNF, 3/8"-18 NPT
Inlet Pressure	1/2 PSIG (Max) In + Out
Delivery Pressure	4 W.C - 10 W.C
BTU	50.000

Middle Pressure Regulator - 3kg/h
300-700mbar Regulators A320

Application:

Used for large gas application, such as industrial heaters.

Technical Infrmation

Inlet options	Numerous possible types of inlet
Outlet options	1/4" LH thread connector & 3/8"LH Brass
Rated capacity	3 kg/h
Outlet pressure options	300/500/700 mbar
Nut options:	Brass or Steel
Body and cover	Die cast zinc alloy
Diaphragm	NBR
Regulator size:	Diameter Ø76mm


Pic 1


Pic 2


Pic 3


Pic 4


Pic 5

Middle Pressure Regulator - 4kg/h A400i

Application:

To reduce the pressure of LPG in the domestic installation.
Optional with internal relief valve security system,
to prevent over press in the pipeline.

Technical Infrmation

Inlet options	Numerous possible types of inlet
Outlet options	10mm, 3/8"LH thread connector
Rated capacity	3 kg/h
Outlet pressure options	30/700 mbar
Nut options:	Brass or Steel
Body and cover	Die cast zinc alloy
Diaphragm	NBR
Regulator size:	Diameter Ø76mm


Pic 1



Pic 2


Pic 3


Pic 4


Pic 5

CHANGE OVER REGULATOR - 1.5 kg/h Caravan changeover applications.




The EN1949 Standard define Design Regulations for LPG installations in RV in EV.
A.O it define the maximum gas flow of regulators to be 1.5 Kg/h.

Specifications

Approvals	CE/NF 16129/D
Inlet	M20x1,5mm
Outlet	8 or 10mm Compression fitting EN8434
Variants	Vertical or horizontal /pointing left or right
Test point	Yes
CSR	BSCI certified
Inbuilt	Crash sensor - Excess flow valve

4 kg/h change over for Leisure & Professional applications



Specifications


Approvals	CE/NF 16129
Inlet	M20x1,5mm
Outlet	8 or 10mm Compression fitting EN8434, 3/8"RH
Variants	Vertical only
Test point	Yes, Optional A900 - V003
CSR	BSCI certified
Option	Remote shutoff by solenoid valve


Complete caravan changeover kit

1.5 kg/h EN1949 & EN16129/D compliant

CRASH SENSOR / EN1949

- Excess flow valve for automatic cut-off of gas in case of accidents.
- Gas Filter reduces impurities & enhances product life time. With lower cup.
- Exchangeable oil absorption cotton pad by hand.
- No gas purge of high pressure gas needed.
- Inbuilt check valve closes off when lower cups unscrewed.
- Pressure Relieve Valve 150mBar protects gas system against excess pressure.
- 10-year warranty for regulator excluding hose assembly.
- Both the automatic change over and the second stage regulator have each been marketed for more than 10 years.





Options

A900 - V003	Ball valve with test point
A900 - 235	3/8" compression outlet fittings
A900 - 236	RVS 8mm
A900 - 237	RVS 10mm
H900-007	Gas solenoid valve for remote shut off
A900 - F011	Gas Filter Double Cup
Outlet Pressure	Optional 50mbar - 67mbar

High Pressure Regulator
B100/B235is/B300

Snap on compact HP regulator B100

Application:

Used in conjunction with a cylinder valve to reduce cylinder pressure to a 0-2 bar outlet pressure required for operation of torches, burners and furnaces for commercial and industrial applications

Technical Infrmation

Inlet options	20/21/22/27mm
Outlet options	8mm/11mm
Rated capacity	8 kg/h
Outlet pressure options	0-2 bar (Adjustable)
Body and cover	Die cast zinc alloy
Diaphragm	NBR



Jumbo HP regulator B235is

Application:

Used in conjunction with a cylinder valve to reduce cylinder pressure to a 0-4 bar outlet pressure required for operation of torches, burners and furnaces for commercial and industrial applications

Technical Infrmation

Inlet size	35mm
Outlet options	8/10/11mm, 3/8" BSP or G1/2" thread connector, G12
Rated capacity	4 kg/h
Outlet pressure options	0-4 bar (Fixed or Adjustable)
Body and cover	Die cast zinc alloy
Diaphragm	NBR
Optional	metal on/off cap



B235isf



B235is

High Pressure Regulator
B100/B235is/B300

Hand Wheel HP regulator - B300/B310/B310-M

Application:

Used in conjunction with a cylinder valve to reduce cylinder pressure to a 0-4bar outlet pressure required for operation of torches, burners and furnaces for commercial and industrial applications







Technical Infrmation

Inlet options	Numerous possible types of inlet
Outlet options	3/8" BSP thread connector
Outlet pressure options	1.5 / 2.5 / 4bar / Adjustable
Nut material options	Steel or Brass
Body and cover	Die cast zinc alloy
Diaphragm	NBR

Excess Flow Valve -A900

Technical Infrmation

Inlet	Female 3/8" LH
Outlet	Male 3/8" LH
Inlet press	1.5 - 4 bar
Cut off rate	6-8.5 kg/hr
Approved by	DVGW



Gas Cartridge Adaptor Set

Application:

Used in conjunction with a cylinder valve to reduce cylinder pressure to a 0-2 bar outlet pressure required for allowing replacement of gas cartridge with standard gas cylinders.

Technical Infrmation

Inlet options	All
Outlet options	7/16"
Rated capacity	8kg/h
Outlet pressure options	2BAR
Body and cover	Die cast zinc alloy
Diaphragm	NBR
Check valve	Yes





Quick Coupling Version



Unreduced Pressure Coupling
C100/C235is

Compact Coupling C100

Application:

Used in conjunction with a cylinder valve to deliver an unreduced pressure required for operation of torches burners and furnaces for commercial and industrial applications



Technical Infrmation

Inlet options	20/21/22/22.6/27mm
Outlet options	8/11mm, 1/4" LH and 1/2" LH thread
Rated capacity	4 kg/h
Body and cover	Die cast zinc alloy
Valve	With non return valve
	Vertical and Horizontal





Jumbo Coupling C236is

Application:

Used in conjunction with a cylinder valve to deliver an unreduced pressure required for operation of torches burners and furnaces for commercial and industrial applications

Technical Infrmation

Inlet options	35mm
Outlet options	8/10/11mm, 3/8" BSP
	or G1/2" Thread connector
Rated capacity	4 kg/h
Outlet pressure options	Full cylinder pressure
Body and cover	Die cast zinc alloy
Valve	With non return valve
Diaphragm	NBR



PTC HEATER

1. Ceramic heating element
2. Instant heating
3. Adjustable thermostat control
4. 3 Modes, Fan, low heat and high heat
5. Overheat protection
6. Portable and Easy carrying design
7. All Metal Shell and thermal insulation casing
8. No fumes, no odors, no humidity
9. Perfect application for Household, Workshops, Garages etc.



PTC/Ceramic Heater

CB CE ERP EMC LVD



Color Optional

Model No.		SFP2-21B	SFP3-19A	SFP5-23A	SFP5-19A
Power	KW	2	3	5	5
Setting	W	25/1000/2000	25/2000/3000	45/3000/5000	45/3000/5000
Power Supply	V/Hz	220-240V ~ 50Hz	220-240V ~ 50Hz	220-240V ~ 50Hz	400V 3 ~ 50Hz
Type of heating	/	PTC Ceramic	PTC Ceramic	PTC Ceramic	PTC Ceramic
Air flow volume	m^3/H	190	230	500	500
IP Rating	*	IP20	IP20	IP20	IP20
Net Dimension(L*W*H)	mm	195*170*230	230*215*280	300*240*350	300*240*350
Packing Dimension(L*W*H)	mm	215*180*255	245*245*320	330*250*360	330*250*360
Outer Packing Dimension(L*W*H)	mm	445*375*525/8units	510*510*670/8units	——	——
N.W.	Kg	1.4	2.4	4	4
G.W.	Kg	1.8	3	4.5	4.5
Qty/20GP	set	3093	1570	974	974
Qty/40GP	set	6350	3260	2000	2000
Qty/40HQ	set	7056	3660	2334	2334
Heating area/m^3	m^3	10-20	20-30	30-50	30-50






PTC/Ceramic Heater





Color Optional

Model No.		SFP2-22A	SFP2-22C	SFP3-19A
Power	KW	2	2	3
Setting	W	10/1000/2000	25/1000/2000	25/2000/3000
Power Supply	V/Hz	220-240V ~ 50Hz	220-240V ~ 50Hz	220-240V ~ 50Hz
Type of heating	/	PTC Ceramic	PTC Ceramic	PTC Ceramic
Air flow volume	m^3/H	160	190	230
IP Rating	*	IP20	IP20	IP20
Net Dimension(L*W*H)	mm	180*150*225	180*150*225	230*215*280
Packing Dimension(L*W*H)	mm	215*170*255	215*170*255	245*245*320
Outer Packing Dimension(L*W*H)	mm	445*355*525/8units	445*355*525/8units	510*510*670/8units
N.W.	Kg	1.2	1.3	2.4
G.W.	Kg	1.5	1.6	3
Qty/20GP	set	3312	3312	1570
Qty/40GP	set	6786	6786	3260
Qty/40HQ	set	7542	7542	3660
Heating area/m^3	m^2	10-20	10-20	20-30









PTC/Ceramic Heater







Color Optional

Model No.		SFP2-22B	SFP3-22B	SFP5-23B
Power	KW	2	3	5
Setting	W	25/1000/2000	25/2000/3000	45/3000/5000
Power Supply	V/Hz	220-240V ~ 50Hz	220-240V/50Hz	220-240V/50Hz
Type of heating	/	PTC Ceramic	PTC Ceramic	PTC Ceramic
Air flow volume	m^3/H	190	200	480
IP Rating	*	IP20	IP20	IP20
Net Dimension(L*W*H)	mm	180*170*200	180*170*200	220*230*260
Packing Dimension(L*W*H)	mm	215*185*225	215*185*225	260*260*285
Outer Packing Dimension(L*W*H)	mm	445*365*465/8units	445*365*465/8units	540*540*500/8units
N.W.	Kg	1.4	2.2	3.2
G.W.	Kg	1.7	2.8	3.8
Qty/20GP	set	3290	3290	1580
Qty/40GP	set	6730	6730	3234
Qty/40HQ	set	7400	7400	3594
Heating area/m^3	m^2	10-20	20-30	30-50










Electric Heater



Color Optional

Model No.		SFP2-23A	SFP3-23A
Power	KW	2	3
Setting	W	25/1000/2000	35/2000/3000
Power Supply	V/Hz	220-240V ~ 50Hz	220-240V ~ 50Hz
Type of heating	/	PTC Ceramic	PTC Ceramic
Air flow volume	m³/H	260	260
IP Rating	*	IP20	IP20
Net Dimension(L*W*H)	mm	200*230*280	200*230*280
Packing Dimension(L*W*H)	mm	245*230*285	245*230*285
Outer Packing Dimension(L*W*H)	mm	——	——
N.W.	Kg	1.8	2
G.W.	Kg	2.3	2.5
Qty/20GP	set	1860	1860
Qty/40GP	set	3828	3828
Qty/40HQ	set	4306	4306
Heating area/m²	m²	10-20	20-30









ELECTRIC HEATER

1. Stainless steel Heating element
2. Adjustable thermostat control
3. 3 Modes, Fan, low heat and high heat
4. Adjustable Air outlet angle
5. Overheat protection
6. Portable and Easy carrying design
7. All Metal Shell and thermal insulation casing
8. No fumes, no odors, no humidity
9. Perfect application for Household & commercial, Workshops, Garages and Warehouse etc.



Electric Heater

CB CE GS ERP EMC LVD ETL





Color Optional

Model No.		SFG2-23B	SFG3-23B
Power	KW	2	3
Setting	W	35/2000	35/3000
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz
Type of heating	/	Electric Heating Tube	Electric Heating Tube
Air flow volume	m³/H	300	300
IP Rating	*	IP20	IP20
Net Dimension(L*W*H)	mm	200*225*275	200*225*275
Packing Dimension(L*W*H)	mm	245*230*285	245*230*285
Outer Packing Dimension(L*W*H))	mm	——	——
N.W.	Kg	2.7	2..8
G.W.	Kg	3.2	3..3
Qty/20GP	set	1898	1898
Qty/40GP	set	3926	3926
Qty/40HQ	set	4406	4406
Heating area/m³	㎡	117	117









Electric Heater

CB CE GS ERP EMC LVD ETL








Color Optional

Model No.		SFYF3-22A	SFYF5-22A	SFYF9-22A
Power	KW	3	5	9
Setting	W	30/1500/3000	30/2500/5000	52/4500/9000
Power Supply	V/Hz	220-240V~50Hz	400V~50Hz	400V~50Hz
Type of heating	/	Electric Heating Tube	Electric Heating Tube	Electric Heating Tube
Air flow volume	m³/H	345	555	780
IP Rating	*	IPX4	IPX4	IPX4
Net Dimension(L*W*H)	mm	260*250*340	265*255*345	305*285*390
Packing Dimension(L*W*H)	mm	295*295*435	295*295*435	330*330*510
Outer Packing Dimension(L*W*H))	mm	——	——	——
N.W.	Kg	4.6	4.6	7.9
G.W.	Kg	5.4	5.4	8.9
Qty/20GP	set	741	741	509
Qty/40GP	set	1521	1521	1060
Qty/40HQ	set	1714	1741'	1188
Heating area/m³	㎡	117	117	117









Electric Heater



Color Optional

Model No.		SFG3-19A	SFG3-19B
Power	KW	3	3
Setting	W	35/1500/3000	35/1500/3000
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz
Type of heating	/	FinElectric Heating Tube	Electric Heating Tube
Air flow volume	m³/H	380	380
IP Rating	*	IPX4	IPX4
Net Dimension(L*W*H)	mm	300*300*350	300*300*350
Packing Dimension(L*W*H)	mm	315*315*395	315*315*395
Outer Packing Dimension(L*W*H))	mm	——	——
N.W.	Kg	5	5
G.W.	Kg	6	6
Qty/20GP	set	730	730
Qty/40GP	set	1508	1508
Qty/40HQ	set	1730	1730
Heating area/m³	m²	117	117






Electric Heater



Color Optional

Model No.		SFG5-19B	SFG5-22A	SFG9-20B
Power	KW	5	5	9
Setting	W	30/2500/5000	30/2500/5000	50/4500/9000
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Type of heating	/	Electric Heating Tube	Electric Heating Tube	Electric Heating Tube
Air flow volume	m³/H	420	420	780
IP Rating	*	IPX4	IPX4	IPX4
Net Dimension(L*W*H)	mm	350*350*390	350*350*390	400*360*500
Packing Dimension(L*W*H)	mm	385*365*430	385*365*430	430*410*540
Outer Packing Dimension(L*W*H))	mm	——	——	——
N.W.	Kg	7	7	10.6
G.W.	Kg	8	8	12.5
Qty/20GP	set	476	476	290
Qty/40GP	set	1002	1002	597
Qty/40HQ	set	1150	1150	680
Heating area/m³	m²	117	117	117






Electric Heater

CB CE ERP EMC LVD





Color Optional

Model No.		SFG15-23A	SFG22-23A	SFG30-23A
Power	KW	15	22	30
Setting	W	140/7500/15000	200/11000/22000	200/15000/30000
Power Supply	V/Hz	400V 3 ~ 50Hz	400V 3 ~ 50Hz	400V 3 ~ 50Hz
Type of heating	/	Fin Electric Heating Tube	Fin Electric Heating Tube	Fin Electric Heating Tube
Air flow volume	m^3/H	1400	2000	2000
IP Rating	*	IPX4	IPX4	IPX4
Net Dimension(L*W*H)	mm	460*405*550	485*455*605	485*455*605
Packing Dimension(L*W*H)	mm	555*480*525	580*525*580	580*525*580
Outer Packing Dimension(L*W*H)	mm	——	——	——
N.W.	Kg	15	22	22
G.W.	Kg	18	26	26
Qty/20GP	set	192	140	140
Qty/40GP	set	384	292	292
Qty/40HQ	set	464	322	322
Heating area/m^3	m^3	100~150	120~170	150~200









Electric Heater

CB CE ERP EMC LVD





Color Optional

Model No.		SFG15-20A	SFG22-20A	SFG30-20A
Power	KW	15	22	30
Setting	W	140/7500/15000	350/11000/22000	350/15000/30000
Power Supply	V/Hz	400V 3 ~ 50Hz	400V 3 ~ 50Hz	400V 3 ~ 50Hz
Type of heating	/	Fin Electric Heating Tube	Fin Electric Heating Tube	Fin Electric Heating Tube
Air flow volume	m^3/H	1400	2650	2650
IP Rating	*	IPX4	IPX4	IPX4
Net Dimension(L*W*H)	mm	545*580*855	585*675*885	585*675*885
Packing Dimension(L*W*H)	mm	625*480*525	665*525*580	665*525*580
Outer Packing Dimension(L*W*H)	mm	——	——	——
N.W.	Kg	19	26	26
G.W.	Kg	22	30	30
Qty/20GP	set	160	146	146
Qty/40GP	set	336	300	300
Qty/40HQ	set	401	341	341
Heating area/m^3	m^3	75~100	110~145	150~200









INDUSTRIAL DIESEL/KEROSENE HEATER

1. Function on diesel or kerosene
2. Dual Temp display
3. Stainless steel combustion chamber
4. Oil level indicator
5. Overheat protection and Auto cut off protection
6. Time delay function
7. All Metal Shell and thermal insulation casing
8. Danfoss Nozzle and pump (partial model)
9. Perfect application for construction sites, green house, utility/farm buildings, barns and factories

★ Pls note:

1) Direct diesel heaters suitable for well ventilated, open areas and space like factories, warehouses or construction sites

2) Indirect diesel heaters are suitable for poorly ventilated, closed areas and space used by people or animals.



Diesel/Kerosene Heater

CB CE GS ERP EMC LVD ETL







Color Optional

Model No.		SFY10-21A	SFY15-21A	SFY20-21A	SFY20-21B
Type of fule	/	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene
Fuel feed pump	/	Air pump	Air pump	Air pump	Air pump
Heating power	KW	10KW	15KW	20KW	20KW
Motor power	W	186W	186W	230W	230W
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Air flow volume	m^3/H	450	450	550	550
Fuel consumption	Kg/h	0.8	1.2	1.6	1.6
Fuel consumption	L/h	0.9	1.4	1.9	1.9
Tank capacity	L	12	12	12	18
Continuous servisetime/Tank	H	13	8.5	6.5	9.5
Setting Temp	℃	0-99	0-99	0-99	0-99
Net Dimension(L*W*H)	mm	650*260*430	650*260*430	650*260*430	800*320*430
Packing Dimension(L*W*H)	mm	725*350*435	725*350*435	725*350*435	820*350*435
N.W	Kg	13.5	13.5	13.5	14.5
G.W.	Kg	16	16	16	16.6
Qty/20GP	Set	246	246	246	219
Qty/40GP	Set	514	514	514	446
Qty/40HQ	Set	592	592	592	528









Diesel/Kerosene Heater

CB CE GS ERP RoHS EMC LVD ETL





Color Optional

Model No.		SFY20-23A	SFY30-19A	SFY50-19A	SFY60-19A
Type of fule	/	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene
Fuel feed pump	/	Air pump	Air pump	Air pump	Air pump
Heating power	KW	20KW	30KW	50KW	60KW
Motor power	W	230W	230W	340W	340W
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Air flow volume	m³/H	550	750	1100	1100
Fuel consumption	Kg/h	1.6	2.4	4	4.8
Fuel consumption	L/h	1.9	2.8	4.7	5.7
Tank capacity	L	18	26/36	36/56	36/56
Continuous servisetime/Tank	H	10	10/13	8/12	8/12
Setting Temp	℃	0-99	0-99	0-99	0-99
Net Dimension(L*W*H)	mm	925*460*570	925*460*570	1090*490*585	1090*490*585
Packing Dimension(L*W*H)	mm	810*330*495	810*330*495	1045*465*570	1045*465*570
N.W	Kg	18.5	18.5	28	28
G.W.	Kg	20.5	20.5	31	31
Qty/20GP	Set	216	216	98	98
Qty/40GP	Set	434	434	204	204
Qty/40HQ	Set	508	508	228	228









Diesel/Kerosene Heater

CB CE GS ERP RoHS EMC LVD ETL





Color Optional

Model No.		SFY20-22A	SFY30-22A	SFY50-22A	SFY60-22A
Type of fule	/	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene
Fuel feed pump	/	Air pump	Air pump	Air pump	Air pump
Heating power	KW	30KW	30KW	50KW	60KW
Motor power	W	230W	230W	340W	340W
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Air flow volume	m³/H	750	750	1100	1100
Fuel consumption	Kg/h	1.6	2.4	4	4.8
Fuel consumption	L/h	1.9	2.8	4.7	5.7
Tank capacity	L	18	26	56/65	56/65
Continuous servisetime/Tank	H	10	10	12/14	12/14
Setting Temp	℃	0-99	0-99	0-99	0-99
Net Dimension(L*W*H)	mm	805*460*590	805*460*590	1010*515*615	1010*515*615
Packing Dimension(L*W*H)	mm	870*335*505	870*335*505	1080*415*585	1080*415*585
N.W	Kg	22	22	31	31
G.W.	Kg	24	24	34	34
Qty/20GP	Set	179	179	106	106
Qty/40GP	Set	408	408	222	222
Qty/40HQ	Set	430	430	246	246









Diesel/Kerosene Heater


CB CE GS ERP RoHS EMC LVD ETL





Color Optional

Model No.		SFY80-20C	SFY100-20C	SFY120-20C	SFY150-20C
Type of fule	/	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene
Fuel feed pump	/	Gear pump	Gear pump	Gear pump	Gear pump
Heating power	KW	80KW	100KW	120KW	150KW
Motor power	W	550W	550W	900W+250W	900W+250W
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Air flow volume	m³/H	1700	1700	5000	5000
Fuel consumption	Kg/h	6.4	8	9.6	12
Fuel consumption	L/h	7.5	9.5	11	14
Tank capacity	L	65/80	80	115	115
Continuous servisetime/Tank	H	9/11	9	11	9
Setting Temp	℃	0-99	0-99	0-99	0-99
Net Dimension(L*W*H)	mm	1150*560*750	1155*590*750	1720*720*1060	1720*720*1060
Packing Dimension(L*W*H)	mm	1220*435*660	1220*465*660	1760*630*1090	1760*630*1090
N.W	Kg	35	37	110	110
G.W.	Kg	39.5	41.5	130	130
Qty/20GP	Set	72	72	18	18
Qty/40GP	Set	146	140	38	38
Qty/40HQ	Set	175	145	50	50









Diesel/Kerosene Heater

CB CE GS ERP RoHS EMC LVD ETL







Color Optional

Model No.		SFY20-20A	SFY30-20A	SFY50-20A	SFY60-20A
Type of fule	/	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene
Fuel feed pump	/	Air pump	Air pump	Gear pump	Gear pump
Heating power	KW	23KW	36KW	50KW	60KW
Motor power	W	340W	340W	550W	550W
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Air flow volume	m³/H	1100	1100	1700	1700
Fuel consumption	Kg/h	1.6	2.4	4	4.8
Fuel consumption	L/h	1.9	2.8	4.7	5.7
Tank capacity	L	26	36	56	56
Continuous servisetime/Tank	H	14	13	12	10
Setting Temp	℃	0-99	0-99	0-99	0-99
Net Dimension(L*W*H)	mm	1000*500*660	1000*500*660	1400*590*950	1400*590*950
Packing Dimension(L*W*H)	mm	1020*415*560	1020*415*560	1300*470*750	1300*470*750
N.W	Kg	23	24	58	58
G.W	Kg	27	28	63	63
Qty/20GP	Set	113	113	60	60
Qty/40GP	Set	240	240	122	122
Qty/40HQ	Set	278	278	135	135









Diesel/Kerosene Heater


CB CE GS ERP RoHS EMC LVD ETL



Color Optional

Model No.		SFY20-23A	SFY30-23A	SFY50-23A	SFY60-23A
Type of fule	/	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene
Fuel feed pump	/	Air pump	Air pump	Gear pump	Gear pump
Heating power	KW	20KW	30KW	50KW	60KW
Motor power	W	340W	340W	550W	550W
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Air flow volume	m³/H	1100	1100	1700	1700
Fuel consumption	Kg/h	1.6	2.4	4	4.8
Fuel consumption	L/h	1.9	2.8	4.7	5.7
Tank capacity	L	26	56	65	65
Continuous servisetime/Tank	H	19	20	14	12
Setting Temp	℃	0-99	0-99	0-99	0-99
Net Dimension(L*W*H)	mm	1000*500*660	1000*530*660	1400*590*950	1400*590*950
Packing Dimension(L*W*H)	mm	1080*415*560	1080*415*560	1360*470*750	1360*470*750
N.W	Kg	27	30	60	60
G.W.	Kg	31	34	65	65
Qty/20GP	Set	107	107	52	52
Qty/20GP	Set	220	220	108	108
Qty/20GP	Set	260	260	133	133







Diesel/Kerosene Heater

CB CE GS ERP RoHS EMC LVD ETL




Color Optional

Model No.		SFY20-23D-F	SFY40-23D-F
Type of fule	/	Diese/Kerosene	Diese/Kerosene
Fuel feed pump	/	Gear pump	Gear pump
Heating power	KW	20KW	40KW
Motor power	W	52.5+35W	160W
Power Supply	V/Hz	220-240V~50Hz	220-240V~50Hz
Air flow volume	m³/H	450	/
Fuel consumption	Kg/h	1.6	3.2
Fuel consumption	L/h	1.9	3.8
Tank capacity	L	15	50
Continuous servisetime/Tank	H	8	13
Setting Temp	℃	0-99	0-99
Net Dimension(L*W*H)	mm	575*340*635	925*635*860
Packing Dimension(L*W*H)	mm	600*380*605	720*700*950
N.W	Kg	17	30
G.W.	Kg	19	36
Qty/20GP	Set	192	54
Qty/20GP	Set	400	108
Qty/20GP	Set	473	130



LPG/Propane Heater

CB CE GS ERP EMC LVD ETL





Color Optional

Model No.		SFY135-23A-ID	SFY135-23C-ID	SFY220-23A-ID	SFY220-23C-ID
Type of fule	/	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene	Diese/Kerosene
Heating power	KW	135	135	220	220
Power supply	V/Hz	220-240V~50Hz	380-400V~50Hz	380-400V~50Hz	380-400V~50Hz
Air flow volume	m³/H	8500	8500	14000	14000
Motor type	/	Axial Flow motor	Certrifugal motor	Axial Flow Motor	Certrifugal motor
Motor power	W	1550	2600	2750	4400
Fuel consumption	Kg/h	11.5	11.5	19	19
Fuel consumption	L/h	13.4	13.4	22	22
Tank capacity	L	without	without	without	without
Pressire	Bar	10	10	10	10
Net Dimension(L*W*H)	mm	1710*706*1310	2100*730*1380	2130*780*1520	2550*825*1600
Packing Dimension(L*W*H)	mm	1760*780*1270	2170*810*1500	2180*860*1520	2600*870*1900
N.W	Kg	250	370	360	450
G.W.	Kg	300	410	410	500
Qty/20GP	Set	7	7	4	4
Qty/20GP	Set	14	14	8	8
Qty/20GP	Set	14	14	8	8









INDUSTRIAL LPG/PROPANE HEATER

1. Function on propane gas (LPG)
2. One touch ignition
3. Stainless steel combustion chamber
4. Oil level indicator
5. Overheat protection
6. Auto cut off protection avoid gas leaking
6. Ignition type: Automatically/Piezo
7. All Metal Shell and thermal insulation casing
8. Regulator & 1.5m hose included
9. Perfect application for construction sites, green house, utility/farm buildings, barns and factories



LPG/Propane Heater



Color Optional

Model No.		SFQ10-22A	SFQ15-22A	SFQ30-22A	SFQ50-22A
Gas		G30/G31	G30/G31	G30/G31	G30/G31
Heating Power	KW	10	15	30	50
Air flow volume	m³/H	320	320	650	800
Rated Voltage	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Motor power input	W	30	30	70	70
Max.gas consuption	G/H	727	1091	2183	3600
IP Rating		IPX4	IPX4	IPX4	IPX4
Gas Pressure	Bar	0.7	0.7	0.7	1.5
Net Dimension(L*W*H)	mm	380*190*305	380*190*305	475*220*350	605*220*350
Packing Dimension(L*W*H)	mm	405*220*290	405*220*290	500*255*355	630*255*355
N.W.	Kgs	3.3	3.3	5.3	6.1
G.W.	Kgs	4.6	4.6	6.9	7.7
Qty/20GP	Set	1168	1168	594	485
Qty/40GP	Set	2400	2400	1230	986
Qty/40HQ	Set	2700	2700	1435	1132



LPG/Propane Heater



Color Optional

Model No.		SFQ30B-22A	SFQ40B-22A	SFQ50B-22A
Gas		G30/G31	G30/G31	G30/G31
Heating Power	KW	30	40	50
Air flow volume	m³/H	650	650	800
Rated Voltage	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Motor power input	W	70	70	70
Max.gas consuption	G/H	2183	2910	3600
IP Rating		IPX4	IPX4	IPX4
Gas Pressure	Bar	0.7	1.5	1.5
Net Dimension(L*W*H)	mm	475*220*350	575*220*350	605*220*350
Packing Dimension(L*W*H)	mm	500*255*355	600*255*355	630*255*355
N.W.	Kgs	5.3	5.9	6.1
G.W.	Kgs	6.9	7.6	7.7
Qty/20GP	Set	612	520	486
Qty/40GP	Set	1242	1078	986
Qty/40HQ	Kgs	1449	1250	1155



LPG/Propane Heater

CB CE GS ERP RoHS EMC LVD ETL



Model No.		SFQ50-21A	SFQ60-21A	SFQ70-21A
Gas		LPG	LPG	LPG
Heating Power	KW	50KW	60KW	70KW
Air flow volume	m³/H	1700	1700	1700
Rated Voltage	V/Hz	220-240V~50Hz	220-240V~50Hz	220-240V~50Hz
Motor power input	W	370	370	370
Max.gas consuption	G/H	3630	4400	5100
IP Rating		IPX4	IPX4	IPX4
Gas Pressure	Bar	2	2	2
Net Dimension(L*W*H)	mm	660*530*800	660*530*800	660*530*800
Packing Dimension(L*W*H)	mm	742*612*806	742*612*806	742*612*806
N.W.	Kgs	50	50	50
G.W.	Kgs	54	54	54
Qty/20GP	Set	74	74	74
Qty/40GP	Set	150	150	150
Qty/40HQ	Kgs	170	170	170






LPG/Propane Heater

CB CE GS ERP RoHS EMC LVD ETL




Color Optional

Model No.		SFQ13S-23A-ID	SFQ13S-23C-ID	SFQ22S-23A-ID	SFQ22S-23C-ID
Type of fule	/	Nature Gas	Nature Gas	Nature Gas	Nature Gas
Heating Power	KW	13S	13S	22S	22S
Power supply	V/Hz	220-240V~50Hz	380-400V~50Hz	380-400V~50Hz	380-400V~50Hz
Air flow volume	m³/h	8500	8500	14000	14000
Motor type	/	Axial Flow motor	Cetrifugal motor	Axial Flow motor	Cetrifugal motor
Motor power	W	1550	2600	2750	4400
Gas consumption	m³/h	13	13	22	22
Pressure	Bar	10	10	10	10
Packing Dimension(L*W*H)	mm	1710*706*1310	2100*730*1380	2130*780*1520	2550*825*1600
Packing Dimension(L*W*H)	mm	1760*780*1270	2170*790*1500	2180*860*1520	2600*870*1900
N.W.	Kgs	250	370	360	450
G.W.	Kgs	300	410	410	500
Qty/20GP	Set	7	7	4	4
Qty/40GP	Set	14	14	8	8
Qty/40HQ	Set	14	14	8	8







001M54P-00


001M66P-00


002M6P-00


002M8P-00


003M7P-00


003M7P-01


003M9P-00


003M13P-00


003M13P-01


003M17P-00


003M17P-01


004M11P-00


004M11P-01


005M8P-00


005M10P-01


005M14P-00


006M20P-00


006M20P-07


006M20P-10


006M20P-11


009M13P-00


009M13P-01


010M16P-00


010M16P-01


010M16P-02


010M16P-10


010M16P-11


010M20P-12


011M16P-00


011M16P-01


011M16P-03


011 M16P-05


011M26P-00


011M26P-01


012 M16P-00


012 M16P-01


012 M16P-03


012 M16P-10


012 M16P-11


012 M16P-12


012 M16P-13


012 M16P-14


013M8P-08


013M8P-10


013M16P-00


013M16P-01


013M16P-02


013M16P-03


013M16P-04


013M16P-05


013M16P-09


013M16P-10


013M16P-20


013M16P-40


013M16P-41


013M16P-P1


013M16P-P2


013M16P-P3


013M16P-P7


013M16P-P8


014M12P-00


014M20P-10


014M36P-00


019M20P-00


019M20P-10


022M2P-00


022M4P-0F


022M4P-00


022M5P-00


023M4P-00


023M6P-01


023M10P-00


023M12P-00


023M12P-01


025M50P-00


026M16P-00


026M20P-00


026M24P-00


027M4P-00


027M6P-00


027M8P-00


028M16P-10


028 M16P-11


030M4P-00

汽车连接器
AUTOMOBILE CONNECTOR


030M4P-01


030M8P-01


030M12P-01


030M12P-00


030M12P-01


030M16P-00


032M12P-P0


032M16P-P0


032M20P-20


032M27P-20


032M52P-20


032M52P-22



032M52P-41


032M52P-50


034M20P-00


036M24P-00


037M17P-00


037M24P-00


037M34P-00


038M3P-00


039M24P-01


039M26P-00


039M26P-01


040M42P-00


044M8P-00


044M10P-00


044M12P-00


044M16P-00


044M20P-00


044M24P-00


044M28P-00


044M32P-00


044M40P-00


045M12P-00


045M14P-00


045M16P-00


045M20P-00


045M24P-00


045M28P-00


049M10P-00


049M10P-03


049M16P-00


049M16P-10


052M5P-00


052M10P-00


052M14P-00


054M16P-01


054M18P-P0


054M19P-P0


054M20P-P1


054M23P-P0


054M34P-00


054M36P-01


054M36P-02


054M36P-20


054M36P-21


054M36P-21B


054M36P-A0


054M36P-P4


054M36P-P8


054M36P-PA


056M4P-00


056M5P-00


056M8P-00


056M14P-00


057M14P-00


058M44P-00


059M-20P-P0


062M8P-30


062M16P-19


062M16P-30


062M16P-40


062M16P-P0


062M16P-P1


064M18P-P0


064M36P-00


064M36P-01


064M36P-02


064M36P-05


064M36P-20A


064M36P-33


064M36P-33B


064M36P-34


064M36P-36


064M36P-37


064M36P-38


064M36P-P33


066M16P-P0


066M34P-P0


066M40P-00


067M30P-01


068M22P-02


068M22P-A1


068M30P-P0


068M30P-P1


068M36P-02


068M36P-11


068M36P-P2


068M36P-P3


068M46P-00


068M46P-P0


072BM26P-00


072M17P-P0


072M17P-P1


072M18P-P0


072M40P-00


072M40P-01


072M40P-02


072M40P-11


072M40P-13


072M40P-P1


072M40P-50


072M40P-50A-P2


074M14P-00


074M14P-01


074M14P-10


075M4P-00


077M16P-00


077M20P-00


079M8P-00


079M12P-01


079M20P-00


079M20P-01


080M12P-00


080M25P-00


082M12P-00


091M20P-01


091M36P-00


091M36P-01


091M36P-12


091M42P-00


091M50P-00


091M50P-01


091M52P-00


091M52P-01


091M54P-00


091M54P-01


091M54P-02


091M68P-01


091M72P-00


091M72P-01


091M74P-00


091M74P-01


093M32P-00


093M60P-00


093M60P-01


093M60P-02


093M60P-10


093M60P-11


094M8P-00


094M8P-01


095M20P-00


096M20P-00


097M3P-00


098M20P-00


098M20P-01


100M4P-00


131M16P-00


137M4P-00


139M25P-00


139M50P-00


143M38P-00


143M54P-00


158M26P-00


159M26P-00


163M52P-00


165M80P-00


171M73P-00


014M10P-00


015M18P-00


015M36P-00


044M8P-01


044M10P-01


044M12P-01


044M16P-01


044M24P-01


044M28P-01


044M32P-01


044M40P-01


060M18P-03


060M18P-04


060M26P-01


060M26P-02


060M26P-03


060M26P-04


060M32P-00


060M32P-01


061M20P-00


075M14P-00


075M16P-00


085M8P-00


088M20P-00


020TX1P-00


020TX1P-04


020TX1P-05


020TX1P-06


020TX1P-08


020TX1P-09


020TX1P-10


020TX1P-11


020TX1P-12


020TX1P-13


020TX1P-14


020TX1P-15


020TX1P-16


020TX1P-17


020TX1P-21


020TX1P-22


020TX1P-23


020TX1P-27


021TX1P-02


021TX1P-05


021TX1P-05(GPS)


021TX1P-06A 黑色


021TX1P-06B 白色


021TX1P-06C 蓝色

汽车连接器
AUTOMOBILE CONNECTOR


021TX1P-08


021TX1P-08A 黑色


021TX1P-08A-0TB 白色


021TX1P-08A-0TD 紫红色


021TX1P-08A-07A


021TX1P-08A-07F 紫红色


021TX1P-08B 白色


021TX1P-09A 黑色


021TX1P-09B 白色


021TX1P-09C 蓝色


021TX1P-10A 黑色


021TX1P-10B 白色


021TX1P-10C 蓝色


021TX1P-13


021TX1P-13B


021TX1P-14


021TX1P-14A


020TX1P-14B


020TX1P-14C


021TX1P-14D


021TX1P-14E


021TX1P-14G


021TX1P-14H


021TX1P-14K

汽车连接器
AUTOMOBILE CONNECTOR


021TX1P-18A


021TX1P-19E


021TX1P-19Z



021TX1P-24


021TX1P-25A


021TX2P-00


021TX2P-01(GPS)


021TX4P-02X


106TX1P-00

更多产品
敬请期待
.....


033HSD4P-01C


033HSD4P-01D


033HSD4P-01E


033HSD4P-02A


033HSD4P-02B


033HSD4P-02C


033HSD4P-04K


033HSD4P-07A


033HSD4P-07B


033HSD4P-07C


033HSD4P-11A


033HSD6P-01D


033HSD6P-01Z


033HSD6P-02D


033HSD6P-02Z


033HSD8P-A3

更多产品
敬请期待
.....


105M4P-00


105M4P-01


105M4P-02


105M4P-11


105M4P-12


105M4P-13


105M4P-14


105M4P-21


105M4P-22

更多产品
敬请期待
.....


033MINIUSBCZ5P-02


033MINIUSBCZ5P-03


033MINIUSBM5P-04


033MINIUSBM5P-20


033MINIUSBCZ5P-31


033MINIUSBCZ5P-32


033MINNIUSBM5P-33


033MINIUSBM5P-50


033USBM4P-01


033USBM4P-03


033USBM4P-06


033USBM10P-00


033HSD4P-13


155M36P-00


156M5P-00


156M6P-00


156M10P-00


156M防水塞

更多产品
敬请期待
.....


008M2P-02


008排针4P-00


008排针2P-00


008排针5P-20


008排针9P-00


008排针14P-00


008排针16P-00


008排针24P-00


008双排针4P-00


008双排针8P-00


008排针8P-15


008双排针10P-00


008双排针12P-00


008双排针12P-15


008双排针14P-00


008双排针14P-40


008双排针42P-10


008双排针44P-00


008双排母44P-00


008三排针18P-01


008三排针21P-02


008双排座-1


022M2P-00


108M4P-00


109M6P-00


126 M3P-00


126 M4P-00


134 M22P


134 M52P


157 M14P-00


157 M14P-01


200M12P-00

更多产品
敬请期待
.....


001M4P-00


001M6P-00


001M8P-00


001M8P-00

001M10P-00


001M14P-00


004M外壳


004M11P-00


006M20P-00


006M20P-00


011M16P-00


026M2P-00

汽车连接器
AUTOMOBILE CONNECTOR


027 M8P-00


027 M12P-00


044 M20P-00


111 减震器


112 减震垫


122 橡胶护套


123 减震器


124 旋钮


7016塑胶

更多产品
敬请期待
.....


004W11P-00


007W4P-00


011DZXW0002


011DZXW0008


013W5P-00


013W8P-00


018W40P-00


018公座线束13P-00


021FAKW0004


021FAKW0006


021FAKW0010


024W2P-00

汽车线束
AUTOMOTIVE WIRING HARNESS

电源线束
HSD线束
FAKRA线束
SMB线束
防水线束
充电桩线束
LVDS-USB


024W2P-01


027W6P-00


027W8P-00


030W8P-00


030W14P-02


030W14P-03


044W12P-00


047W4P-00


047W4P-02


103W15P-00


107单芯屏蔽线


110W1P-00


110W1P-01


110W1P-02


110W1P-03


110W1P-04


110W1P-05


110W1P-06


110W1P-07


112W1P-00


112W1P-03


113W6P-00


114W6P-00


114W6P-01

汽车线束
AUTOMOTIVE WIRING HARNESS

电源线束
HSD线束
FAKRA线束
SMB线束
防水线束
充电桩线束
LVDS-USB


116W2P-00


128W2P-00


132W18P-00


200W12P-00


358W8P-02


D11D8XW0011


音频连接线

更多产品
敬请期待
.....


033HSD-USBW-1000A


033HSD-USBW-1001


033HSD-W0004


033HSDW4P-00


033HSDW0027


033HSDWF4P


033HSDWF4P


033HSDWF6P


033HSDWF6P


138MW10P-00

更多产品
敬请期待
.....


021TXF1P-00A-1000


021TXF1P-00C-1000


021TXF1P-00Z


021TXF1P-24-1000


021TXF4P-00-1000

更多产品
敬请期待
.....


021FAKW0002


021FAKW0003


021FAKW0005


021FAKW0008


021RAKW0012

更多产品
敬请期待
.....



021TX1P-17C



033HSD4P-06



033HSDW4P-08



033HSDW4P-08A



155W36P-00

更多产品
敬请期待
.....



201W1P-01



201W1P-02



201W1P-03



201W1P-04



201W1P-05

更多产品
敬请期待
.....



033USBW4P-00



033USBW5P-00



033USBW5P-01



033USBW5P-04



033USBW5P-05



033USBW5P-06



033USBW5P-08



033USBW5P-09



033USBW5P-50



033USBW10P-00



033USBW0018



033USBW0024



104USBW4P-01



104USBW4P-02



104USBW4P-03



104USBW8P-00



104W4P-00

更多产品
敬请期待
.....



48 导航罩弹卡



48A 不锈钢弹卡



54 小夹子



54B 小夹子



54C 小夹子



56 小夹子



74 小夹子



74-1 小夹子



78A 天线卡扣



78B 天线卡扣



78C 天线卡扣



78D 天线卡扣



143 夹子

更多产品
敬请期待
.....

汽车金属件
AUTOMOTIVE METAL PARTS



01 SD接地片



02 开关板接地片



03 SD接地片



04 开关接地片



05 SD接地片



06 TF卡接地片



07 电镀框接地片



08 SD卡接地片



09 SD卡接地片



09-1 SD卡接地片



09-2 SD卡接地片



10 SD卡接地片


11 不锈钢弹卡


12 不锈钢弹卡


14 SD罩接地片


15 弹簧片


16 SD卡接地片


16-1 接地弹片


16-2 接地弹片


16-3 接地弹片


16-5.4 接地弹片


17 SD卡接地片


17-2 接地弹片


18 SD卡接地片

汽车金属件
AUTOMOTIVE METAL PARTS

手机壳
五金配件
其他


22 SD 卡接地片


23 SD 接地片


24 SD 卡接地片


25 SD 卡接地片


26 SD 卡接地片


27 SD 卡接地片


27-1 接地弹片


27-2 接地弹片


28 按键弹片


29 屏蔽支架


31 SD 卡接地片


36 不锈钢弹卡-左


37 不锈钢弹卡-右


44 接地片


50 显示屏支架


51接地片


51-1接地片


52 贴片接地弹片


52A-3 贴片接地弹片


53 贴片接地弹片


53-1接地片


53-4接地弹片


53-5接地弹片


53-6接地弹片


53-7 接地弹片


53-9 接地弹片


57 SD卡接地片


72 接地弹片


72-1 接地弹片


79A 接地弹片


80A 弹片


114 接地弹片


119 接地弹片


119A 接地弹片


119A-3 接地弹片


119A-4 接地弹片


134-1 弹片


135-1 弹片


136 接地弹片


136-1 接地弹片


140 弹片


141 接地弹片


144 接地弹片


145 支架


151 接地弹片


152 电池弹片


166 接地弹片


167 接地弹片


168左电机弹片


169 左电机弹片


170 弹片


171 弹片


176 弹片


184 接地弹片

更多产品
敬请期待
.....


30 屏蔽罩


45 屏蔽罩上盖


46 屏蔽罩上盖


47 屏蔽罩上盖


55 TFT排线屏蔽罩


60 屏蔽罩


61 屏蔽罩


62 屏蔽罩


66 屏蔽罩


67 屏蔽罩


68 屏蔽罩


70 屏蔽罩


71 屏蔽罩



73 LCD屏蔽罩


75 屏蔽罩


76 屏蔽罩


77 屏蔽罩


81 屏蔽罩


85 屏蔽罩


86 屏蔽罩


87 屏蔽罩


88 屏蔽罩


93 屏蔽罩


99 屏蔽罩


104 屏蔽罩


105 屏蔽罩


107 屏蔽罩


108 屏蔽罩


109 屏蔽罩


110 散热器


112 屏蔽罩


113 屏蔽罩


115 屏蔽罩


116 屏蔽罩



117 屏蔽罩


118 屏蔽罩



120 屏蔽罩


121 屏蔽罩



122 屏蔽罩



125 屏蔽罩



126 屏蔽罩


127 屏蔽罩


128 屏蔽罩


129 屏蔽罩


131 屏蔽罩


132 屏蔽罩


133 屏蔽罩


134 屏蔽罩


138 屏蔽罩


139 屏蔽罩


148 屏蔽罩


149 屏蔽罩


150 屏蔽罩


154 屏蔽罩


155 屏蔽罩


172 屏蔽罩


173 屏蔽罩


174 屏蔽罩


177 屏蔽罩


180 屏蔽罩


181 屏蔽罩


182 屏蔽支架


185 屏蔽支架


186 屏蔽罩


915 方屏蔽罩


916 长屏蔽罩


1639 屏蔽罩

更多产品
敬请期待
.....



- 125MM BENCH GRINDER
  - TDS-125A
  - DSM125
- 150MM BENCH GRINDER
  - TDS-150EB
  - DSM150
  - HBG625LA
  - TDS-150
  - TDS-150C
- 200MM BENCH GRINDER
  - TDS-200EBL2
  - TDS-200EBL3
  - HBG825L
  - TDS-200
  - TDS-200S
- 250MM BENCH GRINDER
  - TDS-250

KIMPORT

BENCH GRINDER 砂轮机

TDS-125A

250W



Powerful 250W motor delivers smooth, accurate results.
强大的250W电机，带来平顺和精确的打磨效果。

Optional battery LED lights
可选电池LED灯

Adjustable eyeshield and spark deflector
可调节护目镜和火花挡板



Stable work rest,tool-less adjustable
可靠的托架无需工具即可调节

Rigid steel base ensures running stability.
坚固的钢板底座，确保运行平稳。

CE certified 125mm bench grinder with adjustable work rests, optional battery LED lights to illuminate the workpiece. It is suitable for resuscitate old worn down knives, drills and various hardware tools.

CE认证的带有可调节托架的125mm砂轮机，可选电池LED灯，可以照亮工件。适用于恢复磨损的旧刀、钻头和各种五金工具件。

DIY HOME USE 125MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V/50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-125A	S1 150W, S2 30min 250W	125x20x12.7	36#/60#	2980	345x240x245	6/6.5	1928	3784	4830	78.1	91.1

KIMPORT

BENCH GRINDER 砂轮机

DSM125

200W

Low-noise and low-vibration, maintenance-free induction motor
低噪音，低震动，免维修感应电机。

Eyeshield: Angle adjustable front and rear adjustable
护目镜：角度可调，前后可调

Adjustable spark deflector
可调节火花挡板



Strong metal tool rests
坚固的金属托架

Protective cover bayonet lock for quick and simple wheel change
快速打开护罩方便换砂轮

Dust proof rocker switch
防尘开关

Strong cast AL base for increasing stability
坚固铸铝底座增加机器稳定性



This semi-professional bench grinder with quick released steel wheel guard is suitable for resuscitate old worn down knives, drills and various hardware tools.

这款半专业砂轮机，配有快速换砂轮护罩，适用于修磨磨损的旧刀、钻头和各种五金工具件。

SEMI-PROFESSIONAL 125MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粗度	Motor Speed 马达转速 (rpm)		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230V, 50/60Hz	mm	(Left/Right)	50Hz	60Hz	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
DSM125	S1 125W, S2 30min 200W	125x20x20	36#/60#	2980	3580	370x250x245	7.5/9	1350	2700	3250	66.44	79.44

KIMPORT

BENCH GRINDER 砂轮机

TDS-150EB

250W



Powerful 250W motor delivers smooth, accurate results.
强大的250W电机，带来平顺和精确的打磨效果。

Optional battery LED lights (Item no.TDS-150EBL2)
可选电池LED灯

Adjustable eyeshield and spark deflector
可调节护目镜和火花挡板



Stable work rest,tool-less adjustable
可靠的托架无需工具即可调节

Rigid steel base ensure running stability.
坚固的钢板底座，确保运行平稳。

CE certified 150mm bench grinder with adjustable work rests, optional battery LED lights to illuminate the workpiece. It is suitable for resuscitate old worn down knives, drills and various hardware tools.

CE认证的带有可调节托架的150mm砂轮机，可选电池LED灯，可以照亮工件。适用于恢复磨损的旧刀、钻头和各种五金工具件。

DIY HOME USE 150MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-150EB	S1 150W, S2 30min 250W	150x20x12.7	36#/60#	2980	345x240x245	6.5/7.6	1485	2889	3320	78.1	91.1

KIMPORT

BENCH GRINDER 砂轮机

DSM150

350W

Low-noise and low-vibration, maintenance-free induction motor
低噪音，低震动，免维修感应电机。

Eyeshield: Angle adjustable front and rear adjustable
护目镜：角度可调，前后可调

Adjustable spark deflector
可调节火花挡板



Strong metal tool rests
坚固的金属托架

Protective cover bayonet lock for quick and simple wheel change
快速打开护罩方便换砂轮

Dust proof rocker switch
防尘开关

Strong cast AL base for increasing stability
坚固铸铝底座增加机器稳定性



This semi-professional bench grinder with quick released steel wheel guard is suitable for resuscitate old worn down knives, drills and various hardware tools.

这款半专业砂轮机，配有快速换砂轮护罩，适用于修磨磨损的旧刀、钻头和各种五金工具件。

SEMI-PROFESSIONAL 150MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速(rpm)		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230V, 50/60Hz	mm	(Left/Right)	50Hz	60Hz	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
DSM150	S1 200W, S2 30min 350W	150x20x20	36#/60#	2980	3580	370x250x245	9.5/11	1350	2700	3250	63.5	76.5

KIMPORT

BENCH GRINDER 砂轮机

HBG625LA

370W



- CE certified 150mm grinder with 370W streamlined double shell induction motor
- Accept both wire wheel and grinding wheel
- Targeted for hobby to professionals
- It is suitable for resuscitate old worn down knives, drills and various hardware tools.

CE认证的150mm砂轮机，配有370W流线型双层壳感应马达
可安装标准砂轮片以及钢丝轮
满足从爱好者到专业人员的不同需要
它适用于恢复磨损的旧刀、钻头和各种五金工具件.

PROFESSIONAL 150MM BENCH GRINDER WITH LED LIGHT

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
HBG625LA	S1 250W, S2 30min 370W	150x25x12.7	36#/60#	2980	440x255x290	10/11	960	1920	2196	78.1	91.1

KIMPORT

BENCH GRINDER 砂轮机

TDS-150

370W

Eyeshield: Angle adjustable front and rear adjustable
护目镜：角度可调，前后可调


Powerful induction motor for long use life
强大的感应电机，使用时间长

Adjustable spark deflector
可调节火花挡板



Strong steel tool rest
坚固的钢板工作台

The cast iron base and sturdy body reduce vibration to give the smooth operation
铸铁底座和坚固的机身减少振动，使操作更加平稳。



No-voltage release with quick stop function
带有快速停止功能的电磁开关



WA grinding wheel

This bench grinder has a long-established reputation for robustness and reliability, making it the perfect choice for the home workshop. This new and upgraded machine has an industrial-inspired design with a heavy-duty motor and offers improved power, stability and performance.It is suitable for resuscitate old worn down knives, drills and various hardware tools.

这台砂轮机因其坚固性和可靠性而久负盛名，使其成为家庭作坊的最佳选择。 这款全新升级的机器具有工业化的设计，配备重型电机，并提供更好的动力、稳定性和性能。适用于恢复磨损的旧刀、钻头和各种五金工具件。

PROFESSIONAL 150MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-150	S1 250W, S2 30min 370W	150x20x12.7 150x25x12.7	36#/60#	2980	427x310x280	8.3/9.6	824	1616	1854	62.6	75.6

KIMPORT

BENCH GRINDER 砂轮机

TDS-150C

550W

Eyeshield: Angle adjustable front and rear adjustable
护目镜：角度可调，前后可调


Powerful induction motor for long use life
强大的感应电机，使用时间长

Adjustable spark deflector
可调节火花挡板



Wide adjustable cast alu tool rests with solid locking mechanisms to give optimum support
宽大的可调整的铸铝工具架，具有牢固的锁定机制，提供最佳的支持。

The cast iron base and sturdy body reduce vibration to give the smooth operation
铸铁底座和坚固的机身减少振动，使操作更加平稳。



No-voltage release with quick stop function
带有快速停止功能的电磁开关



WA grinding wheel

This bench grinder has a long-established reputation for robustness and reliability, making it the perfect choice for the home workshop. This new and upgraded machine has an industrial-inspired design with a heavy-duty motor and offers improved power, stability and performance.It is suitable for resuscitate old worn down knives, drills and various hardware tools.

这台砂轮机因其坚固性和可靠性而久负盛名，使其成为家庭作坊的最佳选择。 这款全新升级的机器具有工业化的设计，配备重型电机，并提供更好的动力、稳定性和性能。适用于恢复磨损的旧刀、钻头和各种五金工具件。

PROFESSIONAL 150MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-150C	S1 370W, S2 30min 550W	150x20x12.7 150x25x12.7	36#/60#	2980	427x310x280	14.5/15.8	824	1616	1854	63.8	76.8

KIMPORT

BENCH GRINDER 砂轮机

TDS-200EBL2

500W

Powerful 500W motor delivers smooth, accurate results.
强大的500W电机，带来平顺和精确的打磨效果。



3 bulbs LED light with independent switch
带独立开关的3头LED灯

Adjustable eyeshield and spark deflector
可调节护目镜和火花挡板



Stable work rest,tool-less adjustable
可靠的托架无需工具即可调节

Cast aluminum base
铝压铸底座



Optional flexible LED working light
可选灵活的LED灯

These TDS-200EBL2 and TDS-200EBL3 bench grinders are the ideal tool for home and light industrial workshops. Incorporation a cast alloy base and led lighting they are the perfect choice for the discerning user. K36, K60 and K100 grinding wheels satisfy virtually all workshop requirements.

这两款TDS-200EBL2和TDS-200EBL3砂轮机是家庭和轻工业车间的理想工具。铸造合金底座和LED照明，它们是挑剔的用户的完美选择。K36、K60和K100砂轮片几乎可以满足所有车间的要求。

200MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-200EBL2	S1 250W, S2 10min 500W	200x20x15.88	36#/60#	2980	425x320x310	11.5/13	637	1356	1512	77.5	90.5

KIMPORT

BENCH GRINDER 砂轮机

TDS-200EBL3

500W



Powerful 500W motor delivers smooth, accurate results.
强大的500W电机，带来平顺和精确的打磨效果。

3 bulbs LED light with independent switch
带独立开关的3头LED灯

Adjustable eyeshield and spark deflector
可调节护目镜和火花挡板



40mm wide WA grinding wheel for low temperature sharpening
40mm宽白刚玉砂轮片对工件进行低温磨削

Stable work rest,tool-less adjustable
可靠的托架无需工具即可调节

Cast aluminum base
铝压铸底座



Optional flexible LED working light
可选灵活的LED灯

These TDS-200EBL2 and TDS-200EBL3 bench grinders are the ideal tool for home and light industrial workshops. Incorporation a cast alloy base and led lighting they are the perfect choice for the discerning user. K36, K60 and K100 grinding wheels satisfy virtually all workshop requirements.

这两款TDS-200EBL2和TDS-200EBL3砂轮机是家庭和轻工业车间的理想工具。铸造合金底座和LED照明，它们是挑剔的用户的完美选择。K36、K60和K100砂轮片几乎可以满足所有车间的要求。

200mm BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-200EBL3	S1 250W, S2 10min 500W	200x20x15.88 200x40x15.88	60#/100#	2980	440x320x310	13.5/15	637	1307	1400	77.5	90.5

KIMPORT

BENCH GRINDER 砂轮机

HBG825L

550W



- CE certified 200mm grinder with 550W streamlined double shell induction motor
- Accept both wire wheel and grinding wheel
- Targeted for hobby to professionals
- It is suitable for resuscitate old worn down knives, drills and various hardware tools.

CE认证的200mm砂轮机，配有550W流线型双层壳感应马达
可安装标准砂轮片以及钢丝轮
满足从爱好者到专业人员的不同需要
它适用于恢复磨损的旧刀、钻头和各种五金工具件

PROFESSIONAL 200MM BENCH GRINDER WITH LED LIGHT

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
HBG825L	S1 370W, S2 30min 550W	200x25x15.88	36#/60#	2980	480x345x325	15/16.5	560	1120	1200	78.8	91.8

KIMPORT

BENCH GRINDER 砂轮机

TDS-200

550W

Eyeshield: Angle adjustable front and rear adjustable
护目镜：高度可调，前后可调

Powerful induction motor for long use life
强大的感应电机，使用时间长


Adjustable spark deflector
可调节火花挡板



Wide adjustable cast alu tool rests with solid locking mechanisms to give optimum support
宽大可调整的铸铝工具架，具有牢固的锁定机制，提供最佳的支持。

The cast iron base and sturdy body reduce vibration to give the smooth operation
铸铁底座和坚固的机身减少振动，使操作更加平稳。

No-voltage release switch with quick stop function
带有快速停止功能的电磁开关





WA grinding wheel

This bench grinder has a long-established reputation for robustness and reliability, making it the perfect choice for the home workshop. This new and upgraded machine has an industrial-inspired design with a heavy-duty motor and offers improved power, stability and performance.It is suitable for resuscitate old worn down knives, drills and various hardware tools.

这台砂轮机因其坚固性和可靠性而久负盛名，使其成为家庭作坊的最佳选择。 这款全新升级的机器具有工业化的设计，配备重型电机，并提供更好的动力、稳定性和性能。适用于恢复磨损的旧刀、钻头和各种五金工具件。

PROFESSIONAL 200MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-200	S1 370W, S2 30min 550W	200x25x15.88	36#/60#	2980	427x310x280	16/17.5	675	1350	1625	63.8	76.8

BENCH GRINDER 砂轮机

KIMPORT

TDS-200S

750W

Heavy duty motor with cast iron housing for long use life
带有铸铁外壳的重型电机，使用寿命长



Eyeshield provide vital protection from spark and debris for safe operation.
护目镜防止火花和碎片为安全操作提供了重要的保护

No-voltage release switch
电磁开关

Fully adjustable cast alu tool rests with solid locking mechanisms to give optimum support
完全可调整的铸铝工具架，具有牢固的锁定机制，提供最佳的支持。

Rugged cast iron base for increasing stability
铸铁底座，增加机器稳定性

This bench grinder has a long-established reputation for robustness and reliability, making it the perfect choice for the home workshop. This new and upgraded machine has an industrial-inspired design with a heavy-duty motor and offers improved power, stability and performance.It is suitable for resuscitate old worn down knives, drills and various hardware tools.

这台砂轮机因其坚固性和可靠性而久负盛名，使其成为家庭作坊的最佳选择。 这款全新升级的机器具有工业化的设计，配备重型电机，并提供更好的动力、稳定性和性能。适用于恢复磨损的旧刀、钻头和各种五金工具件。

INDUSTRIAL 200MM BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	(Left/Right)	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-200S	S1 550W, S2 30min 750W	200x25x15.88	36#/60#	2980	520x395x365	23/25.3	378	750	875	76.6	89.6

KIMPORT

BENCH GRINDER 砂轮机

TDS-250

750W

Heavy duty motor with cast iron housing for long use life
带有铸铁外壳的重型电机，使用寿命长

Eyeshield provide vital protection from spark and debris for safe operation.
护目镜为安全操作提供了重要的保护，防止火花和碎片。



Adjustable tool rests extend the life of the grinding wheels
可调节的托架延长了砂轮的使用寿命

Rugged cast iron base for increasing stability
铸铁底座，增加机器稳定性

No-voltage release switch
电磁开关



- CE certified 750W bench grinder with cast iron construction delivers smooth, accurate grinding effect.
- The high-quality machine is built to with stand the high volume demands of even the busiest shops and factories, which grind, sharpen, and smooth with equal precision and flawless results.

CE认证的750W重型砂轮机，带来平顺精确的打磨效果。
这个高质量砂轮机可以满足最繁忙的商店和工厂的高磨削需求，以同样的精度完美进行研磨、磨削和平滑。

250MM INDUSTRIAL BENCH GRINDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm	[Left/Right]	rpm	mm	Kg	20GP	40GP	40HP	dB[A]	dB[A]
TDS-250	S1 550W, S2 30min 750W	250x25x20	36#/60#	2980	520x395x365	30/32	378	750	875	76.6	89.6

KIMPORT

BENCH GRINDER STAND

GS-A



- Cast iron base
- Large steel table
- Power cord hook

铸铁底座
宽大的钢板平台
电源线挂钩

GS-B



- Water tank
- Cast iron base
- Large steel table
- Power cord hook

冷却水槽
铸铁底座
宽大的钢板平台
电源线挂钩

GS-C



- Cast iron base
- Steel frame
- Water tank/tool box
- Wheel storage

铸铁底座
铁板机身
冷却水槽/工具盒
砂轮片储藏位

GS-E

HEIGHT ADJUSTABLE
高度可调
710-910MM



- Cast iron base
- Large steel table
- Water tank/tool box
- Wheel storage
- Power cord hook

铸铁底座
宽大的钢板平台
冷却水槽/工具盒
砂轮片储藏位
电源线挂钩

Technical Data / 技术参数

Model 型号	Height 高度（mm）	Table Size 工作台尺寸（mm）	Table Material 平台材料	Pipe Material 支柱材料	Base Size 底座尺寸（mm）	Base Material 底座材料	Applicable Grinder Size 适用砂轮机（mm）	Grinder Wheel Storage 砂轮存放盒	Water Tank 水槽	Carton Size 包装尺寸（mm）	N.W./G.W. 净重/毛重（kg）	Container Load 装柜数		
												20GP	40GP	40HP
GS-A	812	315x250	Steel Metal 钢板	Steel Pipe 钢管	φ478	Cast Iron 铸铁	125-250	No	No	825x395x125	9/10	630	1290	1510
GS-B	812	315x250	Steel Metal 钢板	Steel Pipe 钢管	φ478	Cast Iron 铸铁	125-250	No	Yes	825x395x125	10/11	630	1290	1510
GS-C	760	280x170	Steel Metal 钢板	SheetPipe 铁皮	φ344	Cast Iron 铸铁	125-250	Yes	Yes	815x370x260	12/13.5	385	780	870
GS-E	710-910	315x250	Steel Metal 钢板	Steel Pipe 钢管	φ478	Cast Iron 铸铁	125-250	Yes	Yes	645x555x135	8.2/10	610	1220	1400



200MM WET GRINDING WHEEL
- TDS-150EWG
- SCM8082

250MM WET GRINDING WHEEL
- SCM8101
- SCM8103

SHARPENER 磨刀机

KIMPORT

TDS-150EWG

400W



Adjustable LED and eye shield design
可调LED灯和护目镜设计

Powerful 400W induction motor for reliable performance
性能可靠的400W大功率感应马达



2980RPM high speed
2980RPM轮速

Adjustable work rest
可调节托架

136RPM low speed and 40mm wide wet wheel for knife sharpening
40mm宽湿磨刀轮136RPM低速磨刀机

Sturdy cast aluminum base
坚固耐用的铝压铸底座



The machine comes with a high speed 150mm dry grinding wheel and low speed 200mm wet grinding wheel. It is great for sharpening knives, bits, chisels, as well as grinding applications. Can be used with a buff or brush wheel.

该机器配备了一个150毫米的高速干磨轮和200毫米的低速湿磨轮。它非常适用于磨刀、钻头、凿子，以及研磨应用。可与磨砂轮和磨刀轮一起使用。

BENCH WET AND DRY KNIFE SHARPENER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Grinder Wheel Size 砂轮尺寸	Grit 粒度	Wet Wheel Size 湿轮尺寸	Grit 粒度	Wheel Speed 砂轮转速（空载）	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V,50Hz	mm		mm		干轮/湿轮	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-150EWG	S1 250W, S2 10min 400W	150x20x12.7	60#	200x40x20	80#	2980/136RPM	390x375x355	10.5/11.5	480		1176	78.8	91.8

SHARPENER 磨刀机

KIMPORT

SCM8082

150W

200mm wet grinding wheel for fine sharpening , 200mm leather wheel can remove burrs and honing knife.
200mm湿磨轮用于精磨，200mm牛皮磨轮可去除毛刺和磨刀。

Universal work support fit with multi function sharpen jigs
万向工作支架配合多功能磨削夹具

Low speed wet sharpening
低速湿磨

Belt drive design , low noise and big torque
皮带传动设计，噪音低，扭矩大





Universal jig
通用夹具



Angle guide
角度规



Leather stropping wheel polishing
抛光轮抛光

200MM LOW SPEED SHARPENER

Technical Data / 技术参数

Model 型号	Power 功率	Honing Wheel Size 牛皮轮尺寸	Wet Wheel Size 湿轮尺寸	Grit 粒度	Wheel Speed 砂轮转速（空载）	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V,50Hz	mm	mm		rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
SCM8082	S1 120W, S2 30min 150W	200x30x12	200x40x12	220#	115	430x370x340	9/10.5	480	1014	1183	63.5	76.5

SHARPENER 磨刀机

KIMPORT

SCM8101

180W



250mm wet grinding wheel for fine sharpening , 200mm leather wheel can remove burrs and honing knife.
250mm湿磨轮用于精磨，200mm牛皮磨轮可去除毛刺和磨刀。

Universal work support fit with multi function sharpen Jigs
万向工作支架配合多功能磨削夹具

Gear drive design ,delivery all the torque from motor to wheel
齿轮传动设计

Two running directions, allow user sharpen front and back of knife without turning around the machine.
两个运行方向，允许用户磨削刀的前后，而不需要绕过机器。



Universal jig
通用夹具



Angle guide
角度规



Leather stropping wheel polishing
抛光轮抛光

250MM LOW SPEED SHARPENER

Technical Data / 技术参数

Model 型号	Power 功率	Honing Wheel Size 牛皮轮尺寸	Wet Wheel Size 湿轮尺寸	Grit 粒度	Wheel Speed 砂轮转速（空载）	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V,50Hz	mm	mm		rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
SCM8101	S1 150W, S2 30min 180W	200x30x12	250x50x12	220#	95	390x375x355	15.3/16.5	540	1152	1344	66.3	79.3

SHARPENER 磨刀机

KIMPORT

SCM8103

150W



250mm wet grinding wheel for fine sharpening , 200mm leather wheel can remove burrs and honing knife.
250mm湿磨轮用于精磨，200mm牛皮磨轮可去除毛刺和磨刀。

Universal work support fit with multi function sharpen Jigs
万向工作支架配合多功能磨削夹具

Variable speed design allow faster remove metal or detail sharpening
调速设计，可更快地去除金属或打磨细节

Self belt tension design ,delivery all the torque from motor to wheel with minimized noise.
砂带自紧设计，噪音低，100%扭力输出。

Two running directions, allow user sharpen front and back of knife without turning around the machine.
两个运行方向，允许用户磨削刀的前后，而不需要绕过机器。



Universal jig
通用夹具



Angle guide
角度规



Leather stropping wheel polishing
抛光轮抛光

250MM VARIABLE SPEED SHARPENER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Dry wheel	Wet wheel		Wheel speed 砂轮转速（空载）	Carton size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数		
	230-240V,50Hz	Honing wheel size 牛皮轮尺寸	Wet wheel size 湿轮尺寸	Wheel grit 砂轮粒度				20GP	40GP	40HP
		mm	mm		rpm	mm	Kg			
SCM8103	S1 90W, S6 40% 150W	200x30x12	250x50x12	220#	90-160	450x420x390	14/15.5	385	770	925

KIMPORT

OPTIONAL ACCESSORY
可选附件



Long knife jig
长刀夹



Short knife jig
短刀夹



Axe jig
斧头夹



Scissors jig
剪刀夹



Small work table
小工作台



Stripping device
修砂轮组件



Leather stropping wheel
牛皮轮抛光




Gouge jig
车刀夹



Stone
抛光石

BENCH GRINDER SANDER



150MM BENCH GRINDER & 25.4MM WIDTH BELT SANDER	BG1600
150MM BENCH GRINDER & 50MM WIDTH BELT SANDER	TDS-150EBSL HBGL650A

KIMPORT

BENCH GRINDER SANDER

BG1600

370W

Quick sanding belt release for belt replacement.
快速更换砂带功能。

Adjustable eyeshield and spark deflector.
可调节护目镜和火花挡板。

The belt fast tracking design helps easy and quickly adjust the sanding belt straight running.
砂带快速调整设计有助于轻松快速地调整砂带直线运行。

Total enclosed powerful induction motor.
全封闭大功率感应电机。

Equip with standard grinding wheel for fast grinding
配备标准砂轮，磨削速度快。

One knob turn to open belt cover
一键打开盖板功能





Adjustable tool rests extend the life of the grinding wheels.
可调节的托架可以延长砂轮寿命。

Big cast aluminum work table.
宽大的铸铝工作台。

Cast aluminum base
铝压铸底座

No-voltage release switch
电磁开关



Wood parts sanding
木材打磨



Dripping artware
滴塑工艺品



Metal parts deflash
金属零件飞边
毛刺打磨



Drill sanding
钻头打磨



Other metal
其他金属打磨

Combo 25.4x762mm belt sander 150mm bench grinder is for general purpose sanding and finishing on most metals, wood, plastics, and other materials.
组合式砂轮砂带机用于大多数金属，木材，塑料和其他材料的通用砂光和精加工。

25.4X762MM BELT SANDER
150MM BENCH GRINDER SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V, 50Hz	mm		mm		m/s	rpm	mm	Kg	20GP	40GP	40HP
BG1600	S1 250W, S2 30min 370W	150x20x12.7	60#	25.4x762	100#	14	2980	450x380x330	9.2/10.2	450	900	1080

KIMPORT

BENCH GRINDER SANDER

TDS-150EBSL

400W



Optional LED light powered by battery
可选电池供电LED灯

Adjustable eyeshield and spark deflector
可调节护目镜和火花挡板

Quick belt release and easy tracking
砂带快速拆卸及调整



Belt release
砂带拆卸

Adjustable tool rests extend the life of the grinding wheels
可调节的托架可以延长砂轮寿命





Rigid steel base,stable and light weight
轻便的钢板底座

Dust collection port
集尘器接口





CE certified combination machine works great for metal, while the belt sander can tackle your woodworking projects.
CE认证的组合机适用于金属，而砂带可以处理您的木工项目，是理想的木材金属抛光机器。

150MM 2 IN 1 BENCH GRINDER SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm		mm		m/s	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-150EBSL	S1 250W, S2 10min 400W	150x20x12.7	36#	50x686	80#	15.6	2980	400x325x375	8.5/10	588	1206	1428	78.8	91.8

KIMPORT

BENCH GRINDER SANDER

HBGL650A

370W

Wheel Dresser
For cleaning and reshaping the grinding wheel (between uses).
砂轮修整器
用于清理砂轮磨削面

Belt easy tracking
砂带快速调整

Flexible LED light
可灵活转动的LED灯

Adjustable eyeshield and spark deflector
可调节护目镜和火花挡板

Adjustable tool rests extend the life of the grinding wheels
可调节的托架可以延长砂轮寿命



Belt release
砂带拆卸



The powerful, balanced shaft runs on ball bearings and promises a long service life.
动力强劲的平衡轴采用滚珠轴承运行，使用寿命长。

Streamlined double shield motor
Low surface temperature
低表面温度的流线型双层马达壳设计

Coolant tray
冷却水槽



Dust collection port
集尘器接口

CE certified combination machine works great for metal, while the belt sander can tackle your woodworking projects.
CE认证的组合机适用于金属，而砂带可以处理您的木工项目，是理想的木材金属抛光机器。

150MM 2 IN 1 BENCH GRINDER SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 砂轮尺寸	Wheel Grit 砂轮粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Motor Speed 马达转速	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V, 50Hz	mm		mm		m/s	rpm	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
HBGL650A	S1 250W, S2 30min 370W	150x20x12.7	36#	50x686	80#	15.6	2980	445x395x245	9.8/10.5	675	1305	1450	78.1	91.1

KIMPORT

BUFFING MACHINE



150MM BUFFING WHEEL	TLG-150BGB
200MM BUFFING WHEEL	TLG-200BGB
250MM BUFFING WHEEL	TDS-250BG

KIMPORT

BUFFING MACHINE 抛光机

TLG-150BGB

370W



- 150mm long shaft single speed bench polisher for polishing surfaces of woods, metals, plastics, hardware and more, sharp edges on chisels & blades. Keeping other tools in rust free, polished condition.
- Extra long shafts extending out from the motor housing gives extra space for moving projects around the buffing wheel.
- 150毫米长轴单速台式抛光机用于抛光木材，金属，塑料，五金等表面，凿子和刀片上的锋利边缘,保持其他工具无锈，抛光状态。
- 从电机外壳延伸出的超长轴为在抛光轮周围移动项目提供了额外的空间。

150MM BUFFING MACHINE

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 布轮尺寸	Motor Speed 马达转速	Linear Speed 线速度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V,50Hz	mm	RPM	m/s	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TLG-150BGB	S1 250W, S2 30min 370W	150x8x12.7	2980	23.4	505x225x255	9/9.5	1062	2097	2380	63.7	76.7

KIMPORT

BUFFING MACHINE 抛光机

TLG-200BGB

550W



- 200mm long shaft single speed bench polisher for polishing surfaces of woods, metals, plastics, hardware and more, sharp edges on chisels & blades. Keeping other tools in rust free, polished condition.
- Extra long shafts extending out from the motor housing gives extra space for moving projects around the buffing wheel.
- 200毫米长轴单速台式抛光机用于抛光木材，金属，塑料，五金等表面，凿子和刀片上的锋利边缘,保持其他工具无锈，抛光状态。
- 从电机外壳延伸出的超长轴为在抛光轮周围移动项目提供了额外的空间。

200MM BUFFING MACHINE

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 布轮尺寸	Motor Speed 马达转速	Linear Speed 线速度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V,50Hz	mm	RPM	m/s	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TLG-200BGB	S1 370W, S2 30min 550W	200x10x16	2980	31.2	545x225x255	10/11	990	1944	2210	62.5	75.5

KIMPORT

BUFFING MACHINE 抛光机

TDS-250BG

750W



- 250mm long shaft single speed bench polisher for polishing surfaces of woods, metals, plastics, hardware and more, sharp edges on chisels & blades. Keeping other tools in rust free, polished condition.
- Extra long shafts extending out from the motor housing gives extra space for moving projects around the buffing wheel.
- 250毫米长轴单速台式抛光机用于抛光木材，金属，塑料，五金等表面，凿子和刀片上的锋利边缘,保持其他工具无锈，抛光状态。
- 从电机外壳延伸出的超长轴为在抛光轮周围移动项目提供了额外的空间。

250MM HEAVY DUTY BUFFING MACHINE

CE

Technical Data / 技术参数

Model 型号	Power 功率	Wheel Size 布轮尺寸	Motor Speed 马达转速	Linear Speed 线速度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V,50Hz	mm	RPM	m/s	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
TDS-250BG	S1 550W, S2 30min 750W	250x20x20	2980	39	730x310x280	18.5/20.5	296	584	657	76.6	89.6

BELT DISC SANDER



125MM DISC SANDER	25.4MM BELT	MM493B
		MM493C
150MM DISC SANDER	100MM BELT	MM491GLC
		MM491E
		BD4602
		BD4603A
200MM DISC SANDER	25.4MM BELT	BD1801
	100MM BELT	BD4801
		BD4803
254MM DISC SANDER	150MM BELT	BD61000
305MM DISC SANDER	DS-12D	
	DS-12F	

SANDING MACHINE 砂光机

KIMPORT

MM493B

250W





Wood parts sanding
木制品打磨



Dripping artware
滴塑工艺品



Other wood artware sanding
其他工艺品打磨



Metal parts deflash
金属零件飞边
毛刺打磨



The belt fast tracking design helps easy and quickly adjust the sanding belt straight running.
砂带快速调整设计有助于轻松快速地调整砂带直线运行

Enclosed induction motor
封闭式感应马达

Cast alu work table (45 degree adjustable) with mitre gauge
带角度规的工作台

Two separate dust ports for maximum vacuuming efficiency
两个独立的除尘端口，最大的效率吸尘

No-voltage release switch
电磁开关

Sturdy heavy-duty cast aluminum base with rubber feet
带有橡胶底脚的坚固的重型铝压铸底座

This two-in-one sanding machine includes both a 25. 4x762mm belt and a 125mm disc. It is great for working on small craft projects - home decorations, toys, doll furniture, repair work and more. The machine's small motor is very efficient in driving the belt and disc, So stock removal goes quickly. Recommended for light-duty use.

这款二合一砂光机包括一个25.4x762mm的砂带和一个125mm的砂盘。此砂光机非常适合处理小型工艺项目 – 家居装饰品、玩具、娃娃家具、维修工作等。 这台机器的小电机在驱动砂带和砂盘方面非常有效，因此磨削速度很快。推荐用于轻型用途。

25.4X762MM BELT AND 125MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度
	230-240V, 50Hz	rpm	mm		mm		m/min	
MM493B	S1 250W	2980	125	80#	25.4x762	100#	860	0 ~ 45°

Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
Disc	Belt	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
185x98	φ148	445x310x300	7.5/8.8	650	1300	1500	70.6	79.1

SANDING MACHINE 砂光机

KIMPORT

MM493C

250W

The belt fast tracking design helps easy and quickly adjust the sanding belt straight running.
砂带快速调整设计有助于轻松快速地调整砂带直线运行

Quick sanding belt release for belt replacement.
快速更换砂带功能



One rotate belt cover take off
一键打开盖板功能



Total enclosed powerful induction motor.
全封闭大功率感应电机



Work table with mitre gauge
带角度规的工作台

Well-constructed cast aluminum work tables can adjust from 0-45° to meet bevel grinding needs.
结构良好的铝压铸工作台可在0–45°之间调节，满足斜角磨削需要。



Two separate dust ports for 35mm
两个独立的35mm除尘端口

Sturdy heavy-duty cast aluminum base with rubber feet.
带有橡胶底脚的坚固的重型铝压铸底座。



Dripping artware
滴塑工艺品



Metal parts deflash
金属零件飞边毛刺打磨



Wood parts sanding
木制品打磨



Other wood artware sanding
其他工艺品打磨



This two-in-one sanding machine includes both a 25.4x762mm belt and a 125mm disc. It is great for working on small craft projects – home decorations, toys, doll furniture, repair work and more. The machine's small motor is very efficient in driving the belt and disc, so stock removal goes quickly. Recommended for light-duty use.

这款二合一砂光机包括一个25.4x762mm的砂带和一个125mm的砂盘。此砂光机非常适合处理小型工艺项目 – 家居装饰品、玩具、娃娃家具、维修工作等。 这台机器的小电机在驱动砂带和砂盘方面非常有效，因此磨削速度很快。推荐用于轻型用途。

25.4X762MM BELT AND 125MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度	Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	rpm	mm		mm		m/min		Disc	Belt	mm	Kg	20GP	40GP	40HP
MM493C	S1 250W	2980	125	80#	25.4x762	100#	860	0 – 45°	170x95	145x145	450x315x330	7.8/9	651	1323	1510

KIMPORT

SANDING MACHINE 砂光机

MM491GLC

370W

Powerful induction motor
强大的感应电机

Quick belt release
快速更换砂带

Easy belt tracking
砂带快速调整设计



Belt tilts anywhere from 0 to 90 degrees
砂带可从0到90度任意倾斜

Work table tilts 0 to 45 degree,can be used with miter gauge(0-60degree), used for belt or disc sanding
工作台0–45度调节，可配合角度规使用，砂带部分和砂盘部分打磨都可以用。



Cast aluminum base
铝底座
Optional sturdy cast iron base
可选择坚固的铸铁底座



One dust collection system for belt and disc part
砂带砂盘共用排尘系统

No-voltage release switch
电磁开关







The disc work table can also be used in the belt part.
砂盘工作台也可以在砂带部分使用。

This belt and disc sander has a 100x915mm belt and 150mm disc for deburring, beveling and sanding wood, plastic and metal.
这款砂带砂盘机有一个100x915毫米的砂带和150毫米的砂盘，用于木材、塑料和金属的去毛刺、倒角和研磨。

HOT SALE 100X915MM BELT AND 150MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度
	230-240V, 50Hz	rpm	mm		mm		m/min	
MM491GLC	S1 370W	2980	150	80#	100x915	80#	450	0 – 45°

Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重		Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
Disc	Belt	mm	AL Base	Iron Base	20GP	40GP	40HP	dB(A)	dB(A)
226x160	NA	565x280x330	11.5/13Kg	16/18Kg	560	1120	1344	81	88.7

SANDING MACHINE 砂光机

KIMPORT

MM491E

370W

Powerful induction motor
强大的感应电机

Belt tilts anywhere from 0 to 90 degrees
砂带可从0到90度任意倾斜



Quick belt release
快速更换砂带

Easy belt tracking
砂带快速调整设计

Cast Alu work table tilts 0 to 45 degree,can be used with miter gauge(0-60degree) accurate.
工作台0–45度调节，可配合角度规使用，砂带部分和砂盘部分打磨都可以用。



Strong cast iron belt frame support
和底座一体的铸铁砂带支撑

Heavy duty cast iron base
重型铸铁底座

Strong table support
强壮的工作台支撑

No-voltage release switch
电磁开关





The disc work table can also be used in the belt part.
砂盘工作台也可以在砂带部分使用。



One dust collection system for belt and disc part
砂带砂盘共用排尘系统

This belt and disc sander has a 100x915mm belt and 150mm disc for deburring, beveling and sanding wood, plastic and metal.
这款砂带砂盘机有一个100x915毫米的砂带和150毫米的砂盘，用于木材、塑料和金属的去毛刺、倒角和研磨。

150MM DISC AND 100X915MM BELT SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度
	230-240V, 50Hz	rpm	mm		mm		m/min	
MM491E	S1 370W	2980	150	80#	100x915	80#	450	0 – 45°

Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
Disc	Belt	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
215x146	NA	565x320x345	20/21.5	505	1008	1008	76.2	85.6

SANDING MACHINE 砂光机

BD4602

370W

Work stop
挡板

Quick belt release
快速更换砂带

Powerful 370W induction motor.
370W大功率感应电机

Transparent belt check window/ guard cover.
透明皮带观察窗防护盖板

Cast alu work table tilts 0 to 45 degree, can be used with miter gauge(0-60degree) accurate.
铸铝工作台0-45度调节，可配合角度规使用。



Easy belt tracking
砂带快速调整设计

No-voltage release switch
电磁开关

Two separate dust ports for maximum vacuuming efficiency
两个独立的除尘端口，最大的吸尘效率



Belt arm operates vertically and horizontally
砂带可垂直或者水平操作



This belt and disc sander has a 100x915mm belt and 150mm disc for deburring, beveling and sanding wood, plastic and metal.
这款砂带砂盘机有一个100x915毫米的砂带和150毫米的砂盘，用于木材、塑料和金属的去毛刺、倒角和研磨。

100X915MM BELT AND 150MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度	Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	rpm	mm		mm		m/min		Disc	Belt	mm	Kg	20GP	40GP	40HP
BD4602	S1 370W	2980	150	80#	100x915	80#	450	0 - 45°	202x136	NA	515x320x330	11.5/12.7	462	966	1162

SANDING MACHINE 砂光机

KIMPORT

BD4603A

450W

MAINTENANCE FREE:
No belt drive, no gear inside.
免维护，无皮带传动

Easy belt tracking
砂带快速调整设计

Powerful 450W direct-driven motor increase 25% sanding efficiency than the traditional belt-driven design.
强大的450W直驱电机比传统的皮带驱动设计效率提高了25%

With support for belt sanding
配有砂带支撑

No-voltage release switch
电磁开关

Quick belt release
快速更换砂带





Belt arm operates vertically and horizontally
砂带可垂直或者水平操作

Separated dust port for both belt and disc sanding keeps your work area clean.
砂带和砂盘部分都有排尘口，让您的工作区域保持清洁。



Cast Alu work table tilts 0 to 45 degree, can be used with miter gauge(0-60degree), used for belt or disc sanding.
铸铝工作台0–45度调节，可配合角度规使用。砂带部分和砂盘部分打磨都可以用。

This belt and disc sander has a 100x915mm belt and 150mm disc for deburring, beveling and sanding wood, plastic and metal.
这款砂带砂盘机有一个100x915毫米的砂带和150毫米的砂盘，用于木材、塑料和金属的去毛刺、倒角和研磨。

100X915MM BELT AND 150MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度
	230-240V, 50Hz	rpm	mm		mm		m/min	
BD4603A	S1 450W	2980	150	80#	100x915	80#	550	0 – 45°

Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
Disc	Belt	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
195x136	NA	565x500x250	20/21.5	390	820	920	84.3	93.4

SANDING MACHINE 砂光机

KIMPORT

BD1801

550W

Fast belt tension.
砂带快速涨紧功能。

Easy belt tracking.
砂带快速调整功能。



Poweful 550W induction motor.
强劲的550W感应电机。

Cast aluminum work table tilts 0 to 60 degree, can be used with miter gauge (0-60 degree), which makes your work more accurate.
0–60度可调的铸铝砂盘工作台可搭配角度规（0–60度）使用，使您的工作更加精准。



Three fine machined aluminum belt pulley ensure long-lasting and low vibration sanding.
三个精细加工的铝质皮带轮确保打磨持久、振动小。

Cast iron work table tilts 0-45 degree.
0–45度可调的铸铁砂带工作台。





Two separate dust ports for 38mm.
两个独立的38mm除尘端口。

Sturdy heavy-duty cast iron base.
重型铸铁底座。

Tools storage for all wrenches.
扳手等附件免丢存储设计。



Dripping artware
滴塑工艺品



Metal parts deflash
金属零件飞边毛刺打磨



Wood parts sanding
木制品打磨



Other wood artware sanding
其他工艺品打磨

This belt and disc sander has a 25.4x1067mm belt and 200mm disc for deburring, beveling and sanding wood, plastic and metal.
这款砂带砂盘机有一个25.4x1067毫米的砂带和200毫米的砂盘，用于去毛刺、倒角和打磨木材、塑料和金属。

25.4X1067MM BELT AND 200MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度	Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	rpm	mm		mm		m/min		Disc	Belt	mm	Kg	20GP	40GP	40HP
BD1801	S1 550W	2980	200	80#	25.4x1067	80#	660	0 ~ 45°	264x150	200x150	445x385x580	25/26.5	270	540	650

SANDING MACHINE 砂光机

KIMPORT

BD4801

500W

MAINTENANCE FREE:
No belt drive, no gear inside.
免维护，无皮带传动

The belt fast tracking design helps easy and quickly adjust the sanding belt straight running.
砂带快速调整设计有助于轻松快速地调整砂带直线运行。

Powerful 500W direct-driven motor increase 25% sanding efficiency than the traditional belt-driven design.
强大的500W直驱电机比传统的皮带驱动设计效率提高了25%


Cast Alu work table tilts 0 to 45 degree, can be used with miter gauge(0-60degree), which makes your work more accurate.
铸铝工作台0–45度调节，可配合角度规使用，使您的打磨更加精确。

Quick sanding belt release for belt replacement.
快速更换砂带功能。



Cast aluminum profile work table tilts 0-45 degree also with miter gauge
带斜角规的铝型材工作台，可0–45° 倾斜

Belt arm operates vertically and horizontally
砂带可垂直或者水平操作



No-voltage release switch
电磁开关

Two separate dust collection port.
两个独立的排尘口

This belt and disc sander has a 100x915mm belt and 203mm disc for deburring, beveling and sanding wood, plastic and metal.

这款砂光机配有一个100x915mm砂带和203mm的砂盘，用于木材、塑料和金属的去毛刺、倒角和研磨。

100X915MM BELT AND 203MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度
	230-240V, 50Hz	rpm	mm		mm		m/min	
BD4801	S1 500W	2980	203	80#	100x915	80#	550	0 – 45°

Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
Disc	Belt	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
264x150	190x160	575x515x285	15/16.5	350	700	790	79.6	91.9

SANDING MACHINE 砂光机

KIMPORT

BD4803

550W

MAINTENANCE FREE:
No belt drive, no gear inside.
免维护，无皮带传动

The belt fast tracking design helps easy and quickly adjust the sanding belt straight running.
砂带快速调整设计有助于轻松快速地调整砂带直线运行。

Powerful 550W direct-driven motor increase 25% sanding efficiency than the traditional belt-driven design.
强大的550W直驱电机比传统的皮带驱动设计效率提高了25%

Cast Alu work table tilts 0 to 45 degree,can be used with miter gauge(0-60degree), which makes your work more accurate.
铸铝工作台0–45度调节，可配合角度规使用，使您的打磨更加精确。

Quick sanding belt release for belt replacement.
快速更换砂带功能。

Cast AL work table tilts 0-45 degree also with mitre gauge
带斜角规的铸铝工作台，可0–45° 倾斜



Belt arm operates vertically and horizontally
砂带可垂直或者水平操作



Inbuid work stop
自带工件挡板

One dust collection port use for both disc and belt by turning the knob.
通过旋钮转换，一个排尘口可用于砂带和砂盘两部分集尘

Patent design
专利设计

This belt and disc sander has a 100x915mm belt and 203mm disc for deburring, beveling and sanding wood, plastic and metal.

这款砂光机配有一个100x915mm砂带和203mm的砂盘，用于木材、塑料和金属的去毛刺、倒角和研磨。

100X915MM BELT AND 203MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed(rpm) 马达转速		Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed(m/min) 砂带速度		Table Tilt 工作台角度	Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	Watts	50Hz	60Hz	mm		mm		50Hz	60Hz		Disc	Belt	mm	Kg	20GP	40GP	40HP
BD4803	S1 550W	2980	3580	203	80#	100x915	80#	552	660	0 – 45°	264x150	170x125	590*520*330	17/18.8	270	540	650

SANDING MACHINE 砂光机

KIMPORT

BD61000

750W



Combination sanders has the best of both worlds: a belt sander is effective for wide surface work, while a disc sander allows edge shaping and finishing.

组合机器两大优势：砂带部分适合宽范围打磨，砂盘部分适合边缘成型和精加工。

150X1219MM BELT AND 254MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Belt Size 砂带尺寸	Belt Grit 砂带粒度	Belt Speed 砂带速度	Table Tilt 工作台角度
	230-240V, 50Hz	rpm	mm		mm		m/min	
BD61000	S1 750W	2980	254	80#	150x1219	80#	470	0 – 45°

Table Size(mm) 工作台尺寸		Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
Disc	Belt	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
332.5x170	NA	750x455x470	39.5/42.5	190	380	380	80.3	93.3

SANDING MACHINE 砂光机

KIMPORT

DS-12D

900W


TEFC design is beneficial to reduce the surface temperature of the motor and extend the working time
TEFC设计有利于降低电机表面温度，延长工作时间

Totally enclosed fan cooled direct drive motor with cast iron housing
全封闭风冷的铸铁壳马达

Disc brake system
砂盘快速刹车系统

No-voltage release switch
电磁开关

Cast aluminum table tilts from 0 to 45 degrees
铸铝工作台角度可0–45度倾斜



Miter gauge
角度规

In-bulit dust port
带排尘口

Heavy duty cast iron frame and base
重型铸铁机身和底座

This disc sander has a 305mm disc for deburring, beveling and sanding wood, plastic and metal.
这款砂盘机有一个305毫米的砂盘，用于去毛刺、倒角和打磨木材、塑料和金属。

305MM DISC SANDER

CE

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Table Tilt 工作台角度	Table Size(mm) 工作台尺寸	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V,50Hz	rpm	mm			Disc	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
DS-12D	S1 900W	1490	305	80#	0 ~ 45°	435x156	480x455x425	30/32	300	600	730	72	85

SANDING MACHINE 砂光机

KIMPORT

DS-12F

800W


Powerful induction motor
大功率感应电机

TEFC design is beneficial to reduce the surface temperature of the motor and extend the working time
TEFC设计有利于降低电机表面温度，延长工作时间

Disc brake system
砂盘快速刹车系统

No-voltage release switch
电磁开关

1/4 guard protection
1/4防护罩



Miter gauge
角度规

In-bulit dust ex-blower design
内置排尘设计

Heavy duty cast iron frame and base
重型铸铁机身和底座

Cast aluminum table tilts from 0 to 45 degrees
铸铝工作台角度可0–45度倾斜

This disc sander has a 305mm disc for deburring, beveling and sanding wood, plastic and metal.
这款砂盘机有一个305毫米的砂盘，用于去毛刺、倒角和打磨木材、塑料和金属。

CE

305MM DISC SANDER

Technical Data / 技术参数

Model 型号	Power 功率	Motor Speed 马达转速	Disc Size 砂盘尺寸	Disc Paper Grit 砂盘纸粒度	Table Tilt 工作台角度	Table Size(mm) 工作台尺寸	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
	230-240V,50Hz	rpm	mm			Disc	mm	Kg	20GP	40GP	40HP	dB(A)	dB(A)
DS-12F	S1 800W	1490	305	80#	0～45°	417x174	480x455x425	28/30	300	600	730	72	86

OSCILLATING SPINDLE SANDER



OSCILLATING SPINDLE SANDER

- OSM-1
- OSM-2

OSCILLATING SPINDLE SANDER

KIMPORT

OSM-1

450W



Oscillating & Rotating Action: For speed & precision finishing work
震荡旋转：用于快速和精密的精加工工作

Large workspace(cast alu): 205mm in front of the drum which is easy for use
工作空间大(铸铝):在滚筒前有205mm，使用方便

Sanding drum/砂筒尺寸
13/19/26/38/51/76mm(inner)
15/21/28/40/53/78mm(outer)



Powerful 450W Motor: Ideal for sanding contours, arcs, curves & irregular shapes
强大的450W马达：用于轮廓、圆弧、曲线和不规则形状的砂光处理。

Onboard storage: Includes 6 sanding sleeves, 5 drums & 6 inserts
附件存储:包括6个砂套，5个砂筒和6个盖板



Dust Port: assists in dust extraction to create a cleaner, safer work environment.
排尘口：连接集尘器，创造更清洁、更安全的工作环境。



This swing spindle sander has excellent performance. Ideal for grinding contours, arcs, curves and other irregular shapes.

这款砂筒机具有卓越的性能。非常适合打磨轮廓、弧形、曲线和其他不规则形状。

OSCILLATING SPINDLE SANDER

CE

Technical Data / 技术参数

Model 型号	Motor 马达功率	Motor Speed 马达速度	Table Size 工作台尺寸	Oscillations 震荡	Oscillations Stroke 震荡行程	Max Sanding Depth 最大磨削深度	Sanding Dia 主轴直径	Spindle Height 主轴高度
OSM-1	230-240V,50Hz S1 450W	2000rpm	320x300mm	58opm	16mm	98mm	12.7mm	115mm

Dust Port Dia. 排尘口直径	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
			20GP	40GP	40HP		
35mm(inner), 39mm(outer)	470x405x510mm	9/10.6kg	245	490	590	75.3dB(A)	88.3dB(A)

KIMPORT

OSCILLATING SPINDLE/BELT SANDER

OSM-2

450W



Oscillating & Rotating Action: For speed & precision finishing work
摆动旋转：用于快速和精密的精加工工作



Dust Port: assists in dust extraction to create a cleaner, safer work environment.
排尘口：连接集尘器，创造更清洁、更安全的工作环境。



Large workspace(cast alu): Large working surface of 400 x407mm for your convenience
大的工作空间（铸铝）：400x407毫米的大工作面为您带来便利

Sanding drum/ 砂筒尺寸
13/19/26/38/51mm(inner)
15/21/28/40/53mm(outer)

Tilting cast alu table top: Adjust 0-45 degrees to support angles & chamfering
倾斜的铸造铝制桌面：0–45度可调，支持多角度和倒角



Onboard storage: For easy access and improved workflow
板载存储：便于使用和存储工具

Powerful 450W Motor: Ideal for sanding contours, arcs, curves & irregular shapes
强大的450W马达：用于轮廓、圆弧、曲线和不规则形状的砂光处理。









This swing spindle sander has excellent performance. Ideal for grinding contours, arcs, curves and other irregular shapes.
这款砂筒机具有卓越的性能。非常适合打磨轮廓、弧形、曲线和其他不规则形状。

OSCILLATING SPINDLE BELT SANDER


CE

Technical Data / 技术参数

Model 型号	Motor 马达功率	Motor Speed 马达速度	Table Size 工作台尺寸	Oscillations 震荡	Oscillations Stroke 震荡行程	Max Sanding Depth 最大磨削深度	Sanding Dia 主轴直径	Spindle Height 主轴高度
OSM-2	230-240V,50Hz S1 450W	2000rpm	400x407mm	58opm	16mm	90mm	12.7mm	115mm

Dust Port Dia. 排尘口直径	Belt Size 砂筒尺寸	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
				20GP	40GP	40HP		
35mm(inner), 39mm(outer)	100x610mm	525x460x495mm	12.5/14.2kg	225	450	540	75.3dB(A)	88.3dB(A)

DRILL PRESS



13MM CHUCK CAPACITY	200MM SWING	DP8A	5 SPEEDS
	250MM SWING	DP2501A	5 SPEEDS
		DP25013VL	VS
		DP25016VL	VS
	330MM SWING	DP34016F	12 SPEEDS
16MM CHUCK CAPACITY	200MM SWING	DP8B	12 SPEEDS
	250MM SWING	DP25016A1	5 SPEEDS
	300MM SWING	DP12VL	VS
	430MM SWING	DP17VL	VS
	280-840MM SWING	DP16R	5 SPEEDS
		DP16RA	5 SPEEDS


KIMPORT

DRILL PRESS 台钻

DP8A

500W

13MM / **5 Speeds**



5 speeds
五个速度



Powerful 500W induction motor
大功率500W感应电机



Integrated laser system
激光系统

No-voltage release switch
电磁开关



50mm drill depth
50mm钻孔深度

13mm chuck with key
13mm夹头，带钥匙

Steel work table (adjustable 0- 45 degree left and right)
左右0–45度可调铁板工作台



Sturdy big steel base
稳固的大铁板底座



Optional 2.5-inch vise





Perfect drilling tool for workshop, woodworking, DIY enthusiasts, etc.
适合车间、木工、DIY爱好者等使用的完美钻孔工具。

200MM BENCH PILLAR DRILL

CE

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP8A	S1 300W, S2 15min 500W	φ13	50	JT33/B16	5	550-2500	200

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45°~0°~45°	164x162	46	298x190	580	465x370x240	13.5/15.5	715	1435	1755

DRILL PRESS 台钻

KIMPORT

DP2501A

550W

13MM / 5 Speeds



5 speed selections for various drilling applications.
5个速度，适用各种材质钻孔。



No-voltage release switch
电磁开关

Powerful 550W induction motor
大功率550W感应电机

Exact laser alignment system for precision works
用于精密加工的精密激光系统

Spindle travels up to 50mm, easy to read
主轴行程50mm，易于读取

13mm chuck with key
13mm夹头，带钥匙

Work table bevels up to 45° to the left and right, height adjustable.
工作台可左右调整45°，高度可调。




Sturdy cast iron work table and base
稳固的铸铁工作台和底座



Optional 2.5-inch vise





A workshop quality heavy duty bench drill is ideal for drilling accurate holes in wood, plastic, metal, and other materials with ease.
高质量的重型台钻是在木材、塑料、金属和其他材料上轻松钻出精确孔洞的理想选择。

13MM VARIABLE SPEED DRILL PRESS WITH 250MM SWING DIA.

CE

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP2501A	S1 350W, S2 10min 550W	φ13	50	JT33/B16	5	510-2430	250

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45°~0°~45°	190x165	48	341x208	730	605x375x285	21/23.5	378	790	872

KIMPORT

DRILL PRESS 台钻

DP25013VL

550W

13MM / VS



Mechanical variable speed
无级调速设计



No-voltage release switch
电磁开关

Digital speed readout
速度显示

550W powerful induction motor
550W 强大的感应电机

Spindle travels up to 50mm
主轴行程50mm

13mm chuck with key
13mm夹头，带钥匙

Work table bevels up to 45° to the left and right, height adjustable.
工作台可左右调整45° ，高度可调。

Rack & pinion for accurate table height adjustment
工作台高度通过齿轮和齿条调节



Sturdy cast iron base
坚固的铸铁底座

Exact line laser alignment system for precision
交叉激光指示

This bench pillar drill with variable speed can satisfy the demands of the serious semi-professional and professional user alike. Ideal machine for drilling accurate holes in wood, plastic, metal, and other materials with ease.
这款无极调速台钻可以满足严肃的半专业和专业用户的要求。是在木材、塑料、金属和其他材料上轻松进行精确钻孔的理想机器。

250MM VARIABLE SPEED DRILL PRESS

CE

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP25013VL	S1 350W, S2 10 min 550W	φ13	50	JT33/B16	VS	440-2580	250

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45°~0°~45°	194x165	48	341x208	730	710x480x280	22.5/24	378	790	872

KIMPORT

DRILL PRESS 台钻


DP25016VL

550W

13MM / VS



Mechanical variable speed
无级调速设计



No-voltage release switch
电磁开关

Digital speed readout
速度显示

550W powerful induction motor
550W 强大的感应电机

Spindle travels up to 60mm
主轴行程60mm

13mm chuck with key
13mm夹头，带钥匙

Work table bevels up to 45° to the left and right, height adjustable.
工作台可左右调整45°，高度可调。



Rack & pinion for accurate table height adjustment
工作台高度通过齿轮和齿条调节



Sturdy cast iron base
坚固的铸铁底座

Exact line laser alignment system for precision
交叉激光指示

This bench pillar drill with variable speed can satisfy the demands of the serious semi-professional and professional user alike. Ideal machine for drilling accurate holes in wood, plastic, metal, and other materials with ease.
这款无极调速台钻可以满足严肃的半专业和专业用户的要求。是在木材、塑料、金属和其他材料上轻松进行精确钻孔的理想机器。

250MM VARIABLE SPEED DRILL PRESS

CE

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP25013VL	S1 350W, S2 10 min 550W	φ13	60	JT33/B16	VS	440-2580	250

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45°~0°~45°	190x190	59.5	341x208	870	710x480x280	27/29	285	584	657

KIMPORT

DRILL PRESS 台钻

DP34016F

550W

13MM / 12 Speeds



12 speed selections for various drilling applications
12种速度选择，适用于各种钻孔应用

No-voltage release switch
电磁开关

550W powerful induction motor
550W 强大的感应电机

Spindle travels up to 80mm
主轴行程80mm

13mm chuck with key
13mm夹头，带钥匙

Rack & pinion for accurate table height adjustment
工作台高度通过齿轮和齿条调节

Work table bevels up to 45° to the left and right, 360° rotation, height adjustable.
工作台可左右调整45°，360°旋转，高度可调。



Sturdy cast iron work table and base
稳固的铸铁工作台和底座

HEIGHT:1600MM

CE certified 330mm 12 speed floor drill press can be adjusted from 230 to 3480 RPM by adjusting the belt and pulley, it is good choice for personal use and various workshop applications.

这款有CE认证回转直径为340毫米的12速落地型台钻可通过调节皮带和皮带轮在230–3480 RPM之间调速，是个人使用和各种车间应用的不错选择。

330MM FLOOR DRILL PRESS WITH 12 SPEEDS AND 13MM CHUCK

CE

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP34016F	S1 550W	φ13	80	JT33/B16	12	230-3480	340

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45°--0°--45°	255x255	70	426x255	1600	1400x494x245	51/56	144	188	320

KIMPORT

DRILL PRESS 台钻

DP8B

500W

16MM / 12 Speeds

Emergency stop switch
急停开关

Adjustable 12 speeds for wood, metal and all common plastic.
可调12速适合木材，金属和普通塑料钻孔工作。





No-volt release switch
电磁开关

Powerful 500W induction motor
大功率500W感应电机

16mm chuck with key
16mm夹头，带钥匙



Spindle travels up to 50mm, easy to read
主轴行程50mm，易于读取

Professional chuck guard
专业的夹头护罩

Integrated laser system
激光系统


Steel work table (adjustable 0- 45 degree left and right).
铁板工作台左右0–45度可调




Sturdy steel base
稳固的铁板工作台和底座



Optional 2.5-inch vise





This high efficient 12 speeds adjustable professional drill work bench hold press can be widely used for drilling tool for workshop, woodworking, DIY enthusiasts, etc.
本产品为12速可调专业台钻，广泛用于车间、木工、DIY爱好者等需要钻孔工具的场景。

200MM PROFESSIONAL BENCH DRILL

CE

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP8B	S1 370W, S2 15min 500W	φ16	50	B16	12	290-2500	200

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45°--0°--45°	164X162	46	298X190	610	495x420x250	15.5/17	530	1152	1280

DRILL PRESS 台钻

DP25016A1

550W

16MM / 5 Speeds



5 speed selections for various drilling applications.
5个速度，适用材质钻孔。



No-volt release switch
电磁开关

Powerful 550W induction motor
大功率550W感应电机

Exact laser alignment system for precision works
用于精密加工的精密激光系统

Spindle travels up to 50mm, easy to read
主轴行程50mm，易于读取

16mm chuck with key
16mm夹头，带钥匙

Safety guard
钻头防护罩

Cast iron work table bevels up to 45° to the left and right, height adjustable.
铸铁工作台可左右调整45°，高度可调。



Rack & pinion for accurate table height adjustment
工作台高度通过齿轮和齿条调节



Optional 2.5-inch vise

Sturdy cast iron base
稳固的铸铁底座



Optional LED light
可选LED灯

CE certified 16mm chuck drill press is ideal for drilling accurate holes in wood, plastic, metal, and other materials with ease.
CE认证的16mm夹头台钻是在木材、塑料、金属和其他材料上轻松钻出精确孔洞的理想选择。

250MM BENCH DRILL PRESS

CE

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP25016A1	S1 390W, S2 10min 550W	φ16	50	B16	5	510-2430	250

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装箱数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45°~0°~45°	190x165	48	341x208	730	620x390x310	19.5/21	365	760	872

DRILL PRESS 台钻

KIMPORT

DP12VL

750W

16MM / VS



Mechanical variable speed
机械变速

Digital speed readout
速度显示



750W powerful induction motor
750W 强大的感应电机

No-volt release switch
电磁开关



LED light with independent switch
带独立开关的LED灯



Exact line laser alignment system for precision
交叉激光指示

16 mm keyless drill chuck
16mm自紧夹头

Professional safety guard
专业钻头防护罩

Cast iron work table with extention bevels up to 45° to the left and right, height adjustable.
带延伸的铸铁工作台可左右调整45°，高度可调。



Optional 4-inch vise

Sturdy cast iron base
坚固的铸铁底座

It is a heavy duty bench pillar drill that will satisfy the demands of the serious semi-professional and professional user alike. Ideal machine for drilling accurate holes in wood, plastic, metal, and other materials with ease.

这是一款重型台钻，可以满足严肃的半专业和专业用户的要求。是在木材、塑料、金属和其他材料上轻松进行精确钻孔的理想机器。

300MM VARIABLE SPEED DRILL PRESS

CE

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP12VL	S1 550W, S2 10min 750W	φ16	80	JT33/B16	VS	440-2580	300

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45° ~ 0° ~ 45°	240x240	65	410x250	950	750x500x300	38.5/41	238	490	550

DRILL PRESS 台钻

KIMPORT

DP17VL

750W

16MM / VS

Mechanical variable speed anywhere from 230 to 2580rpm with the turn of the speed adjustment lever.
通过转动速度调节杆，在280至3100rpm之间的任何速度进行机械变速。



Digital speed readout
速度显示


Depth adjustable gauge limits your spindle travel to to the desired length.
深度调节装置。

Emergency stop switch device for auto power off when open chuck guard
急停开关装置，打开护罩时急停功能

Onboard LED light with independent switch
带有独立开关的内置LED灯

16mm keyed chuck.The MT3 spindle taper accepts bits anywhere from 3 to16mm.
16mm带钥匙夹头。MT3主轴锥度可接受任何尺寸的3–16mm的钻头。

Onboard laser light specifies the exact spot that the bits travel through for maximum precision during drilling
内置激光灯指定钻头行进的确切位置，以便在钻探过程中获得最大的精度。



HEIGHT:1630MM

Cast iron base with bolt holes to secure the unit to the floor.
铸铁底座上有螺栓孔，可将设备固定在地板上。



335x335mm cast iron worktable features rack & pinion height adjustment and bevels up to 45° left & right and 360° plane rotates.
335x335mm铸铁工作台具有齿条和小齿轮高度调整功能，斜面左右角度高达45°，平面旋转360°。



Optional 4-inch vise

The floor model 430mm variable speed drill press meets the needs of both home and professional users. This model includes a full 120mm of stroke capacity and variable speed anywhere from 230 to 2580 RPM with the simple turn of a lever.
落地型430mm变速钻床可以满足家庭和专业用户的需求。该型号包括整整120mm的冲程能力，以及通过简单地转动控制杆在230至2580转/分变速。

CE

430MM DRILL PRESS

Technical Data / 技术参数

Model 型号	Power(watts) 功率	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. Of Speed 速度数量	Speed Rang/min 速度范围	Swing 回转直径
	230-240, 50Hz	mm	mm			rpm	mm
DP17VL	S1 750W	φ16	120	MT3	VS	230-2580	430

Table Title 工作角度	Table Size 工作台尺寸	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	mm	mm	mm	mm	mm	Kg	20GP	40GP	40HP
-45° ~ 0° ~ 45°	335x335	80	535x380	1630	1430x625x310	80/87	91	182	208

KIMPORT

RADIAL DRILL PRESS 变径台钻

DP16R

550W


16MM / **5 Speeds**

5 speed for drilling different material
5个速度，适用不同材质钻孔。

By control the position pin to adjust the drill press head rotation angle.
通过定位销来调节钻床头的旋转角度。

The headstock tilts from 45° clockwise to 90 ° counter clockwise
机头角度可调：顺时针45度，逆时针90度

Boasting a powerful motor, smoothly power five spindle speeds.
拥有强大的电机，稳定提供五个转速。



Unique micro radials adjustment design gives users finer work.
独特的微调设计为您提供更精确的操作。

The swing range can be changed from 140mm to 420mm by adjusting the radials handle.
旋转半径在140mm到420mm之间可调。

Cast iron table bevels up to 45° left & right
铸铁工作台，可左右旋转45度

The strong cast iron base support Frame makes the machine more stable
带有支撑架的强壮铸铁底座，使机器更加稳固。

Benchtop radial drill press provides great versatility for drilling of projects.This space-saving, portable size machine has proven to be quite valuable for solving unusual drilling needs on the jobsite – from drilling balustrades for stair railings, to timber framing hole & peg construction.

台式变径台钻为钻孔项目提供了很大的灵活性.便于解决很多不寻常的钻孔需求–从楼梯栏杆的钻孔，到木材打孔。

280-840mm 5 SPEED BENCH RADIAL DRILL PRESS

CE

Technical Data / 技术参数

Model 型号	Power (S1) 功率	Motor speed (rpm) 马达转速	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. of Speed 速度数量	Speed Range(rpm) 速度范围		Swing 旋转直径	Table size 工作台尺寸	Table Tilt 工作角度	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数		
	Watts	50Hz	mm	mm			50Hz	60Hz	mm	mm	°	mm	mm	mm	mm	Kg	20GP	40GP	40HP
DP16R	550	1450	Φ16	80	MT2	5	500-2600	600-3100	280-840	Φ250	-90-0-45	65	410x250	880	900*460*320	39.5/43.3	210	455	520

RADIAL DRILL PRESS 变径台钻

KIMPORT

DP16RA

550W

16MM / 5 Speeds



The headstock tilts from 45° clockwise to 90° counter clockwise
机头角度可调：顺时针45度，逆时针90度。

5 speed for drilling different material
5个速度，适用不同材质钻孔。

By control the position pin to adjust the drill press head rotation Angle.
通过定位销来调节钻床头的旋转角度。

The swing range can be changed from 140mm to 420mm by adjusting the radials handle.
旋转半径140mm到420mm之间可调。

Boasting a powerful motor,smoothly power five spindle speeds.
拥有强大的电机，平稳提供五个转速。



Unique micro radials adjustment design gives users finer work.
独特的微调设计为您提供更精确的操作。

Cast iron table bevels up to 45° left & right and 360° plane rotates with extensible support
铸铁工作台：可延长托臂支撑，可左右旋转45度，平面旋转360度

HEIGHT:1650MM

The strong cast iron base support Frame makes the machine more stable.
带有支撑架的强壮铸铁底座，使机器更加稳固。

Floor radial drill press provides great versatility for drilling of projects. This space-saving, portable size machine has proven to be quite valuable for solving unusual drilling needs on the jobsite – from drilling balustrades for stair railings, to timber framing hole & peg construction.

立式变径台钻为钻孔项目提供了很大的灵活性。便于解决很多不寻常的钻孔需求–从楼梯栏杆的钻孔，到木材打孔。


280-840mm 5 SPEED FLOOR RADIAL DRILL PRESS

CE

Technical Data / 技术参数

Model 型号	Power (S1) 功率	Motor speed (rpm) 马达转速	Max Chuck Capacity 最大夹头尺寸	Spindel Travel 主轴行程	Taper 主轴锥度	No. of Speed 速度数量	Speed Range(rpm) 速度范围		Swing 旋转直径	Table size 工作台尺寸	Table Tilt 工作角度	Column Dia. 立柱直径	Base Size 底座尺寸	Machine Height 机器高度	Carton size 包装尺寸	N.W./G.W 净重/毛重	Container load 装箱数		
	Watts	50Hz	mm	mm			50Hz	60Hz	mm	mm	°	mm	mm	mm	mm	Kg	20GP	40GP	40HP
DP16RA	550	1450	Φ16	80	MT2	5	500-2600	600-3100	280-840	306x306	-90~0~45	70	535x380	1650	1420*500*260	61/65	144	288	320

SCROLL SAW



406MM THROAT	SSA16V	
	SSA16BL	金属杆电池灯
	SSA16AL	
	SSA16BLVRF	
457MM THROAT	SSA18V	
533MM THROAT	SSA21V	
558MM THROAT	SSA22V	

KIMPORT

SCROLL SAW 曲线锯

SSA16VE1

90W


406MM / 50MM

In-built dust blower
带鼓风管

Safety guard as CE approval
CE认证的安全护罩

Blade tension knob
锯条涨紧把手

LED light powered by battery
电池供电的LED灯



Big steel work table with 0-45 degree adjustable left and right
宽大铁板工作台左右0–45度可调



Dust port
排尘口



Patent design: Multi blade holder for blade and belt
专利外观设计: 锯条和砂带的多刀片夹持器。

Speed control switch
速度控制开关

Variable stroke 550 - 1500 min^{-1} and 18 mm lifting height
550–1500速度可调，锯条上下摆幅 18 mm

No-volt release switch
电磁开关



Tool box（64pcs）



Foot switch with adjustable speed function



PTO shaft

This 406mm variable speed scroll saw is designed for making small, intricate curved cuts in woods that are used in making decorative scroll work, puzzles and craft items. Foot switch helps release both hands to do more precise cutting. PTO shaft with 3.2mm chuck accept different kits for grinding,sanding and polishing works. It can be used to cut wood or plastic at different speed, and it is ideal for hobbyist, professional carpenter and workshop.

这款406mm调速曲线锯专为在木材上制作小而复杂的曲线切割而设计，用于制作装饰物、拼图和工艺品。脚踏开关可解放双手做精确的切割。3.2mm夹头的软轴可搭配不同附件包，用于打磨、砂光和抛光工作。它可在不同速度下用于切割木材或塑料，是业余爱好者、专业木工和木工坊的理想选择。

406MM SCROLL SAW
2-IN-1 FUNCTION - SAWING AND GRINDING

CE

Technical Data / 技术参数

Model 型号	Power 功率	Max Cutting Depth 最大切割厚度		Max cutting size 最大切割半径	Speed 速度范围	Table Size 工作台尺寸	Table Tilt 工作台角度	Blade Size 锯条尺寸	Flexible Shaft Speed 软轴速度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm at 0°	mm at 45°	mm	spm	mm		mm	RPM	mm	kg	20GP	40GP	40HP
SSA16VE1	S1 70W, S2 15min 90W	50	20	406	550-1500	407x254	-45~45°	133x3x0.3	1650-4500	708x286x390	8.1/10.1	320	670	804

KIMPORT


SCROLL SAW 曲线锯

SSA16V

125W

406MM / 50MM





Safety cover protection
安全防护罩

Quick blade tension handle
锯条快速涨紧把手

In-built dust blower
带鼓风管

Large aluminum table bevels up to 45° to the left for angled cutting
宽大的414x254mm铝质工作台向左45°可调，用于角度切割

Powerful 125W motor
强大的125W电机

Dust port keeps the work area free of dust when cutting
排尘口在切割时保持工作区域清洁

Cast iron base to reduce vibration
铸铁底座，减少振动

Adjust the speed anywhere from 550 to 1600 strokes per minute by simply turning the knob
速度控制开关可在550–1600SPM之间任意调整速度

This CE certified 406mm variable speed scroll saw is designed for making small, intricate curved cuts in thinner woods that are used in making decorative scroll work,puzzles, inlays and craft items. This scroll saw is ideal for personal use and various workshop applications.
这款有CE 认证的 406 毫米调速线锯用于在较薄木材上进行小而复杂的弧线切割，制作装饰品、拼图、镶嵌物和手工艺品。 这款线锯是个人使用和各种车间应用的理想选择。

CE

406MM VARIABLE SPEED SCROLL SAW

Technical Data / 技术参数

Model 型号	Power 功率	Max Cutting Depth 最大切割厚度		Max cutting size 最大切割半径	Speed 速度范围	Table Size 工作台尺寸	Table Tilt 工作台角度	Blade Size 锯条尺寸	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm at 0°	mm at 45°	mm	spm	mm		mm	mm	kg	20GP	40GP	40HP
SSA16V	S1 70W, S2 5min 125W	50	20	406	550-1600	414x254	0–45°	133x3x0.5	675x330x375	10.5/12	350	730	845

SCROLL SAW 曲线锯

KIMPORT

SSA16BL

125W

406MM / 50MM





Flexible LED light to illuminate work piece for precision cutting
灵活转动的LED灯，照亮切割件，实现精确切割

Quick blade tension handle
锯条快速涨紧把手

In-built dust blower
带鼓风管

Safety cover protection
安全防护罩

Large aluminum table bevels up to 45° to the left for angled cutting
宽大的414x254mm铝质工作台向左45°可调，用于角度切割

Dust port keeps the work area free of dust when cutting
排尘口在切割时保持工作区域清洁

Adjust the speed anywhere from 550 to 1600 strokes per minute by simply turning the knob.
速度控制开关可在550-1600SPM之间任意调整速度

Powerful 125W motor
强大的125W电机

Cast iron base to reduce vibration
铸铁底座，减少振动

CE certified 406mm variable speed scroll saw with LED light to illuminate work piece for precision cutting.
It is designed for making small, intricate curved cuts in thinner woods that are used in making decorative scroll work,puzzles, inlays and craft items.

有CE认证的 406 毫米调速线锯，带LED灯，照亮切割件，实现精确切割。
它用于在较薄木材上进行小而复杂的弧线切割，制作装饰品、拼图、镶嵌物和手工艺品。

406MM VARIABLE SPEED SCROLL SAW WITH LED LIGHT

CE

Technical Data / 技术参数

Model 型号	Power 功率	Max Cutting Depth 最大切割厚度		Max cutting size 最大切割半径	Speed 速度范围	Table Size 工作台尺寸	Table Tilt 工作台角度	Blade Size 锯条尺寸	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm at 0°	mm at 45°	mm	spm	mm		mm	mm	kg	20GP	40GP	40HP
SSA16BL	S1 70W, S2 5min 125W	50	20	406	550-1600	414x254	0-45°	133x3x0.5	675x330x410	11/12.5	335	690	720

SCROLL SAW 曲线锯

KIMPORT

SSA16AL

125W

406MM / 50MM



Flexible LED light to illuminate work piece for precision cutting
灵活转动的LED灯，照亮切割件，实现精确切割

Safety cover protection
安全防护罩

Quick blade tension handle
锯条快速张紧把手

in-built dust blower
带鼓风管

Large aluminum table bevels up to 45° to the left for angled cutting
宽大的414x254mm铝质工作台向左45°可调，用于角度切割



Dust port keeps the work area free of dust when cutting
排尘口在切割时保持工作区域清洁

Adjust the speed anywhere from 550 to 1600 strokes per minute by simply turning the knob
速度控制开关可在550–1600SPM之间任意调整速度

Powerful 125W motor
强大的125W电机

Cast iron base to reduce vibration
铸铁底座，减少振动

CE certified 406mm variable speed scroll saw with LED light to illuminate work piece for precision cutting.
It is designed for making small, intricate curved cuts in thinner woods that are used in making decorative scroll work,puzzles, inlays and craft items.

有CE认证的 406 毫米调速线锯，带LED灯，照亮切割件，实现精确切割。
它用于在较薄木材上进行小而复杂的弧线切割，制作装饰品、拼图、镶嵌物和手工艺品。

406MM VARIABLE SPEED SCROLL SAW WITH LED LIGHT

CE

Technical Data / 技术参数

Model 型号	Power 功率	Max Cutting Depth 最大切割厚度		Max cutting size 最大切割半径	Speed 速度范围	Table Size 工作台尺寸	Table Tilt 工作台角度	Blade Size 锯条尺寸	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm at 0°	mm at 45°	mm	spm	mm		mm	mm	kg	20GP	40GP	40HP
SSA16AL	S1 70W, S2 5min 125W	50	20	406	550-1600	414x254	0-45°	133x3x0.5	675x330x400	11/12.5	335	690	720

KIMPORT

SCROLL SAW 曲线锯

SSA16BLVRF

90W

406MM / 50MM

Flexible LED light to illuminate work piece for precision cutting
灵活转动的LED灯，照亮切割件，实现精确切割

Quick blade tension handle
锯条快速涨紧把手

In-built dust blower
带鼓风管

Safety cover protection
安全防护罩



Large aluminum table bevels up to 45° to the left for angled cutting
宽大的414x254mm铝质工作台向左45°可调，用于角度切割

Cast iron base to reduce vibration
铸铁底座，减少振动

Dust port keeps the work area free of dust when cutting
排尘口在切割时保持工作区域清洁

Adjust the speed anywhere from 550 to 1600 strokes per minute by simply turning the knob
速度控制开关可在550-1600SPM之间任意调整速度

PTO rotary shaft with kits box
多功能软轴,可连接附件包



Tool box（64pcs）



Foot switch with adjustable speed function





CE certified 406mm variable speed scroll saw is designed for making small, intricate curved cuts in thinner woods that are used in making decorative scroll work,puzzles, inlays and craft items.

CE 认证的 406 毫米调速线锯，用于在较薄木材上进行小而复杂的弧线切割，制作装饰品、拼图、镶嵌物和手工艺品。

406MM VARIABLE SPEED SCROLL SAW WITH PTO SHAFT

Technical Data / 技术参数

Model 型号	Power 功率	Max Cutting Depth 最大切割厚度		Max cutting size 最大切割半径	Speed 速度范围	Table Size 工作台尺寸	Table Tilt 工作台角度	Blade Size 锯条尺寸	Flexible Shaft Speed 软轴速度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm at 0°	mm at 45°	mm	spm	mm		mm	RPM	mm	kg	20GP	40GP	40HP
SSA16BLVRF	S1 70W, S2 15min 90W	50	20	406	550-1600	414x254	0-45°	133x3x0.5	1650-4800	675x330x375	11/12.5	335	690	720

SCROLL SAW 曲线锯

KIMPORT

SSA18V

120W


457MM / 50MM

Adjust the speed anywhere from 550 to 1550 strokes per minute by simply turning the knob.
轻松旋转按钮即可在550–1550SPM之间任意调整速度。

Handle to adjust blade tension.
锯条涨紧把手。



Upper arm can lifts in raised position for easy make inside cuts.
上臂可以抬起来，便于进行内切。



Flexible dust blower.
万向鼓风管。

Large steel table.
宽大的钢板工作台。

Powerful 120W motor suits to cut max. 50mm thickness.
强大的120W电机可以切割最厚50mm工件。

Tool storage box.
工具盒。

Dust port keeps the work area free of dust when cutting.
排尘口在切割时保持工作区域清洁。

Sturdy steel frame.
稳定的钢板结构。



Arm tilts 45° left and 25° right for precise angled cuts.
平行臂向左调整45° 向右调整25° ，实现精确的角度切割。

This variable speed scroll saw is designed for making small, intricate curved cuts in woods that are used in making decorative scroll work, puzzles, inlays and craft items.

这款调速线锯用于在木材上进行小而复杂的弧线切割，制作装饰品、拼图、镶嵌物和手工艺品。

457MM SCROLL SAW

CE

Technical Data / 技术参数

Model 型号	Power 功率	Max Cutting Depth 最大切割厚度		Max cutting size 最大切割半径	Speed 速度范围	Table Size 工作台尺寸	Arm Tilt 工作台角度	Blade Size 锯条尺寸	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm at 0°	mm at 45°	mm	spm	mm		mm	mm	kg	20GP	40GP	40HP
SSA18V	S1 80W, S2 15min 120W	50	20	457	550-1550	541x349	-45~25°	133x3x0.3	810x410x450	17.4/20.4	175	360	360

SCROLL SAW 曲线锯

KIMPORT

SSA21V

120W

533MM / 50MM

Adjust the speed anywhere from 550 to 1550 strokes per minute by simply turning the knob
转动旋钮，即可在550–1550SPM之间任意调整速度

Parallel-arm design combined with heavy duty steel construction minimizes noise and vibration
平行臂设计和重型钢结构使噪音和振动降到最低




Tension release lever. An adjustable material hold-down clamp
锯条涨紧把手。可调整锯条涨紧。

Upper arm locks in raised position to allow for easy interior cuts and workpiece adjustments
上臂锁定在抬起的位置，便于内部切割和工件调整。



Safety cover protects users from been hurt by debris
安全护罩保护使用者不受碎屑伤害



Powerful 120W motor
120W大功率电机

Large 650x400mm steel table bevels up to 45° to the left and 30° to the right for angled cutting.
宽大的650x40mm钢板工作台，可向左调整45° 向右调整30° ，用于角度切割。

Professional scroll saw only with pinless blade.
专业机器只安装无销锯条。

A flexible air pump
鼓风管

Max cutting capacity 533mm
最大切割半径533mm



Dust port keeps the work area free of dust when cutting
排尘口在切割时保持工作区域清洁

Dual side panels flip open for easy-access tool-free blade changes
双侧面板可翻开，方便更换刀片。

This professional variable speed scroll saw is designed for making small, intricate curved cuts in woods that are used in making decorative scroll work,puzzles, inlays and craft items. This scroll saw is ideal for various workshop applications.
这款专业调速线锯用于在木材上进行小而复杂的弧线切割，制作装饰品、拼图、镶嵌物和手工艺品。 这款线锯是各种车间应用的理想选择。

533MM VARIABLE SPEED PARALLEL ARM SCROLL SAW WITH EXTRA-LARGE DUAL-BEVEL STEEL TABLE

CE

Technical Data / 技术参数

Model 型号	Power 功率	Max Cutting Depth 最大切割厚度		Max cutting size 最大切割半径	Speed 速度范围	Table Size 工作台尺寸	Table Tilt 工作台角度		Blade Size 锯条尺寸	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm at 0°	mm at 45°	mm	spm	mm	left	right	mm	mm	kg	20GP	40GP	40HP
SSA21V	S1 80W, S2 15min 120W	50	20	533	550-1550	650x400	0–45°	0–30°	133x3x0.5	1025x400x510	26/29.5	120	252	315

SCROLL SAW 曲线锯

KIMPORT

SSA22V

120W

558MM / 50MM




Adjust the speed anywhere from 550 to 1550 strokes per minute by simply turning the knob.
轻松旋转按钮即可在550–1550SPM之间任意调整速度。

Upper arm can be raised for quick blade replacement.
抬起上臂可方便快速换锯条。

Tool-free blade replacement.
免工具锯条更换。

Handle to adjust blade tension.
锯条涨紧把手。



Flexible dust blower.
万向鼓风管。

Large steel table.
宽大的钢板工作台。

Powerful 120W motor suits to cut max. 50mm thickness.
强大的120W电机可以切割最厚50mm工件。

Dust port keeps the work area free of dust when cutting.
排尘口在切割时保持工作区域清洁。

Sturdy steel frame.
稳定的钢板结构。



Arm tilts 45° left and 30° right for precise angled cuts.
平行臂向左调整45° 向右调整30° ，实现精确的角度切割。

This variable speed scroll saw is designed for making small, intricate curved cuts in woods that are used in making decorative scroll work, puzzles, inlays and craft items.

这款调速线锯用于在木材上进行小而复杂的弧线切割，制作装饰品、拼图、镶嵌物和手工艺品。

558MM SCROLL SAW


CE

Technical Data / 技术参数

Model 型号	Power 功率	Max Cutting Depth 最大切割厚度		Max cutting size 最大切割半径	Speed 速度范围	Table Size 工作台尺寸	Table Tilt 工作台角度		Blade Size 锯条尺寸	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm at 0°	mm at 45°	mm	spm	mm	left	right	mm	mm	kg	20GP	40GP	40HP
SSA22V	S1 80W, S2 15min 120W	50	20	558	550-1550	650x350	0-45°	0-30°	133x3x0.5	1005x435x475	30/33.5	108	232	305

BAND SAW





200MM CUTTING CAPACITY	BS0802A
228MM CUTTING CAPACITY	BS0902A
240MM CUTTING CAPACITY	BS1001
	BS1002
305MM CUTTING CAPACITY	BS1202(T)
380MM CUTTING CAPACITY	BS1500(T)

BAND SAW 带锯

KIMPORT

BS0802A

350W **80MM**



Quick-release blade tension knob
锯条快速涨紧释放把手



Optional LED work light
可选LED工作灯

Work table with angle scale can be continuously adjusted from 0° to 45°
工作台带刻度尺，可连续从0到45°调节


Miter gauge help for straight, precise cuts and all oblique cuts, left right 60°
角度规帮助直切，精度切割和所有斜切，左右60° 旋转

Attach your dust collector to the 28mm dust port to minimize clean-up of saw dust and debris in your workshop.
将你的除尘器连接到28毫米的除尘端口，以减少车间内锯屑和碎片的清理。



Dynamically balanced band wheels provide smooth and precise operation
做过动平衡的带轮提供平稳和精确的操作

Fitted with blade wheel brush to prevent dust accumulation
装有锯轮刷，防止灰尘堆积



Powerful 350W induction motor with consistent cutting speed for working quietly and ensuring precise cutting results
大功率350W感应电机，切割速度一致，工作安静，切割精度高

This bench mounted band saw is ideal for the trade or home workshop. It has been designed to cut wood, wood-derived materials and plastics.

这种台式带锯适合商业或家庭车间用。它被设计用于切割木材，木材衍生材料和塑料。

200MM BAND SAW

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Table Size 工作台尺寸	Table Tilt 工作台倾斜角度	Cutting Capacity/Throat 喉深	Max.Cutting Height 最大切割高度	Blade Size 锯条尺寸
BS0802A	230-240V,50Hz S2 10min 350W	1400r/min	313x302mm	0-45°	195mm	80mm	1400x6.35x0.35mm 6TPI

Optional Blade Width 可选锯条宽度	Blade Speed 锯条转速	Dust Port 排尘口尺寸	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
					20GP	40GP	40HP		
3.5-9mm	960m/min	28mm	715x395x315mm	17/18.3kg	329	651	744	87.4dB(A)	96.4dB(A)

BAND SAW 带锯

KIMPORT

BS0902A

350W / 89MM

Quick-release blade tension knob
锯条快速涨紧释放把手



LED work Light
LED工作灯

Work table with angle scale can be continuously adjusted from 0° to 45°
工作台带刻度尺，可连续从0到45°调节

Attach your dust collector to the 63.5mm dust port to minimize clean-up of saw dust and debris in your workshop.
将你的除尘器连接到63.5毫米的除尘端口，以减少车间内锯屑和碎片的清理。


Miter gauge help for straight, precise cuts and all oblique cuts, left right 60°
角度规帮助直切，精度切割和所有斜切，左右60° 旋转



Dynamically balanced band wheels provide smooth and precise operation
做过动平衡的带轮提供平稳和精确的操作

Powerful 350 W induction motor with consistent cutting speed for working quietly and ensuring precise cutting results
大功率350W感应电机，切割速度一致，工作安静，切割精度高

Fitted with blade wheel brush to prevent dust accumulation
装有锯轮刷，防止灰尘堆积



Powerful 350 W induction motor with consistent cutting speed for working quietly and ensuring precise cutting results.

大功率350W感应电机，切割速度一致，工作安静，切割精度高。

228MM BAND SAW

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Table Size 工作台尺寸	Table Tilt 工作台倾斜角度	Cutting Capacity/Throat 喉深	Max.Cutting Height 最大切割高度	Blade Size 锯条尺寸
BS0902A	230-240V,50Hz S2 10min 350W	1400r/min	313x302mm	0-45°	228mm	89mm	1511x6.5x0.35mm 6TPI

Optional Blade Width 可选锯条宽度	Blade Speed 锯条转速	Dust Port 排尘口尺寸	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
					20GP	40GP	40HP		
3.5-9mm	630m/min	63.5mm	790x450x300mm	18.5/20.5kg	245	504	669	90.7dB(A)	99.2dB(A)

BAND SAW 带锯

KIMPORT

BS1001

370W **100MM**



Blade tension micro-adjusting knob
锯条微调把手

Quick-release blade tension lever
锯条快速涨紧把手

LED work Light
LED工作灯

Tilting table bevels 0 to 45 degrees for precision angled cut
工作台可倾斜0到45度，支持精确角度切割

Solid fence with quick-release fastener for precise cutting result
坚固的靠尺有快速释放/紧固功能，确保精确切割

Large cast aluminium table with retractable extension wing provides additional work piece support
大铸铝工作台带可伸缩延伸杆，提供额外的工件支持

Miter gauge with big control knob help for straight, precise cuts and all oblique cuts.
角度规帮助直切，精度切割和所有斜切



Heavy-Duty 370W induction motor allows for various cutting applications.
重型370W感应电机允许各种切割应用。



Comes with a dust port connect to your dust collector – conveniently helping to keep your work space uncluttered and clear of dust and debris.
带一个出尘口连接到你的集尘器，方便清理灰尘和碎屑保持工作区干净。

Durable welded frame with balanced aluminum wheels
耐用焊接框架与做过平衡的铝轮



Fitted with blade wheel brush to prevent dust accumulation
装有锯轮刷，防止灰尘堆积

240mm band saw is a favorite of woodworkers. It uses a 1712mm length blade and accepts blades from 3.5 to 12.7mm wide with enough power for woodworking to cut straight and curve lines.

240mm带锯是木工和业余爱好者的最爱，它使用1712mm长的刀片，接受3.5 – 12.7mm宽的刀片，有足够的动力进行木工直线和曲线切割。

CE

240MM BAND SAW

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Table Size 工作台尺寸	Table Tilt 工作台倾斜角度	Table Material 工作台材质	Cutting Capacity/Throat 喉深	Max.Cutting Height 最大切割高度	Blade Size 锯条尺寸
BS1001	230-240V,50Hz S1 370W	1400r/min	313x302mm	0-45°	Alumium	240mm	100mm	1712x9.5x0.35mm 6TPI

Optional Blade Width 可选锯条宽度	Blade Speed 锯条转速	Dust Port 排尘口尺寸	Blade Guides 轴承锯条导向	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数		
						20GP	40GP	40HP
3.5-12.7mm	730m/min	99mm,62mm,47mm	Three Bearing	885x390x475mm	40/43kg	165	330	405

BAND SAW 带锯

KIMPORT

BS1002

370W **100MM**

Blade tension micro-adjusting knob
锯条微调把手

Quick-release blade tension lever
锯条快速涨紧把手

LED work Light
LED工作灯

Solid fence with quick-release fastener for precise cutting result
坚固的靠尺有快速释放/紧固功能，确保精确切割

Tilting table bevels 0 to 45 degrees for precision angled cut
工作台可倾斜0到45度，支持精确角度切割


Large cast aluminium table with retractable extension wing provides additional work piece support
大铸铝工作台带可伸缩延伸杆，提供额外的工件支持

Miter gauge with big control knob help for straight, precise cuts and all oblique cuts.
角度规帮助直切，精度切割和所有斜切



Heavy-Duty 370W induction motor allows for various cutting applications.
重型370W感应电机允许各种切割应用。

Durable welded frame with balanced aluminum wheels
耐用焊接框架与做过平衡的铝轮



Comes with a dust port connect to your dust collector – conveniently helping to keep your work space uncluttered and clear of dust and debris.
带一个出尘口连接到你的集尘器，方便清理灰尘和碎屑保持工作区干净。

With stand
带支架



Fitted with blade wheel brush to prevent dust accumulation
装有锯轮刷，防止灰尘堆积

240mm bandsaw is a favorite of woodworkers. It uses a 1712mm length blade and accepts blades from 3.5 to 12.7mm wide with enough power for woodworking to cut straight and curve lines.
240mm带锯是木工和业余爱好者的最爱，它使用1712mm长的刀片，接受3.5 – 12.7 mm宽的刀片，有足够的动力进行木工直线和曲线切割。

240MM BAND SAW WITH STAND

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Table Size 工作台尺寸	Table Tilt 工作台倾斜角度	Cutting Capacity/Throat 喉深	Max.Cutting Height 最大切割高度	Blade Size 锯条尺寸
BS1002	230-240V,50Hz 370W	1400r/min	313x302mm	0-45°	240mm	100mm	1712x9.5x0.35mm 6TPI

Optional Blade Width 可选锯条宽度	Blade Speed 锯条转速	Dust Port 排尘口尺寸	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数			Sound Pressure Level 声压级 LpA	Sound Power Level 声功率级 LWA
					20GP	40GP	40HP		
3.5-12.7mm	730m/min	99,62,47mm	880x390x490mm	36/39kg	152	292	395	78.4dB(A)	91.1dB(A)

BAND SAW 带锯

KIMPORT

BS1202(T)

1100W / 206MM

Blade tension micro-adjusting knob.
锯条微调把手

Quick release lever for saw band.
锯条涨紧把手

Toolless adjustments: Hardened precision 3 roller guides above and below the table.
无需工具可调：工作台上下3个滚轮导轨均为硬质精密导轨。

Precision rip fence with magnifying glass, can be used on the left and right of the saw band.
精密的靠尺带放大镜显示数字，锯条两边工作台都能用

Miter gauge help for straight, precise cuts and all oblique cuts,left right 60°.
角度规帮助直切，精度切割和所有斜切，左右60° 旋转。



Stable cast iron table, swiveling from -8 to +45 °.
铸铁工作台可倾斜-8度到45度。

Unique vario drive from 370 to 750m/min.
独特的无极调速设计。可调速度370至750米/分钟。

Attach your dust collector to the 95mm dust port of saw dust and debris in your workshop.
将你的除尘器连接到95毫米的除尘端口

Balanced, ground band wheels with rubber bandage.
做过动平衡的皮带轮



Heavy-Duty 1100W induction motor
重型1100W感应电机





This machine is the perfect choice for anyone who chooses to grace their workshop floor space with an outstanding machine,also is an intermediate sized professional bandsaw. Compact, robust, cast iron band wheels, finely balanced, quiet running, and an outstanding specification.

这台机器是专业人士的完美选择，也是一台中级规模的专业带锯。紧凑、坚固、铸铁带轮、平衡性好、运行安静、规格卓越。

Fitted with blade wheel brush to prevent dust accumulation.
装有锯轮刷，防止灰尘堆积。

CE

305MM BAND SAW

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Table Size 工作台尺寸	Table Tilt 工作台倾斜角度	Cutting Capacity/Throat 喉深	Max.Cutting Height 最大切割高度
BS1202(T)	BS1202: 230-240V/50Hz, S1 800W, S6 40% 1100W BS1202T: 400V/50Hz, S1 700W, S6 40% 1100W	1400/min	548x400mm	-8-45°	305mm	206mm

Blade Size 锯条尺寸	Optional Blade Width 可选锯条宽度	Blade Speed 锯条转速	Dust Port 排尘口尺寸	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装箱数		
						20GP	40GP	40HP
2360x12.7x0.5mm 4TPI	3-20mm	370-750m/min	95mm	1150x620x430mm	230V: 78/84kg 400V: 74/79.6kg	90	180	214

BAND SAW 带锯

KIMPORT

BS1500(T)

1800W / 250MM


Blade tension micro-adjusting knob.
锯条微调把手

Quick release lever for saw band.
锯条涨紧把手

Toolless adjustments: Hardened precision 3 roller guides above and below the table.
无需工具可调：工作台上下3个滚轮导轨均为硬质精密导轨。

Precision rip fence with magnifying glass, can be used on the left and right of the saw band.
精密的靠尺带放大镜显示数字，锯条两边工作台都能用

Miter gauge help for straight, precise cuts and all oblique cuts,left right 60°.
角度规帮助直切，精度切割和所有斜切，左右60° 旋转。



Stable cast iron table, swivels from -17 to +45°
铸铁工作台可倾斜-17度到45度。

2 speeds 700 and 1000 m/min for a wide range of materials
2种速度，可调速度700米/分钟或1000米/分钟。

Attach your dust collector to the 95mm dust port of saw dust and debris in your workshop.
将你的除尘器连接到95毫米的除尘端口



Heavy-Duty 1800W induction motor
重型1800W感应电机

Balanced, ground band wheels with rubber bandage.
做过动平衡的皮带轮



This machine is the perfect choice for anyone who chooses to grace their workshop floor space with an outstanding machine,also is an intermediate sized professional bandsaw. Compact, robust, cast iron band wheels, finely balanced, quiet running, and an outstanding specification.

这台机器是专业人士的完美选择，也是一台中级规模的专业带锯。紧凑、坚固、铸铁带轮、平衡性好、运行安静、规格卓越。



Fitted with blade wheel brush to prevent dust accumulation.
装有锯轮刷，防止灰尘堆积。

380MM BAND SAW

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Table Size 工作台尺寸	Table Tilt 工作台倾斜角度	Cutting Capacity/Throat 喉深	Max.Cutting Height 最大切割高度
BS1500(T)	BS1500: 230-240V/50Hz, S1 1500W, S6 40% 1800W BS1500T: 400V/50Hz, S1 1500W, S6 40% 1800W	1490/min	548x400mm	-17-45°	380mm	250mm

Blade Size 锯条尺寸	Optional Blade Width 可选锯条宽度	Blade Speed 锯条转速	Dust Port 排尘口尺寸	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装箱数		
						20GP	40GP	40HP
2895x12.7x0.6mm 4TPI	3-30mm	700/1000 m/min	95mm	1390x710x470mm	230V: 106/114kg 400V: 102/110kg	48	96	96

TABLE SAW



315MM SAW BLADE	TS-315A
	TS-315B
	TS-315D
500MM SAW BLADE	TS-500A

TABLE SAW 台锯

KIMPORT

TS-315A

2200W/2800W

83MM





This machine fulfills the need for ripping,cross cutting,angle and compound angle cuts,is ideal for sawing solid timbers,boards and other wood-like materials in the workshop and at the construction sites.

该台锯可以满足纵切，横切,切斜角和复合角的切割;适用于切割木方,板材和其他类似木材的材料，可以在工作间和建筑工地使用。

315MM TABLE SAW WITH EXTENSION TABLE

CE

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Saw Blade Size 锯片尺寸	Table Size 工作台尺寸	Table Height 工作台高度	Extension Table Size 延伸工作台尺寸	Cutting Tilting Range 切割角度
TS-315A	230V/50Hz, S6 40% 2200W 400V/50Hz, S6 40% 2800W	2800rpm	315x30x2.5mm	800x550mm	850mm	800x400mm	0-45°

Cutting Depth 切割深度	Sliding table adjustable 滑台角度	Sliding table guide rail 滑轨导轨	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数		
90°: 83cm 45°: 49cm	NA	NA	890x610x460mm	230V: 44/50kg 400V: 47/52kg	20GP	40GP	40HP
					110	225	225

KIMPORT

TABLE SAW 台锯

TS-315B

2200W/2800W

83MM



Suction guard with suction hose
吸尘护罩带吸尘管

Extension table can be installed on the right side
延伸工作台可以安装到右侧

0-45°adjustable 315mm TCT blade
315毫米TCT锯片0–45° 可调

Sturdy parallel guide & ripping fence
牢固的导向轨和靠栅

Extension table
延伸工作台



Two handle and wheels for easy transport
两个把手和脚轮方便搬运

Sliding table carriage standard (0-45degree adjustable)
滑动工作台0–45度可调

No-voltage release switch
电磁开关

Sturdy, powder-coated sheet steel design and galvanized table-top
坚固的粉末涂层钢板设计和镀锌台面

Hand wheel to adjust height of saw blade continuously
使用手轮可以连续调节锯片高度

Powerful induction motor
强大的感应电机

This machine fulfills the need for ripping,cross cutting,angle and compound angle cuts,is ideal for sawing solid timbers,boards and other wood-like materials in the workshop and at the construction sites.
该台锯可以满足纵切，横切,切斜角和复合角的切割;适用于切割木方,板材和其他类似木材的材料，可以在工作间和建筑工地使用。

315MM TABLE SAW WITH SLIDING TABLE AND EXTENSION TABLE

CE

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Saw Blade Size 锯片尺寸	Table Size 工作台尺寸	Table Height 工作台高度	Extension Table Size 延伸工作台尺寸	Cutting Tilting Range 切割角度
TS-315B	230V/50Hz, S6 40% 2200W 400V/50Hz, S6 40% 2800W	2800rpm	315x30x2.5mm	800x550mm	850mm	800x400mm	0-45°

Cutting Depth 切割深度	Sliding table adjustable 滑台角度	Sliding table guide rail 滑轨导轨	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数		
90°: 83cm 45°: 49cm	0-45°	960mm	890x610x460mm	230V: 53/58kg 400V: 55/61kg	20GP 110	40GP 225	40HP 225

KIMPORT

TABLE SAW 台锯

TS-315D

2200W/2800W

83MM



0-45°adjustable 315mm TCT blade
315毫米TCT锯片0–45° 可调

Suction guard with suction hose
吸尘护罩带吸尘管

Sturdy parallel guide & ripping fence
牢固的导向轨和靠栅

2 x extension tables
两个延伸工作台

Two handle and wheels for easy transport
两个把手和脚轮方便搬运

Sliding table carriage standard (0-45degree adjustable)
滑动工作台0–45度可调

No-voltage release switch
电磁开关

Sturdy, powder-coated sheet steel design and galvanized table-top
坚固的粉末涂层钢板设计和镀锌台面

Hand wheel to adjust height of saw blade continuously
使用手轮可以连续调节锯片高度

Powerful induction motor
强大的感应电机

This machine fulfills the need for ripping,cross cutting,angle and compound angle cuts,is ideal for sawing solid timbers,boards and other wood-like materials in the workshop and at the construction sites.
该台锯可以满足纵切，横切,切斜角和复合角的切割;适用于切割木方,板材和其他类似木材的材料，可以在工作间和建筑工地使用。

315MM TABLE SAW WITH SLIDING TABLE AND 2 EXTENSION TABLES

CE

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Saw Blade Size 锯片尺寸	Table Size 工作台尺寸	Table Height 工作台高度	Extension Table Size 延伸工作台尺寸	Cutting Tilting Range 切割角度
TS-315D	230V/50Hz, S6 40% 2200W 400V/50Hz, S6 40% 2800W	2800rpm	315x30x2.5mm	800x550mm	850mm	800x400mm	0-45°

Cutting Depth 切割深度	Sliding table adjustable 滑台角度	Sliding table guide rail 滑轨导轨	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数		
					20GP	40GP	40HP
90°: 83cm 45°: 49cm	0-45°	960mm	890x610x460mm	230V: 57/63kg 400V: 60/65kg	110	225	225

TABLE SAW 台锯

KIMPORT

TS-500A

4200W

Cross-cutting/mitre gauge with integrated wedge cutting gauge
斜切分度盘



Approved BG pendulum saw guard protects user for safety
BG摆锤设计的锯片护罩保护使用者的安全

Large cutting height of 150mm thanks to 500mm TCT saw blade
采用500mm TCT锯片，切割高度可达150mm

Sturdy ripping fence
牢固的靠山

Extension table
延伸工作台



No-voltage release switch
电磁开关

4200W powerful induction motor to cut larger timbers and boards
强大的4200W感应电机可以切割木方、板材等

Dust port
排尘口

Two handle and wheels for easy transport
两个把手和脚轮方便搬运



Foldable legs for easy moving and storage
折叠腿方便搬运和储藏

- Ideal for sawing solid timbers, boards and other wood-like materials in the workshop and at the construction sites. Their generous specification fulfills the need for ripping,cross cutting,angle and compound angle cuts.
- The new heavy-duty site and construction saw copes with the extreme daily requirements of use on construction sites. The pendulum safety guard offers the operator optimum safety, meeting the strictest demands and carrying the approval of the German Professional Association BG. The powerful motor guarantees constant cutting performance. Heavy duty foldaway cross-cut and mitre attachment comes as standard equipment.

适用于切割木方,板材和其他类似木材的材料，可以在工作间和建筑工地使用。该台锯可以满足纵切，横切,切斜角和复合角的切割。这款建筑锯可以满足建筑工地极端的日常使用要求。钟摆安全防护为操作人员提供了最佳的安全性，满足最严格的要求，并获得了德国专业协会BG的批准。强大的电机保证恒定的切割性能。重型折叠式交叉切割和冠状附件作为标准设备。

CE

500MM CONSTRUCTION SITE SAW

Technical Data / 技术参数

Model 型号	Motor 电机参数	Motor Speed 马达速度	Saw Blade Size 锯片尺寸	Table Size 工作台尺寸	Table Height 工作台高度	Extension Table Size 延伸工作台尺寸	Cutting Tilting Range 切割角度
TS-500A	400V/50Hz, S6 40% 4200W	2800rpm	500x30x4mm	1000x660mm	850mm	800x400mm	90°

Cutting Depth 切割深度	Sliding table adjustable 滑台角度	Sliding table guide rail 滑轨导轨	Package Size 包装尺寸	N.W./G.W. 净重/毛重	Container load 装柜数		
					20GP	40GP	40HP
90°: 150cm 45°: NA	0-90°	Yes	1300x830x610mm	103/115kg	33	69	92

PLANER / THICKNESSER



204MM PLANNING WIDTH	PT200A
252MM PLANNING WIDTH	PT250A
260MM PLANNING WIDTH	PT250B(T)
330MM PLANNING WIDTH	PT330A
	PT330B

PLANER THICKNESSER 平压刨

KIMPORT

PT200A

1500W



Two HS planer blades and a knife speed with 9000 min^{-1} for smooth and precise planing
两个高速钢刀片，速度9000 min^{-1}

Powerful 1500W univeral motor
强大的1500W串激电机

Clearance height 5-120mm
压刨高度5–120mm

No-voltage release switch
电磁开关

The vibration dampening rubber feet keeps it completely stable in use, especially when planing longer pieces of wood.
振动阻尼橡胶脚保持它在使用中完全稳定，特别是当刨长块的木材。



Precise height adjustment of the thickness planer via hand crank from 0-2.5mm
刨削高度可调0–2.5mm



Angle adjustable fence (0-45°)
挡料板角度0–45° 可调

Combination of bench top jointer and planer provides a 2 in1 machine to maximize work space.
1500W powerful induction motor provides 9000RPM for various cutting applications.It is ideal for personal use and various workshop applications.

平刨和压刨二合一组合式产品，节省工作空间。
强大的1500W感应电机提供9000RPM转速,可满足多种切割要求。是个人使用和各种车间应用的理想之选。

COMBINED PLANER AND THICKNESS PLANER

CE

Technical Data / 技术参数

Model 型号	Specification 规格				Surfacing Planning 平刨		
	Motor 电机参数	Dimensions LxWxH 机器尺寸	Cutter Block Speed 刨刀转速	No. Of Blades 刀片数量	Surfacing Table Size 上工作台尺寸	Plane Width 最大刨削宽度	Stock Removal Max. 最大刨削深度
PT200A	220-240V/50Hz, 1500W	753x494x460mm	9000RPM	2	740x210mm	204mm	2.5mm

Thicknessing 压刨					Packaging Data 包装数据				
Thicknessing Table Size 下工作台尺寸	Clearance Height 加工高度	Clearance Width 加工宽度	Stock Removal Max. 最大刨削深度	Feed Speed 进料速度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
							20GP	40GP	40HP
270x204mm	5-120mm	204mm	2mm	4m/min	850x435x470mm	27/30kg	160	320	419

PLANER THICKNESSER 平压刨

KIMPORT

PT250A

1500W



Two HS planer blades and a knife speed with 9000 min^{-1} for smooth and precise planing
两个高速钢刀片，速度9000 min^{-1}

Powerful 1500W univeral motor
强大的1500W串激电机

5-120mm

Clearance height 5-120mm
压刨高度5–120mm

No-voltage release switch
电磁开关

The vibration dampening rubber feet keeps it completely stable in use, especially when planing longer pieces of wood.
振动阻尼橡胶脚保持它在使用中完全稳定，特别是当刨长块的木材。



Precise height adjustment of the thickness planer via hand crank from 0-2.5mm
刨削高度可调0–2.5mm



Angle adjustable fence (0-45°)
挡料板角度0–45° 可调

Combination of bench top jointer and planer provides a 2 in1 machine to maximize work space.
1500W powerful induction motor provides 9000RPM for various cutting applications.It is ideal for personal use and various workshop applications.

平刨和压刨二合一组合式产品，节省工作空间。
强大的1500W感应电机提供9000RPM转速,可满足多种切割要求。是个人使用和各种车间应用的理想之选。

COMBINED PLANER AND THICKNESS PLANER

CE

Technical Data / 技术参数

Model 型号	Specification 规格				Surfacing Planning 平刨		
	Motor 电机参数	Dimensions LxWxH 机器尺寸	Cutter Block Speed 刨刀转速	No. Of Blades 刀片数量	Surfacing Table Size 上工作台尺寸	Plane Width 最大刨削宽度	Stock Removal Max. 最大刨削深度
PT250A	220-240V/50Hz, 1500W	954x494x483mm	9000RPM	2	920x263mm	252mm	2.5mm


Thicknessing 压刨					Packaging Data 包装数据				
Thicknessing Table Size 下工作台尺寸	Clearance Height 加工高度	Clearance Width 加工宽度	Stock Removal Max. 最大刨削深度	Feed Speed 进料速度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
							20GP	40GP	40HP
270x303mm	5-120mm	252mm	2mm	4m/min	1015x430x510mm	30/34.5kg	116	244	305

PLANER THICKNESSER 平压刨

KIMPORT

PT250B(T)

2200W



Jointing fence, swivelling 90°-135°
靠山，可旋转90° – 135° 。

Planer blades with double blade for longer service life
刨削机刀片采用双刀头，使用寿命更长

The height of the planer protection plate is adjustable
平刨保护罩，高度可调

160mm max clearance height for thicknesser
压刨最大加工高度160mm

Precise thickness adjustment for quick and exact planing
精确的厚度调节，可快速准确地进行刨削

Pushing hands are convinence to move machines
推手让机器移动更便利

No-voltage release switch: prevents unintentional startup after power cut
电磁开关：防止断电后意外启动

Wheels for easy movement
便于移动的轮子

Powerful induction motor for powerful lugging drive and even planing result
强大的感应电机，提供强大的拖拽驱动力和均匀的刨削效果

Simple conversion from surface planer to bench thicknesser without tools.
无需工具，即可从平刨到压刨转换。

260mm PLANER/ THICKNESSER

CE

Technical Data / 技术参数

Model 型号	Specification 规格				Surfacing Planning 平刨		
	Motor 电机参数	Dimensions LxWxH 机器尺寸	Cutter Block Speed 刨刀转速	No. Of Blades 刀片数量	Surfacing Table Size 上工作台尺寸	Plane Width 最大刨削宽度	Stock Removal Max. 最大刨削深度
PT250B(T)	PT250B: 220-240V/50Hz, S6 40% 2200W PT250BT: 318-415V/50Hz, S6 40% 2800W	1095x650x985mm	6500RPM	2	1035x285mm	260mm	3mm

Thicknessing 压刨					Packaging Data 包装数据				
Thicknessing Table Size 下工作台尺寸	Clearance Height 加工高度	Clearance Width 加工宽度	Stock Removal Max. 最大刨削深度	Feed Speed 进料速度	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
							20GP	40GP	40HP
400x260mm	160mm	260mm	3mm	5m/min	710x565x570mm	71/76kg	108	232	256


KIMPORT

THICKNESS PLANER 压刨

PT330A

1800W

Cutting depth setting scale for easy read out required deep
切割深度设置刻度，方便读出所需深度




Powerful 1800W motor provides up to 9,500rpm cutter speed at a 7.5 m/min
强大的1800W电机以每分钟7.5米的进给速度提供高达9500rpm的刨削速度。

Carrying handles
搬运把手



Push handle hanger
推手挂钩



Cord wrapper allows the user to store the power cord in case it is pinched during handling.
电源线收纳，以防在处理过程中被夹住。

The 100mm(or 57mm) dust ports remove chips and sawdust from the workpiece.
100mm(or 57mm)排尘口可去除工件上的切屑和锯屑。

Plane boards up to 330mm wide and 152mm thick with ease
宽达330mm、厚达152mm的木材磨削



Total 915mm In/out feed table with built-in table
总长915mm的工作台

The 330mm benchtop thickness planer repurposes rough and worn wood for an exceptionally smooth finish.
330mm的台式刨床重新修整了粗糙和磨损的木材，来获得光滑的表面。

330MM BENCHTOP PLANER

CE

Technical Data / 技术参数

Model 型号	Specification规格			Thicknessing 压刨					Packaging Data包装数据					
	Motor 电机参数	Dimensions LxWxH 机器尺寸	Cutter block Speed 刨刀转速	Thicknessing Table Size 下工作台尺寸	Clearance Height Max. 最大加工高度	Clearance Width Max. 加工宽度	Stock Removal Max. 最大刨削深度	Feed speed 进料速度	Carton Size 包装尺寸	N.W. 净重	G.W. 毛重	Container Load 装柜数		
												20GP	40GP	40HP
PT330A	230-240V,50Hz 1800W	920x562x550mm	9500RPM	330x304mm	152mm	330mm	3mm	7.5m/min	640x430x560mm	32.5kg	35kg	180	364	364

THICKNESS PLANER 压刨

PT330B

1800W

Cutter head lock system ensure flatness of cutting.
刀头锁紧系统，确保切割平整度。

Push handle hanger
推手挂钩

Two blades (optional three blades)
两刀（可选三刀）

Carrying handles
搬运把手



Front LED light (optional)
前置LED灯(可选)

Powerful 1800W motor provides up to 9,500rpm cutter speed at a 7.5 m/min
强大的1800W电机以每分钟 7.5米进给速度提供高达9500rpm的刨削速度。

Plane boards up to 330mm wide and 152mm thick with ease
宽达330mm、厚达152mm的木材磨削



Material removal gauge with Indicator
木料去除指示

Depth stop presets(3.175-63.5mm)
定深功能(3.175–63.5mm)



Release function　Depth stop quick seting



The 330mm benchtop thickness planer repurposes rough and worn wood for an exceptionally smooth finish.

330mm的台式刨床重新修整了粗糙和磨损的木材，来获得光滑的表面。

KIMPORT

THICKNESS PLANER 压刨

PT330B

1800W



Tool storage is convenient for users to store the tools
工具收纳方便用户存放工具


The 100mm(or 57mm) dust ports remove chips and sawdust from the workpiece while the depth stop presets help prevent you from planing off too much material.
100mm(or 57mm)排尘口可去除工件上的切屑和锯屑，而定深功能可帮助您防止刨掉过多的材料。



Cutting depth setting scale for easy read out required deep
切割深度设置刻度，方便读出所需深度

Cord wrapper allows the user to store the power cord in case it is pinched during handling.
电源线收纳，以防在处理过程中被夹住。





Total 915mm In/out feed table with built-in table
总长915mm的工作台


330MM BENCHTOP PLANER

Technical Data / 技术参数

Model 型号	Specification规格			Thicknessing 压刨					Packaging Data 包装数据					
	Motor 电机参数	Dimensions LxWxH 机器尺寸	Cutter block Speed 刨刀转速	Thicknessing Table Size 下工作台尺寸	Clearance Height Max. 最大加工高度	Clearance Width Max. 最大加工宽度	Stock Removal Max. 最大刨掉深度	Feed speed 进料速度	Carton Size 包装尺寸	N.W. 净重	G.W. 毛重	Container Load 装柜数		
												20GP	40GP	40HP
PT330B	230-240V,50Hz 1800W	920x562x550mm	9500RPM	330x304mm	152mm	330mm	3mm	7.5m/min	640x430x560mm	33kg	35.5kg	180	364	364

KIMPORT

VERTICAL SPINDLE MOULDER



VERTICAL SPINDLE MOULDER

KIMPORT


VSM-50

1500W

Easy access spindle lock for quick action cutter change
快速打开主轴锁快速换铣刀

Cast aluminum bench top with 2 x table steel extensions
铸铝工作台带双边铁板延伸工作台

Fine adjustment aluminium fence
挡料板



Powerful 1500W universal motor
强大的1500W通用电机

Adjustable spindle height from 0 to 40mm by this handle
旋转把手，主轴高度从0到40mm可调



No-voltage release switch with thermal overload reset button
电磁开关，过载重启按钮

Variable speed from 11500 to 24000 RPM
速度可从11500到24000RPM进行调节

100mm dust chute
100mm 排尘口

This vertical spindle moulder equips with 2HP powerful motor to providie variable speed from 11500 to 24000 RPM. It uses 6mm, 8mm and 12mm router cutter shanks and provides maximum 50mm cutter block for precision cutting.
这这款木工铣配有2HP的马达，转速可以在11500RPM到24000RPM之间调节。它使用6/8/12mm的铣刀头和最大50mm的铣刀直径用于精确切割。

BENCH TOP ROUTER

CE

Technical Data / 技术参数

Model 型号	Motor Power 马达功率	Dimensions LxWxH 机器尺寸	Speed 转速	Table Size 工作台尺寸	Extension Single Table Size 单个延伸工作台尺寸	Router Cutters Shanks Dia. 铣刀杆径	Max. Cutter Block 最大铣刀直径	Spindle Height 主轴升降高度	Table Inserts 盖板规格	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm	rpm	mm	mm	mm	mm	mm	mm	mm	kg	20GP	40GP	40HP
VSM-50	1500W	1030x360x311	11500-24000	610x360	210x360	6/8/12	50	0-40	32/47/55	670x535x390	21/23	192	408	408

DUST COLLECTION



KIMPORT

DUST COLLECTOR 集尘器

DC-D

1200W



50L capacity
50L容量

Powerful 1200W universal motor
1200W大功率串级电机

Quick action clamp releases the lid of the drum to empty it out.
快速松开卡箍以打开桶清理。

High filtration to 0.5 microns
高过滤度，达到0.5微米



Comes with 2 metre 100mm hose
带2m直径是100mm的管子



Free adapter set 105mm, 70mm, 45mm, 40mm & 35mm
接口组合

This portable dust collector with universal motor and maximum 0.5 micron rating is excellent for small workshop .
这款最大0.5微米过滤能力的手提式串激电机集尘器适合小工作间使用。

DUST COLLECTOR

CE

Technical Data / 技术参数

Model 型号	Motor Power 马达功率	Fan Diameter 风扇直径	Maximum Air Flow 风量	Air Pressure 风压	Bag Type 集尘袋规格	Collector Bag Capacity 收集器袋的容量	Dust Port 排尘口直径	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm	50Hz	Pa	micron	L	mm	mm	kg	20GP	40GP	40HP
DC-D	1200W	130	183m³/h	25000	5	50	100mm	420x420x720	10.5/12	210	420	476

KIMPORT

DUST COLLECTOR 集尘器

DC-F

550W



This dust collector with 2 meter flexible hose collects large volumes of chips and dust debris is excellent for workshop.
这款带2米软管的集尘器可收集大量木屑和灰尘，非常适合车间使用。

MOVEABLE DUST COLLECTOR

CE

Technical Data / 技术参数

Model 型号	Motor Power 马达功率	Fan Diameter 风扇直径	Maximum Air Flow 风量	Air Pressure 风压	Bag Type 集尘袋规格	Collector Bag Capacity 收集器袋的容量	Dust Port 排尘口直径	Carton Size 包装尺寸	N.W./G.W. 净重/毛重	Container Load 装柜数		
	230-240V,50Hz	mm	50Hz	Pa	micron	L	mm	mm	kg	20GP	40GP	40HP
DC-F	550W	294	900m³/h	1600	5	65	100mm	887x477x455	25/28	140	285	342

KIMPORT

DUST COLLECTOR 集尘器

DC1100

1250W



Filter efficiency: 98% of 2-micron particies
过滤效率：98%的2微米颗粒

Manual clean filter drums.
滤筒清洁方便

Segregation apparatus improves chip separation and collector bag packing efficiency
分离装置提高了切屑分离和收集袋包装效率

Collection bags have a snap ring for fast installation and removal.
收集袋有一个卡环，可以快速安装和拆卸

Permanently lubricated, totally enclosed, fan-cooled motors are rated for continuous-duty
永久润滑、全封闭、风扇冷却的电机，可连续工作

Powerful induction motor with industrial switch
带工业开关的大功率感应电机

Two machines can be connected simultaneously to collect dust
可同时连接2台设备集尘

Four casters easy to move.
四个脚轮，方便移动


MOVEABLE DUST COLLECTOR

CE

Technical Data / 技术参数

Model 型号	Motor Power 马达功率	Fan Diameter 风扇直径	Maximum Air Flow 风量	Air Pressure 风压	Bag Size 集尘袋容积	Bag Type 集尘袋规格	Collector Bag Capacity 收集除袋的容量	Dust Port 排尘口直径	Carton Size 包装尺寸	Weight 重量	Container Load 装柜数		
	230-240V,50Hz	mm	50Hz	Pa	cu.ft	micron	L	mm	mm	kg	20GP	40GP	40HP
DC1100	1250W(input) 750W(output)	292	1529m³/h	1450	5.3	2	150	100mm	集尘筒：1135x580x500 滤桶：580x580x900	集尘筒：56 滤桶：10	40	85	100

DRILL PRESS & WOOD LATHE COMBO



COMBO WOOD LATHE DRILL PRESS

KIMPORT

DPWL12V

750W

Handles make it easy to stand the machine up or lay it down when it is used as a bench drill press or wood lathe.
作为台钻或木工车使用时，把手方便把机器立起来或放倒。

Adjust the variable speed anywhere from 440 to 2580 RPM.
机器速度可在440–2580之间任意调整。

Emergency stop switch
急停开关

Powerful 750W induction motor.
强大的750W感应电机。



Exact line laser alignment system for precision
交叉激光指示



Equipped with a φ290mm work table when the machine is used as a bench drill press.
当机床作为台式钻床使用时，它配有一个直径290mm的工作台。



Optional four-jaw chuck to drill hole.
可选四爪卡盘，用于钻孔。

Cast iron base
铸铁底座

Rotate the base 90 degrees clockwise, release the handle and place the machine horizontally.
Place the machine horizontally, replace the work table or chuck with the headstock, tool rest and tailstock, the machine will change to a wood lathe from a bench drill press.
底座顺时针旋转90度，松开把手，将机器水平放置。
将机器水平放置时，把工作台或卡盘更换为头架、刀架和尾架，机器就由台钻变为木工车床。

Unique 2 in 1 combo machine of drill press and wood lathe, all in one design saves cost and space.
独特的台钻和木工车床二合一组合机，一体化设计，一机两用，节省成本和空间。

COMBO WOOD LATHE DRILL PRESS

KIMPORT

DPWL12V


750W



The work table of drill press can be removed and replaced with a chuck to fix the workpiece.
台钻的工作台可拆卸并换成卡盘使用,卡盘可用于固定工件。

It is along with a 150mm tool rest for tool support during operation. The easy-to-use slide locking system makes a djustment to both the tool rest and the tailstock simple and precise.
它配有一个150mm刀架，可在操作过程中支撑刀具。易于使用的滑块锁定系统使刀架和尾座的调整简单而精确。

The purpose of the tailstock is to support the non-driven end of the workpiece. Position the workpiece with the top of the tailstock to find the center of rotation.
尾座的作用是支撑工件的非驱动端。用尾座顶部定位工件，找到旋转中心。



The purpose of the headstock is to support one end of the workpiece and spin it with enough force for the tool to cut the wood.
头架的作用是支撑工件的一端，并以足够的力使其旋转，以便刀具切割木材。



Attack workpieces up to 350mm long and φ200mm diameter for turning bowls, cups, pens and other workpieces by process of drilling, cutting and sanding when the machine is used as wood lathe.
当机器作为木工车床使用时，可对长度达350mm、直径达200mm的工件进行钻孔、切割和砂光加工，用于车削碗、杯、笔等工件。

305MM COMBO WOOD LATHE DRILL PRESS

CE

Technical Data / 技术参数

Model 型号	Motor 电机参数	Machine Height 机床高度	Drill Press Data 台钻参数					
			Max Working Height 最大工作高度	Chuck Capacity 夹头尺寸	Spindel Travel 主轴行程	Variable Speed 速度范围	Swing 旋转直径	Table Size 工作台尺寸
DPWL12V	220-240V/50Hz; S1 550W, S2 10min 750W	1110mm	350mm	Φ16	80mm	440-2580RPM	305mm	Φ290mm

		Wood Lathe Data 木工车参数					Packaging Data 包装数据			
Columm Dia 立柱直径	Base Size 底座尺寸	Processing Length 加工长度	Central Height 中心高度	Variable Speed 速度范围	Swing 旋转直径	Tool rest length 刀架长度	Carton Size 包装尺寸	Weight 重量	Container Load 装柜数	
									20GP	40GP
65mm	386x386mm	430mm	152mm	440-2580RPM	204mm	152mm	872x564x315mm	58kg	168	378

GREY GRINDING WHEEL

No.	Description			Optional Wheel Hole Size	Which Machine Use For
	Wheel size		Wheel optional grit		
	mm	inch			
01	75*13*10	3*1/2*3/8	80#	NA	Bench Grinder
02	125*16*12.7	5*5/8*1/2	36#, 60#	20mm or 32mm , 1/2 inch or 1-1/4 inch	
03	125*20*12.7	5*3/4*1/2			
04	150*20*12.7	6*3/4*1/2	36#, 60#, 80#, 100#, 150#		
05	150*25*12.7	6*1*1/2			
06	175*25*12.7	7*1*1/2	36#, 60#		
07	200*20*15.88	8*3/4*5/8	36#, 60#, 80#, 100#, 120#,150#,220#	NA	
08	200*25*15.88	8*1*5/8		NA	
09	250*25*20	10*1*3/4	36#, 60#	20mm or 32mm ,1/2 inch or 1-1/4 inch	
10	300*50*32	12*2*1-1/4		NA	



WHITE GRINDING WHEEL

No.	Description		Wheel optional grit	Which Machine Use For
	Wheel size			
	mm	inch		
01	125*20*12.7	5*3/4*1/2	36#, 60#, 80#, 120#	Bench Grinder
02	150*20*12.7	6*3/4*1/2		
03	150*25*12.7	6*1*1/2		
04	150*40*12.7	6*1-1/2*1/2		
05	150*40*32	6*1-1/2*1-1/4		
06	200*25*15.88	8*1*5/8	60#, 80#, 100#, 120#	
07	200*40*15.88	8*1-1/2*5/8	60#, 100#, 120#	
08	250*50*12	10*2*1/2	220#	



WIRE BRUSH WHEEL

No.	Description		Which Machine Use For
	Wheel size		
	mm	inch	
01	150*13.5*12	6*17/32*1/2	Bench Grinder
02	200*16*15.88	8*5/8*5/8	
03	175*18*32	7* 7/10*1-1/4	



WET GRINDING WHEEL

No.	Description		Wheel optional grit	Which Machine Use For
	Wheel size			
	mm	inch		
01	118*38*14	4-1/2*1-1/2*9/16	120#	SCM4500
02	200*40*20	8*1-1/2*3/4	80#	TDS-150EWG
03	200*40*12	8*1-1/2*1/2	220#	SCM8082
04	250*50*12	10*2*1/2	220#	SCM8101, SCM8103



BUFFING WHEEL

No.	Description		Which Machine Use For
	Wheel size		
	mm	inch	
01	75*17*10	3*5/8*3/8	Buffing Machine
02	150*8*12.7	6*5/16*1/2	



BUFFING WHEEL

No.	Description		Which Machine Use For
	Wheel size		
	mm	inch	
03	200*10*15.88	8*3/8*5/8	Buffing Machine
04	250*20*20	10*3/4*3/4	
06	150*12.7*15.88	6*1/2*5/8	
07	197*14*16	7-3/4*11/20*5/8	
08	197*10*16	7-3/4*3/8*5/8	



SANDING BELT

No.	Description			Which Machine Use For
	Wheel size		Wheel optional grit	
	mm	inch		
01	25.4*762	1*30	60#, 80#, 100#, 120#, 180#, 240#	Bench Grinder Sander
02	25.4*1067	1*42	80#	
03	50*686	2*27	60#, 80#, 100#, 120#, 180#, 240#, 320#	
04	50*710	2*28	80#	



SANDING DISC PAPER

No.	Description		Wheel optional grit	Which Machine Use For
	Wheel size			
	mm	inch		
01	125	5	80#, 100#, 120#, 180#, 240#	Belt & Disc Sander
02	150	6		
03	200	8		
04	229	9		
05	250	10		
06	305	12		



BAND SAW BLADE

No.	Description		Which Machine Use For
	Size(mm)	Optional grit	
01	1400*6.35*0.35	6TPI	Band Saw
02	1511*6.5*0.35	6, 8, 18, 24TPI	
03	1712*9.5*0.35	6TPI	
04	2360*12.7*0.5	4TPI	
05	2895*12.7*0.6	4TPI	



SAW BLADE

No.	Description			Which Machine Use For	Country Of Origin
	Length*Width*Thickness		TPI		
	mm	inch			
01	133*3*0.5	5*0.11*0.02	15,18 Pinned or Pinless	Scroll Saw	Made in China
02	133*2.4*0.25	5*0.095*0.01	15,25 Pinned ;18 Pinless		Taiwan, China
03	133*2.8*0.5	5*0.11*0.02	10,15,20 Pinned ;15 Pinless		



SPIRAL SAW BLADE

No.	Description			Which Machine Use For	Country Of Origin
	Length*Width*Thickness		TPI		
	mm	inch			
01	130*1.25(Dia.)	5*0.039(Dia.)	47	Scroll Saw	Made in Spain
02	130*1.45(Dia.)	5*0.046(Dia.)	43		Made in Spain



GEOMETRY SAW BLADE

No.	Description			Which Machine Use For	Country Of Origin
	Length*Width*Thickness		TPI		
	mm	inch			
01	130*1.7*0.52	5*0.67*0.02	TPI:7/6;CMS:3/2.5	Scroll Saw	Made in Spain




TABLE SAW BLADE

No.	Description		Which Machine Use For
	Saw blade size(mm)	Teeth	
01	315*30*3	Z24, Z48	Table Saw
02	254*30*2.6	Z24, Z40	
03	254*30*2.8	Z80	
04	500*30*4.0/2.8	Z44	



OTHER ACCESSORIES

Which Machine Use For		
All Machine	Bench Grinder	
Magnetic base light	Star dressing tool	Diamond dressing tool
		

KIMPORT





ZY103 100pcs hardwall hanger



ZY104 100pcs Cable Clip Set















ZY5344 ZY5345 ZY5346 ZY5350 ZY5351 ZY5352 ZY5353 ZY5355 ZY5356 ZY5357 ZY5358

LD-1239

Blind POP Rivets



ZY18001	1/8'x3/8'	100pcs
ZY18002	5/32'x1/2'	100pcs
ZY18003	3/16'x1/2'	100pcs

Hex Nuts



ZY18004	M4	150pcs
ZY18005	M5	150pcs
ZY18006	M6	150pcs
ZY18007	M8	100pcs
ZY18008	M10	50pcs

Scerw Cup Washers



ZY18009	M4	200pcs
ZY18010	M5	200pcs
ZY18011	M6	200pcs

Repair Plates



ZY18019	75mm	10pcs
ZY18020	100mm	10pcs

Hose Clip



ZY18021	10-16mm	10pcs
ZY18022	12-20mm	10pcs
ZY18023	16-25mm	5pcs
ZY18024	20-25mm	4pcs

Glass Plates



ZY18025	25mm	50pcs
ZY18026	40mm	25pcs
ZY18027	30mm	50pcs

Cup hook



ZY18036	19mm	100pcs
ZY18037	25mm	100pcs
ZY18038	38mm	50pcs

Square hook



ZY18039	25mm	50pcs
ZY18040	30mm	50pcs
ZY18041	38mm	50pcs

Eye screw



ZY18029	20mmxNo.2	100pcs
ZY18030	30mmxNo.6	100pcs
ZY18031	55mmxNo.12	30pcs





ZY2031	Chipboard screw	4x30mm	400pcs
ZY2032		4x40mm	300pcs
ZY2033		5x50mm	150pcs
ZY2034		5x60mm	100pcs
ZY2035		6x60mm	80pcs

ZY2046	Drywall screw	3.5x30mm	500g
ZY2047		4.2x32mm	500g
ZY2048		4.2x38mm	500g
ZY2049		4.8x50mm	500g
ZY2050		4.8x63mm	500g

Hex bolt with nut



ZY15201	6*15	8pcs
ZY15202	6*20	6pcs
ZY15203	6*30	7pcs
ZY15204	6*40	6pcs
ZY15205	5*15	12pcs
ZY15206	5*25	7pcs
ZY15207	5*30	10pcs
ZY15208	5*20	12pcs









ZY2001 520pcs Plastic Wall Plug



ZY2002 200pcs
Chipboard screw&anchor



ZY2003 800pcs chipboard screw



ZY2004 1200g wire nail



ZY3020 160pcs wood screw


ZY3021 180pcs
self tapping screw


ZY3022 130pcs
self tapping screw&anchor


ZY3023 590pcs wire nail


ZY3025 140pcs
chipboard screw

MEAS. OF CARTON:45 x 32.5 x 30CM

QTTY.PER CARTON:12/48 SET



ZY4200 320pcs
chipboard screw


ZY4201 320pcs
wood screw


ZY4204 2450pcs
wire brad nail



ZY4206 420pcs
self tapping screw


ZY4208 1300pcs
wire nail


ZY4210 320pcs
plastic anchor

MEAS. OF CARTON:41 x 31.5 x 18.5CM

QTTY.PER CARTON:12 SET



ZY521 102pcs
Chipboard Screw&Anchor


ZY522 68pcs
Tapping Screw&Anchor


ZY530 230pcs Washer


ZY531 100pcs Cable Clip


ZY6604 98pcs
Bolt Nut&Washer


ZY6606 124pcs
Self tapping screw&anchor


ZY8032 110pcs
Fibre Washer


ZY8029 60pcs
Electric Crimp Terminal


ZY8023 100pcs
Picture Hanger



ZY6800 225pcs O ring



ZY6801 300pcs Internal Circlip



ZY6802 300pcs E-Clip Assortment



ZY6805 150pcs Hair Pin






ZY7200 117pcs Hook



ZY7201 252pcs Machine screw washer&nut



ZY9100 405pcs Chipboard Screw



ZY9106 529pcs Screw Nut&Washer



ZY9104 1810pcs Nail



ZY1203 350pcs Wood Screw&Anchor



ZY1202 300pcs Chipboard Screw&Anchor



ZY1209 325pcs Bolt Nut&Washer


box size: 245x175x45mm



ZY1291



ZY1293



ZY6900 407/419pcs O ring set



ZY1702 620pcs Screw and anchor



REINFORCED SQUARE

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
				L	H	B	S
ETA	JH-ZK-7755WZ	50	70X70X55	70	70	55	2.5/2.0
ETA	JH-ZK-9965WZ	50	90X90X65	90	90	65	2.5/2.0
ETA	JH-ZK-1190WZ	25	105X105X90	105	105	90	3.0/2.0
ETA	JH-ZK-5535WZ	100	50X50X35	50	50	35	2.5/2.0
ETA	JH-ZK-9940WZ	50	90X90X40	90	90	40	2.5/2.0

Raw material: Pre-galv. Steel Sheet DX51D + ZZ75



MERGING SQUARE

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
				L	H	B	S
ETA	JH-ZK-5535	150	50X50X35	50	50	35	2.0/2.5
ETA	JH-ZK-6645	50	60X60X45	60	60	45	2.5/3.0
ETA	JH-ZK-7755	50	70X70X55	70	70	55	2.5
ETA	JH-ZK-9940	50	90X90X40	90	90	40	3.0
ETA	JH-ZK-9965	50	90X90X65	90	90	65	2.5
ETA	JH-ZK-1190	25	105X105X90	105	105	90	2.5/3.0
ETA	JH-ZK-9960	50	90X90X60	90	90	60	2.0/2.5
ETA	JH-ZK-6460	100	60X40X60	60	40	60	2.0/2.5
ETA	JH-ZK-8648	50	80X60X46	80	60	46	2.0/2.5
ETA	JH-ZK-15090	50	150X90X60	150	90	59	2.0/2.5
ETA	JH-ZK-1560	50	100X50X60	100	50	59	2.0/2.5
ETA	JH-ZK-150150	50	150X150X63	150	150	63	2.0/2.5
ETA	JH-ZK-12548	50	125X125X48	125	125	48	2.0/2.5
ETA	JH-ZK-12555	50	125X125X55	125	125	55	2.0/2.5
ETA	JH-ZK-6090	50	60X90X60	60	90	59	2.0/2.5

Raw material: Pre-galv. Steel Sheet DX51D + ZZ75

ASSEMBLELY SQUARE 2.0 MM



	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
				L	H	B	S
EOTA	JH-KF-4420	200	40X40X20	40	40	20	2.0
EOTA	JH-KF-4440	200	40X40X40	40	40	40	2.0
EOTA	JH-KF-4460	100	40X40X60	40	40	60	2.0
EOTA	JH-KF-4480	50	40X40X80	40	40	80	2.0
EOTA	JH-KF-44200	50	40X40X200	40	40	200	2.0
EOTA	JH-KF-5540	200	50X50X40	50	50	40	2.0
EOTA	JH-KF-6640	100	60X60X40	60	60	40	2.0
EOTA	JH-KF-6650	50	60X60X50	60	60	50	2.0
EOTA	JH-KF-6660	50	60X60X60	60	60	60	2.0
EOTA	JH-KF-6680	50	60X60X80	60	60	80	2.0
EOTA	JH-KF-66100	50	60X60X100	60	60	100	2.0
EOTA	JH-KF-8840	50	80X80X40	80	80	40	2.0
EOTA	JH-KF-8860	50	80X80X60	80	80	60	2.0
EOTA	JH-KF-8880	25	80X80X80	80	80	80	2.0
EOTA	JH-KF-88100	25	80X80X100	80	80	100	2.0
EOTA	JH-KF-88120	25	80X80X120	80	80	120	2.0
EOTA	JH-KF-1140	50	100X100X40	100	100	40	2.0
EOTA	JH-KF-1160	25	100X100X60	100	100	60	2.0
EOTA	JH-KF-1180	25	100X100X80	100	100	80	2.0
EOTA	JH-KF-11100	25	100X100X100	100	100	100	2.0
EOTA	JH-KF-11120	20	100X100X120	100	100	120	2.0
EOTA	JH-KF-11140	20	100X100X140	100	100	140	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275

ASSEMBLELY SQUARE 2.5 MM



	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
				L	H	B	S
EOTA	JH-KP-4460	100	40X40X60	40	40	60	2.5
EOTA	JH-KP-4480	100	40X40X80	40	40	80	2.5
EOTA	JH-KP-5540	100	50X50X40	50	50	40	2.5
EOTA	JH-KP-6640	100	60X60X40	60	60	40	2.5
EOTA	JH-KP-6650	50	60X60X50	60	60	50	2.5
EOTA	JH-KP-6660	50	60X60X60	60	60	60	2.5
EOTA	JH-KP-6680	50	60X60X80	60	60	80	2.5
EOTA	JH-KP-66100	50	60X60X100	60	60	100	2.5
EOTA	JH-KP-8840	50	80X80X40	80	80	40	2.5
EOTA	JH-KP-8860	50	80X80X60	80	80	60	2.5
EOTA	JH-KP-8880	25	80X80X80	80	80	80	2.5
EOTA	JH-KP-88100	25	80X80X100	80	80	100	2.5
EOTA	JH-KP-88120	25	80X80X120	80	80	120	2.5
EOTA	JH-KP-1140	50	100X100X40	100	100	40	2.5
EOTA	JH-KP-1160	25	100X100X60	100	100	60	2.5
EOTA	JH-KP-1180	25	100X100X80	100	100	80	2.5
EOTA	JH-KP-11100	25	100X100X100	100	100	100	2.5
EOTA	JH-KP-11120	20	100X100X120	100	100	120	2.5
EOTA	JH-KP-11140	20	100X100X140	100	100	140	2.5


Raw material: Pre-galv. Steel Sheet DX51D + Z275



135° MERGING SQUARE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	H	B	S
JH-ZS-5535	50	50X50X35	50	50	35	2.5
JH-ZS-5540	50	50X50X40	50	50	40	2.5
JH-ZS-7755	50	70X70X55	70	70	55	2.5
JH-ZS-9940	50	90X90X40	90	90	40	2.5
JH-ZS-9965	50	90X90X65	90	90	65	2.5
JH-ZS-1190	25	105X105X90	105	105	90	2.5/3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275




FLAT CONNECTOR

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				L	B	S
EN 14545	JH-LP-09535	100	95X35	95	35	2.5
EN 14545	JH-LP-13555	50	135X55	135	55	2.5
EN 14545	JH-LP-18040	50	180X40	180	40	3.0
EN 14545	JH-LP-17565	50	175X65	175	65	2.5
EN 14545	JH-LP-20590	25	205X90	205	90	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275

JOIST HANGER 2.0MM



	Art.-Nr.	PCS/CTN	SIZES A X B
EOTA	JH-WB-25100	50	25X100
EOTA	JH-WB-25118	50	25X118
EOTA	JH-WB-32109	50	32X109
EOTA	JH-WB-36142	50	36X142
EOTA	JH-WB-38106	50	38X106
EOTA	JH-WB-40100	50	40X100
EOTA	JH-WB-40110	50	40X110
EOTA	JH-WB-40140	50	40X140
EOTA	JH-WB-45096	50	45X96
EOTA	JH-WB-45107	50	45X107
EOTA	JH-WB-45137	50	45X137
EOTA	JH-WB-45167	50	45X167
EOTA	JH-WB-45197	50	45X197
EOTA	JH-WB-48095	50	48X95
EOTA	JH-WB-48136	50	48X136
EOTA	JH-WB-48166	50	48X166
EOTA	JH-WB-48226	50	48X226
EOTA	JH-WB-50093	50	50X93
EOTA	JH-WB-50105	50	50X105
EOTA	JH-WB-50135	50	50X135
EOTA	JH-WB-50165	25	50X165
EOTA	JH-WB-50195	25	50X195
EOTA	JH-WB-60100	50	60X100
EOTA	JH-WB-60120	40	60X120
EOTA	JH-WB-60130	40	60X130
EOTA	JH-WB-60160	25	60X160
EOTA	JH-WB-60190	25	60X190
EOTA	JH-WB-60220	20	60X220
EOTA	JH-WB-64098	20	64X98

	Art.-Nr.	PCS/CTN	SIZES A X B
EOTA	JH-WB-64128	50	64X128
EOTA	JH-WB-70125	40	70X125
EOTA	JH-WB-70155	40	70X155
EOTA	JH-WB-73124	40	73X124
EOTA	JH-WB-73153	40	73X153
EOTA	JH-WB-73183	40	73X183
EOTA	JH-WB-76120	25	76X120
EOTA	JH-WB-76152	25	76X152
EOTA	JH-WB-76182	25	76X182
EOTA	JH-WB-80120	40	80X120
EOTA	JH-WB-80140	25	80X140
EOTA	JH-WB-80150	25	80X150
EOTA	JH-WB-80180	25	80X180
EOTA	JH-WB-80210	20	80X210
EOTA	JH-WB-90115	25	90X115
EOTA	JH-WB-90145	25	90X145
EOTA	JH-WB-98141	25	98X141
EOTA	JH-WB-10014	25	100X140
EOTA	JH-WB-10016	25	100X160
EOTA	JH-WB-10017	25	100X170
EOTA	JH-WB-10020	20	100X200
EOTA	JH-WB-11516	20	115X162
EOTA	JH-WB-11519	20	115X190
EOTA	JH-WB-12016	25	120X160
EOTA	JH-WB-12018	20	120X180
EOTA	JH-WB-12019	20	120X190
EOTA	JH-WB-12718	20	127X186
EOTA	JH-WB-14018	20	140X180
EOTA	JH-WB-16017	20	160X170

Raw material: Pre-galv. Steel Sheet DX51D + Z275

INNER FOLDED JOIST HANGER 2.0MM



	Art.-Nr.	PCS/CTN	SIZES A X B
EOTA	JH-WC-40110	50	40X110
EOTA	JH-WC-45070	50	45X70
EOTA	JH-WC-51105	50	51X105
EOTA	JH-WC-60100	50	60X100
EOTA	JH-WC-64128	50	64X128
EOTA	JH-WC-64138	50	64X138
EOTA	JH-WC-70125	40	70X125
EOTA	JH-WC-70155	40	70X155
EOTA	JH-WC-76122	25	76X122
EOTA	JH-WC-76152	25	76X152
EOTA	JH-WC-80120	40	80X120
EOTA	JH-WC-80150	25	80X150
EOTA	JH-WC-80180	25	80X180

	Art.-Nr.	PCS/CTN	SIZES A X B
EOTA	JH-WC-80210	25	80X210
EOTA	JH-WC-90115	25	90X115
EOTA	JH-WC-90145	25	90X145
EOTA	JH-WC-100140	25	100X140
EOTA	JH-WC-100170	25	100X170
EOTA	JH-WC-100200	20	100X200
EOTA	JH-WC-115163	20	115X163
EOTA	JH-WC-115193	20	115X193
EOTA	JH-WC-120160	25	120X160
EOTA	JH-WC-120180	20	120X180
EOTA	JH-WC-120190	20	120X190
EOTA	JH-WC-140180	20	140X180


Raw material: Pre-galv. Steel Sheet DX51D + Z275

JOIST HANGER TWO PARTS 2.0MM



	Art.-Nr.	PCS/CTN	SIZES A X B
EOTA	JH-WD-3080L	25	30X80
EOTA	JH-WD-3080R	25	30X80
EOTA	JH-WD-30100L	25	30X100
EOTA	JH-WD-30100R	25	30X100
EOTA	JH-WD-30120L	25	30X120
EOTA	JH-WD-30120R	25	30X120
EOTA	JH-WD-30140L	25	30X140
EOTA	JH-WD-30140R	25	30X140
EOTA	JH-WD-30150L	25	30X150
EOTA	JH-WD-30150R	25	30X150
EOTA	JH-WD-30160L	25	30X160
EOTA	JH-WD-30160R	25	30X160

Raw material: Pre-galv. Steel Sheet DX51D + Z275






SPIKED PLATE

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				OD	ID	S
EN 14545	JH-ED-A48	300	A48	48	12.5	1.0
EN 14545	JH-ED-A62	100	A62	62	20.5	1.2
EN 14545	JH-ED-A75	100	A75	75	22.5	1.25
EN 14545	JH-ED-B48	200	B48	48	12.5	1.0
EN 14545	JH-ED-B62	200	B62	62	20.5	1.2
EN 14545	JH-ED-B75	100	B75	75	22.5	1.25
EN 14545	JH-ED-C95	100	C95	95	25	1.5

Raw material: 1. Pre-galv. Steel Sheet DX51D + Z275
2. Zinc Plated after punching
3. HDG after punching

ANCHOR PLATE

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				L	B	S
EN 14545	JH-PP-4080	100	40X80	80	40	1.5/2.0
EN 14545	JH-PP-40100	100	40X100	100	40	1.5/2.0
EN 14545	JH-PP-40120	100	40X120	120	40	1.5/2.0
EN 14545	JH-PP-40140	100	40X140	140	40	1.5/2.0
EN 14545	JH-PP-40160	100	40X160	160	40	1.5/2.0
EN 14545	JH-PP-40200	100	40X200	200	40	1.5/2.0
EN 14545	JH-PP-40300	50	40X300	300	40	1.5/2.0
EN 14545	JH-PP-50180	50	50X180	180	50	1.5/2.0
EN 14545	JH-PP-50200	50	50X200	200	50	1.5/2.0
EN 14545	JH-PP-50240	50	50X240	240	50	1.5/2.0
EN 14545	JH-PP-60100	50	60X100	100	60	1.5/2.0
EN 14545	JH-PP-60120	50	60X120	120	60	1.5/2.0
EN 14545	JH-PP-60140	50	60X140	140	60	1.5/2.0
EN 14545	JH-PP-60160	50	60X160	160	60	1.5/2.0
EN 14545	JH-PP-60180	50	60X180	180	60	1.5/2.0
EN 14545	JH-PP-60200	50	60X200	200	60	1.5/2.0
EN 14545	JH-PP-60220	50	60X220	220	60	1.5/2.0
EN 14545	JH-PP-60240	50	60X240	240	60	1.5/2.0
EN 14545	JH-PP-60300	25	60X300	300	60	1.5/2.0
EN 14545	JH-PP-80140	50	80X140	140	80	1.5/2.0
EN 14545	JH-PP-80160	50	80X160	160	80	1.5/2.0
EN 14545	JH-PP-80180	50	80X180	180	80	1.5/2.0
EN 14545	JH-PP-80200	25	80X200	200	80	1.5/2.0
EN 14545	JH-PP-80240	25	80X240	240	80	1.5/2.0
EN 14545	JH-PP-80260	25	80X260	260	80	1.5/2.0
EN 14545	JH-PP-80300	25	80X300	300	80	1.5/2.0
EN 14545	JH-PP-100100	25	100X100	100	100	1.5/2.0
EN 14545	JH-PP-100120	25	100X120	120	100	1.5/2.0
EN 14545	JH-PP-100140	25	100X140	140	100	1.5/2.0
EN 14545	JH-PP-100160	25	100X160	160	100	1.5/2.0
EN 14545	JH-PP-100200	25	100X200	200	100	1.5/2.0
EN 14545	JH-PP-100240	25	100X240	240	100	1.5/2.0
EN 14545	JH-PP-100260	25	100X260	260	100	1.5/2.0
EN 14545	JH-PP-100300	25	100X300	300	100	1.5/2.0
EN 14545	JH-PP-120140	25	120X140	140	120	1.5/2.0
EN 14545	JH-PP-120160	25	120X160	160	120	1.5/2.0
EN 14545	JH-PP-120200	25	120X200	200	120	1.5/2.0
EN 14545	JH-PP-120240	25	120X240	240	120	1.5/2.0
EN 14545	JH-PP-120260	25	120X260	260	120	1.5/2.0
EN 14545	JH-PP-120300	25	120X300	300	120	1.5/2.0
EN 14545	JH-PP-200300	20	200X300	300	200	1.5/2.0
EN 14545	JH-PP-80400	20	80X400	400	80	1.5/2.0
EN 14545	JH-PP-100400	20	100X400	400	100	1.5/2.0
EN 14545	JH-PP-100500	20	100X500	500	100	1.5/2.0
EN 14545	JH-PP-120400	20	120X400	400	120	1.5/2.0
EN 14545	JH-PP-120500	20	120X500	500	120	1.5/2.0
EN 14545	JH-PP-140400	10	140X400	400	140	1.5/2.0
EN 14545	JH-PP-160400	10	160X400	400	160	1.5/2.0



Raw material: Pre-galv. Steel Sheet DX51D + Z275

ANCHOR PLATE 1200 MM L

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				L	B	S
EN 14545	JH-PP-401200	10	40X1200	1200	40	2.0
EN 14545	JH-PP-601200	10	60X1200	1200	60	2.0
EN 14545	JH-PP-801200	10	80X1200	1200	80	2.0
EN 14545	JH-PP-1001200	10	100X1200	1200	100	2.0
EN 14545	JH-PP-1201200	10	120X1200	1200	120	2.0



Raw material: Pre-galv. Steel Sheet DX51D + Z275



ROOF RIDGE FIXING TYPE A

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
JH-SP-170	100	170	170	35	2.0
JH-SP-210	50	210	210	35	2.0
JH-SP-250	50	250	250	35	2.0
JH-SP-290	20	290	290	35	2.0
JH-SP-330	20	330	330	35	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275



ROOF RIDGE FIXING TYPE B

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
JH-SP-170L	100	170 R, L	170	35	2.0
JH-SP-170R	100	170 R, L	170	35	2.0
JH-SP-210L	50	210 R, L	210	35	2.0
JH-SP-210R	50	210 R, L	210	35	2.0
JH-SP-250L	50	250 R, L	250	35	2.0
JH-SP-250R	50	250 R, L	250	35	2.0
JH-SP-290L	20	290 R, L	290	35	2.0
JH-SP-290R	20	290 R, L	290	35	2.0
JH-SP-330L	20	330 R, L	330	35	2.0
JH-SP-330R	20	330 R, L	330	35	2.0
JH-SP-370L	20	370 R, L	370	35	2.0
JH-SP-370R	20	370 R, L	370	35	2.0


Raw material: Pre-galv. Steel Sheet DX51D + Z275
This item has left side and right side difference.



ANGLE SQUARE, 2.5MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	H
JH-ZN-4164	50	40X160X40	40	160	40
JH-ZN-4124	100	40X120X40	40	120	40
JH-ZN-4904	100	40X90X40	40	90	40
JH-ZN-5905	100	50X90X50	50	90	50
JH-ZN-6356	100	60X35X60	60	35	60
JH-ZN-6906	50	60X90X60	60	90	60
JH-ZN-8604	50	80X60X40	80	60	40
JH-ZN-9124	50	90X120X40	90	120	40

Raw material: Pre-galv. Steel Sheet DX51D + Z275



LIGHT DUTY BRACKETS 2.0MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	H
JH-MS-333	100	30X30X30	30	30	30
JH-MS-444	100	40X40X40	40	40	40
JH-MS-666	50	60X60X60	60	60	60
JH-MS-3325	200	30X30X25	30	30	25
JH-MS-4425	200	40X40X25	40	40	25
JH-MS-5525	200	50X50X25	50	50	25
JH-MS-5530	100	50X50X30	50	50	30
JH-MS-5730	100	50X70X30	50	70	30
JH-MS-6625	100	60X60X25	60	60	25
JH-MS-7425	50	75X40X25	75	40	25

Raw material: Pre-galv. Steel Sheet DX51D + Z275



ADJUSTABLE BRACKETS, 2.0MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	H
JH-ZKR-636	50	60X30X60	60	30	60
JH-ZKR-646	50	60X40X60	60	40	60
JH-ZKR-853	100	80X50X30	80	50	30
JH-ZKR-862	50	80X65X20	80	65	20

Raw material: Pre-galv. Steel Sheet DX51D + Z275



ANCHOR BRACKETS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	B	H	S
JH-LA-422	25	200X40X2.0	40	40	200	2.0
JH-LA-423	25	200X40X3.0	40	40	200	3.0
JH-LA-432	25	300X40X2.0	40	40	300	2.0
JH-LA-433	25	300X40X3.0	40	40	300	3.0
JH-LA-442	25	400X40X2.0	40	40	400	2.0
JH-LA-443	25	400X40X3.0	40	40	400	3.0
JH-LA-452	25	500X40X2.0	40	40	500	2.0
JH-LA-453	25	500X40X3.0	40	40	500	3.0
JH-LA-462	25	600X40X2.0	40	40	600	2.0
JH-LA-463	25	600X40X3.0	40	40	600	3.0
JH-LA-424	25	200X40X4.0	40	40	200	4.0
JH-LA-434	25	300X40X4.0	40	40	300	4.0
JH-LA-444	25	400X40X4.0	40	40	400	4.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275



NARROW SQUARE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	H	B	S
JH-MI-2215	100	25X25X15	25	25	15	2.0
JH-MI-3315	100	30X30X15	30	30	15	2.0
JH-MI-4415	100	40X40X15	40	40	15	2.0
JH-MI-5515	100	50X50X15	50	50	15	2.0
JH-MI-6620	100	60X60X20	60	60	20	2.0
JH-MI-8820	50	80X80X20	80	80	20	2.0
JH-MI-1120	50	100X100X20	100	100	20	2.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275 or plating after punching.



HEAVY DUTY NARROW SQUARE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			L	H	B	S
JH-MK-8020	20	80X80X20	80	80	20	5.0
JH-MK-1020	20	100X100X20	100	100	20	5.0
JH-MK-1220	20	120X120X20	120	120	20	5.0
JH-MK-1420	20	140X140X20	140	140	20	5.0
JH-MK-1620	20	160X160X20	160	160	20	5.0
JH-MK-1820	20	180X180X20	180	180	20	5.0


Raw material: 5mm steel plate, hot-dipped galv. after punching.



NARROW STRAIGHT CONNECTOR

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				L	B	S
EN 14545	JH-LW-40152	100	40X15	40	15	2.0
EN 14545	JH-LW-50152	100	50X15	50	15	2.0
EN 14545	JH-LW-75152	100	75X15	75	15	2.0
EN 14545	JH-LW-80152	100	80X15	80	15	2.0
EN 14545	JH-LW-10152	50	100X15	100	15	2.0
EN 14545	JH-LW-15204	50	150X20	150	20	4.0
EN 14545	JH-LW-19204	50	190X20	190	20	4.0
EN 14545	JH-LW-24204	50	240X20	240	20	4.0


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or plating after punching.



L FLAT ANGLE

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				A	B	C
EN 14545	JH-KN-4410	200	40X40X10X1.0	40	40	10
EN 14545	JH-KN-5510	100	50X50X10X2.0	50	50	10
EN 14545	JH-KN-6610	100	60X60X10X2.0	60	60	10
EN 14545	JH-KN-7512	100	75X75X12X2.0	75	75	12
EN 14545	JH-KN-8818	100	80X80X18X2.0	80	80	18
EN 14545	JH-KN-11015	50	100X100X15X2.0	100	100	15
EN 14545	JH-KN-15025	50	150X150X25X2.5	150	150	25
EN 14545	JH-KN-20030	50	200X200X30X2.5	200	200	30
EN 14545	JH-KN-25030	25	250X250X30X2.5	250	250	30
EN 14545	JH-KN-30040	25	300X300X40X4.0	300	300	40


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or plating after punching.



T CONNECTOR 2.0MM

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				A	B	C
EN 14545	JH-KT-1	50	70X50X16	70	50	16


Raw material: Pre-galv. Steel Sheet DX51D + Z275 or plating after punching.



PROFILE ANCHOR, 3.0MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	H
JH-PA-164A	25	160X40X30	160	40	30
JH-PA-144B	25	140X40X22.5	140	40	22.5
JH-PA-164B	25	160X40X22.5	160	40	22.5
JH-PA-184B	25	180X40X22.5	180	40	22.5


Raw material: Pre-galv. Steel Sheet DX51D + Z275



T-ANCHOR PLATE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	S
JH-TA-164	100	160X40X3.0	160	40	3.0
JH-TA-184	100	180X40X3.0	180	40	3.0
JH-TA-204	100	200X40X3.0	200	40	3.0

Raw material: Pre-galv. Steel Sheet DX51D + Z275



STRAIGHT CONNECTORS

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				L	B	S
EN 14545	JH-LWG-170	50	170X30X2.5	170	30	2.5
EN 14545	JH-LWG-195	50	195X35X4	195	35	4.0

Raw material: 2.5 Pre-galv. Steel Sheet DX51D + Z275
4.0 Steel plate, HDG after punching



DUTCH REINFORCED BRACKET

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
JH-DRB-9090	50	90X90X60	90	90	60	2.0/2.5
JH-DRB-15090	50	150X90X59	150	90	59	2.0/2.5
JH-DRB-150150	40	150X150X63	150	150	63	2.0/2.5
JH-DRB-12546	50	125X125X46	125	125	46	2.0/2.5
JH-DRB-12555	50	125X125X55	125	125	55	2.0/2.5
JH-DRB-6090	50	60X90X59	60	90	59	2.0/2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275



DUTCH FLAT CONNECTOR

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				A	B	S
EN 14545	JH-DFC-59175	50	59X175X2.5	59	175	2.0/2.5
EN 14545	JH-DFC-59235	50	59X235X2.5	59	235	2.0/2.5
EN 14545	JH-DFC-46250	50	46X250X2.5	46	250	2.0/2.5
EN 14545	JH-DFC-55250	50	55X250X2.5	55	250	2.0/2.5
EN 14545	JH-DFC-63300	50	63X300X2.5	63	300	2.0/2.5


Raw material: Pre-galv. Steel Sheet DX51D + Z275



HEAVY DUTY ANGLE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
JH-KB-1050	40	100X50X50X4	100	50	50
JH-KB-1075	40	100X75X50X2.5	100	75	50
JH-KB-1280	20	120X80X35X4	120	80	35

Raw material: 2.5mm: Pre-galv. Steel Sheet DX51D + Z275
4.0mm: Z/P or HDG after punching



ADJUSTABLE BRACKET

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
JH-AB-1459	50	100X40X59	100	40	59	2.5
JH-AB-8445	50	80X40X45	80	40	45	2.5
JH-AB-5559	50	50X50X59	50	50	59	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275



DUTCH JOIST HANGERS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
JH-DJH-46146	20	46X146X1.5	46	146	1.5
JH-DJH-59156	20	59X156X1.5	59	156	1.5
JH-DJH-59171	20	59X171X1.5	59	171	1.5
JH-DJH-71171	20	71X171X1.5	71	171	1.5
JH-DJH-71196	20	71X196X1.5	71	196	1.5
JH-DJH-71221	20	71X221X1.5	71	221	1.5


Raw material: Pre-galv. Steel Sheet DX51D + Z275



SPEEDY VERTICAL

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
JH-SV-32190	50	32X190X0.9	32	190	0.9
JH-SV-38190	50	38X190X0.9	38	190	0.9
JH-SV-46190	50	46X190X0.9	46	190	0.9
JH-SV-50190	50	50X190X0.9	50	190	0.9
JH-SV-59190	50	59X190X0.9	59	190	0.9
JH-SV-63190	50	63X190X0.9	63	190	0.9
JH-SV-71190	50	71X190X0.9	71	190	0.9
JH-SV-38225	50	38X225X0.9	38	225	0.9
JH-SV-46225	50	46X225X0.9	46	225	0.9
JH-SV-50225	50	50X225X0.9	50	225	0.9
JH-SV-59225	50	59X225X0.9	59	225	0.9
JH-SV-63225	50	63X225X0.9	63	225	0.9
JH-SV-71225	50	71X225X0.9	71	225	0.9
JH-SV-75225	50	75X225X0.9	75	225	0.9
JH-SV-71305	50	71X305X0.9	71	305	0.9

Raw material: Pre-galv. Steel Sheet DX51D + Z275



SPECIAL FLAT CONNECTOR

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				A	B	S
EN 14545	JH-SFC-45203	50	45X203	45	203	2.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275



SPEEDY MINOR 1.0MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
JH-SM-25	125	25	25	76	1.0
JH-SM-32	125	32	32	72.5	1.0
JH-SM-38	125	38	38	69.5	1.0
JH-SM-46	125	46	46	65.5	1.0
JH-SM-50	125	50	50	63.5	1.0
JH-SM-59	125	59	59	59	1.0
JH-SM-63	125	63	63	57	1.0


Raw material: Pre-galv. Steel Sheet DX51D + Z275



Z-TYPE CONNECTOR 2.5MM

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	C
JH-ZC-271	20	20X70X10	20	70	10
JH-ZC-483	50	40X85X30	40	85	30
JH-ZC-583	50	50X85X30	50	85	30
JH-ZC-683	50	60X85X30	60	85	30

Raw material: Pre-galv. Steel Sheet DX51D + Z275



KOPPELANKER

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
JH-KA-200	50	30X200X2.0	30	200	2.0
JH-KA-300	50	30X300X2.0	30	300	2.0
JH-KA-400	50	30X400X2.0	30	400	2.0


Raw material: Pre-galv. Steel Sheet DX51D + Z275

UNIVERSAL PLATE



ART#: JH–UP–100


Raw material: Pre-galv. Steel Sheet DX51D + Z275





ART#: JH–UP–130


Raw material: Pre-galv. Steel Sheet DX51D + Z275





ART#: JH–UP–190


Raw material: Pre-galv. Steel Sheet DX51D + Z275



HOLE BAND



EN 14545 ART#: JH–BP–1
SIZE: 20X1.0X10000 20X1.5X10000
20X1.0X25000 20X1.5X25000



EN 14545 ART#: JH–BP–2
SIZE: 25X2.0X25000
25X2.0X10000



EN 14545 ART#: JH–BP–3
SIZE: 12X0.9XL



EN 14545 ART#: JH–BP–4
SIZE: 17X1.0XL




EN 14545 ART#: JH–BP–5
SIZE: 26X1.25XL



PLASTIC BOX FOR 10 METER LONG

NAIL PLATE DOUBLE NAIL TYPE



	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				B	L	S
EN 14545	JH-NPD-76102	20	76X102	76	102	0.91
EN 14545	JH-NPD-76127	20	76X127	76	127	0.91
EN 14545	JH-NPD-76152	20	76X152	76	152	0.91
EN 14545	JH-NPD-76203	20	76X203	76	203	0.91
EN 14545	JH-NPD-102102	20	102X102	102	102	0.91
EN 14545	JH-NPD-102127	20	102X127	102	127	0.91
EN 14545	JH-NPD-102152	20	102X152	102	152	0.91
EN 14545	JH-NPD-102203	20	102X203	102	203	0.91
EN 14545	JH-NPD-127127	20	127X127	127	127	0.91
EN 14545	JH-NPD-127152	20	127X152	127	152	0.91
EN 14545	JH-NPD-127203	20	127X203	127	203	0.91
EN 14545	JH-NPD-154252	20	154X252	154	252	0.91

Raw material: Pre-galv. Steel Sheet DX51D + Z275



NAIL PLATE SINGLE NAIL TYPE

	Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
				B	L	S
EN 14545	JH-NPS-24	600	2"X4"	2"	4"	0.9
EN 14545	JH-NPS-44	300	4"X4"	4"	4"	0.9
EN 14545	JH-NPS-64	200	6"X4"	6"	4"	0.9

Raw material: Pre-galv. Steel Sheet DX51D + Z275



LIGHT DUTY JOIST HANGER 1.0MM

Art.-Nr.	PCS/CTN	SIZES A X B
JH-LWB-3560	40	35X60
JH-LWB-3590	40	35X90
JH-LWB-35120	40	35X120
JH-LWB-3860	40	38X60
JH-LWB-3890	40	38X90
JH-LWB-38120	40	38X120
JH-LWB-38140	40	38X140
JH-LWB-38180	40	38X180
JH-LWB-38220	20	38X220
JH-LWB-4560	40	45X60
JH-LWB-4590	40	45X90

Art.-Nr.	PCS/CTN	SIZES A X B
JH-LWB-45120	40	45X120
JH-LWB-45140	40	45X140
JH-LWB-45180	40	45X180
JH-LWB-45220	20	45X220
JH-LWB-5060	40	50X60
JH-LWB-5090	40	50X90
JH-LWB-50120	40	50X120
JH-LWB-50140	40	50X140
JH-LWB-50180	40	50X180
JH-LWB-50220	20	50X220

Raw material: Pre-galv. Steel Sheet DX51D + Z275



FORKED ANCHOR PLATES

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
JH-FAP-320	25	320	48	320	60	1.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275



COLUMN ANCHOR STRAP

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
JH-CAS-400	20	30X400X6	30	400	6.0
JH-CAS-500	20	40X500X8	40	500	8.0

Raw material: 6/8mm steel plate, HDG after punching



COLUMN SHOE TYPE L

	Art.-Nr.	rebar size	SPECIFICATION				
			A	B	C	D	S
ETA	JH-CSL-48	16X200	48	40	110	200	4.0
ETA	JH-CSL-70	16X200	70	70	100	200	4.0
ETA	JH-CSL-75	16X250	75	70	125	250	5.0

Raw material: Steel plate, HDG after punching



COLUMM SHOE TYPE A

	Art.-Nr.	ROD SIZES	SIZES	SPECIFICATION			
				A	B	C	D
ETA	JH-CSA-71	20X250	71	70	90	110	60

Raw material: steel plate, HDG after punching



COLUMM SHOE TYPE B

	Art.-Nr.	ROD SIZES	SIZES	SPECIFICATION			
				A	B	C	S
ETA	JH-CSB-71	16/18X200	71X60X100	71	60	100	5
ETA	JH-CSB-81	16/18X200	81X60X100	81	60	100	5
ETA	JH-CSB-91	16/18X200	91X60X100	91	60	100	5
ETA	JH-CSB-101	16/18X200	101X60X100	101	60	100	5
ETA	JH-CSB-121	16/18X200	121X60X100	121	60	100	5
ETA	JH-CSB-141	16/18X200	141X60X100	141	60	100	5
ETA	JH-CSB-151	16/18X200	151X60X100	151	60	100	5

Raw material: steel plate, HDG after punching



COLUMM SHOE TYPE C

	Art.-Nr.	ROD SIZES	SIZES	SPECIFICATION			
				A	B	C	S
ETA	JH-CSC-71	16/18X200	71X60X100	71	60	100	5
ETA	JH-CSC-81	16/18X200	81X60X100	81	60	100	5
ETA	JH-CSC-81A	20X200	81X65X100	81	65	100	5
ETA	JH-CSC-91	16/18X200	91X60X100	91	60	100	5
ETA	JH-CSC-101	16/18X200	101X60X100	101	60	100	5
ETA	JH-CSC-121	16/18X200	121X60X100	121	60	100	5
ETA	JH-CSC-141	16/18X200	141X60X100	141	60	100	5
ETA	JH-CSC-151	16/18X200	151X60X100	151	60	100	5

Raw material: steel plate, HDG after punching



COLUMN SHOE TYPE D

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
JH-CSD-71	10	71X60X150	71	60	150	6.0
JH-CSD-81	10	81X60X150	81	60	150	6.0
JH-CSD-91	10	91X60X150	91	60	150	6.0
JH-CSD-101	10	101X60X150	101	60	150	6.0
JH-CSD-121	10	121X60X150	121	60	150	6.0

Raw material: steel plate, HDG after punching



COLUMN SHOE TYPE E

Art.-Nr.	MODEL	SIZES	SPECIFICATION			
			A	B	C	S
JH-CSE-4840	1	48X40X121	48	40	121	5
JH-CSE-7340	1	73X40X121	73	40	121	5
JH-CSE-10040	1	100X40X121	100	40	121	5
JH-CSE-7370	2	73X70X121	73	70	121	5
JH-CSE-8070	2	80X70X121	80	70	121	5
JH-CSE-10070	2	100X70X121	100	70	121	5
JH-CSE-9090	3	90X90X136	90	90	136	5
JH-CSE-10090	3	100X90X131	100	90	131	5
JH-CSE-11590	3	115X90X124	115	90	124	5
JH-CSE-12090	3	120X90X121	120	90	121	5
JH-CSE-12390	3	123X90X120	123	90	120	5
JH-CSE-14090	3	140X90X121	140	90	121	5
JH-CSE-14890	3	148X90X117	148	90	117	5

Raw material: steel plate, HDG after punching



ANTCAP

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
JH-AC-10050	50	100X50	100	50	0.5

Raw material: Pre-galv. Steel Sheet DX51D + Z275

POST CAPS



ART#: JH-PC-1	ART#: JH-PC-2	ART#: JH-PC-3
SIZE: 71X71	SIZE: 71X71	SIZE: 71X71
91X91	91X91	91X91

Raw material can be stainless steel, copper, or steel plate HDG after punching

HEAVY SUPPORTING SHOES "U" SHAPED



Raw material: 5mm steel plate, HDG after punching

	SIZE	ART#
E.TA	71X200X60X5	JH-SS-071
E.TA	81X200X60X5	JH-SS-081
E.TA	91X200X60X5	JH-SS-091
E.TA	101X200X60X5	JH-SS-101
E.TA	121X200X60X5	JH-SS-121
E.TA	141X200X60X5	JH-SS-141

HEAVY ANCHOR SUPPORTING



Raw material: 6mm steel plate, HDG after punching

	SIZE	ART#
E.TA	71X600X60X6	JH-AS-071
E.TA	81X600X60X6	JH-AS-081
E.TA	91X600X60X6	JH-AS-091
E.TA	101X600X60X6	JH-AS-101
E.TA	121X600X60X6	JH-AS-121
E.TA	141X600X60X6	JH-AS-141



POLE ANCHOR

Art.-Nr.	SIZES	SPECIFICATION			
		A	B	C	S
JH-PA-7175	71X71X750X800	71	750	600	2.0
JH-PA-7190	71X71X900X750	71	900	750	2.0
JH-PA-9175	91X91X750X800	91	750	600	2.0
JH-PA-9190	91X91X900X750	91	900	750	2.0
JH-PA-1090	101X101X900X750	101	900	750	2.5
JH-PA-1290	121X121X900X750	121	900	750	2.5
JH-PA-5160	51X51X600X450	51	600	450	2.0
JH-PA-5165	51X51X650X500	51	650	500	2.0
JH-PA-5175	51X51X750X800	51	750	600	2.0
JH-PA-7775	77X77X750X800	77	750	600	2.0
JH-PA-1075	102X102X750X600	102	750	600	2.0

Raw material: Steel plate, HDG after punching



POST HOLDER

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			A	B	C	S
JH-PH-71	4	71X71X150	71	150	150	2.0/2.5
JH-PH-91	4	91X91X150	91	150	150	2.0/2.5
JH-PH-101	4	101X101X150	101	150	150	2.0/2.5
JH-PH-121	4	121X121X180	121	180	150	2.0/2.5
JH-PH-141	4	141X141X200	141	200	150	2.0/2.5
JH-PH-161	4	161X161X220	161	220	150	2.0/2.5
JH-PH-201	4	201X201X240	201	240	200	3.0

Raw material: Steel plate, HDG after punching



SCREW-IN POST SUPPORT

SIZE	ART#
65X550X2.0	JH-SPA-65
70X800X2.0	JH-SPA-70
90X800X2.0	JH-SPA-90


Raw material: Steel plate, HDG after punching



ANGLED LUGS

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			L	B	H
JH-AL-0756	10	75X75X60	75	75	60
JH-AL-1076	10	100X75X60	100	75	60
JH-AL-1576	10	150X75X60	150	75	60
JH-AL-0755	10	75X50X50	75	50	50
JH-AL-1056	10	100X50X60	100	50	60


Raw material: 6-8MM steel plate, HDG after punching



T - POST CONNECTOR

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
JH-TPC-20070	50	200X70X2.5	200	70	2.5


Raw material: Steel plate, HDG after punching



FENCE HOLDER, YZP

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			
			B	L	H	S
JH-FH-3315	100	38X34X30	30	34	38	1.5
JH-FH-3318	100	38X34X30	30	34	38	1.8
JH-FH-3320	100	38X34X30	30	34	38	2.0


Raw material: Steel sheet, YZP or HDG after punching



BRACKET WITH SCREWS SET

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			B	L	H
JH-OP-333	50	30X30X35	30	30	35

Raw material: Steel sheet, YZP or HDG after punching



AT-PARTS


Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION		
			A	B	S
JH-APT-4	50	114X60	114	60	1.5
JH-APT-5	50	138X82	138	82	2.0
JH-APT-6	50	118X56	118	56	2.0

Raw material: Steel plate, HDG after punching



MULTI GRIP

SIZE	ART#
100	JH-MG-100
125	JH-MG-125



ADJUSTABLE POST ANCHORS

Art.-Nr.	SIZES	SPECIFICATION		
		A	B	C
JH-CSP-01	110X110X100	110	110	110
JH-CSP-02	110X110X150	110	110	150
JH-CSP-03	110X110X200	110	110	200
JH-CSP-04	110X110X250	110	110	250
JH-CSP-05	110X110X300	110	110	300

Raw material: steel plate, HDG after punching



POST ANCHORS

Art.-Nr.	SIZES	SPECIFICATION		
		A	B	S
JH-CSF	100X100X6	100	100	6

Raw material: steel plate, HDG after punching



POST ANCHORS

Art.-Nr.	SIZES	SPECIFICATION		
		A	B	S
JH-CSG	150X70X5	150	70	5

Raw material: steel plate, HDG after punching



POST ANCHORS

Art.-Nr.	SIZES	SPECIFICATION		
		A	B	S
JH-CSH	180X100X6	180	80	6


Raw material: steel plate, HDG after punching



POST ANCHORS


Art.-Nr.	SIZES	SPECIFICATION		
		A	B	S
JH-CSI	100X170X8	100	170	8

Raw material: steel plate, HDG after punching




REFORCE SQUARE

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			THICKNESS
			L	B	H	
JH-CR-19	50	90X90X65	90	90	65	2.0




DUTCH REINFORCED BRACKET

Art.-Nr.	PCS/CTN	SIZES	SPECIFICATION			THICKNESS
			L	B	H	
JH-ZR-10	50	90X90X40	90	90	40	2.0




LI CONNECTOR

Art.-Nr.	PCS/CTN	SIZES	THICKNESS
JH-CR-02	16	15X15	2.0
JH-CR-05	16	20X20	2.0




LI-HOLDER

Art.-Nr.	PCS/CTN	SIZES
JH-CR-16	12	5X10




INNER FOLDED JOISTHANGER

Art.-Nr.	PCS/CTN	SIZES
JH-CR-03	16	15X15
JH-CR-07	16	20X20




JOIST HANGER

Art.-Nr.	PCS/CTN	SIZES
JH-CR-16	50	5X10




SPECIAL BEAM SHOE


Art.-Nr.	PCS/CTN	SIZES
JH-CR-01	64	5X15
JH-CR-08	96	5X10
JH-CR-13	64	5X15



U-HOLDER

Art.-Nr.	PCS/CTN	SIZES
JH-CR-09	48	15X15





SQUARE TUBE

Art.-Nr.	SIZES
JH-CR-1	40X1200
JH-CR-1	40X1000
JH-CR-1	40X800
JH-CR-1	40X600
JH-CR-2	22X25X1200
JH-CR-2	22X25X1000
JH-CR-2	22X25X800
JH-CR-2	22X25X600
JH-CR-3	22X25X1200/2
JH-CR-3	22X25X1000/2
JH-CR-3	22X25X800/2
JH-CR-3	22X25X600/2
JH-CR-4	22X25X1200/2
JH-CR-4	22X25X1000/2
JH-CR-4	22X25X800/2
JH-CR-4	22X25X600/2
JH-CR-5	33X25X1200
JH-CR-5	33X25X1000
JH-CR-5	33X25X800
JH-CR-5	33X25X600
JH-CR-6	33X25X1200/2
JH-CR-6	33X25X1000/2
JH-CR-6	33X25X800/2
JH-CR-6	33X25X600/2
JH-CR-7	33X25X1200/2
JH-CR-7	33X25X1000/2
JH-CR-7	33X25X800/2
JH-CR-7	33X25X600/2



JH-1802



JH-1803



JH-1804



JH-1805



JH-1806



JH-1807



JH-1808



JH-1809



Art No.: JH-01

Scaffolding Joint Clamps Swivel Type 48.6mm

Finishing: Yellow Zinc Plated,Zinc Plated



Art No.: JH-02

Scaffolding Joint Clamps 90° Fixed Type 48.6mm

Finishing: Yellow Zinc Plated,Zinc Plated



Art No.: JH-03

Scaffolding Single Clamps Without Rod 48.6mm

Finishing: Yellow Zinc Plated,Zinc Plated



Art No.: JH-04

Scaffolding Single Clamps With Rod48.6mm

Finishing: Yellow Zinc Plated,Zinc Plated



Art No.: JH-05

Scaffolding Single Clamps With Hook 48.6mm

Finishing: Yellow Zinc Plated,Zinc Plated



Art No.: JH-06

Scaffolding Beem Clamps

Finishing: Yellow Zinc Plated,Zinc Plated



Art No.: JH-07

Scaffolding Joint Clamps 48.3mm

Finishing: Yellow Zinc Plated,Zinc Plated



Art No.: JH-08

Inner Pipe Joint Pin

Finishing: Yellow Zinc Plated,Zinc Plated



JH–1101J



JH–1102J



JH–1103J



JH–1104J



JH–1105J



JH–1106J



JH–1107J



JH–1108J



JH–PRP



JH–1112J
JH–1113J



Corner brackets Sets 12pcs
JH–MI2215X12PCS



TV support



JH–1890



JH–1880



JH–1870



JH–1860



JH–1850



JH–1840



JH–1825



JH–18412




JH–18415




JH–1830






JH–1801



JH–1802



JH–1803 134PCS



JH–1804 179PCS



JH–1805 199PCS



THREAD RODS DIN975,ZINC PLATED

SIZE	ART#	SIZE	ART#
M5	JH-TR975-05	M18	JH-TR975-18
M6	JH-TR975-06	M20	JH-TR975-20
M8	JH-TR975-08	M22	JH-TR975-22
M10	JH-TR975-10	M24	JH-TR975-24
M12	JH-TR975-12	M27	JH-TR975-27
M14	JH-TR975-14	M30	JH-TR975-30
M16	JH-TR975-16	M33	JH-TR975-33



HEX NUTS DIN934, ZINC PLATED

SIZE	ART#	SIZE	ART#
M5	JH-HN934-05	M14	JH-HN934-14
M6	JH-HN934-06	M16	JH-HN934-16
M8	JH-HN934-08	M18	JH-HN934-18
M10	JH-HN934-10	M20	JH-HN934-20
M12	JH-HN934-12	M22	JH-HN934-22



FLAT WASHERS DIN125/9021, ZINC PLATED

SIZE	ART#	SIZE	ART#
M5	JH-FW-05	M14	JH-FW-14
M6	JH-FW-06	M16	JH-FW-16
M8	JH-FW-08	M18	JH-FW-18
M10	JH-FW-10	M20	JH-FW-20
M12	JH-FW-12	M22	JH-FW-22



NT-A15

- **Durable Housing**
  Designed with a baked on powder coated finish to prevent chips and scratches.
- **GUIDE ARM**
  The multi-position guide arm provides versatile positioning and stability. Allowing to work at different angles without any awkward positioning.
- **Avoid A Tangled Mess**
  An improved multi-position locking ratch system and double adjustment enclosed spring function.
- **Auto-guide Rewind**
  An advanced function that will retract the hose neatly without troubles of kinking or tangling.
- **Ratcheting System**
  An integrated locking system that keeps the hose where you want.



Model	NT-A10	NT-A15	NT-A20
Length(m)	10+1M (33+3.3FT)	15+1M (50+3.3FT)	15+1M (50+3.3FT) 20+1M (50+3.3FT)
Hose I.D(mm)	3/8"	3/8"	3/8" 1/2"
Hose Material	☐RUBBER ☐PVC	☐PU MESH ☐PU	☐RUBBER+PVC ★
W.B. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	METAL	METAL	METAL
Temperature	-5/+45°C	-5/+45°C	-5/+45°C
Fitting	☐1/4"BSP (1/4"NPT)	☐3/8"BSP (3/8"NPT)	
Any Length Lock	★★★★★	★★★★★	★★★★★
Packing	33x17x38CM	40x18x43CM	45.5x22.7x45CM
G.W/N.W.	7.5/7.0KGS	11.7/11.0KGS	13.0/12.0KGS
20gp/40gp	1280/ 2720PCS	935/ 1885PCS	608/ 1260PCS
Certificates(All model)	UV CE REACH		

NAH-A





Model	NAH-A30	NAH-A30-A	NAH-A30-B	NAH-A30B	NAH-A30B-A	NAH-A30B-B
Length(m)	30+1.5M (100+5FT)	40+1.5M (132+5FT)	20+1.5M (66+5FT)	30+1.5M (100+5FT)	40+1.5M (132+5FT)	20+1.5M (66+5FT)
Hose I.D(mm)	5/16"	1/4"	3/8"	5/16"	1/4"	3/8"
Hose Material	☐PVC ☐PU MESH ☐PU ☐RUBBER+PVC ★					
W.B. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	METAL	METAL	METAL	METAL	METAL	METAL
Temperature	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C
Fitting	☐1/4"BSP (1/4"NPT) ☐3/8"BSP (3/8"NPT)					
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
Packing	35x28x40CM	35x28x40CM	35x28x40CM	30.5x29x36CM	30.5x29x36CM	30.5x29x36CM
G.W./N.W.	10.5/10.0KGS	10.5/10.0KGS	10.5/10.0KGS	10.0/9.5KGS	10.0/9.5KGS	10.0/9.5KGS
20gp/40gp	717/ 1487PCS	717/ 1487PCS	717/ 1487PCS	903/ 1812PCS	903/ 1812PCS	903/ 1812PCS
Certificates(All model)	UV CE REACH					

NAH-A20



NTH-A20



Model	NAH-A20	NAH-A20-A	NTH-A20	NTH-A30
Length(m)	20M (66FT)	20M (66FT)	15+1M(50+3.3FT) 20+1M(66+3.3FT)	30+1M (100+3.3FT) 40+1M (132+3.3FT)
Hose I.D(mm)	5/16"	5/16"	3/8"	1/4"
Hose Material	☐PVC ☐PU MESH ☐PU ☐RUBBER+PVC ★			☐RUBBER
W.B. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	PP+METAL	PP+METAL	METAL	METAL
Temperature	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C
Fitting	☐1/4"BSP (1/4"NPT)	☐3/8"BSP (3/8"NPT)	☐1/4"BSP (1/4"NPT)	☐3/8"BSP (3/8"NPT)
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★
Packing	Inner Box: 30.5x19.5x34.5CM	Master Carton: 63x41x36.5CM(4pcs)	30x28x34CM	42x31x25CM
G.W./N.W.	10.5/10.0KGS	12.8/12.0KGS	5.9/5.5KGS	7.5/7.0KGS
20gp/40gp	717/ 1487PCS	1600/ 2468PCS	1000/ 2071PCS	935/ 1870PCS
Certificates(All model)	UV CE REACH			



Air Hose Reel

NA-B09

Naiboen Retractable Air Hose Reel with Automatic Leveling System

1/4 in. x 10 m Flexible Hybrid Polymer Air Hose and 1m Lead-in Hose

- The Naiboen Retractable Air Hose Reel comes pre-loaded with 10 m of 1/4in.
- Flexible Air Hose and a 1m lead-in hose.
- The reel features a automatic leveling system which layers the hose evenly when rewinding.
- The multipoint latch mechanism automatically locks the hose in place at any length and the speed control device provides consistent speed when retracting.
- The impact resistant reel housing protects and stores the air hose when not in use.



180° | ø1/2" | AUTO ROLL-UP | -5℃~45℃ | 24bar

Model	NA-B09
Length(m)	10M (33+3.3FT) 9M (30+3.3FT) 9M (29.7+3.3FT)
Hose (Diam) Ø	5x8mm 5/4" (8.5x10mm) 5/16" (8x12mm)
Hose Material	☐ PVC ☐ PU MESH ☐ PU ☐ RUBBER+PVC ★
W.P. Pressure	8/24BAR (116/348Psi)
Case Material	PP
Temperature	-5~45°C
Fitting	☐ 1/4"BSP (1/4"NPT) ☐ 3/8"BSP (3/8"NPT)
Any Length Lock	★★★★★
Packing	Inner Box: 25x13x27CM Master Carton: 51.5x28.5x27.5CM(4pcs)
G.W./N.W.	9.0/8.5KGS
20gp/40gp	2600/5800PCS
Certificates(All model)	UV CE REACH



NA-B15

- Includes 1/4 in. X 15m Flexible Hybrid Polymer Air Hose and 1m Lead-in Hose.
- Automatic Leveling System - Layers the hose evenly when rewinding.
- Multi-point Latch Mechanism - Reel will automatically lock hose in place at any length wherever you stop.
- Impact Resistant Housing.
- Speed Control Device - Provides consistent and safe speed when retracting the hose.
- Adjustable Hose Stopper - Increase or decrease the length of the hose that remains when hose is fully retracted.
- Swivel Mounting Bracket - Pivots in the direction of your work, reel can be mounted to wall or ceiling.



180° | ø3/8" | AUTO ROLL-UP | -5℃~45℃ | 24bar

Product Details



Automatic Leveling System

Layers the hose evenly when rewinding, keeping the hose neatly coiled ready for the next job



Multipoint Latch Mechanism

The multipoint latch mechanism allows automatic locking of the hose at any length wherever you stop. Plus, the automatic hose stopper allows users to increase or decrease the length of the hose that remains when hose is fully retracted



Swivel Mounting Bracket

The swivel mounting bracket allows the reel to pivot 180° in the direction of your work



Mounting Options

Reel can be mounted to wall or ceiling. This economical, retractable air hose reel is ideal for the home shop

Model	NA-B10	NA-B15	NA-B20
Length(m)	10+1M (33+3.3FT) 15+1M (50+3.3FT)	15+1M (50+3.3FT) 20+2M (65+6.6FT)	15+1M (50+3.3FT) 20+2M (65+6FT) 25+2M (82+6FT)
Hose (Diam) Ø	☐ 5/16" ☐ 1/4" ☐ 3/8" ☐ 1/2"		
Hose Material	☐ PVC ☐ PU MESH ☐ PU ☐ RUBBER+PVC ★		
W.P. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	PP	PP	PP
Temperature	-5~45°C	-5~45°C	-5~45°C
Fitting	☐ 1/4"BSP (1/4"NPT) ☐ 3/8"BSP (3/8"NPT)		
Any Length Lock	★★★★★	★★★★★	★★★★★
Packing	Inner Box: 32.5x16.5x25CM Master Carton: 67x34.5x53CM(4pcs)	38X20X33CM	43X21X35CM
G.W./N.W.	14.0/12.2KGS	8.0/7.5KGS	9.0/7.5KGS
20gp/40gp	1400/3010PCS	1120/2320PCS	936/1870PCS
Certificates(All model)	UV CE REACH		



RETRACTABLE AIR HOSE REEL

No Kinking & No More Mess Anymore

If you want to keep the workplace in good shape, the Naiboen air hose reel is what you need! An advanced auto rewind function will retract the hose neatly without tangling. Mount the reel in the area that best suits your needs for indoor/outdoor use, night or day environments. Take control and save space in your garage, job site, or workshop right away!

NA-J10

- **Extremely Durable**
  Made from UV-stabilized polypropylene.
- **Easy To Use**
  The auto-retract/ latch hose mechanism simplifies every job by keeping excess hose out of the working space. The positive latching mechanism locks the hose automatically at any length. The adjustable hose stopper allows the user to increase or decrease the length of the hose that remains when the hose is fully retracted.
- **Easy To Store**
  The reel can be mounted to the wall or ceiling. The swivel mounting bracket pivots in the direction of your work.
- **Working Pressure**
  Maximum working pressure at 8bar.





Model	NA-J10	NA-J15
Length/m	10+1M (33+3.3FT)	15+1M (50+3.3FT)
Hose I.D/mm/ Ø	5/16"	1/4"
Hose Material	PVC FU MESH PU	RUBBER+PVC ★
W.P. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	PP	PP
Temperature	-5~45°C	-5~45°C
Fitting	1/4"BSP (1/4"NPT)	3/8"BSP (3/8"NPT)
Any Length Lock	★★★★★	★★★★★
Packing	Inner Box: 32.5x15.5x28CM Master Carton: 60x34.5x28CM(4pcs)	
G.W./N.W.	14.0/12.0KGS	16.0/15.0KGS
20gp/40gp	1480/ 3863PCS	1480/ 3696PCS
Certificates(All model)	UV CE REACH	



NWA-J

- **Durable Any Length Lock**
  Air compressor hose reel is pre-installed with a hybrid air hose, which can lock at any length as you desired, covers every corner of your garage.
- **Stable Auto Rewind System**
  Give the hose a gentle tug, the hose reel will retract automatically back in. The unique retractable & guidance system can roll up the hose neatly without the trouble of kinking.
- **High-grid Air Hose**
  All weather flexible and abrasion-resistant hybrid hose ensures the hose reel leak-resistant and long-lasting. Durable solid brass universal coupler are crush-resistant.
- **Easily Assemble & Disassemble**
  Assemble the hose reel on the wall with just the 180-degree rotation bracket and some screws. With the quick-release system, you can also easily lift on the handle to remove the reel for storage.





Model	NWA-J15	NWA-J20	NWA-J25	NWA-J30	NWA-J35	NWA-J40	NWA-J45
Length/m	15+1.5M (50+5FT)	20+2M (66+6FT)	25+1.5M (83+6FT)	30+2M (100+6FT)	35+2M (116+6FT)	40+2M (132+6FT)	45+2M (148+6FT)
Hose I.D/mm/ Ø	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Hose Material	PVC PU MESH PU RUBBER+PVC ★						
W.P. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	PP	PP	PP	PP	PP	PP	PP
Temperature	-5~45°C	-5~45°C	-5~45°C	-5~45°C	-5~45°C	-5~45°C	-5~45°C
Fitting	1/4"BSP (1/4"NPT) 3/8"BSP (3/8"NPT)						
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
Packing	39x20x33CM	43x21x39CM	50.5x26.5x41.5CM	50.5x26.5x41.5CM	52.5x27x46CM	52.5x27x46CM	52.5x27x46CM
G.W./N.W.	8.5/7.5KGS	7.5/6.5KGS	10.0/8.0KGS	11.5/10.0KGS	15.5/14.0KGS	15.5/14.0KGS	16.0/15.0KGS
20gp/40gp	1155/ 2560PCS	936/ 1810PCS	620/ 1480PCS	620/ 1480PCS	430/ 860PCS	430/ 860PCS	430/ 860PCS
Certificates(All model)	UV CE REACH						

NWA-I

- **Safety Slow Return System**
  Retractable air hose reel improve the return system,air hose reel slow the retraction time to 7-10s,hose goes back to the box slowly and safety.
- Hose guider can keep the hose neatly saving your time on hoses.

180° Swivel Mounting Bracket
The hose reel can be mounted on the wall or ceiling,The retractable air hose reel is flexible,makes the operation more flexible than you think.

Strong Leakage Protection+suitable Adapter
- This air hose reel use 1/4"BSP which is standard American connector,saving time to buy an adapter. Newly designed swivel and Hose inlet connection protect against leaks.

High Temperature Resistant
- Max high pressure:330PSI. Unique industrial design save more space with flexible Rubber+PVC allows the hose reel can used -20°C,extended service life.





Model	NWA-I10	NWA-I15	NWA-I20	NWA-I25	NWA-I30	NWA-I35	NWA-I40	NWA-I45
Lengthm	10+1M (33+3.3FT)	15+1.5M (50+5FT)	20+2M (66+6FT)	25+1.5M (83+6FT)	30+2M (100+6FT)	35+2M (116+6FT)	40+2M (112+ 6FT)	45+2M (148+6FT)
Hose I.Dxmm Ø	5/16"				3/8"			
Hose Material		□ PVC	□ PU MESH		□ PU	□ RUBBER+PVC ★		
W.B. Pressure	8.3/48BAR (110/348Psi)							
Case Material	PP	PP	PP	PP	PP	PP	PP	PP
Temperature	-5~45°C	-5~45°C	-5~45°C	-5~45°C	-5~45°C	-5~45°C	-5~45°C	-5~45°C
Fitting		□ 1/4"BSP (1/4"NPT)		□ 3/8"BSP (3/8"NPT)				
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
Packing	38x20x31CM	38x20x33CM	45x22x37.5CM	48x26x42CM	48x26x42CM	52.5x27x46CM	52.5x27x46CM	52.5x27x46CM
G.W./N.W.	6.5/5.5KGS	6.5/5.5KGS	7.5/6.5KGS	10.5/9.0KGS	11.0/10.5KGS	15.0/14.0KGS	15.5/15.0KGS	16.0/15.5KGS
20gp/40gp	1155/ 2508PCS	1155/ 2508PCS	756/ 1567PCS	560/ 1035PCS	560/ 1035PCS	420/ 860PCS	420/ 860PCS	420/ 860PCS

Certificates(All model): UV, CE, REACH

NWA-G

- Lightweight, compact and impact-resistant poly hose reel
- Includes 3/8in. x 25M, PVC hose
- Flexible hose has -5°C to 45°C temperature range
- 8 max. Bar
- Ratcheting action locks hose at desired length
- Hose retracts automatically
- Reel is wall and ceiling mountable
- Wall mount bracket allows 180° rotation






Model	NWA-G15	NWA-G20	NWA-G25
Lengthm	15+1.5M (50+5FT)	20+2M (66+6FT)	25+1.5M (83+6FT)
Hose I.Dxmm Ø	3/8"	3/8"	3/4"
Hose Material	□ PVC □ PU MESH	□ PU	□ RUBBER+PVC ★
W.B. Pressure	8.3/48BAR (110/348Psi)	8.3/48BAR (110/348Psi)	8.3/48BAR (110/348Psi)
Case Material	PP	PP	PP
Temperature	-5~45°C	-5~45°C	-5~45°C
Fitting	□ 1/4"BSP (1/4"NPT)	□ 3/8"BSP (3/8" NPT)	
Any Length Lock	★★★★★	★★★★★	★★★★★
Packing	38x20x31CM	45x22x37.5CM	48x26x42CM
G.W./N.W.	6.5/5.5KGS	7.5/6.5KGS	10.0/9.0KGS
20gp/40gp	1155/ 2508PCS	756/ 1567PCS	560/ 1035PCS

Certificates(All model): UV, CE, REACH







Air Hose Reel

NA-D10

- **Retractable Hose Reel Auto Guide Rewind**
  An advanced function that will retract the hose neatly without trouble of kinking or tangling.
- **Ratcheting System**
  Improved multi positioning locking ratchet and double adjustment spring function that automatically locks the hose at any desired length.
- **Retractable Hose Reel Auto Guide Rewind**
  An advanced function that will retract the hose neatly without trouble of kinking or tangling. RATCHETING SYSTEM Improved multi positioning locking ratchet and double adjustment spring function that automatically locks the hose at any desired length.



180° | ø1/2" | AUTO ROLL-UP | -5℃~45℃ | 24bar

Model	NA-D10	NA-D10A
Lengthmx	10+1M (33+3.3FT)	15+1M (50+3.3FT)
Hose I.Dxmm/ Ø	☐ 5/16"	☐ 1/4"
Hose Material	☐ PVC ☐ PU MESH	☐ PU ☐ RUBBER+PVC ★
W.S. Pressure	8246AR (116348Psi)	8246AR (116348Psi)
Case Material	PP	PP
Temperature	-5/+45°C	-5/+45°C
Fitting	☐ 1/4"BSP (1/4"NPT)	☐ 3/8"BSP (3/8"NPT)
Any Length Lock	★★★★★	★★★★★
Packing	Inner Box: 31.5x19.5x27.0CM	Master Carton: 56x33x80CM/4PCS)
G.W./N.W.	14.4/12.8KGS	18.0/15.9KGS
20gp/40gp	1810/ 3808PCS	1810/ 3808PCS



Certificates(All model) UV CE REACH

NWA-D15

Naiboen Air Hose Reel Retractable Pre-Owned Auto Rewind 3/8" Inch x 15m' Hybrid Polymer Hose Max 300PSI/20bar Commercial Polypropylene

- 180° SWIVEL MOUNT The swivel bracket with multiple mounting options is made of high quality steel with a powder coating finish.
- Providing resistance to scratches and chipping.
- USE WHERE IT AND CONNECT The compact design allows for clutter free storage.
- Installs with the lightweight design it makes for effortless mounting when placing in hard to reach areas.



180° | ø1/2" | AUTO ROLL-UP | -5℃~45℃ | 24bar

Model	NWA-D15	NWA-D20	NWA-D25	NWA-D30
Lengthmx	15+1.5M (50+5FT)	20+2M (65+6FT)	25+1.5M (83+5FT)	30+2M (100+6FT)
Hose I.Dxmm/ Ø	3/8"	3/8"	3/8"	3/8"
Hose Material	☐ PVC	☐ PU MESH	☐ PU	☐ RUBBER+PVC ★
W.S. Pressure	8246AR (116348Psi)	8246AR (116348Psi)	8246AR (116348Psi)	8246AR (116348Psi)
Case Material	PP	PP	PP	PP
Temperature	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C
Fitting		☐ 1/4"BSP (1/4"NPT)	☐ 3/8"BSP (3/8"NPT)	
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★
Packing	38x20x33CM	43x21x35CM	46x24x38CM	46x24x39CM
G.W./N.W.	8.5/7.5KGS	7.5/6.5KGS	10.0/9.0KGS	11.5/10.6KGS
20gp/40gp	1155/ 2503PCS	936/ 1910PCS	648/ 1404PCS	648/ 1404PCS

Certificates(All model) UV CE REACH

NA-A





Model	NA-A10	NA-A15
Length(m)	8+1M (26+3.3FT)	14+1M (46+3.3FT)
Hose I.Dimm) Ø	5/16"	1/4"
Hose Material	☐PVC ☐PU MESH ☐PU	☐RUBBER+PVC ★
W.S. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	PP	PP
Temperature	-5~45°C	-5~45°C
Fitting	☐1/4"BSP (1/4"NPT)	☐3/8"BSP (3/8"NPT)
Any Length Lock	★★★★★	★★★★★
Packing	Inner Box: 31x27x16.5CM Master Carton: 56x33x32CM(4PCS)	Inner Box: 32.5x28x16.5CM Master Carton: 58x33.5x35CM(4PCS)
G.W.N.W.	12.2/11.5KGS	15.5/14.5KGS
20gp/40gp	192/ 416PCS	162/ 396PCS





Model	NA-A09	NA-A09B	NA-X10	NA-X10B
Length(m)	10+1M (33+3.3FT)	14+1M (46+3.3FT)	10+1M (33+3.3FT)	14+1M (46+3.3FT)
Hose I.Dimm) Ø	5/16"		1/4"	
Hose Material	☐PVC ☐PU MESH ☐PU ☐RUBBER+PVC ★			
W.S. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	PP	PP	PP	PP
Temperature	-5~45°C	-5~45°C	-5~45°C	-5~45°C
Fitting	☐1/4"BSP (1/4"NPT)		☐3/8"BSP (3/8"NPT)	
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★
Packing	Inner Box: 31x27x16.5CM	Master Carton: 52x33x33CM(4PCS)	Inner Box: 31.5x18.5x35CM	Master Carton: 65x37x39.5CM(4PCS)
G.W.N.W.	14.4/12.5KGS	14.4/12.5KGS	14.3/12.6 KGS	15.0/14.0KGS
20gp/40gp	191/ 380PCS	161/ 380PCS	112/ 234PCS	112/ 234PCS

Certificates(All model) UV CE REACH

NWA-B

- **Automatic Retractable**
  3/8" x 15M retractable air hose reel features an upgraded strong spring powered drive, which makes air hose retraction smooth, automatic and easy.
- **Powerful Ratchet**
  Equipped with upgraded steel locking mechanism, this retractable air hose reel will lock the air hose at any length. It works as one pull to lock the air hose, and then another pull to activate it and the 3rd pull to lock the air hose again! This greatly extend the reel's time of service, far better than other air hose reels in the market!

Self-Leveling
This air hose reel is equipped with a self-leveling system, enabling the air hose to wind smoothly, easily and evenly. You can mount it on a wall, it allows 180 degree free rotation for easy to use in any corner of your garage.

Easy To Use
Solid brass ¼ inch BSP fittings (which never corrode) for easy and quick to connect your air compressor and pneumatic tool. Bend restrictors to offer you ease of use and hose protection. Adjustable stopper for more flexible use of the hose left out of the hose reel.



180° ø1/2" AUTO ROLL UP -5°C~45°C 24bar



Model	NWA- B10	NWA- B15	NWA- B20	NWA- B25	NWA- B30
Length(m)	10+1M (33+3.3FT)	15+1.5M (50+5FT)	20+2M (66+6FT)	25+2M (83+6FT)	30+2M (100+6FT)
Hose I.Dimm) Ø	3/8"	3/8"	3/8"	3/8"	3/8"
Hose Material	☐PVC ☐PU MESH ☐PU ☐RUBBER+PVC ★				
W.S. Pressure	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)	8/24BAR (116/348Psi)
Case Material	PP	PP	PP	PP	PP
Temperature	-5~45°C	-5~45°C	-5~45°C	-5~45°C	-5~45°C
Fitting		☐1/4"BSP (1/4"NPT)	☐3/8"BSP (3/8"NPT)		
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
Packing	33x17.5x29CM	38x18x34.5CM	37.5x26.5x35CM	41.5x23x37CM	41.5x23x37CM
G.W.N.W.	4.5/3.5KGS	6.8/5.0KGS	7.5/6.0KGS	9.0/8.0KGS	10.5/9.5KGS
20gp/40gp	168/ 340PCS	128/ 270PCS	108/ 225PCS	68/ 160PCS	68/ 160PCS

Certificates(All model) UV CE REACH



Air Hose Reel

NWA-F

- **COMMERCIAL DESIGN**
  This Reel utilizes a double adjustment enclosed multi-position release ratchet spring locking at any desired length; includes an Adjustable Hose Stopper and hose guide Rollers, that assists to reduce hose abrasion
- **UNIQUE FEATURES**
  Enclosed Spring Driven Case houses the newly designed swivel hose inlet connection protecting against leaks; the Automatic Guide System, retracts the hose orderly way w/ no pile ups; 180°
- Degree Swivel Bracket providing stable support
- **SAFETY and PROPER USE**
  Our reels are best suited for indoor/outdoor use, night or day environments, for DIY or industrial applications, allowing extension to be properly stored, keeping the workplace safe



180° | ø1/2" | AUTO ROLL-UP | -5℃~45℃ | 24bar

Model	NWA- F10	NWA- F15	NWA- F20	NWA- F25	NWA- F30
Length(m)	10+1M (33+3.3FT)	15+1.5M (50+5FT)	20+2M (66+6FT)	25+2M (83+6FT)	30+2M (100+6FT)
Hose I.D(mm) ø	3/8"	3/8"	3/8"	3/8"	3/8"
Hose Material	☐ PVC ☐ PU MESH	☐ PU	☐ RUBBER+PVC ★		
W.P. Pressure	8/246AR (116/348Psi)	8/246AR (116/348Psi)	8/246AR (116/348Psi)	8/246AR (116/348Psi)	8/246AR (116/348Psi)
Case Material	PP	PP	PP	PP	PP
Temperature	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C
Fitting	☐ 1/4"BSP (1/4"NPT)	☐ 3/8"BSP (3/8"NPT)			
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
Packing	35x18x31.5CM	41x28.5x38CM	41x28.5x38CM	48x24x40CM	48x24x40CM
G.W./N.W.	5.0/4.0KGS	8.5/5.5KGS	7.5/6.5KGS	12.0/11.0KGS	12.5/11.5KGS
20gp/40gp	1480/ 3200PCS	936/ 1910PCS	936/ 1910PCS	620/ 1480PCS	620/ 1800PCS

Certificates(All model) UV CE REACH



Air Hose Reel

NWA-A20

- Naiboen Gabo reel was the first one in the hose reel industrial which equiped with a Constant pulling force stainless steel spring, it works like a S style and ensure around 10-70N for beginning to the end when you pull out the hose.
- The hose system is exactly vertical position which make sure the hose goes back to the care smoothly.
- The reel can optional with a safe slow retraction system, which can help reduce the retract speed when the hose back to the reel.
- Improved lock mechnism
- Improved any length lock machnism, the life time reach 5000 times to ensure a stable quality.



180° | ø1/2" | AUTO ROLL-UP | -5℃~45℃ | 24bar

Model	NWA- A10	NWA-A15	NWA- A20	NWA- A25	NWA- A30
Length(m)	10+1M (33+3.3FT)	15+1.5M (50+5FT)	20+2M (66+6FT)	25+2M (83+6FT)	30+2M (100+6FT)
Hose I.D(mm) ø	3/8"	3/8"	3/8"	3/8"	3/8"
Hose Material	☐ PVC ☐ PU MESH	☐ PU	☐ RUBBER+PVC ★		
W.P. Pressure	8/246AR (116/348Psi)	8/246AR (116/348Psi)	8/246AR (116/348Psi)	8/246AR (116/348Psi)	8/246AR (116/348Psi)
Case Material	PP	PP	PP	PP	PP
Temperature	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C	-5/+45°C
Fitting	☐ 1/4"BSP (1/4" NPT)	☐ 3/8"BSP (3/8" NPT)			
Any Length Lock	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
Packing	38x19.5x32CM	42x22.5x35CM	42x22.5x39CM	48x26x42CM	48x26x42CM
G.W./N.W.	6.0/5.0KGS	7.5/6.5KGS	8.5/7.5KGS	11.5/10.5KGS	12.5/11.5KGS
20gp/40gp	1340/ 2800PCS	840/ 1740PCS	840/ 1740PCS	650/ 1350PCS	650/ 1350PCS

Certificates(All model) UV CE REACH



Cable Reel

NAE-B09

- **Technical Data**
  Rated power: 1500 W / AC 230 V / 50 Hz, cable H05VV-F 3G1.5 mm.
- **Safety**
  The automatic cable reel is equipped with overheating protection, which automatically switches off when overheating to avoid damage.
- **Automatic Retractable**
  With an automatic guide rewind mechanism to avoid kinks and tangles, the power cord reel can be retracted quickly and smoothly.
  The ratchet system locks the cord at any length.
  The cable reel also comes with an adjustable stopper.
- **Flexible**
  This cable ree can be installed on the wall or ceiling.
  The stand can be rotated 180°.
  More flexibility in the workplace thanks to the extension cable.
- **Easy To Install**
  All parts are already pre-assembled and ready to use.
  Simply install the wall bracket.



Model	NAE-B09
Lengths(m)	10+1M(33+3.3FT)
Cable(mm) Ø	3x1.5mm²
Cable Material	☐ H05RR-F ☐ H07RN-F ☐ H05VV-F ☐ 12AWG ☐ 14AWG ☐ 16AWG
Power	@ 1500W ☆ 3200W
Case Material	PP
Thermal Overload Protector	✓
Socket	AC230V/16A/50HZ
Any Length Lock	★★★★★
Packing	Inner Box: 29x13x27CM Master Carton: 51.5x28.5x27.5CM(4PCS)
G.W./N.W.	14.0/12.0KGS
20gp/40gp	2600/5800PCS
Certificates(All model)	CE REACH ROHs PAHs IP20



NAE-B15

NaiboenS 15 M Retractable Extension Cable Reel with 16 Amp Circuit Breaker, H05RR-F 3G1.5 mm

- Made of impact-resistant polypropylene case and H05RR-F 3G1.5 mm wire, Naiboens 15 M retractable heavy-duty extension cable reel is sturdy and rugged and can withstand the abuses of a busy garage or shop.
- It has a clever auto-guide rewind mechanism to avoid kinks and tangles. The power cable reel retracts quickly and smoothly and the ratcheting system will lock the cord at any length.
- The H05RR-F 3G1.5 mmcable can resist oil, alkalies, ozone, acid, cold weather and gives flexibility, lightness, and durability.
- The mounting bracket can rotate 180 degrees.
- The illuminated three-outlet female, adjustable cord stopper, and built-in circuit breaker with reset button make this reel perfect for almost any workshop setting.





Product Details



Swivel Mounting Bracket



Ceiling or Wall Mount



Circuit Breaker With Reset Button



Adjustable Cord Stopper

Model	NAE-B10	NAE-B15	NAE-B20
Lengths(m)	10+1M(33+3.3FT)	15+1M(50+3.3FT)	20+2M (65+6FT)
Cable(mm) Ø	3x1.5mm²	3x1.5mm²	3x1.5mm²
Cable Material	☐ H05RR-F ☐ H07RN-F	☐ H05VV-F ☐ 12AWG ☐ 14AWG	☐ 16AWG
Power	@ 1500W ☆ 3200W	@ 1500W ☆ 3200W	@ 1500W ☆ 3200W
Case Material	PP	PP	PP
Thermal Overload Protector	✓		
Socket	AC230V/16A/50HZ	AC230V/16A/50HZ	AC230V/16A/50HZ
Any Length Lock	★★★★★	★★★★★	★★★★★
Packing	Inner Box: 32.5x16.5x29CM	Master Carton: 60x34.5x36CM(4PCS)	39x20x33CM
G.W./N.W.	16.0/12.0KGS	18.0/15.0KGS	26.0/22.0KGS
20gp/40gp	1480/3000PCS	1400/3080PCS	1120/2320PCS
Certificates(All model)	CE REACH ROHs PAHs IP20		



CABLE REEL

Naiboen is a Professional cable reel maker with the unremitting pursuit of quality and adherence to innovation.
Naiboen is committed to creating a more comfortable leisure life for you, embellishing the time you spend with your family and it ends with a more pleasant space.

NAE-J10

- **Fast Cleanup & Increased Safety**
  Bring the Power! Our Retractable Extension cable reel make it easy and convenient to store and clean up your power needs, whether it be in your shop, garage, construction site, or home use.
- **180 Degree Swivel**
  Quickly mount the pull down electrical reel to your wall, ceiling or workstation for easy access no matter what the job is.
  Our unique design allows for 180° swivel movement that provides flexibility and convenience.
- **Compact And Easy To Carry**
  Heavy Duty & Durable enough to withstand tough jobs and daily use, yet easy to install and transport. The mounting kit allows for easy installation and removal when you need to move it.
- The Overload Breaker Switch provides additional safety for operation.
- **Reliable & Dependable**
  Naiboen manufacturers high quality cable reel that provide dependable accessibility and convenience for all your projects. We are committed to producing products that make your workspace organized, convenient and easy to use.



Model	NAE-J10	NAE-J15
Length(m)	10+1M (33+3.3FT)	15+1M(53+3.3FT)
Cable(mm²) Ø	3x1.5mm²	3x1.5mm²
Cable Material	☐H05RR-F ☐H07RN-F ☐H05VV-F ☐12AWG ☐14AWG ☐16AWG	
Power	@ 1500W ☐ 3200W	@ 1500W ☐ 3200W
Case Material	PP	PP
Thermal Overload Protector	✓	
Socket	AC230V/16A/50HZ	AC230V/16A/50HZ
Any Length Lock	★★★★★	★★★★★
Packing	Inner Box: 38x33x17CM Master Carton: 61.5x37x35.5CM(4PCS)	
G.W/N.W.	15.0/14.5KGS	15.6/14.5KGS
20gp/40gp	1382/2864PCS	1382/2864PCS
Certificates(All model)	CE REACH ROHs PAHs IP20	



NAE-J20

- **Automatic Slow Retraction Technology**
  With a clever auto-guide rewind mechanism to avoid kinks and tangles; the power cable reel will retract smoothly at a slow and consistent speed at all times; safer for your children, pets and elder; the ratcheting system will lock the cord at any length.
- **Swivel Bracket for Wall / Ceiling Mount**
  180 degree swivel mounting bracket allows you to easily pull and release cable from multiple directions; the retractable cable reel can be mounted on the wall or ceiling easily with a separate bracket.
- **RUBBER Cable Weather-Resistant**
  Special type of RUBBER is tangle-free and resistant to UV light and ozone as well as water and acid that you may find in a typical garage; also weather resistant and flexible in low temperatures; for indoor or dry-location use only.
- **H05RR-3G 1.5mm 20 + 2 M Cable**
  Rated for 16A/ 230V/ 3200W, the heavy duty electric cord reel 15M long extension cable and 2 m lead-in cable; cable reel also comes with an adjustable stopper.
- **Build-in 16A Circuit Breaker**
  Built-in 16A circuit breaker protects devices against short circuit and overloads which will automatically cut off power supply when the total current of the connected devices exceeds 58°C; press the reset button to continue using after the cutting off; certified to GS.



Model	NAE-J20
Length(m)	20+1.5M (65+5FT)
Cable(mm²) Ø	3x1.5mm²
Cable Material	☐H05RR-F ☐H07RN-F ☐H05VV-F ☐12AWG ☐14AWG ☐16AWG
Power	@ 1500W ☐ 3200W
Case Material	PP
Thermal Overload Protector	✓
Socket	AC230V/16A/50HZ
Any Length Lock	★★★★★
Packing	38x20x33CM
G.W/N.W.	10.5/10.5KGS
20gp/40gp	1155/2580PCS
Certificates(All model)	CE REACH ROHs PAHs IP20





Cable Reel



Cable Reel

NAE-D10

- **Automatically Retractable**
  This retractable extension cable reel has an automatic cord retraction feature, making it more efficient to organize and store your extension cords. Say goodbye to cluttered workshop!
- **Ultra Easy To Use**
  Spring-driver retraction mechanism with a latch to secure power cable at your desired length, cable adjuster lock to keeps the multi-outlets always within reach. Non-snag rollers to reduces tangles and speeding up your winding. LED light on the triple-tap outlet indicates the cable is powered.
- **Ultra Safe**
  If ever you get a short or overvoltage, the built-in 10A circuit breaker on the reel will trip and prevent plugged electronics from damage. To restart it, all you have to do is simply reset the circuit.
- **More**
  The vinyl cover on the cord keeps it safe against moisture, abrasion, low temperature, oil and UV rays, making it durable and flexible. It is an greater helper for home, garage, workshop, workplace and other shops, etc.
- **Hassle Free Ceiling Wall Mount**
  Comes with integrated mounting bracket and screws bag, this extension cord reel is easy to install to wall, ceiling or rafters of your garage and shop. 180° rotation bracket makes the reel easy to operate and pull the cord.



Model	NAE-D10
Length(m)	☐ 10+1M (33+3.3FT) ☐ 15+1M (50+3.3FT)
Cable(mm)	3x1.5mm²
Cable Material	☐ H05RR-F ☐ H07RN-F ☐ H05VV-F ☐ 12AWG ☐ 14AWG ☐ 15AWG
Power	@ 1500W ☐* 3200W
Case Material	PP
Thermal Overload Protector	✓
Socket	AC230V/16A/50HZ
Any Length Lock	★★★★★
Packing	Inner Box: 31.5x16.5x27CM Master Carton: 55x33x28CM(4PCS)
G.W./N.W.	22.5/20.0KGS
20gp/40gp	1010/3800PCS
Certificates(All model)	CE REACH ROHs PAHs IP20

NAE-D15

Naiboen wall-mountable extension cord reel is the perfect way to bring power into your workspace.

- Tangle free cable management helps cables stay organized and tidy for next use. Cable locking system keeps cables in place and secure. This retractable reel is ideal for general, residential, commercial and industrial use. Suitable for garage, home, office, workshop, workbench, warehouse, factory, laboratory, automotive shop, auto repair shop and on the job site.
- Durable PP housing can better withstand damage from heat to demanding garage, industrial, workshop, work stations, schools, library, offices, auto repair shops, coffee shops, engineering labs, warehouses, retail and workbench, network, laboratory or factory.
- Extension cablereel protects valuable equipment of all kinds, including lab equipment, testing devices, precision machinery, power tools, laptop computers, displays, television, 3D printers, wireless routers, modem, chargers, grow lighting, and other small appliances.



Model	NAE-D15
Length(m)	☐ 20+1M (66+3.3FT) ☐ 25+1M (83+3.3FT)
Cable(mm)	3x1.5mm²
Cable Material	☐ H05RR-F ☐ H07RN-F ☐ H05VV-F ☐ 12AWG ☐ 14AWG ☐ 15AWG
Power	@ 1500W ☐* 3200W
Case Material	PP
Thermal Overload Protector	✓
Socket	AC230V/16A/50HZ
Any Length Lock	★★★★★
Packing	38x20x33CM
G.W./N.W.	12.0/10.0KGS
20gp/40gp	1155/2727PCS
Certificates(All model)	CE REACH ROHs PAHs IP20

NAE-X10

- **Great for use in any garage or workshop**
  Extension cable reel is neatly stored inside a durable and stylish metal diamond plated.
- Keep mounted on your ceiling or wall and bring power to any corner of your work space without the tangled mess of regular extension cables.
- **Unadjustable Cable Stopper**
  Cable stopper ensures outlet is always within reach.
- Retractable extension cablereel has a perfect recoil to stop the cord while retracting all the way to cable reel.



Product Details



Swivel Mounting Bracket



Ceiling or Wall Mount



16A Circuit Breaker With Reset Button

Model	NAE-X10	NAE-X15
Lengths	10+1M(33+3.3FT)	15+1M(50+3.3FT)
Cable(mm) Ø	3x1.5mm²	3x1.5mm²
Cable Material	☐H05RR-F ☐H07RN-F ☐H05VV-F ☐12AWG ☐14AWG ☐16AWG	
Power	1500W 3200W	1500W 3200W
Case Material	PP	PP
Thermal Overload Protector	✓	
Socket	AC230V/16A/50HZ	AC230V/16A/50HZ
Any Length Lock	★★★★★	★★★★★
Packing	Inner Box: 35x33x17CM	Master Carton: 61.5x37x35.5CM
G.W/N.W	22.0/21.0KGS	22.0/21.0KGS
20gp/40gp	1382/2864PCS	1382/2864PCS

A Separate Bracket for Easy Mounting



Steps:

1. Locate a wall or ceiling beam. (use a stud finder, if needed) and fix the separate bracket to the wall or ceiling beam with garment screws or wood screws.

2. Slide the mounting bracket of the cord reel into the separate bracket, fix the set screws.

Certificates(All model) CE REACH ROHs PAHs IP20

NAE-A

CE
REACH ROHs PAHs
IP20





Model	NAE-A10	NAE-A15
Lengths	10+1M (33+3.3FT)	15+1M (50+3.3FT)
Cable(mm) Ø	3x1.5mm²	3x1.5mm²
Cable Material	☐H05RR-F ☐H07RN-F ☐H05VV-F ☐12AWG ☐14AWG ☐16AWG	
Power	1500W	3200W
Case Material	PP	PP
Thermal Overload Protector	✓	
Socket	AC230V/16A/50HZ	AC230V/16A/50HZ
Any Length Lock	★★★★★	★★★★★
Packing	Inner Box: 31x27x15CM Master Carton: 58x33x32CM(4PCS)	Inner Box: 32.5x29x16.5CM Master Carton: 59x33.5x35CM(4PCS)
G.W/N.W	12.0/11.0KGS	16.0/15.0KGS
20gp/40gp	192/416PCS	162/378PCS

NAE-A09

CE
REACH ROHs PAHs
IP20





Model	NAE-A09	
Lengths	15+1M (50+3.3FT)	10+1M(33+3.3FT)
Cable(mm) Ø	3x1.5mm²	
Cable Material	☐H05RR-F ☐H07RN-F ☐H05VV-F ☐12AWG ☐14AWG ☐16AWG	
Power	1500W 3200W	
Case Material	PP	
Thermal Overload Protector	✓	
Socket	AC230V/16A/50HZ	
Any Length Lock	★★★★★	
Packing	Inner Box: 31x27x16.5CM	Master Carton: 59x33.3x35CM(4PCS)
G.W/N.W	20.0/18.5KGS	
20gp/40gp	184/380PCS	

R7239 DRYWALL SANDER

FEATURES

- Speed can be adjusted easily from 1500-2300rpm.
- Reversible auxiliary handle perfect for both left-handed and right-handed users.
- Externally accessible brushes for greater serviceability and longer motor life.
- Variable vacuum power for different wall conditions and for comfortable use.

Intertek GS CE

Self-suction power
no need vacuum cleaner



ACCESSORIES

Dust bag • Strap • Side handle
Hose 2m • Wrench Φ5
Sand paper set(150# 180# 240# 400# each 2pcs)



SPECIFICATIONS

	230-240V / 110-120V~ 50/60Hz
	1050W/1220W
	1500-2300rpm
	225mm
	215mm
	67×34×27.5cm/2pcs(colour box)
	8.5/9.5kgs(colour box)
	900/1870/2194pcs(colour box)

Self-suction power
no need vacuum cleaner

R7240
DRYWALL SANDER



FEATURES

- The segment can be detached easily to sand along edges and in awkward positions.
- Externally accessible brushes for greater serviceability and longer motor life.
- Speed can be adjusted easily from 1500-2700rpm.
- Soft grip provides comfortable operation.

R7241
DRYWALL SANDER



FEATURES

- 10W LED lights surrounding the pad with 3cm distance to the working surface to lighten the cupped and raised spots on the wall.
- Externally accessible brushes for greater serviceability and longer motor life.

R7241-W
DRYWALL SANDER



FEATURES

- The segment can be detached easily to sand along edges and in awkward positions.
- Externally accessible brushes for greater serviceability and longer motor life.
- Speed can be adjusted easily from 1500-2700rpm.
- Soft grip provides comfortable operation.

SPECIFICATIONS

Intertek GS CE

	R7240	R7241	R7241-W
	230-240V / 110-120V~ 50/60Hz	230-240V / 110-120V~ 50/60Hz	230-240V / 110-120V~ 50/60Hz
	750W	750W	750W
	1500-2700rpm	1500-2700rpm	1500-2700rpm
	180mm	180mm	180mm
	175mm	175mm	175mm
	62×31.5×26cm/2pcs(colour box)	62×31.5×26cm/2pcs(colour box)	62×31.5×26cm/2pcs(colour box)
	7.6/8.6kgs(colour box)	7.6/8.6kgs(colour box)	7.6/8.6kgs(colour box)
	1102/2284/2678pcs(colour box)	1102/2284/2678pcs(colour box)	1102/2284/2678pcs(colour box)

PROFESSIONAL POWER TOOLS

R7503
DRYWALL SANDER



R7502
CONCRETE GRINDER



R7507
CONCRETE GRINDER





FEATURES

- 10W LED lights surrounding the pad with 3cm distance to the working surface to lighten the cupped and raised spots on the wall.
- Anti-dust function.
- Detachable cover for easy dust cleaning.

FEATURES

- Sanding pad can be changed with different pads to realize different applications.
- Separation with motor cooling and dust extracting.
- Ergonomic design with soft grip provides comfortable operation.

FEATURES

- The segment can be detached easily to sand along edges and in awkward positions.
- Externally accessible brushes for greater serviceability and longer motor life.
- Speed can be adjusted easily from 1000-8500rpm.
- Soft grip provides comfortable operation.

SPECIFICATIONS

	R7503	R7502	R7507
	230-240V / 110-120V~ 50/60Hz	230-240V ~ 50Hz	220-240V~50Hz
	810W	1300W	1500W
	1500-2800rpm	800-1750rpm	1000-8500rpm
	180mm	180mm	/
	175mm	175mm	125mm
	62×31.5×26cm/2pcs(colour box)	60×50×28.5cm/2pcs(colour box)	25×14.3×45cm/2pcs(colour box)
	7.6/8.6kgs(colour box)	11/12kgs(colour box)	11/12kgs(colour box)
	1102/2284/2678pcs(colour box)	666/1380/1618pcs(colour box)	3500/7250/8500pcs(colour box)

BR7201
DRYWALL SANDER



BR7505
DRYWALL SANDER



FEATURES

- Brushless motor allows for improved running time and durability, and eliminates the need to change brushes.
- Variable-speed dial to help match speed to application.
- Lock on trigger switch allows for comfortable use over long time use.

SPECIFICATIONS

	BR7201	BR7505
	18V	18V
	15A	15A
	600-1200rpm	600-1200rpm
	225mm	225mm
	215mm	215mm
	115×55×25cm/2pcs(colour box)	71.5×52.5×38.8cm/2pcs(BMC)
	15/16kgs(colour box)	8/9kgs(BMC)
	360/740/868pcs(colour box)	400/800/1000pcs(colour box)

R7232 DRYWALL SANDER



FEATURES

- Variable speed maintains a stable speed control system.
- The 360° pivioting head swivels in all directions and automatically adjusts to be flush against every surface that crosses its path.
- 2 options for extracting dust: internal extraction through 8 holes and external extraction through the surrounding of the sanding pad.
- Extendable, from 1.1m to 1.9m; shortest length 1.1m, fit for different working space.

ACCESSORIES

Adapter Φ35mm, Adapter Φ47mm, Adapter Φ38mm
Hose 4m • Wrench Φ5
Sand paper set(60# 80# 120# 150# 180# 240# each 1pc)



SPECIFICATIONS

	230-240V / 110-120V~ 50-60Hz
	600W/710W
	600-1500rpm
	225mm
	215mm
	115×55×25cm/2pcs(colour box)
	15/16.5kgs(colour box)
	360/740/868pcs(colour box)



R7233
DRYWALL SANDER

FEATURES

- Variable speed maintains a stable speed control system.
- Foldable design to save space for convenient and easy transportation.
- 2 options for extracting dust: internal extraction through 8 holes and external extraction through the surrounding of the sanding pad.

R7234
DRYWALL SANDER

FEATURES

- Variable speed maintains a stable speed control system.
- Foldable design to save space for convenient and easy transportation.
- Flexible handle provides easy maneuvering while sanding.

R7234-SG
DRYWALL SANDER

FEATURES

- 10W LED lights surrounding the sanding pad gives you better view of uneven sanding surface.
- Variable speed maintains a stable speed control system.
- Foldable design to save space for convenient and easy transportation.
- Flexible handle provides easy maneuvering while sanding.

SPECIFICATIONS

	R7233	R7234	R7234-SG
	230-240V / 110-120V~ 50-60Hz		
	600W/710W/750W	600W/710W/750W	600W/710W
	600-1500rpm/600-1700rpm(750W)	600-1500rpm/600-1700rpm(750W)	600-1500rpm
	225mm	225mm	225mm
	215mm	215mm	215mm
	70×56×25cm/2pcs(colour box) 72×48×35cm/2pcs(BMC)		
	15/16.5kgs(colour box) 19.5/21kgs(BMC)		
	570/1182/1386pcs(colour box) 470/1000/1170pcs(BMC)		

PROFESSIONAL POWER TOOLS



R7236
DRYWALL SANDER

R7237
DRYWALL SANDER

R7237-CT
DRYWALL SANDER

FEATURES

- LED provides you visibility during insufficient lighting conditions.
- Variable speed maintains a stable speed control system.
- Extendable, from 1.1m to 1.9m; shortest length 1.1m, fit for different working space.
- Flexible handle provides easy maneuvering while sanding.

FEATURES

- Variable speed maintains a stable speed control system.
- Can be folded to save space for convenient and easy transportation.
- Simple and compact design result in light weight and save physical energy.

FEATURES

- Variable speed maintains a stable speed control system.
- Can be folded to save space for convenient and easy transportation.
- Internal changeable round pad and triangle pad.
- Features both triangular and circular hook-and loop sanding heads with tool-free installation.

SPECIFICATIONS

	R7236	R7237	R7237-CT
	230-240V / 110-120V~ 50-60Hz		
	600W/710W	600W/710W	600W/710W
	600-1500rpm	600-1500rpm	600-1500rpm
	225mm	225mm	225mm
	215mm	215mm	215mm
	115×55×25cm/2pcs(colour box)	70×56×25cm/2pcs(colour box)	72×48×35cm/2pcs(BMC)
	15/16.5kgs(colour box)	13.5/15kgs(colour box)	20/22kgs(BMC)
	360/740/968pcs(colour box)	570/1182/1386pcs(colour box)	470/1000/1170pcs(BMC)



R7245
DRYWALL SANDER

R7249
DRYWALL SANDER

R7258
DRYWALL SANDER

FEATURES

- Quick release and lock up function for speedy extension assembly.
- Brush segement can be detached easily to sand along edges and in awkard positions.
- Externally accessible brushes for greater serviceability and longer motor life.

FEATURES

- Telescopic body can be extended from 135cm to 190cm,fit for different working space.
- Unique design to save space for convenient and easy transportation.

FEATURES

- Brushless system realizes stronger power,much longer life time,higher efficiency and lower noise.
- LED lights surrounding the sanding pad gives you better view of uneven sanding surface.

SPECIFICATIONS

	R7245	R7249	R7258
	230-240V / 110-120V~ 50-60Hz		
	600W/710W	600W/710W	550W
	600-1500rpm	600-1600rpm	300-950rpm
	225mm	225mm	225mm
	215mm	215mm	215mm
	70×56×25cm/2pcs(colour box)	73×50×36cm/2pcs(BMC)	131×58×26cm/2pcs(colour box)	115×55×25cm/2pcs(colour box)
	13.5/15kgs(colour box)	21.5/22.5kgs(BMC)	14.5/15.5kgs(colour box)	15/16.5kgs(colour box)
	570/1182/1386pcs(colour box)	430/892/1046pcs(BMC)	294/608/714pcs(colour box)	360/740/868pcs(colour box)

FEATURES

- Variable speed maintains a stable speed control system.
- Self - suction power no need vacuum cleaner.
- 10W LED lights surrounding the pad with 3cm distance to the working surface to lighten the cupped and raised spots on the wall.
- Externally accessible brushes for greater serviceability and longer motor life.
- Extendable, from 1.1m to 1.9m.

R7203
DRYWALL SANDER



Self-suction power no need vacuum cleaner

R7203-RT
DRYWALL SANDER



Inter-changeable

R7202
DRYWALL SANDER



Self-suction power no need vacuum cleaner

SPECIFICATIONS

	R7203	R7203-RT	R7202
	230-240V / 110-120V~ 50-60Hz		
	820W	750W	820W
	600-1900rpm	600-1700rpm	600-1800rpm
	225mm	225mm	225mm
	215mm	215mm	215mm
	114×33.5×50cm/2pcs(colour box)	62×31.5×26cm/2pcs(colour box)	114×33.5×50cm/2pcs(colour box)
	17/18kgs(colour box)	7.6/8.6kgs(colour box)	17/18kgs(colour box)
	286/594/697pcs(colour box)	110/2284/2678pcs(colour box)	286/594/697pcs(colour box)

R7246
DRYWALL SANDER



Self-suction power no need vacuum cleaner

FEATURES

- Self-suction power no need vacuum cleaner.
- Vertical motor to transfer the power directly ensuring longer life time.

R7213
DRYWALL SANDER



FEATURES

- Vertical motor to transfer the power directly ensuring longer life time.
- Unique design to save space for convenient and easy transportation.

R7205
DRYWALL SANDER



FEATURES

- Vertical motor to transfer the power directly ensuring longer life time.
- Unique design to save space for convenient and easy transportation.

SPECIFICATIONS

	R7246	R7213	R7205
	230-240V / 110-120V~ 50-60Hz		
	1050W	710W	750W
	600-2600rpm	800-1800rpm	800-1800rpm
	225mm	225mm	225mm
	215mm	215mm	215mm
	69×62.5×31cm/2pcs(colour box) 69.5×56×46cm/2pcs(BMC)	114×33.5×50cm/2pcs(colour box)	
	11/12kgs(colour box) 20/21kgs(BMC)	17/18kgs(colour box)	
	418/869/1018pcs(colour box) 312/646/758pcs(BMC)	286/594/697pcs(colour box)	

R8501/R8501G
SCREWDRIVER



R8502
SCREWDRIVER



FEATURES
- Speed can be adjusted easily from 0-2400(0-4000)rpm.
- Soft grip provides comfortable operation.
- Forward and reverse running by pushing the button to the left or right.
- Rotate the plastic ring to adjust screw depth.

FEATURES
- Speed can be adjusted easily from 0-4200rpm.
- Soft grip provides comfortable operation.
- Forward and reverse running by pushing the button to the left or right.
- Rotate the plastic ring to adjust screw depth.

BR8503
CORDLESS DRYWALL SCREWDRIVER



FEATURES
- Brushless motor fot longer lifetime
- Delivers 0- 4200 RPM with increased torque to handle high demand fastening applications

SPECIFICATIONS

	R8501 / R8501G	R8502	BR8503
	230-240V / 110-120V~ 50-60Hz	220-240V/110-120V~50/60Hz	18V
	600W	520W	/
	0-2400rpm,0-4000rpm	0-4200rpm	0-4200rpm
	2	1	1
	6.35mm	6.35mm	6.35mm
	52×37×34.5cm/4pcs(colour box)	52×37×34.5cm/4pcs(colour box)	52×37×34.5cm/4pcs(colour box)
	19/20kgs(colour box)	19/20kgs(colour box)	19/20kgs(colour box)
	1684/3492/4096pcs(colour box)	1684/3492/4096pcs(colour box)	1684/3492/4096pcs(colour box)

BR8504+P1901
CORDLESS DRYWALL SCREWDRIVER WITH BULLET



FEATURES
- Brushless motor fot longer lifetime
- Delivers 0- 4200 RPM with increased torque to handle high demand fastening applications
- Screwdriver with bullet set allow continuous nails'function（nails from 25-57mm is available）

BW2301
CORDLESS CUTOUT TOOL



BR8504+R1208+P1901
CORDLESS DRYWALL SCREWDRIVER WITH LONG HANDLE



FEATURES
- With long handle for high position's nailing work easily.

FEATURES
- Tool-free for fast and easy bit changing without a wrench.
- Dust-sealed switch protects against dust ingestion for longer lifetime.
- Bright LED light illuminates dark work surfaces for accurate cutting.

SPECIFICATIONS

	BR8504+P1901	BW2301
	18V	18V
	/	/
	0-4200rpm	26000rpm
	1	1/4" , 1/8"
	6.35mm	steel 10mm cement 10mm wood 20mm
	52×37×34.5cm/4pcs(colour box)	52×37×34.5cm/4pcs(colour box)
	19/20kgs(colour box)	19/20kgs(colour box)
	1684/3492/4096pcs(colour box)	1684/3492/4096pcs(colour box)

FEATURES

- Infinitely variable speed for power transmission without splashing.
- Double handle ergonomic design with softgrip, easier to operate,not easy to get tired even after long time operation.

R6121
ELECTRIC MIXER



R6122
ELECTRIC MIXER



R6232P
ELECTRIC MIXER



SPECIFICATIONS

	R6121	R6122	R6232P
	220V-240V~50/60Hz	220V-240V~50/60Hz	220V-240V~50/60Hz
	1200W	1200W	1220/1400/1600W
	0-680rpm	0-680rpm	0-800rpm 300-750rpm (1600W)
	1	1	1
	M14x2	M14x2	M14x2
	34x32x36cm/2pcs(colour box)	34x32x36cm/2pcs(colour box)	34x32x36cm/2pcs(colour box)
	8/9kgs(colour box)	8/9kgs(colour box)	8/9kgs(colour box)
	1398/2898/3394pcs(colour box)	1398/2898/3394pcs(colour box)	1398/2898/3394pcs(colour box)

PROFESSIONAL POWER TOOLS

FEATURES

- Infinitely variable speed for power transmission without splashing.
- The soft start accelerator switch smoothly adjusts the speed to the mixing situation and material, easily and safely.
- Large, rugged 2-gear unit with optimum ratios for powerful torque and correct speed for different mixing materials.

R6202P
ELECTRIC MIXER



R6201P
ELECTRIC MIXER



SPECIFICATIONS

	R6201P	R6202P
	230-240V / 110-120V~ 50/60Hz	230-240V / 110-120V~ 50/60Hz
	1220/1400W	1220/1400/1600W
	0-800rpm	180-460/300-750rpm
	1	2
	M14x2	M14x2
	67.5x34x26.5cm/2pcs(colour box) 50.5x40x35cm/2pcs(BMC)	
	12/13.5kgs(colour box) 16/17.5kgs(BMC)	
	920/1908/2236pcs(colour box) 790/1640/1922pcs(BMC)	

PROFESSIONAL POWER TOOLS

R6204P
ELECTRIC MIXER



R6205P
ELECTRIC MIXER



R6206P
ELECTRIC MIXER



R6207P
ELECTRIC MIXER



FEATURES

- Infinitely variable speed for power transmission without splashing.
- Large, rugged 2-gear unit with optimum ratios for powerful torque and correct speed for different mixing materials.

SPECIFICATIONS

	R6204P	R6205P	R6206P	R6207P
	230-240V / 110-120V~ 50-60Hz			
	1220W/1400W	1220W/1400W	1220W/1400W	1220W/1400W
	0-800rpm	0-480/0-800rpm	0-800rpm	0-480/0-800rpm
	1	2	1	2
	M14x2	M14x2	M14x2	M14x2
	67 x 34 x 21cm/ 2pcs(colour box) 50.5x40x35cm/2pcs(BMC)			
	11.5/13kgs(colour box) 15.5/17kgs(BMC)			
	1180/2442/2864pcs(colour box) 790/1640/1922pcs(BMC)			

R6209P
ELECTRIC MIXER



R6210P
ELECTRIC MIXER



R6216P
ELECTRIC MIXER



Twin paddles with quick fix system.

FEATURES

- Shift the speeds with 100% accuracy by turning the speed knob after the machine is fully stopped.
- The soft start accelerator switch smoothly adjusts the speed to the mixing situation and material easily and safely.
- Ergonomics design with soft grip provides comfortable operation.

SPECIFICATIONS

	R6209P	R6210P	R6216P
	230-240V / 110-120V~ 50-60Hz		
	1220W/1400W/1600W	1220W/1400W/1600W	1400W/1600W
	0-800rpm(1220/1400W) 300-750rpm(1600W)	0-480/0-800rpm(1220/1400W) 180-480/300-750rpm(1600W)	0-480/0-680rpm(1400W) 200-480/250-680rpm(1600W)
	1	2	2
	M14x2	M14x2	Hex 13
	67×36×22.5cm/2pcs(colour box) 51×40×35cm/2pcs(BMC)		57×34×44cm/2pcs(colour box)
	12/13.5kgs(colour box) 16/17.5kgs(BMC)		16.5/18.5kgs(colour box)
	1030/2134/2502pcs(colour box) 790/1640/1922pcs(BMC)		1030/2134/2502pcs(colour box)

PROFESSIONAL POWER TOOLS

R6211P
ELECTRIC MIXER



R6212P
ELECTRIC MIXER



R6218P
ELECTRIC MIXER





Twin paddles with quick fix system.

FEATURES

- Shift the speeds with 100% accuracy by turning the speed knob after the machine is fully stopped.
- The soft start accelerator switch smoothly adjusts the speed to the mixing situation and material, easily and safely.
- Ergonomics design with soft grip provides comfortable operation.

SPECIFICATIONS

	R6211P	R6212P	R6218P
	230-240V / 110-120V~ 50/60Hz		
	1220W/1400W/1600W	1220W/1400W/1600W	1400W/1600W
	0-800/300-750rpm(1600W)	0-480/0-800/180-460/300-750rpm(1600W)	0-480/0-680/200-480/250-680rpm(1600W)
	1	2	2
	M14x2	M14x2	Hex13
	67×34×21cm/2pcs(colour box)	50.5×40×35cm/2pcs(BMC)	62×57×21cm/2pcs(colour box)
	12/13.5kgs(colour box)	16/17.5kgs(BMC)	16.5/18.5kgs(colour box)
	1180/2442/2864pcs(colour box)	790/1640/1922pcs(BMC)	528/1092/1282pcs(colour box)

R6226
ELECTRIC MIXER



R6305
ELECTRIC MIXER



R6407
ELECTRIC MIXER



FEATURES

- Infinitely variable speed for power transmission without splashing.
- The soft start accelerator switch smoothly adjusts the speed to the mixing situation and material, easily and safely.

FEATURES

- Infinitely variable speed for power transmission without splashing.
- The soft start accelerator switch smoothly adjusts the speed to the mixing situation and material, easily and safely.
- Large, rugged 2-gear unit with optimum ratios for powerful torque and correct speed for different mixing materials.

FEATURES

- Infinitely variable speed for power transmission without splashing.
- The soft start accelerator switch smoothly adjusts the speed to the mixing situation and material, easily and safely.
- Large, rugged 2-gear unit with optimum ratios for powerful torque and correct speed for different mixing materials.
- Twin paddles with quick fix system.

SPECIFICATIONS

	R6226	R6305	R6407
	230-240V / 110-120V~ 50/60Hz		
	1220W/1400W/1600W	1220W/1400W/1600W	1400W/1600W
	0-800rpm/300-750rpm	0-480/0-800rpm/180-460/300-750rpm	0-480/0-680rpm 200-480/250-680rpm
	1	2	2
	M14x2	M14x2	M14x2
	36.5×31.5×40cm/2pcs(colour box)		62x57x21/2pcs (colour box)
	12/13.5kgs(colour box)		16.5/18.5kgs(colour box)
	1166/2390/2804pcs(colour box)		528/1092/1282 pcs (colour box)

PROFESSIONAL POWER TOOLS

R6219
ELECTRIC MIXER



R6219S
ELECTRIC MIXER



R6219ST
ELECTRIC MIXER





Twin paddles with quick fix system.

FEATURES

- Ergonomic designed handle with soft grip and closer to the user's body, reduces working fatigue-supplying extra comfort.
- Infinitely variable speed for power transmission without splashing.
- Large, rugged 2-gear unit with optimum ratios for powerful torque and correct speed for different mixing materials.

SPECIFICATIONS

	R6219	R6219S	R6219ST
	230-240V / 110-120V~ 50/60Hz		
	1220/1400/1600W	1220/1400/1600W	1400/1600W
	0-800rpm(1220/1400W) 320-800rpm(1600W)	0-500/0-800rpm(1220/1400W) 180-480/300-750rpm(1600W)	0-500/0-750rpm(1400W) 180-480/250-650rpm(1600W)
	2	1	2
	M14x2	M14x2	Hex13
	68x37x22cm/2pcs(colour box)		62×57×21cm/2pcs(colour box)
	15/16.5kgs(colour box)		16.5/18.5kgs(colour box)
	1010/2090/2456pcs(colour box)		528/1092/1282pcs(colour box)

R6229
ELECTRIC MIXER



R6310
ELECTRIC MIXER





Large, rugged 2-gear unit with optimum ratios for powerful torque and correct speed for different mixing materials.

R6408
ELECTRIC MIXER





Twin paddles with quick fix system.

FEATURES

- Ergonomic designed handle with soft grip and closer to the user's body, reduces working fatigue-supplying extra comfort.
- Infinitely variable speed for power transmission without splashing.
- LED light function when lighting is insufficient.

SPECIFICATIONS

	R6229	R6310	R6408
	230-240V / 110-120V~ 50/60Hz		
	1220W/1400W/1600W	1220W/1400W/1600W	1400W/1600W
	0-800rpm(1200/1400W) 300-750rpm(1600W)	0-480/0-800rpm(1220/1400W) 180-480/300-750rpm(1600W)	0-480/0-680rpm(1400W) 180-480/250-650rpm(1600W)
	1	2	2
	M14x2	M14x2	Hex13
	68x37x22cm/2pcs(colour box)		62x57x21cm/2pcs(colour box)
	15/16.5kgs(colour box)		16.5/18.5kgs(colour box)
	1010/2090/2456pcs(colour box)		1528/1092/1282pcs(colour box)

PROFESSIONAL POWER TOOLS

R6222
ELECTRIC MIXER



R6306
ELECTRIC MIXER



R6406
ELECTRIC MIXER



FEATURES

- Optimun protect iron handle.
- With longer lifetime ,strong power and new indicator,it's the best choice for most professional users



Indicator light
Overload protection & brush changing alert,Power indicator.



Large rugged 2-gear unit with optimum ratios for powerful torque and correct speed for different mixing materials.



Twin paddles with quick fix system.

SPECIFICATIONS

	R6306	R6406
230-240V / 110-120V~ 50/60Hz		
1220/1400/1600/1800W	1220/1400/1600/1800/2000W	1400/1600/1800W
0-800rpm(1220/1400W) 300-750rpm(1600/1800W)	0-500/0-800rpm(1220/1400W) 200-480/300-750rpm(1600/1800/2000W	0-500/0-800rpm(1400W) 200-480/300-750rpm(1600/1800W)
1	2	2
M14x2	M14x2	Hex13
41x37x44cm/2pcs(colour box)	41x39x44cm/2pcs(colour box)	64×36.5×22.5cm/1pcs(colour box)
12/13.5kgs(colour box)	12/13.5kgs(colour box)	16.5/18.5kgs(colour box)
823/1705/2000pcs(colour box)	800/1657/1942pcs(colour box)	528/1094/1283pcs(colour box)

R6312CP
ELECTRIC MIXER



FEATURES

- Applies to various viscosity materials mixing. Especially in putty, mortar, resins, and emulsion paints.
- Wide handle with ergonomics design for optimal operation control.
- Constant speed function ensures efficient continuous mixing.
- The soft start accelerator switch smoothly adjusts the speed to the mixing situation and material, easily and safely.

R6316P
ELECTRIC MIXER



FEATURES

- Applies to various viscosity materials mixing. Especially in putty, mortar, resins, and emulsion paints.
- Infinitely variable speed for power transmission without splashing.
- Lock on switch offers continuous and power-saving operation.

SPECIFICATIONS

R6312CP	R6316P
220-240V ~ 50/60Hz	220-240V ~ 50/60Hz
1600W	1600W
180-480/300-750rpm	180-480/300-750rpm
2	2
M14x2	M14x2
52×37×34.5cm/4pcs(colour box)	52×37×34.5cm/4pcs(colour box)
19/20kgs(colour box)	19/20kgs(colour box)
1684/3492/4096pcs(colour box)	1684/3492/4096pcs(colour box)

PROFESSIONAL POWER TOOLS

BR6123
CORDLESS ELECTRIC MIXER



BR6231F
CORDLESS ELECTRIC MIXER



BR6228
CORDLESS ELECTRIC MIXER



FEATURES

- Side battery pack to reduce the wear between battery and machine.

FEATURES

- Optimun protect iron handle.
- Brushless motor supply enough power and overload protection.

SPECIFICATIONS

	BR6123	BR6231F	BR6228
	18V	18V	18V
	0-650rpm	0-650rpm	0-650rpm
	1	1	1
	M14x2	M14x2	M14x2
	43x31.5x28.5cm/2pcs(colour box)	41x39.5x33.5cm/2pcs(colour box)	43x31.5x28.5cm/2pcs(colour box)
	15/16.5kgs(colour box)	15/16.5kgs(colour box)	15/16.5kgs(colour box)
	1450/3000/3500pcs(colour box)	1036/2148/2518(colour box)	1450/3000/3500pcs(colour box)

BR6307
CORDLESS ELECTRIC MIXER



BR6311F
CORDLESS ELECTRIC MIXER



BR6314F
CORDLESS ELECTRIC MIXER



BR6309
CORDLESS ELECTRIC MIXER



FEATURES

- Optimun protect iron handle.
- Brushless motor supply enough power and overload protection.
- Large,rugged 2-gear unit with optimum ratios for powerful torque and correct speed for different materials.



Two batteries available

SPECIFICATIONS

	BR6307	BR6311F/BR6314F	BR6309
	18V	18V	18V
	0-450/0-720rpm	0-450/0-720rpm	0-450/0-720rpm
	2	2	2
	M14x2	M14x2	M14x2
	41.5x39.5x41cm/2pcs(colour box)	41.5x39.5x41cm/2pcs(colour box)	41.5x39.5x41cm/2pcs(colour box)
	15/16.5kgs(colour box)	15/16.5kgs(colour box)	17/18kgs(colour box)
	1036/2148/2518(colour box)	1036/2148/2518(colour box)	417/865/1014(colour box)

PROFESSIONAL POWER TOOLS

BR3002 CORDLESS CAULKING GUN



FEATURES

- Auto-reverse feature helps reduce drips,waste and clean-up.
- LED light for working in even a dark place.





BR3011 CORDLESS CAULKING GUN



FEATURES

- Comes with a 360 degrees cartridge holder that max fits 300ml cartridges.
- Auto-reverse feature helps reduce drips,waste and clean-up.
- LED light for working in even a dark place.
- With safety lock to prevent accidental restart.

SPECIFICATIONS

Intertek CE

	BR3002	BR3011
	18V	18V
	30-480mm/min	48-480mm/min
	300ml	300ml
	48x38x30cm/5pcs(colour box)	48x38x30cm/5pcs(colour box)
	16.5/18.5kgs(colour box)	16.5/18.5kgs(colour box)
	2545/5270/6180pcs(colour box)	2545/5270/6180pcs(colour box)

BR8302 CORDLESS CONCRETE VIBRATOR

FEATURES

- Three soft grip for convenient and comfortable operation.
- Lock on trigger switch allows for comfortable use over long time use.



SPECIFICATIONS

Intertek CE

	18V
	4100rpm 12300vpm
	⌀35 1200mm
	106.7x28.2x20.3cm/1pcs(colour box)
	16.5/18.5kgs(colour box)
	459/950/1114pcs(colour box)



RS6003 MIXER STAND

FEATURES


- Foldable
- Retractable




SPECIFICATIONS

Intertek CE

	1.1m
	0.7m
	1.05mx0.3mx0.2m
	1.6m
	1.4mx1.2mx1.1m
	106.7x28.2x20.3cm/1pcs(colour box)
	16.5/18.5kgs(colour box)
	459/950/1114pcs(colour box)





R9302

PAINT SPRAYER



FEATURES

- Light weight durable spray gun with built in filter for easy flushing and cleaning.
- Carry handle and folding stand for convenient transportation and storage.
- Airless spray system for medium scale painting projects.

ACCESSORIES

High pressure airless - sprayer with 517 nozzle
Extension tube - 7.5m high pressure painting pipe
- Oil can - Wrench

R9221

PAINT SPRAYER



FEATURES

- Light weight durable spray gun with built in filter for easy flushing and cleaning.
- Carry handle and folding stand for convenient transportation and storage.
- Airless spray system for medium scale painting projects.

ACCESSORIES

High pressure airless - sprayer with 517 nozzle
7.5m high pressure painting pipe - Wrench



SPECIFICATIONS

	R9302	R9221
	220-240V ~ 50/60Hz	220-240V ~ 50/60Hz
	1300W	1200W
	≤25000r/min	≤28000r/min
	max1.6L/min	max1.6L/min
	20Mpa	22.6Mpa
	36.5×33×47cm/1pcs(colour box)	36.5×33×47cm/1pcs(colour box)
	7/8(colour box)	7/8(colour box)
	930/1927/2260pcs(colour box)	930/1927/2260pcs(colour box)

PROFESSIONAL POWER TOOLS

R8600
IMPACT DRILL



R8601
IMPACT DRILL



R8602
IMPACT DRILL



FEATURES

- Forward and reverse running by pushing the button to the left or right.
- Variable speed to suit different requirements in different applications.
- Drill and hammer function by turning the wheel.

SPECIFICATIONS

	R8600	R8601	R8602
	230-240V / 110-120V~ 50/60Hz	230-240V / 110-120V~ 50/60Hz	230-240V / 110-120V~ 50/60Hz
	550W	650W	750W
	0-3000r/min	0-3000rpm	0-3000rpm
	1	1	1
	steel 13mm cement 13mm wood 25mm		
	39.5×31×49.5cm/10pcs(colour box) 46×36×33.5cm/5pcs(BMC)		
	20/21kgs(colour box) 17/18.5kgs(BMC)		
	4610/9560/11210pcs(colour box) 2580/5345/6265pcs(BMC)		

R8605
IMPACT DRILL



FEATURES

- Variable speed to suit different requirements in different applications.
- Drill and hammer function by turning the wheel.

R8606/R8607
IMPACT DRILL



FEATURES

- Variable speed to suit different requirements in different applications.
- Drill and hammer function by turning the wheel.

SPECIFICATIONS

	R8605	R8606 / R8607
	230-240V / 110-120V~ 50/60Hz	230-240V / 110-120V~ 50/60Hz
	500W	550W/650W
	3000r/min	0-2900r/min
	steel 10mm cement 10mm wood 20mm	steel 10mm cement 10mm wood 20mm
	59×37×24.5cm/10pcs(colour box) 46×36×33.5cm/5pcs(BMC)	
	20/21kgs(colour box) 17/18.5kgs(BMC)	
	5230/10840/12710pcs(colour box) 2580/5345/6265pcs(BMC)	

PROFESSIONAL POWER TOOLS

R8608
IMPACT DRILL



FEATURES

- Soft grip for comfortable and energy-saving operation.
- Recessed lock-on button for continuous use.
- Optional forward and reverse switch for convenient operation.

R8609
IMPACT DRILL



FEATURES

- Soft grip for comfortable and energy-saving operation.
- Recessed lock-on button for continuous use.
- Optional forward and reverse switch for convenient operation.
- With keyless chuck.

SPECIFICATIONS

	R8608	R8609
	230-240V / 110-120V~ 50/60Hz	230-240V / 110-120V~ 50/60Hz
	650W	900W
	0-3000rpm	0-3000rpm
	1	1
	steel 10mm cement 10mm wood 20mm	steel 13mm cement 13mm wood 25mm
	62×31.5×26cm/2pcs(colour box)	62×31.5×26cm/2pcs(colour box)
	7.6/8.6kgs(colour box)	7.6/8.6kgs(colour box)
	1102/2284/2678pcs(colour box)	1102/2284/2678pcs(colour box)

R8701/R8702
IMPACT DRILL



FEATURES

- Soft grip for comfortable and ergonomic operation.
- Variable speed to suit different requirements in different applications.

R8801/R8802
IMPACT DRILL



FEATURES

- Metal gear box with 2 speeds selections is capable of high performance.
- Soft grip for comfortable and ergonomic operation.
- Variable speed to suit different requirements in different applications.

SPECIFICATIONS

	R8701	R8702	R8801	R8802
	230-240V / 110-120V~ 50/60Hz		230-240V / 110-120V~ 50/60Hz	
	720W	850W	850W	1050W
	0-3000r/min	0-3000r/min	0-1100/0-3000r/min	0-1100/0-3000r/min
	1	1	2	2
	steel 13mm cement 13mm wood 25mm		steel 16/13mm cement 16/13mm wood 40/25mm	
	45×35.5×26.5cm/5pcs(colour box)	46×42.5×34cm/4pcs(BMC)	50×39×26.5cm/5pcs(colour box)	46×42.5×34cm/4pcs(BMC)
	18/19.5kgs(colour box)	16/17.5kgs(BMC)	20/21.5kgs(colour box)	18/19kgs(BMC)
	3305/6850/8030pcs(colour box)	2560/5305/6220pcs(BMC)	2705/5610/6575pcs(colour box)	1680/3500/4100pcs(BMC)

PROFESSIONAL POWER TOOLS

R2103 BAND SAW

FEATURES

- External accessible brushes for convenience.
- Attractively designed lever to release and tighten the saw blade easily.
- A LED Work Light illuminates dark work surfaces for accurate cutting.





ACCESSORIES

Blade Wrenchφ3

Cast iron base, suitable for R2103 and R2103-3

Stamping metal base, suitable for all models









SPECIFICATIONS

	230-240V / 110-120V~ 50-60Hz
	1100W
	0.7-2.4m/s
	127mm×127mm
	1141mm×13mm×0.65mm 10/14T
	59×20.5×41.5/1pcs (colour box) 57×39×43/2pcs(BMC)
	17/18kgs(colour box) 21/22kgs(BMC)
	560/1160/1360pcs(colour box) 580/1210/1420pcs(BMC)

BW2111

CORDLESS BAND SAW

BRUSHLESS MOTOR



FEATURES

- Attractively designed lever to release and tighten the saw blade easily.
- A LED Work Light illuminates dark work surfaces for accurate cutting.
- Brushless motor for longer lifetime and lower noise.

BR2104

CORDLESS BAND SAW





FEATURES

- Attractively designed lever to release and tighten the saw blade easily.
- A LED Work Light illuminates dark work surfaces for accurate cutting.

SPECIFICATIONS

	BW2111	BR2104
	18V	18V
	/	/
	0-2.0m/s	0-2.0m/s
	127mm×127mm	127mm×127mm
	1141mm×13mm×0.65mm 10/14T	1141mm×13mm×0.65mm 10/14T
	62×22.5×36/1pcs (colour box)	62×22.5×36/1pcs (colour box)
	17/18kgs(colour box)	17/18kgs(colour box)
	571/1183/1387pcs(colour box)	571/1183/1387pcs(colour box)

PROFESSIONAL POWER TOOLS

BW2110
CORDLESS
BAND SAW



FEATURES
- Attractively designed lever to release and tighten the saw blade easily.
- A LED Work Light illuminates dark work surfaces for accurate cutting.
- Brushless motor for longer lifetime and lower noise.

ACCESSORIES
1 pc Blade
Wrenches: S3, S4



BW2112
CORDLESS
BAND SAW



FEATURES
- Attractively designed lever to release and tighten the saw blade easily.
- A LED Work Light illuminates dark work surfaces for accurate cutting.

SPECIFICATIONS

	BW2110	BW2112
	18V	18V
	0-3.2m/s	0-3.2m/s
	65mm×65mm	65mm×65mm
	835mm×13mm×0.5mm 10/14T	835mm×13mm×0.5mm 10/14T
	50×45.5×31.5 / 2pcs (colour box)	50×45.5×31.5 / 2pcs (colour box)
	3.5/4.5kgs(colour box)	3.5/4.5kgs(colour box)
	788/1633/1915pcs(colour box)	788/1633/1915pcs(colour box)

BW3601
CORDLESS THREADED
ROD CUTTER



FEATURES
- Brushless system realizes stronger power, much longer life time,higher efficiency and lower noise.
- Spark-free cutting for clean, burr-free cuts allowing for easy threading

BW2500
CORDLESS
CIRCULAR SAW



BR3501 CORDLESS FISH TAPE TOOL



FEATURES
- Fast threading large torque for wire feed and collection
- Brushless motor for longer lifetime and lower noise
- With function of preventing excessive wire collection
- With all kinds of function , such for home decoration, factories, stores, municipal wiring, etc., or detect blocking position of underground pipeline

FEATURES
- Brushless system realizes stronger power, much longer life time,higher efficiency and lower noise.
- LED light for working in even a dark place.
- Soft grip provides comfortable operation

SPECIFICATIONS

	BM3601	BW2500	BR3501
	18V	18V	18V
	24rpm	6300rpm	40m/min
	M6 M8 M10	0-52.5mm	20m(Φ6mm plastic covered steel wire)
	/	145mm	
	/	54×36.5×26 / 2pcs (colour box)	/
	2.8kg/pc	11/12kgs(colour box)	4.8kg/pc
	/	1040/2320/2720pcs(colour box)	/

BR2401 CORDLESS CUT OFF SAW



FEATURES

- Rotatable handle for easily operate.
- With LED light for easy work.
- Metal gearbox for high efficiency and high torque.
- Brushless motor for longer lifetime and lower noise.

SKX355D CONCRETE CUTTING MACHINE



FEATURES

- Rubber shield protects the operators hand and motor from debrisIntegrated nozzle can be connected to a vacuum cleaner for a cleaner work environment.
- Adjustable depth guard for consistent cutting and guide wheels on the tool ensure smooth travel over the surface material

BR2400 CORDLESS CUT OFF SAW



FEATURES

- Rotatable handle for easily operate.
- With LED light for easy work.
- Metal gearbox for high efficiency and high torque.
- Brushless motor for longer lifetime and lower noise.

SPECIFICATIONS

	BR2401	BR2400	SKX355D
	40V	40V	230-240V / 110-120V~ 50/60Hz
	/	/	2600W
	3800rpm	5500-6000rpm	4300r/min
	300mm(12")	250mm(10")	125mm
	115mm	96mm	355mm
	66×38×52cm/2pcs(colour box)	47×33×30cm/4pcs(colour box)	58.5×54.5×30cm/1pcs(colour box)
	16/17kgs(colour box)	11.5/12.5kgs(colour box)	12/14kgs(colour box)
	430/890/1040pcs(colour box)	2360/4952/5800pcs(colour box)	290/600/710pcs(colour box)

R2403
WALL CHASER



FEATURES

- Spindle lock button for easy disc change.
- Fully adjustable quick release guard.
- Power indicator for safety purpose.
- Soft grip for comfortable operation.
- Brushless system realizes stronger power, much longer life time,higher efficiency and lower noise.

KE150A
WALL CHASER



FEATURES

- Two steel roll design, while operation the tool users can match the tool with wall easily.
- Function of dust collection insure workers from the dusty environment.
- Adjustable cutting depth from 8mm to 43mm, suitable for different cutting requirements.

R2409
WALL CHASER



FEATURES

- Function of dust collection insure workers from the dusty environment.
- Multi-dimensional adjustment cutting to meet different cutting needs.
- Soft start prevents uncontrolled start while constant speed control maintains same speed under different loadings.

SPECIFICATIONS

	R2403	KE150A	R2409
	230-240V / 110-120V~ 50/60Hz		
	3000W	2400W	1700W
	0-9000r/min	8000r/min	7000r/min
	67mm	8-43mm	8-43mm
	195mm	150mm	150mm
	/	53×39×31.5cm/2pcs(BMC)	
	3.5kgs/1pc	20/21kgs(BMC)	
	/	848/1780/2068pcs(BMC)	

PROFESSIONAL POWER TOOLS

FEATURES

- Dust proof and water proof designed motor.
- Externally accessible brushes for greater serviceability and longer motor lifetime.
- Suitable for different working environments.

KE110L
MARBLE CUTTER



KE110D
MARBLE CUTTER



KE110K
MARBLE CUTTER



KX355K
CUT OFF SAW



FEATURES
- Externally accessible brushes for greater serviceability and longer motor life.
- Robust power and high cutting efficiency.
- Special design with big cutting capacity.

7201
CUT OFF SAW



FEATURES
- Externally accessible brushes for greater serviceability and longer motor life.
- Robust power and high cutting efficiency.
- Special design with big cutting capacity.

7301
CUT OFF SAW



FEATURES
- Externally accessible brushes for greater serviceability and longer motor life.
- Robust power and high cutting efficiency.
- Special design with big cutting capacity.

SPECIFICATIONS

	KE110L	KE110D	KE110K
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	1250W	1250W	1750W
	13600r/min	13600r/min	13000r/min
	30mm	30mm	32mm
	110mm	110mm	110mm
	68×24.5×38.5cm/6pcs(color box)	43.5×23.5×38.5cm/4pcs(colour box)	48.5×25.5×40cm/4pcs(colour box)
	19/20kgs(colour box)	14/15kgs(colour box)	15/16kgs(colour box)
	2616/5424/6360pcs(colour box)	2640/5892/6328pcs(colour box)	2280/4888/5496pcs(colour box)

SPECIFICATIONS

	KX355K	7201	7301
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	2300W	2300W	2100W
	4000r/min	4000r/min	4000r/min
	Round 130 Square 120 Rectangle 120×130 Angle 140×140		
	355mm	355mm	355mm
	55×34×44.5cm(color box)		
	17/18kgs(colour box)		
	335/695/815pcs(color box)		

PROFESSIONAL POWER TOOLS

R3110
ANGLE GRINDER



FEATURES
- Brushless motor allows for improved running time and durability, and no need to change brushes.
- Fully adjustable quick release guard.
- 6-speed setting by adjustable wheel, allow the speed to meet different applications

BM3118
CORDLESS ANGLE GRINDER



FEATURES
- Brushless motor allows for improved running time and durability, and no need to change brushes.
- Spindle lock button for easy disc change.
- Power-off protection prevents accidental restart after a power disruption when the tool is left in the "on" position.

M3102D
ANGLE GRINDER



FEATURES
- Spindle lock button for easy disc change.
- Fully adjustable quick release guard.
- Power indicator for safety purpose.
- Variable speed for different applications with long rear-handle.

M3106
ANGLE GRINDER



FEATURES
- Spindle lock button for easy disc change.
- Fully adjustable quick release guard.
- Power indicator for safety purpose.
- Soft grip for comfortable operation.

M3103
ANGLE GRINDER



FEATURES
- Spindle lock button for easy disc change.
- Fully adjustable quick release guard.
- Power indicator for safety purpose.
- Soft grip for comfortable operation.
- Variable speed for different applications.

SPECIFICATIONS

	R3110	BM3118
	230-240V~ 50-60Hz	18V
	1250W	/
	3000-10000/min	3000/8000/8500r/min
	150mm	115mm
	35.5×30×37cm/8pcs(color box)	35.5×30×37cm/6pcs(color box)
	12/13.5kgs(color box)	12/13.5kgs(color box)
	4080/8424/9939pcs(color box)	4080/8424/9939pcs(color box)

SPECIFICATIONS

	M3102D	M3103	M3106
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	1200W	1400W	900W/1100W/1200W
	5000-10000/min,8000-12000/min	6000-11000rpm	6000-12000/min
	115mm/125mm/150mm	115mm/125mm/150mm	115mm/125mm/150mm
	44.5×30×37cm/8pcs(color box)	35.5×30×37cm/6pcs(color box)	35.5×30×37cm/6pcs(color box)
	12/13.5kgs(color box)	12/13.5kgs(color box)	12/13.5kgs(color box)
	4080/8424/9939pcs(color box)	4080/8424/9939pcs(color box)	4080/8424/9939pcs(color box)

M3104/M3105 ANGLE GRINDER

FEATURES

- Spindle lock button for easy disc change.
- Fully adjustable quick release guard.
- Three position handle for easy and convenient operation.
- 180° rotating handle for easy carrying and convenient operations.



ACCESSORIES

Spanner
Side handle









SPECIFICATIONS

	M3104	M3105
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	2000W/2200W	2350W/2500W
	6500r/min	6500r/min
	180mm/230mm	180mm/230mm
	57×20×27cm/6pcs(color box)	57×20×27cm/6pcs(color box)
	10.2/11.7kgs(color box)	10.2/11.7kgs(color box)
	4080/8424/9939pcs(color box)	4080/8424/9939pcs(color box)

R5103A MULTI-FUNCTION ROUTER



FEATURES

- With soft shaft to realize cutting, polishing, grinding, drilling, carving, sanding etc functions.
- Optional 282pcs accessories kit.

R5102 MULTI TOOL



Quick change system for easier accessories change.

R5101 MULTI TOOL



FEATURES

- Soft grip for comfortable operation.
- Power indicator for safety purpose.

SPECIFICATIONS

	R5103A	R5101	R5102
	230-240V / 110-120V~ 50-60Hz		
	550W	300W/400W	300W/400W
	5000-25000r/min	15000-22000rpm/10000-20000rpm	
	1/4" 1/8" 3/16"	3"/4"	3"/4"
	42×38×36cm/6pcs(color box) 42×37×36cm/4pcs(OPTIONAL 282PCS)	37×23×31cm/6pcs (color box)	33×25×26.5cm/6pcs color box)
	10.2/11.5(colour box)	12/13kgs(colour box)	12/13kgs(colour box)
	3108/6444/7554pcs(colour box)	12/13kgs(colour box)	4032/6676/6888pcs(colour box)

PROFESSIONAL POWER TOOLS

R5105 MULTI TOOL



BR5120-1 MULTI TOOL



BW2302 CORDLESS ELECTRIC TRIMMER



BR5120 MULTI TOOL



FEATURES

- Soft grip for comfortable operation;
- Power indicator for safety purpose.
- Quick change system for easier accessories change.

FEATURES

- Soft grip for comfortable operation;
- Power indicator for safety purpose.

FEATURES

- Ergonomic structure makes the handle lightweight and easy to control.
- Variable speed for different applications.
- Use different accessories for complete edging, polishing and other work.

SPECIFICATIONS

	R5105	BR5120 BR5120-1	BW2302
	230-240V / 110-120V~ 50-60Hz	18V	18V
	300W/400W	/	/
	15000-22000rpm/10000-20000rpm	5000-18000rpm	30000rpm
	3°/4°	3°	/
	37×23×31cm/6pcs/color box	37×23×31cm 33×25×26.5cm/6pcs/color box	52×37×34.5cm/4pcs(colour box)
	12/13kgs(colour box)	12/13kgs(colour box)	19/20kgs(colour box)
	4032/6976/6888pcs(colour box)	4032/6976/6888pcs(colour box)	1684/3492/4096pcs(colour box)

R1510

PLASTIC WELDING MACHINE



R1517

PLASTIC WELDING MACHINE



R1513

PLASTIC WELDING MACHINE



FEATURES

- Working temperature differs from 0 °C to 300°C.
- Applicable to PP and PE pipes with diameter from 20mm to 63mm.
- Different light colour indicates different working status.

SPECIFICATIONS

	R1510	R1513	R1517
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	850W/1500W	850W/1500W	850W/1500W
	0-300 °C	0-300 °C	0-300 °C
	44×35×20cm/4pcs(colour box) 45.5×40×22cm/4pcs(Tin box)		
	9.5/10.5kgs(colour box) 12.5/13.5kgs(Tin box)		
	5240/10650/12720pcs(colour box) 2796/5792/6792pcs(Tin box)		

FEATURES

- Professionally designed driving system realizes lower noise and stronger power.
- Bigger eccentric diameter (21mm) to realize higher efficiency and better polishing results.
- Soft start prevents uncontrolled start while constant speed control maintains same speed under different loadings.

R7172 DUAL ACTION POLISHER



A7164 PADS REPLACEABLE POLISHER







ORBITAL POLISHING



ROTARY POLISHING

ACCESSORIES

Wrenches: Ø6
Wrenches: Sponge



SPECIFICATIONS

	R7172	A7164
	230-240V / 110-120V~ 50-60Hz	230-240V/110-120V 50Hz/60Hz
	720W	720W
	2100-5000rpm	900-2200rpm 180mm 1800-4400rpm 125mm 15mm 1800-4400rpm 150mm 21mm
⌀	125mm/150mm	180/125/150mm
	15mm/21mm	15/21mm
	51×33×30cm/4pcs(colour box) 56×34×52cm/4pcs(BMC)	51×33×30cm/4pcs(colour box) 56×34×52cm/4pcs(BMC)
	14/15.5kgs(colour box) 18/19.5kgs(BMC)	14/15.5kgs(colour box) 18/19.5kgs(BMC)
	2160/4520/5300pcs(colour box) 1444/2996/3512pcs(BMC)	2160/4520/5300pcs(colour box) 1444/2996/3512pcs(BMC)

R7181 POLISHER



R7182 POLISHER



R7191 POLISHER



FEATURES

- Speed dial for optimum speed setting from 600 to 2000rpm.
- Externally accessible brushes for easy servicing and longer motor life.
- Lock the spindle for easy assembly and removing
- off the polishing pad.

FEATURES

- Speed dial for optimum speed setting from 600 to 3300rpm.
- Externally accessible brushes for easy servicing and longer motor life.
- Lock the spindle for easy assembly and removing off the polishing pad.

SPECIFICATIONS

	R7181	R7182	R7191
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	900W	1200W	1300W
	600-2000rpm	600-3300rpm	600-3000rpm
⌀	180mm	180mm	180mm
	46×38×30cm/6pcs(colour box)	48×42.5×29cm/4pcs(colour box) 61×49.5×27cm/4pcs(BMC)	53×40×23cm/4pcs(colour box)
	15/16.5kgs(colour box)	15/16.5kgs(colour box) 19/20.5kgs(BMC)	15/16.5kgs(colour box)
	3120/6464/7580pcs(colour box)	1664/3932/4608pcs(colour box) 1372/2844/3336pcs(BMC)	2285/4734/5551pcs(colour box)

R7183 POLISHER



R7184 POLISHER



R7183-R POLISHER



FEATURES

- Ajustable speed wheel.
- Spindle-lock function for easy changing of polish pad.
- With LCD to show speed directly.

FEATURES

- Ajustable speed wheel.
- Spindle-lock function for easy changing of polish pad.



ROTARY POLISHING

SPECIFICATIONS

	R7183	R7183-R	R7184
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	1100W/1200W	1100W	1100W/1200W
	0-3000rpm	600-3000rpm	0-3000rpm
∅	180mm	180mm	180mm
	46×38×30cm/4pcs(colour box) 62×52×24cm/4pcs(BMC)		
	14/15.5kgs(colour box) 18/19.5kgs(BMC)		
	2100/4400/5160pcs(colour box) 1444/2996/3512pcs(BMC)		

R7186 POLISHER



SGA601 POLISHER





Interchangeable Pads



GEAR DRIVEN

FEATURES

- Easily accessible sliding on/off switch.

FEATURES

- Externally accessible brushes for greater serviceability and longer motor life.

SPECIFICATIONS

	R7186	SGA601
	230-240V / 110-120V~ 50/60Hz	230-240V / 110-120V~ 50/60Hz
	120W	1200W
	3200rpm	160-480rpm
∅	240mm	180mm
	5mm	8mm
	52×27×49cm/4pcs(colour box)	47×33×30cm/4pcs(colour box)
	11/12kgs(colour box)	11.5/12.5kgs(colour box)
	1592/3296/3868pcs(colour box)	2360/4952/5800pcs(colour box)

PROFESSIONAL POWER TOOLS

SDA302 DUAL ACTION POLISHER



SDA602 DUAL ACTION POLISHER



SDA502 DUAL ACTION POLISHER



FEATURES

- Ajustable speed wheel.
- Spindle-lock function for easy changing of polish pad.

RANDOM ORBITAL

SPECIFICATIONS

	SDA302	SDA502	SDA602
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	710W	710W	710W
	2000-4600rpm	2000-4600rpm	2000-4600rpm
∅	100mm	150mm	180mm
	10mm	8mm	8mm
∅	74mm(3")	124mm(5")	148mm(6")
	47×33×30cm/4pcs(colour box)	47×33×30cm/4pcs(colour box)	47×33×30cm/4pcs(colour box)
	11.5/12.5kgs(colour box)	11.5/12.5kgs(colour box)	11.5/12.5kgs(colour box)
	2360/4952/5800pcs(colour box)	2360/4952/5800pcs(colour box)	2360/4952/5800pcs(colour box)

BR7189 MINI POLISHER



FEATURES

- With variable speed 0-3000 rpm to avoid splashing during starting up.
- Spindle-lock function for easy changing of polish pad.
- With rotatable handle for easy to polish corner.

ACCESSORIES

Sponge Cone Polishing Pad Microfiber Polishing Bonnet
3-inch Velcro Foam polishing Pad
3 inch Velcro Wool Bonnet 3-inch Velcro Foam Compounding Pad
Side handle

BR7190 POLISHER



FEATURES

- With variable speed 0-3000 rpm to avoid splashing during starting up.
- Spindle-lock function for easy changing of polish pad.
- With rotatable handle for easy to polish corner.



SPECIFICATIONS

	BR7189	BR7190
	10.8V	10.8V
	0-3000rpm	0-3000rpm
∅	75mm	75mm
	51.2×32×21cm/6pcs(colour box)	42×36×34.5cm/6pcs(BMC)
	15/16.5kgs(colour box)	19/20.5kgs(BMC)
	1864/3932/4906pcs(colour box)	1372/2844/3336pcs(BMC)

PROFESSIONAL POWER TOOLS

BA7109 FASTENER CUTTING MACHINE



FEATURES

- Cordless Polisher with Brushless motor to provide longer life
- With LCD to show speed directly
- Polishing pad can be changed with different pads to realize different applications

BA7111 CORDLESS POLISHER



FEATURES

- Ergonomic design with soft grip provides comfortable operation..
- Spindle lock function for easy changing of polishing pad

A7177 DUAL ACTION POLISHER



FEATURES

- Professionally designed driving system realizes lower noise and stronger power.
- Adjustable speed wheel
- Eccentric action for better polishing result.

A7175 DUAL ACTION POLISHER



FEATURES

- Professionally designed driving system realizes lower noise and stronger power.
- Bigger eccentric diameter (21mm) to realize higher efficiency and better polishing results.
- Soft start prevents uncontrolled start while constant speed control maintains same speed under different loadings.
- The on-off switch with speed adjustable function by pressing the button

A7178 DUAL ACTION POLISHER



A7176 DUAL ACTION POLISHER



SPECIFICATIONS

	A7109	A7111
	18V	18V
	/	/
	2000-5300rpm	1:2000rpm/2:3000rpm/3:4000rpm/4:5300rpm
	25/25/75mm	75mm
	0/3/12mm	/
	/	47×33×30cm/4pcs(colour box) 52×34×52cm/4pcs(BMC)
	0.66kgs/1pc	11.5/12.5kgs(colour box) 18/19.5kgs(BMC)
	/	2360/4952/5800pcs(colour box) 1444/2996/3512pcs(BMC)

SPECIFICATIONS

	A7177	A7178	A7175	A7176
	230-240V / 110-120V~ 50-60Hz			
	710W	710W	710W	710W
	4000-5500rpm	4000-5500rpm	3000-4500rpm	3000-4500rpm
	125mm	75mm	150mm	125mm/150mm
	12mm	12mm	21mm	15mm
	51×33×30/4pcs （colorbox）		54.8×51.5×32.8/6pcs(color box)	
	14/15.5kg(colour box)		21/22kgs(color box)	
	2220/4440/5160pcs(colour box)		1866/3864/4530(color box)	

PROFESSIONAL POWER TOOLS

A7198 POLISHER



FEATURES

- With adjustable speed wheel.
- Spindle-lock function for easy changing of polish pad.

BA7102 CORDLESS POLISHER



FEATURES

- Cordless Polisher with Brushless motor to provide longer life
- Spindle lock function for easy changing of polishing pad
- 6-speed setting by adjustable wheel, adjusts the speed to meet different polishing needs.

BA7162 CORDLESS DA POLISHER



FEATURES

- Cordless Polisher with Brushless motor to provide longer life
- Spindle lock function for easy changing of polishing pad
- 6-speed setting by adjustable wheel, adjusts the speed to meet different polishing needs.
- Eccentric action for better polishing result.

SPECIFICATIONS

	A7198	BA7102	BA7162
	230-240V / 110-120V~ 50-60Hz	18V	18V
	1200W	/	/
	150-2100rpm	150-2200rpm	2300-3800rpm
	150mm	150mm	125mm/150mm
	/	/	15mm
	58×42.5×28/4pcs(colorbox)	44.5×41×34cm/6pcs(colour box)	44.5×41×34cm/6pcs(colour box)
	15/16.5kg(colour box)	14/15kgs(colour box)	14/15kgs(colour box)
	1460/3080/3640pcs(colour box)	2705/5612/6580pcs(colour box)	2705/5612/6580pcs(colour box)

BR7194 CORDLESS POLISHER



FEATURES

- Cordless Polisher with Brushless motor to provide longer life
- Spindle-lock function for easy changing of polish pad.
- With LCD to show speed directly.

BR7173 CORDLESS DA POLISHER



FEATURES

- Cordless Polisher with Brushless motor to provide longer life
- Spindle lock function for easy changing of polishing pad
- 6-speed setting by adjustable wheel, adjusts the speed to meet different polishing needs.

BA7166 CORDLESS DA POLISHER



FEATURES

- Cordless Polisher with Brushless motor to provide longer life
- Spindle-lock function for easy changing of polish pad.
- With LCD to show speed directly.

BA7107 CORDLESS POLISHER



FEATURES

- Cordless Polisher with Brushless motor to provide longer life
- Spindle lock function for easy changing of polishing pad
- 6-speed setting by adjustable wheel, adjusts the speed to meet different polishing needs.

SPECIFICATIONS

	BR7194	BR7173	BA7166	BA7107
	18V	18V	18V	18V
	500-3000rpm	2100-5000rpm	2000-5000rpm	500-3000rpm
	150mm	125mm	125mm	150mm
	/	15mm	15mm	/
	38.5×34×35cm/6pcs(colour box)	44.5×41×34cm/6pcs(colour box)	44.5×41×34cm/6pcs(colour box)	
	14/15kgs(colour box)	14/15kgs(colour box)	14/15kgs(colour box)	
	3652/7565/8969pcs(colour box)	2705/5612/6580pcs(colour box)	2705/5612/6580pcs(colour box)	

BA7104 POLISHER



R7304 ORBITAL SANDER



R7311 ORBITAL SANDER



FEATURES

- Full-sized 240mm Buffing applicator and bonnet
- Random orbital action delivers a swirl-free finish
- Ergonomic handle provides comfort and access to hard-to-reach spaces

FEATURES

- Adjustable auxiliary handle adapts the tool to the job and matches operator preference.
- Dual orbit sanding action with-free-run made for fine sanding.
- Variable speed control and backing pad braking system adapt to a variety of materials.

SPECIFICATIONS

	BA7104	R7304	R7311
	18V	230-240V / 110-120V~ 50-60Hz	230-240V/110V-120V~50-60Hz
	/	500W	750W
	2500rpm	2500-6250rpm	3300-7250rpm
∅	254mm	150mm	150mm
	5mm	5mm	4.5mm
	56×30.5×24cm/2pcs(colour box)	40×36.5×19cm/2pcs(colour box)	62×31.5×26cm/2pcs(colour box)
	14/15kgs(colour box)	7.4/8.4kgs(colour box)	7.6/8.6kgs(colour box)
	1356/2829/3317pcs(colour box)	2018/4180/4900pcs(colour box)	1102/2284/2678pcs(colour box)

R7402

BURNISHING
POLISHING MACHINE



R7404

BURNISHING
POLISHING MACHINE



FEATURES

- The burnishing wheel and the motor axis are at an angle of 30 degrees for more convenient operation.
- Externally accessible brushes for easy servicing and longer motor life.
- With lock button for easy-change the burnishing wheels.

BA7403

CORDLESS BURNISHING
POLISHING MACHINE



FEATURES

- Rotating self-contained dust extraction port with dust collection bag.
- Optional dust-free adaptor with 28mm outlet for user with dust-free vacuums.
- Lock on switch offers continuous and power-saving operation.



SPECIFICATIONS

	R7402	BA7403	R7404
	230-240V/110V-120V~50-60Hz	18V	230-240V/110V-120V~50-60Hz
	1300W	500W	1300W
	900-3700rpm	2000-4500rpm	900-3700rpm
∅	120mm	100mm	120mm
	/	/	/
	49×46×28cm/4pcs(colour box)	40×36.5×19cm/2pcs(colour box)	49×46×28cm/4pcs(colour box)
	7.4/8.4kgs(colour box)	7.4/8.4kgs(colour box)	7.4/8.4kgs(colour box)
	444/920/1079pcs(colour box)	2018/4180/4900pcs(colour box)	444/920/1079pcs(colour box)

PROFESSIONAL POWER TOOLS

BA7141

GREASE GUN



BA7142

GREASE GUN



FEATURES

- Integrated hose storage and LED fuel gauge adds user convenience and less down time.
- Variable speed trigger for precise control of the grease flow.

BM3302

CORDLESS RIVET GUN



FEATURES

- With Hall sensor to achieve automatically return after riveting.
- With rivet collecting to collect the wasting rivets core with 65mm in the end bottle.

SPECIFICATIONS

	BA7141	BA7142		BM3302
	18V	18V		18V
	/	/	F	20000N
A	3.5-4.0A	4.0-4.5A	Ø	2.4-6.0mm
	10000Psi	6000-10000Psi		25mm
	48×38×30cm/5pcs(colour box)	48×38×30cm/5pcs(colour box)		44.5×30×37cm/6pcs(color box)
	16.5/18.5kgs(colour box)	16.5/18.5kgs(colour box)		12/13.5kgs(color box)
	2545/5270/6180pcs(colour box)	2545/5270/6180pcs(colour box)		4060/6424/6939pcs(color box)

R7303

ORBITAL SANDER



R7307

ORBITAL SANDER



R7310

ORBITAL SANDER



FEATURES

- Light weight with compact design for easy to move around, easily use by 2 hands for heavy sanding applications.
- The low design gives you good control over the sanding process since your hand is close to the surface.
- Dustless sanding to be realized by connecting to the vacuum cleaner.
- Brushless motor for much longer life time,higher efficiency and lower noise.

SPECIFICATIONS

	R7303	R7307	R7310
	230-240V/110V-120V~50-60Hz	230-240V/110V-120V~50-60Hz	230-240V/110V-120V~50-60Hz
	350W	350W	350W
	4000-10000rpm	4000-10000rpm	4000-10000rpm
Ø	150mm/125mm	198x70mm	100x152x152mm 133x81mm
	5mm/2.5mm	3.0mm	3.0mm
	53.5×26.5×28.5/8pcs(color box)	53.5×26.5×28.5/8pcs(color box)	44.5×39.5×36.3/6pcs(colorbox)
	14.5/15kgs(color box)	14.5/15kgs(color box)	14.5/15kgs(colorbox)
	4200/8700/10200pcs(color box)	4200/8700/10200pcs(color box)	2480/5460/6390pcs(colorbox)

PROFESSIONAL POWER TOOLS

R7308

ORBITAL SANDER



R7314

ORBITAL SANDER



FEATURES

- Ergonomic design with bigger sueface for holding
- The low design gives you good control over the sanding process since your hand is close to the surface.
- Dustless sanding to be realized by connecting to the vacuum cleaner.
- Brushless motor for much longer life time,higher efficiency and lower noise.
- Detachable cable for quick change of other sanders to meet different sanding needs

SPECIFICATIONS

	R7308	R7314
	230-240V/110V-120V~50-60Hz	230-240V/110V-120V~50-60Hz
	350W	350W
	4000-10000rpm	4000-10000rpm
∅	150mm/125mm	150mm/125mm
	5mm/2.5mm	5.0/2.5mm
	53.5×26.5×28.5/6pcs(color box)	53.5×26.5×28.5/6pcs(color box)
	14.5/15kgs(color box)	14.5/15kgs(color box)
	4200/8700/10200pcs(color box)	4200/8700/10200pcs(color box)

R7313

ORBITAL SANDER



R7329

ORBITAL SANDER



R7328

ORBITAL SANDER



FEATURES

- Ergonomic design with bigger sueface for holding
- The low design gives you good control over the sanding process since your hand is close to the surface.
- Dustless sanding to be realized by connecting to the vacuum cleaner.
- Brushless motor for much longer life time,higher efficiency and lower noise.
- Detachable cable for quick change of other sanders to meet different sanding needs

SPECIFICATIONS

	R7313	R7329	R7328
	230-240V/110V-120V~50-60Hz		
	350W	350W	350W
	4000-10000rpm	4000-10000rpm	4000-10000rpm
∅	150mm/125mm	198x70mm	100x152x152mm 133x81mm
	5mm/2.5mm	3.0mm	3.0mm
	53.5×26.5×28.5/6pcs(color box)		44.5×39.5×36.3/6pcs(colorbox)
	14.5/15kgs(color box)		14.5/15kgs(colorbox)
	4200/8700/10200pcs(color box)		2460/5460/6390pcs(colorbox)

PROFESSIONAL POWER TOOLS

BR7309
CORDLESS ORBITAL SANDER

BR7322
CORDLESS ORBITAL SANDER

BR7321
CORDLESS ORBITAL SANDER



FEATURES
- Light weight with compact design for easy to move around, easily use by one hands for heavy sanding applications.
- The low design gives you good control over the sanding process since your hand is close to the surface.
- Dustless sanding to be realized by connecting to the vacuum cleaner.
- Brushless motor for much longer life time,higher efficiency and lower noise.

SPECIFICATIONS

	R7309	R7321	R7322
	18V	18V	18V
	/	/	/
	4000-10000rpm	4000-10000rpm	4000-10000rpm
⌀	125mm	133x81mm	100x152x152mm 133x81mm
	2.5mm	3.0mm	3.0mm
	/	/	/
	1kgs/1pc	1kgs/1pc	1kgs/1pc
	/	/	/

R1600 HEAT GUN

R1610 HEAT GUN

R1630 HEAT GUN



FEATURES
- Removable front ring enables working in hard-to-reach places.
- Stainless steel duct are employed to ensure durability.

FEATURES
- Removable front ring enables working in hard-to-reach places.
- Stainless steel duct are employed to ensure durability.

FEATURES
- Removable front ring enables working in hard-to-reach places.
- Stainless steel duct are employed to ensure durability.
- MFCT and LCD panel ensures accurate temperature and air flow control.

SPECIFICATIONS

	R1600	R1610	R1630
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	1800W	1800W	2000W
	STAGE I / STAGE II	STAGE I / STAGE II / STAGE III	STAGE I / STAGE II / STAGE III
	cool air/380℃ /600℃	cool air/380℃ /600℃	cool air/50-630℃ /50-630℃
	300L/min 500L/min	500L/min 300L/min 500L/min	120-550L/min 120-550L/min 500L/min
	54×39×29cm/8pcs(colour box) 64.5×33×29.5cm/8pcs(BMC)		
	12/13kgs(colour box) 15/16kgs(BMC)		
	3680/7600/8920pcs(colour box) 2670/5550/6510pcs(BMC)		

PROFESSIONAL POWER TOOLS

R1670 HEAT GUN



FEATURES

- Removable front ring enables working in hard-to-reach places.
- Stainless steel duct are employed to ensure durability.

R1680 HEAT GUN



FEATURES

- Removable front ring enables working in hard-to-reach places.
- Stainless steel duct are employed to ensure durability.

R1690 HEAT GUN



FEATURES

- Removable front ring enables working in hard-to-reach places.
- Stainless steel duct are employed to ensure durability.
- MFCT and LCD panel ensures accurate temperature and air flow control.

SPECIFICATIONS

	R1670	R1680	R1690
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	1800W	2000W	2000W
	STAGE Ⅰ / STAGE Ⅱ / STAGE Ⅲ	STAGE Ⅰ / STAGE Ⅱ / STAGE Ⅲ	STAGE Ⅰ / STAGE Ⅱ / STAGE Ⅲ
	cool air/380℃/580℃	cool air/50-600℃/50-600℃	cool air/50-630℃/50-630℃
	500L/min 300L/min 500L/min	500L/min 300L/min 500L/min	120-550L/min 120-550L/min 500L/min
	54×39×29cm/6pcs(colour box) 64.5×33×29.5cm/6pcs(BMC)		
	12/13kgs(colour box) 15/16kgs(BMC)		
	3680/7600/8920pcs(colour box) 2670/5550/6510pcs(BMC)		

R1611 HEAT GUN



FEATURES

- Removable front ring enables working in hard-to-reach places.
- Adjustable design, allowing access to awkward places.

R1612 HEAT GUN



FEATURES

- Removable front ring enables working in hard-to-reach places.
- Adjustable design, allowing access to awkward places.
- MFCT and LCD panel ensures accurate temperature and air flow control.

BH1601 CORDLESS HEAT GUN



FEATURES

- Quick temperature rising (7 seconds)
- Stable temperature
- Big torque with small body
- With soft grip on handle for comfortable grap during use
- With Belt hook
- With LED lighting

SPECIFICATIONS

	R1611	R1612	BH1601
	230-240V / 110-120V~ 50-60Hz		20V
	1800W	2000W	/
	STAGE Ⅰ / STAGE Ⅱ	STAGE Ⅰ / STAGE Ⅱ	STAGE Ⅰ / STAGE Ⅱ
	380℃/580℃	50-60℃/50-800℃	Temp/280℃/530℃
	300L/min 500L/min	300L/min 500L/min	110L/min 190L/min
	54×39×29cm/6pcs(colour box) 64.5×33×29.5cm/6pcs(BMC)		47×33×30cm/4pcs(colour box) 52×34×52cm/4pcs(BMC)
	12/13kgs(colour box) 15/16kgs(BMC)		11.5/12.5kgs(colour box) 18/19.5kgs(BMC)
	3680/7610/8920pcs(colour box) 2670/5550/6510pcs(BMC)		2393/4952/5800pcs(colour box) 1444/2996/3512pcs(BMC)

H1616 HEAT GUN



FEATURES

- With large LCD Display to adjust the air flow and temperature precisely, and clearly .
- With soft grip on handle for comfortable grap during use
- With quick release system for nozzles' change, no need to wait for nozzle's cooling.

H1617 HEAT GUN



FEATURES

- With large LCD Display to adjust the air flow and temperature precisely, and clearly .
- With soft grip on handle for comfortable grap during use
- Removale front ring enables working in hard-to-reach places.
- Rotatable handle for easily operate.

SPECIFICATIONS

	H1616	H1617
	230-240V / 110-120V~ 50-60Hz	230-240V / 110-120V~ 50-60Hz
	2000W	2000W
	/	/
	50℃ - 600℃	50℃ - 600℃
	350L/min - 550L/min	350L/min - 550L/min

54×39×29cm/6pcs(colour box)
12/13kgs(colour box)
3680/7610/8920pcs(colour box)

Picture	Description	Model No.	Picture	Description	Model No.	Picture	Description	Model No.
	Window Nozzle	HGA-01		Reduction Nozzle	HGA-08		Fast Welding Nozzle Set	HGA-10 &12
	Surface Nozzle	HGA-02		Reduction Nozzle	HGA-09		Glass Protector Nozzle	HGA-13
	Surface Nozzle	HGA-03		Reduction Nozzle	HGA-10		Reflector Nozzle	HGA-14
	Window Nozzle	HGA-04		Fast Welding Nozzle	HGA-11		Reduction Nozzle	HGA-15
	Wide-Slit Nozzle	HGA-05		Fast Welding Nozzle	HGA-12			
	BBQ Nozzle	HGA-06		Wide-Slit Nozzle Set	HGA-05 &09			
	Scraper and Handle	HGA-07		Fast Welding Nozzle Set	HGA-10 &11			

BR8102 Cordless Auger

FEATURES

- Brushless motor for more power, longer runtime and longer-motor life.
- Higher performance, advanced technology.
- 50% lighter weight than the average gas unit.
- Gear driving design to reduce vibration.
- Anti-kickback system.
- Forward and reverse functions.
- Multi-functions: Used as an earth auger as well as a mixer.
- Ideal for light cultivation, preparing soil, and digging for fences and landscape.



SPECIFICATIONS

	18V		142.5×45×23cm/2pc(colour box)
	125rpm		18/19kgs(colour box)
∅	150×800mm		350/750/880pcs(colour box)

BG4301 HEDGE TRIMMER

FEATURES

- Brushless motor for longer lifetime and lower noise
- Big torque with small body
- With soft grip for comfortable grap during use
- With sealed aluminum alloy back strip, strong and dustproof
- With unique blade lubrication function (Burley has patent for it), which made the blade sharper and more durable and with higher cutting efficiency



SPECIFICATIONS

	18V		97×25×21cm/1pc(colour box)
	2800spm		7/8kgs(colour box)
	500mm(20")		550/1150/1340pcs(colour box)
↔	20mm		



BG4201 CORDLESS BLOWER

FEATURES


- Brushless motor for longer lifetime and lower noise
- Big torque with small body
- With soft grip for comfort during use
- 3 variable speeds for different use



SPECIFICATIONS

	18V		47×33×30cm/4pcs(colour box)
	10000/14000/17500rpm		11.5/12.5kgs(colour box)
	95MPH		2360/4952/5800pcs(colour box)
	360CFM		





FEATURES

One Touch Self-Clean START

Just one-click,the machine automatically begin to clean the internal tube and brush roller by itself with self-cleaning rate as high as 99%.

Advanced Digital Display

The digital display includes indicators for battery, power level, self-cleaning function, obstructions, and more.

Electrolyzed Water

With sterilized rate of 99.9% more convenient and safer.


Fast and Streak-Free Drying

With over 75% water recovery rate, leaves your floor completely dry and streak-free in no time , gets more clean and looks the best.



SPECIFICATIONS			
	18V		80.5×22×30.3cm/1pc(colour box)
	70000rpm 1000rpm		6/7kgs(colour box)
	12Kpa		500/910/1280pcs(colour box)

LITHIUM BATTERY PLATFORM




With internal procedure to realize the communication between machine and the battery , arriving the optimum performance for the battery and motor.



The charger（2A/4A) is with function of automatic maintenance system.

21700&18650 battery cell are available. Battery capacity is available from 2Ah to 8Ah.

Unique tool, battery, charger system, offering solutions for home improvement DIY'S and professionals.



Cordless Products

BATTERY



Battery Cell	21700
Charging Time	4Ah: 120 mins
	8Ah: 240 mins



Battery Cell	18650
Charging Time	2Ah: 60 mins
	4Ah: 120 mins

CHARGER



Charging Current	2A
Input Voltage	100-240V AC
Output Voltage	20V DC





CORDLESS TOOLS

20V CORDLESS
12V CORDLESS
3.6/3.7V CORDLESS

LD-1467



20V 13MM BRUSHLESS DRILL

BL Brushless motor

PRO



OPTIONS

WP390000	WP390002	WP390008
1 Battery&charger 1 x Color Box	2 x 2.0Ah Battery 1 x Battery Charger 1 x BMC	2 x 4.0Ah Battery 1 x Battery Charger 1 x BMC



Item No.:	WP390000 / WP390002 / WP390008	Chuck Size:	1/2"
Voltage:	20V	Torque Setting:	19+1
Battery Type:	Li-ion	Max.in Wood:	38mm
Battery Capacity:	2.0/4.0Ah	Max.in Steel:	13mm
No-load Speed:	0-450/0-2000rpm	Charging Time:	1 hour / 2 hours
Max.Torque:	60N.m		

20V 6.35MM(1/4") BRUSHLESS IMPACT DRIVER

BL Brushless motor

PRO



OPTIONS

WP390100	WP390101	WP390102	WP3910103
1 Battery&charger 1 x Color Box	2 x 2.0Ah Battery 1 x Battery Charger 1 x BMC	2 x 2.0Ah Battery 1 x Battery Charger 1 x BMC	2 x 4.0Ah Battery 1 x Battery Charger 1 x BMC



Item No.:	WP390100 / WP390101 / WP390102 / WP3910103	No-load Speed:	0-600/0-1200/0-1800/0-2400rpm
Voltage:	20V	Impact Frequency:	0-800/0-1600/0-2400/0-3200bpm
Battery Type:	Li-ion	Driving Shank:	6.35mm(1/4")Hex
Battery Capacity:	2.0/4.0Ah	Charging Time:	1 hour / 2 hours
Max Fastening Torque:	220N.m		

20V 13MM BRUSHLESS HAMMER DRILL



OPTIONS

WP390005	WP390007	WP390009
1 Battery&charger 1 x Color Box	1 x 2.0Ah Battery 1 x Battery Charger 1 x BMC	1 x 4.0Ah Battery 1 x Battery Charger 1 x BMC

Item No.:	WP390005 / WP390007 / WP390009	Impact per Minute:	0-6800/0-30000
Voltage:	20V	Chuck Size:	1/2"keyless chuck
Battery Type:	Li-ion	Charging Time:	1Hour/2Hours
Battery Capacity:	2.0/4.0Ah	Torque Setting:	21+1+1
No-load Speed:	0-450/0-2000rpm	Charging Charge Volts:	220-240V~50/60Hz
Max. Fastening Torque:	60N.m		

20V 12.7MM(1/2") BRUSHLESS IMPACT WRENCH



OPTIONS

WP390200	WP390203	WP390202
1 Battery&charger 1 x Color Box	1 x 2.0Ah Battery 1 x Battery Charger 1 x BMC 1 x Socket Wrench 22mm	1 x 4.0Ah Battery 1 x Battery Charger 1 x BMC 1 x Socket Wrench 22mm

Item No.:	WP390200 / WP390203 / WP390202	Nut Busting Torque:	400N.m
Voltage:	20V	No-load Speed:	0-1500/1900rpm
Battery Type:	Li-ion	Impact Frequency:	0-1900/2400bpm
Battery Capacity:	2.0/4.0Ah	Driving Shank:	12.7mm(1/2")Square
Max Fastening Torque:	300N.m	Charging Time:	1 hour/2 hours

20V 100MM BRUSHLESS ANGLE GRINDER



OPTIONS

WP392000	WP392001
1 Battery&charger 1 x Auxiliary Handle 1 x Wrench 1 x Color Box	1 x 4.0Ah Battery 1 x Battery Charger 1 x Auxiliary Handle 1 x Wrench 1 x BMC

Item No.:	WP392000 / WP392001	No-load Speed:	4000/6000/8500rpm
Voltage:	20V	IMax Wheel Diameter:	100mm
Battery Type:	Li-ion	Charging Time:	2 hours
Battery Capacity:	4.0Ah		

20V 22MM BRUSHLESS ROTARY HAMMER



OPTIONS

WP390300	WP390301
1 Battery&charger 1 x Auxiliary Handle 1 x Depth Gauge 1 x Color Box	1 x 4.0Ah Battery 1 x Battery Charger 1 x Auxiliary Handle 1 x Depth Gauge 1 x BMC 1 x 4pcs drill bits (6mm, 8mm, 10mm, 12mm)

Item No.:	WP390300 / WP390301	No-load Speed:	0-1350rpm
Voltage:	20V	Impact Energy:	2J
Battery Type:	Li-ion	Charging Time:	2 hours
Battery Capacity:	4.0Ah		

20V 165MM BRUSHLESS CIRCULAR SAW



OPTIONS

WP391200	WP391201
1 Battery&charger 1 x Hex Wrench 1 x Fixing Plate 1 x Dust Outlet Tube 1 x Color Box	1 x 4.0Ah Battery 1 x Battery Charger 1 x Hex Wrench 1 x Fixing Plate 1 x Dust Outlet Tube 1 x Saw Blade 1 x Color Box

Item No.:	WP391200 / WP391201	No-load Speed:	4500rpm
Voltage:	20V	Blade Size:	Ø165XØ20mm
Battery Type:	Li-ion	Charging Time:	2 hours
Battery Capacity:	4.0Ah	Max. Cutting Depth:	55mm@90°/ 32mm@45°



20V CORDLESS BLOWER

20V



ACCESSORIES

- Battery&charger
- x Blowpipe
- x Dust Bag
- x Color Box

Item No.:	WP394000	No-load Speed:	0-18000rpm
Voltage:	20V	Air flow:	3.3m³/min
Battery Type:	Li-ion	Charging Time:	1 hour / 2 hours
Battery Capacity:	2.0Ah / 4.0Ah		

20V BRUSHLESS TOP HANDLE CHAIN SAW

BL Brushless motor



OPTIONS


WP391600	WP391601
Battery x Jingfeng Bar & Chain x Automatic Chain Oiler x Color Box	x 4.0Ah Battery x Charger x Jingfeng Bar & Chain





Item No.:	WP391600 / WP391601	Chain Speed:	10m/s
Voltage:	20V	No-load Speed:	5200rpm
Battery Type:	Li-ion	Oil Reservoir Capacity:	90ml
Battery Capacity:	4.0Ah		

20V CORDLESS



20V, 4.0AH LI-ION BATTERY

20V



Item No.:	WP395002
Voltage:	20V
Battery Type:	Li-ion
Battery Capacity:	4.0Ah
Charging Time:	2 hours
Size:	116x77x67 mm

20V, 2.0AH LI-ION BATTERY

20V



Item No.:	WP395003
Voltage:	20V
Battery Type:	Li-ion
Battery Capacity:	2.0Ah
Charging Time:	1 hour
Size:	116x77x48 mm

220-240V 2.4A BATTERY CHARGER

20V



Item No.:	WP396000
Input Voltage:	220-240V
Output Voltage:	20VDC
Output Current:	2.4A
Rated Power:	65W
Size:	118x94x66 mm

12V 10MM BRUSHLESS DRILL



OPTIONS

WP460200	WP460201
1 Battery&charger 1 x Color Box	1 x 2.0Ah Battery 1 x Charger 1 x BMC





Item No.:	WP460200 / WP460201
Chuck Type:	3/8" metal keyless chuck
No Load Speed:	0-450/0-1600 rpm
Torque Setting:	21+1
Max Torque:	42N.m
Battery Capacity:	2.0Ah
Charging Time:	1 hour
Others:	LED Light, 2 speed gearbox with spindle lock with belt clip

12V 10MM CORDLESS DRILL

12V



OPTIONS

WP460202	WP460203
1 Battery&charger 1 x Color Box	1 x 2Ah Battery 1 x Charger 1 x Color Box





Item No.:	WP460202 / WP460203
Chuck Type:	3/8" plastic keyless chuck
NoLoad Speed:	0-400/0-1400rpm
Impact Rate:	0~21000 bpm
Max Torque:	25N.m
Clutch:	18+1
Battery(Li-Ion)Capacity :	2.0Ah
Charging Time:	1 hour
Others:	Power display, LED Light with belt clip

12V 2.0AH BATTERY

12V



Item No.:	WP465000
Battery(Li-ion) Capacity:	12V 2Ah battery
Size:	46x47x83mm
Voltage:	12V
Battery Type:	Li-ion
Battery Capacity:	2000mAh
Battery Charging Time:	1 hour

12V BATTERY CHARGER

12V



Item No.:	WP466000
Battery(Li-ion) Capacity:	12V charger
Size:	117x96x50mm
Rated Input Voltage:	220-240V 50/60Hz
Rated Input Power:	45W
Rated Output Voltage:	12.6V
Rated Output Current:	2.4A

11PC 3.7V LI-ION USB RECHARGEABLE PIVOTING SCREWDRIVER KIT

- 1*3.7V Li-ion USB rechargeable screwdriver
- 9*CR-V, nickel coated drill bits: PH 0-1-2, PZ 1-2, T15- 20, SL5, H4
- 1*Extension Bar
- 1*Plastic Case

PIVOTING



Item No.:	WP460000(PINK) / WP460002(RED)	Manual torque:	≥10N.m
Voltage:	3.7V	Chuck:	1/4"
Battery(Li-ion):	1.5Ah	Rotary handle:	0°-180°
Charging Time:	2-3 hours	Charger:	Type-C
No-load speed:	250rpm	Weight:	380g
Max torque:	4.5N.m		

34PC 3.7V LI-ION USB RECHARGEABLE PIVOTING SCREWDRIVER KIT

- 27*CR-V, nickel coated drill bits: PH1,PH2x4, PH3, PZ0-1-2, H3, H4, H5, H6,T10,T15, T20,T25,T27,3,4,5,S2, S3,AD Changer,50mm bits *3
- 5pcs CR-V, nickel coated sockets:4,5,6,7,8
- 1pc CR-V, nickel coated bit holder:60mm bit holder
- 1*3.7V Li-ion USB rechargeable screwdriver
- 9*CR-V, nickel coated drill bits: PH 0-1-2, PZ 1-2, T15- 20, SL5, H4
- 1*Extension Bar
- 1*Plastic Case

PIVOTING



Stackable



Item No.:	WP460001(PINK) /WP460003(RED)	Manual torque:	≥10N.m
Voltage:	3.7V	Chuck:	1/4"
Battery(Li-ion):	1.5Ah	Rotary handle:	0°-180°
Charging Time:	2-3 hours	Charger:	Type-C
No-load speed:	250rpm	Weight:	380g
Max torque:	4.5N.m		

3.6 / 3.7V CORDLESS

26PC 3.7V LI-ION USB RECHARGEABLE PRECISION SCREWDRIVER KIT

- 1pc 3.7V Li-ion USB rechargeable precision screwdriver
- 5pc Phillips Bits: Ph000,Ph00,Ph0,Ph1*2
- 4pc Slotted Bits:1.5,2.0,2.5,3.0 mm
- 4pc Torx Bits:T6,T7,T8,T9
- 4pc Hex Bits:H2.5,H3.0,H3.5,H4.0
- 4pc Star Bits:0.8mm*2,1.2mm,1.5mm
- 4pc Nut Bits:3.5mm,4.0mm,4.5mm,5.0mm
- 1* Plastic rack+Cut case

TRIANGLE ANTI

2 AUTO & MANUAL MODE
Switch between auto and manual mode easily







Item No.:	WP460004	Manual torque:	1.5N.m
Voltage:	3.7V	Chuck:	4mm HEX
Battery(Li-ion):	700mAh	Handle Material:	Aluminum
Charging Time:	2-3 hours	LED Light:	2-4lm
No-load speed:	100rpm	Charger:	Micro USB
Max torque:	0.3N.m	Weight:	75g





41PC 3.6V LI-ION USB RECHARGEABLE SCREWDRIVER KIT

- 1pc 3.6V Li-ion USB rechargeable precision screwdriver
- 7pc 75mm bits:3pc Phillips bits: #0, #1, #2 ; 4pc Slotted bits:1/8",3/16",1/4",9/32"
- 5pc Slotted Bits:3.0,4.0,5.0,6.0,7.0mm
- 8pc Phillips Bits:PH0,PH1*2,PH2*3,PH3*2
- 7pc Pozidriv Bits:PZ1*2,PZ2*3,PZ3*2
- 6pc Torx Bits:T10,T15,T20,T25,T30,T40
- 6pc Hex Bits:2mm,2.5mm3mm,4mm,5mm,6mm
- 1pc 60mm bit holder





Item No.:	WP460005	Manual torque:	≥10N.m
Voltage:	3.6V	Chuck:	1/4"
Battery(Li-ion):	1.5Ah	LED Light:	4-10lm
Charging Time:	1.5-2.5 hours	Charger:	Type-C
No-load speed:	200rpm	Weight:	365g
Max torque:	5N.m		







CORDED TOOLS

FIXING AND DRILLING TOOLS
CUTTING TOOLS
GRINDING TOOLS
PLANING TOOLS
HEAT GUN

LD-J1467

100MM/115MM ANGLE GRINDER

800W

192mm

Slim Design For Better Griping

Strong AL Gearhousing

800W High Power Motor



ACCESSORIES
- 1 x Aux - Handle
- 1 x Wrench
- 1 Pair x Carbon Brush
- 1 x Wheel Guard
- 1 x Color Box

Item No.:	WP472000
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	800W
No Load Speed:	11000r/min
Dia. of Wheel:	Ø100mm*Ø16mm
Thread Size:	M10

Item No.:	WP472003
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	800W
No Load Speed:	11000r/min
Dia. of Wheel:	Ø115mm*Ø22mm
Thread Size:	M14

125MM ANGLE GRINDER

1,300W



ACCESSORIES
- 1 x Aux-Handle
- 1 x Wrench
- 1 Pair x Carbon Brush
- 1 x Wheel Guard
- 1 x Color Box

Item No.:	WP472001
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	1300W
No Load Speed:	11000r/min
Dia. of Wheel:	Ø125mm*Ø22mm
Thread Size:	M14

150MM ANGLE GRINDER

1,700W



ACCESSORIES
- 1 x Aux-Handle
- 1 x Wrench
- 1 Pair x Carbon Brush
- 1 x Wheel Guard
- 1 x Color Box

Item No.:	WP472002
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	1700W
No Load Speed:	8500r/min
Dia. of Wheel:	Ø150mm*Ø22mm
Thread Size:	M14

230MM ANGLE GRINDING

2,200W



ACCESSORIES
- 1 x Wheel Guard
- 1 x Wrench
- 1 Pair x Carbon Brush
- 1 x Aux-handle
- 1 x Color Box

Item No.:	WP472004
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	2200W
No Load Speed:	6600r/min
Dia. of Wheel:	Ø230mm*22mm
Thread Size:	M14
Wheel Guard Type:	clamp lever

230MM ANGLE GRINDING

3,000W



ACCESSORIES
- 1 x Wheel Guard
- 1 x Wrench
- 1 Pair x Carbon Brush
- 1 x Aux-handle
- 1 x Color Box

Item No.:	WP472005
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	3000W
No Load Speed:	6600r/min
Dia. of Wheel:	Ø230mm*22mm
Thread Size:	M14
Wheel Guard Type:	clamp lever

185MM CIRCULAR SAW

1,700W



ACCESSORIES
- 1 x Hex Key Wrench
- 1 x Wood-cutting Saw Blade(assembled)
- 1 x Parallel Guide
- 1 Pair x Carbon Brush
- 1 x Color Box

Item No.:	WP471200
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	1700W
No Load Speed:	6000r/min
Blade size:	Ø185mm*Ø20 mm 24T
Max. cutting depth:	64mm@90°/ 46mm@45°

110MM MARBLE CUTTER

1,400W

CE



ACCESSORIES
- 1 x Spanner
- 1 x Socket Wrench
- 1 Pair x Carbon Brush
- 1 x Color Box

Item No.:	WP471400
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	1400W
No Load Speed:	14000r/min
Blade size:	Ø110mm*Ø20mm
Cutting capacity:	32.5mm/ 90°, 21mm/ 45°

110MM MARBLE CUTTER

1,250W

CE



SUITABLE FOR TILE AND MARBLE

ACCESSORIES
- 1 x Spanner
- 1 x Socket Wrench
- 1 x Color Box

Item No.:	WP471401
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	1250W
No Load Speed:	13800r/min
Blade size:	Ø110mm*Ø20mm
Cutting capacity:	32.5mm/ 90°, 21mm/ 45°

12MM/12.7MM(1/2") ROUTER

1,800W



ACCESSORIES
- 1 x Great Triangle
- 1 x Guide Board
- 1 x Guide Block
- 1 x Big Small Wrench
- 1 Pair x Carbon Brush
- 1 x Collet and Nut Set: 6mm,8mm,12mm,1/4",1/2"
- 1 x Color Box

Item No.:	WP473000
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	1800W
No Load Speed:	23000r/min
Chuck diameter:	Ø12mm/12.7mm(1/2")

12MM/12.7MM(1/2") ROUTER

2,200W



ACCESSORIES
- 1 x Great Triangle
- 1 x Guide Board
- 1 x Guide Block
- 1 x Big Small Wrench
- 1 Pair x Carbon Brush
- 1 x Collet and Nut Set: 6mm,8mm,12mm,1/4",1/2"
- 1 x Color Box

Item No.:	WP473001
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	2200W
No Load Speed:	12000-23000r/min
Chuck diameter:	Ø12mm/Ø12.7mm(1/2")

110X100MM(1/4") SANDER

240W



ACCESSORIES
- 1 x Sander Paper
- 1 Pair x Carbon Brush
- 1 x Color Box

Item No.:	WP472400
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	240W
No Load Speed:	14500rpm
Sanding Pad Size:	110x100mm

93X185MM(1/3") SANDER

320W



ACCESSORIES
- 1 x Sander Paper
- 1 Pair x Carbon Brush
- 1 x Color Box

Item No.:	WP472401
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	320W
No Load Speed:	14000rpm
Sanding Pad Size:	93x185mm

135MM JIG SAW

750W



ACCESSORIES
- 1 x Allen Wrench
- 1 x Dust Hose
- 1 x Color Box

Item No.:	WP471001
Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	750W
No Load Speed:	1500-3100rpm
Cutting capacity in wood:	135mm
Cutting capacity in aluminum:	20mm
Cutting capacity in steel:	10mm
Stroke capacity:	26mm

65MM JIG SAW

710W



ACCESSORIES
- 1 x Blade for Wood
- 1 x Blade for Metal
- 1 x Hex Key
- 1 x Guide Ruler
- 1 x Dust Hose
- 1 x Screws
- 1 x Color Box

Item No.:	WP471000
Voltage:	230-240V
Frequency:	50Hz
Input Power:	710W
No Load Speed:	1000-3100rpm
Cutting capacity in wood:	65mm
Cutting capacity in aluminum:	12mm
Cutting capacity in steel:	6mm
Stroke capacity:	19mm

10MM DRILL

500W



OPTIONS

WP470000	WP470001
1 x Chuck Key 1 x Color Box	1 x Color Box

Item No.:	WP470000 / WP470001
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	500W
No Load Speed:	0-2800r/min
Chuck Capacity:	Ø10mm
Max. in Steel:	Ø10mm
Max. in Wood:	Ø25mm
Chuck:	10mm keyed chuck/ keyless chuck

13MM IMPACT DRILL

710W



ACCESSORIES
- 1 x Plastic Handle
- 1 x Plastic Depth Gauge
- 1 x Chuck Key
- 1 x Color Box

Item No.:	WP470200
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	710W
No Load Speed:	0-3000r/min
Chuck Capacity:	Ø13mm
Max. in Steel:	Ø13mm
Max. in Concrete:	Ø13mm
Max. in Wood:	Ø25mm
Impact Frequency:	0-48000bpm
Chuck:	13mm keyed chuck

26MM SDS-PLUS ROTARY HAMMER

800W



Optimized Impact System
Lower energy waste to generate higher impact energy (800W input power>Max.3J impact energy)

SDS-Plus Chuck
Low drill bit run out for more precise drilling(better than square shank chuck)

4 Working Mode
Drilling/Hammer &Drilling/ Chiseling/Chisel Adjustment

ACCESSORIES
- 1 x Aux-handle
- 1 x Depth Gauge
- 1 x 6/8/10*150mm Concrete Drill Bits
- 1 x 14*250 Point Chisel Bit
- 1 x 14*250 Flat Chisel Bit
- Pair x Carbon Brush
- 1 x BMC

Item No.:	WP470400	No Load Speed:	0-1180r/min
Rated Voltage:	220-240V	Impact Frequency:	0-5100 bpm
Frequency:	50/60Hz	Max. Drill Diameter:	Ø26mm
Input Power:	800W	Single Impact Energy:	3J

32MM SDS-PLUS ROTARY HAMMER

1,500W
4 WORKING MODE



ACCESSORIES
- 1 x Auxiliary Handle
- 1 x Point Chisel 14x250mm
- 1 x Flat Chisel 14x250mm
- 1 x Drill Bits-8/10/12x150mm
- Pair x Carbon Brush
- 1 x Dust Cover
- 1 x Grease Tube
- 1 x Wrench
- 1 x BMC

Item No.:	WP470401	No Load Speed:	920r/min
Rated Voltage:	220-240V	Impact Frequency:	0-4230 bpm
Frequency:	50/60Hz	Max. Drill Diameter:	Ø32mm
Input Power:	1500W	Single Impact Energy:	5.5J

DEMOLITION HAMMER

1500W DEMOLITION HAMMER

60 JOULES IMPACT ENERGY INDUSTRIAL DEMOLITOIN HAMMER

WITH THREE-WIRING CONSTRUCTION MARATHON MOTOR
AND LARGER CYLINDER
AND PATENT-PENDING REAL SECONDARY GEAR DRIVEN SYSTEM
AND D-SHAPE HANDLE WITH RUBBER COVER

HEAVY DUTY

ACCESSORIES

- 1 x HEX30 Flat Chisel
- 1 x HEX30 Point Chisel
- 1 x Carbon Brush
- 1 x Side Grip
- 1 x Spanner
- 1 x BMC

Secondary Gear Driven System

For much greater output and energy per stroke

Rubber Cover For Auxiliary Handle

the handle knob makes it much easier to loose the handle and change the position of the handle, and the rubber cover insulation protects users from electric shocks



Ø46mm Cylinder Diameter

1mm greater than conventional PH65A type demolitan hammer which delivers greater real impact energy

Newly Designed Cooling System

Down positioning ventilation fan beneath the rotor comutator ensures the well-cooling for industrials

HEX 30

60J

5 RUBBER m cable

2NDARY gear driven system

Item No.:	WP470601	Input Power:	1500W
Rated Voltage:	220-240V	Impact Frequency:	1750bpm
Frequency:	50/60Hz	Impact Engery:	60J





15J HEX-17 DEMOLITION HAMMER

1,300W



ACCESSORIES

- x Auxiliary Handle
- x Point Chisel 17x280mm
- x Flat Chisel 17x280mm
- Pair x Carbon Brush
- x Grease Tube
- x Wrench
- x BMC

Item No.:	WP470600	Input Power:	1300W
Rated Voltage:	220-240V	Impact Frequency:	4100bpm
Frequency:	50/60Hz	Impact Joules:	15J

1400W MIXER

1,400W



ACCESSORIES

- x Wrenches
- x Mixing Paddle
- x Color Box

Item No.:	WP476000	Input Power:	1400W
Rated Voltage:	220-240V	No Load Speed:	0-500/0-800rpm
Frequency:	50/60Hz		

1800W HEAT GUN

1,800W

ACCESSORIES

- x Glass Protector Nozzle
- x Reflector Nozzle
- x Reducer Nozzle
- x Flat Nozzle
- x Scraper And Handle
- x Color Box



Item No.:	WP474001
Rated Voltage:	230-240V
Frequency:	50Hz
Input Power:	1800W
Temperature:	I - 50°C, II - 380°C, III - 580°C
Air Flow:	Speed 1-500L/min, Speed 2-300L/min, Speed 3-500L/min

2000W HEAT GUN

2,000W

ACCESSORIES

- x Glass Protector Nozzle
- x Reflector Nozzle
- x Reducer Nozzle
- x Flat Nozzle
- x Scraper And Handle
- x Color Box



Item No.:	WP474000
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	2000W
Temperature:	I-400°C, II-600°C
Air Flow:	Speed 1-250L/min, Speed 2-550L/min

400W AIR BLOWER





ACCESSORIES

- x Dust Bag
- x Blowpipe
- pair x Carbon Brush
- x Color Box

Item No.:	WP476001	Input Power:	400W
Rated Voltage:	220-240V	No Load Speed:	13000rpm
Frequency:	50/60Hz	Air Flow:	2.8m³/min

600W AIR BLOWER

VARIABLE SPEED CONTROL



ACCESSORIES

- x Dust Bag
- x Blowpipe
- pair x Carbon Brush
- x Color Box

Item No.:	WP476002	Input Power:	600W
Rated Voltage:	220-240V	No Load Speed:	0-2000rpm
Frequency:	50/60Hz	Air Flow:	3.2m³/min



BENCH TOOLS

CUTTING TOOLS

LD-3467



355MM(14") CUT-OFF SAW

2,400W



SUITABLE FOR
MAX.Ø50MM ROUND STEEL

Item No.:	WP480000
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	2400W
No Load Speed:	3900r/min
Dia. of Wheel:	Ø355mm*Ø25.4mm
Max. Cutting Depth:	130mm

ACCESSORIES
- 1 x Wrench
- 1 x Cutting Wheel
- 1 Pair x Carbon Brush

255MM MITRE SAW

1,800W



Item No.:	WP480201
Rated Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	1800W
No Load Speed:	5200r/min
Blade Size:	Ø255mm*Ø25.4mm
Max. Cutting Depth:	Left Mitre/bevel 0°/ 90° 70X140mm(height/width)
	Left Mitre/bevel 0°/ 45° 48X135mm(height/width)
	Left Mitre/bevel 45°/ 90° 70X100mm(height/width)
	Left Mitre/bevel 45°/ 45° 48X95mm(height/width)

ACCESSORIES
- 1 x Wrench
- 1 x Cutting Wheel
- 1 x Vice
- 1 x Dust Bag
- 1 x Extension Bar
- 1 Pair x Carbon Brush



POWER EQUIPMENT

HIGH PRESSURE WASHER
VACUUM CLEANER
WATER PUMP
WELDING MACHINE

LD-1467

1000W HIGH PRESSURE WASHER

1,000W



ACCESSORIES
- 1 x High Pressure Washer
- 1 x Trigger Gun
- 1 x Sprayer
- 1 x Hose, 5m PVC
- 1 x Handle
- 1 x Carton Box

Item No.:	WP423000
Qty/Carton:	1
Carton Size:	37.8*27*27.8 CM
G.W.:	7.8KG
Input Power:	1000W
Rated Flow:	4.9 L/Min
Rated Pressure:	55 Bar
Max Pressure:	75 Bar
Waterproof Rating:	IPX5

1400W HIGH PRESSURE WASHER

1,400W



ACCESSORIES
- 1 x High Pressure Washer
- 1 x Trigger Gun
- 1 x Sprayer
- 1 x Hose, 5m PVC
- 1 x Handle
- 1 x Carton Box

Item No.:	WP423001
Qty/Carton:	1
Carton Size:	26.5*23.6*45.6 CM
G.W.:	7.7KG
Input Power:	1400W
Rated Flow:	5.1 L/Min
Rated Pressure:	75 Bar
Max Pressure:	110 Bar
Waterproof Rating:	IPX5

1600W HIGH PRESSURE WASHER

1,600W



ACCESSORIES
- 1 x High Pressure Washer
- 1 x Trigger Gun
- 1 x Sprayer
- 1 x Hose, 5m PVC
- 1 x Handle
- 1 x Wheel(set)
- 1 x Carton Box

Item No.:	WP423002
Qty/Carton:	1
Carton Size:	26.5*23.6*45.6CM
G.W.:	8.2KG
Input Power:	1600W
Rated Flow:	5.2 L/Min
Rated Pressure:	90 Bar
Max Pressure:	130 Bar
Waterproof Rating:	IPX5

2400W HIGH PRESSURE WASHER

2,400W



ACCESSORIES
- 1 x High Pressure Washer
- 1 x Trigger Gun
- 1 x Sprayer
- 1 x Hose, 5m PVC
- 1 x Handle
- 1 x Wheel(set)
- 1 x Carton Box

Item No.:	WP423003
Qty/Carton:	1
Carton Size:	59.5*49.2*62CM
G.W.:	32KG
Input Power:	2400W
Rated Flow:	7.4 L/Min
Rated Pressure:	120 Bar
Max Pressure:	180 Bar
Waterproof Rating:	IPX5

12L VACUUM CLEANER

1,200W



ACCESSORIES
- 1 x Water Suction Brush
- 1 x Carpet Brush
- 1 x Crevice Nozzle
- 1 x Sofa Brush
- 1 x HEPA filter(small)
- 1 x Sponge Filter
- 1 x Paper Dust Bag
- 1 x 1.5m Flexible Hose
- 1 x Plastic Tube 27cm
- 1 x Carton Box

Item No.:	WP423004
Qty/Carton:	1
Carton Size:	32*32*45CM
G.W.:	4KG
Input Power:	1200W
Tank Size:	12 L
Airflow:	25 L/s
Vacuity:	15 kPa
Wet & Dry:	Y
Blowing Function:	Y
Noise Level:	≤86 dB(A)

30L VACUUM CLEANER

1,300W



ACCESSORIES
- 1 x Water Suction Brush
- 1 x Carpet Brush
- 1 x Crevice Nozzle
- 1 x Sofa Brush
- 1 x HEPA filter(small)
- 1 x Sponge Filter
- 1 x 1.5m Flexible Hose
- 1 x Plastic Tube 27cm
- 1 x Carpet Brush
- 1 x Plastic Tube 44cm
- 1 x Carton Box

Item No.:	WP423005
Qty/Carton:	1
Carton Size:	37*36*66CM
G.W.:	6.6KG
Input Power:	1300W
Tank Size:	30 L
Airflow:	26 L/s
Vacuity:	16 kPa
Wet & Dry:	Y
Blowing Function:	Y
Noise Level:	≤86 dB(A)

80L VACUUM CLEANER

1,200W



ACCESSORIES
- 1 x Water Suction Brush
- 1 x Carpet Brush
- 1 x Crevice Nozzle
- 1 x Sofa Brush
- 1 x HEPA filter(big)
- 1 x Sponge Filter
- 1 x Paper Dust Bag
- 1 x 1.5m Flexible Hose
- 1 x Metal Tube
- 1 x Carton Box

Item No.:	WP423006
Qty/Carton:	1
Carton Size:	64*56.5*90CM
G.W.:	21KG
Input Power:	1200W*2
Tank Size:	80 L
Airflow:	40 L/s
Vacuity:	16 kPa
Wet & Dry:	Y
Blowing Function:	Y
Noise Level:	≤84 dB(A)

370W WATER PUMP (ALUMINIUM WIRE MOTOR)

370W



ACCESSORIES
- 1 x Water Pump
- 1 x Carton Box

Item No.:	WP421000
Qty/Carton:	6
Carton Size:	29.5*15.5*18.3CM
G.W.:	5.3KG
Input Power:	370 W
Max Flow:	30 L/Min
Max Head:	30 m
Inlet/outlet:	1"x1"

750W WATER PUMP (COPPER WIRE MOTOR)

750W



ACCESSORIES
- 1 x Water Pump
- 1 x Carton Box

Item No.:	WP421002
Qty/Carton:	2
Carton Size:	33.5*17.8*20.5CM
G.W.:	9.5KG
Input Power:	750 W
Max Flow:	50 L/Min
Max Head:	65 m
Inlet/outlet:	1"x1"

370W WATER PUMP (COOPER WIRE MOTOR)

370W



ACCESSORIES
- 1 x Water Pump
- 1 x Carton Box

Item No.:	WP421001
Qty/Carton:	2
Carton Size:	27.5*18*25.5CM
G.W.:	6.8KG
Input Power:	370 W
Max Flow:	35 L/Min
Max Head:	35 m
Inlet/outlet:	1"x1"



120A WELDING MACHINE

120A



ACCESSORIES

- 1 x Welding Machine(2m cable)
- 1 x Hammer with Brush
- 1 x Welding Mask
- 1 x Electrode Holder with Cable(2m)
- 1 x Earth Clamp with Cable(2m)
- 1 x Carton Box

Item No.:	WP420001
Qty/Carton:	1
Carton Size:	29.5*21*30CM
G.W.:	4.2KG
MAX Output Current:	120A
Welding Rod Diameter:	≤3.2 mm

150A WELDING MACHINE

150A



ACCESSORIES

- 1 x Welding Machine(2m cable)
- 1 x Hammer with Brush
- 1 x Welding Mask
- 1 x Electrode Holder with Cable(2m)
- 1 x Earth Clamp with Cable(2m)
- 1 x Carton Box

Item No.:	WP420002
Qty/Carton:	1
Carton Size:	29.5*21*30CM
G.W.:	5.2KG
MAX Output Current:	150A
Welding Rod Diameter:	≤4 mm

180A WELDING MACHINE

180A



ACCESSORIES

- 1 x Welding Machine(2m cable)
- 1 x Hammer with Brush
- 1 x Welding Mask
- 1 x Electrode Holder with Cable(2m)
- 1 x Earth Clamp with Cable(2m)
- 1 x Carton Box

Item No.:	WP420003
Qty/Carton:	1
Carton Size:	39*21*29CM
G.W.:	6.8KG
MAX Output Current:	180A
Welding Rod Diameter:	≤4 mm

200A WELDING MACHINE

200A



ACCESSORIES

- 1 x Welding Machine(2m cable)
- 1 x Hammer with Brush
- 1 x Welding Mask
- 1 x Electrode Holder with Cable(2m)
- 1 x Earth Clamp with Cable(2m)
- 1 x Carton Box

Item No.:	WP420004
Qty/Carton:	1
Carton Size:	36*20*25.5CM
G.W.:	6.6KG
MAX Output Current:	200A
Welding Rod Diameter:	≤5 mm



LIGHTING TOOLS

FLASHLIGHT
PENLIGHT
WORK LIGHT
HEAD LAMP
LANTERN
LIGHT BULB
BATTERY

LD-1467

1200LM RECHARGEABLE ALUMINIUM FLASHLIGHT

- BATTERY:: 18650,2000mAH Rechargeable
- Tactical Flashlight: Tail switch allows for momentary-on and the other for changing brightness, perfect for use in emergency situations

PRO

IP44

ZOOMABLE



Item No.	Modes	ECO	LOW	Medium	HIGH	TURBO	STROBE
WP351006	Output	90LM	270LM	500LM	700LM	1200LM	/
	Distance	38m	60m	75m	95m	135m	/
	Run time	8.5h	3h	2h	1h	1h	/

1100LM RECHARGEABLE ALUMINIUM FLASHLIGHT

- BATTERY : 18650,2000mAH Rechargeable
- Rotary head and magnet bottom are the perfect combination for camping, garage work, and car repair work

PRO

IP44

90° PIVOTING



Item No.	Modes	ECO	LOW	Medium	HIGH	TURBO	STROBE
WP351007	Output	80LM	350LM	500LM	600LM	1100LM	/
	Distance	35m	75m	80m	103m	130m	/
	Run time	16h	3.5h	2.5h	1.5h	1h	/

1500LM RECHARGEABLE ALUMINIUM FLASHLIGHT

- BATTERY : 18650,2000mAH Rechargeable
- You can easily take the led flashlight light for camping, hiking, fishing, running, walking dogs, power outages, emergencies, targeted searches, or general household use





USB-TYPE C

Item No.	Modes	ECO	LOW	Medium	HIGH	TURBO	STROBE
WP351008	Output	90LM	400LM	700LM	1100LM	1500LM	/
	Distance	40m	100m	140m	170m	200m	/
	Run time	16h	3h	1.5h	1h20min	1h10min	/

4000LM RECHARGEABLE ALUMINIUM FLASHLIGHT

- BATTERY : 21700,4000mAH rechargeable battery
- Very durable, suitable for camping, hiking, fishing, emergencies, targeted searches and general household use, and so on

4000LM





USB-TYPE C

Item No.	Modes	LOW 1	LOW2	HIGH	STROBE
WP351009	Output	2000LM	2000LM	4000LM	/
	Distance	70m	100m	90m	/
	Run time	1.5h	1.5h	1h	/

750LM RECHARGEABLE ALUMINIUM FLASHLIGHT

- Digital focus controls aperture size
- BATTERY : 18650,2000mAH Rechargeable
- Just twist the flashlight head to adjust the focus for distant observation and wide-range illumination. It's ideal for camping, hiking, outdoor, repairs, and other emergencies

DIGITAL FOCUSING





USB-TYPE C

Item No.	Modes	LOW 1	LOW2	HIGH	STROBE
WP351010	Output	350LM	400LM	750LM	/
	Distance	100m	100m	100m	/
	Run time	4h	4h	2h	/

PLASTIC FLASHLIGHT

- Powerful high intensity bulb
- High-intensity 9/9/12 LED bulbs
- Easy carrying hand strap
- Ideal camping light, emergency light or work light for household projects
- Batteries not included


WP351003


WP351004


WP351005

Item No.	Battery	LED Bulbs	Output	Distance	Run time
WP351003	2AA	9	40LM	25m	3h
WP351004	3AAA	9	50LM	35m	15h
WP351005	2D	12	40LM	25m	3h

PLASTIC FLASHLIGHT

- Powerful high intensity bulb
- High-intensity 3/6 LED bulbs
- Easy carrying hand strap
- Ideal camping light, emergency light or work light for household projects


WP351013


WP351014

Item No.	Battery	LED Bulbs	Output	Distance	Run time
WP351013	2AA	3	15LM	15m	3h
WP351014	2D	6	25LM	30m	15h

3AAA 6LED ALUMINUM FLASHLIGHT

- 4 different colors: red, blue, black, silver
- Lightweight aluminum structure and color anodized casing
- 6 high-intensity LED bulbs
- Perfect for outdoors camping, hiking, hunting, backpacking, fishing, night reading or for emergency situations
- 3AAA batteries not included
- 16PCS in PDQ

6 LED LIGHT



COLOR

Item No.	Modes	Numerical
WP351002	Output	30LM
	Distance	20m
	Run time	2h

3AAA GLOW-IN-THE-DARK FLASHLIGHT

- 2 different colors: red, blue
- Easy to find glow-in-the-dark design
- Heavy duty aluminum
- Perfect for outdoors camping, hiking, hunting, backpacking, fishing, night reading or for emergency situations
- 3AAA batteries not included
- 16PCS in PDQ

9 LED LIGHT



COLOR

Item No.	Modes	Numerical
WP351001	Output	30LM
	Distance	20m
	Run time	2h

3AAA 9LED FLASHLIGHT

- Super bright 9 LED bulbs for an intense beam of light never needs to be replaced
- High impact ABS casing, light weight and compact design
- Perfect for outdoors camping, hiking, hunting, backpacking, fishing, night reading or for emergency situations
- 2 different colors: red+blue
- 3AAA Batteries not included
- 16PCS in PDQ

9 LED LIGHT



COLOR

Item No.	Modes	Numerical
WP351000	Output	20LM
	Distance	20m
	Run time	2h



2AAA LED PENLIGHT

- Aluminum material cover with 2 colors assorted(red,blue)
- High intensity LED solid state bulb never need to replace
- Perfect for nurses, medical students, and home use
- 2AAA Batteries not included
- 36 PCS in PDQ

LED LIGHT



COLOR

Item No.	Modes	Numerical
WP351011	Output	30LM
	Distance	20m
	Run time	2h

3AAA COB PENLIGHT

- COB LED bulb, never needs replacing
- Convenient push-button on/off switch
- Swivel pocket clip with magnet
- 3AAA Batteries not included
- Magnetic pen holder makes it a very suitable tool for household use
- 25 PCS in PDQ

COB LED LIGHT



Item No.	Modes	Numerical
WP351012	Output	150LM
	Distance	6m
	Run time	2h

2500LM RECHARGEABLE WORKLIGHT

- LED of super brightness
- BATTERY : 3*18650,6000mAH Rechargeable
- 3 Light Modes:LOW , Medium,HIGH
- Multi-use work light for camping, hiking, emergency car repairing, construction site, outdoor exploration, garage, etc


Charging Bank Interface


Stents



Item No.	Modes	LOW	MEDIUM	HIGH
WP352005	Output	1000LM	1600LM	2500LM
	Distance	20m	30m	40m
	Run time	4.5h	3h	2.5h


USB-TYPE C

1200LM RECHARGEABLE WORKLIGHT

- COB LED of super brightness
- Pivoting head ,foldable stand for easy storage
- BATTERY : 2*18650,4000mAH Rechargeable
- This COB Flood Lights are especially suitable for Camping,Hiking,Fishing,Barbecue,Car or Truck Repairing, Workshop, Garage, Shop and Courtyard Lighting, Exploring and more Indoor or Outdoor work or other activities


Magnetic Suction Back


Charging Bank Interface

Item No.	Modes	LOW	HIGH	STROBE
WP352004	Output	600LM	1200LM	/
	Distance	20m	40m	/
	Run time	4h	2h	/




USB-TYPE C

400LM RECHARGEABLE WORKLIGHT

- Headlights LED, side lights COB
- BATTERY : 18650,2000mAH Rechargeable
- It can be used for BBQ, camping, reading, car repair and any other things you would want to do at night


Button Adjusting Light


Battery Indicator


Magnetic Suction Stents

Item No.	Modes	LOW 1	LOW2	RED
WP352004	Output	170LM	400LM	/
	Distance	30m	130m	/
	Run time	4h	3h	/




USB-TYPE C

350LM RECHARGEABLE WORKLIGHT

- Headlights LED, side lights COB
- BATTERY : 18650,2000mAH Rechargeable
- 2 Light Modes:Headlight low 1, side light low 1(Button adjusting light)
- It can be used for BBQ, camping, reading, car repair and any other things you would want to do at night


Magnetic Suction Base + hook


Battery Indicator

Item No.	Modes	LOW 1	LOW2
WP352001	Output	100LM	350LM
	Distance	25m	75m
	Run time	4.5h	3h




USB-TYPE C

400LM RECHARGEABLE WORKLIGHT

- BATTERY: 18650,2000mAH Rechargeable
- Waterproof level: IP20 Fall prevention: 1m
- Works great either as a LED work light & inspection light at job sites or as an outdoor lantern for hiking, camping, cycling, car repair, emergency, and survival


Hook + 3W LED


Magnet


COB Stepless Dimming

Item No.	Modes	LOW 1	LOW2
WP352003	Output	60LM	400LM
	Distance	10m	40m
	Run time	8h	3h




USB-TYPE C

3AA COB WORKLIGHT

- COB LED of super brightness
- LED never need replacing, last for long life
- 360° swivel hook for any direction
- Ergonomically designed grip
- 3AA Batteries not included


Hook


Magnetic Suction

Item No.	Modes	Numerical
WP352000	Output	160LM
	Distance	10m
	Run time	3h




USB-TYPE C

500LM RECHARGEABLE SENSING HEAD LAMP

- Convenient push on/off button,Wave sensor switch
- BATTERY : 1200mAH, Rechargeable
- Waterproof level: IP44


Wave Sensor Switch


Adjustable Head Band




USB-TYPE C

Item No.	Modes	LOW	HIGH	STROBE
WP353002	Output	80LM	500LM	/
	Distance	55m	145m	/
	Run time	11h	3h	/



LD-1467

500LM RECHARGEABLE HEAD LAMP

- Convenient push on/off button
- 3AAA Batteries not included
- Waterproof level: IPX4
- For go hiking, running, camping, hunting, and so much more
- 3AAA Batteries not included


2 COLORS



Adjustable Head Band

Item No.	Modes	LOW	HIGH	RED	RED STROBE	GREEN
WP353000 / WP353001	Output	80LM	300LM	/	/	/
	Distance	55m	100m	/	/	/
	Run time	11h	3h	/	/	/


USB-TYPE C

RECHARGEABLE LANTERN

- LED of super brightness to illuminate tent or room
- Convenient push on/off button
- BATTERY : 18650,2000mAH Rechargeable
- It is perfect for power outage, earthquake, camping and indoor usages




Hook


Charging Bank Interface

Item No.	Modes	LOW	MEDIUM	HIGH	RED	RED STROBE
WP354001	Output	80LM	100LM	200LM	/	/
	Distance	15m	15m	15m	/	/
	Run time	5h	4h	2.5h	/	/


USB-Micro-B

3AAA COB LANTERN

- Simply expand or collapse the lantern to turn it on/off
- Folding and telescopic for easy carrying and storage
- 3AA Batteries not included
- Keep the darkness away during storms, power outages, or camping trips




Telescopic Folding


Magnetic Suction Base + hook

Item No.	Modes	Numerical
WP354000	Output	200LM
	Distance	15m
	Run time	6h

LED LIGHT BULB

- Standard E27 Base - Easily screw into any light fixture with medium screw base. Widely used in table lamps, floor lamps and open pendant fixtures for bedroom, living room, dining room or anywhere for home or commercial use.
- Energizing Daylight - With a color temperature of 3000/4000/6500 kelvin, these LED bulbs provide a calm and comfortable warm/cool/day light for any room.



Item No.	Modes	Item No.	Modes
WP356050	T80 20W E27 170-264V 3000K(warm white)	WP356056	T120 40W E27 170-264V 4000K(cool light)
WP356051	T100 30W E27 170-264V 3000K(warm white)	WP356057	T140 50W E27 170-264V 4000K(cool light)
WP356052	T120 40W E27 170-264V 3000K(warm white)	WP356058	T80 20W E27 170-264V 6500K(day light)
WP356053	T140 50W E27 170-264V 3000K(warm white)	WP356059	T100 30W E27 170-264V 6500K(day light)
WP356054	T80 20W E27 170-264V 4000K(cool light)	WP356060	T120 40W E27 170-264V 6500K(day light)
WP356055	T100 30W E27 170-264V 4000K(cool light)	WP356061	T140 50W E27 170-264V 6500K(day light)

LED LIGHT BULB

- Standard E27 Base - Easily screw into any light fixture with medium screw base. Widely used in table lamps, floor lamps and open pendant fixtures for bedroom, living room, dining room or anywhere for home or commercial use.
- Energizing Daylight - With a color temperature of 3000/4000/6500 kelvin, these LED bulbs provide a calm and comfortable warm/cool/day light for any room.



Item No.	Modes
WP356000	A60 6W E27 170-264V 3000K(warm white)
WP356001	A60 7W E27 170-264V 3000K(warm white)
WP356002	A60 9W E27 170-264V 3000K(warm white)
WP356003	A65 12W E27 170-264V 3000K(warm white)
WP356004	A70 15W E27 170-264V 3000K(warm white)
WP356005	A80 18W E27 170-264V 3000K(warm white)
WP356006	A60 6W E27 170-264V 4000K(cool light)
WP356007	A60 7W E27 170-264V 4000K(cool light)
WP356008	A60 9W E27 170-264V 4000K(cool light)
WP356009	A65 12W E27 170-264V 4000K(cool light)
WP356010	A70 15W E27 170-264V 4000K(cool light)
WP356011	A80 18W E27 170-264V 4000K(cool light)
WP356012	A60 6W E27 170-264V 6500K(day light)
WP356013	A60 7W E27 170-264V 6500K(day light)
WP356014	A60 9W E27 170-264V 6500K(day light)
WP356015	A60 12W E27 170-264V 6500K(day light)
WP356016	A70 15W E27 170-264V 6500K(day light)
WP356017	A80 18W E27 170-264V 6500K(day light)

LED LIGHT BULB

- Standard E27 Base - Easily screw into any light fixture with medium screw base. Widely used in table lamps, floor lamps and open pendant fixtures for bedroom, living room, dining room or anywhere for home or commercial use.
- Energizing Daylight - With a color temperature of 3000/4000/6500 kelvin, these LED bulbs provide a calm and comfortable warm/cool/day light for any room.



Item No.	Modes
WP356018	A55 5W E27 170-264V 3000K(warm white)
WP356019	A60 7W E27 170-264V 3000K(warm white)
WP356020	A60 9W E27 170-264V 3000K(warm white)
WP356021	A65 12W E27 170-264V 3000K(warm white)
WP356022	A70 15W E27 170-264V 3000K(warm white)
WP356023	A80 18W E27 170-264V 3000K(warm white)
WP356024	A55 5W E27 170-264V 4000K(cool light)
WP356025	A60 7W E27 170-264V 4000K(cool light)
WP356026	A60 9W E27 170-264V 4000K(cool light)
WP356027	A65 12W E27 170-264V 4000K(cool light)
WP356028	A70 15W E27 170-264V 4000K(cool light)
WP356029	A80 18W E27 170-264V 4000K(cool light)
WP356030	A55 5W E27 170-264V 6500K(day light)
WP356031	A60 7W E27 170-264V 6500K(day light)
WP356032	A60 9W E27 170-264V 6500K(day light)
WP356033	A60 12W E27 170-264V 6500K(day light)
WP356034	A70 15W E27 170-264V 6500K(day light)
WP356035	A80 18W E27 170-264V 6500K(day light)

ALKALINE AAA BATTERY

- Ultra-high energy for digital devices like camera
- 6 times better than average Zinc Heavy duty batteries
- Remains fresh for use for up to 7 years
- Easy-to-understand language-free user instructions
- Contains 0% Cadmium, Mercury, Lead



Item No.	Modes
WP359000	12PCS
WP359001	60PCS

ALKALINE AA BATTERY

- Ultra-high energy for digital devices like camera
- 6 times better than average Zinc Heavy duty batteries
- Remains fresh for use for up to 7 years
- Easy-to-understand language-free user instructions
- Contains 0% Cadmium, Mercury, Lead



Item No.	Modes
WP359002	40PCS

ALKALINE D BATTERY

- Long shelf life so you can store for emergencies or use immediately
- Works with a variety of devices including digital cameras, game controllers, toys, and clocks;
- Do not attempt to recharge



Item No.	Modes
WP359003	18PCS



POINT REDEMPTION

REMARK: 1 USD (ORDER VALUE) = 1 POINT

PLASTIC BAG



Model #	Description
WP439016	10 POINTS

BALL PEN



Model #	Description
WP439015	15 POINTS

MULTIFUNCTIONAL BALL PEN



Model #	Description
WP439002	180 POINTS/PC

6-IN-1 SPINNER TOOL



Model #	Description
WP221065	230 POINTS

3-IN-1 MULTI PURPOSE KEY CHAIN



Model #	Description
WP389004	250 POINTS

CANVAS ZIPPER BAG



Model #	Description
WP289021	RED 250 POINTS/PC
WP289022	BLUE 250 POINTS/PC

CAP



Model #	Description
WP439004	350 POINTS

TUMBLER 20OZ



Model #	Description
WP389013	680 POINTS

12OZ CAR CUP



Model #	Description
WP439001	500 POINTS

CANVAS BAG



Model #	Description
WP281031	380 POINTS

GOLF UMBRELLA



Model #	Description
WP439009	1000 POINTS

NOTEBOOK



Model #	Description
WP439003	750 POINTS

CATALOG



Model #	Description
WP439006	1500 POINTS

AD FLAG



Model #	Description
WP439011	1800 POINTS

BACKPACK



Model #	Description
WP281028	2850 POINTS

T-SHIRT



Model #	Description
WP439005	1250 POINTS

3-IN-1 JACKET




Model #	Description
WP439012	6000 POINTS

POLO SHIRT



Model #	Description
WP439014	2400 POINTS

POLO SHIRT



Model #	Description
WP439013	2450 POINTS

BEACH UMBRELLA



Model #	Description
WP439007	4200 POINTS

DISPLAY RACK (1480x1000x1200MM)



Model #	Description
WP439008	17500 POINTS

DISPLAY RACK (1000x2200x450MM)



Model #	Description
WP289008	12000 POINTS

HEAVY-DUTY 1000MM DISPLAY SHELF



Model #	Description
WP289007	21000 POINTS

POWER TOOLS

CORDLESS POWER TOOLS	**Fixing & Drilling Tools** **Cutting Tools** **Grinding Tools** **Planing Tools** **Heat Gun**	**1 YEAR LIMITED WARRANTY** For ONE YEAR from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, excessive wear, accidental damage, unauthorized use or repair. Excludes all incidental or consequential damages. *This warranty does not apply to accessory items such as circular saw blades, drill bits or router bits, O-rings, driver blades, jigsaw blades, sanding belts, grinding wheels and other related items.
CORDED POWER TOOLS	**Fixing & Drilling Tools** **Cutting Tools** **Grinding Tools** **Planing Tools** **Heat Gun** **Electric Soldering Iron**	**6 MONTH LIMITED WARRANTY** For SIX MONTHS from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, excessive wear, accidental damage, unauthorized use or repair. Excludes all incidental or consequential damages.
LAWN & GARDEN TOOLS	**Lawn Mowers** **Pruners** **Leaf Blower / Vacuum** **Lawn & Garden Sprayers**	**1 YEAR LIMITED WARRANTY** For ONE YEAR from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, excessive wear, accidental damage, unauthorized use or repair, and does not cover all incidental or consequential damages. *The warranty period for routine maintenance parts, including, but not limited to, but not limited to blades, trimmer heads, chain bars, saw chains, belts, scraper bars, rubber paddles, augers, skid shoes, blower nozzles, and all other WORKPRO accessories is 30 days.
ILLUMINATION TOOLS	**Flashlights** **Headlights** **Work Lights** **Lanterns** **Extension Board**	**1 YEAR LIMITED WARRANTY** For ONE YEAR from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, or repaired. Excludes all incidental or consequential damages. *This warranty does not apply to accessories such as bulbs, fuses, and batteries.

MACHINERY & EQUIPMENT

WELDING MACHINES	**Welding Machines** **Welding Guns** **Consumables**	**1 YEAR LIMITED WARRANTY** For ONE YEAR from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, excessive wear, accidental damage, unauthorized use or repair. Excludes all incidental or consequential damages.
WATER PUMPS	**Water Pumps** **Automatic Pump Controllers** **Fountain Pumps** **Spray Pumps** **Submersible Pumps** **Oil Pumps**	**1 YEAR LIMITED WARRANTY** For ONE YEAR from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, excessive wear, accidental damage, unauthorized use or repair. Excludes all incidental or consequential damages.
GENERATORS	**Gasoline Generators** **Diesel Generators** **Silent Diesel Generators** **Gas Powered Water Pumps** **Diesel Powered Water Pumps**	**1 YEAR LIMITED WARRANTY** For ONE YEAR from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, excessive wear, accidental damage, unauthorized use or repair. Excludes all incidental or consequential damages.
CLEANING MACHINES	**Wet / Dry Vacuum Cleaners** **Floor Scrubbers** **Hand Push Sweepers** **Ride on Sweepers** **Carpet Cleaners**	**1 YEAR LIMITED WARRANTY** For ONE YEAR from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, excessive wear, accidental damage, unauthorized use or repair. Excludes all incidental or consequential damages.
LIGHT CONSTRUCTION EQUIPMENTS	**Cement Mixers** **Concrete Vibrators** **Road Rollers** **Construction Lifts** **Pile Drivers** **Cultivators**	**1 YEAR LIMITED WARRANTY** For ONE YEAR from the date of sale, WORKPRO warrants this product is warranted against defects in material or workmanship.	Warranty does not cover products that are improperly used, abused, altered, excessive wear, accidental damage, unauthorized use or repair. Excludes all incidental or consequential damages.

ONE - STOP TOOLS SUPPLY

HAND TOOLS



POWER TOOLS



PPE



PTA



GARDEN TOOLS



AIR TOOLS



EQUIPMENTS



ILLUMINATION





HSS DRILL BIT

LD-1467

HOW TO CHOOSE HSS TWIST DRILL BITS

	NO	GRADE	MATERIAL	PROCESS	COLOR	HARDNESS	WORKING LIFE
	TOP1	PROFI PLUS	M35 (Co HSS)	Ground	Amber finishing	HRC68	10x
	TOP2	PROFI PLUS	M2 (6542 HSS)	Ground	Tin - plated	HRC66	5x
	TOP3	PROFI	HSS 4341	Ground	Bright	HRC63	2x
	TOP4	BASIC	HSS 4241	Roll - forged	Black finishing	HRC61	x

DRILLING OBJECT	WOOD	PLASTIC	ALU	CAST IRON	STEEL	ALLOY STEEL	STAINLESS	MOULD STEEL
								
M35	•	•	•	•	•	•	•	○
M2	•	•	•	•	•	○	○	○
HSS 4341	•	•	•	•	•	○	x	x
HSS 4241	•	•	•	○	○	x	x	x

●= Most suitable ○= Acceptable x= Not suitable


HOW TO CHOOSE SUITABLE DRILLING SPEED

(Suitable for drilling general steel)

Size (mm)	(r/min)	Size (mm)	(r/min)
1 - 2mm	3000 - 1800	8 - 9mm	500 - 400
2 - 3mm	1800 - 1400	9 - 10mm	400 - 350
3 - 4mm	1400 - 1000	10 - 11mm	350 - 300
4 - 5mm	1000 - 800	11 - 12mm	300 - 250
5 - 6mm	800 - 700	12 - 13mm	280 - 250
6 - 7mm	700 - 600	14mm	220
7 - 8mm	600 - 650	>15mm	200

HOW TO USE THE DRILL PROPERLY

1.The drill bit must be perpendicular to the surface to be drilled.



2. If a hole larger than 6 mm is to be drilled, a small hole should be drilled first with a 3 - 4 mm drill bit.



3. When drilling for a long time, please add coolant to prolong the life of the drill bit.



4. The drilling speed of electric drill should be from slow to fast to avoid burning.



HSS DRILL BIT

M35 COBALT HSS GROUND TWIST DRILL BIT

DIN 338 | PRO PLUS





5% COBALT M35 HSS

1. **WIDE APPLICATION**
   Suitable for stainless, alloy steel, heat treated steel, etc
2. **M35 COBALT STEEL**
   5% cobalt blended for better performance and long working life
3. **135° SPLIT**
   Accurately position
4. **FULLY GROUND**
   H8 grade accuracy, smooth surface



Tube pack Box pack

DIAMETER	WORKING LENGTH	TOTAL LENGTH	Tube Pack		Box Pack	
mm	mm	mm	PC/PACK	SKU	PC/PACK	SKU
1	12	34	5	WP400000	10	WP400050
1.5	18	40	5	WP400001	10	WP400051
2	24	49	5	WP400002	10	WP400052
2.2	27	53	5	WP400003	10	WP400053
2.3	27	53	5	WP400004	10	WP400054
2.5	30	57	5	WP400005	10	WP400055
2.7	33	61	5	WP400006	10	WP400056
2.8	33	61	5	WP400007	10	WP400057
3	33	61	2	WP400008	10	WP400058
3.1	36	65	2	WP400009	10	WP400059
3.2	36	65	2	WP400010	10	WP400060
3.3	35	65	2	WP400011	10	WP400061
3.4	39	70	2	WP400012	10	WP400062
3.5	39	70	2	WP400013	10	WP400063
3.6	39	70	2	WP400014	10	WP400064
3.7	39	70	2	WP400015	10	WP400065
3.8	43	75	2	WP400016	10	WP400066
3.9	43	75	2	WP400017	10	WP400067
4	43	75	1	WP400018	10	WP400068
4.1	43	75	1	WP400019	10	WP400069
4.2	43	75	1	WP400020	10	WP400070
4.5	47	80	1	WP400021	10	WP400071
4.8	52	86	1	WP400022	10	WP400072
5	52	86	1	WP400023	10	WP400073
5.2	52	86	1	WP400024	10	WP400074
5.5	57	93	1	WP400025	10	WP400075
5.8	57	93	1	WP400026	10	WP400076
6	57	93	1	WP400027	10	WP400077
6.2	63	101	1	WP400028	10	WP400078
6.5	63	101	1	WP400029	10	WP400079
6.8	69	109	1	WP400030	10	WP400080
7	69	109	1	WP400031	10	WP400081
7.5	69	109	1	WP400032	10	WP400082
8	75	117	1	WP400033	10	WP400083
8.2	75	117	1	WP400034	10	WP400084
8.5	75	117	1	WP400035	10	WP400085
9	81	125	1	WP400036	5	WP400086
9.5	81	125	1	WP400037	5	WP400087
10	87	133	1	WP400038	5	WP400088
10.2	87	133	1	WP400039	5	WP400089
10.5	87	133	1	WP400040	5	WP400090
11	94	142	1	WP400041	5	WP400091
11.5	94	142	1	WP400042	5	WP400092
12	101	151	1	WP400043	5	WP400093
12.5	101	151	1	WP400044	5	WP400094
13	101	151	1	WP400045	5	WP400095

M2 HSS GROUND TWIST DRILL BIT

DIN 338 | PRO PLUS





M2 HSS

1. **WIDE APPLICATION**
   Suitable for general iron, steel, copper and aluminum, etc
2. **M2 HSS**
   High hardness & long working life
3. **135° SPLIT**
   Accurately position
4. **FULLY GROUND**
   H8 grade accuracy, smooth surface



Tube pack Box pack

DIAMETER	WORKING LENGTH	TOTAL LENGTH	Tube Pack		Box Pack	
mm	mm	mm	PC/PACK	SKU	PC/PACK	SKU
1	12	34	5	WP400100	10	WP400150
1.5	18	40	5	WP400101	10	WP400151
2	24	49	5	WP400102	10	WP400152
2.2	27	53	5	WP400103	10	WP400153
2.3	27	53	5	WP400104	10	WP400154
2.5	30	57	5	WP400105	10	WP400155
2.7	33	61	5	WP400106	10	WP400156
2.8	33	61	5	WP400107	10	WP400157
3	33	61	2	WP400108	10	WP400158
3.1	36	65	2	WP400109	10	WP400159
3.2	36	65	2	WP400110	10	WP400160
3.3	35	65	2	WP400111	10	WP400161
3.4	39	70	2	WP400112	10	WP400162
3.5	39	70	2	WP400113	10	WP400163
3.6	39	70	2	WP400114	10	WP400164
3.7	39	70	2	WP400115	10	WP400165
3.8	43	75	2	WP400116	10	WP400166
3.9	43	75	2	WP400117	10	WP400167
4	43	75	1	WP400118	10	WP400168
4.1	43	75	1	WP400119	10	WP400169
4.2	43	75	1	WP400120	10	WP400170
4.5	47	80	1	WP400121	10	WP400171
4.8	52	86	1	WP400122	10	WP400172
5	52	86	1	WP400123	10	WP400173
5.2	52	86	1	WP400124	10	WP400174
5.5	57	93	1	WP400125	10	WP400175
5.8	57	93	1	WP400126	10	WP400176
6	57	93	1	WP400127	10	WP400177
6.2	63	101	1	WP400128	10	WP400178
6.5	63	101	1	WP400129	10	WP400179
6.8	69	109	1	WP400130	10	WP400180
7	69	109	1	WP400131	10	WP400181
7.5	69	109	1	WP400132	10	WP400182
8	75	117	1	WP400133	10	WP400183
8.2	75	117	1	WP400134	10	WP400184
8.5	75	117	1	WP400135	10	WP400185
9	81	125	1	WP400136	5	WP400186
9.5	81	125	1	WP400137	5	WP400187
10	87	133	1	WP400138	5	WP400188
10.2	87	133	1	WP400139	5	WP400189
10.5	87	133	1	WP400140	5	WP400190
11	94	142	1	WP400141	5	WP400191
11.5	94	142	1	WP400142	5	WP400192
12	101	151	1	WP400143	5	WP400193
12.5	101	151	1	WP400144	5	WP400194
13	101	151	1	WP400145	5	WP400195

HSS DRILL BIT

HSS4341 GROUND TWIST DRILL BIT

DIN 338

PRO

- Suitable for general steel, iron, copper and aluminum, etc
- HSS4341, long working life
- 135 degree split, Accurately position
- Fully ground body, HB industrial grade accuracy





LONG WORKING LIFE



Tube pack Box pack

DIAMETER	WORKING LENGTH	TOTAL LENGTH	Tube Pack		Box Pack	
mm	mm	mm	PC/PACK	SKU	PC/PACK	SKU
1	12	34	5	WP400200	10	WP400250
1.5	18	40	5	WP400201	10	WP400251
2	24	49	5	WP400202	10	WP400252
2.5	30	57	5	WP400203	10	WP400253
3	33	61	2	WP400204	10	WP400254
3.2	36	65	2	WP400205	10	WP400255
3.5	39	70	2	WP400206	10	WP400256
4	43	75	1	WP400207	10	WP400257
4.5	47	80	1	WP400208	10	WP400258
4.8	52	86	1	WP400209	10	WP400259
5	52	86	1	WP400210	10	WP400260
5.5	57	93	1	WP400211	10	WP400261
6	57	93	1	WP400212	10	WP400262
6.5	63	101	1	WP400213	10	WP400263
7	69	109	1	WP400214	10	WP400264
7.5	69	109	1	WP400215	10	WP400265
8	75	117	1	WP400216	10	WP400266
8.5	75	117	1	WP400217	10	WP400267
9	81	125	1	WP400218	5	WP400268
9.5	81	125	1	WP400219	5	WP400269
10	87	133	1	WP400220	5	WP400270
10.5	87	133	1	WP400221	5	WP400271
11	94	142	1	WP400222	5	WP400272
11.5	94	142	1	WP400223	5	WP400273
12	101	151	1	WP400224	5	WP400274
12.5	101	151	1	WP400225	5	WP400275
13	101	151	1	WP400226	5	WP400276

M2 HSS DOUBLE END DRILL BIT

PRO PLUS

- M2 HSS, for general steel sheet, thin steel plate and aluminum plate, Etc
- Doubel end, double Life
- 135 degree split, accurately position



2X LIFE

DIAMETER	WORKING LENGTH	TOTAL LENGTH	PC/PACK	SKU
mm	mm	mm		
3	12	45	10	WP400400
3.2	12	45	10	WP400401
3.5	12	52	10	WP400402
4	15	55	10	WP400403
4.2	15	55	10	WP400404
4.5	15	58	10	WP400405
5	18	62	10	WP400406
5.2	18	62	10	WP400407

DRILL BIT SET

PRO



6PCS HSS DRILL BIT SET	SKU
HSS4341Ground 2, 3, 4, 5, 6, 8 MM	WP400460



8PCS HSS DRILL BIT SET	SKU
HSS4341Ground 3, 4, 5, 6, 7, 8, 9, 10 MM	WP400461



10PCS HSS DRILL BIT SET	SKU
HSS4341Ground 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 MM	WP400462



9PCS MIX DRILL BIT SET	SKU
HSS4341Ground Drill Bit 5, 6, 8MM Wood Drill Bit 5, 6, 8MM Masonry Drill Bit 5, 6, 8MM	WP400463

OTHER HSS DRILL BIT

OTHER HSS DRILL BIT

STEP DRILL BIT

NO	TOP1	TOP2
GRADE	PROFI	BASIC
MATERIAL	HSS4341	HSS 4241
FLUTE TYPE	30° Spiral	Straight
DRILLING SPEED	1.5x	x
WORKING LIFE	1.3x	x
WOOD	x	x
PLASTIC	○	●
ALU/CU	●	●
IRON	●	○
METAL	●	○





●= Most suitable ○= Acceptable x= Not suitable

COUNTERSINK







NO	TOP1	TOP2	TOP3
Grade	PROFI	PROFI	PROFI
Name	3 - Flute Countersink	Spirial Hole Countersink	5 - Flute Countersink
Material	HSS4241	HSS4241	HSS4241
Smoothness			
Working life			

DRILLING OBJECT













	WOOD	PLASTIC	ALUMINUM	COPPER	CAST IRON	STEEL PLATE
3 - Flute Countersink	●	●	●	●	●	○
Spirial Hole Countersink	●	●	●	●	●	●
5 - Flute Countersink	●	●	●	●	●	●

●= Most suitable ○= Acceptable



HSS4341 SPIRAL STEP DRILL BIT

- Can drill many size holes, for general iron sheet, steel plate, aluminum plate and plastic, etc
- High quality HSS4341, full heated, long working life
- Ground spiral flute, drilling quickly

MANY STEP SIZES

PRO

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
4 ~ 12 (5 size)	40	64	WP400424
4 ~ 20 (9 size)	51	72	WP400425
4 ~ 32 (15 size)	75	100	WP400426

NAME	DESCRIPTION	SKU
3Pcs Step Drill Bit	4~12, 4~20, 4~32mm	WP400427





HSS4241 STRAIGHT STEP DRILL BIT

- Can drill many size holes, for general iron sheet, steel plate, aluminum plate and plastic etc
- HSS4241 material, full heat treated
- Ground body

MANY STEP SIZES

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
4 ~ 12 (5 size)	40	64	WP400420
4 ~ 20 (9 size)	51	72	WP400421
4 ~ 32 (15 size)	75	100	WP400422

NAME	DESCRIPTION	SKU
3Pcs Step Drill Bit	4~12, 4~20, 4~32mm	WP400423





HSS 3 - FLUTE COUNTERSINK

PRO

- Long working life
- For chamfering steel, cast iron, aluminum, plastic, etc
- HSS4241 material
- 3 ground cutting edges, 90 degree

LONG WORKING LIFE



DIAMETER	WORKING LENGTH	TOTAL LENGTH	PC/PACK	SKU
mm	mm	mm		
6.3	5	45	1	WP400428
8.3	6	50	1	WP400429
10.4	7	50	1	WP400430
12.4	8	56	1	WP400431
16.5	10	60	1	WP400432
20.5	12.5	67	1	WP400433

HSS HOLE COUNTERSINK

PRO

- For chamfering steel, cast iron, aluminum, plastic etc
- 90 degree
- HSS4241 material
- Spiral hole structure, drilling sharply and smoothly

SHARP & SMOOTH



DIAMETER	WORKING LENGTH	TOTAL LENGTH	PC/PACK	SKU
mm	mm	mm		
10	2-5	45	1	WP400435
14	5-10	48	1	WP400436
21	10-15	65	1	WP400437
28	15-20	85	1	WP400438

HSS 5 - FLUTE COUNTERSINK

PRO

- Multi - aplicationg for cast iron, steel, copper, aluminum, plastic and wood etc.
- HSS4241
- Milled 5 flute, 90 degree
- 1/4" quick - change shank

MULTI - APPLICATION



DIAMETER	WORKING LENGTH	TOTAL LENGTH	PC/PACK	SKU
mm	mm	mm		
10	/	50	1	WP400440
12	/	50	1	WP400441
16	/	50	1	WP400442
19	/	50	1	WP400443

M2 HSS SPIRAL MACHINE TAP

PRO PLUS

TAPPING BLIND HOLE






1. **WIDE APPLICATION**
   Used for iron, steel, aluminum, copper, etc
2. **M2 HSS**
   High hardness & long working life
3. **BLIND HOLE**
   Tapping screw thread on steel directly
4. **SPIRAL FLUTE**
   Tapping smoothly and sharply

3 IN 1





Use for remove crumbs,not easily broken tap

DIAMETER	WORKING LENGTH	TOTAL LENGTH	PC/PACK	SKU
mm	mm	mm		
M3x0.5	11	48	1	WP400500
M4x0.7	13	53	1	WP400501
M5x0.8	16	58	1	WP400502
M6x1.0	19	66	1	WP400503
M8x1.25	22	72	1	WP400504
M10x1.5	24	80	1	WP400505
M12x1.75	29	89	1	WP400506



1. **WIDE APPLICATION**
   Used for iron, steel, aluminum, copper, etc
2. **M2 HSS**
   High hardness, long working life


6PCS COMBINATION MACHINE TAP	SKU
M2 HSS,1/4" Hex Quick Change Shank M3X0.5,4X0.7,M5X0.8,M6X1,M8X1.25,M10X1.5	WP400510



HAMMER DRILL BIT & HAMMER CHISEL

LD-1467

HOW TO CHOOSE HAMMER DRILL BIT



	NO	TIP SHAPE	SHANK TYPE	FLUTE TYPE	SPEED	WORKING LIFE
	1	⊖	SDS PLUS	W - groove	X	X
	2	⊖	SDS MAX	W - groove	X	X
	3	⊕	SDS PLUS	W - groove	2X	2X
	4	⊕	SDS MAX	W - groove	2X	2X

DRILLING OBJECT				
NO	BRICK WALL	CONCRETE WALL	STONE	REINFORCED CONCRETE
1	•	•	•	○
2	•	•	•	○
3	•	•	•	•
4	•	•	•	•

HOW TO CHOOSE HAMMER CHISEL

	SHANK TYPE	TIP	GRADE	WORKING POWER
	SDS PLUS	Point, Flat, Groove	PROFI	GENERAL
	SDS MAX	Point, Flat	PROFI PLUS	POWERFUL
	HEX K - TYPE	Point, Flat	PROFI PLUS	MORE POWERFUL
	HEX PH65	Point, Flat	PROFI PLUS	MAX POWER

●= Most suitable
○= Acceptable
X= Not suitable




SHANK TYPE	BRICK WALL	CONCRETE WALL	FLOOR TILE	REINFORCED CONCRETE
SDS PLUS	•	•	•	○
SDS MAX	•	•	•	•
HEX K - TYPE	•	•	•	•
HEX PH65	•	•	X	•

HAMMER DRILL BIT

CONCRETE DRILL BIT

PRO



1 WIDE APPLICATION
Suitable for brick, tile, masonry, concrete, etc

2 QUALITY MATERIAL
High quality YG6 TCT, 40Cr Shank, full heat treated

3 U - GROOVE DESIGN
Fast chip removal





DIAMETER (mm)	WORKING LENGTH (mm)	TOTAL LENGTH (mm)	SKU
mm	mm	mm	
3	30	60	WP401000
4	40	75	WP401001
5	50	85	WP401002
6	60	100	WP401003
7	80	120	WP401004
8	80	120	WP401005
9	80	120	WP401006
10	90	120	WP401007
12	90	150	WP401008
13	90	150	WP401009
14	90	150	WP401010
15	90	150	WP401011
6	125	200	WP401012
8	125	200	WP401013
10	125	200	WP401014
12	125	200	WP401015
14	125	200	WP401016
16	125	200	WP401017
18	125	200	WP401018
20	125	200	WP401019
25	125	200	WP401020
6	310	400	WP401021
8	310	400	WP401022
10	310	400	WP401023
12	310	400	WP401024
14	310	400	WP401025
16	310	400	WP401026
18	310	400	WP401027
20	310	400	WP401028
25	310	400	WP401029
5PCS 4, 5, 6, 8, 10 MM			WP401070
8PCS 3, 4, 5, 6, 7, 8, 9, 10 MM			WP401071



GLASS DRILL BIT

PRO



LONG LIFE

1 WIDE APPLICATION
Suitabl for brick, glass and deramic tile

2 QUALITY MATERIAL
High quality YG6X TCT, Carbon Steel, full heated treated

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
3	/	60	WP401031
4	/	64	WP401032
5	/	66	WP401033
6	/	71	WP401034
8	/	77	WP401035
10	/	79	WP401036
12	/	85	WP401037

X - TIP GLASS DRILL BIT

PRO



2X SPEED 2X LIFE

1 WIDE APPLICATION
Suitabl for brick, glass and deramic tile, porcelain tile etc

2 X TIP
Double drilling speed, double working life

3 MILLED GROVE
Fast chip removal

4 1/4" QUICK CHANGE HEX SHANK

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
3	31	69	WP401038
4	31	70	WP401039
5	33	76	WP401040
6	36	77	WP401041
8	37	78	WP401042
10	42	83	WP401043
12	47	87	WP401044

HAMMER DRILL BIT

CERAMIC TILE DRILL BIT

PRO

- Suitable for glass, ceramics tile, floor tile, etc
- High quality YG6X TCT , Carbon Steel, full heated treated
- Milled groove, fast chip removal
- Triangle tail used for preventing sliding



DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
3	42	80	WP401045
4	42	80	WP401046
5	42	82	WP401047
6	54	100	WP401048
8	65	115	WP401049
10	72	119	WP401050
12	77	125	WP401051

MULTI - FUNCTION DRILL BIT

PRO

MULTI - FUNCTION DESIGN

- Suitable for metal, glass, ceramics tile, plastic and wood, etc
- High quality YG6X TCT, drilling sharply Carbon Steel, full heated treated
- Milled groove, fast chip removal
- Triangle tail used for preventing sliding



DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
3	42	80	WP401052
4	42	80	WP401053
5	42	82	WP401054
6	54	100	WP401055
8	65	115	WP401056
10	72	119	WP401057
12	77	125	WP401058

TIP SDS - PLUS HAMMER DRILL BIT

PRO



1 WIDE APPLICATION
Suitable for drilling brick, concrete, marble, granite, etc

2 QUALITY MATERIAL
YG8C TCT,40Cr shank, full heat treated

3 W - TYPE FLUTE
Higher strength & fast chip removal

4 SDS - PLUS SHANK

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
4	50	110	WP401100
5	50	110	WP401101
5.5	50	110	WP401102
6	50	110	WP401103
6.5	50	110	WP401104
7	50	110	WP401105
8	50	110	WP401106
9	50	110	WP401107
10	50	110	WP401108
12	50	110	WP401109
5.5	110	160	WP401110
6	110	160	WP401111
6.5	110	160	WP401112
7	110	160	WP401113
8	110	160	WP401114
10	110	160	WP401115
11	110	160	WP401116
12	110	160	WP401117
14	110	160	WP401118
16	110	160	WP401119
5.5	150	210	WP401120
6	150	210	WP401121
7	150	210	WP401122
8	150	210	WP401123
10	150	210	WP401124
11	150	210	WP401125
12	150	210	WP401126
14	150	210	WP401127
16	150	210	WP401128
18	150	210	WP401129
20	150	210	WP401130
22	150	210	WP401131
25	150	210	WP401132

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
8	200	260	WP401133
10	200	260	WP401134
11	200	260	WP401135
12	200	260	WP401136
14	200	260	WP401137
16	200	260	WP401138
18	200	260	WP401139
20	200	260	WP401140
22	200	260	WP401141
25	200	260	WP401142
28	200	260	WP401143
8	260	310	WP401144
10	260	310	WP401145
11	260	310	WP401146
12	260	310	WP401147
14	260	310	WP401148
16	260	310	WP401149
18	260	310	WP401150
20	260	310	WP401151
22	260	310	WP401152
25	260	310	WP401153
28	260	310	WP401154
10	290	450	WP401155
12	290	450	WP401156
14	290	450	WP401157
16	290	450	WP401158
18	290	450	WP401159
20	290	450	WP401160
22	290	450	WP401161
25	290	450	WP401162
28	290	450	WP401163
30	290	450	WP401164
32	290	450	WP401165
35	290	450	WP401166

– TIP SDS - MAX DRILL BIT

POWERFUL
HIGH TORQUE

PRO PLUS





1 WIDE APPLICATION
Suitable for brick, concrete, reinforced concrete, stone marble granite, etc.

2 QUALITY MATERIAL
YG8C TCT, 40Cr shank, full heat treated

3 W - TYPE FLUTE
Higher strength & fast chip removal

4 SDS - MAX SHANK
High power and high drilling torque



DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
8	135	280	WP401200
10	135	280	WP401201
12	135	280	WP401202
14	135	280	WP401203
16	135	280	WP401204
18	135	280	WP401205
20	135	280	WP401206
22	135	280	WP401207
25	135	280	WP401208
12	315	450	WP401209
14	315	450	WP401210
16	315	450	WP401211
18	315	450	WP401212
20	315	450	WP401213
22	315	450	WP401214
25	315	450	WP401215
28	315	450	WP401216
30	315	450	WP401217
32	315	450	WP401218
35	315	450	WP401219
12	405	540	WP401220
14	405	540	WP401221
16	405	540	WP401222
18	405	540	WP401223
20	405	540	WP401224
22	405	540	WP401225
25	405	540	WP401226
28	405	540	WP401227
30	405	540	WP401228
32	405	540	WP401229
35	405	540	WP401230
38	405	540	WP401231

HAMMER DRILL BIT

+ TIP SDS - PLUS DRILL BIT

2X SPEED
2X LIFE

PRO PLUS





1 WIDE APPLICATION
Suitable for brick, concrete, reinforced concrete, stone marble granite, etc.

2 QUALITY MATERIAL
YG8C TCT , 40Cr shank, full heat treated

3 W - TYPE FLUTE
High strength & fast chip removal

4 SDS - PLUS SHANK

5 DURABLE & ACCURATE
Longer working life and more accurate drilling size



DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
6	50	110	WP401300
8	50	110	WP401301
6	100	160	WP401302
8	100	160	WP401303
10	100	160	WP401304
12	100	160	WP401305
14	100	160	WP401306
16	100	160	WP401307
6	150	210	WP401308
8	150	210	WP401309
10	150	210	WP401310
12	150	210	WP401311
14	150	210	WP401312
16	150	210	WP401313
8	200	260	WP401314
10	200	260	WP401315
12	200	260	WP401316
14	200	260	WP401317
16	200	260	WP401318
18	200	260	WP401319
10	250	310	WP401320
12	250	310	WP401321
14	250	310	WP401322
16	250	310	WP401323
18	250	310	WP401324
20	250	310	WP401325
22	250	310	WP401326
25	250	310	WP401327
28	250	310	WP401328
12	250	450	WP401329
14	250	450	WP401330
16	250	450	WP401331
18	250	450	WP401332
20	250	450	WP401333
22	250	450	WP401334
25	250	450	WP401335
28	250	450	WP401336
30	250	450	WP401337
32	250	450	WP401338
35	250	450	WP401339

+ TIP SDS - MAX DRILL BIT

PRO PLUS

2X SPEED
2X LIFE
HIGH TORQUE



1. **WIDE APPLICATION**
   For brick, concrete, reinforced concrete, marble and granite, etc
2. **QUALITY MATERIAL**
   YG8C TCT, 40Cr shank, full heat treated
3. **W - TYPE FLUTE**
   Higher strength & fast chip removal
4. **DURABLE & ACCURATE**
   Longer working life and more accurate drilling size
5. **SDS - MAX SHANK**
   High - power and high torque

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
8	135	280	WP401350
10	135	280	WP401351
12	135	280	WP401352
14	135	280	WP401353
16	135	280	WP401354
18	135	280	WP401355
20	135	280	WP401356
22	135	280	WP401357
25	135	280	WP401358
12	315	450	WP401359
14	315	450	WP401360
16	315	450	WP401361
18	315	450	WP401362
20	315	450	WP401363
22	315	450	WP401364
25	315	450	WP401365
28	315	450	WP401366
30	315	450	WP401367
32	315	450	WP401368
35	315	450	WP401369
12	405	540	WP401370
14	405	540	WP401371
16	405	540	WP401372
18	405	540	WP401373
20	405	540	WP401374
22	405	540	WP401375
25	405	540	WP401376
28	405	540	WP401377
30	405	540	WP401378
32	405	540	WP401379
35	405	540	WP401380
38	405	540	WP401381

SDS - PLUS HAMMER CHISEL

PRO

- Suitable for concrete, brick wall, ceramics tile and floor tile, etc
- 40CR steel shank, forged tip
- SDS - plus shank



TIP TYPE	SIZE	SHANK SIZE	LENGTH	SKU
	mm	mm	mm	
Point	/	14	250	WP401400
Flat	20	14	250	WP401401
Flat	40	14	250	WP401402
Groove	/	14	250	WP401403

SDS - MAX HAMMER CHISEL

PRO PLUS

POWERFUL

- Suitable for reinforced concrete, brick wall and floor tile, etc
- 40Cr steel shank, forged tip
- SDS - Max shank, high power and high torque



TIP TYPE	SIZE	SHANK SIZE	LENGTH	SKU
	mm	mm	mm	
Point	/	18	400	WP401404
Flat	25	18	400	WP401405
Flat	50	18	400	WP401406

K - HEX HAMMER CHISEL

PRO PLUS

POWERFUL

- Suitable for reinforced concrete, brick wall and floor tile, etc.
- 40Cr steel shank, forged tip
- K - Hex shank, high power



TIP TYPE	SIZE	SHANK SIZE	LENGTH	SKU
	mm	mm	mm	
Point	/	17	280	WP401407
Flat	25	17	280	WP401408
Point	/	17	400	WP401409
Flat	25	17	400	WP401410

PH65 - HEX HAMMER CHISEL

PRO PLUS

HEAVY DUTY

- Suitable for reinforced concrete, concrete wall, etc
- 40Cr steel shank, forged tip
- PH65 - Hex shank, larger power



TIP TYPE	SIZE	SHANK SIZE	LENGTH	SKU
	mm	mm	mm	
Point	/	30	400	WP401411
Flat	35	30	400	WP401412



WOOD DRILL & ROUTER BIT

LD-1467

WOOD DRILL BIT





	NO	NAME	MATERIAL	TIP	SHANK
	1	Twist drill bit	45# Carbon steel	Brad Point	Round
	2	Spade drill bit	45# Carbon steel	Flat	Hex
	3	Auger drill bit	45# Carbon steel	Self - thread	Hex
	4	Forest Bit	45# Carbon steel +TCT	TCT	Hex









NAME	SOFT WOOD	HARD WOOD	MDF	PLYWOOD
Twist drill bit	●	●	●	●
Spade drill bit	●	○	●	●
Auger drill bit	●	○	●	●
Forest Bit	●	●	●	●

●= Most suitable ○= Acceptable





WOOD DRILL BIT

WOOD TWIST DRILL BIT

DIN 338

PRO

1 WIDE APPLICATION
Suitable for all kinds of wood

2 QUALITY MATERIAL
High quality carbon steel, full heat treated, long working life

3 ACCURATE POSITION
Ground brad point, position accurately





DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
3	33	61	WP402000
4	43	75	WP402001
5	52	86	WP402002
6	57	93	WP402003
7	69	109	WP402004
8	75	117	WP402005
9	81	125	WP402006
10	87	133	WP402007
11	94	142	WP402008
12	101	151	WP402009
13	101	151	WP402010
14	101	160	WP402011
15	101	160	WP402012
16	101	160	WP402013
18	101	160	WP402014
20	101	160	WP402015
6	130	200	WP402020
8	130	200	WP402021
10	130	200	WP402022
12	130	200	WP402023
14	130	200	WP402024
16	130	200	WP402025
18	130	200	WP402026
20	130	200	WP402027
6	250	400	WP402028
8	250	400	WP402029
10	250	400	WP402030
12	250	400	WP402031
14	250	400	WP402032
16	250	400	WP402033
18	250	400	WP402034
20	250	400	WP402035
5PCS 4, 5, 6, 8, 10 MM			WP402016
8PCS 3, 4, 5, 6, 7, 8, 9, 10 MM			WP402017



WOOD SPADE DRILL BIT

PRO

- Suitable for all kinds of wood
- High quality carbon steel, full heat treated, long working life
- Three point cutting edges, accurately position, forged cutting edge, drilling smoothly and quickly
- 1/4" quick - change hex shank

DIAMETER	TOTAL LENGTH	SKU
mm	mm	
6	152	WP402050
8	152	WP402051
10	152	WP402052
12	152	WP402053
14	152	WP402054
16	152	WP402055
18	152	WP402056
20	152	WP402057
22	152	WP402058
25	152	WP402059
28	152	WP402060
30	152	WP402061
32	152	WP402062
35	152	WP402063
40	152	WP402064





6PCS 10, 12, 16, 18, 20, 25 MM WP402070

WOOD DRILL BIT

WOOD AUGER DRILL BIT

PRO

SELF - TAPPING DRILLING



1. **WIDE APPLICATION**
   For all kinds of wood
2. **SELF - TAPPING SCREW HEAD**
   Drilling automatically and position accurately
3. **30° SPIRAL GROOVE**
   Drilling smoothly and sharply
4. **LONG WORKING LIFE**
   High quality carbon steel,Full heat treated

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
6	150	230	WP402100
8	150	230	WP402101
10	150	230	WP402102
12	150	230	WP402103
14	150	230	WP402104
16	150	230	WP402105
18	150	230	WP402106
20	150	230	WP402107
22	150	230	WP402108
25	150	230	WP402109
28	150	230	WP402110
30	150	230	WP402111
32	150	230	WP402112
35	150	230	WP402113
38	150	230	WP402114
40	150	230	WP402115

DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
6	370	460	WP402120
8	370	460	WP402121
10	370	460	WP402122
12	370	460	WP402123
14	370	460	WP402124
16	370	460	WP402125
18	370	460	WP402126
20	370	460	WP402127
22	370	460	WP402128
25	370	460	WP402129
28	370	460	WP402130
30	370	460	WP402131
32	370	460	WP402132
35	370	460	WP402133
38	370	460	WP402134
40	370	460	WP402135

TCT FORSTNER BIT

PRO

SMOOTH & ACCURATE





1. **WOOD WORKING**
   Suitable for soft and hard wood, density board, etc.
2. **LONG WORKING LIFE**
   YG8 tunsten carbide tip
3. **GROUND POINT**
   Sharp center spur accurately locates the center of the hole without walking on the material.
4. **EASILY CUT**
   Ground cutting edge, drilling smoothly and sharply



DIAMETER	WORKING LENGTH	TOTAL LENGTH	SHANK SIZE	SKU
mm	mm	mm	mm	
15	48	80	6.35	WP402200
16	48	80	6.35	WP402201
18	48	80	6.35	WP402202
19	48	80	6.35	WP402203
20	48	80	6.35	WP402204
22	48	80	6.35	WP402205
24	48	80	6.35	WP402206
25	48	80	6.35	WP402207
26	48	80	8.5	WP402208
28	48	80	8.5	WP402209
30	48	80	8.5	WP402210
32	48	80	8.5	WP402211
35	48	80	8.5	WP402212
38	48	80	8.5	WP402213
40	48	80	8.5	WP402214
42	48	80	8.5	WP402215
45	48	80	8.5	WP402216
48	48	80	8.5	WP402217
50	48	80	8.5	WP402218
53	48	80	8.5	WP402219
55	48	80	8.5	WP402220
60	48	80	8.5	WP402221

WOOD ROUTER BIT

- For all kinds of solid wood
- Carbon steel
- YG8 TCT





NAME	DESCRIPTION(MM)	SKU
12PCS ROUTER BIT SET (6.35MM SHANK)	Straight Bit: Dia=6,H=20; Straight Bit: Dia=12,H=20; Straight Bit: Dia=16,H=20; 90° V Grooving Bit: Dia=12.7; Cove Bo, x: Dia=12.5, R=6.35; 14° Dove Tail Bit: Dia=12.7; Flush trim Bit with bearing: Dia=12.7, H=12.7; 45° Chamfer Bit with bearing: Dia=32; Corner Round Bit: Dia=22, R=6.35; Corner Round Bit: Dia=28.6, R=9.5; Cove Bit With bearing: Dia=22, R=6.35; Roman Ogee Bit With bearing: Dia=25.4, R=4	WP402300
12PCS ROUTER BIT SET (8MM SHANK)		WP402301
12PCS ROUTER BIT SET (12MM SHANK)		WP402302



NAME	DESCRIPTION(MM)	SKU
15PCS ROUTER BIT SET (6.35MM SHANK)	Straight Bit: Dia=1/8"x 1/2"; Straight Bit: Dia=1/4", 1/2", 5/8, H=3/4" 90°V Grooving Bit: Dia=1/2", H=3/8"; Cove Box Bit: R=1/8", 1/4", H=1/4"; Panel Pilot Bit: Dia=1/4",H=1-1/5"; Mortising Bit: Dia=1/2", H=5/8"; Dovetail Bit: Dia=1/2", H=1/2"; Flush Trim Bit With Bearing: Dia=1/2", H=5/8" ; 45° Chamfer With Bearing: Dia=1-1/4" ; Corner Round Bit With Bearing: Dia=1-1/4", R=3/8"; Cove Bit With Bearing: Dia=7/8", R=1/4"; Roman Ogee Bit With Bearing: Dia=1", R=5/32"	WP402303





HOLE SAW & WALL DRILL

LD-1467

WOOD & METAL HOLE SAW

DIFFERENT TYPES



NO	1	2	3	4
Name	Wood Hole Saw	Bi - metal Hole Saw	TCT Hole Saw	HSS Hole Saw
Grade	BASIC	PROFI	PROFI	PROFI
Teeth Material	65Mn steel	HSS M3	YG10X TCT	HSS4341


DRILLING OBJECT




	WOOD	PLASTERBOARD	MDF	PLASTIC	METAL	STAINLESS
Wood Hole Saw	●	○	○	○	x	x
Bi - metal Hole Saw	●	●	●	●	●	○
TCT Hole Saw	○	○	○	●	●	●
HSS Hole Saw	○	○	○	●	●	●

●= Most suitable ○= Acceptable x= Not suitable

HSS HOLE SAW & TCT HOLE SAW SUITABLE DRILLING SPEED







TILE & STONE HOLE SAW






NO	1	2	3	4
Name	Tile Hole Saw	Diamond Plating Hole Saw	TCT Core Drill Bit	Diamond Core Drill Bit
Grade	BASIC	BASIC	PROFI	PROFI
Teeth Material	Tugsten Carbide Gritted	Diamond Plating	Tugsten Carbide Tip	Hot Depressed Diamond
Body Material	Carbon Steel	Carbon Steel	Carbon Steel	65Mn Steel

DRILLING OBJECT








NAME	BRICK WALL	CONCRETE	CERAMIC TILE	FLOOR TILE	MARBLE	GLASS
Tile Hole Saw	○	○	●	x	x	x
Diamond Plating Hole Saw	○	○	●	●	●	●
TCT Wall Core Drill Bit	●	●	x	x	x	x
Diamond Wall Core Drill Bit	●	●	x	x	x	x

●= Most suitable ○= Acceptable x= Not suitable




CARBON STEEL HOLE SAW SET



- Suitable for soft wood
- 65Mn steel
- Can drill 7 size hole




NAME	DESCRIPTION	SKU
7PC 1" WOOD HOLE SAW SET	26, 32, 38, 45, 50, 56, 63mm, working depth 25mm	WP403000
7PC 2" WOOD HOLE SAW SET	25, 32, 38, 44, 50, 57, 63mm, working depth 50mm	WP403001


WP403002


WP403003

NAME	DESCRIPTION	SKU
11PC WOOD HOLE SAW SET	8pcs Hole saw: 19, 22, 29, 32, 38, 44, 51, 64mm 2pc – Arbor, 1pc - Hex	WP403002
16PC WOOD HOLE SAW SET	12pcs Hole saw: 19, 22, 29, 32, 38, 44, 51, 64, 76, 89, 102, 127mm 2pcs Arbor, 1pc Hex, 1pc Steel plate	WP403003

HOLE SAW

BI - METAL HOLE SAW

HSS TEETH FOR CUTTING METAL

- For metal, aluminum, plastic, plasterboard wood, etc.
- M3 HSS teeth, high hardness, long working life
- Drilling sharply and easily
- Need drilling with arbor




DIAMETER	WORKING LENGTH	SKU
mm	mm	
14	38	WP403010
16	38	WP403011
17	38	WP403012
19	38	WP403013
20	38	WP403014
21	38	WP403015
22	38	WP403016
24	38	WP403017
25	38	WP403018
27	38	WP403019
29	38	WP403020
30	38	WP403021
32	38	WP403022
33	38	WP403023
35	38	WP403024
37	38	WP403025
38	38	WP403026
40	38	WP403027
41	38	WP403028
43	38	WP403029
44	38	WP403030
46	38	WP403031
48	38	WP403032
51	38	WP403033
52	38	WP403034
54	38	WP403035
57	38	WP403036
59	38	WP403037

DIAMETER	WORKING LENGTH	SKU
mm	mm	
60	38	WP403038
64	38	WP403039
65	38	WP403040
67	38	WP403041
68	38	WP403042
70	38	WP403043
73	38	WP403044
76	38	WP403045
79	38	WP403046
80	38	WP403047
83	38	WP403048
86	38	WP403049
89	38	WP403050
92	38	WP403051
95	38	WP403052
98	38	WP403053
102	38	WP403054
105	38	WP403055
108	38	WP403056
111	38	WP403057
114	38	WP403058
121	38	WP403059
127	38	WP403060
133	38	WP403061
140	38	WP403062
146	38	WP403063
152	38	WP403064
200	38	WP403065

MANDREL PILOT DRILL - Bi - Metal Hole Saw Adapter

NAME	PICTURE	SUITABLE FOR HOLE SAW DIAMETER (mm)	SHANK SIZE	SKU
S HEX MANDREL		14, 16, 17, 19, 20, 21, 22, 24, 25, 27, 29, 30	9.5	WP403066
L HEX MANDREL		32, 33, 35, 37, 38, 40 .. 200	11	WP403067
S SDS-PLUS MANDREL		14, 16, 17, 19, 20, 21, 22, 24, 25, 27, 29, 30	/	WP403068
L SDS-PLUS MANDREL		32, 33, 35, 37, 38, 40 .. 200	/	WP403069



BI - METAL HOLE SAW SET



WP403070



WP403071

NAME	DESCRIPTION	SKU
9PCS METAL HOLE SAW SET	6pcs Hole Saw: 22, 29, 35, 44, 51, 64mm 2pcs Arbor, 1pc Adapter	WP403070
13PCS METAL HOLE SAW SET	9pcs Hole Saw: 19, 22, 29, 35, 38, 44, 51, 57, 64mm 2pcs Arbor, 1pc Adapter , 1pc Drill	WP403071

TCT HOLE SAW

PRO

SHARP & ACCURATE

- Suitable for 0~5mm stainless, iron, steel, aluminum, plastic drilling
- High quality YG10X TCT, ground teeth, sharp and accurate, long working life
- With mandrel and pilot drill
- Size of TCT hole saw can be made to 1mm interval from 14 - 100mm





*If order quantity is large, TCT hole saw of any size can be ordered.



DIAMETER	WORKING THICKNESS	SHANK SIZE	SKU
mm	mm	mm	
14	5	9	WP403100
15	5	9	WP403101
16	5	9	WP403102
17	5	9	WP403103
18	5	9	WP403104
19	5	9	WP403105
20	5	9	WP403106
22	5	9	WP403107
23	5	9	WP403108
25	5	9	WP403109
26	5	9	WP403110
28	5	9	WP403111
30	5	9	WP403112
32	5	9	WP403113
35	5	9	WP403114
38	5	9	WP403115
40	5	9	WP403116
42	5	9	WP403117
45	5	9	WP403118
48	5	9	WP403119
50	5	9	WP403120
55	5	9	WP403121
60	5	9	WP403122
65	5	9	WP403123
70	5	9	WP403124
75	5	9	WP403125
80	5	9	WP403126
85	5	9	WP403127
90	5	9	WP403128
95	5	9	WP403129
100	5	9	WP403130

HOLE SAW

HSS HOLE SAW

PRO

SHARP & ACCURATE

- For 0~1mm stainless, and 0~5mm iron, steel, aluminum, plastic drilling
- HSS4341 whole body, milled teeth, sharp and accurate, long working life
- With mandrel and pilot drill
- Size of HSS hole saw can be made to 1mm interval from14~100mm



*If order quantity is large, TCT hole saw of any size can be ordered.



DIAMETER	STAINLESS WORKING THICKNESS	METAL WORKING THICKNESS	SHANK SIZE	SKU
mm	mm	mm	mm	
14	1	5	9	WP403150
15	1	5	9	WP403151
16	1	5	9	WP403152
17	1	5	9	WP403153
18	1	5	9	WP403154
19	1	5	9	WP403155
20	1	5	9	WP403156
22	1	5	9	WP403157
23	1	5	9	WP403158
25	1	5	9	WP403159
26	1	5	9	WP403160
28	1	5	9	WP403161
30	1	5	9	WP403162
32	1	5	9	WP403163
35	1	5	9	WP403164
38	1	5	9	WP403165
40	1	5	9	WP403166
42	1	5	9	WP403167
45	1	5	9	WP403168
48	1	5	9	WP403169
50	1	5	9	WP403170
55	1	5	9	WP403171
60	1	5	9	WP403172
65	1	5	9	WP403173
70	1	5	9	WP403174
75	1	5	9	WP403175
80	1	5	9	WP403176
85	1	5	9	WP403177
90	1	5	9	WP403178
95	1	5	9	WP403179
100	1	5	9	WP403180

HOLE SAW

TUNGSTEN CARBIDE GRITTED HOLE SAW

- For brick wall and ceramic tile, other harder tile will be damage quickly
- High quality YG8 tungsten carbide grit, drill sharply, long working life
- It is better to drill holes with water

ONLY FOR CERAMIC TILE



DIAMETER	WORKING LENGTH	SKU
mm	mm	
33	60	WP403200
43	60	WP403201
53	60	WP403202
63	60	WP403203
67	60	WP403204

DIAMETER	WORKING LENGTH	SKU
mm	mm	
73	60	WP403205
83	60	WP403206
103	60	WP403207
113	60	WP403208



WP403209



WP403210

NAME	DESCRIPTION	SHANK SIZE	SKU
HOLE SAW ARBOR	1pc Plate, 1pc Pilot drill	9 mm	WP403209
7PCS GRITTED HOLE SAW SET	5pcs Hole Saw: 33, 53, 67, 73, 83mm 1pc Plate, 1pc Pilot drill	9 mm	WP403210

DIAMOND COATING HOLE SAW

- Suitable for marble, slate, glass and porcelain tile, etc
- High hardness diamond particle coating, drilling quickly and sharply
- Water must be added when drilling to facilitate heat dissipation and prolong the life of the product



DIAMETER	WORKING LENGTH	TOTAL LENGTH	SHANK SIZE	SKU
mm	mm	mm	mm	
6	30	65	8	WP403211
8	30	65	8	WP403212
10	30	65	8	WP403213
12	30	65	8	WP403214
14	30	65	9.5	WP403215
16	30	65	9.5	WP403216
18	30	65	9.5	WP403217
20	30	65	9.5	WP403218
22	30	65	9.5	WP403219
25	30	65	9.5	WP403220
28	30	65	9.5	WP403221
30	30	65	9.5	WP403222
35	30	65	9.5	WP403223
40	30	65	9.5	WP403224
50	30	65	9.5	WP403225
55	30	65	9.5	WP403226
60	30	65	9.5	WP403227
65	30	65	9.5	WP403228
70	30	65	9.5	WP403229
75	30	65	9.5	WP403230
80	30	65	9.5	WP403231

TCT CORE DRILL BIT

PRO

- Used for brick wall and masonry wall
- High quality YG11C TCT, Long working life, Carbon steel body, full heat treated
- Includes 1pc 8x110mm pilot drill bit and SDS - Plus Shank



DIAMETER	WORKING LENGTH	TOTAL LENGTH	SKU
mm	mm	mm	
50	50	70	WP403300
65	50	70	WP403301
80	50	70	WP403302
100	50	70	WP403303

CORE DRILL CONNECTING ROD

PRO

- Suitable for connecting TCT hole saw
- High quality TCT, long working life
- Includes 1pc 8x110mm Pilot drill bit and and Bolt
- SDS - Plus Shank



DIAMETER	SCREW THREAD	TOTAL LENGTH	SKU
mm	mm	mm	
8	22x2.5	200	WP403304
8	22x2.5	320	WP403305

DIAMOND CORE DRILL BIT

PRO

- Used for brick wall and concrete wall
- Hot pressed diamond tip is welded by laser, drilling sharply, long working life
- Water must be added when drilling to facilitate heat dissipation and prolong the life of the product
- M22 Thread Adapter




DIAMETER	TOTAL LENGTH	TEETH NUMBER	SKU
mm	mm		
82	450	8T	WP403306
102	450	9T	WP403307
122	450	11T	WP403308
152	450	12T	WP403309



JIG & RECIPROCATING SAW BLADE

HOW TO CHOOSE THE JIG SAW BLADE

Jig saw blades are application tools for jigsaws, which allow you to accurately make straight or shaped cuts in a variety of materials such as wood, plastic and metal. Their properties determine largely their usefulness for specific jobs, the quality of the cut and the work progress.



NO	1	2	3	4	5
TOOTH GEOMETRY	milled & side set	ground & side set	ground & taper ground	milled & wavy set	milled & side set
MATERIAL	Cr - V	Cr - V	Cr - V	HSS	Bi - metal
CUTTING TYPE	Wood Basic Cutting	Wood Fast Cutting	Wood Clean Cutting	Metal Cutting	Metal Cutting





CUTTING OBJECT



NO	WOOD	PLYWOOD	NAIL WOOD	PLASTIC	ALU	METAL PLATE
1	•	•	x	•	x	x
2	•	•	x	•	x	x
3	•	•	x	•	x	x
4	○	○	•	○	•	○
5	○	○	•	○	•	•

•= Most suitable ○= Acceptable x= Not suitable

CR - V JIG SAW BLADE

PRO

1 WOOD CUTTING
Used for all kinds of soft wood, hard wood, chipboards, plywood, fiberboards, plastic, etc

2 CR - V STEEL
High hardness and long working life

3 EASILY CUT
Side milled or ground teeth, cutting sharply

L1=TOTAL LENGTH L2=WORKING LENGTH

JIG SAW PICTURE	CUTTING LINE	L1 (mm)	L2 (mm)	TEETH / INCH	CUTTING TYPE	WOOD/ PLASTIC	PCS/ PACK	T - SHANK SKU
	Curve	75	50	12T	Basic	2 - 15mm	5	WP404000
	Straight	100	75	8T	Basic	4 - 50mm	5	WP404001
	Curve	100	75	6T	Fast	5 - 50mm	5	WP404002
	Straight	100	75	6T	Fast	5 - 50mm	5	WP404003
	Curve	83	58	18T	Clean	1.5 - 15mm	5	WP404004
	Straight	100	75	10T	Clean	3 - 30mm	5	WP404005
	Straight	100	75	10T	Clean - Reverse	3 - 30mm	5	WP404006
	Straight	115	90	8T	Clean	10 - 65mm	5	WP404007
	Straight	100	75	6T	Clean	10 - 45mm	5	WP404008
	Straight	100	75	10T	Plastic Clean	3 - 30mm	5	WP404009




HSS JIG SAW BLADE

PRO



1 METAL CUTTING
Used for all kind of steel plate, iron, metal pipe, aluminum plate, etc

2 HSS BODY
High hardness and long working life

3 WAVY MILLED TEETH
Cutting sharply and fast Chip removal



L1=TOTAL LENGTH L2=WORKING LENGTH

JIG SAW PICTURE	CUTTING LINE	L1 (mm)	L2 (mm)	TEETH / INCH	METAL SIZE	PIPE SIZE	PCS/ PACK	T - SHANK SKU
	Straight	75	50	32T	0.5 - 1.5mm	/	5	WP404020
	Curve	75	50	21T	1 - 3mm	/	5	WP404021
	Curve	92	67	17-24T	1 - 3mm	/	5	WP404022
	Straight	75	50	21T	1 - 3mm	/	5	WP404023
	Straight	92	67	17-24T	1 - 3mm	/	5	WP404024
	Straight	130	105	21T	1 - 3mm	<65mm	5	WP404025
	Straight	75	50	12T	2.5 - 6mm	/	5	WP404026
	Straight	92	67	11 - 14T	2.5 - 6mm	/	5	WP404027
	Straight	130	105	12T	2.5 - 6mm	<65mm	5	WP404028
	Curve	100	75	8T	Alu 3 - 15mm	<30mm	5	WP404029
	Straight	100	75	8T	Alu 3 - 15mm	<30mm	5	WP404030



BI - METAL JIG SAW BLADE

PRO

- Used for all kind of steel plate, iron, metal pipe, aluminum plate, etc
- High quality bi - metal, high hardness and long working life
- Milled and side set, cutting sharply and easily



JIG SAW PICTURE	CUTTING LINE	L1 (mm)	L2 (mm)	TEETH/ INCH	METAL SIZE	PIPE SZIE	PCS/ PACK	T - SHANK SKU
	Straight	75	50	21T	1 - 3mm	/	5	WP404042
	Straight	92	67	17 - 24T	1 - 3mm	/	5	WP404043
	Straight	130	105	21T	1 - 3mm	<65mm	5	WP404044
	Straight	75	50	14T	2.5 - 6mm	/	5	WP404045
	Straight	92	67	14 - 18T	2.5 - 6mm	/	5	WP404046
	Straight	75	50	12T	2.5 - 6mm	/	5	WP404047
	Straight	92	67	11 - 14T	2.5 - 6mm	/	5	WP404048
	Straight	130	105	12T	2.5 - 6mm	<65mm	5	WP404049

WOOD RECIPROCATING SAW BLADE

- Cr - V Steel reciprocating Saw blade, suitable for all kinds of wood, chipboard, plywood, fiberboards, plastic, etc
- Bi - metal steel reciprocating Saw blade, professional for nailwood
- Milled and side teeth for general cutting, ground and side teeth for fast cutting

L1=TOTAL LENGTH L2=WORKING LENGTH

PICTURE	MATERIAL	CUTTING LINE	L1 (mm)	L2 (mm)	TEETH /INCH	CUTTING STYLE	WOOD CUTTING THICKNESS	ROUND LOG CUTTING SIZE	PCS/ PACK	SKU
	CRV	Curve	152	130	3T	Green Wood	20 - 100mm	<100mm	2	WP404100
	CRV	Straight	225	203	3T	Green Wood	20 - 175mm	<175mm	2	WP404101
	CRV	Straight	152	130	6T	Basic	10 - 100mm	<100mm	2	WP404102
	CRV	Straight	230	208	6T	Basic	10 - 175mm	<175mm	2	WP404103
	CRV	Straight	152	130	6T	Clean	6 - 100mm	<100mm	2	WP404104
	CRV	Straight	230	208	5T	Clean	15 - 190mm	<175mm	2	WP404105
	Bi - Metal	Straight	152	130	6T	Nail Wood	10 - 100mm	<100mm	2	WP404106
	Bi - Metal	Straight	230	208	6T	Nail Wood	10 - 175mm	<175mm	2	WP404107



BI - METAL RECIPROCATING SAW BLADE

PRO

- For all kind of steel plate, iron, metal pipe, aluminum plate, etc
- High quality Bi - metal, high hardness and long working life
- Side milled teeth, cutting sharply and easily

PICTURE	MATERIAL	CUTTING LINE	L1 (mm)	L2 (mm)	TEETH /INCH	METAL CUTTING SIZE	PIPE CUTTING SIZE	PCS/ PACK	SKU
	Bi - Metal	Straight	150	128	24T	0.7 - 3mm	10 - 100mm	2	WP404120
	Bi - Metal	Straight	230	208	24T	0.7 - 3mm	10 - 175mm	2	WP404121
	Bi - Metal	Straight	150	128	18T	1.5 - 4mm	10 - 100mm	2	WP404122
	Bi - Metal	Straight	230	208	18T	1.5 - 4mm	10 - 175mm	2	WP404123
	Bi - Metal	Straight	150	128	14T	3 - 8mm	10 - 100mm	2	WP404124
	Bi - Metal	Straight	230	208	14T	3 - 8mm	10 - 175mm	2	WP404125




SAW BLADE SET

PICTURE	NAME	DESCRIPTION	PACK	SKU
	5pcs Jig Saw Blade Set For Wood & Metal	1Pc 75 x12T Wood Basic Curve; 1Pc 100 x8T Wood Fast; 1Pc 100 x10T Wood Clean; 1Pc 75 x21T HSS Thin Metal; 1Pc 100 x8T HSS Alu Cutting	Blister + Card	WP404060
	5pcs Jig Saw Blade Set For Wood	1Pc 75 x12T Wood Basic Curve; 1Pc 100 x8T Wood Fast; 1Pc 100 x6T Wood Fast; 1Pc 100 x6T Wood Clean; 1Pc 100 x10T Wood Clean	Blister + Card	WP404061
	10pcs Jig Saw Blade Set For Wood & Metal	2pcs 75 x12T Wood Basic Curve;; 3pcs100 x8T Wood Fas; 2pcs100 x10T Wood Clean; 2Pcs 75 x21T HSS Milled & side; 1Pc 100 x8T HSS Milled & side	Plastic Box + Label	WP404062
	10pcs Jig Saw Blade Set For Wood & Metal	2pcs 75 x12T Wood Basic Curve;; 3pcs100 x8T Wood Basic; 2pcs100 x10T Wood Clean; 2Pcs 100 x6T Wood Fast; 1Pcs 75 x21T HSS Thin Metal	Plastic Box + Label	WP404063
	9pcs Saber Saw Blade SET	3Pcs 152 x6T Cr - v Blade ; 3Pcs 150 x14T Bi - Metal Blade ; 3Pcs 150 x18T Bi - Metal Blade	Double Blister + Card	WP404130
	17pcs Oscillating Saw Blade Set	10Pcs 80mm Sandpaper; 1Pc 80mm Sander; 1Pc 50mm Rigid Scraper; 1Pc50mm Bent Scraper; 1Pc 34x40 - 18T HCS Milled Saw Blade; 1Pc 34x40 - 14T HCS Ground Saw Blade; 1Pc 34x40 - 18T Bi - Metal Saw Blade 1pc 87mm HCS Half Saw Blade	Double Blister + Card	WP404200
	24pcs Oscillating Saw Blade Set	10PC 75mm sandpaper; 1pc 75mm sander; 1pc 32x40mm Bi - metal saw blade; 1pc 10x40mm - 18T Cr - V saw blade; 1pc 20x40mm - 18T Cr - V saw blade; 1pc 28x40mm - 18T Cr - V saw blade; 1pc 34x40mm - 18T Cr - V saw blade; 1pc 34x40mm - 14T Cr - V saw blade - Ground Teeth ; 1pc 66x40mm - 18T Cr - V saw blade; 1pc 87mm - 18T Bi - Metal saw blade; 1pc 87mm - 18T Cr - V saw blade; 1pc 75mm Triangular carbide grout removal rasp; 1pc 64mm Half grout removal blade; 1pc 50mm flexible scraper; 1pc 50mm rigid scraper.	Plastic Box + Label	WP404201



DIAMOND SAW BLADE

LD-1467



D: Blade diameter
T: Blade thickness
W: Blade width
H: Arbor diameter



DIAMOND SAW BLADE



Teeth Type	Segmented	Continuous	Turbo	Ultra - thin Fine Turbo	Ultra - thin Mesh Turbo
Cutting Method	Dry	Wet	Dry / Wet	Dry / Wet	Dry / Wet

NO	1	2	3	4	5	6	7	8
Grade	BASIC	BASIC	BASIC	PROFI	PROFI	PROFI	PROFI	PROFI
Teeth Type	Segmented	Turbo	Continus	Segmented	Turbo	Continus	Fine Turbo	Mesh Turbo
Process	Cold Pressed	Cold Pressed	Cold Pressed	Hot Pressed	Hot Pressed	Hot Pressed	Hot Pressed	Hot Pressed
Cutting Method	Dry	Dry / Wet	Wet	Dry	Dry / Wet	Wet	Dry / Wet	Dry / Wet
Speed	—	—	—	—	—	—	—	—
Working Life	—	—	—	—	—	—	—	—

CUTTING OBJECT



SAW BLADE TYPE	BRICK	CONCRETE	MARBLEE	GRANITE	CERAMIC TILE	FLOOR TILE
1	●	●	●	●	○	x
2	●	●	●	●	●	○
3	○	○	●	●	●	●
4	○	●	●	●	○	○
5	●	●	●	●	●	●
6	○	○	●	●	●	●
7	○	○	●	●	●	●
8	●	●	●	●	●	●

●= Most suitable ○= Acceptable x= Not suitable

DIAMOND SAW BLADE



SEGMENTED DIAMOND SAW BLADE/ DRY

PRO

HOT PRESSED

- Professionally cutting for granite, marble, concrete, masonry, brick, etc
- Hot pressed teeth, long working life and sharp
- Can cut without water, watering is better to long life
- Meet EN13236 standard, Germany MPA certificated

METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
115x20.0	4-1/2"x25/32"	16	WP405034
115x22.2	4-1/2"X7/8"	20	WP405035
125x22.2	5"X7/8"	20	WP405036
180x22.2	7"X7/8"	20	WP405037
230x22.2	9"X7/8"	20	WP405038



- Professionally cutting groove in wall
- Wide teeth , long working life

METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
115x20	4-1/2"x25/32"	16	WP405039
125x22.2	5"X7/8"	20	WP405040



TURBO DIAMOND SAW BLADE/ DRY & WET

PRO

HOT PRESSED

- Professionally cutting for granite, marble, concrete, brick, more suitable for porcelain tile, ceramic tile
- Hot pressed teeth, cutting sharply
- Can cut without water, watering is better for long life
- Meet EN13236 standard, Germany MPA certificated

METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
115x20	4-1/2"x25/32"	16	WP405041
115x22.2	4-1/2"x7/8"	20	WP405042
125x22.2	5"x7/8"	20	WP405043
180x22.2	7"x7/8"	20	WP405044



CONTINUOUS DIAMOND SAW BLADE/ WET

PRO

HOT PRESSED

- Professionally cutting for ceramic tile and porcelain tile, brick, marble, granite, etc.
- Hot pressed teeth, cutting sharply
- Cut with water
- Meet EN13236 standard, Germany MPA certificated

METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
105x20	4"x25/32"	16	WP405045
115x20	4-1/2"x25/32"	16	WP405046
115x22.2	4-1/2"x7/8"	20	WP405047
125x22.2	5"x7/8"	20	WP405048
180x22.2	7"x7/8"	20	WP405049
230x22.2	9"x7/8"	20	WP405050
300x22.2	12"x7/8"	20	WP405051



DIAMOND SAW BLADE

ULTRATHIN DIAMOND SAW BLADE

- Professional for hard and fragile material: ceramic tile and porcelain tile, also for marble, granite and brick, etc.
- Hot pressed teeth, ultrathin cutting blade
- Cutting sharply, smoothly and cleanly, long working life
- Can cut without water, watering is better to long life

PRO HOT PRESSED

ULTRATHIN SHARP & CLEAN

DESCRIPTION	METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
FINE TURBO	105x20	4"x25/32"	16	WP405052
	110x20	4"x25/32"	16	WP405053
	115x22.2	4 - 1/2"x7/8"	20	WP405054
	125x22.2	5"x7/8"	20	WP405055
	180x22.2	7"x7/8"	20	WP405056
	230x22.2	9"x7/8"	20	WP405057



DESCRIPTION	METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
MESH TURBO	105x20	4"x25/32"	16	WP405058
	110x20	4 - 3/4"x25/32"	16	WP405059
	115x22.2	4 - 1/2"x7/8"	20	WP405060
	125x22.2	5"x7/8"	20	WP405061
	180x22.2	7"x7/8"	20	WP405062
	230x22.2	9"x7/8"	20	WP405063



DESCRIPTION	METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
WESH TURBO WITH FLAGE	105x20	4"x25/32"	16	WP405064
	110x20	4"x25/32"	16	WP405065
	115x22.2	4 - 1/2"x7/8"	20	WP405066
	125x22.2	5"x7/8"	20	WP405067



DESCRIPTION	IMPERIAL SIZE	IMPERIAL SIZE	RING SIZE (mm)	SKU
Y-TYPE TURBO	105x20	4"x25/32"	16	WP405068
	110x20	4"x25/32"	16	WP405069
	115x22.2	4 - 1/2"x7/8"	20	WP405070
	125x22.2	5"x7/8"	20	WP405071





LASER WELD DIAMOND SAW BLADE

PRO PLUS

1 MULTI - PURPOSE
Professional for granite, concrete, asphalt road, etc.

2 PREMIUM DURABILITY
Hot pressed blade reduces vibrations and core elasticity

3 SHARP SEGMENTED TEETH
Sharp center spur accurately locates the center of the hole without walking on the material.



METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	SKU
300x25.4	12"	WP405080
300x27.0	12"	WP405081
300x30.0	12"	WP405082
350x25.4	14"	WP405083
350x27.0	14"	WP405084
350x30.0	14"	WP405085

DIAMOND SAW BLADE

SEGMENTED DIAMOND SAW BLADE/ DRY

- Basic cutting for granite, marble, concrete, masonry, brick, etc.
- Can cut without water, watering is better for long life
- Meet EN13236 standard, Germany MPA certificated

COLD PRESSED

METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
105x16	4"x5/8"	/	WP405000
105x20	4"x25/32"	16	WP405001
110x20	4"x25/32"	16	WP405002
115x20	4 - 1/2"x3/4"	16	WP405003
115x22.2	4 - 1/2"x7/8"	20	WP405004
125x22.2	5"x7/8"	20	WP405005
150x22.2	6"x7/8"	20	WP405006
180x22.2	7"x7/8"	20	WP405007
180x25.4	7"x1"	22.2	WP405008
200x22.2	8"x7/8"	20	WP405009
230x22.2	9"x7/8"	20	WP405010



TURBO DIAMOND SAW BLADE/ DRY&WET

- Basic cutting for ceramic tile and porcelain tile, brick, marble, granite, etc
- Cut with water
- Meet EN13236 standard, Germany MPA certificated

COLD PRESSED

METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
100x16	4"X5/8"	/	WP405011
105x16	4"X5/8"	/	WP405012
105x20	4"x25/32"	16	WP405013
110x20	4"x25/32"	16	WP405014
115x20	4"x25/32"	16	WP405015
115x22.2	4 - 1/2"x7/8"	20	WP405016
125x22.2	5"x7/8"	20	WP405017
150x22.2	6"x7/8"	20	WP405018
180x22.2	7"x7/8"	20	WP405019
180x25.4	7"x1"	22.2	WP405020
200x22.2	8"x7/8"	20	WP405021
230x22.2	9"x7/8"	20	WP405022





CONTINUOUS DIAMOND SAW BLADE/ WET

- Basic cutting for ceramic tile and porcelain tile, brick, marble, granite, etc
- Please cut with water
- Meet EN13236 standard, Germany MPA certificated

COLD PRESSED

METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	RING SIZE (mm)	SKU
105x16	4"X5/8"	/	WP405023
105x20	4"x25/32"	16	WP405024
110x20	4"x25/32"	16	WP405025
115x20	4"x25/32"	16	WP405026
115x22.2	4 - 1/2"x7/8"	20	WP405027
125x22.2	5"x7/8"	20	WP405028
150x22.2	6"x7/8"	20	WP405029
180x22.2	7"x7/8"	20	WP405030
180x25.4	7"x1"	22.2	WP405031
200x22.2	8"x7/8"	20	WP405032
230X22.2	9"x7/8"	20	WP405033



DIAMOND CUP GRINDING WHEEL

CUP GRINDING WHEEL






Grade	PROFI	PROFI	PROFI	PROFI
Teeth Type	Segmented	Double Row	Spirial	Turbo Row
Process	Cold Depressed	Cold Depressed	Cold Depressed	Cold Depressed
Grinding Chracteristic	Corse Quick			Fine Slow

GRINDING OBJECT





GRINDING WHEEL	BRICK/BRICK WALL	CONCRETE	GRANITE
Segmented Wheel	•	•	•
Double Row Wheel	•	•	•
Spirial Wheel	•	•	•
Turbo Row Wheel	•	•	•

●= Most suitable ○= Acceptable



DIAMOND CUP GRINDING WHEEL



PRO

• Suitable for all kinds of stone, concrete and concrete products

NAME	METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	SKU
SEGMENTED CUP GRINDING WHEEL	100x16	4"x5/8"	WP405200
	100x20	4"x25/32"	WP405201
	115x22.2	4 - 1/2"x7/8"	WP405202
	125x22.2	5"x7/8"	WP405203
	150x22.2	6"x7/8"	WP405204
	180x22.2	7"x7/8"	WP405205



NAME	METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	SKU
DOUBLE ROW CUP GRINDING WHEEL	100x16	4"x5/8"	WP405206
	100X20	4"x25/32"	WP405207
	115x22.2	4 - 1/2"x7/8"	WP405208
	125X22.2	5"x7/8"	WP405209
	150x22.2	6"x7/8"	WP405210
	180X22.2	7"x7/8"	WP405211
	230X22.2	9"x7/8"	WP405212



NAME	METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	SKU
SPIRAL CUP GRINDING WHEEL	100x16	4"x5/8"	WP405213
	100x20	4"x25/32"	WP405214
	115x22.2	4 - 1/2"x7/8"	WP405215
	125x22.2	5"x7/8"	WP405216
	150x22.2	6"x7/8"	WP405217
	180x22.2	7"x7/8"	WP405218



DESCRIPTION	METRIC SIZE Dia x Arbor(mm)	IMPERIAL SIZE	SKU
TURBO ROW CUP GRINDING WHEEL	100x16	4"x5/8"	WP405219
	100X20	4"x25/32"	WP405220
	115x22.2	4 - 1/2"x7/8"	WP405221
	125X22.2	5"x7/8"	WP405222
	150X22.2	6"x7/8"	WP405223
	180X22.2	7"x7/8"	WP405224
	230x22.2	9"x7/8"	WP405225





TCT SAW BLADE

LD-1467

WOOD TCT SAW BLADE - Asia

1 FOR WOOD CUTTING
Suitable for all kind of soft wood, hard wood, chipboards, plywood and fiberboards

2 ATB TYPE TEETH
For wood ripping and cross cutting



BASIC SAW BLADE
General YG8 TCT and carbon steel, for basic and economic cutting



PROFI SAW BLADE
High quality YG8 TCT and 65Mn steel, long working life and professional cutting

*The following products are only available in Asia.

IMPERIAL DIAMETER	METRIC (mm)	ARBOR (mm)	RING (mm)	TEETH NUMBER	BASIC SKU	PRO SKU
4"	110	20	16	30T	WP405300	WP405350
4"	110	20	16	40T	WP405301	WP405351
5"	125	20	16	40T	WP405302	WP405352
6"	150	22.2	20	40T	WP405303	WP405353
6"	150	22.2	20	60T	WP405304	WP405354
6.5"	165	22.2	20	40T	WP405305	WP405355
6.5"	165	22.2	20	60T	WP405306	WP405356
7"	180	22.2	20	24T	WP405307	WP405357
7"	180	22.2	20	30T	WP405308	WP405358
7"	180	22.2	20	40T	WP405309	WP405359
7"	180	25.4	22.2	40T	WP405310	WP405360
7"	180	22.2	20	60T	WP405311	WP405361
7"	180	25.4	22.2	60T	WP405312	WP405362
8"	200	25.4	22.2	40T	WP405313	WP405363
8"	200	25.4	22.2	60T	WP405314	WP405364
9"	230	25.4	22.2	40T	WP405315	WP405365
9"	230	25.4	22.2	60T	WP405316	WP405366
9"	230	25.4	22.2	80T	WP405317	WP405367
10"	254	25.4	22.2	40T	WP405318	WP405368
10"	254	25.4	22.2	60T	WP405319	WP405369
10"	254	25.4	22.2	80T	WP405320	WP405370
10"	254	25.4	22.2	120T	WP405321	WP405371
12"	300	30	25.4	40T	WP405322	WP405372
12"	300	30	25.4	60T	WP405323	WP405373
12"	300	30	25.4	80T	WP405324	WP405374
12"	300	30	25.4	100T	WP405325	WP405375
12"	300	30	25.4	120T	WP405326	WP405376
14"	355	30	25.4	60T	WP405327	WP405377
14"	355	30	25.4	80T	WP405328	WP405378
14"	355	30	25.4	100T	WP405329	WP405379
14"	355	30	25.4	120T	WP405330	WP405380

TCT SAW BLADE

WOOD TCT SAW BLADE - Africa

1 FOR WOOD CUTTING
Suitable for all kind of soft wood, hard wood, chipboards, plywood and fiberboards

2 ATB TYPE TEETH
For wood ripping and cross cutting



BASIC SAW BLADE
General YG8 TCT and carbon steel, for basic and economic cutting



PROFI SAW BLADE
High quality YG8 TCT and 65Mn steel, long working life and professional cutting



*The following products are only available in Africa.

IMPERIAL DIAMETER	METRI (mm)	ARBOR (mm)	RING (mm)	TEETH NUMBER	BASIC SKU	PRO SKU
4-1/2"	115	22.2	20	24T	WP405400	WP405450
4-1/2"	115	22.2	20	30T	WP405401	WP405451
4-1/2"	115	22.2	20	40T	WP405402	WP405452
5"	150	22.2	20	30T	WP405403	WP405453
5"	150	22.2	20	40T	WP405404	WP405454
7"	180	22.2	20	24T	WP405405	WP405455
7"	180	22.2	20	30T	WP405406	WP405456
7"	180	22.2	20	40T	WP405407	WP405457
7"	180	22.2	20	60T	WP405408	WP405458
7"	180	25.4	22.2	24T	WP405409	WP405459
7"	180	25.4	22.2	30T	WP405410	WP405460
7"	180	25.4	22.2	40T	WP405411	WP405461
7"	180	25.4	22.2	60T	WP405412	WP405462
9"	230	22.2	22.2	24T	WP405413	WP405463
9"	230	22.2	22.2	40T	WP405414	WP405464
9"	230	22.2	22.2	60T	WP405415	WP405465
10"	250	25.4	22.2	40T	WP405416	WP405466
10"	250	25.4	22.2	60T	WP405417	WP405467
14"	350	25.4	22.2	40T	WP405418	WP405468
14"	350	25.4	22.2	60T	WP405419	WP405469

WOOD TCT SAW BLADE - Europe





*The following products are only available in Europe.

METRIC DIAMETER (mm)	ARBOR SIZE (mm)	RING SIZE (mm)	TEETH NUMBER	SKU
115	22.2	20	36T	WP405500
115	22.2	20	48T	WP405501
125	22.2	20	24T	WP405502
125	22.2	20	36T	WP405503
125	22.2	20	48T	WP405504
140	16	/	20T	WP405505
140	16	/	24T	WP405506
150	22.2	20	40T	WP405507
150	22.2	20	48T	WP405508
160	20	/	24T	WP405509
160	20	/	36T	WP405510
160	20	/	48T	WP405511
165	20	/	18T	WP405512
165	20	/	24T	WP405513
165	20	/	30T	WP405514
165	20	/	48T	WP405515
185	20	/	24T	WP405516
185	20	/	30T	WP405517
185	20	/	36T	WP405518
185	20	/	40T	WP405519
185	30	/	36T	WP405520
185	20	/	48T	WP405521
190	20	/	18T	WP405522
190	20	/	24T	WP405523
190	20	/	36T	WP405524
190	20	/	48T	WP405525
190	30	25.4	24T	WP405526
190	30	25.4	36T	WP405527
190	30	25.4	48T	WP405528

METRIC DIAMETER (mm)	ARBOR (mm)	RING (mm)	TEETH NUMBER	SKU
200	32	/	40T	WP405529
200	32	/	24T	WP405530
200	32	/	36T	WP405531
200	32	/	48T	WP405532
200	32	/	60T	WP405533
210	32	/	24T	WP405534
210	32	/	36T	WP405535
210	32	/	40T	WP405536
210	32	/	48T	WP405537
210	32	/	56T	WP405538
210	32	/	60T	WP405539
216	32	/	24T	WP405540
230	32	/	40T	WP405541
230	32	/	24T	WP405542
230	32	/	36T	WP405543
230	32	/	48T	WP405544
230	32	/	48T	WP405545
250	32	/	24T	WP405546
250	32	/	36T	WP405547
250	32	/	48T	WP405548
250	32	/	60T	WP405549
254	32	/	48T	WP405550
254	32	/	60T	WP405551
300	32	/	36T	WP405552
300	32	/	48T	WP405553
305	32	/	24T	WP405554
305	32	/	60T	WP405555
305	32	/	100T	WP405556

TCT SAW BLADE

WOOD TCT SAW BLADE - Europe

PRO

1 FOR WOOD CUTTING
General for all kind of soft wood, hard wood, chipboards, plywood and fiberboards

2 PROFI SAW BLADE
High quality YG8 TCT,long working life, 65Mn Steel Body

3 ATB TYPE TEETH
For wood ripping and cross cutting



*The following products are only available in Europe.

METRIC DIAMETER (mm)	ARBOR SIZE (mm)	RING SIZE (mm)	TEETH NUMBER	SKU
115	22.2	20	36T	WP405600
115	22.2	20	48T	WP405601
125	22.2	20	24T	WP405602
125	22.2	20	36T	WP405603
125	22.2	20	48T	WP405604
140	16	/	20T	WP405605
140	16	/	24T	WP405606
150	22.2	20	40T	WP405607
150	22.2	20	48T	WP405608
160	20	/	24T	WP405609
160	20	/	36T	WP405610
160	20	/	48T	WP405611
165	20	/	18T	WP405612
165	20	/	24T	WP405613
165	20	/	30T	WP405614
165	20	/	48T	WP405615
185	20	/	24T	WP405616
185	20	/	30T	WP405617
185	20	/	36T	WP405618
185	20	/	40T	WP405619
185	30	/	36T	WP405620
185	20	/	48T	WP405621
190	20	/	18T	WP405622
190	20	/	24T	WP405623
190	20	/	36T	WP405624
190	20	/	48T	WP405625
190	30	25.4	24T	WP405626
190	30	25.4	36T	WP405627
190	30	25.4	48T	WP405628

METRIC DIAMETER (mm)	ARBOR SIZE (mm)	RING SIZE (mm)	TEETH NUMBER	SKU
200	32	/	40T	WP405629
200	32	/	24T	WP405630
200	32	/	36T	WP405631
200	32	/	48T	WP405632
200	32	/	60T	WP405633
210	32	/	24T	WP405634
210	32	/	36T	WP405635
210	32	/	40T	WP405636
210	32	/	48T	WP405637
210	32	/	56T	WP405638
210	32	/	60T	WP405639
216	32	/	24T	WP405640
230	32	/	40T	WP405641
230	32	/	24T	WP405642
230	32	/	36T	WP405643
230	32	/	48T	WP405644
230	32	/	48T	WP405645
250	32	/	24T	WP405646
250	32	/	36T	WP405647
250	32	/	48T	WP405648
250	32	/	60T	WP405649
254	32	/	48T	WP405650
254	32	/	60T	WP405651
300	32	/	36T	WP405652
300	32	/	48T	WP405653
305	32	/	24T	WP405654
305	32	/	60T	WP405655
305	32	/	100T	WP405656

ALUMINUM TCT SAW BLADE

PRO

- Suitable for aluminum
- High quality YG8 TCT, ground teeth, cutting sharply and quickly, long working life
- Heat - treated 65Mn basic body, good toughness and elasticity
- TCG type teeth, Professional Teeth Shape for Aluminum cutting and Non - ferrous metal

IMPERIAL DIAMETER	METRIC DIAMETER (mm)	ARBOR SIZE (mm)	TEETH NUMBER	SKU
7"	180	25.4	60T	WP405700
7"	180	25.4	80T	WP405701
8"	200	25.4	80T	WP405702
8"	200	25.4	100T	WP405703
9"	230	25.4	60T	WP405704
9"	230	25.4	100T	WP405705
10"	255	25.4	100T	WP405706
10"	255	25.4	120T	WP405707
12"	300	30	100T	WP405708
12"	300	30	120T	WP405709
14"	350	30	100T	WP405710
14"	350	30	120T	WP405711







ABRASIVE WHEEL

LD-1467

ABRASIVE CUTTING WHEEL



MATERIAL	A	WA	GC
CUTTING FOR	Metal	Stainless	Stone

TYPE	T41	T42	T27
SHAPE			
APPLICATION	Cutting	Cutting	Grinding

GRIT	24~30G	30~36G	46G	60G
APPLICATION	Corse and Quick Cutting	Medial and General cutting	Fine and Thin cutting	Very Fine and Ultrathin cutting

HARDNESS GRADE	A - G	H - K	L - O	P - S	T - Z
HARDNESS	Very soft	Soft	Medium	Hard	Very hard

! NOTICE OF USING

Metal cutting wheels have an important role in industrial, trade and DIY applications, they are used for quickly cutting different materials, but when used incorrectly, can be extremely dangerous.
Please take these safety tips into consideration before operating any tools with a metal cutting wheel.

- **Always wear proper safety equipment.**
- **Check for cracks or any damage.**
- **Check the maximum operating speed marked on the wheel and compare it against the machine's speed.**
- **Do use a moderate and consistent rate of feeding to the wheel.**
- **Don't use the cutting wheels to grind any material.**

ABRASIVE WHEEL

WORKING GRADE	BASIC	PROFI	PROFI PLUS
			
COLOR	RED	BLUE	GOLDEN
WORKING SITUATIONG	BASIC CUTTING	PROFI CUTTING	INDUSTRY CUTTING
WORKING LIFE	X	2X	2.3X

AREA CHARACTERISTIC & DIFFERENCE			
AREA	**STAND**	**APPEARANCE**	**CUTTING CHARACTERISTIC**
Asia	ASIAN STAND 70M/S"	Mesh Fibre coat Good heat conduction	Sharpe, Easy and Quick
Africa /Middle East/ South American	EUROPE STAND 80M/S	Non woven/paper coat good grit protection	Safe durable High performance
Europe	EUROPE STAND 80M/S + MPA EAC CERTIFICATION	Non woven/paper coat Good grit protection	Safe durable High performance



ABRASIVE WHEEL - EAST/SOUTH ASIA

PRO

LONG WORKING LIFE
LOW EACH CUTTING COST





CUTTING WHEEL

***The following products are only available in Asia.**

METRIC DIAMETER (mm)	IMPERIAL DIAMETER	COLOR	TYPE	PACK	APPLICATION	BASIC SKU	PROFI SKU
107 x 1 x 16.0	4"x1/25"x5/8"	green		50pcs/box		WP406000	WP406027
107 x1 x 16.0	4"x1/25"x5/8"	black		50pcs/box		WP406001	WP406028
115 x 1 x 22.2	4 - 1/2"x1/25"x7/8"	green				WP406002	WP406029
115 x 1 x 22.2	4 - 1/2"x1/25"x7/8"	black			Metal/ Inox	WP406003	WP406030
125 x 1 x 22.2	5"x1/25"x7/8"	green				WP406004	WP406031
125 x 1 x 22.2	5"x1/25"x7/8"	black				WP406005	WP406032
150 x1.6 x 22.2	5"x1/16"x7/8"	green				WP406006	WP406033
150 x 3 x 22.2	5"x1/8"x7/8"	black	TYPE41			WP406007	WP406034
300 x 3 x 25.4	12"x1/8"x1"	green				WP406008	WP406035
355 x 3 x 25.4	14"x1/8"x1"	green				WP406009	WP406036
355 x 3 x 25.4	14"x1/8"x1"	black				WP406010	WP406037
355 x 3 x 25.4	14"x1/8"x1"	green				WP406011	WP406038
355 x 3 x 25.4	14"x1/8"x1"	black				WP406012	WP406039
400 x 3.2 x 32	16"x1/8"x1"	green			Metal	WP406013	WP406040
400 x 3.2 x 32	16"x1/8"x1"	black				WP406014	WP406041
115X3X22.2	4 - 1/2"x1/8"x7/8"	black				WP406015	WP406042
180X3X22.2	7"x1/8"x7/8"	black	TYPE42			WP406016	WP406043
230X3X22.2	9"x1/8"x7/8"	black				WP406017	WP406044

GRINDING WHEEL

103x2.8x16	4"x1/9"x5/8"	black GC			Stone	WP406018	WP406045
103x2.8x16	4"x1/9"x5/8"	green			Metal/ Inox	WP406019	WP406046
103x2.8x16	4"x1/9"x5/8"	black				WP406020	WP406047
100x6x16.0	4"x1/4"x5/8"	black				WP406021	WP406048
115X6X22.2	4 - 1/2"x1/4"x7/8"	black	TYPE27			WP406022	WP406049
125x6x22.2	5"x1/4"x7/8"	black			Metal	WP406023	WP406050
150x6x22.2	6"x1/4"x7/8"	black				WP406024	WP406051
180x6x22.2	7"x1/4"x7/8"	black				WP406025	WP406052
230X6X22.2	9"x1/4"x7/8"	black				WP406026	WP406053

ABRASIVE WHEEL

ABRASIVE WHEEL - Africa / Middle East / South America

CUTTING WHEEL

*The following products are only available in Africa/ Middle East/ South America.

METRIC DIAMETER (mm)	IMPERIAL DIAMETER	TYPE	BASIC SKU	APPLICATION	PROFI SKU	APPLICATION	PROFI PLUS SKU	APPLICATION
107x1.0x16	4 - 1/5"x1/25"x5/8"		WP406101		WP406163	Metal	WP406225	Metal
100X3.0X16	4"x1/8"x5/8"		WP406102		WP406164		WP406226	
115x1.0x22.2	4 - 1/2"x1/25"x7/8"		WP406103		WP406165	Metal/ Inox	WP406227	Metal/ Inox
115x1.2x22.2	4 - 1/2"x3/64"x7/8"		WP406104		WP406166		WP406228	
115x1.6x22.2	4 - 1/2"x1/16"x7/8"		WP406105		WP406167		WP406229	
115x2.0x22.2	4 - 1/2"x3/38"x7/8"		WP406106		WP406168		WP406230	
115x2.5x22.2	4 - 1/2"x3/32"x7/8"		WP406107		WP406169	Metal	WP406231	Metal
115x3.0x22.2	4 - 1/2"x1/8"x7/8"		WP406108		WP406170		WP406232	
125x1.0x22.2	5"x1/25"x7/8"		WP406109		WP406171		WP406233	
125x1.2x22.2	5"x3/64"x7/8"		WP406110		WP406172	Metal/ Inox	WP406234	Metal/ Inox
125x1.6x22.2	5"x1/16"x7/8"		WP406111		WP406173		WP406235	
125x2.0x22.2	5"x3/38"x7/8"		WP406112		WP406174		WP406236	
125x2.5x22.2	5"x3/32"x7/8"		WP406113		WP406175	Metal	WP406237	Metal
125x3.0x22.2	5"x1/8"x7/8"		WP406114		WP406176		WP406238	
150x1.2x22.2	6"x3/64"x7/8"		WP406115		WP406177		WP406239	
150x1.6x22.2	6"x1/16"x7/8"		WP406116		WP406178	Metal/ Inox	WP406240	Metal/ Inox
150x2.0x22.2	6"x3/38"x7/8"		WP406117		WP406179		WP406241	
150x2.5x22.2	6"x3/32"x7/8"		WP406118		WP406180	Metal	WP406242	Metal
150x3.0x22.2	6"x1/8"x7/8"	TYPE41	WP406119	Metal	WP406181		WP406243	
180x1.6x22.2	7"x1/16"x7/8"		WP406120		WP406182		WP406244	
180x1.8x22.2	7"x1/14"x7/8"		WP406121		WP406183	Metal/ Inox	WP406245	Metal/ Inox
180x2.0x22.2	7"x3/38"x7/8"		WP406122		WP406184		WP406246	
180x2.5x22.2	7"x3/32"x7/8"		WP406123		WP406185	Metal	WP406247	Metal
180x3.0x22.2	7"x1/8"x7/8"		WP406124		WP406186		WP406248	
230x1.8x22.2	9"x1/14"x7/8"		WP406125		WP406187	Metal/ Inox	WP406249	Metal/ Inox
230x2.0x22.2	9"x3/38"x7/8"		WP406126		WP406188		WP406250	
230x2.5x22.2	9"x3/32"x7/8"		WP406127		WP406189	Metal	WP406251	Metal
230x3.0x22.2	7"x1/8"x7/8"		WP406128		WP406190		WP406252	
300x3.0x25.4	12"x1/8"x1"		WP406129		WP406191		WP406253	
300x3.5x25.4	12"x9/64"x1"		WP406130		WP406192		WP406254	
300x4.0x25.4	12"x5/32"x1"		WP406131		WP406193		WP406255	
355x3.0x25.4	14"x1/8"x1"		WP406132		WP406194		WP406256	
355x3.5x25.4	14"x9/64"x1"		WP406133		WP406195	Metal	WP406257	Metal
355x4.0x25.4	14"x5/32"x1"		WP406134		WP406196		WP406258	
400x3.0x25.4	16"x1/8"x1"		WP406135		WP406197		WP406259	
400x3.5x25.4	16"x9/64"x1"		WP406136		WP406198		WP406260	
400x4.0x25.4	16"x5/32"x1"		WP406137		WP406199		WP406261	

*The following products are only available in Africa/ Middle East/ South America.

METRIC DIAMETER (mm)	IMPERIAL DIAMETER	TYPE	BASIC SKU	APPLICATION	PROFI SKU	APPLICATION	PROFI PLUS SKU	APPLICATION
100x3.0x16.0	4"x1/8"x5/8"		WP406138		WP406200		WP406262	
115x2.0x22.2	4 - 1/2"x3/38"x7/8"		WP406139		WP406201		WP406263	
115x2.5x22.2	4 - 1/2"x3/32"x7/8"		WP406140		WP406202		WP406264	
115x3.0x22.2	4 - 1/2"x1/8"x7/8"		WP406141		WP406203	Metal	WP406265	Metal
125x2.0x22.2	5"x3/38"x7/8"		WP406142		WP406204		WP406266	
125x2.5x22.2	5"x3/32"x7/8"		WP406143		WP406205		WP406267	
125x3.0x22.2	5"x1/8"x7/8"		WP406144		WP406206		WP406268	
150x3.0x22.2	6"x1/8"x7/8"	TYPE42	WP406145	Metal	WP406207		WP406269	
180x1.6x22.2	7"x1/16"x7/8"		WP406146		WP406208	Metal/Inox	WP406270	Metal/Inox
180x2.0x22.2	7"x3/38"x7/8"		WP406147		WP406209		WP406271	
180x2.5x22.2	7"x3/32"x7/8"		WP406148		WP406210	Metal	WP406272	Metal
180x3.0x22.2	7"x1/8"x7/8"		WP406149		WP406211		WP406273	
230x2.0x22.2	9"x3/38"x7/8"		WP406150		WP406212	Metal/Inox	WP406274	Metal/Inox
230x2.5x22.2	9"x3/32"x7/8"		WP406151		WP406213	Metal	WP406275	Metal
230x3.0x22.2	9"x1/8"x7/8"		WP406152		WP406214		WP406276	

GRINDING WHEEL

100x6x16.0	4"x1/4"x5/8"		WP406153		WP406215		WP406277	
115x6x22.2	4 - 1/2"x1/4"x7/8"		WP406154		WP406216		WP406278	
115x7x22.2	4 - 1/2"x7/25"x7/8"		WP406155		WP406217		WP406279	
125x6x22.2	5"x1/4"x7/8"		WP406156		WP406218		WP406280	
125x7x22.2	5"x7/25"x7/8"		WP406157	Metal	WP406219	Metal	WP406281	Metal
150x6x22.2	6"x1/4"x7/8"	TYPE27	WP406158		WP406220		WP406282	
180x6x22.2	7"x1/4"x7/8"		WP406159		WP406221		WP406283	
180x8x22.2	7"x5/16"x7/8"		WP406160		WP406222		WP406284	
230x6x22.2	9"x1/4"x7/8"		WP406161		WP406223		WP406285	
230x8x22.2	9"x5/16"x7/8"		WP406162		WP406224		WP406286	



ABRASIVE WHEEL

ABRASIVE WHEEL - Europe

*The following products are only available in Europe.

METRIC DIAMETER (mm)	IMPERIAL DIAMETER	TYPE	PROFI SKU	APPLICATION	SUITABLE POWER TOOLS
115X0.8X22.2	4 - 1/2"x1/32"x7/8"	TYPE41	WP406300	Metal/ Inox	
125X0.8X22.2	5"x1/32"x7/8"		WP406301		
230X1.6X22.2	9"x1/16"x7/8"		WP406302		

CUTTING WHEEL

METRIC DIAMETER (mm)	IMPERIAL DIAMETER	TYPE	BASIC SKU	APPLICATION	PROFI SKU	APPLICATION	PROFI PLUS SKU	APPLICATION
107X1.0X16	4 - 1/5"x1/25"x5/8"	TYPE41	WP406303	Metal	WP406370	Metal	WP406437	Metal
107X1.6X16	4 - 1/5"x1/16"x5/8"		WP406304		WP406371		WP406438	
100X3.0X16	4"x1/8"x5/8"		WP406305		WP406372		WP406439	
115x1.0x22.2	4 - 1/2"x1/25"x7/8"		WP406306		WP406373	Metal/ Inox	WP406440	Metal/ Inox
115x1.2x22.2	4 - 1/2"x3/64"x7/8"		WP406307		WP406374		WP406441	
115x1.6x22.2	4 - 1/2"x1/16"x7/8"		WP406308		WP406375	Metal	WP406442	Metal
115x1.8x22.2	4 - 1/2"x1/14"x7/8"		WP406309		WP406376		WP406443	
115x2.0x22.2	4 - 1/2"x3/38"x7/8"		WP406310		WP406377		WP406444	
115x2.5x22.2	4 - 1/2"x3/32"x7/8"		WP406311		WP406378		WP406445	
115x3.0x22.2	4 - 1/2"x1/8"x7/8"		WP406312		WP406379		WP406446	
125x1.0x22.2	5"x1/25"x7/8"		WP406313		WP406380	Metal/ Inox	WP406447	Metal/ Inox
125x1.2x22.2	5"x3/64"x7/8"		WP406314		WP406381		WP406448	
125x1.6x22.2	5"x1/16"x7/8"		WP406315		WP406382		WP406449	
125x1.8x22.2	5"x1/14"x7/8"		WP406316		WP406383	Metal/ Inox	WP406450	Metal/ Inox
125x2.0x22.2	5"x3/38"x7/8"		WP406317		WP406384		WP406451	
125x2.5x22.2	5"x3/32"x7/8"		WP406318		WP406385		WP406452	
125x3.0x22.2	5"x1/8"x7/8"		WP406319		WP406386	Metal/ Inox	WP406453	Metal/ Inox
150x1.2x22.2	6"x3/64"x7/8"		WP406320		WP406387		WP406454	
150x1.6x22.2	6"x1/16"x7/8"		WP406321		WP406388		WP406455	
150x1.8x22.2	6"x1/14"x7/8"		WP406322		WP406389	Metal/ Inox	WP406456	Metal/ Inox
150x2.0x22.2	6"x3/38"x7/8"		WP406323		WP406390		WP406457	
150x2.5x22.2	6"x3/32"x7/8"		WP406324		WP406391		WP406458	
150x3.0x22.2	6"x1/8"x7/8"		WP406325		WP406392	Metal/ Inox	WP406459	Metal/ Inox
180x1.6x22.2	7"x1/16"x7/8"		WP406326		WP406393		WP406460	
180x1.8x22.2	7"x1/14"x7/8"		WP406327		WP406394		WP406461	
180x2.0x22.2	7"x3/38"x7/8"		WP406328		WP406395	Metal/ Inox	WP406462	Metal/ Inox
180x2.5x22.2	7"x3/32"x7/8"		WP406329		WP406396		WP406463	
180x3.0x22.2	7"x1/8"x7/8"		WP406330		WP406397		WP406464	
230x1.6x22.2	9"x1/16"x7/8"		WP406331		WP406398	Metal/ Inox	WP406465	Metal/ Inox
230x1.8x22.2	9"x1/14"x7/8"		WP406332		WP406399		WP406466	
230x2.0x22.2	9"x3/38"x7/8"		WP406333		WP406400		WP406467	
230x2.5x22.2	9"x3/32"x7/8"		WP406334		WP406401	Metal	WP406468	Metal
230x3.0x22.2	9"x1/8"x7/8"		WP406335		WP406402		WP406469	

*The following products are only available in Africa/ Middle East/ South America.

METRIC DIAMETER (mm)	IMPERIAL DIAMETER	TYPE	BASIC SKU	APPLICATION	PROFI SKU	APPLICATION	PROFI PLUS SKU	APPLICATION
300x3.0x25.4	12"x1/8"x1"	TYPE41	WP406336	Metal	WP406403	Metal	WP406470	Metal
300x3.5x25.4	12"x9/64"x1"		WP406337		WP406404		WP406471	
300x4.0x25.4	12"x5/32"x1"		WP406338		WP406405		WP406472	
355x3.0x25.4	14"x1/8"x1"		WP406339		WP406406		WP406473	
355x3.5x25.4	14"x9/64"x1"		WP406340		WP406407		WP406474	
355x4.0x25.4	14"x5/32"x1"		WP406341		WP406408		WP406475	
400x3.0x25.4	16"x1/8"x1"		WP406342		WP406409		WP406476	
400x3.5x25.4	16"x9/64"x1"		WP406343		WP406410		WP406477	
400x4.0x25.4	16"x5/32"x1"		WP406344		WP406411		WP406478	
100X3.0X16	4"x1/8"x5/8"	TYPE42	WP406345	Metal	WP406412	Metal	WP406479	Metal
115x2.0x22.2	4 - 1/2"x3/38"x7/8"		WP406346		WP406413		WP406480	
115x2.5x22.2	4 - 1/2"x3/32"x7/8"		WP406347		WP406414		WP406481	
115x3.0x22.2	4 - 1/2"x1/8"x7/8"		WP406348		WP406415		WP406482	
125x2.0x22.2	5"x3/38"x7/8"		WP406349		WP406416		WP406483	
125x2.5x22.2	5"x3/32"x7/8"		WP406350		WP406417		WP406484	
125x3.0x22.2	5"x1/8"x7/8"		WP406351		WP406418		WP406485	
150x3.0x22.2	6"x1/8"x7/8"		WP406352		WP406419		WP406486	
180x1.6x22.2	7"x1/16"x7/8"		WP406353		WP406420	Metal/ Inox	WP406487	Metal/ Inox
180x2.0x22.2	7"x3/38"x7/8"		WP406354		WP406421		WP406488	
180x2.5x22.2	7"x3/32"x7/8"		WP406355		WP406422	Metal	WP406489	Metal
180x3.0x22.2	7"x1/8"x7/8"		WP406356		WP406423		WP406490	
230x2.0x22.2	9"x3/38"x7/8"		WP406357		WP406424	Metal/ Inox	WP406491	Metal/ Inox
230x2.5x22.2	9"x3/32"x7/8"		WP406358		WP406425	Metal	WP406492	Metal
230x3.0x22.2	9"x1/8"x7/8"		WP406359		WP406426		WP406493	

GRINDING WHEEL

100X6X16.0	4"x1/4"x5/8"	TYPE27	WP406360	Metal	WP406427	Metal	WP406494	Metal
115x6x22.2	4 - 1/2"x1/4"x7/8"		WP406361		WP406428		WP406495	
115x7x22.2	4 - 1/2"x7/25"x7/8"		WP406362		WP406429		WP406496	
125x6x22.2	5"x1/4"x7/8"		WP406363		WP406430		WP406497	
125x7x22.2	5"x7/25"x7/8"		WP406364		WP406431		WP406498	
150x6x22.2	6"x1/4"x7/8"		WP406365		WP406432		WP406499	
180x6x22.2	7"x1/4"x7/8"		WP406366		WP406433		WP406500	
180x8x22.2	7"x5/16"x7/8"		WP406367		WP406434		WP406501	
230x6x22.2	9"x1/4"x7/8"		WP406368		WP406435		WP406502	
230x8x22.2	9"x5/16"x7/8"		WP406369		WP406436		WP406503	





WHEEL BRUSH

LD-1467

WHEEL BRUSH

NAME	End Brush	Wheel Brush	Cup Brush
SHAPE			
FOR POWER TOOLS	 Electric Drill	 Bench Grinder	 Angle Grinder

NO	1	2	3
NAME	Nylon Brush	Crimped Wire Brush	Twisted Wire Brush
MATERIAL	Nylon	Crimped Wire	Twisted Wire
GRADE	BASIC	BASIC	PROFI
REMOVING SPEED			
WIRE DIAMETER	1.2mm	0.3mm	0.6mm
WORKING OCCASION			

GRINDING OBJECT	 WOOD	 PAINT	 DUST	 BURR	 METAL RUST	 WELD
Nylon Brush	○	●	●	x	x	x
Crimped Wire	○	○	●	●	●	x
Twisted Wire	○	○	○	○	●	●

●= Most suitable ○= Acceptable x= Not suitable

WHEEL BRUSH

END BRUSH

- For narrow space cleaning
- Elastic steel wire



DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	SHANK	SKU
13	1/2"	25	6.3	WP407000
19	3/4"	25	6.3	WP407001
25	1"	25	6.3	WP407002

CUP BRUSH

- For metal surface cleaning, more suitable for irregular surface
- Elastic steel wire, can clean surface of different depths



DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	SHANK	SKU
50	2"	23	6.3	WP407003
64	2-1/2"	23	6.3	WP407004
75	3"	23	6.3	WP407005

WHEEL BRUSH

- For metal surface cleaning, more suitable for surface of inner ring
- Elastic steel wire, can clean surface of different depths



DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	SHANK	SKU
38	1-1/2"	16	6.3	WP407006
50	2"	16	6.3	WP407007
64	2-1/2"	16	6.3	WP407008
75	3"	16	6.3	WP407009
100	4"	16	6.3	WP407010

TWISTED WIRE BRUSH

- For metal surface cleaning and polishing strongly
- Twisted steel wire



WP407011



WP407012



WP407013

DESCRIPTION	DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	SHANK	SKU
END BRUSH	25	1"	20	6.3	WP407011
CUP BRUSH	75	3"	22	6.3	WP407012
WHEEL BRUSH	75	3"	15	6.3	WP407013

NYLON BRUSH

- For metal surface cleaning and polishing gently, no damage to metal object
- Nylon brush with sand



WP407014



WP407015
WP407016



WP407017
WP407018

DESCRIPTION	DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	SHANK	SKU
END BRUSH	25	1"	25	6.3	WP407014
CUP BRUSH	50	2"	22	6.3	WP407015
	75	3"	22	6.3	WP407016
WHEEL BRUSH	75	3"	15	6.3	WP407017
	100	4"	15	6.3	WP407018

WHEEL BRUSH



PRO

DESCRIPTION	DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	NUT SIZE	SKU
CUP BRUSH	75	3"	24	M10x1.25	WP407020
	75	3"	24	M10x1.5	WP407021
	75	3"	24	M14x2	WP407022
	75	3"	24	5/8"X11	WP407023
	100	4"	30	M14x2	WP407024
	100	4"	30	5/8"X11	WP407025
	125	5"	30	M14x2	WP407026
	125	5"	30	5/8"X11	WP407027
	150	6"	30	M14x2	WP407028



DESCRIPTION	DIAMETER (mm)	İMPERIAL DIAMETER	WORKING SIZE (mm)	ARBOR	SKU
WHEEL BRUSH	100	4"	10	22.2	WP407029
	125	5"	10	22.2	WP407030



DESCRIPTION	DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	NUT SIZE	SKU
BEVEL BRUSH	100	4"	22	M14x2	WP407031
	115	4-1/2"	22	M14x2	WP407032
	125	5"	22	M14x2	WP407033



TWISTED WIRE BRUSH

PRO

HIGHER ROTATE SPEED EFFICIENCY

1 **PROFESSIONAL USAGE**
For metal surface polishing, weld spot

2 **SHARPLY & QUICKLY**
Twisted elastic steel wire



DESCRIPTION	DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	NUT SIZE	SKU
CUP BRUSH	75	3"	22	M10x1.25	WP407040
	75	3"	22	M10x1.5	WP407041
	75	3"	22	M14x2	WP407042
	75	3"	22	5/8"X11	WP407043
	100	4"	25	M14x2	WP407044
	100	4"	25	5/8"X11	WP407045
	125	5"	25	M14x2	WP407046
	125	5"	25	5/8"X11	WP407047



DESCRIPTION	DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	ARBOR	SKU
WHEEL BRUSH	100	4"	20	22.2	WP407048
	125	5"	20	22.2	WP407049



DESCRIPTION	DIAMETER (mm)	İMPERIAL DIAMETER	WORKING SIZE (mm)	NUT SIZE	SKU
WHEEL BRUSH	100	4"	20	22.2	WP407048
	125	5"	20	22.2	WP407049



DESCRIPTION	DIAMETER (mm)	IMPERIAL DIAMETER	WORKING SIZE (mm)	NUT SIZE	SKU
BEVEL BRUSH	100	4"	22	M14x2	WP407052
	115	4-1/2"	22	M14x2	WP407053
	125	5"	22	M14x2	WP407054





SANDING DISC

LD-1467

FLAP SANDING DISC





NO	1	2	3
GRADE	BASIC	PROFI	PROFI PLUS
MATERIAL	Aluminium Oxide	Calcine Aluminum Oxide	Zirconium Oxide
FORM	T27 T29	T27 T29	T27 T29
GRIT	36 / 40 / 60 / 80 / 100 / 120		
WOOD	•	•	•
CAST IRON	•	•	•
METAL	•	•	•
HARD METAL	○	•	•
STAINLESS	○	○	•

●= Most suitable ○= Acceptable X= Not suitable



SANDING DISC

ALUMINIUM OXIDE FLAP SANDING DISC


1 PROFESSIONAL USAGE
For metal and wood polishing

2 ALUMINIUM OXIDE MATERIAL
High economy and more working purpose

3 QUALITY ASSURANCE
EN13743 Standard, MPA certificated



SIZE (mm)	IMPERIAL DIAMETER	GRIT	TYPE	SKU
100x16.0	4"x5/8"	36G	T27	WP407170
100x16.0	4"x5/8"	40G	T27	WP407110
100x16.0	4"x5/8"	60G	T27	WP407111
100x16.0	4"x5/8"	80G	T27	WP407112
100x16.0	4"x5/8"	100G	T27	WP407171
100x16.0	4"x5/8"	120G	T27	WP407113



SIZE (mm)	IMPERIAL DIAMETER	GRIT	Type 27 Sku	Type 29 Sku
115x22.2	4-1/2"x7/8"	36G	WP407172	WP407180
115x22.2	4-1/2"x7/8"	40G	WP407114	WP407181
115x22.2	4-1/2"x7/8"	60G	WP407115	WP407182
115x22.2	4-1/2"x7/8"	80G	WP407116	WP407183
115x22.2	4-1/2"x7/8"	100G	WP407173	WP407184
115x22.2	4-1/2"x7/8"	120G	WP407117	WP407185
125x22.2	5"x7/8"	36G	WP407174	WP407186
125x22.2	5"x7/8"	40G	WP407118	WP407187
125x22.2	5"x7/8"	60G	WP407119	WP407188
125x22.2	5"x7/8"	80G	WP407120	WP407189
125x22.2	5"x7/8"	100G	WP407175	WP407190
125x22.2	5"x7/8"	120G	WP407121	WP407191
150x22.2	6"x7/8"	36G	WP407176	WP407192
150x22.2	6"x7/8"	40G	WP407122	WP407193
150x22.2	6"x7/8"	60G	WP407123	WP407194
150x22.2	6"x7/8"	80G	WP407124	WP407195
150x22.2	6"x7/8"	100G	WP407177	WP407196
150x22.2	6"x7/8"	120G	WP407125	WP407197
180x22.2	7"x7/8"	36G	WP407178	WP407198
180x22.2	7"x7/8"	40G	WP407126	WP407199
180x22.2	7"x7/8"	60G	WP407127	WP407500
180x22.2	7"x7/8"	80G	WP407128	WP407501
180x22.2	7"x7/8"	100G	WP407179	WP407502
180x22.2	7"x7/8"	120G	WP407129	WP407503

CALCINE ALUMINUM OXIDE FLAP SANDING DISC

- For metal polishing strongly
- Calcine aluminum oxide material, higher strength and purer abrasive grit, grinding more sharply and longer working life
- EN13743 standard, MPA certificated



SIZE (mm)	IMPERIAL DIAMETER	GRIT	TYPE	SKU
100x16.0	4"x5/8"	36G	T27	WP407170
100x16.0	4"x5/8"	40G	T27	WP407110
100x16.0	4"x5/8"	60G	T27	WP407111
100x16.0	4"x5/8"	80G	T27	WP407112
100x16.0	4"x5/8"	100G	T27	WP407171
100x16.0	4"x5/8"	120G	T27	WP407113



SIZE (mm)	IMPERIAL DIAMETER	GRIT	Type 27 Sku	Type 29 Sku
115x22.2	4-1/2"x7/8"	36G	WP407506	WP407514
115x22.2	4-1/2"x7/8"	40G	WP407134	WP407515
115x22.2	4-1/2"x7/8"	60G	WP407135	WP407516
115x22.2	4-1/2"x7/8"	80G	WP407136	WP407517
115x22.2	4-1/2"x7/8"	100G	WP407507	WP407518
115x22.2	4-1/2"x7/8"	120G	WP407137	WP407519
125x22.2	5"x7/8"	36G	WP407508	WP407520
125x22.2	5"x7/8"	40G	WP407138	WP407521
125x22.2	5"x7/8"	60G	WP407139	WP407522
125x22.2	5"x7/8"	80G	WP407140	WP407523
125x22.2	5"x7/8"	100G	WP407509	WP407524
125x22.2	5"x7/8"	120G	WP407141	WP407525
150x22.2	6"x7/8"	36G	WP407510	WP407526
150x22.2	6"x7/8"	40G	WP407142	WP407527
150x22.2	6"x7/8"	60G	WP407143	WP407528
150x22.2	6"x7/8"	80G	WP407144	WP407529
150x22.2	6"x7/8"	100G	WP407511	WP407530
150x22.2	6"x7/8"	120G	WP407145	WP407531
180x22.2	7"x7/8"	36G	WP407512	WP407532
180x22.2	7"x7/8"	40G	WP407146	WP407533
180x22.2	7"x7/8"	60G	WP407147	WP407534
180x22.2	7"x7/8"	80G	WP407148	WP407535
180x22.2	7"x7/8"	100G	WP407513	WP407536
180x22.2	7"x7/8"	120G	WP407149	WP407537

SANDING DISC

ZIRCONIUM OXIDE FLAP SANDING DISC

PRO PLUS

- For surface polishing of stainless, alloy steel, heat treated metal, etc.
- Zirconium oxide material, higher hardness, larger density, good self - sharpening, grinding more sharply and longer working life
- EN13743 standard, MPA certificated



SIZE (mm)	IMPERIAL DIAMETER	GRIT	TYPE	SKU
100x16.0	4"x5/8"	36G	T27	WP407538
100x16.0	4"x5/8"	40G	T27	WP407150
100x16.0	4"x5/8"	60G	T27	WP407151
100x16.0	4"x5/8"	80G	T27	WP407152
100x16.0	4"x5/8"	100G	T27	WP407539
100x16.0	4"x5/8"	120G	T27	WP407153

SIZE (mm)	IMPERIAL DIAMETER	GRIT	Type 27 Sku	Type 29 Sku
115x22.2	4-1/2"x7/8"	36G	WP407540	WP407548
115x22.2	4-1/2"x7/8"	40G	WP407154	WP407549
115x22.2	4-1/2"x7/8"	60G	WP407155	WP407550
115x22.2	4-1/2"x7/8"	80G	WP407156	WP407551
115x22.2	4-1/2"x7/8"	100G	WP407541	WP407552
115x22.2	4-1/2"x7/8"	120G	WP407157	WP407553
125x22.2	5"x7/8"	36G	WP407542	WP407554
125x22.2	5"x7/8"	40G	WP407158	WP407555
125x22.2	5"x7/8"	60G	WP407159	WP407556
125x22.2	5"x7/8"	80G	WP407160	WP407557
125x22.2	5"x7/8"	100G	WP407543	WP407558
125x22.2	5"x7/8"	120G	WP407161	WP407559
150x22.2	6"x7/8"	36G	WP407544	WP407560
150x22.2	6"x7/8"	40G	WP407162	WP407561
150x22.2	6"x7/8"	60G	WP407163	WP407562
150x22.2	6"x7/8"	80G	WP407164	WP407563
150x22.2	6"x7/8"	100G	WP407545	WP407564
150x22.2	6"x7/8"	120G	WP407165	WP407565
180x22.2	7"x7/8"	36G	WP407546	WP407566
180x22.2	7"x7/8"	40G	WP407166	WP407567
180x22.2	7"x7/8"	60G	WP407167	WP407568
180x22.2	7"x7/8"	80G	WP407168	WP407569
180x22.2	7"x7/8"	100G	WP407547	WP407570
180x22.2	7"x7/8"	120G	WP407169	WP407571

BENCH GRINDING WHEEL

- Aluminium Oxide Abrasive
- Suitable for grinding metal, alloy steel quickly

SIZE (mm)	IMPERIAL DIAMETER	GRIT	RING SIZE	SKU
150x20x32	6" x 25/32"	36G	25/20	WP407100
150x20x32	6" x 25/32"	60G	25/20	WP407101
200x20x32	8" x 25/32"	36G	25/20	WP407102
200x20x32	8" x 25/32"	60G	25/20	WP407103



VELCRO SANDING PAPER

- Aluminium Oxide Grit
- For metal, wood, painting polishing
- Velcro back



SIZE (mm)	GRIT	PCS/PACK	SKU
93x187	4X80G, 4X120G, 2X180G	10	WP407200
93x230	4X80G, 4X120G, 2X180G	10	WP407201
115x140	4X80G, 4X120G, 2X180G	10	WP407202
115x230	4X80G, 4X120G, 2X180G	10	WP407203
115x280	4X80G, 4X120G, 2X180G	10	WP407204

VELCRO SANDING DISC

- Aluminium Oxide Grit
- For metal, wood, painting polishing
- Velcro back





SIZE (mm)	GRIT	PCS/PACK	SKU
90x90	4X80G, 4X120G, 2X180G	10	WP407210
90x140	4X80G, 4X120G, 2X180G	10	WP407211



SIZE (mm)	IMPERIAL DIAMETER	GRIT	PCS/ PACK	SKU
115	4-1/2"	3X80G, 2X120G	5	WP407212
125	5"	3X80G, 2X120G	5	WP407213
150	6"	3X80G, 2X120G	5	WP407214
180	7"	3X80G, 2X120G	5	WP407215
230	9"	3X80G, 2X120G	5	WP407216







SANDING BELT

LD-1467

ALUMINIUM OXIDE SANDING BELT



- Aluminium oxide grit, cotton cloth back
- For metal, wood polishing

SIZE (mm)	IMPERIAL DIAMETER	GRIT	PCS/PACK	SKU
75 x 457	3" x 18"	40G	3	WP407300
75 x 457	3" x 18"	60G	3	WP407301
75 x 457	3" x 18"	80G	3	WP407302
75 x 457	3" x 18"	120G	3	WP407303
75 x 533	3" x 21"	40G	3	WP407310
75 x 533	3" x 21"	60G	3	WP407311
75 x 533	3" x 21"	80G	3	WP407312
75 x 533	3" x 21"	120G	3	WP407313
100 x 610	4" x 24"	40G	3	WP407320
100 x 610	4" x 24"	60G	3	WP407321
100 x 610	4" x 24"	80G	3	WP407322
100 x 610	4" x 24"	120G	3	WP407323
100 x 915	4" x 36"	40G	3	WP407330
100 x 915	4" x 36"	60G	3	WP407331
100 x 915	4" x 36"	80G	3	WP407332
100 x 915	4" x 36"	120G	3	WP407333







BUFFING WHEEL

LD-1467

PLASTIC BUFFING BACK PAD

- Plastic material
- Buffing auxiliary tool







SIZE (mm)	IMPERIAL DIAMETER	ARBOR	SKU
115	4-1/2"	M14X2, ØBMM	WP407431
125	5"	M14X2, ØBMM	WP407432
150	6"	M14X2, ØBMM	WP407433
180	7"	M14X2, ØBMM	WP407434


SIZE (mm)	IMPERIAL DIAMETER	ARBOR	SKU
115	4-1/2"	M14X2	WP407441
125	5"	M14X2	WP407442
150	6"	M14X2	WP407443
180	7"	M14X2	WP407444

WOOL BUFFING BONNET

- Wool material
- Suitable for buffing steel, painting etc



SIZE (mm)	IMPERIAL DIAMETER	SKU
125	5"	WP407450
150	6"	WP407451
180	7"	WP407452
200	8"	WP407453





FASTENING TOOL

LD-1467

SCREWDRIVER BIT

	NO	NAME	GRADE	MATERIAL	TIP	FEATURE	GENERAL SZIE	WORKING LIFE
	1	Basic Bit	PROFI	S2	Slot/PH/PZ/T/HEX	General Fastening	1*2*4*6*	
	2	Round Rod Bit	PROFI	S2	Slot/PH/PZ/T/HEX	Fine Hole Fastening	2*4*6*8*	
	3	Non - slip Bit	PROFI	S2	Slot/PH/PZ/T/HEX	Fastening Easily	1*2*6*	
	4	Impact Bit	PROFI	S2	Slot/PH/PZ	High Torque Fastening	1*2*2.5*4*6*	
	5	Double End Bit	PROFI	S2	Slot/PH/PZ	Double working Life	2*2.5*4*6*	
	6	Double End Impact Bit	PROFI	S2	Slot/PH/PZ	Double working Life	2.5*4*	
	7	Magnetic Nut	PROFI	40CR		Bolt and Nut Fastening	2.5*4*6*	







FASTENING TOOL

SCREWDRIVER BIT

S2

PRO

• S2 material, high hardness, high torque

DESCRIPTION	SIZE (mm)	PC/PACK	SKU
1"	25 x SL6	20	WP408002
	25 x PH2	20	WP408004
	25 x PZ2	20	WP408007
	25 x H6	20	WP408015
2"	50 x SL6	10	WP408024
	50 x PH2	10	WP408026
	50 x PZ2	10	WP408029
	50 x H6	10	WP408037



FINE ROD SCREWDRIVER BIT

S2

PRO

1 S2 MATERIAL
High hardness, high torque

2 FINE ROUND ROD
For narrow working space or pocket screw

DESCRIPTION	SIZE (mm)	PC/PACK	SKU
2"	50 x PH2	10	WP408051
	50 x PZ2	10	WP408054
	50 x H6	10	WP408062
4"	100 x PH2	10	WP408064
	100 x PZ2	10	WP408067
6"	150 x PH2	10	WP408074
	150 x PZ2	10	WP408077
8"	200 x PH2	10	WP408081
	200 x PZ2	10	WP408082



NON SLIP SCREWDRIVER BIT

S2

PRO

DESCRIPTION	SIZE (mm)	PC/PACK	SKU
1"	25 x PH2	20	WP408017
	25 x PZ2	20	WP408020
2"	50 x PH2	10	WP408039
	50 x PZ2	10	WP408042
6"	150 x PH2	10	WP408085
	150 x PZ2	10	WP408086
8"	200 x PH2	10	WP408087
	200 x PZ2	10	WP408088



IMPACT SCREWDRIVER BIT

S2

LONG WORKING LIFE

PRO

• S2 material, high hardness, high torque

DESCRIPTION	SIZE (mm)	PC/PACK	SKU
1"	25 x PH2	20	WP408101
	25 x PZ2	20	WP408104
2"	50 x PH2	10	WP408111
	50 x PZ2	10	WP408114
2.5"	65 x PH2	10	WP408121
	65 x PZ2	10	WP408124
4"	100 x PH2	10	WP408130
	100 x PZ2	10	WP408131



DOUBLE END SCREWDRIVER BIT

S2

2X WORKING LIFE

PRO

• S2 material, high hardness, high torque
• Double end, double working life

DESCRIPTION	SIZE (mm)	PC/PACK	SKU
2"	50 x PH2	10	WP408151
2.5"	65 x PH2	10	WP408154
2.5"	65 x PH2 - SL6	10	WP408156
4"	100 x PH2	10	WP408160
5"	150 x PH2	10	WP408161
6"	200 x PH2	10	WP408162



IMPACT DOUBLE END SCREWDRIVER BIT

S2

2X WORKING LIFE

PRO

• S2 material, high hardness, high torque
• Double end, double working life

DESCRIPTION	SIZE (mm)	PC/PACK	SKU
2.5"	65 x PH2	10	WP408171
2.5"	65 x PH2 - SL6	10	WP408173
4"	100 x PH2	10	WP408175





MAGNETIC NUT SOCKET

PRO

- 40Cr material, 1/4" shank
- Magnetic hole

SIZE (mm)	PC/PACK	SKU
6.5x6	3	WP408201
6.5x8	3	WP408203
6.5x10	3	WP408205
6.5x12	3	WP408207



QUICK - CHANGER AND BIT HOLDER

CR-V

PRO

- 40Cr material, 1/4" shank
- Magnetic hole

NAME	SIZE	PRO	SKU
SOCKET ADAPTER	1/4" x 64mm 3/8" x 64mm 1/2" x 71mm	Hex Shank	WP408250
		SDS-Plus Shank	WP408251



NAME	SIZE	PRO	SKU
Magnetic Screwdriver Bit Holder	2pc 60x6.35mm	Cr-V Shank Carbide Tube	WP408252
	60,150x6.35mm		WP408253



NAME	SIZE	PRO	SKU
Quick Changer Bit Holder	2pc 60x6.35mm	Cr-V Shank Carbide Tube	WP408254
	60,150x6.35mm		WP408255



SCREWDRIVER BIT SET

S2

PRO

- S2 material, high hardness, high torque

NAME	DESCRIPTION	SKU
SCREWDRIVER BIT MIX SET(20Pcs)	16PCS S2 1", 2PCS S2 2", 1PC bit holder, 1PC adapter	WP408270
SCREWDRIVER BIT MIX SET(10Pcs2.5")	SL4,6; PH1,2,3; PZ1,2,3; T15,20,25,27,30,40; S1.2; H3,4,5,6.	WP408271
SCREWDRIVER BIT SET(10Pcs2.5")	10pcs PH2-SL6x65mm	WP408272



PTA SET

TRANSPARENT BOX PTA SET



15PCS HSS Drill set	SKU
Ground HSS4341: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5 5.5, 6, 7, 8, 9, 10, 12	WP409010



16PCS MIX Drill set	SKU
6pcs Ground HSS4341: 2, 3, 4, 5, 6, 8 5pcs Wood: 4, 5, 6, 8, 10 5pcs Masonry: 4, 5, 6, 8, 10	WP409011



29PCS HSS Drill and screwdriver bit set	SKU
5pcs Hex Shank HSS4341 2, 3, 4, 5, 6 3pcs 3" Fine Bit 1pc 60mm bit holder 1pc 60mm quick change 8PCS 1", 8PCS 2" 3pcs Magnite Nut 6, 8, 10x65	WP409012



42 pcs Screwdriver Bit and Nut SET	SKU
32pcs S2 1" bit 3pc magnite nut :6, 8, 10 x65 1p bit holder 60 1pc quick changer 60 5pcs 3" Fine Bit	WP409013

ROTARY ACCESSORIES



276 PCS Rotary Accessories	SKU
34Pcs Grinding Wheel 8Pcs Wheel 52Pcs Cuting Wheel 21Pcs Drill Bit 135Pcs Sanding Band 11Pcs Polishing Wheel 7Pcs Wheel Brush 8Pcs Others	WP409014



POINT REDEMPTION

REMARK: 1 USD (ORDER VALUE) = 1 POINT

3-IN-1 MULTI PURPOSE KEY CHAIN



Model #	Description
WP389004	250 POINTS

CANVAS ZIPPER BAG



Model #	Description
WP289021	RED 250 POINTS/PC
WP289022	BLUE 250 POINTS/PC

PLASTIC BAG



Model #	Description
WP439016	10 POINTS

BALL PEN



Model #	Description
WP439015	15 POINTS

CAP



Model #	Description
WP439004	350 POINTS

TUMBLER 20OZ



Model #	Description
WP389013	680 POINTS

12OZ CAR CUP



Model #	Description
WP439001	500 POINTS

MULTIFUNCTIONAL BALL PEN



Model #	Description
WP439002	180 POINTS/PC

6-IN-1 SPINNER TOOL



Model #	Description
WP221065	230 POINTS

CANVAS BAG



Model #	Description
WP281031	380 POINTS

GOLF UMBRELLA



Model #	Description
WP439009	1000 POINTS

NOTEBOOK



Model #	Description
WP439003	750 POINTS

CATALOG




Model #	Description
WP439006	1500 POINTS

POLO SHIRT



Model #	Description
WP439014	2600 POINTS

POLO SHIRT



Model #	Description
WP439013	2450 POINTS

AD FLAG



Model #	Description
WP439011	1800 POINTS

BACKPACK



Model #	Description
WP281028	2850 POINTS

BEACH UMBRELLA



Model #	Description
WP439007	4200 POINTS

DISPLAY RACK (1480x1000x1200MM)



Model #	Description
WP439008	17500 POINTS

T-SHIRT



Model #	Description
WP439005	1250 POINTS

3-IN-1 JACKET



Model #	Description
WP439012	6000 POINTS

DISPLAY RACK (1000x2200x450MM)



Model #	Description
WP289008	12000 POINTS

HEAVY-DUTY 1000MM DISPLAY SHELF



Model #	Description
WP289007	21000 POINTS

HAND TOOLS



POWER TOOLS



GARDEN TOOLS



AIR TOOLS



ONE-STOP TOOLS SUPPLY

PPE



PTA




EQUIPMENTS



ILLUMINATION





NOT JUST PROFESSIONAL

BUT ALSO

GREAT PRICE, GREAT QUALITY, GREAT SERVICE.

OUR USERS
INDUSTRIAL USERS, PROJECT BUILDERS, AND DIYERSECT BUILDERS, AND DIYERS

OUR SLOGAN
NOT JUST PROFESSIONAL

OUR VISION
BECOME GLOBAL SELECTED BRANDS STATION & GLOBAL LEADING ONE-STOP TOOLS SUPPLIER

OUR VALUES
CUSTOMER FOCUS, SINCERITY, INNOVATION, TOGETHER, EXCELLENCE

OUR PROMISE
GREAT PRICE, GREAT QUALITY, GREAT SERVICE

LD-T467

ONE BRAND, TWO RANGES.

WORKPRO tools are divided into two ranges – WORKPRO BLUE & WORKPRO RED.


WORKPRO BLUE
blue range is fit for for Pros.



WORKPRO RED
red range is tailored to DIYers.









HOLDING TOOLS

PLIERS CLAMP

LD-1467

MULTI-PURPOSE COMBINATION PLIERS


30% LABOR SAVING



Model #	Description
WP231085	200mm(8")

SUPER LABOR-SAVING PLIERS

50% LABOR SAVING



Also available:



Model #	Description
WP231088	200mm(8") long nose pliers
WP231089	200mm(8") combination pliers
WP231090	180mm(7") diagonal pliers

2-IN-1 FLIP PLIERS

GREATER EFFICIENCY

- CR-V
- Bi-material handle anti-slip and ergonomic
- HeatHreated for longer life
- Spring-loaded jaws for easy use







Model #	Description
WP231084	200mm(8")

QUICK-ADJUST WATER PUMP PLIERS

QUICK ADJUST SUPER SELECTED





Model #	Description
WP231086	200mm(8")
WP231087	250mm(10")
WP201005	2PC

CR-V COMBINATION PLIERS

ECCENTRIC AND LABOR-SAVING



Model #	Description
WP231024	160mm(6")
WP231025	180mm(7")
WP231026	200mm(8")

CR-V DIAGONAL PLIERS

- CR-V forged steel
- Eccentric and labor-saving structure
- Hardened cutting edge
- 30% wider handle





Model #	Description
WP231022	160mm(6")
WP231066	180mm(7")

Model #	Description
WP231023	180mm(7")

CR-V LONG NOSE PLIERS

- CR-V forged steel
- Eccentric and labor-saving structure
- Hardened cutting edge
- With cable pulling function
- 30% wider handle



Model #	Description
WP231020	160mm(6")
WP231021	200mm(8")

CR-V END CUTTING PLIERS

- Hardened cutting edge strong shearing force
- 30% wider handle



Model #	Description
WP231027	180mm(7")

CR-V WATER PUMP PLIERS

- V-jaw multi-fit shapes
- CR-V forged
- Tri-color grip
- 30% wider handle



Model #	Description
WP231028	250mm(10")
WP231029	300mm(12")

COMBINATION PLIERS

- Drop forged steel
- Ni-Fe coating for durability
- Bi-material handle
- 30% wider handle



Model #	Description
WP231016	160mm(6")
WP231017	180mm(7")
WP231018	200mm(8")

DIAGONAL PLIERS

- Drop forged steel
- Ni-Fe coating for durability
- Bi-material handle
- 30% wider handle





Model #	Description
WP231014	160mm(6")

Model #	Description
WP231015	180mm(7")

LONG NOSE PLIERS

- Drop forged steel
- Ni-Fe coating for durability
- Bi-material handle
- 30% wider handle



Model #	Description
WP231012	160mm(6")
WP231013	200mm(8")

BENT NOSE PLIERS

- Drop forged steel
- Bi-material handle
- 30% wider handle



Model #	Description
WP231042	160mm(6")
WP231043	200mm(8")

END CUTTING PLIERS

- Drop forged steel
- Ni-Fe coating for durability
- Bi-material handle
- 30% wider handle



Model #	Description
WP231019	180mm(7")

STRIPPER PLIERS

- Drop forged steel
- Bi-material handle
- 30% wider handle



Model #	Description
WP231041	160mm(6")

SLIP JOINT PLIERS

- Drop forged steel
- Bi-material handle
- 30% wider handle



Model #	Description
WP231044	160mm(6")
WP231045	200mm(8")

3PC PLIERS SET (6"+6"+6")

- Drop forged steel
- Bi-material comfort grip handle



Model #	Description
WP201008	6" long nose pliers, 6" diagonal pliers, 6" combination pliers

3PC PLIERS SET (6"+6"+8")

- Drop forged steel
- Bi-material comfort grip handle



Model #	Description
WP201007	8" combination pliers, 6" long nose pliers, 6" diagonal pliers

COMBINATION PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231001	160mm(6")
WP231002	180mm(7")
WP231003	200mm(8")

DIAGONAL PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231006	160mm(6")
WP231007	190mm(7-1/2")

LONG NOSE PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231004	160mm(6")
WP231005	200mm(8")

SLIP JOINT PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231008	160mm(6")
WP231009	200mm(8")

WATER PUMP PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231010	250mm(10")
WP231117	300mm(12")

FENCE PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231011	250mm(10")

MINI LONG NOSE PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231034	120mm

MINI DIAGONAL PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231035	105mm

MINI COMBINATION PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231036	106mm

MINI END CUTTING PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231037	104mm

MINI NEEDLE NOSE PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231038	145mm

MINI BENT NOSE PLIERS

- Drop forged steel
- Easy-to-clean handle



Model #	Description
WP231039	120mm

CR-V CURVED JAW LOCKING PLIERS



Model #	Description
WP231072	130mm(5")
WP231073	180mm(7")
WP231074	250mm(10")

CR-V LONG NOSE STRAIGHT JAW LOCKING PLIERS

- Tri-color handle slip resistant
- CR-V jaw for maximum durability
- Adjustable knob
- Quick release



Model #	Description
WP231075	165mm(6-1/2")
WP231076	230mm(9")

3PC CR-V LOCKING PLIERS SET

- Tri-color handle slip resistant
- CR-V jaw for maximum durability
- Adjustable knob
- Quick release



Model #	Description
WP201003	1pc 250mm(10") curved jaw locking pliers, 1pc 180mm(7") curved jaw locking pliers, 1pc 165mm(6-1/2") long nose straight jaw locking pliers

CR-V LONG NOSE LOCKING PLIERS

- CR-V jaw for maximum durability
- Adjustable knob
- Quick release



Model #	Description
WP231050	115mm(4-1/2")
WP231051	165mm(6-1/2")
WP231052	230mm(9")

CR-V LOCKING PLIERS

- CR-V jaw for maximum durability
- Adjustable knob
- Quick release



Model #	Description
WP231053	180mm(7")
WP231054	250mm(10")
WP231055	300mm(12")

CURVED JAW LOCKING PLIERS

- CR-V steel curved jaw
- Adjustable knob
- Quick release



Model #	Description
WP231057	130mm(5")
WP231058	180mm(7")
WP231059	250mm(10")
WP231060	300mm(12")

WELDING LOCKING PLIERS

- Carbon steel jaw
- Adjustable knob
- Quick release



Model #	Description
WP231061	230mm(9")

CHAIN CLAMP LOCKING PLIERS

- Adjustable knob
- Quick release



Model #	Description
WP231062	480mm(19")

CR-V C-CLAMP LOCKING PLIERS

- CR-V jaw for maximum durability
- Adjustable knob
- Quick release



Model #	Description
WP231063	160mm(6")
WP231064	280mm(11")
WP231030	450mm(18")

CR-V C-CLAMP LOCKING PLIERS

- Swivel pad
- CR-V jaw for maximum durability
- Adjustable knob
- Quick release



Model #	Description
WP231031	160mm(6")
WP231067	280mm(11")
WP231068	450mm(18")

SHEET LOCKING PLIERS

- Max.locking surface
- Adjustable knob
- Quick release



Model #	Description
WP231069	Size: 200mm(8"); Opening: 54mm(2-1/8"); Throat depth 39mm (1-1/2")
WP231070	Size:250mm(10"); Opening: 70mm(2-3/4"); Throat depth 44mm (1-3/4")

CURVED JAW LOCKING PLIERS

- Drop forged steel
- Adjustable knob
- Quick release



Model #	Description
WP231071	250mm(10")

LONG NOSE STRAIGHT JAW LOCKING PLIERS

- Drop forged steel
- Adjustable knob
- Quick release



Model #	Description
WP231040	230mm(9")

4PC LOCKING PLIERS

- Drop forged steel
- Quick release
- Adjustable knob



Model #	Description
WP201001	1pc 130mm(5") curved jaw locking pliers, 1pc 165mm(6.5") long nose jaw locking pliers, 1pc 180mm(7") curved jaw locking pliers, 1pc 250mm(10") curved jaw locking pliers

LOCKING PLIERS

5PC CR-V LOCKING PLIERS SET

- CR-V steel
- Quick release
- Adjustable knob



Model #	Description
WP201002	1pc 130mm(5") curved jaw locking pliers, 1pc 180mm(7") curved jaw locking pliers, 1pc 250mm(10") curved jaw locking pliers, 1pc 165mm(6-1/2") long nose locking pliers, 1pc 230mm(9") long nose locking pliers

CARPENTER'S PINCER

- Drop forged steel
- Double dipped grip



Model #	Description
WP231048	200mm(8")

TOWER PINCER

- Drop forged steel
- Double dipped grip



Model #	Description
WP231049	225mm(9")

STRAIGHT EXTERNAL CIRCLIP PLIERS

- CR-V
- Easy-to-clean handle



Model #	Description
WP231080	180mm(7")

BENT EXTERNAL CIRCLIP PLIERS

- CR-V
- Easy-to-clean handle



Model #	Description
WP231081	180mm(7")

STRAIGHT INTERNAL CIRCLIP PLIERS

- CR-V
- Easy-to-cl



Model #	Description
WP231082	180mm(7")

BENT INTERNAL CIRCLIP PLIERS

- CR-V
- Easy-to-clean handle



Model #	Description
WP231083	180mm(7")

4-IN-1 CIRCLIP PLIERS SET

- 65Mn steel
- 4 heads meet different working conditions



Model #	Description
WP201004	155mm(6")

EYELET PLIERS

- Chrome plated, anti-rust
- Easy-to-clean handle



Model #	Description
WP231079	140mm

PUNCH PLIERS

- 360° Revolving
- 2 Efficient lever action for labor-saving
- Comfort grip



Model #	Description
WP231077	6 punch size: 2.0,2.5,3.0,3.5,4.0,4.5mm

HIGH-LEVERAGE PUNCH PLIERS

- 360° Revolving
- 2 Efficient lever action for labor-saving
- Comfort grip
- Safe locking



Model #	Description
WP231078	Punching hole: 3 circulars (aperture diameter 3.5, 4.0, 4.5mm), 2 U-shaped, 1 oval (elliptical hole: 6.1x4mm; Small flat hole: 6.6x3.1mm, big flat hole:7.5x3.6mm)

BENCH VISE

- Jaws hardened carbon steel
- Cast iron construction
- Fixed base



Model #	Description
WP233001	Size:100mm(4"); Jaw width:100mm; Jaw opening: 75mm
WP233002	Size:125mm(5"); Jaw width:125mm; Jaw opening 100mm
WP233003	Size:150mm(6"); Jaw width:150mm; Jaw opening 125mm
WP233004	Size:200mm(8"); Jaw width:200mm; Jaw opening:160mm

DRILL PRESS VISE

- Cast iron base
- Thickened screw smooth rotation



Model #	Description
WP233009	Size:100mm(4")

BENCH VISE WITH SWIVEL BASE

360° SWIVEL BASE

- Jaws hardened carbon steel
- Cast iron construction
- 360° swivel base




Model #	Description
WP233005	Size:100mm(4"); Jaw width:100mm; Jaw opening: 75mm
WP233006	Size:125mm(5"); Jaw width:125mm; Jaw opening 100mm
WP233007	Size:150mm(6"); Jaw width:150mm; Jaw opening 125mm
WP233008	Size:200mm(8"); Jaw width:200mm; Jaw opening:160mm



HEAVY DUTY QUICK RELEASE BAR CLAMP

300LBS





Model #	Description
WP232039	Length: 150mm(6"); Throat Depth: 79mm
WP232040	Length: 300mm(12"); Throat Depth: 79mm
WP232041	Length: 450mm(18"); Throat Depth: 79mm
WP232042	Length: 600mm(24"); Throat Depth: 79mm

LIGHTWEIGHT QUICK RELEASE BAR CLAMP

150LBS

- Quickly converts from a clamp to a spreader
- Soft padded jaws to protect workpiece
- Reinforced nylon construction for strengths



Model #	Description
WP232035	Length: 150mm(6"); Throat Depth: 60mm
WP232036	Length: 300mm(12"); Throat Depth: 60mm

Model #	Description
WP232037	Length: 450mm(18"); Throat Depth: 60mm
WP232038	Length: 600mm(24"); Throat Depth: 60mm

MINI QUICK RELEASE BAR CLAMP

50LBS

- Soft padded jaws to protect workpiece
- Reinforced nylon construction for strengths



Model #	Description
WP232034	1PC; Length: 100mm(4"); Throat Depth: 40mm
WP201016	2PC; Length: 100mm(4"); Throat Depth: 40mm

BAR CLAMP

QUICK- RELEASE AND HEAVY DUTY



SoftPadded Jaws
Protect the surface ofworkpieces

Quick Adjustment Design

Tri-color Ergonomic Handle



Thickened Serrated Steel Bars



Model #	Description
WP232030	150mm(6")
WP232031	300mm(12")
WP232032	450mm(18")
WP232033	600mm(24")

BAR CLAMP

- Removable jaw pad
- Wooden handle



Model #	Description
WP232025	50X150mm
WP232026	50X200mm
WP232027	80X300mm
WP232028	120X400mm
WP232029	120X600mm

RATCHETING SPRING CLAMP

STRONG RATCHET ACTION

Reinforced Nylon Construction
For higher strength

Ratchet Mechanism
For adjustable clamping pressure

Soft Durable Pads



Quick Release

Model #	Description
WP232013	Opening size: 38mm(1-1/2")
WP232014	Opening size: 50mm(2")
WP232015	Opening size: 100mm(4")

SPRING CLAMP

- Reinforced nylon
- Ergonomic handle for comfortable use



Model #	Description
WP232009	Opening size:19mm(3/4")
WP232010	Opening size:25mm(1")
WP232011	Opening size:50mm(2")
WP232012	Opening size:75mm(3")

NYLON SPRING CLAMP

- Reinforced nylon construction
- Soft durable pads
- Ergonomic handle



Model #	Description
WP232001	Opening size: 19mm(3/4")
WP232002	Opening size:25mm(1")
WP232003	Opening size:50mm(2")
WP232004	Opening size:75mm(3")

STEEL SPRING CLAMP

- Pvc coating tips
- Nickel-plated steel



Model #	Description
WP232005	Opening size: 19mm(3/4")
WP232006	Opening size:25mm(1")

Model #	Description
WP232007	Opening size:50mm(2")
WP232008	Opening size:75mm(3")

G-CLAMP

- Malleable steel frame
- Swivel pad
- Chrome plated finish screw



Model #	Description
WP232016	25mm(1")
WP232017	50mm(2")
WP232018	75mm(3")
WP232019	100mm(4")
WP232020	150mm(6")
WP232021	200mm (8")

QUICK RELEASE G-CLAMP

- Roll-formed screw threads
- Quick-release mechanism



Model #	Description
WP232022	75mm(3")
WP232023	100mm(4")
WP232024	150mm(6")

90° CORNER CLAMP

- Aluminum
- Reinforced electroplated screw



Model #	Description
WP232043	Clamping width: 75mm(3")

BAND CLAMP

- Removable clamping block suitable for different shapes
- High-strength nylon strap sturdy and durable




Model #	Description
WP232044	294x110x36mm

WELDING MAGNET CLAMPS

MAGNETIC 4-ANGLE LOCATOR





Model #	Description
WP232045	75mm(3"); 25LB
WP232046	100mm(4"); 50LB
WP232047	125mm(5"); 75LB

WELDING MAGNET CLAMPS

- Carbon steel
- Super strong magnet





Model #	Description
WP232048	Small; 25LB
WP232049	Medium; 50LB
WP232050	Large; 75LB



MECHANICS TOOLS

WRENCH
RATCHET HANDLE
SOCKETS AND ACCESSORIES
MECHANICS TOOL SET

LD-1467

2-IN-1 ADJUSTABLE WRENCH & WATER PUMP PLIERS



Model #	Description
WP272014	200mm(8")

UNIVERSAL ADJUSTABLE WRENCH



Model #	Description
WP272015	Jaw opening: 7-22mm(9/32"-7/8")

UNIVERSAL WRENCH (METRIC & SAE)



Model #	Description
WP272016	Jaw opening: 5-15mm(3/16"-19/32"), 15-27mm(19/32"-1-1/16")

Model #	Description
WP272017	Jaw opening: 5-11mm(3/16"-7/16"),11-16mm(7/16"-5/8")

ADJUSTABLE CONSTRUCTION SPUD WRENCH



Model #	Description
WP272019	Size: 300mm(12"); Opening size: 34mm

8-IN-1 SOCKET WRENCH

- Forged steel
- Double-headed 360°movable adjustment
- Suitable for 12-point, six-pointed star, square, hexagon and 12-sided screws


MM
SAE



Model #	Description
WP272018	8, 10, 11, 13, 14, 16, 17, 19mm; 5/16", 3/8", 7/16", 1/2", 9/ 16", 5/8", 11/16", 3/4"


MULTIFUNCTION WRENCH SET

MULTI PURPOSE



Model #	Description
WP202516	6-32mm

ADJUSTABLE WRENCH



Model #	Description
WP272010	Size: 150mm(6"); Max. jaw capacity: 24mm
WP272011	Size: 200mm(8"); Max. jaw capacity: 30mm

Model #	Description
WP272012	Size: 250mm(10") ; Max. jaw capacity: 35mm
WP272013	Size: 300mm(12") ; Max. jaw capacity: 40mm

ADJUSTABLE WRENCH SET


- 3PC
- CR-Vsteel construction for strength
- Chrome plated for rust resistance and corrosion
- Dual-material comfort grip handle



Model #	Description
WP202515	150mm, 200mm, 250mm

ADJUSTABLE WRENCH

HEAVY DUTY



Model #	Description
WP272006	Size: 150mm(6"); Max. jaw capacity: 24mm
WP272007	Size: 200mm(8"); Max. jaw capacity: 30mm
WP272008	Size: 250mm(10") ; Max. jaw capacity: 35mm
WP272009	Size: 300mm(12") ; Max. jaw capacity: 40mm

ADJUSTABLE WRENCH

- Forged steel construction for strength
- Chrome plated for rust resistance and longer life



Model #	Description
WP272001	150mm(6")
WP272002	200mm(8")
WP272003	250mm(10")
WP272004	300mm(12")
WP272005	375mm(15")

ADJUSTABLE WRENCH SET

- 3PC
- Forged steel construction for strength
- Chrome plated for rust resistance and longer life



Model #	Description
WP202514	150mm, 200mm, 250mm

COMBINATION WRENCH

- Forged steel
- Chrome plated, mirror polished



Model #	Description
WP273001	6mm
WP273002	7mm
WP273003	8mm
WP273004	9mm
WP273005	10mm
WP273006	11mm
WP273007	12mm
WP273008	13mm
WP273009	14mm
WP273010	15mm
WP273011	16mm
WP273012	17mm
WP273013	18mm
WP273014	19mm
WP273015	20mm
WP273016	21mm
WP273017	22mm
WP273018	23mm
WP273019	24mm
WP273020	25mm
WP273021	26mm
WP273022	27mm
WP273023	28mm
WP273024	29mm
WP273025	30mm
WP273026	32mm

COMBINATION WRENCH

- Chrome-vanadium steel
- Sand blastiong and chrome plated



Model #	Description
WP273027	6mm
WP273028	7mm
WP273029	8mm
WP273030	9mm
WP273031	10mm
WP273032	11mm
WP273033	12mm
WP273034	13mm
WP273035	14mm
WP273036	15mm
WP273037	16mm
WP273038	17mm
WP273039	18mm
WP273040	19mm
WP273041	20mm
WP273042	21mm
WP273043	22mm
WP273044	23mm
WP273045	24mm
WP273046	25mm
WP273047	26mm
WP273048	27mm
WP273049	28mm
WP273050	29mm
WP273051	30mm
WP273052	32mm

DOUBLE OPEN WRENCH

- Forged steel
- Chrome plated, mirror polished



Model #	Description
WP273053	6x7mm
WP273054	8x9mm
WP273055	8x10mm
WP273056	10x11mm
WP273057	10x12mm
WP273058	12x13mm
WP273059	12x14mm
WP273060	14x15mm
WP273061	14x17mm
WP273062	16x17mm
WP273063	16x18mm

Model #	Description
WP273064	17x19mm
WP273065	18x19mm
WP273066	19x22mm
WP273067	20x22mm
WP273068	21x23mm
WP273069	22x24mm
WP273070	24x27mm
WP273071	25x28mm
WP273072	27x30mm
WP273073	30x32mm

DOUBLE OPEN WRENCH

- Chrome-vanadium steel
- Sand blastiong and chrome plated



Model #	Description
WP273074	6x7mm
WP273075	8x9mm
WP273076	10x11mm
WP273077	12x13mm
WP273078	14x15mm
WP273079	16x17mm
WP273080	18x19mm

Model #	Description
WP273081	20x22mm
WP273082	21x23mm
WP273083	24x27mm
WP273084	25x28mm
WP273085	27x30mm
WP273086	30x32mm

DOUBLE RING WRENCH

- Forged steel
- Chrome plated, mirror polished



Model #	Description
WP273087	6x7mm
WP273088	8x9mm
WP273089	10x11mm
WP273090	12x13mm
WP273091	14x15mm
WP273092	16x17mm
WP273093	18x19mm

Model #	Description
WP273094	20x22mm
WP273095	21x23mm
WP273096	24x27mm
WP273097	25x28mm
WP273098	27x30mm
WP273099	30x32mm

DOUBLE RING WRENCH

- Chrome-vanadium steel
- Sand blastiong and chrome plated



Model #	Description
WP273100	6x7mm
WP273101	8x9mm
WP273102	10x11mm
WP273103	12x13mm
WP273104	14x15mm
WP273105	16x17mm
WP273106	18x19mm

Model #	Description
WP273107	20x22mm
WP273108	21x23mm
WP273109	24x27mm
WP273110	25x28mm
WP273111	27x30mm
WP273112	30x32mm

RATCHETING COMBINATION WRENCH

- CR-V steel and heat treated
- Chrome-plated surface
- 72-tooth ratchet head for smoother rotation

MM



Model #	Description
WP273124	6mm
WP273125	8mm
WP273126	9mm
WP273127	10mm
WP273128	11mm
WP273129	12mm
WP273130	13mm
WP273131	14mm
WP273132	15mm
WP273133	16mm

Model #	Description
WP273134	17mm
WP273135	18mm
WP273136	19mm
WP273137	21mm
WP273138	22mm
WP273139	24mm
WP273140	27mm
WP273141	30mm
WP273142	32mm

FLEXIBLE RATCHETING COMBINATION WRENCH

- CR-V steel and heat treated
- Chrome-plated surface
- 72-tooth ratchet head for smoother rotation
- 180 degree steering at ratchet end



Model #	Description
WP273163	8mm
WP273164	9mm
WP273165	10mm
WP273166	11mm
WP273167	12mm
WP273168	13mm

Model #	Description
WP273169	14mm
WP273170	15mm
WP273171	16mm
WP273172	17mm
WP273173	18mm
WP273174	19mm

5PC COMBINATION WRENCH SET

- Chrome-vanadium steel
- Sand blastiong and chrome plated

MM



Model #	Description
WP202500	6, 8, 10, 12, 15mm

9PC DOUBLE OPEN WRENCH SET

- Chrome-vanadium steel
- Sand blasting and chrome plated

MM



Model #	Description
WP202505	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23mm

6PC COMBINATION WRENCH SET

- CR-V steel and heat treated for strength and durability
- Sand blasting and chrome plated

MM



Model #	Description
WP202501	8, 10, 12, 14, 16, 18mm

8PC DOUBLE OPEN WRENCH SET

- CR-V steel and heat treated
- Sand blasting and chrome plated

MM



Model #	Description
WP202506	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm

8PC DOUBLE RING END WRENCH SET

- CR-V steel and heat treated
- Sand blasting and chrome plated
- Plastic rack for easy storage

MM



Model #	Description
WP202509	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm

7PC RETCHETING COMBINATION WRENCH SET

- CR-V steel and heat treated
- Chrome-plated and polished surface
- 72-tooth ratchet head
- Plastic rack for easy storage



Model #	Description
WP202511	10, 11, 12, 13, 14, 15, 16mm

9PC COMBINATION WRENCH SET

- CR-V steel and heat treated
- Sand blasting and chrome plated
- Hanging bag packaging

MM



Model #	Description
WP202502	8, 10, 11, 12, 13, 14, 15, 17, 19mm

16PC COMBINATION WRENCH SET

- CR-V steel and heat treated
- Sand blasting and chrome plated
- Hanging bag packaging

MM



Model #	Description
WP202503	6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 24, 27, 30, 32mm

23PC COMBINATION WRENCH SET

- CR-V steel and heat treated
- Sand blasting and chrome plated
- Hanging bag packaging

MM



Model #	Description
WP202504	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32mm

12PC DOUBLE OPEN WRENCH SET

- CR-V steel and heat treated
- Sand blasting and chrome plated
- Hanging bag packaging

MM



Model #	Description
WP202507	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm

12PC DOUBLE RING WRENCH SET

- CR-V steel and heat treated
- Sand blasting and chrome plated
- Hanging bag packaging

MM



Model #	Description
WP202510	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32mm

8PC FLEXIBLE RATCHETING COMBINATION WRENCH SET

- CR-V steel and matt chrome plated
- 72-teeth

MM



Model #	Description
WP202521	9, 10, 11, 12, 13, 14, 15, 17mm

7PC RATCHET COMBINATION WRENCH SET

- CR-V steel and heat treated
- Sand blasting and chrome plated
- Hanging bag packaging

MM



Model #	Description
WP202562	8,10,11,12,13,14,17mm



DOUBLE RING RATCHET WRENCH SET

- Cr-V
- 1pc 14x19mm ring ratchet wrench
- 6pcs 6PT socket size:8,10,12,13,15,17mm

MM



Model #	Description
WP202567	7pc

DOUBLE RING RATCHET WRENCH SET

- Cr-V
- 1pc 14x19mm double ring and double drive ratchet wrench
- 6pcs 6PT Socket size:8,10,12,13,15,17mm

MM



Model #	Description
WP202568	7pc

DOUBLE RING AND DOUBLE FLEXIBLE RATCHET WRENCH SET

- Cr-V
- 1pc 14x19mm double ring and double flexible ratchet wrench
- 6pcs 6PT socket size:8,10,12,13,15,17mm

MM



Model #	Description
WP202569	7pc

11PC DOUBLE RING AND DOUBLE FLEXIBLE RATCHET WRENCH SET

- Cr-V
- 1pc 14x19mm double ring and double flexible ratchet wrench
- 6pcs 6PT socket size:8,9,10,11,12,13,15,16,17,18mm

MM







Model #	Description
WP202570	11pc

9PC RATCHET COMBINATION WRENCH SET

- Cr-V
- 9pcs ratchet combination wrench size:8,9,10,11,12,13,15,16,17,18mm

MM





Model #	Description
WP202571	9pc



DOUBLE DRIVE RATCHET HANDLE

2X FASTER DUAL DRIVE


3/8"



Model #	Description
WP271013	3/8" Drive; 48T

RATCHET HANDLE

OFFSET DESIGN



Model #	Description
WP271010	1/4" Drive; 72T
WP271011	3/8" Drive; 72T
WP271012	1/2" Drive; 72T

RATCHET HANDLE

- Chrome steel
- Matt chrome plated
- Quick release
- Tri-color anti-slip handle



Model #	Description
WP271007	1/4" Drive; 45T
WP271008	3/8" Drive; 45T
WP271009	1/2" Drive; 45T

TEARDROP RATCHET HANDLE

- Chrome steel
- Comfortable grip handle
- Quick release, Forward/reverse 90T gear



Model #	Description
WP271004	1/4" Drive; 90T
WP271005	3/8" Drive; 90T
WP271006	1/2" Drive; 90T

RATCHET HANDLE

- Chrome steel, full polished
- Comfortable grip handle
- Quick release



Model #	Description
WP271021	1/4" Drive; 43T
WP271022	3/8" Drive; 41T
WP271023	1/2" Drive; 45T

RATCHET HANDLE

- Forged steel, chrome plated
- Comfortable grip handle
- Forward/ reverse ratchet



Model #	Description
WP271001	1/4" Drive; 43T
WP271002	3/8" Drive; 39T
WP271003	1/2" Drive; 45T

3-IN-1 RATCHET HANDLE



Model #	Description
WP271014	1/4", 3/8", 1/2" Drive; 72T

TORQUE WRENCH

- Aluminum alloy handle
- Prefabricated, torque can be set
- 40CR ratchet head, Cr-Mo D head, chrome steel
- 72-tooth ratchet structure



Model #	Description
WP271018	1/4" Drive; 72T; 5-25N.M
WP271019	3/8" Drive; 72T; 20-120N.M
WP271020	1/2" Drive; 72T; 40-220N.M

TORQUE WRENCH

- All-steel handle, 40CR D head
- Heat treated, electroplating on the handle surface
- 24-tooth ratchet structure



Model #	Description
WP271015	1/4" Drive; 24T; 5-25N.M
WP271016	3/8" Drive; 24T; 19-110N.M
WP271017	1/2" Drive; 24T; 28-210N.M



STANDARD SOCKET, 6PT



6-Point Socket Opening

Provides an exact fit and maximum contact for hex fasteners

Matt Chrome Plated

CR-V Steel



Large, Stamped Marking

Clearly visible size numbers with extra-deep outline

Secure Drive Tool Engagement



Model #	Description
WP274001	4mm
WP274002	5mm
WP274003	6mm
WP274004	7mm
WP274005	8mm
WP274006	9mm

Model #	Description
WP274007	10mm
WP274008	11mm
WP274009	12mm
WP274010	13mm
WP274011	14mm

DEEP SOCKET, 6PT

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern



Model #	Description
WP274012	4mm
WP274013	5mm
WP274014	6mm
WP274015	7mm
WP274016	8mm
WP274017	9mm
WP274018	10mm
WP274019	11mm
WP274020	12mm
WP274021	13mm
WP274022	14mm

STANDARD SOCKET, 12PT

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern



Model #	Description
WP274023	4mm
WP274024	5mm
WP274025	6mm
WP274026	7mm
WP274027	8mm
WP274028	9mm
WP274029	10mm
WP274030	11mm
WP274031	12mm
WP274032	13mm
WP274033	14mm

STANDARD SOCKET, 6PT

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern



Model #	Description
WP274034	6mm
WP274035	7mm
WP274036	8mm
WP274037	9mm
WP274038	10mm
WP274039	11mm
WP274040	12mm
WP274041	13mm
WP274042	14mm
WP274043	15mm

Model #	Description
WP274044	16mm
WP274045	17mm
WP274046	18mm
WP274047	19mm
WP274048	20mm
WP274049	21mm
WP274050	22mm
WP274051	23mm
WP274052	24mm

DEEP SOCKET, 6PT

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern



Model #	Description
WP274053	8mm
WP274054	9mm
WP274055	10mm
WP274056	11mm
WP274057	12mm
WP274058	13mm
WP274059	14mm
WP274060	15mm
WP274061	16mm

Model #	Description
WP274062	17mm
WP274063	18mm
WP274064	19mm
WP274065	20mm
WP274066	21mm
WP274067	22mm
WP274068	23mm
WP274069	24mm

STANDARD SOCKET, 12PT

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern



Model #	Description
WP274070	6mm
WP274071	7mm
WP274072	8mm
WP274073	9mm
WP274074	10mm
WP274075	11mm
WP274076	12mm
WP274077	13mm
WP274078	14mm
WP274079	15mm

Model #	Description
WP274080	16mm
WP274081	17mm
WP274082	18mm
WP274083	19mm
WP274084	20mm
WP274085	21mm
WP274086	22mm
WP274087	23mm
WP274088	24mm

SOCKETS

STANDARD SOCKET, 6PT

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern



Model #	Description
WP274089	8mm
WP274090	9mm
WP274091	10mm
WP274092	11mm
WP274093	12mm
WP274094	13mm
WP274095	14mm
WP274096	15mm
WP274097	16mm
WP274098	17mm
WP274099	18mm
WP274100	19mm

Model #	Description
WP274101	20mm
WP274102	21mm
WP274103	22mm
WP274104	23mm
WP274105	24mm
WP274106	25mm
WP274107	26mm
WP274108	27mm
WP274109	28mm
WP274110	29mm
WP274111	30mm
WP274112	32mm

DEEP SOCKET, 6PT

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern



Model #	Description
WP274113	8mm
WP274114	9mm
WP274115	10mm
WP274116	11mm
WP274117	12mm
WP274118	13mm
WP274119	14mm
WP274120	15mm
WP274121	16mm
WP274122	17mm
WP274123	18mm
WP274124	19mm

Model #	Description
WP274125	20mm
WP274126	21mm
WP274127	22mm
WP274128	23mm
WP274129	24mm
WP274130	25mm
WP274131	26mm
WP274132	27mm
WP274133	28mm
WP274134	29mm
WP274135	30mm
WP274136	32mm

STANDARD SOCKET, 12PT

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern
- 12-corner hole easier for putting on the nut



Model #	Description
WP274137	8mm
WP274138	9mm
WP274139	10mm
WP274140	11mm
WP274141	12mm
WP274142	13mm
WP274143	14mm
WP274144	15mm
WP274145	16mm
WP274146	17mm
WP274147	18mm
WP274148	19mm

Model #	Description
WP274149	20mm
WP274150	21mm
WP274151	22mm
WP274152	23mm
WP274153	24mm
WP274154	25mm
WP274155	26mm
WP274156	27mm
WP274157	28mm
WP274158	29mm
WP274159	30mm
WP274160	32mm

SPARK PLUG SOCKET

- CR-V steel and heat treated
- Matt chrome plated
- With anti-slip rolling pattern
- For spark plugs disassembing and assembing



Model #	Description
WP274161	3/8"Drive; 16mm
WP274162	3/8"Drive; 21mm
WP274163	3/8"Drive; 5/8"
WP274164	3/8"Drive; 13/16"
WP274165	1/2"Drive; 16mm
WP274166	1/2"Drive; 21mm
WP274167	1/2"Drive; 5/8"
WP274168	1/2"Drive; 13/16"

UNIVERSAL SOCKET SET







Model #	Description
WP202517	7-19mm

UNIVERSAL JOINT

- CR-V steel and heat treated
- Matt chrome plated
- The head can be turned arbitrarily, and it can be used with sockets, extension rods, etc.



Model #	Description
WP275001	1/4"Drive
WP275002	3/8"Drive
WP275003	1/2"Drive

SOCKET ADAPTER

- Chrome-vanadium steel
- Matt chrome plated
- For the conversion of ratchet and different sockets



Model #	Description
WP275004	1/4"F-3/8"M
WP275005	3/8"F-1/4"M
WP275006	3/8"F-1/2"M
WP275007	1/2"F-3/8"M

UNIVERSAL JOINT SET

- 3PC
- Chrome-vanadium steel
- Matt chrome plated
- The head can be turned arbitrarily, and it can be used with sockets, extension rods, etc.



Model #	Description
WP202518	1/4", 3/8", 1/2

ADAPTER SET

- 4PC
- Chrome-vanadium steel
- Matt chrome plated
- For the conversion of ratchet and different sockets



Model #	Description
WP202519	1/4-3/8", 3/8-1/4", 3/8-1/2, 1/2-3/8"

3 WAY ADAPTOR

- Chrome-vanadium steel
- Matt chrome plated



Model #	Description
WP275008	3/8"F-1/4"M
WP275009	3/8"F-1/2"M
WP275010	1/2"F-3/8"M

BIT ADAPTOR

- Chrome-vanadium steel
- Matt chrome plated
- Used to connect 6.35mm hex bit



Model #	Description
WP275011	1/4"

EXTENSION BAR

- Chrome-vanadium steel
- Matt chrome plated
- With steering function
- Use with sockets, adapters, F rods, etc.



Model #	Description
WP275020	1/4"X2"
WP275021	1/4"x3"
WP275022	1/4"x4"
WP275023	1/4"x6"
WP275024	3/8"x3"
WP275025	3/8"x5"

Model #	Description
WP275026	3/8"x6"
WP275027	3/8"x10"
WP275028	1/2"x3"
WP275029	1/2"x5"
WP275030	1/2"x10"

SLIDING T-BAR

- Chrome-vanadium steel
- Matt chrome plated



Model #	Description
WP275012	1/4"
WP275013	3/8"
WP275014	1/2"

L-SHAPE SOCKET BREAKER

- Chrome-vanadium steel
- Matt chrome plated
- With knurled handle, non-slip
- Used with sockets, adapters, and extension bars



Model #	Description
WP275015	1/2" Drive; 250x50 mm

F-SHAPE BREAKER BAR

- Chrome steel
- Matt chrome plated
- Gourd tail handle, comfortable to hold
- Use with Sockets, adapters, and extension bars



Model #	Description
WP275018	1/4"x150mm
WP275019	1/2"x380mm

1/4" SOCKET DRIVE HANDLE


- Chrome-vanadium steel
- Matt chrome plated, rust resistance
- Monochrome PP Handle



Model #	Description
WP275032	1/4" Drive


1/4" DR. T-HANDLE

MULTI-FUNCTION SPEED SLIDING T-HANDLE




Model #	Description
WP275016	1/4"Drive

3/8" DR. T-HANDLE




Model #	Description
WP275017	3/8"Drive

1/4" DR. FINGER RATCHET



Model #	Description
WP275031	1/4" Drive



FASTENING TOOLS

SCREWDRIVER
HEX KEY
CAULKING GUN
STAPLE GUN
RIVET GUN

LD-1467

SPEED UP YOU WORK WITH PATEDTED DOUBLE DRIVE




WP221069


WP221070


WP221071


WP221072

Model #	Name	Description
WP221069	6IN-1 DOUBLE DRIVE FULL SIZE SCREWDRIVER	6pcs 1" Bits: PH1,PH2,PH3; SL3, 5, 6mm
WP221070	9IN-1 DOUBLE DRIVE PRECISIONS CREWDRIVER	9pcs 4mm Bits: PH000,PH00,PH0,PH1;SL2, 2.5, 3, 4mm;T5
WP221071	6IN-1 DOUBLE DRIVE STUBBY SCREWDRIVER	6pcs 1" Bits: PH1,PH2,PH3; SL3, 5, 6mm
WP221072	7IN-1 DOUBLE DRIVE T-HANDLE SCREWDRIVER	7pcs 1" Bits: PH1,PH2*2,PH3; SL3, 5, 6mm

38-IN-1 DOUBLE DRIVE STUBBY RATCHET SCREWDRIVER SET

PRO

2X FASTER DUAL DRIVE

Ergonomic Handle
With slip resistant rubber grip

CR-V Bits



Convenient Thumb Switch
Reverse gear drive



Model #	Description
WP221050	SL1/8, SL3/16x2, SL1/4x2, SL9/32; PH0, PH1x2, PH2x2, PH3; PH2x6; T10, T15, T20, T25, T27, T30; H3/32, H1/8, H5/32, H3/16, H7/32, H1/4; S0, S1x2, S2x2, S3

12PC DOUBLE DRIVE PRECISION RATCHET SCREWDRIVER SET

- Carbon steel forged with black polished surface
- Fiberglass handle, sturdy and durable

PRO

2X FASTER DUAL DRIVE





Model #	Description
WP221051	1.5mm, 2mm, 2.5mm, 3mm; PH000, PH00x2, PH0, PH1; T5, T6

28PC DOUBLE DRIVE RATCHET SCREWDRIVER SET

- CR-V steel
- Ergonomic handle with slip resistant rubber grip
- Convenient thumb switch reverse gear drive





Model #	Description
WP221053	20PC 1"CR-V bits: PH0, PH1, PH2X3, PH3; SL1/8", 3/16", 1/4"; H3/32, H1/8, H5/32, H3/16; S3, S2, S1; T10, T15, T20, T25; 6PC CR-V Sockets: size:3/16x36mm, 1/4x36mm, 9/32x36mm, 5/16x36mm, 11/32x36mm, 3/8x38mm 1PC flexible extension bar; 1PC 2" PH2 try me bit

29PC DOUBLE DRIVE RATCHET SCREWDRIVER SET

- CR-V steel bits
- Ergonomic handle with slip resistant rubber grip
- Convenient thumb switch reverse gear drive



Model #	Description
WP221052	20PC 1"CR-V bits, Phillips: PH0, PH1, PH2X3, PH3; Slotted: 1/8", 3/16", 1/4"; Hex: H3/32, H1/8, H5/32, H3/16; Square: S3, S2, S1; Torx: T10, T15, T20, T25: 6PC CR-V Sockets: size:3/16x36mm, 1/4x36mm, 9/32x36mm, 5/16x36mm, 11/32x36mm, 3/8x38mm 1PC flexible extension bar; 1PC 2" PH2 try me bit

DOUBLE DRIVE T-HANDLE RATCHETING SCREDRIVER SET

- CR-V steel bits
- Ergonomic handle with slip resistant rubber grip





Model #	Description
WP221054	SL1.5, SL2, SL2.5, SL3; PH000, PH00, PH0, PH1; T5, T6, T7, T8, T9, T10; H1.5, H2.0, H2.5; PZ00, PZ0, PZ1

32PC 6X-SPEED DOUBLE DRIVE SCREWDRIVER SET

- CR-V steel
- Ergonomic handle with slip resistant rubber grip
- 6x faster than standard ratcheting





Model #	Description
WP221055	SL3, SL5, SL6x2PC; PH0, PH1, PH2x3PC, PH3; T10, T15, T20, T25, T30; H2, H3, H4, H5, H6; S0, S1, S2, S3; PH0, PH00, PH000, 2.0mm, 2.5mm, 3.0mm

14-IN-1 QUICK-LOAD PRECISION SCREWDRIVER SET



Auto-locking
Locks virtually any 4mm hex shank accessory



Spinning Cap
Allows for easier and quicker fastening



Rubberized, Ergonomic Grip
Gives higher torque output

Model #	Description
WP221057	7PC 3" double-ended S/D shafts: PH000/ SL1.5, PH00/ SL2, PH0/ SL2.5, PH1/ SL3, T6/ T7, T8/T9, H1.5/H2

12-IN-1 QUICK-LOAD SCREWDRIVER SET

- Auto-locking, one-handed bit loading locks virtually any 6.35mm hex shank accessory
- Rubberized, ergonomic grip gives higher torque output



Model #	Description
WP221058	6PC 11cm double-ended screwdriver shafts: SL4-5&SL6-8, PH1&PH3, PH2&S2, S1&S3, T10&T15, T20&T25

10-IN-1 RATCHETING QUICK-LOAD SCREWDRIVER SET

- Auto-locking, one-handed bit loading locks virtually any 6.3mm hex shank accessory
- Rubberized, ergonomic grip gives higher torque output





Model #	Description
WP221059	SPC 11cm double ended screwdriver shafts: SL4-5&SL6-8, PH1&PH3, PH2&S2, S1& S3, T10&T15

6-IN-1 TELESCOPIC SCREWDRIVER SET

- High quality S2 double ended bit shaft
- Quick-load ratchet mechanism provides one-handed bit loading lock
- Anti-slip bi-material handle





Model #	Description
WP221060	PH2-6mm, PH1-5mm, H5-H6

12-IN-1 QUICK-LOAD SCREWDRIVER SET

- S2 steel bits
- Quick-load ratchet mechanism provides one-handed bit loading lock
- Anti-slip bi-material handle





Model #	Description
WP221063	SL4mm&SL5mm, PH1&PH3, PH2&S2, S1&S3, T10&T15, T20XT25

CR-V SCREWDRIVER



Model #	Description
WP221013	3x75mm
WP221014	4x100mm
WP221015	5.5x75mm
WP221016	5.5x100mm
WP221017	5.5x150mm
WP221018	Parallel screwdriver 5.5x150mm
WP221019	6.5x100mm
WP221020	6.5x150mm
WP221021	6.5x200mm
WP221022	8x150mm
WP221023	8x200mm
WP221024	6.5x38mm

Model #	Description
WP221025	PH0x75mm
WP221026	PH1x75mm
WP221027	PH1x100mm
WP221028	PH1x150mm
WP221029	PH2x100mm
WP221030	PH2x150mm
WP221031	PH2x200mm
WP221032	PH3x150mm
WP221033	PH3x200mm
WP221034	PH2x38mm

Model #	Description
WP221035	PZ0x75mm
WP221036	PZ1x100mm
WP221037	PZ2x100mm
WP221038	PZ3x150mm

Model #	Description
WP221039	T10x100mm
WP221040	T15x100mm
WP221041	T20x100mm
WP221042	T25x100mm
WP221043	T27x100mm
WP221044	T30x100mm
WP221045	T40x125mm


6.35MM(1/4" DR.) MAGNETIC BIT HOLDER

- Chrome plated magnetic bit holder
- Anti-slip tri-color handle
- Accept H6.35mm/ 1/4" bits



Model #	Description
WP221049	φ10x75mm

6-IN-1 SCREWDRIVER



Model #	Description
WP221046	PH1, PH2, 5mm, 6mm

2PC CR-V SCREWDRIVER SET

- Chrome-vanadium blade
- Black magnetic tip
- Ergonomic comfort grip handle



Model #	Description
WP200503	2PC: 6.5x150mm, PH2x150mm

6PC CR-V SCREWDRIVER SET

- CR-V Steel
- Black finish blade with magnetic tip
- Anti-rust chrome plated
- Anti-slip tri-color handle



Model #	Description
WP200504	6PC: 6.5x150mm, 5.5x100mm, 3x75mm; PH1x100mm, PH2x100mm, PH0x75mm

8PC CR-V SCREWDRIVER SET

- CR-V Steel
- Black finish blade with magnetic tip
- Anti-rust chrome plated
- Anti-slip tri-color handle



Model #	Description
WP200505	8PC: 5.5x100mm, 6.5x150mm, 3x75mm, 6.5x38mm; PH1x100mm, PH2x150mm, PH2x38mm, PH0x75mm

18PC CR-V SCREWDRIVER SET

- Chrome-vanadium blade
- Black magnetic tip
- Ergonomic comfort grip handle




Model #	Description
WP200506	8PC screwdrivers: 6.5x38mm, 5.5x100mm, 6.5x100mm, 8x150mm; PH1x100mm, PH2x38mm, PH2x100mm, PH3x150mm; 10PC precision screwdrivers: PH000, PH000, PH0; 1.5mm, 2mm, 2.5mm, 3mm; T7, T8, T9

SCREWDRIVER SET

7PC CR-V PRECISION SCREWDRIVER SET (PHILLIPS +SLOTTED)

- CR-V steel blade with magnetic tip
- Anti-slip tri-color handle
- Rotary cap

MM



Model #	Description
WP200509	7PC: PH000, PH00, PH0, SL1.5, 2, 2.5, 3x50mm

7PC CR-V PRECISION SCREWDRIVER SET (TORX)

- CR-V steel blade with magnetic tip
- Anti-slip tri-color handle
- Rotary cap



Model #	Description
WP200510	7PC: T4, 5, 6, 7, 8, 9, 10X50mm

100PC SCREWDRIVER SET

- CR-V steel
- Black finish blade with magnetic tip
- Anti-rust chrome plated

Model #	Description
WP200507	8PC precision screwdrivers: 1.5mm, 2.5mm, PH00, PH0, T6, T7, T8, T9 1PC bits holder 60PC 25mm CR-V bits: SL3x2, 4x2, 5x3, 6x3; PH0X2, PH1X3, PH2X3, PH3X2; PZ0X2, PZ1X3, PZ2X3, PZ3X2; T7, T8, T9, T10, T15, T20, T25, T27, T30, T40; H2, 4, 3x2, 5x2, 6x2, 5.5x2; S0X2, S1X3, S2X3, S3X2 22PC screwdrivers: 3x75, 4x100, 5.5x75, 5.5x100, 5.5x150, 6.5x100, 6.5x150, 8x150, PH0x75, PH0x100, PH1x75, PH1x100, PH1x150, PH2x100, PH2x150, PH3x150, T10x100, T15x100, T20x100, S0x100, S1x100, S2x100 1PC 100mm awl 2PC offset screwdrivers: PH1&5,PH2&6 6PC socket nuts: 5,6,7,8,9,10



45PC SCREWDRIVER SET

- Anti-slip bi-material handle
- Super convenient organizing holder included
- Magnetic tip helps aid in securing the screwy tight places





Model #	Description
WP200512	7PC screwdrivers: 3.5x75, 5.5x100, 6.5x125, 8x150, PH0x75, PH1x100, PH2x125 1PC screwdriver bits holder 10PC precision screwdriver: T5, T6, T7, T8, T9, T10, PH00, PH0, 2.5, 3 16PC bits (3, 4, 5, 6, PH0, PH1, PH2, PH3, H5, H6, T10, T15, T20, T25, T27, T30 1PC bit adaptor 9PC 1/4" sockets: 5, 6, 7, 8, 9, 10, 11, 12, 13 1PC plastic rack

56PC SCREWDRIVER AND BITS SET

- CR-V steel chrome-plated screwdrivers
- 1PC magnetizer/demagnetizer
- 1PC blow mould case

MM



Model #	Description
WP200518	8pc precision screwdriver: SL1.5x50,2.0x50,2.5x50, PH00x50, PH0x50mm,PH1x50mm, T9,T10; 40pc 25mm bits: PH0,PH1,PH2X3,PH3,H3,H4,H5,H6; SL3,4,5,6,7,T10,T15,T20,T25,AD; PH1,PH2X4,PH3,PZ0,PZ1,PZ2,PZ3; S0X2,S1X2,S2X4,S3X2 6pcs screwdriver: SL5.5x75mm, 6.5x100mm; PH2x100mm,PH3x150mm 1pc bit driver 10x75mm

CR-V SCREWDRIVER



Model #	Description
WP221001	3x75mm
WP221002	5.5x100mm
WP221003	6.5x100mm
WP221004	6.5x150mm
WP221005	8x150mm
WP221006	6.5x38mm
WP221007	PH0x75mm
WP221008	PH1x100mm
WP221009	PH2x100mm
WP221010	PH2x150mm
WP221011	PH3x150mm
WP221012	PH2x38mm

6.35MM(1/4" DR.) MAGNETIC BIT HOLDER

- Anti-slip handle
- Chrome plated magenetic bit holder
- Accept H6.35 or 1/4" bits



Model #	Description
WP221068	φ10x75mm

6-IN-1 SCREWDRIVER



Phillips-slotted
Allows screwing with 1.5-4mm L type hook screws

Model #	Description
WP221066	5mm, 6mm, PH1, PH2

2PC CR-V SCREWDRIVER SET

- CR-V Steel
- Black finish blade with magnetic tip
- Anti-rust chrome plated



Model #	Description
WP200500	2PC; Includes 1pc 6.5x150mm , 1pc PH2x150mm

6PC CR-V SCREWDRIVER SET

- Drop-forged CR-V steel long blade
- Blade edge honed
- Steel butt designed for heavy pounding
- Ergonomic grip handle



Model #	Description
WP200501	6PC: SL3x75, 5.5x100, 6.5x150mm; PH0x75, PH1x100, PH2x100mm

8PC CR-V SCREWDRIVER SET

- Drop-forged CR-V steel long blade
- Blade edge honed
- Steel butt designed for heavy pounding
- Ergonomic grip handle



Model #	Description
WP200502	8PC: SL3x75, 5.5x100, 6.5x150, 6.5x38mm; PH0x75, PH1x100, PH2x150, PH2x38mm

56PC SCREWDRIVER AND BITS SET

- CR-V steel chrome-plated screwdrivers
- Carbon steel blade, chrome plated bit driver
- 1PC magnetizer/demagnetizer
- 1PC blow mould case

MM



Model #	Description
WP200520	8pc precision screwdriver: SL1.5x50,2.0x50,2.5x50, PH00x50, PH0x50mm,PH1x50mm, T9,T10; 40pc 25mm bits: PH0,PH1,PH2X3,PH3,H3,H4,H5,H6; SL3,4,5,6,7,T10,T15,T20,T25,AD; PH1,PH2X4,PH3,P20,P21,PZ2,PZ3; S0X2,S1X2,S2X4,S3X2 6pcs screwdriver: SL5.5x75mm, 6.5x100mm; PH2x100mm,PH3x150mm 1pc bit driver 10x75mm

6PC PRECISION SCREWDRIVER SET

- Carbon steel blade with black finish
- Chrome-plated handle



Model #	Description
WP200508	6PC; Includes 1.4mm, 2.0mm, 2.4mm, 3.0mm, PH0, PH1

21PC PRECISION SCREWDRIVER SET

- Lightweight aluminum alloy handle
- Magnetic plastic box, easy to storage
- S2 steel bits



Model #	Description
WP200511	21PC; Includes T2, T3, T4, TT5, TT6, TT8, TT9, PH000, PH00, PH0, PH1, U2.6, W1.5, TT10, SL1.5, SL3.0, Y0.6, H2.0, P2, P5

4-IN-1 LIGHTED SCREWDRIVER

- CR-V bits
- 3PC high intensity LED bulbs
- One-handed ON/OFF switch
- Anti-slip Bi-Material handle



Model #	Description
WP221047	PH1, PH2, 5mm, 6mm

13PC SCREWDRIVER BITS SET (METRIC)

3-position 72-tooth Precision Ratchet
Forward/ reverse/ lock



CR-V Steel Shaft
For greater strength and durability




Model #	Description
WP221061	14PC bits: 3mm, 4mm, 5mm, 6mm, H4, H5, H6, PH0, PH1, PH2, PH3, T15, T20, T25

PISTOL AUTO-LOAD RATCHETING SCREWDRIVER

- Auto-load ratcheting design for quick-change bits
- CR-V bits
- Pistol handle
- Color coated chambers





Model #	Description
WP221048	SL3, SL4, SL5, SL5.5, SL6x2; PH0x2, PH1x2, PH2x2; H3, H4, H5; S1, S2, S3; T8, T9, T10, T15, T20, T25

AUTO-LOAD RATCHETING SCREWDRIVER

- Auto-load mechanism for quick and easy bit changes
- Bit chamber includes: Slotted, Phillips, Torx, Hex and Square
- Chrome plated CR-V bits and shaft for durability



Model #	Description
WP221056	SL3, SL4, SL5, SL5.5, SL6.5x2PC; PH0x2, PH1x2, PH2x2; H3, H4, H5; S1, S2, S3; T8, T9, T10, T15, T20, T25

13PC SCREWDRIVER BITS SET (METRIC)

- CR-V bits
- Easily push down to open for taking bits





Model #	Description
WP221062	12PC 25mm bits (4mm, 5mm, 6mm, PH1, PH2, PH3, T10, T15, T20, T25, T30); 1PC 60mm magnetic bits holder

LD-1467

31PC SCREWDRIVER BITS SET

- CR-V bits
- Plastic box with belt clip, easy to carry



Model #	Description
WP200513	1PC 50mm magnetic bit holder 30PC bits: SL3, 4, 5, 5.5, 6, 7mm; PH0, PH1x2, PH2x2, PH3; PZ0, PZ1x2, PZ2x2, PZ3; T10, T15, T20, T25, T27, T30; H2, H3, H4, H5, H5.5, H6

MAGNETIZER/ DEMAGNETIZER


- Magnetization and Degaussing are integrated, convenient and quick
- Lightweight, easy to carry and storage



Model #	Description
WP221064	51x49x28.5mm

SCREWDRIVER

- CR-V bits
- Zinc body
- Stress release



Model #	Description
WP221065	5, 6, PH1, PH2, T15, T20

18-IN-1 SNOWFLAKE MULTI TOOL

- Bottle opener, Philipps screwdriver, Slotted screwdriver
- Internal hexagon 3, 4, 5, 6, 7, 8mm
- External hexagon 6, 7, 8, 9, 10, 11, 12, 14mm
- 1PC cutting knife



Model #	Description
WP221067	Internal hexagon 3, 4, 5, 6, 7, 8mm; External hexagon 6, 7, 8, 9, 10, 11, 12, 14mm



8PC FOLDING HEX KEY SET (METRIC)

HIGH-STRENGTH HANDLE DESIGN

MM

Assisted Button
For easy open





CR-V Steel

Folding Design
Easy storage and compact carrying

Durable Reinforced Nylon Handle
Firm hold and increased torque

Model #	Description
WP222019	8PC; H1.5, H2, H2.5, H3, H4, H5, H6, H8

9PC FOLDING HEX KEY SET (SAE)

- CR-V steel, hardened and tempered
- Press plate setting
- Durable reinforced nylon handle

SAE



Model #	Description
WP222022	9PC; H5/64", H3/32", H7/64", H9/64", H1/8", H5/32", H3/16", H7/32", H1/4"

8PC FOLDING BALL POINT HEX KEY SET (METRIC)

- CR-V steel, hardened and tempered
- Press plate setting
- Durable reinforced nylon handle

MM



Model #	Description
WP222020	8PC; H1.5, H2, H2.5, H3, H4, H5, H6, H8

9PC FOLDING BALL POINT HEX KEY SET (SAE)

- CR-V steel, hardened and tempered
- Press plate setting
- Durable reinforced nylon handle

SAE



Model #	Description
WP222023	9PC; H5/64", H3/32", H7/64", H9/64", H1/8", H5/32", H3/16", H7/32", H1/4"

8PC FOLDING TORX KEY SET

- CR-V steel, hardened and tempered
- Press plate setting
- Durable reinforced nylon handle



Model #	Description
WP222021	8PC; T9, T10, T15, T20, T25, T27, T30, T40

8PC FOLDING HEX KEY (METRIC)

- Light and strong aluminum structure handle
- CR-V steel, hardened and tempered

MM



Model #	Description
WP222024	8PC; H1.5, H2, H2.5, H3, H4, H5, H6, H8

9PC FOLDING HEX KEY (SAE)

- Light and strong aluminum structure handle
- CR-V steel, hardened and tempered

SAE



Model #	Description
WP222034	9PC; H5/64", H3/32", H7/64", H9/64", H1/8", H5/32", H3/16", H7/32", H1/4"

8PC FOLDING TORX KEY

- Light and strong aluminum structure handle
- CR-V steel,hardened and tempered



Model #	Description
WP222025	8PC; T8, T10, T15, T20, T25, T27, T30, T40

FOLDING SCREWDRIVER AND SOCKET SET

- 12-IN-1
- Aluminum structure handle
- CR-V steel, chrome plated



Model #	Description
WP222026	4PC sockets: 6,8,9,10mm 7PC screwdrivers: PH0, PH1, PH2, PH3, SL3, SL4, SL5 1PC 1/4" holder

8PC FOLDING HEX KEY (METRIC)

- CR-V steel, hardened and tempered
- Anti-slip bi-material handle
- Black finish for rust resistance and long life

MM



Model #	Description
WP222028	8PC; H1.5, H2, H2.5, H3, H4, H5, H6, H8

9PC FOLDING HEX KEY (SAE)

- CR-V steel, hardened and tempered
- Anti-slip bi-material handle
- Black finish for rust resistance and long life

SAE



Model #	Description
WP222029	9PC; H5/64", H3/32", H7/64", H1/8", H9/64", H5/32", H3/16", H7/32", H1/4"

8PC FOLDING TORX KEY

- CR-V steel, hardened and tempered
- Anti-slip bi-material handle
- Black finish for rust resistance and long life



Model #	Description
WP222030	8PC; T9, T10, T15, T20, T25, T27, T30, T40

8PC FOLDING HEX KEY (METRIC)

- CR-V steel, hardened and tempered
- Black finish for rust resistance and long life

MM



Model #	Description
WP222031	8PC; H1.5, H2, H2.5, H3, H4, H5, H6, H8

9PC FOLDING HEX KEY (SAE)

- CR-V steel, hardened and tempered
- Black finish for rust resistance and long life

SAE



Model #	Description
WP222032	9PC; H5/64", H3/32", H7/64", H1/8", H9/64", H5/32", H3/16", H7/32", H1/4"

8PC FOLDING TORX KEY

- CR-V steel, hardened and tempered
- Black finish for rust resistance and long life



Model #	Description
WP222033	8PC; T9, T10, T15, T20, T25, T27, T30, T40

9PC EXTRA LONG ARM BALL POINT HEX KEY SET (METRIC)

EXTRA LONG & MAGNETIZABLE

MM

Portable Rack
Easy to carry and storage

Heat-treated S2 Steel
For lasting strength and durability

Ball-Point Heads
2.5-degree entry angle, easy to operate in tight spaces



Extra Long Arm
Higher torque and extra reach

Magnetized Design
Rub it into the grooves that produce the wrench magnetic force

Chrome-Plated Surface
Anti-rust

Model #	Description
WP222035	H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10

9PC EXTRA LONG ARM STAR-TORX KEY WRENCH SET

- S2 steel
- Anti-rust chrome plated surface
- Magnetized and Demagnetized Design
- Portable plastic rack with hanging holes



Model #	Description
WP222036	T10, T15, T20, T25, T27, T30, T40, T45, T50

9PC TORX KEY SET

- CR-V steel blade
- Chrome plated, anti-slip and anti-rust
- Powder coating handle



Model #	Description
WP222008	Long arm; T10, T15, T20, T25, T27, T30, T40, T45, T50

Model #	Description
WP222009	T10, T15, T20, T25, T27, T30, T40, T45, T50

9PC BALL POINT HEX KEY SET (METRIC)

- CR-V steel blade
- Chrome plated, anti-slip and anti-rust
- Powder coating handle

MM





Model #	Description
WP222011	Long arm; H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10

Model #	Description
WP222010	H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10

9PC BALL POINT HEX KEY SET (SAE)

- CR-V steel blade
- Chrome plated, anti-slip and anti-rust
- Powder coating handle

SAE





Model #	Description
WP222013	Long arm; H1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"

Model #	Description
WP222012	H1/16", H5/64", H3/32", H1/8", H5/32", H3/16", H1/4", H5/16", H3/8"

9PC HEX KEY SET (METRIC)

- CR-V steel blade
- Chrome plated, anti-slip and anti-rust
- Powder coating handle

MM





Model #	Description
WP222015	Long arm; H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10

Model #	Description
WP222014	H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10

9PC HEX KEY SET (SAE)

- CR-V steel blade
- Chrome plated, anti-slip and anti-rust
- Powder coating handle

SAE





Model #	Description
WP222017	Long arm; H1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"

Model #	Description
WP222016	H1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"

HEX KEY SET

9PC TORX KEY SET

- CR-V steel blade
- Drilled tips for tamper-resistant screws
- Portable plastic rack with hanging holes





Model #	Description
WP222002	T10, T15, T20, T25, T27, T30, T40, T45, T50
WP222003	Long arm; T10, T15, T20, T25, T27, T30, T40, T45, T50

9PC HEX KEY SET (METRIC)

- CR-V steel blade
- Drilled tips for tamper-resistant screws
- Chrome plated
- Portable plastic rack

MM





Model #	Description
WP222004	H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10
WP222005	Long arm; H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10

9PC BALL POINT HEX KEY SET (METRIC)

- CR-V steel blade, chrome plated
- Ball point end offers up to a 25° entry angle to get around the obstructions
- Portable plastic rack

MM





Model #	Description
WP222007	Long arm; H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10

Model #	Description
WP222006	H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10

9PC LONG ARM HEX KEY SET WITH T- HANDLE (METRIC)

STRENGTH HELPING T-HANDLE

MM

CR-V Steel
Heat-treated

Long Arm
Extra reach

T-Handle
Powerful torque

Chrome Plated
Anti-rust






Model #	Description
WP222027	Long arm; 9PC; H2,H2.5, H3, H4, H5, H6, H7, H8, H10

30PC LONG ARM HEX KEY SET (METRIC&SAE)

- Chrome Vanadium steel for long corrosion resistance
- Black finished for rust resistance and long life

MM
SAE



Model #	Description
WP222018	15PC SAE H0.028", H0.035", H0.050", H1/16", H5/64", H3/32", H7/64", H1/8", H9/64", H5/32", H3/16", H7/32", H1/4", H5/16", H3/8"; 15PC metric H0.7, H0.9, H1.3, H1.5, H2.0, H2.5, H3.0, H4.0, H4.5, H5.0, H5.5, H6.0, H7.0, H8.0, H10.0

10PC HEX KEY SET (METRIC)

- CR-V steel blade
- Black finish
- Easy to carry

MM
SAE



Model #	Description
WP222001	H1.5, H2, H2.5, H3, H4, H5, H5.5, H6, H8, H10

230MM(9") HEAVY DUTY CAULKING GUN



1. **360°Swivel Barrel**
   Suitable for use in narrow spaces
2. **Adjustable Drip-Free Switch**
3. **2-Grade Adjust**
4. **90mm Seal Puncture Tool**
5. **Aluminum Alloy Handle**
   Lightweight

Model #	Description
WP224001	Max.Capacity 295ml(10oz)

SAUSAGE CAULKING GUN

- Lightweight alumnium barrel
- Thrust ratio 4:1
- High-strength pushing rod for long-lasting use
- 2 PP nozzles and 3 scrapers



Model #	Description
WP224002	230mm(9")
WP224006	375mm(15")

RATCHET ROD CAULKING GUN

- Ratchet rotating construction
- Spout cutter
- Seal puncture tool



Model #	Description
WP224004	230mm(9")

230MM (9") CAULKING GUN


- Drip-free mechanism
- Seal puncture tool
- Wide application



Model #	Description
WP224005	230mm(9")

CAULKING GUN

- Alumnium handle
- Comfortable pistol grip
- Economic and lightweight



Model #	Description
WP224003	230mm(9")



6-IN-1 STAPLE GUN

FUNCTION
DUAL POWER



Model #	Description
WP223002	1/4-9/16" ARROW T50/ STANLEY TRA700/ RAPID N140 1/4-9/16" ARROW JT21/ STANLEY TRA200/ RAPID N53 1/4-9/16" ARROW T20/ STANLEY CT300 3/8-9/16"ARROW T25/ STANLEY CT100/ RAPID N36 1/4-9/16" ARROW BN18/ STANLEY SWKBN/ RAPID N8 5/8" PIN/ RAPID N9

STAPLE GUN

- Long-lasting chrome-plated finish
- Easy push lockdown handle
- Solid steel mechanism with quick jam release
- Adjustable knob



Model #	Description
WP223004	4-14mm, ARROW T50, STANLEY TRA700, RAPID #140

STAPLE GUN SET

- 3-IN-1
- Adjustable knob



Model #	Description
WP223005	1PC staple gun, 500PC 8 x 1.2 x 11.3 staples, 500PC 12mm U staples, 500PC 14mm nails, 1PC handy storage case

STAPLE GUN

- PC+ABS alloy shell, easy to use
- Equipped with 800PC JT21 8mm staples
- Built-in staple remover



Model #	Description
WP223001	6-10mm(1/4"-3/8") ARROW J21 / RAPID N53

STAPLES

- Q235 material
- 7500PC



Model #	Description
WP223003	2500PC 10mm T50, 2500PC 12mm T50, 2500PC 15mm brad nails

5-IN-1 HEAVY DUTY RIVETER SET

Aluminum Body
Strong and durable

3 Interchangeable Nosepieces
Fit 5 different sizes of rivets





***Notice: 6.4mm stainless steel rivets cannot be used.**

Model #	Description
WP225004	Includes staples: 2.4mm, 3.2mm, 4.0mm, 4.8mm, 6.4mm

5-IN-1 HEAVY DUTY RIVETER SET

- Labor-saving design
- Stepless transmission structure



Model #	Description
WP225003	Includes staples: 2.4x6mm(20pc), 3.2x6mm(20pc), 4.0x 6mm(20pc), 4.8x6mm(20pc), 6.4x13mm(20pc)

400MM HAND RIVET GUN

- Extra-long handles provide excellent leverage
- Cr-Mo jaws
- Spent mandrels are collected in the container



Model #	Description
WP225001	Includes 5 nosepieces: 2.4mm(20pc), 3.2mm(20pc), 4.0mm(20pc), 4.8mm(20pc), 6.4mm(20pc)

200MM HAND RIVETER

- Aluminum body
- Self-opening spring
- Cr-Mo jaws



Model #	Description
WP225002	4 rivets sizes: 2.4mm, 3.2mm, 4.0mm, 4.8mm

250MM HAND RIVETER

- Spring loaded handle
- One wrench stored in the handle
- Q235A material



Model #	Description
WP225005	Rivet size: 2.4mm, 3.2mm, 4.0mm, 4.8mm


250MM HAND RIVETER


- Spring loaded handle
- One wrench stored in the handle
- Casting in high-strength aluminum



Model #	Description
WP225006	Rivet size: 2.4mm, 3.2mm, 4.0mm, 4.8mm

HAND RIVETER





STRIKING TOOLS

HAMMER
AXE
UTILITY BAR
CHISEL

LD-1467

ONE-PIECE CLAW HAMMER

ONE-PIECE DROP FORGED



Model #	Description
WP241013	16OZ(450g)

Model #	Description
WP241014	20OZ(560g)

FIBERGLASS CLAW HAMMER

SUPER SELECTED



Model #	Description
WP241009	8OZ(225g)
WP241010	12OZ(337g)

Model #	Description
WP241011	16OZ(450g)
WP241012	20OZ(560g)

FIBERGLASS CLAW HAMMER, BRITISH TYPE

BRITISH TYPE



Model #	Description
WP241044	φ27mm

ONE-PIECE FORGED CLAW HAMMER WITH AIR CUSHION HANDLE

AIR-TECH
CONTROL SYSTEM
ANTI-SHOCK





Model #	Description
WP241015	20OZ(560g)

STUBBY CLAW HAMMER

- Drop forged carbon steel
- Comfortable handle with rubber grip
- Lanyard hole, easy to storage and carry



Model #	Description
WP241008	8OZ(225g)

CURVED CLAW HAMMER

- Drop forged carbon steel
- Strong hardwood handle construction



Model #	Description
WP241004	8OZ(225g)
WP241005	12OZ(337g)
WP241006	16OZ(450g)
WP241007	20OZ(560g)

CURVED CLAW HAMMER

- Drop forged carbon steel
- Comfortable tubular handle with rubber grip



Model #	Description
WP241001	8OZ(225g)
WP241002	12OZ(337g)
WP241003	16OZ(450g)

WEEKEND HAMMER

- Unique bottle opener included
- Drop-forged heat-treated steel head
- Ideal for party time



Model #	Description
WP241016	8OZ(225g)

FIBERGLASS BALL-PEIN HAMMER

- Great for striking punches, chisels, rivets or forming unshaped metal sheets
- Fiberglass handle, sturdy and durable



Model #	Description
WP241029	16OZ(450g)
WP241030	24OZ(675g)

FIBERGLASS MACHINIST HAMMER

- High-quality carbon steel forged with black polished surface
- Fiberglass handle, sturdy and durable
- Ideal for metal fabrication, chiseling, rivet work



Model #	Description
WP241021	200g
WP241022	300g
WP241023	500g
WP241045	1000g

WOOD BALL-PEIN HAMMER

- Strong hardwood handle construction
- Ideal for use with cold chisels, punches, rivets and for the shaping of metal



Model #	Description
WP241024	8OZ(225g)
WP241025	12OZ(337g)
WP241026	16OZ(450g)
WP241027	24OZ(675g)
WP241028	32OZ(900g)

MACHINIST HAMMER WITH WOOD HANDLE

- Carbon steel forged with black polished surface
- Strong hardwood handle construction
- Ideal for metal fabrication, chiseling, rivet work



Model #	Description
WP241017	200g
WP241018	300g
WP241019	500g
WP241020	1000g

FIBERGLASS STONE HAMMER

- Great for striking punches, chisels, rivets or forming unshaped metal sheets
- Fiberglass handle, sturdy and durable



Model #	Description
WP241034	4500g(10LB)

FIBERGLASS STONE HAMMER

- Carbon steel forged with black polished surface
- Fiberglass handle, sturdy and durable



Model #	Description
WP241031	900g (2LB)
WP241032	1350g (3LB)
WP241033	1800g (4LB)

DOUBLE FACE HAMMER

- Detachable dual heads mallet
- Non-slip rubber handle grip, reduces vibration and bounce



Model #	Description
WP241035	φ 35mm

FIBERGLASS DOUBLE FACE HAMMER

- Detachable dual PVC heads mallet
- Fiberglass handle, sturdy and durable



Model #	Description
WP241036	φ 40mm

DEAD BLOW HAMMER

- PVC body
- Non-marring plastic surface
- Non-rebounding & non-spark
- Shot-filled head reduces post-strike rebound
- Suitable for installation of floors, tiles, window repair and more



Model #	Description
WP241037	1.5LB(675g)

RUBBER MALLET WITH WOOD HANDLE

- Solid rubber head
- Comfortable wooden handle
- Non-rebounding, non-spark



Model #	Description
WP241038	Color: white; Length: 300mm
WP241039	Color: black; Length: 300mm

RUBBER MALLET WITH PLASTIC HOLLOW HANDLE

- Plastic handle free of mildew, deformation and cracking
- Lightweight PP hollow handle



Model #	Description
WP241040	Color: white; 16OZ(450g)
WP241041	Color: black; 16OZ(450g)

AXE WITH HICKORY HANDLE

- Higher-strength fraxinus mandschurica handle
- With leather protective sleeve



Model #	Description
WP241042	560g(1.25LB)

AXE WITH FIBERGLASS HANDLE

- Carbon steel forged with black polished edge
- High-strength and durable heat-treated
- wide-blade axe



Model #	Description
WP241043	600g



457MM(18") FUBAR UTILITY BAR

- 4-in-1 tool for prying, splitting, board bending and striking jobs
- One-piece forged steel bar for durability
- Board-grabbing jaw sized for 2x lumber
- Beveled nail slot for pulling and prying nails



Model #	Description
WP245006	457mm(18")

INDEXABLE PRY BAR SET

HEADS ROTATE FOR MAX. ACCESS



5-position Locking Head

Push down the button and turn the claw

One-piece Forged Steel

For added strength and durability

Two Beveled Nail Slots

With polished sharp blades for easy insertion





Model #	Description
WP245005	1PC 200mm(8"), 1PC 250mm(10")
WP245007	200mm(8")
WP245008	200mm(10")

UTILITY BAR

- Drop forged carbon steel
- Slim profile for working in awkward areas
- Integrated nail pulling jaws



Model #	Description
WP245001	300mm(12")
WP245002	450mm(18")

WRECKING BAR

- Strong one-piece forged steel construction
- Integrated nail pulling function



Model #	Description
WP245003	600mm(24")
WP245004	900mm(36")

WOOD CHISEL

HEAVY DUTY

- Drop-forged CR-V steel long blade
- Blade edge honed
- Steel butt designed for heavy pounding
- Ergonomic grip handle



Model #	Description
WP243004	6mm(1/4")
WP243005	10mm(3/8")
WP243006	12mm(1/2")
WP243007	16mm(5/8")
WP243008	18mm(3/4")

Model #	Description
WP243009	20mm(13/16")
WP243010	25mm(1")
WP243011	32mm(1-1/4")
WP243012	38mm(1-1/2")

3PC WOOD CHISEL

- 12,20,25mm(1/2",13/16,1")
- Drop-forged chrome-vanadium steel blade,heat treated for edge retention
- 30% Longer Blade edge honed
- Steel butt designed for heavy pounding with a hammer or mallet
- HEAVY DUTY Ergonomic grip handle



Model #	Description
WP201301	3PC,12,20,25mm(1/2",13/16,1")

WOOD CHISEL

- Hardened & tempered carbon steel blades
- Steel caps for use with mallet



Model #	Description
WP243001	12mm(1/2")
WP243002	19mm(3/4")
WP243003	25mm(1")

3PC WOOD CHISEL

- High visibility comfort shaped handles
- Hardened & tempered steel blades
- Steel caps for use with mallet
- Includes protective blade guards



Model #	Description
WP201300	3PC, 12,19,25mm(1/2",3/4",1")

CONCRETE CHISEL

- Drop forged CR-V steel blade,
- heat-treated for durability
- Ideal for cutting through and breaking up concrete



Model #	Description
WP242001	Length: 305mm(12"); Blade width: 4mm(5/32")

COLD CHISEL

- Drop forged CR-V steel blade, heat-treated for durability
- Ideal for cutting through and breaking up concrete



Model #	Description
WP242002	Length: 305mm(12"); Blade width: 25mm(1")

3PC COLD CHISEL SET

- Heat-treated, forged premium carbon steel
- Hexagonal body, not easy to deform



Model #	Description
WP201302	1PC 10x8x142mm, 1PC 13x10x152mm, 1PC 16x13x172mm

5PC PUNCH & CHISEL SET

- Heat-treated, forged premium carbon steel
- Hexagonal body, not easy to deform



Model #	Description
WP201303	1PC taper punch 2x10x140mm, 1PC cold chisel 13x10x150mm, 1PC center chisel 6x10x140mm, 1PC pin punch 8x10x150mm, 1PC cape chisel 5x10x150mm

6PC PIN PUNCH SET

- Heat-treated, forged premium carbon steel
- Hexagonal body, not easy to deform



Model #	Description
WP201304	1PC 1.5x6x150mm, 1PC 3x8x150mm, 1PC 4x8x150mm, 1PC 5x8x150mm, 1PC 6x10x150, 1PC 8x10x150mm



CUTTING TOOLS

KNIFE
SCISSORS
SCRAPER
SAW

LD-1467

ALUMINUM QUICK-CHANGE UTILITY KNIFE

- Quick-change mechanism
- 3-Position switch (-35°/0°/+35°)
- Aluminum body
- Button lock





Model #	Description
WP211013	185/155x47x22mm

LED QUICK-CHANGE UTILITY KNIFE

LED LIGHT






Model #	Description
WP211009	176/121x44x24mm

ALUMINUM RETRACTABLE UTILITY KNIFE

4 POSITIONS






Model #	Description
WP211011	170/105x40x28mm

NYLON HANDLE QUICK-CHANGE UTILITY KNIFE

SPEED RELEASE





Model #	Description
WP211008	Blue
WP211017	Black
WP211018	Red

MINI ALUMINUM QUICK-CHANGE UTILITY KNIFE

- Quick-change mechanism
- All-metal body
- Folding back lock
- Belt clip



Model #	Description
WP211010	105/67x19x11mm

ALUMINUM QUICK-CHANGE UTILITY KNIFE

- Aluminum handle with comfort grip
- Folding liner lock, twine cutter
- 10PC blades included
- Quick-change mechanism



Model #	Description
WP211012	175mm

ALUMINUM QUICK-CHANGE UTILITY KNIFE

- Quick-change mechanism
- All-metal body
- Folding back lock
- Belt clip



Model #	Description
WP211005	140/90x42x34mm

BI-MATERIAL QUICK-CHANGE UTILITY KNIFE

- Quick-change mechanism
- ABS handle
- Folding back lock
- Blade storage
- Thumb rest



Model #	Description
WP211006	165/100x42x34mm

STAINLESS STEEL QUICK-CHANGE UTILITY KNIFE

- Quick-change mechanism
- Stainless steel body
- Folding liner lock



Model #	Description
WP211007	165/100x42x34mm

WOODEN QUICK-CHANGE UTILITY KNIFE

- Back lock structure
- Stainless steel and wooden handle
- Quick-change mechanism
- With 10PC blades in box



Model #	Description
WP211014	165/105x40x22mm

STAINLESS STEEL QUICK-CHANGE UTILITY KNIFE

- Quick-change mechanism
- Stainless steel body
- Folding liner lock
- Belt clip



Model #	Description
WP211001	135/75x20x6mm

ALUMINUM QUICK-CHANGE UTILITY KNIFE

- Quick-change mechanism
- Aluminum handle
- Folding liner lock
- Belt clip



Model #	Description
WP211003	155/95x35x17mm

FOLDING UTILITY KNIFE

- Quick-change mechanism
- Metal blade holder
- Folding back lock
- Belt clip



Model #	Description
WP211002	160/100x28x12mm


PLASTIC QUICK-CHANGE UTILITY KNIFE

- Quick-change mechanism
- Folding button lock
- Thumb stud



Model #	Description
WP211004	137/87x38x13mm

DUAL-BLADE FLIP QUICK-CHANGE UTILITY KNIFE



Model #	Description
WP213016	170x35x20mm

AUTO-RETRACTING UTILITY KNIFE

SAFETY SELF-RETRACTING



Model #	Description
WP213010	160x48x43mm

QUICK-CHANGE RETRACTABLE UTILITY KNIFE



Model #	Description
WP213014	175x40x25mm

HEAVY DUTY FIXED BLADE UTILITY KNIFE

- Zinc alloy bi-material rubber coating
- Safe retractable blade
- Blade locked in 4-position
- With 5PC blades in storage



Model #	Description
WP213013	160x50x22mm

QUICK-CHANGE RETRACTABLE UTILITY KNIFE

- Zinc alloy with bi-material rubber coating
- 3-position retractable blade
- Quick-change mechanism
- With rope cutting notch
- With 5PC blades in storage



Model #	Description
WP213015	180x40x25mm

ALUMINUM RETRACTABLE UTILITY KNIFE

- Aluminum alloy case
- Safe retractable blade
- Blade locked in 3-position
- Thumb position design
- With 1PC blade in storage



Model #	Description
WP213006	160x37x21mm

AUTO-RETRACTING SAFETY KNIFE

- Aluminum alloy case
- Safe automatic retractable blade
- Thumb position design
- With large knob, more convenient
- With 1PC blade in storage



Model #	Description
WP213007	152x35x23mm

ALUMINUM QUICK-CHANGE UTILITY KNIFE

BUILT-IN ROPE CUTTER



Model #	Description
WP213008	Black
WP213017	Red
WP213019	Blue

ALUMINUM QUICK-CHANGE UTILITY KNIFE



Model #	Description
WP213009	Red

Model #	Description
WP213020	Blue

QUICK OPEN UTILITY KNIFE

- Aluminum bi-material rubber coating
- Safe retractable blade
- Blade locked in 4-position
- Quick opening mechanism
- With 3PC blades in storage



Model #	Description
WP213011	165x41x28mm

ALUMINUM RETRACTABLE UTILITY KNIFE

- Aluminum alloy case
- Safe retractable blade
- Blade locked in 3-position
- 3PC blades in storage
- Suitable for all standard blades



Model #	Description
WP213005	150x35x20mm

AUTO-LOAD RETRACTABLE UTILITY KNIFE

- Aluminum bi-material rubber coating
- Safe retractable blade
- Blade locked in 4-position
- Quick-change & quick-open
- With 5PC blade (1+4)






Model #	Description
WP213012	175x42x25mm

AUTO-LOAD SNAP-OFF KNIFE

AUTO-RELOAD BLADE SYSTEM



Safety Lock



Model #	Description
WP212016	9mm; 13-section

Model #	Description
WP212017	18mm; 8-section

BI-MATERIAL SNAP-OFF KNIFE

FASTER BLADE ADJUSTMENT



Model #	Description
WP212008	9mm; 13-section
WP212009	18mm; 8-section

AUTO-LOAD SNAP-OFF KNIFE

- Positive blade auto-lock
- Comfortable bi-material rubber coating
- Auto load blade mechanism



Model #	Description
WP212010	9mm; 13-section
WP212011	18mm; 8-section

18MM HEAVY DUTY SNAP-OFF KNIFE

HEAVY DUTY



Model #	Description
WP212015	18mm; SK5

9MM ALUMINUM SNAP-OFF KNIFE

- Durable oxidized aluminum handle
- Suitable for standard 9mm snap-off blade
- 8-section 30° blade



Model #	Description
WP212012	Blue, 145x16x12mm
WP212020	Red, 145x16x12mm

PLASTIC SNAP-OFF KNIFE

- Cold-rolled cartridge
- Suitable for standard snap-off blade



Model #	Description
WP212006	9mm; 13-section
WP212007	18mm; 8-section

18MM SNAP-OFF KNIFE

- Durable high-strength plastic case
- Suitable for standard 18mm snap-off blade
- 8-section blade



Model #	Description
WP212013	170x40x20mm

9MM STANLESS STEEL SNAP-OFF KNIFE

- Durable stainless steel case
- Suitable for standard 9mm snap-off blade
- 13-section blade




Model #	Description
WP212005	140X10mm

10PC SK5 UTILITY KNIFE BLADES WITH HEAVY DUTY BOX

SAFETY AND CONVENIENT

SK5 Blades
Heat-treated, more durable







Push Button
1PC blade comes out each time

Model #	Description
WP213002	75x26x17mm

SK2 STEEL UTILITY KNIFE BLADES

TWO DISPENSERS: 1 BLADE OR 5 BLADES

SK2 Blades
Heat-treated, more durable





Push Button
1PC/5PC blades come out each time

Model #	Description
WP213004	128x73x33mm

SK5 UTILITY KNIFE BLADES

- More durable heat-treated SK5 blades
- Adapt to general folding/ practical knives
- 100 PC standard blade
- Suitable for cardboard/gypsum board/thin board, etc.



Model #	Description
WP213003	124x75x28mm

SK5 UTILITY KNIFE BLADES

- Suitable for cardboard/gypsum board/thiboard, etc.
- 10PC SK5 blade
- One blade comes out each time



Model #	Description
WP213001	65x25x13mm

SK2 SNAP-OFF BLADES

- Suitable for cardboard/thin plates, etc.
- 10PC SK2 blades for more durable



Model #	Description
WP212004	10PC; 18mm

SK5 SNAP-OFF BLADES

- Suitable for cardboard/thin plates, etc.
- 10PC SK5 blades



Model #	Description
WP212001	10PC; 9mm
WP212002	10PC; 18mm

14PC HOBBY KNIFE SET

- SK5 blade
- Bi-material rubber-coated handle
- Plastic box for safe storage





Model #	Description
WP219005	Includes13 pc blades: 3pc #12, 5pc #11, 3pc #3, 2pc #4

MINI SCRAPER

- Great for scraping in hard-to-reach places
- Lightweight and economical plastic razor blade scraper
- Use standard, single-edge razor blade



Model #	Description
WP219001	53x42x7mm

GLASS & TILE SCRAPER

- Quick-change blade function, with 6pcs blades
- Adapt to standard 89mm window scraper blade



Model #	Description
WP219002	182x89x25mm

SCRAPER

- Great for scraping in hard-to-reach places
- Lightweight plastic razor blade scraper
- Use standard, single-edge razor blade



Model #	Description
WP219003	152x35x23mm

4-POSITION RETRACTABLE SCRAPER

- Retractable blade with 4 positions
- Ergonomic handle



Model #	Description
WP219004	160x37x21mm

250MM(10") MULTI-FUNCTION KITCHEN SCISSORS

MULTIFUNCTION FOR KITCHEN USE





Model #	Description
WP214006	255x106mm

200MM(8") MULTI-FUNCTION FORGED SHEARS

MULTI-PURPOSE





Model #	Description
WP214009	200mm(8")

MULTI-FUNCTION SCISSORS

- Comfortable bi-material rubberized handle
- Stainless steel blades
- Wire stripper design
- Anti-slip serrated cutting edge



Model #	Description
WP214008	170x35x20mm

STATIONERY SCISSORS

- Stainless steel blades
- Bi-material comfort-grip handle



Model #	Description
WP214002	140x65mm

185MM(7.5") UNIVERSAL SCISSORS

SUPER SELECTED



Model #	Description
WP214022	185mm(7.5")

200MM(8") SCISSORS

- Stainless steel blades
- Comfort-grip handle



Model #	Description
WP214001	200mm(8")

CLASSIC SCISSORS

- Stainless steel blades
- Bi-material comfort-grip handle



Model #	Description
WP214003	215x80mm

MULTI-FUNCTION KITCHEN SCISSORS

- Stainless steel blades
- Perfect for any task
- The handle is molded to your hand for extra comfort



Model #	Description
WP214005	140/90x42x34mm

4PC SCISSORS SET

- Stainless steel blades
- Multi-purpose cutting
- The handle is molded to your hand for extra comfort



Model #	Description
WP200002	2pc WP214001-1, 1 pc WP214002-1, 1pc WP214005-1

AVIATION TIN SNIP

CR-MO STEEL FORGED BLADE



Also available:

Right cut



Left cut





Model #	Description
WP214019	Right cut; 250mm(10")
WP214020	Left cut; 250mm(10")
WP214021	Straight cut; 250mm(10")

RIGHT CUT AVIATION TIN SNIP

- Directional handle design
- Drop forged steel
- Serrated cutting edges prevent materials from slipping during use



Model #	Description
WP214015	250mm(10")

LEFT CUT AVIATION TIN SNIP

- Directional handle design
- Drop forged steel
- Serrated cutting edges prevent materials from slipping during use



Model #	Description
WP214016	250mm(10")

AVIATION TIN SNIP

STRAIGHT AVIATION TIN SNIP

- Drop forged steel
- Serrated cutting edges
- Ergonomic comfort grip handle



Model #	Description
WP214017	250mm(10")

Model #	Description
WP214018	300mm(12")

3PC 250MM(10") AVIATION SNIP SET

- Drop forged steel
- Serrated cutting edges prevent materials from slipping during use
- Ergonomic comfort grip handle



Model #	Description
WP200001	250mm(10")

STRAIGHT TIN SNIP

- Drop forged steel
- Precision ground blades
- Large handle loops
- Dipped grip handle



Model #	Description
WP214011	180mm(7")
WP214012	250mm(10")
WP214013	300mm(12")

STRAIGHT TIN SNIP

- Drop forged steel
- Precision ground blades
- Dipped grip handle




Model #	Description
WP214014	255x50x24mm

BOLT CUTTER

CR-MO FORGED BLADE

CR-MO STEEL BLADE





Model #	Description
WP216002	300mm(12"); Cut max.ø5mm steel bars
WP216003	350mm(14"); Cut max.ø7mm steel bars
WP216004	450mm(18"); Cut max.ø8mm steel bars
WP216005	600mm(24"); Cut max.ø11mm steel bars
WP216006	750mm(30"); Cut max.ø13mm steel bars
WP216007	900mm(36"); Cut max.ø16mm steel bars

BOLT CUTTER

CR-MO STEEL BLADE

- Cr-Mo steel blade
- Labor-saving double levers
- Anti-slip bi-color handle



Model #	Description
WP216008	1050mm(42"); Cut max.ø19mm steel bars

200MM(8") BOLT CUTTER

- 65Mn steel jaws
- Jaws hardened to HRC 56-60 for longer life
- Two-color soft rubber coating for comfortable grip
- Ergonomic design
- Shear 3.5mm steel bar



Model #	Description
WP216001	200mm(8"); Cut max.ø3.5mm steel bars

600MM(24") FOLDING BOLT CUTTER

FOLDING DESIGN FOR COMPACT STORAGE

600 mm




Model #	Description
WP216009	600mm(24"); Cut max.ø11mm steel bars



SK5 HAND SAW

SHARPER TRIGROUND TEETH



Model #	Description
WP215005	400mm(16"); 7TPI
WP215006	450mm(18"); 7TPI
WP215007	500mm(20"); 7TPI
WP215008	550mm(22"); 7TPI

Model #	Description
WP215009	600mm(24"); 7TPI
WP215010	450mm(18"); 11TPI
WP215011	500mm(20"); 11TPI
WP215012	550mm(22"); 11TPI

SK5 HAND SAW

SHARPER THREE-EDGED TEETH

- Durable SK5 saw blade
- Teflon surface treatment for smoother use
- Sharper three-edge precision grinding teeth
- Large and small tooth design
- With scale mark



TEFLON

Model #	Description
WP215013	400mm(16"); 8TPI

HAND SAW

- 65Mn saw blade with precision ground teeth
- Ergonomic handle
- With scale mark



Model #	Description
WP215001	400mm(16"); 7TPI
WP215002	450mm(18"); 7TPI

Model #	Description
WP215003	500mm(20"); 7TPI
WP215004	550mm(22"); 7TPI

BACK SAW

- 65Mn saw blade, more durable
- Sharp two-edged grinding teeth
- Can be used with mitre box (WP215029)



Model #	Description
WP215014	300mm(12"); 12TPI

Model #	Description
WP215015	350mm(14"); 12TPI

JAB SAW

INDUCTION HARDENED BLADE



Model #	Description
WP215016	150mm(6"); 7TPI

BI-METAL JAB SAW

BI-METAL FOR LONG-LASTING



Model #	Description
WP215017	150mm(6"); 8TPI

300MM(12") COMPASS SAW



Model #	Description
WP215018	300mm(12"); 7TPI

300MM(12") ALUMINUM HACKSAW

HEAVY-DUTY AND STRONG



Model #	Description
WP215027	300mm(12"); 24TPI

300MM(12") HEAVY DUTY HACKSAW



Model #	Description
WP215025	300mm(12"); 24TPI

HEAVY DUTY HACKSAW

- Aluminum alloy frame
- 2-position: 90° and 45°
- Quick-release, blade changing mechanism
- 1PC bi-metal blade



Model #	Description
WP215022	300mm(12")

3-LENGTH HACKSAW

- Adjustable length
- Ergonomic grip design
- Quick-release, blade changing mechanism



Model #	Description
WP215020	Adjustable to 200mm(8"), 250mm(10"), 300mm(12")

ALUMINUM HACKSAW

- Aluminum alloy frame
- Adjustable tension
- Quick-release, blade changing mechanism



Model #	Description
WP215026	300mm(12")

ALUMINUM JUNIOR HACKSAW

- Comfortable handle
- Aluminum alloy frame
- Adjustable for 3 directions
- Easy turning knob for removing & inserting blades



Model #	Description
WP215021	150mm(6"); Cutting depth: 63mm

ALUMINUM MINI HACKSAW

- Aluminum alloy frame
- Ergonomic rubber handle
- 1PC bi-metal blade



Model #	Description
WP215023	250mm(10"); 24TPI

TUBULAR BOW SAW

- Made of steel tubing for durability and easy handling
- Soft grip for heavy duty use
- Easy to change blade
- Safety handle




Model #	Description
WP215019	530mm(21")

300MM(12") MITRE BOX

- 2 countersunk slots on the base for fixing to bench
- Durable plastic body
- 45°, 90°, and 135° fixed cutting angles





Model #	Description
WP215029	300mm(12")

10PC CARBON STEEL SAW BLADE SET (24TPI)

- Heavy-duty tubular frame
- Ergonomic soft grip handle
- High tension blade
- Bi-metal blade



Model #	Description
WP215031	10PC; 300mm(12"); 24TPI

5PC BI-METAL SAW BLADE SET

- Double saw blade, more durable
- Ultra-high-frequency treatment of teeth
- Compatible with the standard 300mm saw frame



Model #	Description
WP215032	5PC; 300mm(12"); 18TPI
WP215033	5PC; 300mm(12"); 24TPI

10PC MINI SAW BLADE SET (24TPI)

- Selected high-quality steel
- Suitable for standard 150mm saw frame



Model #	Description
WP215034	10PC; 150mm(6"); 24TPI



FINISHING TOOLS

FILE
BRUSH
BLOCK PLANE
SANDPAPER

LD-1467

FLAT FILE

ERGONOMIC HANDLE



Model #	Description
WP251001	200mm(8")
WP251002	250mm(10")

HALF ROUND FILE

- Heat-treated T12 material
- Tri-color handle
- With hanging hole



Model #	Description
WP251003	200mm(8")
WP251004	250mm(10")

ROUND FILE

- Heat-treated T12 material
- Tri-color handle
- With hanging hole



Model #	Description
WP251005	200mm(8")
WP251006	250mm(10")

TRIANGULAR FILE

- Heat-treated T12 material
- Tri-color handle
- With hanging hole



Model #	Description
WP251007	200mm(8")
WP251008	250mm(10")

SQUARE FILE

- Heat-treated T12 material
- Tri-color handle
- With hanging hole



Model #	Description
WP251009	200mm(8")
WP251010	250mm(10")

FLAT WOOD RASP FILE

- Heat-treated 45# steel
- Tri-color handle
- With hanging hole



Model #	Description
WP251011	200mm(8")
WP251012	250mm(10")

ROUND WOOD RASP FILE

- Heat-treated 45# steel
- Tri-color handle
- With hanging hole



Model #	Description
WP251013	200mm(8")
WP251014	250mm(10")

HALF ROUND WOOD RASP FILE

- Heat-treated 45# steel
- Tri-color handle
- With hanging hole



Model #	Description
WP251015	200mm(8")
WP251016	250mm(10")

3PC FILE SET

- Wear-resistant T12 material
- Ergonomic handle
- With hanging hole



Model #	Description
WP201702	3PC; 200mm(8")

5PC FILE SET

- Wear-resistant T12 material
- Ergonomic handle
- With hanging hole



Model #	Description
WP201701	5PC; 200mm(8")

3PC WOOD RASP FILE SET

- Heat-treated 45# steel
- Anti-slip tri-color handle
- With hanging hole



Model #	Description
WP201703	3PC; 200mm(8")

5PC INTERCHANGEABLE FILE SET

- Durable heat-treated steel
- Ergonomic interchangeable handle
- Equipped with wooden files and steel files



Model #	Description
WP251017	5PC; 200mm(8")

6PC MINI FILE SET

- Durable heat-treated steel
- Ergonomic interchangeable handle



Model #	Description
WP251018	6PC; 3x140mm

5PC DIAMOND NEEDLE FILE SET

- Fine diamond grit
- Dipped grip handle



Model #	Description
WP251019	5PC; 3x140mm; 150 grit

10PC DIAMOND NEEDLE FILE SET

- Diamond particle surface
- Compact small size
- Easy-to-clean handle



Model #	Description
WP251020	10PC; 3x140mm



STEEL WIRE BRUSH, 3X17

DUAL FUNCTION WITH SCRAPER

Scraper Function

Plastic Handle
Easier to clean



Hanging Hole

Steel Bristles
Black finish for durable and anti-corrosion



Model #	Description
WP253001	3x17

STEEL WIRE BRUSH, 4X16

- Black finished steel wire
- Easy-to-clean plastic handle



Model #	Description
WP253002	4x16

COPPER-COATED WIRE BRUSH

- Copper-coated steel wire
- Durable metal brush



Model #	Description
WP253003	Length:250mm

COPPER-COATED WIRE BRUSH WITH WOODEN HANDLE

- Copper-coated steel brush wire
- Classic wooden body



Model #	Description
WP253004	4X15

3PC WIRE BRUSH SET

- Coming with stainless steel/copper/nylon brush wire
- With brush wire on the head
- Bi-material rubber coating handle



Model #	Description
WP253005	3PC, Length:180mm

230MM(9") ADJUSTABLE BENCH PLANE

PRECISION MILLED BASE AND FACES





Model #	Description
WP252001	230mm(9"); Width of the blade: 50mm

250MM (10") RASP PLANE

- Aluminum alloy body
- Durable T10 blade
- Suitable for gypsum board and wooden



Model #	Description
WP252002	300x42x115mm

3PC ALUMINUM OXIDE SANDING SPONGE

- Double filing surface
- Used in both water and dry grinding



Model #	Description
WP259020	60x100 Grits, 120x180 Grits, 220x280 Grits

150MM DOUBLE-SIDED SHARPENING STONE

- Double-sided whetstone
- Suitable for sharpening and trimming of blade



Model #	Description
WP259021	180x280 Grits

SANDING BLOCK

- Impact-resistant plastic body
- Stable double-sided clips
- Used with sandpaper



Model #	Description
WP259018	165x85mm
WP259019	210x105mm

ALUMINUM OXIDE SANDPAPER

- Tough backing paper
- Durable alumina particles
- Dry only



Model #	Description
WP259001	60 Grits; 280x230mm
WP259002	80 Grits; 280x230mm
WP259003	120 Grits; 280x230mm
WP259004	150 Grits; 280x230mm
WP259005	180 Grits; 280x230mm
WP259006	240 Grits; 280x230mm
WP259007	320 Grits; 280x230mm
WP259008	400 Grits; 280x230mm

SILICON CARBIDE SANDPAPER

- Tough backing paper
- Durable silicon carbide particles
- Dry & wet application



Model #	Description
WP259009	60 Grits; 280x230mm
WP259010	80 Grits; 280x230mm
WP259011	120 Grits; 280x230mm
WP259012	150 Grits; 280x230mm
WP259013	180 Grits; 280x230mm
WP259014	240 Grits; 280x230mm
WP259015	320 Grits; 280x230mm
WP259016	360 Grits; 280x230mm
WP259017	400 Grits; 280x230mm



MEASURING TOOLS

TAPE MEASURE
LASER DISTANCE MEASURE
SPIRIT LEVEL
RULER
CALIPER

LD-1467

TAPE MEASURE WITH NYLON COATED BLADE

TOUGH AND DURABLE



Model #	Description
WP261008	3m(10ft)x16mm
WP261009	5m(16ft)x19mm
WP261010	7.5m(25ft)x25mm

CHROME TAPE MEASURE



Model #	Description
WP261012	8m|26ft×25mm
WP261013	10m|33ft×25mm

10M CHROME TAPE MEASURE

- Ergonomic design
- Chrome case
- Belt clip
- Nylon coated blade



Model #	Description
WP261014	5m|16ft×19mm

TAPE MEASURE



Model #	Description
WP261002	3mx16mm
WP261003	5mx19mm
WP261004	7.5mx25mm

SELF-LOCK TAPE MEASURE

- Self-locking structure
- Durable heat-treated spring
- Metric and imperial scales
- Bi-material rubber coating



Model #	Description
WP261005	3m(10ft)x16mm
WP261006	5m(16ft)x19mm
WP261007	7.5m(25ft)x25mm

3M(10FT) SOFT TAPE MEASURE

- Impact-resistant case
- Metric and Inch scales
- Self-locking design



Model #	Description
WP261001	3m(10ft)

FIBERGLASS MEASURING TAPE

- Fiberglass blade
- Durable ABS case for shock-resistant
- Folding handle for quick rewind tape



Model #	Description
WP263001	30m
WP263002	50m

OPEN REEL FIBERGLASS LONG TAPE RULER

- Fiberglass blade
- Ergonomic comfort grip
- Compact rewind handle



Model #	Description
WP263003	30m
WP263004	50m
WP263005	100m



40M(135FT) RECHARGEABLE LASER DISTANCE MEASURE

SUPER MINI



Model #	Description
WP267001	40mm(135ft)



HEAVY DUTY ALUMINUM BOX LEVEL WITH MAGNETIC BASE

WITH MAGNET AND HIGH PRECISION

Aluminum Frame
Durable oxidation treatment

Accuracy: 0.5mm/1000mm
3 vials(45/90/180°)



Big Grip Ring
Convenient to use

Magnetic Base

Shock-resistant Cap

Model #	Description
WP262019	400mm(16")
WP262020	600mm(24")
WP262021	900mm(36")
WP262022	1200mm(48")
WP262023	1800mm(72")

HEAVY DUTY ALUMINUM BOX LEVEL

VERTI. SITE™

UV-resistant Top Read Vial
Accurate read from all angles

Solid Block Acrylic Vials
Resist breaking, leaking and fogging



Rubberized End Caps
Protect against shock

Aluminum Frame
For maximum durability

Comfort Grips
Easy to hold

Model #	Description
WP262016	600mm(24")
WP262017	1200mm(48")
WP262018	1800mm(72")

ALUMINUM MAGNETIC BOX LEVEL


- Shockproof end cap
- Aluminum alloy frame
- Big grip ring, convenient to use
- Accuracy 1.0mm/1000mm, 3 vials (45°/90°/180°)
- With scales, easier to read
- Magnetic base



Model #	Description
WP262014	600mm(24")

ALUMINUM MAGNETIC BOX LEVEL

- Shockproof end cap
- Aluminum alloy frame
- Accuracy 0.5mm/1000mm, 3 vials (45°/90°/180°)
- Magnetic base



Model #	Description
WP262010	400mm(16")
WP262011	600mm(24")
WP262012	800mm(32")
WP262013	1000mm(40")

ALUMINUM BOX LEVEL

- Aluminum alloy frame
- Shock-resistant cap
- Accuracy 1.0mm/1000mm
- Easy-to-read scale



Model #	Description
WP262001	300mm(12")
WP262002	450mm(18")
WP262003	600mm(24")
WP262004	800mm(32")
WP262005	1000mm(40")
WP262006	1200mm(48")
WP262007	1500mm(60"); Accuracy 1.5‰
WP262008	1800mm(72"); Accuracy 1.5‰
WP262009	2000mm(80"); Accuracy 1.5‰


HEAVY DUTY DIE-CAST ALUMINUM LEVEL

- Accuracy: 1mm/1000mm
- Aluminum body with powder coating



Model #	Description
WP262024	600mm(24")

TORPEDO LEVEL





Model #	Description
WP262025	165mm(6.5")

MAGNETIC TORPEDO LEVEL

- Acrylic vials read plumb, level, 45°
- Top read window for convenience
- V-groove working edge fits on pipe or conduit
- Highly visible vials with magnetic base



Model #	Description
WP262026	225mm

MAGNETIC TORPEDO LEVEL

- Magnetic v-groove base
- Visible vials read plumb, level, 45°
- Top read window for convenience
- Aluminum frame
- Rubber end caps for shock-resistant



Model #	Description
WP262027	225mm

FRAME LEVEL

- Special angle design for picture hanging
- Durable acrylic vials 45°
- Top read window for convenience
- Highly visible vials





Model #	Description
WP262028	225mm

MAGNETIC POST LEVEL

- Impact-resistant case
- 3 vials (90°/180°)
- Magnetic strip on the back
- Suitable for vertical and cylindrical measurements
- Accuracy 1mm/1000mm



Model #	Description
WP262029	125x75mm

2PC BUBBLE LINE LEVEL

- Mini level, made of ABS material
- With a hook, convenient to storage



Model #	Description
WP262031	Length: 75mm

300MM(12") ALUMINUM COMBINATION SQUARE

- Precision machined die-cast aluminum stock
- Removable brass scriber
- Impact-resistant acrylic vial
- Etched stainless steel blade
- 1/8", 1/16", 1/32" and mm graduations

MM SAE



Model #	Description
WP264002	300mm(12")

300MM(12") PLASTIC COMBINATION SQUARE

- Removable brass scriber
- Impact-resistant acrylic vial
- Etched stainless steel blade
- 1/8", 1/16", 1/32" and mm graduations

MM SAE



Model #	Description
WP264001	300mm(12")

200MM(8") TRY SQUARE

- Brass bound hardwood handle
- 1/8", 1/16" graduations

MM SAE



Model #	Description
WP264001	300mm(12")

200MM(8") SLIDING T-BEVEL

- High-impact plastic handle with 4-way view vial
- Stainless steel blade
- Cylinder level vial



Model #	Description
WP264005	200mm(8")

SLIDING T-BEVEL WITH WOODEN HANDLE

- Hardwood handle
- Etched stainless steel blade
- 1/8", 1/16", 1/32" and mm graduations

MM SAE



Model #	Description
WP264006	230mm(9")

ALUMINUM SQUARE LAYOUT TOOL

- Precision machined die-cast aluminum body
- Etched SAE & metric marking

SAE



Model #	Description
WP264007	180mm(7")

STEEL CARPENTER SQUARE

- Steel body with powder coating
- SAE & metric markings

MM SAE



Model #	Description
WP264008	400x600mm
WP264009	200x300mm

STEEL RAFTER SQUARE

- Hardened steel for durability
- Embossed graduations for easy front and backside reading
- Treated with protective finish for rust-resistance

MM SAE



Model #	Description
WP264010	400x600mm

STAINLESS STEEL RULER

- Stainless steel
- Permanently etched graduation

MM SAE




Model #	Description
WP265001	300mm(12")
WP265002	600mm(24")
WP265003	1200mm(48")

150MM(6") DIAL CALIPER

MULTIPLE MEASURING CAPABILITIES

MM



Model #	Description
WP266002	150mm(6")

150MM(6") VERNIER CALIPER

- Stainless steel
- Metric and imperial scale readings
- Accuracy 0.02mm
- Measuring range 0-150mm

MM SAE



Model #	Description
WP266003	150mm(6")

PLASTIC DIGITAL VERNIER CALIPER

- Lightweight and easy to carry
- The accuracy is ±0.2mm
- Metric and imperial readings

MM SAE



Model #	Description
WP266001	150mm(6")

150MM(6") DIGITAL VERNIER CALIPER

- Zero setting at any position
- Stainless steel body
- LCD display for quick & easy measurement
- Metric/SAE conversion button
- Liner accuracy:0.02mm/0.001"
- Measuring range: 0-150mm/0-6"
- 2PC LR44 button cell batteries included

MM SAE



Model #	Description
WP266004	150mm(6")

PLASTIC CONTOUR GAUGE

- Metric and imperial scale measurements
- Easily copy any shape
- ABS plastic, rustproof and durable

MM SAE





Model #	Description
WP269001	250mm(10")


MULTI ANGLE MEASURING RULER

- Durable oxidation treatment aluminum alloy
- Foldable 6 sections

MM SAE



Model #	Description
WP269002	Length: 1400mm



ELECTRICAL TOOLS

WIRE STRIPPER CRIMPING PLIERS CABLE CUTTER
CABLE STRIPPING KNIFE ELECTRICIAN SCISSORS
ELECTRICAL TESTER ELECTRICAL TAPE

LD-1467

DIGITAL MULTIMETER

- NCV voltage sensing
- Diode measurement
- On-off buzzer measurement
- Flashlight lighting
- backlight
- Value lock
- Automatic shut-down
- Power supply mode: 2 AAA
- batteries
- Maximum display 5999





Model	WP29500I
DC voltage	0.1mV~600V
AC voltage	1mV~600V
DC current	0.01uA~10A
AC current	0.01uA~10A
Resistance	0.1Ω~60MΩ
Capacitance	1nF~6000uF
Frequency	10Hz~10MHz

DIGITAL CLAMP MULTIMETER

- Ambient temperature measurement
- -20~2000°C
- NCV voltage sensing
- Zero line of fire recognition
- On-off buzzer measurement
- Flashlight lighting
- Value lock
- Automatic shut-down
- Power supply mode: 2 AAA
- batteries
- Maximum display 5999





Model	WP29500G
DC voltage	1mV~1000V
AC voltage	1mV~750V
Resistance	0.1Ω~40MΩ
Frequency	10Hz~10MHz
AC current	0.01A~600A

DIGITAL MULTIMETER

- Ambient temperature
- measurement 0~40°C
- NCV voltage sensing
- Zero line of fire recognition
- On-off buzzer measurement
- Flashlight lighting
- Value lock
- Automatic shut-down
- Analog bar display
- Power supply mode: 1 AAA
- battery
- Maximum display 5999





Model	WP29500T
DC voltage	0.9V~600V
AC voltage	0.9V~600V
Resistance	10Ω~60MΩ
Frequency	40Hz~999Hz

VOLTAGE TESTER

- Bi-color indicator light
- Sound and light screen triple alarmed mode
- With LED lighting function
- With pen clip design, easy to carry
- Automatic induction, sensitive induction



Model #	WP29500A
Measuring range	AC12V-1000V

AUTOMOTIVE VOLTAGE TESTER

- Measuring range: 6-24V
- Insulated Alligator Clip
- Transparent plastic handle, red and green dual-color LED light display
- Stainless steel tip probe
- Meet the CE test standards





Model #	Description
WP295002	148x40x15mm

VOLTAGE TESTER

- Measuring range: 100-250VAC
- Full-hard heat treated of the slotted tool holder, durable
- Transparent plastic handle with pen holder, easy to carry
- Meet the CE test standards



Model #	Description
WP295001	143x16x16mm

VOLTAGE TESTER

- Measuring range: 12-250VAC
- Fast induction test, safe and convenient
- LED display voltage display
- Meet the CE test standards



Model #	Description
WP295003	129x16x11mm

5PC ELECTRICAL TAPE

- 19mm wide, 9 meters long
- High toughness and viscosity, high flame retardancy
- 5 color rolls, which can be used for identification
- Passed UL certification



Model #	Description
WP296001	5pcs

10PC ELECTRICAL TAPE

- 19mm wide, 9 meters long
- High toughness and viscosity, high flame retardancy
- Passed UL certification



Model #	Description
WP296002	10pcs

MULTI PURPOSE WIRE STRIPPER

PATENTED INNOVATIVE DESIGN





Plastic Box
For easy storage

4 Specifications
Meets daily needs

3cm Depressed Square
Length measurements

Quickly Strips

Removable Sliding Panel
For cleaning scraps

Model #	Description
WP291010	53x53x42mm

ELECTRICIAN SCISSORS

CLEAN AND NON-SLIP CUTS

5 Stripping Holes
10-18AWG solid

Stainless Steel Blades
Heat-treated, sturdy and durable



Plastic Scabbard
Easy storage and protection



Bi-material Handle
Non-slip and durable

Model #	Description
WP294003	167x80x28mm

CABLE CUTTER

- High-quality steel
- Blackened and polished Head, the cutting edge is sharp and tough, and the cutting is smooth and powerful
- Can cut multi-strand copper and aluminum cables, not suitable for cutting iron wires, steel wires, and steel cable cores
- Blue glossy plastic handle, dirt-resistant and easy to clean



Model #	Description
WP293001	160mm
WP293002	210mm
WP293003	235mm

STRANDED WIRE STRIPPER

- High-quality stainless steel blades
- Heat treated blade, strong and durable
- Colorful wooden handle, looks beautiful and
- high-grade



Model #	Description
WP296001	122x43x11mm
WP296002	120x45x10mm

STRANDED WIRE STRIPPER

- Cuts and strips 10-22 AWG(0.6-2.6mm) wire
- Cleanly shears bolts
- Easy-to-read gauge markings
- Wire looping and bending holes
- Spring loaded for self-opening action



Model #	Description
WP291003	200mm,10-22AWG,0.8-2.6mm

MULTI-PURPOSE WIRE STRIPPER

- Cuts and threads popular bolts sizes (M3.5, M4, M2.5, M5, M4, M3)
- Crimps insulated and non-insulated terminals



Model #	Description
WP291003	200mm,10-22AWG,0.8-2.6mm

MULTI-PURPOSE WIRE STRIPPER

- Cuts and threads popular bolt sizes (M3.5, M4, M2.5, M5, M4, M3)
- Wire looping and bending holes
- Strong-gripping serrated nose
- Curved handles



Model #	Description
WP291004	178mm,10-20AWG

MULTI-PURPOSE WIRE STRIPPER

- Head clamping, single-strand and multi-strand wire stripping function
- Cutting electrician screw function
- Scribing wire
- Bending copper wire and crimping



Model #	Description
WP291009	210x60x18mm

MULTI-PURPOSE WIRE STRIPPER

- Cuts & threads popular bolt sizes
- Ergonomic anti-slip grip handle



Model #	Description
WP291001	200mm

AUTOMATIC WIRE STRIPPER

3 In 1





Model #	Description
WP291007	Capacity: 10-24 AWG (0.2-6mm²)

AUTOMATIC WIRE STRIPPER

- Capacity: 8-18 AWG (1-3.2mm)
- Wire is automatically gripped and stripped with the same motion
- Adjustable dial



Model #	Description
WP291006	168mm(6-1/2")

MINI WIRE STRIPPER

- Carbon Steel
- Adjustable handle screw to control wire diameter
- Non-slip plastic handle



Model #	Description
WP291005	Stripping range: 0.5-4mm, 6-24AWG

AUTOMATIC WIRE STRIPPER

- Stripping range: 0.2-6mm single stranded wire or flat wire
- Stripping length: up to 25mm
- Stripping and cutting 2 in 1





Model #	Description
WP291008	168mm

MINI WIRE STRIPPER

- Made of high-quality steel plate, durable
- Suitable for 4P/RJ22 connector, 6P/RJ11/RJ12 telephone crystal terminal, 8P/RJ45 network crystal terminal
- With stripping and cutting functions
- The handle adopts labor-saving ratchet structure, making it easier to use
- Bi-color soft rubber non-slip handle





Model #	Description
WP292001	215x69x21mm




INSULATED TOOLS

INSULATED SCREWDRIVER
INSULATED PLIERS
INSULATED WRENCH
INSULATED SHEARS
INSULATED CABLE KNIFE
VOLTAGE TESTER
INSULATED HACKSAW
VDE TOOL SET

LD-1467

INSULATED SCREWDRIVER

APPROVED FOR 1,000 V AC APPLICATION



1000V

Model #	Description
WP341001	SL 0.4x2.5x75mm
WP341002	SL 0.5x3.0x100mm
WP341003	SL 0.6x3.5x100mm
WP341004	SL 0.8x4.0x100mm
WP341005	SL 1.0x5.5x125mm
WP341006	SL 1.2x6.5x150mm
WP341007	PH 0x60mm

Model #	Description
WP341008	PH 1x80mm
WP341009	PH 2x100mm
WP341010	PH 3x150mm
WP341019	PZ 0x60mm
WP341020	PZ 1x80mm
WP341021	PZ 2x100mm
WP341022	PZ 3x150mm

INSULATED NUT DRIVER

- Anti-slip bi-material handle
- CR-V steel



1000V

Model #	Description
WP341011	6.0x125mm
WP341012	7.0x125mm
WP341013	8.0x125mm
WP341014	9.0x125mm
WP341015	10x125mm
WP341016	11x125mm
WP341017	12x125mm

INSULATED SCREWDRIVER

- Ergonomic grip handle
- CR-V steel



1000V

Model #	Description
WP341023	2.5X50mm
WP341030	3.5X75mm
WP341024	4x100mm
WP341025	5.5x150mm
WP341026	6.5x150mm
WP341027	PH 0X75mm
WP341028	PH 1X100mm
WP341029	PH 2X125mm

INSULATED COMBINATION PLIERS

- Anti-slip bi-material handle
- CR-V forged steel



Model #	Description
WP342001	160mm(6")
WP342002	180mm(7")
WP342003	200mm(8")

INSULATED LONG NOSE PLIERS

- Anti-slip bi-material handle
- CR-V forged steel



Model #	Description
WP342004	160mm(6")
WP342005	200mm(8")

INSULATED BENT NOSE PLIERS

- Ideal for gripping and cutting work
- Tapered and bent jaw for those hard to reach places
- CR-V forged steel



Model #	Description
WP342006	160mm(6")
WP342007	200mm(8")

INSULATED DIAGONAL PLIERS

- Designed for cutting soft and hard wire
- Narrow head style to be used in confined areas



Model #	Description
WP342008	160mm(6")

INSULATED HIGH LEVERAGE DIAGONAL PLIERS

- 20% less effort
- Anti-slip bi-material handle
- CR-V forged steel



Model #	Description
WP342009	180mm(7")

INSULATED PLIERS

MINI DIAGONAL PLIERS

- Designed for cutting insulation on wire
- CR-V forged steel



Model #	Description
WP342010	160mm(6")

INSULATED WATER PUMP PLIERS

- Gripping surfaces with special hardened teeth
- CR-V forged steel



Model #	Description
WP342011	250mm(10")

INSULATED LONG NOSE PLIERS

- CR-V steel with Ni-Fe coating
- Bi-material ergonomic grip handle



Model #	Description
WP342012	160mm(6")
WP342013	200mm(8")

INSULATED DIAGONAL CUTTING PLIERS

- CR-V steel with Ni-Fe coating
- Bi-material ergonomic grip handle



Model #	Description
WP342014	160mm(6")

INSULATED DIAGONAL PLIERS

- CR-V steel with Ni-Fe coating
- Bi-material ergonomic grip handle



Model #	Description
WP342015	180mm(7")

INSULATED COMBINATION PLIERS

- CR-V steel with Ni-Fe coating
- Bi-material ergonomic grip handle



Model #	Description
WP342016	160mm(6")
WP342017	200mm(8")

INSULATED STRIPPER PLIERS

- CR-V steel with Ni-Fe coating
- Bi-material ergonomic grip handle



Model #	Description
WP342018	160mm(6")

INSULATED WATER PUMP PLIERS

- CR-V steel with Ni-Fe coating
- Bi-material ergonomic grip handle



Model #	Description
WP342019	250mm(10")

INSULATED ADJUSTABLE WRENCH

GREATER CAPACITY
STRONGER GRIP



Model #	Description
WP343056	160mm(6")
WP343057	200mm(8")
WP343058	250mm(10")
WP343059	320mm(12")

INSULATED OPEN END WRENCH

- Jaw 15° angled
- CR-V steel
- Anti-slip bi-material handle



Model #	Description
WP343001	6mm
WP343002	7mm
WP343003	8mm
WP343004	9mm
WP343005	10mm
WP343006	11mm
WP343007	12mm
WP343008	13mm
WP343009	14mm
WP343010	15mm

Model #	Description
WP343011	16mm
WP343012	17mm
WP343013	18mm
WP343014	19mm
WP343015	21mm
WP343016	22mm
WP343017	24mm
WP343018	27mm
WP343019	30mm
WP343020	32mm

INSULATED RING WRENCH

- Ring head 75 ° offset
- CR-V steel
- Anti-slip bi-material handle



Model #	Description
WP343021	6mm
WP343022	7mm
WP343023	8mm
WP343024	9mm
WP343025	10mm
WP343026	11mm
WP343027	12mm
WP343028	13mm
WP343029	14mm
WP343030	15mm

Model #	Description
WP343031	16mm
WP343032	17mm
WP343033	18mm
WP343034	19mm
WP343035	21mm
WP343036	22mm
WP343037	24mm
WP343038	27mm
WP343039	30mm
WP343040	32mm

INSULATED RATCHET RING WRENCH

- 72 teeth ratchet
- CR-V steel
- Anti-slip bi-material handle



Model #	Description
WP343041	7mm
WP343042	8mm
WP343043	9mm
WP343044	10mm
WP343045	11mm
WP343046	12mm
WP343047	13mm
WP343048	14mm

Model #	Description
WP343049	15mm
WP343050	16mm
WP343051	17mm
WP343052	18mm
WP343053	19mm
WP343054	22mm
WP343055	24mm

INSULATED SCISSORS

- Anti-slip bi-material handle
- CR-V steel



Model #	Description
WP344009	160mm

INSULATED CABLE SHEARS

- Designed for use with aluminium and copper cables
- CR-V steel



Model #	Description
WP344001	160mm(22mm²)

INSULATED LARGE CABLE SHEARS

- Designed For bruise-free cutting of copper and aluminum cables
- Clean and smooth cut
- CR-V Steel



Model #	Description
WP344002	250mm(80mm²)

INSULATED CABLE SHEARS

- Stainless steel blades
- Great for cut φ 6mm rebar



Model #	Description
WP344003	600mm

INSULATED CABLE KNIFE

- Fixed straight blade, stainless steel material
- Protective cap



Model #	Description
WP344004	50x180mm

INSULATED CABLE KNIFE

- Narrow, fixed sickle-shaped hook blade
- Stainless steel blade
- Suitable for sector cables
- Protective Cap



Model #	Description
WP344005	50x180mm

INSULATED CABLE KNIFE

- Solid, fixed straight blade with protective cap
- Stainless steel blade
- Back of the blade plastic coated to avoid short circuits



Model #	Description
WP344006	50x180mm

INSULATED CABLE KNIFE

- Replaceable straight blade, stainless steel material
- Hinged blade guard integrated in the handle



Model #	Description
WP344007	48x185mm

CABLE KNIFE BLADE

- Stainless steel blade



Model #	Description
WP344008	58mm

VDE VOLTAGE TESTER

- For 125-250 V AC
- Fully insulated blade and handle
- Manufactured acc. to DIN VDE 0680
- S2 Steel



Model #	Description
WP349001	140mm

INSULATED HACKSAW

- Screw for tensioning the saw blade
- HSS saw blade



Model #	Description
WP349002	150mm

INSULATED SCREWDRIVER SET

- 8PC
- S2 Steel
- Portable transparent plastic box



Model #	Description
WP204700	SL 0.6x3.5x100mm, SL 0.8x4x100mm, SL 1.0x5.5x125mm, SL 1.2x6.5x150mm; PH 0X60mm, PH 1X80mm, PH 2X100mm; Voltage Tester 3X70mm

12-IN-1 INSULATED CHANGEABLE SCREWDRIVER SET

MULTI-PURPOSE AND PORTABLE



Storage Bag



Slotted And Phillips Type

S2 Steel

Model #	Description
WP341018	12PC: 2.5x0.4x100mm, 3.0x0.5x100mm, 4.0x0.8x100mm, 5.5x1.0x100mm, 6.5x1.2x100mm, PH0x100mm, PH1x100mm, PH2X100mm, T15x100mm, T20x100mm, 31x118mm handle, 3x70mm voltage tester


INSULATED PLIERS SET

- 4 PC
- CR-V forged steel
- Portable transparent plastic box





Model #	Description
WP204703	160mm(6") combination pliers, 160mm(6") long nose pliers, 160mm(6") diagonal cutting pliers, 160mm(6") wire stripper



6-WHEEL PLASTIC CREEPER

- Heavy duty one-piece
- Body fitting design
- 6 extra ball bearing nylon castors







Model #	Description
WP319001	900mm(36"); Max.load 90kg
WP319002	1000mm(40"); Max.load 90kg

HYDRAULIC STOOL

- 4PC 65mm swivel castors
- Padded height-adjustable seat
- Heavy-duty construction



Model #	Description
WP319003	Max. load: 113kg; Height range: 42cm~54cm

CREEPER SEAT WITH DRAWERS

- Vinyl padded seat
- With drawers for storage
- 4PC 64mm castors







Model #	Description
WP319004	36x45x52cm; Max. load :150kg

UNIVERSAL FOLDING LUG WRENCH

- Drop forged steel
- Surface plated, durable and anti-corrosion
- Socket sizes: 17mm /19mm/ 21mm/ 22mm
- Foldable design, convenient for storage





Model #	Description
WP314003	350mm(14")

LUG NUT WRENCH

- Drop forged steel
- Surface plated, durable and anti-corrosion
- Socket sizes: 17mm /19mm/ 21mm/ 23mm



Model #	Description
WP314004	350mm(14")
WP314005	400mm(16")

GREASE GUN WITH HOSE

- Working pressure: 10000PSI
- Gray electric coating finish for service life
- Air vent head cap& positive lock for cartridge loading



Model #	Description
WP313001	Capacity: 400cc (14oz)
WP313002	Capacity: 600cc (21oz)

ROUND MAGNETIC PARTS TRAY

- Stainless steel
- Ideal for storage of small items
- Powerful magnet



Model #	Description
WP314001	148x24x38mm

RECTANGLE MAGNETIC PARTS TRAY

- Stainless steel
- Ideal for storage of small items
- Powerful magnet



Model #	Description
WP314002	238x137x40mm

4-CLAW PICK-UP TOOL

- Flexible shaft claw
- 4-prong 65 Mn claws
- Steel construction



Model #	Description
WP319005	600mm(24"); Max. load: 9kg(20lb)

MAGNETIC PICK UP TOOL

- Stainless steel antenna
- Multi-angle ball joint neck
- Powerful magnet
- Extends up to 650mm



Model #	Description
WP319006	Max. length: 650mm

FLEXIBLE SHAFT MAGNETIC PICK UP TOOL

- Powerful magnet
- 457.2mm(18") flexible shaft holds any angle



Model #	Description
WP319007	Length: 585±5mm

TELESCOPING INSPECTION MIRROR

- Stainless steel antenna
- Multi-angle ball joint neck



Model #	Description
WP319008	440mm; φ50mm
WP319009	720mm; φ55mm

ADJUSTABLE OIL FILTER WRENCH

- 60-102mm work range
- Easy to clean handle
- Sure-grip teeth prevent slipping





Model #	Description
WP319010	300mm(12")

2-JAW GEAR PULLER

- Made of heat treated drop-forged steel
- Adjustable sliding arm for efficiency and safety
- Reversible jaws for internal & external options gear, axle, bearing, etc.





Model #	Description
WP311001	Size: 90x100mm; Operating range: 90/70-130mm; Max. reach height: 100mm
WP311002	Size:130x100mm; Operating range: 130/80-180mm; Max. reach height: 100mm
WP311003	Size:160x150mm; Operating range: 160/105-220mm; Max. reach height: 150mm

3-JAW GEAR PULLER

- Made of heat treated drop-forged steel
- The 3-jaw design balances pulling force well
- Reversible jaws for internal & external options gear, axle, bearing, etc.





Model #	Description
WP311004	Size:76.2mm(3"); Operating range: 15-80mm; Max. reach height: 75mm
WP311005	Size:101.6mm(4"); Operating range: 20-100mm; Max. reach height: 100mm
WP311006	Size: 152.4mm(6"); Operating range: 25-160mm; Max. reach height: 150mm

300CC OIL CAN

- Selected high-quality steel
- 300CC capacity
- Suitable for lubrication of mechanical parts



Model #	Description
WP313003	300mm

1/2" DR. TELESCOPING LUG WRENCH

- Made of steel
- Electroplated,durable and anti-corrosion
- With 2PC double-ended sockets
- L-shaped bar wrench with 1/2" square drive
- Suitable for the disassembly and assembly of hexagonal screws



Model #	Description
WP314007	2PC double-ended sockets: 17x19mm, 21x23mm

ADJUSTABLE OIL FILTER WRENCH

- Made of 40CR for durability
- Chrome plated, anti-corrosion
- Suitable for disassembly and assembly of hexagonal screws



Model #	Description
WP314009	8mm
WP314010	9mm
WP314011	10mm
WP314012	11mm
WP314013	12mm
WP314014	13mm

Model #	Description
WP314015	14mm
WP314016	15mm
WP314017	16mm
WP314018	17mm
WP314019	19mm

3-WAY SOCKET WRENCH

- Made of 40CR for durability
- Chrome Plated, anti-corrosion
- 3 sizes in one wrench
- Suitable for disassembly and assembly of hexagonal screws





Model #	Description
WP314021	8x9x10mm
WP314022	8x10x12mm
WP314023	10x12x14mm

Model #	Description
WP314024	12x14x17mm
WP314025	14x17x19mm

6x6PT L-TYPE WRENCH

- 40CR,heat treated
- Fully polished
- 6x6PT Double socket



Model #	Description
WP314033	9mm, 6x6PT
WP314034	10mm, 6x6PT
WP314035	11mm, 6x6PT
WP314036	12mm, 6x6PT
WP314037	13mm, 6x6PT
WP314038	14mm, 6x6PT

Model #	Description
WP314039	15mm, 6x6PT
WP314040	16mm, 6x6PT
WP314041	17mm, 6x6PT
WP314042	18mm, 6x6PT
WP314043	19mm, 6x6PT

6x12PT L-TYPE WRENCH

- Carbon steel,heat treated
- Drop forged in one-piece, fully polished
- 6x12PT Double socket



Model #	Description
WP314044	9mm, 6x12PT
WP314045	10mm, 6x12PT
WP314046	11mm, 6x12PT
WP314047	12mm, 6x12PT
WP314048	13mm, 6x12PT
WP314049	14mm, 6x12PT
WP314050	15mm, 6x12PT

Model #	Description
WP314051	16mm, 6x12PT
WP314052	17mm, 6x12PT
WP314053	18mm, 6x12PT
WP314054	19mm, 6x12PT
WP314055	20mm, 6x12PT
WP314056	21mm, 6x12PT

SELF-ADJUSTING OIL FILTER WRENCH

- Made of high-quality 40CR-V
- Three jaws catch the filter more tightly
- Fits 63-102mm filters
- 1/2" Square Drive Head
- Perfect for most automotive and truck filters





Model #	Description
WP319011	1/2"DR. 3-jaw

SWIVEL OIL FILTER WRENCH

- 1" wide steel band for strong grip without crushing filter
- Comfortable vinyl coated handle
- 180 degree swivel action
- Perfect for most automotive and truck filters





Model #	Description
WP319012	70-82.5mm
WP319013	87-95mm
WP319014	105-115mm

5PC SCREW EXTRACTORS


- Made of GCR15
- PP box for storage
- Extractor Size: #1, #2, #3, #4, #5
- Perfect for removing screws and bolts with
- damaged heads



Model #	Description
WP319018	Extractor Size: #1, #2, #3, #4, #5

4PC PICK AND HOOK SET

- Comfortable bi-material rubber coating grip
- Carbon steel for strength and durability
- Perfect for scribing lines, o- ring and cotter pin removal,
- breaking connections



Model #	Description
WP319020	Includes: Straight Pick, Curved Hook, Complex Hook, 90 Degree Hook

4Mx5T TOW STRAP

- Suitable for towing vehicles up to 5T
- Forged steel slip hook with latch
- High-strength ployester webbing is mildew and rot resistant
- Carabineer-style hooks allow quick, easy attachments



Model #	Description
WP319025	4mx5T

RATCHET TIE DOWN

- High-strength ployester webbing is mildew and rot resistant
- Ratcheting buckle and double J hooks offer a secure attachment
- Can be used with trailers, hitches, automobiles, boats, etc.



Model #	Description
WP319026	Webbing size: 25mmx3m; Working load limit: 0.25T
WP319027	Webbing size: 35mmx6m; Working load limit: 1T
WP319028	Webbing size: 50mmx6m; Working load limit: 5T

Model #	Description
WP319029	Webbing size: 50mmx10m; Working load limit: 5T
WP319030	Webbing size: 50mmx12m; Working load limit: 5T



PLUMBING TOOLS

PIPE CUTTER
FLARING TOOL
TAP AND DIE SET
OTHER

LD-1467

ALUMINUM PIPE WRENCH

LIGHTWEIGHT

- Drop forged replaceable hook and heel jaws
- Aluminum handle





Model #	Description
WP302006	250mm(10")
WP302007	350mm(14")

Model #	Description
WP302008	450mm(18")
WP302009	600mm(24")

PIPE WRENCH

- Drop forged replaceable hook and heel jaws
- Iron handle





Model #	Description
WP302001	250mm(10")
WP302002	350mm(14")

Model #	Description
WP302003	450mm(18")
WP302004	600mm(24")

90° STRAIGHT JAW PIPE WRENCH

- 90° Angled jaws
- Captive adjusting nut



Model #	Description
WP302012	Size:300mm(12"); Max.φ:25mm(1")
WP302013	Size:400mm(16"); Max.φ:38mm(1-1/2")
WP302014	Size:560mm(22"); Max.φ:50mm(2")

35MM(1-1/4") PIPE CUTTER

- 65Mn replaceable blade
- Aluminum alloy case
- Ergonomic handle
- Suitable for cutting PVC, rubber, etc.



Model #	Description
WP301001	Max. cutting diameter: 35mm

42MM(1-5/8") PIPE CUTTER

RATCHET AND QUICK RELEASE MORE EFFICIENT



Model #	Description
WP301002	Max.cutting diameter: 42mm

3-32MM(1/8"-1-1/4") ALUMINUM TUBE CUTTER

BEST CHOICE





Model #	Description
WP301005	Cutting range: 3-32mm (1/8"-1-1/4")

3-30MM(1/8"-1-1/8") TUBING CUTTER

- Aluminum alloy
- Bearing steel blades
- With spare blades at the end
- With burr knife



Model #	Description
WP301004	Cutting range: 3-30mm(1/8"-1-1/8")

3-16MM(1/8"-5/8") TUBING CUTTER

- Durable zinc alloy body
- Bearing steel blade



Model #	Description
WP301003	Cutting range: 3-16mm(1/8"-5/8")

ALL-IN-ONE FLARING TOOLS

WIDE RANGE OF SIZES

MM
SAE







Model #	Description
WP303001	240x215x60mm

FLARING TOOL

- 40CR clip, durable steel holder
- Corrosion-resistant surface
- Suitable for reaming and splicing of pipes



Model #	Description
WP303002	Imperial; O.D.: 5/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
WP303003	Metric; O.D.: 5, 6, 8, 10, 12, 14, 16mm

3-IN-1 TUBE BENDER

- Aluminum alloy body
- Soft metal only



Model #	Description
WP303004	6mm, 8mm, 10mm

2-IN-1 HEAVY DUTY TUBE BENDER

- Aluminum alloy body
- Soft metal only
- Equipped with 2 arc-shaped slotted aluminum strips



Model #	Description
WP303005	15mm, 22mm

4PC SPRING TUBE BENDER SET

- Durable stainless steel
- Soft tube only



Model #	Description
WP303006	Length: 250mm(10")

SNAKE DRAIN AUGER

- Heat-treated spring
- Flexible serpentine design
- Suitable for removing drain clogs



Model #	Description
WP304001	4m

TOILET PLUNGER

- Used to unclog the toilet



Model #	Description
WP304002	Length: 480mm; Diameter: 145mm

ADJUSTABLE BASIN WRENCH

- Corrosion-resistant 40CR end
- Drop forged steel jaws
- Enhance force lever



Model #	Description
WP309002	Adjustable 10 - 32 mm capacity

5PC SHOWER VALVE WRENCH SET

- Electroplated seamless steel pipe



Model #	Description
WP309005	16.7×21.5mm, 23.0×24.6mm, 26.2×27.8mm, 29.4×32.6mm, 34.2×36.5mm

32PC TAP AND DIE SET

WIDE RANGE APPLICATION

32 PIECE MM

Iron Box
For convenient storage

Alloy Steel
Heat-treated for durability



Model #	Description
WP309008	Includes: Die: M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75; Tap: 3 x M3 x 0.5, 3 x M4 x 0.7, 3 x M5 x 0.8, 3 x M6 x 1.0, 3 x M8 x 1.25, 3 x M10 x 1.5, 3 x M12 x 1.75; 1pc Tap Wrench; 1pc Die Stock; 1pc Pitch Gauge; 1pc Screwdriver.

INNER-OUTER TUBE REAMER

- Impact-resistant plastic case
- With 65Mn blades inside



Model #	Description
WP309006	Max.O.D. 42mm

12PC TAP AND DIE SET

- Repair of internal and external threads
- Bearing steel, heat-treated for durability
- Plastic box for convenient storage



Model #	Description
WP309009	Includes: M6 x 1.0, M7 x 1.0, M8 x 1.25, M10 x 1.50, M12 x 1.75; 1pc Tap Wrench; 1pc Die Stock.




MASONRY& PAINTING

CONCRETE TOOLS
MASONRY TOOLS
DRYWALL TOOLS
PAINT TOOLS
TILE TOOLS

LD-1467

BRICKLAYING TROWEL

POINTED SPATULA



Model #	Description
WP322007	150mm(6")
WP322008	180mm(7")
WP322009	200mm(8")

BRICKLAYING TROWEL WOOD HANDLE

- Carbon Steel
- Wooden handle
- Diameter of connecting rod:7.8mm



Model #	Description
WP322004	150mm(6")
WP322005	180mm(7")
WP322006	200mm(8")

BRICKLAYING TROWEL PLASTIC HANDLE


- Carbon Steel
- Plastic handle
- Diameter of connecting rod:7.8mm



Model #	Description
WP322001	150mm(6")
WP322002	180mm(7")
WP322003	200mm(8")

STAINLESS STEEL STUCCO TROWEL

STAINLESS STEEL BLADE



Model #	Description
WP323001	Size:280x130x0.7mm; Teeth:6x6mm
WP323002	Size:280x130x0.7mm; Teeth:8x8mm
WP323003	Size:280x130x0.7mm; Teeth:10x10mm
WP323004	Size:280x130x0.7mm; Teeth:6x10mm
WP323005	Size:280x130mm

FINISHING MASONRY TROWEL

- Plastering trowel with teeth
- Plastic handle
- Carbon Steel
- Comfortable PP and TPR grip

8x8mm



Model #	Description
WP323017	Size:305x115x0.7mm; Teeth:8x8mm

FINISHING TROWEL WOOD HANDLE

- Plastering trowel with teeth
- Carbon Steel
- Wooden handle



Model #	Description
WP323006	Size:280x120mm; Teeth:6x6mm
WP323007	Size:280x120mm; Teeth:8x8mm
WP323008	Size:280x120mm; Teeth:10x10mm
WP323009	Size:280x120mm; Teeth:6x10mm
WP323010	Size:280x120mm

PLASTERING TROWEL WITH TEETH


- Plastering trowel with teeth
- Carbon Steel
- Ergonomic soft grip plastic handle for easy floating action



Model #	Description
WP323011	Size:230x100mm; Teeth:6x6mm
WP323012	Size:230x100mm; Teeth:8x8mm
WP323013	Size:230x100mm; Teeth:6x10mm
WP323014	ize:230x100mm

FINE RUBBER FLOAT TROWEL

- Natural foam rubber pad for stucco surface finish
- Pad is securely cemented to high strength aluminum backing
- Ergonomic plastic handle for easy floating action
- For a coarse or fine texture surface



Model #	Description
WP323015	230x100x17mm

FINE RUBBER FLOAT TROWEL

- Material: Rubber
- Two rounded corners prevent damage to grout joints, and two square corners ensure complete
- High impact plastic handle




Model #	Description
WP323016	240x100x20mm




STAINLESS STEEL FLEX JOINT KNIFE

IN THE THIN SECTION STAINLESS STEEL



Model #	Description
WP321009	40mm
WP321010	60mm
WP321011	80mm
WP321012	100mm
WP321013	125mm
WP321014	150mm


STAINLESS STEEL STIFF JOINT KNIFE



Model #	Description
WP321015	80mm

8-IN-1 SOFT GRIP STAINLESS STEEL PAINTERS TOOL

MULTI-FUNCTION STAINLESS STEEL



Model #	Description
WP321016	72mm

4PC PUTTY KNIFE SET

- Stainless steel, heat-treated
- Mirror polished
- Flexible
- Comfortable PP and TPR grip



Model #	Description
WP204306	40mm, 80mm, 100mm, 150mm

FLEX PUTTY KNIFE

- Carbon Steel, heat-treated
- Fine polished
- Flexible
- Plastic handle



Model #	Description
WP321001	40mm
WP321002	60mm
WP321003	80mm
WP321004	100mm
WP321005	125mm
WP321006	150mm

STIFF PUTTY KNIFE


- Carbon Steel, heat-treated
- Fine polished
- Stiff
- Plastic handle



Model #	Description
WP321007	80mm

5-IN-1 PLASTIC HANDLE PAINTER'S TOOL

- Carbon Steel, heat-treated
- Fine polished



Model #	Description
WP321008	72mm

3PC PUTTY KNIFE SET

- Carbon Steel, heat-treated
- Fine polished
- Flexible
- Plastic handle



Model #	Description
WP204305	40mm, 60mm, 80mm

PUTTY KNIFE

FLEX PUTTY KNIFE

- Carbon steel, heat-treated
- Mirror polished
- Flexible
- Metal hammer end
- Comfortable PP and TPR grip



Model #	Description
WP321019	50mm(2")
WP321020	75mm(3")

Model #	Description
WP321021	100mm(4")
WP321022	150mm(6")

5-IN-1 PAINTER'S TOOL

- Carbon steel, heat-treated
- Mirror polished



Model #	Description
WP321023	72mm

4PC WALL SCRAPER SET

- High quality tool steel
- Fine polished
- Flexible
- Plastic handle



Model #	Description
WP321017	50mm, 80mm, 100mm, 120mm

3PC PLASTIC JOINT KNIFE SET

- Plastic



Model #	Description
WP321018	38mm, 75mm, 150mm

STAINLESS STEEL TAPING KNIFE

STAINLESS STEEL



Ergonomic Soft Grip Handle
Reduces fatigue for comfortable use

Aviation Aluminum Backplane
Reinforced and anodized fordurability

Stainless Steel Rivets
Make the connection 2 times stronger

Stainless Steel Blade
Heat-treated with mirror polish

Model #	Description
WP321032	200mm(8")
WP321033	250mm(10")
WP321034	300mm(12")
WP321035	350mm(14")

BLUE STEEL TAPING KNIFE

- 65Mn blade, heat-treated
- Blue finished surface
- Comfortable PP and TPR grip



Model #	Description
WP321024	200mm(8")
WP321025	250mm(10")
WP321026	300mm(12")
WP321027	350mm(14")

BLUE STEEL TAPING KNIFE

- 65Mn blade, heat-treated
- Blue finished surface
- Plastic handle



Model #	Description
WP321028	200mm(8")
WP321029	250mm(10")
WP321030	300mm(12")
WP321031	350mm(14")

STAINLESS STEEL MUD PAN

- Stainless steel



Model #	Description
WP329025	300mm(12")

OUTSIDE CORNER TROWEL


- Outside sheetrock corner tool
- Stainless steel
- Comfortable pp and tpr grip



Model #	Description
WP323018	89x60.5mm

INSIDE CORNER TOOL

- Stainless steel
- Comfortable PP and TPR grip



Model #	Description
WP323019	82.5x70mm

ALUMINIUM PLASTERING HAWK

- Material: Aluminum
- Wooden handle



Model #	Description
WP329014	330X330x1.5mm

WIRE TWISTER

- Used to twist wire bar ties with a minimum of effort
- Two or three twists and the tie is completed
- Heavy duty hook is electroplated for corrosion resistance
- Selected contoured hardwood handle



Model #	Description
WP329032	

WHITE NYLON LINE

- #18 nylon line
- Built-in elasticity maintains tension,eliminates sagging
- Abrasion and alkali resistant
- Solid bright colors for high visibility
- Twisted line up to 90 lBS



Model #	Description
WP329003	75m(250ft)

BANJO-DRY TAPE

- The original drywall tape banjo
- One-handed mud and tape loading
- Made of rugged,lightweight aluminum
- Holds up 152M of drywall tape
- Adjustable side strap and thumb rest included
- Tape and mud occupy the same one cavity



Model #	Description
WP329021	58x25x8.3cm

WALL PATCH

- Easily repair walls and ceilings
- Self adhesive fiberglass mesh holds patch firmly into place
- Rustproof aluminum base
- Easy to install



Model #	Description
WP329022	100x100mm(4"x4"); 2PC
WP329023	150x150mm(6"x6"); 2PC
WP329024	200x200mm(8"x8"); 2PC

WOODEN HANDLE FLAT PAINT BRUSH

HARD WOOD HANDLE SYNTHETIC FILAMENT

- 50% PET & 50% PBT and stainless steel ferrule
- Wooden handle
- The tail hanging hole



Model #	Description
WP325009	25mm(1")
WP325010	38mm(1.5")
WP325011	50mm(2")

Model #	Description
WP325012	63mm(2.5")
WP325013	75mm(3")
WP325014	100mm(4")

WOODEN HANDLE ANGLE PAINT BRUSH

- 50% PET & 50% PBT and stainless steel ferrule
- Wooden handle
- The tail hanging hole



Model #	Description
WP325007	38mm(1.5")

Model #	Description
WP325008	63mm(2.5")

3PC WOODEN HANDLE PAINT BRUSH SET

HARD WOOD HANDLE SYNTHETIC FILAMENT

- 25 & 38 &50mm paint brushes
- 50% PET & 50% PBT and stainless steel ferrule
- Wooden handle
- The tail hanging hole



Model #	Description
WP204301	1pc 25mm(1"), 1pc 38mm(1.5"), 1pc 50mm(2")

FLAT PAINT BRUSH

- Special formulated PET and chrome plated ferrule
- Ergonomic handle with anti-skid design
- The tail hanging hole



Model #	Description
WP325001	25mm(1")
WP325002	38mm(1.5")
WP325003	50mm(2")
WP325004	63mm(2.5")
WP325005	75mm(3")
WP325006	100mm(4")

ANGLE PAINT BRUSH

- Special formulated PET and chrome plated ferrule
- Ergonomic handle with anti-skid design
- The tail hanging hole



Model #	Description
WP325007	38mm(1.5")
WP325008	63mm(2.5")

5PC PLASTIC HANDLE PAINT BRUSH SET

- 25 & 38 &50mm Paint brushes and 38 & 63mm Angle Brushes
- Special formulated PET and chrome plated ferrule
- Ergonomic handle with anti-skid design
- The tail hanging hole25 & 38 &50mm Paint brushes and 38 & 63mm Angle Brushes
- Special formulated PET and chrome plated ferrule
- Ergonomic handle with anti-skid design
- The tail hanging hole



Model #	Description
WP204300	1pc 25mm(1") paint brush, 1pc 38mm(1.5") paint brush, 1pc 38mm(1.5") angled brush), 1pc 50mm(2") paint brush, 1pc 63mm(2.5") angled brush

PAINT ROLLER

EXTENDABLE

Roller Cover
High density shed resistant

Polyester Fabric
High density shed resistant



PP&TPR Grip
Extendable and comfortable

Model #	Description
WP324008	100mm(4")
WP324009	180mm(7")

Model #	Description
WP324010	230mm(9")
WP324011	255mm(10")

PAINT ROLLER

EXTENDABLE


- Finest quality high density shed resistant polyester fabric
- Match with unique handle
- Convenient and fast change the roller cover
- With 4pcs assistant shank
- Extendable, comfortable PP and TPR grip



Model #	Description
WP324012	180mm(7")
WP324013	230mm(9")
WP324014	270mm(10")

PAINT ROLLER

- Finest quality high density shed resistant polyester fabric
- Match with Unique handle
- Convenient and fast change the roller cover
- With 1pc roller cover
- Extendable plastic handle



Model #	Description
WP324001	100mm(4")
WP324002	180mm(7")
WP324003	230mm(9")
WP324004	255mm(10")

PAINT ROLLER

- Finest quality high density shed resistant polyester fabric
- Fibre height:12mm
- Perform well with all paints
- Sturdy solvent resistant core is easy to clean and reuse
- Finest quality high density shed resistant polyester fabric
- Holds a large amount of paint and releases evenly



Model #	Description	Model #	Description
WP324015	100mm(4")	WP324017	230mm(9")
WP324016	180mm(7")	WP324018	255mm(10")

4PC PAINT KIT

- Tested to ensure smooth and even application with one-coat
- Sturdy solvent resistant core is easy to clean and reuse
- Finest quality high density shed resistant polyester fabric
- Holds a large amount of paint and releases evenly



Model #	Description
WP204303	1pc 100mm(4") paint roller, 2pc 100mm(4") roller cover, 1pc 100mm(4") paint tray

ROLLER COVER

- Fibre height:12mm
- Polyester fabric
- Perform well with all paints
- Sturdy solvent resistant core is easy to clean and reuse

Model #	Description
WP324019	180mm(7")
WP324020	230mm(9")
WP324021	255mm(10")

8PC PAINT KIT

- Most popular paint applicators combined to offer paint project solutions for great value
- Kit includes tools to paint an entire room with smooth application
- Tested to ensure smooth and even application with one-coat
- Sturdy solvent resistant core is easy to clean and reuse
- Finest quality high density shed resistant polyester fabric
- Holds a large amount of paint and releases evenly



Model #	Description
WP204304	1pc 100mm(4") paint roller, 2pc 100mm(4") roller cover, 1pc 230mm(9") paint roller, 1pc 230mm(9") roller cover, 1pc 230mm(9") paint tray, 1pc 230mm(9") PVC lined tray, 1pc 50mm(2") wooden handle flat paint brush, 2pc 50mm(2 ") sponge brush

HEAVY DUTY MANUAL TILE CUTTER

- Heavy duty tile cutter
- Top professional tile cutter
- For parallel & angled cuts
- Stopping rod support mass tile cutting
- YG6X Blade



Model #	Description
WP326002	600mm(24")
WP326003	800mm(32")
WP326004	1000mm(40")
WP326005	1200mm(48")

HEAVY DUTY TILE CUTTER

- Cuts up to 12mm thick
- YG6X blade
- Replace cutting blades
- For parallel & angled cuts



Model #	Description
WP326006	600mm(24")
WP326007	800mm(32")
WP326008	1000mm(40")
WP326009	1200mm(48")

MANUAL TILE CUTTER

- Replace cutting blades:φ22*φ6*2MM Cuts up to12mm thick
- Sliding ball support large tile moving
- Comfortable PP and TPR grip



Model #	Description
WP326001	600mm(24")

HARD PLASTIC TILE SPACER

- Helps evenly space and align wall or floor tiles
- Leave-in design saves time and help avoid cracks in finished grout



Model #	Description
WP329034	Size:2mm; 250PC/PACK
WP329035	Size:3mm; 250PC/PACK
WP329036	Size:5mm; 250PC/PACK

DRYWALL PANEL CARRIER

- Handle is offset to keep sheet materials away from hands
- Durable high impact plastic construction
- Enables one person to easily carry sheet materials
- Carry plywood and drywall sheets easily



Model #	Description
WP329001	350mm(14")

DRYWALL STRIPPER

- Adjustable cutting depth
- Replacement blades available
- Comfortable to grip



Model #	Description
WP329020	Twin cutting blades 65MN

LAMINATE AND WOOD FLOORING INSTALLATION KIT

- Double-faced solid rubber head delivers a softened. The mallet head is 40 mm in diameter
- 310mm long, 4.5mm thick upgraded pull bar is more longger and thicker than others
- 30 spacers included, allow you to install your laminate wood flooring more convenient and easier
- Suitable for 0.27in (7mm) - 0.6in (15mm) laminate or hardwood flooring
- Package included 1 x rubber hammer, 1 x pull bar, 1 x tapping block, 30 x spacers



Model #	Description
WP204302	1pc rubber hammer, 1pc pull bar,1pc tapping block, 30pcs spacers

100PC CABLE TIES

- Nylon PA66
- Heat resistant & Heavy Duty
- Easy to use





Model #	Description
WP329004	2.5x100mm, white
WP329030	3.6x150mm, white
WP329005	3.6x200mm, white
WP329006	4.8x300mm, white
WP329007	7.2x400mm, white
WP329008	9x500mm, white

Model #	Description
WP329009	2.5x100mm, black
WP329031	3.6x150mm, black
WP329010	3.6x200mm, black
WP329011	4.8x300mm, black
WP329012	7.2x400mm, black
WP329013	9x500mm, black

ALUMINUM SUCTION CUP

- Maximum bearing capacity: 45KG
- Material: Rubber & Aluminum alloy



Model #	Description
WP329038	115mm(4.5")

ALUMINUM TWOSOME SUCTION CUP

- Maximum bearing capacity: 90KG
- Material: Rubber & Aluminum alloy



Model #	Description
WP329039	115mm(4.5")

ALUMINUM TRIPLE SUCTION CUP

- Maximum bearing capacity: 135KG
- Material: Rubber & Aluminum alloy



Model #	Description
WP329040	115mm(4.5")

PLASTIC SUCTION CUP

- Maximum bearing capacity: 30KG
- Material: Rubber& ABS



Model #	Description
WP329002	115mm(4.5")

PLASTIC TWOSOME SUCTION CUP

- Maximum bearing capacity: 60KG
- Material: Rubber& ABS



Model #	Description
WP329003	115mm(4.5")

PLASTIC TRIPLE SUCTION CUP

- Maximum bearing capacity: 90KG
- Material: Rubber& ABS



Model #	Description
WP329037	115mm(4.5")




OUTDOOR TOOLS

OUTDOOR KNIFE
MULTIFUNCTIONAL TOOL
OUTDOOR SAW

LD-1467

MULTI-PURPOSE PLIERS

15IN1





Model #	Description
WP382002	200/112x28x18mm

12-IN-1 MULTI-PURPOSE SCISSORS

- Forged stainless steel handle and components
- Include:wood/metal file, knife, bottle opener,medium size slotted screwdriver, awl, slotted screwdriver, philips screwdriver, can opener, serrated blade, saw, spring-loaded scissors with latch



Model #	Description
WP382007	Length:163mm

16-IN-1 MULTI-PURPOSE PLIERS

- Sturdy stainless steel construction
- Include: long nose pliers, wire cutter, curved jaw pliers, hang hole, can opener, wire stripper, phillips screwdriver, serrated blade, saw, hardwire cutters, knife, file, slotted screwdriver (M/L), reamer, bottle opener



Model #	Description
WP382008	Length:178mm

15-IN-1 MULTI-PURPOSE PLIERS

- Convenient, easily accessible butterfly opening
- Sturdy stainless steel construction
- Include: long nose plier,wire cutter,curved jaw plier,bottle opener,can opener, phillips screwdriver,saw,knife,file,scissors, slotted screwdriver (S/M/L)



Model #	Description
WP382009	Length:150mm

12-IN-1 MINI MULTI-PURPOSE PLIERS

- Stainless steel blades and tools
- Multi-functions for all basic applications: file, Phillips screwdriver, slotted screwdriver, saw blade, knife, pliers, scissors



Model #	Description
WP382017	Length:110mm

15-IN-1 MULTI-PURPOSE PLIERS

- Black alumina handle
- Stainless steel jaws and accessories: slotted screwdriver, Philips screwdriver, knife, bottle opener, medium-sized slotted screwdriver, awl, file with large slotted screwdriver



Model #	Description
WP382003	160mm


12-IN-1 MULTI-PURPOSE PLIERS

- Durable and anti-corrosion stainless steel
- Lighter hollow handle
- Stainless steel accessories: blade, file, Philips screwdriver, small slotted screwdriver; saw blade, medium slotted screwdriver, knife, can opener



Model #	Description
WP382001	165x65x17mm

5-IN-1 MULTI-PURPOSE TOOL




Model #	Description
WP382010	Length:92mm

MULTI-PURPOSE GARDEN SHEARS



Model #	Description
WP382005	185/125X50X15mm

7-IN-1 MULTI-PURPOSE KEY CHAIN



Model #	Description
WP382004	Weight: 60g

12-IN-1 MULTI-PURPOSE AXE



Model #	Description
WP383001	155x76x23mm

PARACORD AXE HATCHET

- Rust-resistant blade with 3 sizes of hex wrenches (3/8", 1/2", and 5/8")
- 10" Para cord wrapped handle with a tether
- Magnesium alloy fire starter
- Convenient carrying case with a velcro strap
- Small enough, flat enough to stow anywhere
- A great hatchet for camping or fishing



Model #	Description
WP383002	Length:254mm(10")

FOLDING KNIFE WITH WOODEN HANDLE

- Rust-resistant 7CR17 blade
- Good quality wood handle
- Liner lock





Model #	Description
WP381001	115mm
WP381002	89mm
WP381003	140mm

4" FOLDING KNIFE

- Rust-resistant stainless steel blade
- Black finish
- Liner lock



Model #	Description
WP381008	Length:102mm(4")

1.5" FOLDING KNIFE

- Rust-resistant stainless steel blade
- Great for everyday carry on a keychain
- Liner lock



Model #	Description
WP381009	Length:38mm(1.5")

DAGGER WITH PLASTIC SCABBARD

- 7Cr17 material blade, surface polishing effect
- Dual-color handle PP+TPE
- Black PP scabbard



Model #	Description
WP381010	Length:102mm(4")

KNIFE SHARPENER

- Tungsten steel/ceramic grinding part
- With portable and durable chain, suitable for outdoor use



Model #	Description
WP389001	90x30x8mm

MULTI-PURPOSE KEY CHAIN

- Unzip fingertips rotation, bottle opener function
- LED emergency lighting
- 360 degree rotate



Model #	Description
WP389004	80x40mm

SURVIVAL POCKET CHAINSAW


- Fast and convenient to saw and cut
- Very suitable for outdoor enthusiasts



Model #	Description
WP389005	11T

7-IN-1 EMERGENCY TOOL





Model #	Description
WP319024	Length: 81.5mm; Weight: 42.7g

3-IN-1 EMERGENCY TOOL

- Impact-resistant plastic
- Automatic glass breaking function
- Seat belt cutter
- LED light



Model #	Description
WP319022	Length: 75mm; Weight: 25g

5-IN-1 EMERGENCY TOOL

- Impact-resistant plastic
- Automatic glass breaking function
- Seat belt cutter
- LED light
- Audio alarm
- Red light flashing function



Model #	Description
WP319023	Length: 81.5mm; Weight: 42.7g

4-IN-1 EMERGENCY HAMMER TOOL



Model #	Description
WP319021	Length:135mm


KEY KNIFE

- Blade smartly hidden in a key-shaped handle
- Lock back with handle the size and shape of a key
- Great for everyday carry on a keychain
- Length: 63.5mm(2.5")



Model #	Description
WP381004	Black
WP381005	Red
WP381006	Pink
WP381007	Yellow

8-IN-1 EDC TOOL




Model #	Description
WP382014	Length:75mm

10-IN-1 EDC TOOL




Model #	Description
WP382015	Length:70mm

6-IN-1 MULTI-PURPOSE SURVIVAL TOOL




Model #	Description
WP382012	Length:10.8cm

11-IN-1 POCKET TOOL



Model #	Description
WP382013	Size:6.9x4.5cm

9-IN-1 MINI FISHING MULTI TOOL



Model #	Description
WP382016	Length:7.8cm

SPRINGLOADED D-SHAPED CARABINERS

- 2 Carabiners included
- Made from aluminum construction
- Spring-loaded for easy operation
- Lightweight, strong and durable
- Not rated for climbing or safety applications



Model #	Description
WP389006	2pcs; Size:6cm;Max. working load: 60lbs
WP389007	2pcs; Size:8cm; Max. working load: 150lbs



INSULATED TUMBLER WITH LID AND HANDLE

VACUUM INSULATED



Two colors available:





PP Leak Proof Lid

Model #	Description
WP389020	Cyan; 709ml(24oz)
WP389021	WP389021 Red; 709ml(24oz)

DOUBLE WALL STAINLESS STEEL INSULATED BOTTLE

STAY HOT KEEP COOL



Two colors available:



Model #	Description
WP389016	Red; 532ml(18oz)
WP389017	Red; 1419ml(48oz)

Model #	Description
WP389032	Cyan; 532ml(18oz)
WP389033	Cyan; 1419ml(48oz)

INSULATED TUMBLER WITH LID

WIDE MOUTH





Two colors available:



Model #	Description
WP389012	Red; 887ml(30oz)
WP389013	Red; 591ml(20oz)
WP389022	Cyan; 591ml(20oz)

Model #	Description
WP389029	Cyan; 887ml(30oz)
WP389023	White; 591ml(20oz)
WP389024	Black; 591ml(20oz)

INSULATED TUMBLER WITH LID AND HANDLE

VACUUM INSULATED





Two colors available:



Model #	Description
WP389014	Red; 413ml(14oz)
WP389030	Cyan; 413ml(14oz)

DOUBLE WALL STAINLESS STEEL INSULATED TUMBLER WITH LID

STAY HOT KEEP COOL





Two colors available:



Model #	Description
WP389015	Red; 295ml(10oz)
WP389031	Cyan; 295ml(10oz)

DOUBLE LAYER STAINLESS STEEL PINT CUP

VACUUM INSULATED





Two colors available:



Model #	Description
WP389011	[illegible]; 473 [illegible]
WP389028	[illegible]; 473 [illegible]

INSULATED TUMBLER SET

- Stainless steel #304
- Powder coating
- BPA free lid
- Durable,sturdy and delicately designed





Model #	Description
WP389018	Red; 591ml(20oz)+295ml(10oz)
WP389034	Cyan; 591ml(20oz)+295ml(10oz)

INSULATED TUMBLER SET

- Stainless steel #304
- Powder coating
- BPA free lid
- Durable,sturdy and delicately designed





Model #	Description
WP389019	Red; 591ml(20oz)+413ml(14oz)
WP389035	Cyan; 591ml(20oz)+413ml(14oz)



2PC STAINLESS STEEL CUP

- Stainless steel #304
- Powder coating
- BPA free lid
- Durable,sturdy and delicately designed





Model #	Description
WP389010	Red; 591ml(20oz)
WP389027	Cyan; 591ml(20oz)

4PC STAINLESS STEEL PINT CUP

- Stainless steel #304
- Powder coating
- BPA free lid
- Durable,sturdy and delicately designed





Model #	Description
WP389008	Red; 413ml(14oz)
WP389009	Red; 473ml(16oz)
WP389025	Cyan; 413ml(14oz)
WP389026	Cyan; 473ml(16oz)



LD-1467

QUAD FOLD WAGON

QUAD FOLD WAGON

- Fabric material 600D polyester, frame material steel
- 360° beach wheels & adjustable handle & brake
- No assembly required
- Folding into the carry bag for convenient storage

ADJUSTABLE HANDLEBAR

Locking System is more secure and extends service life



Push down







Model #	Description
WP285015	Maximum load: 80kg; Capacity: 850×500×370mm³

HEAVY DUTY QUAD FOLD WAGON

- Fabric material 600D polyester, frame material steel
- 360° beach wheels & adjustable handle & brake
- No assembly required
- Folding into the carry bag for convenient storage





Model #	Description
WP285016	Maximum load: 100kg; Capacity: 850×500×370mm³



MANUAL GARDEN TOOLS

HAND CULTIVATOR
HAND FORK
WEEDER
TROWEL
SCISSORS
GARDEN TOOL S

LD-1467

BYPASS PRUNER

19mm 3/4 INCH MAX DIA.
SK5 BLADE
SOFT-GRIP HANDLE
PRO



Model #	Description
WP332009	215mm

ANVIL PRUNER

19mm 3/4 INCH MAX DIA.
SK5 BLADE
SOFT-GRIP HANDLE
PRO



Model #	Description
WP332010	215mm

BYPASS PRUNER

19mm 3/4 INCH MAX DIA.
SK5 BLADE
AL HANDLE
PRO



Model #	Description
WP332011	215mm

ANVIL PRUNER

19mm 3/4 INCH MAX DIA.
SK5 BLADE
AL HANDLE
PRO



Model #	Description
WP332012	215mm

FORGED BYPASS PRUNER

25mm 1 INCH MAX DIA.
CR-V FORGED
SOFT-GRIP HANDLE
PRO



Model #	Description
WP332013	220mm

PRUNING SNIPS

12mm 1/2 INCH MAX DIA.
SS BLADE
SOFT-GRIP HANDLE
PRO



Model #	Description
WP332014	160mm

FOLDING PRUNING SAW

- Ideal for cutting thick branches
- Fully-hardened, precision-ground steel blade stays sharp, even through heavy use
- Blade folds into handle for convenient storage and transport
- Ergonomic ABS and TPE grips

PRO





Model #	Description
WP333002	230mm

MANUAL GARDEN TOOLS

HAND CULTIVATOR

- Three sharp tines for cultivating , turning and loosening soil
- Rust-resistant die-cast aluminum head





Model #	Description
WP331006	Length: 320mm

TRANSPLANTER TROWEL

- Used for planting seeds and transplanting seedlings into planters and small beds
- Rust-resistant die-cast aluminum head





Model #	Description
WP331010	Length: 325mm

HAND FORK

- Ideal for safe planting and transplanting
- Rust-resistant die-cast aluminum head





Model #	Description
WP331007	Length: 317mm

GARDEN SHEARS

- Strong enough to prune hard branches of trees and shrubs
- Easy to use locking mechanism
- Powerful wired spring





Model #	Description
WP332001	Length: 180mm(7")

HAND WEEDER

- To pull and remove weeds
- Rust-resistant die-cast aluminum head





Model #	Description
WP331008	Length: 328mm

FLORAL SNIP

- Suitable for cutting flowers
- Full heat treated and sharp blades
- Easy to use locking mechanism





Model #	Description
WP332002	Length: 180mm(7")

HAND TROWEL

- To dig plant holes and transplant seedlings
- Rust-resistant die-cast aluminum head
- Thumb depression for comfort
- Ergonomic grip handle
- Easy storage hang hole





Model #	Description
WP331009	Length: 325mm

ANVIL PRUNER

- Ideal for pruning dry, dead growth
- Full heat treated and sharp blades
- Easy to use locking mechanism





Model #	Description
WP332003	Length: 180mm(7")

PRUNER TOOL SET

- Ideal for pruning flowers and other garden plants
- Full heat treated and sharp blades
- Easy to use locking mechanism





Model #	Description
WP204500	1PC 375mm(15") lopper, 1PC 200mm(8") pruner

MULTI FUNCTION HEDGE SHEARS

- Ideal for cutting, trimming, and shaping live growth such as hedgerows, shrubs, and bushes
- Full heat treated and sharp blades
- Ergonomic design handle





Model #	Description
WP332004	Length: 640mm(25")

BYPASS LOPPER

- Design for trimming live, green growth
- Full heat treated and sharp blades
- Ergonomic design handle





Model #	Description
WP332006	Length: 675mm(27")

TELESCOPING BYPASS LOPPER

- Full heat treated and sharp blades
- Extends to desired length to access hard-to-reach





Model #	Description
WP332007	Extended range: 670-920mm(26-3/8" - 36-3/8")

PERSONAL PROTECTIVE EQUIPMENT

WORK GLOVES
SAFETY GOGGLES
DUST MASK
EAR PROTECTION
SAFETY HELMET
SAFETY SHOES
REFLECTING JACKET

LD-1467



SAFETY HELMET

SAFETY GOGGLES

DUST MASK

EAR PLUGS

VIS CLOTHES

WORK GLOVES

SAFETY SHOES

3D MECHANIC GLOVES

IMPACT & VIBRATION REDUCTION



Model #	Description
WP371004	L
WP371005	XL

MECHANIC GLOVES

MECHANIC STYLE



Model #	Description
WP371001	L
WP371002	XL

WORKING GLOVES

- Material: Polyester, smooth fabric, no hair and dust, excellent wear resistance
- 10 knitted wrist
- Good air permeability, good elasticity, comfortable to use



Model #	Description
WP371006	XL

KNITTED & DOTTED PVC GLOVES

- Material: polyester&PVC
- 7 knitted wrist
- Non-slip beads, wear-resistant and breathable



Model #	Description
WP371007	XL

ANTISTATIC GLOVES

- Nylon fiber and polyurethane material
- PU coating is antistatic
- Eco-friendly, wear-resisting and sweat-absorbing



Model #	Description
WP371008	XL

NITRILE GLOVES

- Material: nylon, gray nitrile, 13 knitted wrist
- Wear-resistant, skid-resistant, flexible and breathable, flexible cuffs, waterproof oil palm resistant, washable



Model #	Description
WP371010	XL

TEXTURED LATEX GLOVES

- Material of liner: nylon
- Palm dipped green latex crease, screen printing
- 10 Knitted wrist
- Textured palm dip



Model #	Description
WP371011	XL

CUT RESISTANT GLOVES

- Cut resistance level 3 liner with PU coated palm, flexible and good feeling
- HPPE shell, cut-resistance, abrasion and anti-static



Model #	Description
WP371013	XL

CUT RESISTANT GLOVES

- Nitrile butadiene frosted offers grip and abrasion resistance
- HPPE shell, cut-resistance, abrasion and anti-static



Model #	Description
WP371014	XL

HEAVY NITRILE GLOVES

- Material: cotton + nitrile immersion
- 13 Knitted wrist
- Thicker inner bladder



Model #	Description
WP371015	XL

RUBBER GLOVES

- Material: Latex
- Protect your hand from detergent or chemicals.
- Anti-slip, anti-stab, anti-tensile, low temperature and high temperature working



Model #	Description
WP371016	XL

LEATHER GLOVES

- Two-layer skin without inner lining
- Fireproof thread sewing, anti-open thread, wear-resistant
- All leather fireproof flower



Model #	Description
WP371018	XL; Length:24.5-25.4cm

SAFETY GOGGLES

ANTI- IMPACT SPLASHING SAND

CE



Model #	Description
WP372002	Lens thickness: 1.77mm; Goggles width: 151mm; Lens height:72mm; Weight: 67.40g

SAFETY GOGGLES

- PC lens, PVC temples
- Soft nose bridge frame to fit your face well for comfortable wearing
- Combined with louver-type ventilation design to play a comfortable and breathable effect
- Impact resistance, sand resistance
- Fit to wearing the corrective glasses,also can be used as visitors glasses

CE

Model #	Description
WP372000	Lens thickness: 2.3mm; Goggles width: 165mm; Lens height:55mm; Weight :45.3g

SAFETY GOGGLES

- PC lens, PVC adjustable temples
- Ergonomic integrated lens design is comfortable and stress-free
- High-definition transparency of PVC lens, wide-angle vision
- Anti-dust, anti-pollen and anti-allergic functions.
- Reduce ultraviolet rays and block glare, protect eyes from harmful lights
- Anti-splash function to protect eyes from strong impact

CE



Model #	Description
WP372001	Lens thickness: 2.06mm; Goggles width:146mm; Lens height:55mm; Weight :32.5g

SAFETY GOGGLES

- PC lens, PVC temples
- Made of PVC material
- High impact, scratch resistant impact resistant lenses

CE



Model #	Description
WP372000	Lens thickness: 1.89mm; Goggles width:147mm; Lens height:55mm; Weight :24.7g

DUST MASK

- FFP2 white folding mask, PP nonwoven
- Three-dimensional cutting technology, more fit the face contour
- Multiple protection, more than 95% filtration barrier harmful substances

CE



Model #	Description
WP373000	20pcs

ANTI-NOISE EARMUFFS

- ABS shell, PVC cushion, POM headband
- Adjust the head hoop to ensure proper tightness
- Portable size for efficient storage

CE



Model #	Description
WP374001	SNR:25dB

EARPLUG

- Conforms to ear structure, safe and sanitary
- Made from polyurethane foam, smooth and ultra supple; superior noise reduction effect, let operators keep acute hearing in noise ambient



Model #	Description
WP374000	100pcs

KNEE PADS

- Black TPR plastic cover, block texture, 600D Oxford, EVA lining
- Professional design for comfortable use
- Soft and flexible material gives your knees well protection



Model #	Description
WP377008	Size: 20x23x7cm; Weight: 180g

KNEE PADS

- 600D Oxford, black trim, XPE lining
- Professional design for comfortable use
- Soft and flexible material gives your knees well protection



Model #	Description
WP377009	Weight: 80g



SAFETY HELMET

HIGH STRENGTH EXCELLENT PROTECTION





Model #	Description
WP376001	Red
WP376000	Yellow

Model #	Description
WP376002	Blue
WP376003	White

SAFETY SHOES

SUPER DURABLE



Model #	Description
WP377000	(EU)38
WP377001	(EU)39
WP377002	(EU)40
WP377003	(EU)41

Model #	Description
WP377004	(EU)42
WP377005	(EU)43
WP377006	(EU)44
WP377007	(EU)45

HIGH VISIBILITY REFLECTING JACKET

- Made of Knitted Fabric, 100% polyester fabric & Reflective Material.
- High Visibility: Yellow Highlight Reflective Strips.
- Multi-function Pockets: 5 front pockets with zipper magic poster clamshell closure, 2 large pockets, 1 PVC transparent ID badge holder, 1 flap pocket and 5 pouch holder for flashlight, laser pointer



Model #	Description
WP378012	Green, M
WP378013	Green, L
WP378015	Orange, M
WP378016	Orange, L

REFLECTING JACKET

- Polyester material, breathable, lightweight and durable.
- 5cm width high reflective tape for safety protection



Model #	Description
WP378000	Green, M
WP378001	Green, L
WP378002	Green, XL
WP378003	Green, XXL
WP378005	Green, XXXL
WP378006	Orange, M
WP378007	Orange, L
WP378008	Orange, XL
WP378009	Orange, XXL
WP378010	Orange, XXXL



STORAGE

SOFT STORAGE
STEEL STORAGE
PLASTIC STORAGE
WORK FACILITATION

LD-1467

ZIP-TOP WIDE MOUTH STORAGE BAG

SUPER SELECTED STURDY BOTTOM



Sturdy Bottom



Model #	Description
WP281003	300x180x200mm
WP281004	350X190X220mm
WP281005	460X215X245mm

WIDE MOUTH STORAGE BAG WITH WATER PROOF MOLDED BASE

WATERPROOF AND DURABLE





Model #	Description
WP281007	420x230x270mm
WP281026	510x260x290mm

WIDE MOUTH STORAGE BAG

- 500D polyester material
- Multi-pocket design
- Convenient, durable and easy to carry





Model #	Description
WP281001	320x210x230mm

Model #	Description
WP281002	465x290x320mm

TOOL BAG WITH TUBULAR STEEL HANDLE

COLLAPSIBLE AND DURABLE

- Open-top design for easy access to contents
- Reinforced handle protector for comfortable and maximum durability
- Multi-components storage case included for hardware storage
- Outer mesh pocket stores personal belongings, small tools & accessories
- 14 Multi-use pockets inside, and 8 outside organize tools and accessories
- 600D polyester material







Model #	Description
WP281006	390x220x290mm

FOLDABLE TOOL BAG

- Material: 600D polyester
- Various pockets for tools
- Sturdy top handle



Model #	Description
WP281011	410x235x270mm(16")

HAMMER LOOP

- Material: 600D polyester
- Black nickel-plated metal loop for durability
- With magnetic stripe



Model #	Description
WP281012	195x125mm(5")

MULTIFUNCTIONAL BELT

- Material: 600D polyester
- Various pockets for tools
- Durable, easy to carry



Model #	Description
WP281014	300x210mm(11-4/5")

ELECTRICIAN POUCH

- Material: 600D polyester
- Various pockets for tools
- Durable, easy to carry



Model #	Description
WP281015	290x270mm(11-2/5")

TOOL POUCH

- Material: 600D polyester
- Various pockets for tools



Model #	Description
WP281017	260x300mm

HEAVY DUTY ROLLING TOOL BAG


- Reinforced 1680D polyester
- Heavy-duty zipper
- Internal pockets
- Front Velcro pockets
- Twin carry handles with Velcro grip
- Strong trolley handle
- With removable inserter



Model #	Description
WP281019	500x300x400mm(18")

MAGNETIC TOOL HOLDER

ORGANIZATION OF SMALL HARDWARE



Model #	Description
WP289001	384x90mm, L
WP289002	285x75mm, S

MAGNETIC TOOL HOLDER

QUICK AND EASY ACCESS



Model #	Description
WP289003	300x155mm

POLYESTER WORK APRON

- Polyester fabric
- Multi-pocket design
- Convenient and adjustable



Model #	Description
WP289006	686x864mm



5-TRAY CANTILEVER TOOLBOX

- All-metal with anti-rust powder coating
- With great hardness, durability, and high load-bearing capacity
- 4 metal connectors on both sides connect the 5 foldable trays
- Convenient for use with the retractable design



Model #	Description
WP282001	Size: 495x200x290mm; Steel thickness: 0.8mm
WP282002	Size: 400x200x195mm; Steel thickness: 0.8mm

3-TRAY CANTILEVER TOOLBOX

- All-metal with anti-rust powder coating
- With great hardness, durability, and high load-bearing capacity
- 4 metal connectors on both sides connect the 3 foldable trays
- Convenient for use with the retractable design



Model #	Description
WP282003	Size: 420x200x170mm; Steel thickness: 0.8mm
WP282004	Size: 340x170x200mm; Steel thickness: 0.8mm

3-DRAWER TOOLBOX

EASY ORGANIZATION WITH DRAWERS



Pull handle + Recessed handle
Convenient to carry

Steel Thickness
0.8mm

All-metal Body
More durable

Powder Coated
Anti-rust

3 Drawers
More convenient for sorting storage

Model #	Description
WP282006	510x265x350mm

2-DRAWER TOOLBOX

- Steel thickness: 0.6-0.8mm
- 2 drawers design
- Pull handle + recessed handle
- All-metal structure is more durable



Model #	Description
WP282005	460x240x220mm

3-LAYER TOOL CART

- All-iron construction
- Surface baking finish, wear-resistant
- 3-layer pallet, larger storage space
- Brake system can lock the casters firmly



Model #	Description
WP285001	840x410x660mm

7-DRAWER ROLLER CABINET

MORE DRAWERS LARGER SPACE

Side Handle
For better mobility

Surface Baking Finish
Wear-resistant, anti-rust, and anti-scratch



7 Drawers
Self-lock function

Casters
Mobile, flexible and durable

Brake Universal System
Safe and reliable

Model #	Description
WP285002	976x766x480mm



HEAVY DUTY TOOLBOX

VERSATILE TOOL ORGANIZER

Sturdy Carrying Handle



Locking Funtion

Anti-slip Foot Pad



Lift Out Carry Tray



Model #	Description
WP283001	410x230x205mm
WP283002	507x254x259mm
WP283003	572x300x295mm

HEAVY DUTY WATERPROOF SAFE CASE

- Ultra high impact plastic
- IPx5 water-proof
- Shock-proof



Model #	Description
WP283004	460x360x175mm

STACKABLE AND INTERLOCK PARTS ORGANIZER

- Transparent PP material
- Convenient, durable and easy to carry
- Multiple stackable and interlocking structure
- Removable dividers



Stackable



Model #	Description
WP283007	385x300x75mm

38-DRAWER PLASTIC PARTS ORGANIZER

- Transparent PP material
- Convenient, durable and easy to carry
- Suitable for storage and organization of small hardware, etc.



Model #	Description
WP283009	520x160x375mm; 38 drawers

PLASTIC PARTS ORGANIZER WITH DRAWERS

- Transparent PP material
- Convenient, durable and easy to carry
- Suitable for storage and organization of small hardware, etc.



Model #	Description
WP283010	39 drawers; 475x380x160mm
WP283011	18 drawers; 475x380x160mm

STACKABLE AND INTERLOCK PARTS ORGANIZER

- Transparent PP material
- Stackable interlocking structure
- Suitable for daily storage and organization

Interlock Horizontally & Vertically



Model #	Description
WP283012	2 drawers; 295x195x160mm
WP283013	4 drawers; 295x195x160mm
WP283014	12 drawers; 295x195x160mm

COMPARTMENT BOX

- Transparent PP material
- Durable and easy to carry
- Removable dividers



Model #	Description
WP283005	10 grids; 134X75X24mm
WP283006	18 grids; 1232x127x35mm

PORTABLE WORKBENCH

- Printed with grid, ruler, and protractor
- Folding design for compact storage
- MDF board
- Accommodates a wide variety of woodworking projects



Model #	Description
WP289026	Expansion size: 620x560x755mm; Safe working load: 70kg

PORTABLE WORKBENCH

- Dual-height, adjustable legs
- Folding design for compact storage
- Bamboo work surface



Model #	Description
WP289027	Expansion size: 605x 715x (210-770)mm; Safe working load: 100kg

4-IN-1 MULTI-FUNCTION FOLDING WORKBENCH





Model #	Description
WP289020	Expansion size: 107x4x56/66.5/76cm; Max. size after folding: 121.5x59x24cm

HEAVY DUTY FOLDING ADJUSTABLE SAWHORSE





Material Support Pegs

Load Capacity: 480 lb

2x4 Material Slots

Drop your boards in each slot to connect two sawhorses



Model #	Description
WP289019	Expansion size: 107x(66.4-61.5)x(65-82.2)cm



TOOL SETS

HOME REPAIR TOOL SET
SOCKET SET
MECHANICS TOOL SET
LADY TOOL SET
KID TOOL SET

LD-1467


193PC 7-DRAWER ROLLER CABINET TOOL SET

BASIC CONFIGURATION


DRAWER 1


WP209038


WP209041


WP209043

DRAWER 2


WP209047


WP209048


WP209052



BONUS







FREE COMBINATION





STACKABLE DESIGN



Model #	Configuration	Description
WP209074	WP285002	7-DRAWER ROLLER CABINET
	WP209038	50PC 1/4"DR. SOCKET TOOL SET
	WP209041	24PC 1/2"DR. SOCKET TOOL SET
	WP209043	15PC COMBINATION WRENCH SET
	WP209047	8PC SCREWDRIVER SET
	WP209048	31PC TOOL SET
	WP209052	4PC PLIERS SET

50PC 1/4"DR. SOCKET TOOL SET

- 1pc 1/4" ratchet wrench (72T)
- 13pcs 1/4" Hex sockets: 4mm,4.5mm,5mm,5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm,13mm,14mm
- 5pcs 1/4" Star sockets : 4mm,5mm, 6mm, 7mm, 8mm
- 18pcs 1/4" Bits sockets: H2,H3, H4, H5, H6, T10, T15, T20, T25, T30, SL4, SL5.5, SL7, PH1, PH2, PH3, PZ1, PZ2
- 7pcs 1/4" Deep sockets:4mm,5mm 6mm, 7mm, 8mm, 9mm, 10mm
- 2pcs 1/4" Extension bars: 50mm, 100mm
- 1pc 1/4" Spinner handle, 150mm
- 1pc 1/4" Universal joint
- 1pc 1/4" Sliding T-bar
- 1PC 1/4" bit adaptor



Model #	Description
WP209038	50pcs

23PC 3/8"DR. SOCKET TOOL SET

- 1pc 3/8" Ratchet wrench 72T
- 10pcs 3/8" Hex sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 6pcs 3/8" Deep sockets: 10, 11, 12, 13, 14, 15mm
- 2pcs 3/8" Extension bars: 75mm, 150mm
- 2pcs 3/8" Spark plug sockets: 16mm, 21mm
- 1pc 3 way adapter 1/2" F-3/8" M
- 1pc 3/8" Universal joint



Model #	Description
WP209040	23pcs

24PC 1/2"DR. SOCKET TOOL SET

- 1pc 1/2" Ratchet wrench 72T
- 17pcs 1/2" Hex sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
- 2pcs 1/2" Extension bars: 125mm, 250mm
- 2pcs 1/2" Spark plug sockets: 16mm, 21mm
- 1pc 1/2" Universal joint
- 1pc 3 way adapter 1/2"



Model #	Description
WP209041	24pcs

31PC TOOL SET

- 9pcs Cr-V long arm hex key set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9pcs Cr-V long arm torx key set: T10, T15, T20, T25, T27, T30, T40, T45, T50
- 1pc 200mm adjustable wrench
- 1pc 5mx19mm tape measure
- 1pc 18mm plastic snap-off knife
- 10pcs 18mm snap-off blades in one storage



Model #	Description
WP209048	31pcs

5PC 200MM FILE SET

- 1pc square file with tri-color handle
- 1pc round file with tri-color handle
- 1pc triangular file with tri-color handle
- 1pc half round file with tri-color handle
- 1pc flat file with tri-color handle



Model #	Description
WP209049	5pcs

11PC DOUBLE OPEN WRENCH SET

- 11pcs Cr-V wrenches: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm



Model #	Description
WP209045	11pcs

8PC DOUBLE RING WRENCH SET


- 8pcs Cr-V steel: 6x7, 8x9, 10x11, 12x13, 14x15,16x17, 18x19, 20x22mm



Model #	Description
WP209044	8pcs

15PC COMBINATION WRENCH SET

- 15pcs Cr-V wrenches: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm



Model #	Description
WP209043	15pcs

3PC PLIERS SET

- 1pc 180mm(7") CR-V curved jaw locking pliers
- 1pc 250mm(10") CR-V curved jaw locking pliers
- 1pc 230mm(9") CR-V long nose straight jaw locking pliers



Model #	Description
WP209050	3pcs

4PC PLIERS SET

- 1pc 160mm(6") CR-V long nose pliers
- 1pc 160mm(6") CR-V diagonal pliers
- 1pc 200mm(8") CR-V combination pliers
- 1pc 250mm(10") CR-V groove joint pliers



Model #	Description
WP209052	4pcs

4PC CIRCLIP PLIERS SET


- 1pc 180mm(7") straight external circlip pliers
- 1pc 180mm(7") bent external circlip pliers
- 1pc 180mm(7") straight internal circlip pliers
- 1pc 180mm(7") bent internal circlip pliers



Model #	Description
WP209051	4pcs

8PC SCREWDRIVER SET

- 4pcs Cr-V Phillips screwdriver: PH0x75mm, PH1x100mm, PH2x100mm, PH3x150mm
- 4pcs Cr-V Slotted screwdriver: 3x75mm, 5.5x100mm, 6.5x100mm, 8x150mm



Model #	Description
WP209047	8pcs

5PC STRIKING TOOL SET

- 1pc 40mm fiberglass double face hammer
- 1pc 300g machinist's hammer
- 1pc 13mm chisel
- 1pc 2mm nail punch
- 1pc 6mm center punch



Model #	Description
WP209053	5pcs

CABINET TOOL SET

195PC CABINET TOOL SET - EVA TRAY

- 1pc WORKPRO 7- drawer roller cabinet
- 1pc Mechanic Work Gloves - XL


DRAWER 1


DRAWER 2


DRAWER 3





BONUS








Model #	Description
WP209037	195pcs

DRAWER 1

- 1pc 1/4" Dr. ratchet handle (72T)
- 10pcs 1/4" Dr. standard socket 6PT: 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm
- 17pcs 1/4" Dr. bits sockets: H3, H4, H5, H6, T10, T15, T20, T25, T30, SL4, SL5.5, SL7, PH1, PH2,PH3, PZ1, PZ2
- 8pc 1/4" Dr. deep sockets (50mm): 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm
- 2pc 1/4" Dr. extension bars: 50mm, 100mm
- 1pc 1/4" Dr. spinner handle, 150mm
- 1pc 1/4" Dr. flexible extension bar, 150mm
- 1pc 1/4" Dr. universal joint
- 1pc 1/4" Dr. sliding T-bar
- 1pc 1/4" Dr. bit adaptor
- 1pc 1/2" Dr. ratchet wrench
- 17pcs 1/2" Dr. standard socket 6PT: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm, 27mm, 30mm, 32mm
- 4pcs 1/2" Dr. deep sockets: 14mm, 15mm, 17mm, 19mm
- 5pcs 1/2" Dr. E sockets: E10, E12, E14, E16, E20
- 1pc 1/2" Dr. universal joint
- 2pcs 1/2" Dr. extension bars: 125mm, 250mm
- 1pc 1/2" Dr. CR-V 3 way adapter
- 2pcs 1/2" Dr. spark plug sockets: 16mm, 21mm
- 4pcs Impact sockets:17,19,21,23mm
- 1pc pin wrench socket
- 1pc oil filter wrench
- 1pc CR-V 12.5mm socket for cover of cylinder T52X100L
- 1pc 1/2"x250mm F-Shape breaker bar



DRAWER 2

- 11pcs CR-V combination wrench:8,9,10,11,12,13,14,16,17, 18,19mm
- 9pcs screwdriver, CR-V, chrome-plated: SL3x75mm, 5.5x100mm, 6.5x150mm, 8x150mm, 6.5x38mm; PH1x100mm, 2x150mm, 3x150mm, 2X38mm
- 1pc Magnetic bit holder 10x75mm
- 40pcS 25mm CR-V bits, sand blasted with bit holder: A:PH0,PH1,PH2x3,PH3,H3,H4,H5,H6 ; B:SL3,4,5,6,7,T10,T 15,T20,T25,AD;
- C:PH1,PH2x4,PH3,PZ0,PZ1,PZ2,PZ3 ; D:S0x2,S1x2,S2x4,S3x2
- 9pcs Cr-v long hex key set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 1pc 200mm(8") CR-V adjustable wrench with Tri-color Handle



DRAWER 3

- 5pcs 200mm(8") Files with tri-color handle: square file, round file, triangular file, half round file, flat file
- 1pc Telescoping inspection mirror(720mm)
- 1pc 40mm Fiberglass double face hammer
- 1pc 5Mx19mm Tape measure
- 1pc 300g Machinist's hammer
- 1pc 13mm Chisel
- 1pc 2mm Nail punch
- 1pc 6mm Center punch
- 1pc Magnetic pick up tool
- 1pc worklight
- 1pc 150mm(6") saw



DRAWER 4

- 4pcs CR-V 180mm(7") Circlip pliers
- 1pc 150mm(6") CR-V long nose pliers
- 1pc 150mm(6") CR-V diagonal pliers
- 1pc 200mm(8") CR-V Combination pliers
- 1pc 200mm(8") wire stripper
- 1pc 300mm(12") oil filter pliers
- 1pc 250mm(10") CR-V groove joint pliers
- 1pc 250mm(10") CR-V locking pliers
- 1pc 180mm(7") tin snip
- 1pc utility knife
- 10pc utility knife blades





4PC PLIERS AND WRENCH SET

- Drop forged steel
- Bi-material comfort grip handle
- 160mm(6") long nose pliers
- 160mm(6") diagonal pliers
- 160mm(6") combination pliers
- 160mm(6") adjustable wrench



Model #	Description
WP201009	4PC

5PC PLIERS AND WRENCH SET

- 200mm(8") long nose pliers
- 180mm(7") diagonal pliers
- 200mm(8") combination pliers
- 250mm(10") groove joint pliers
- 200mm(8") adjustable wrench



Model #	Description
WP201010	5PC

8PC HOME REPAIR TOOL SET

- 1pc 18mm snap-off knife
- 2pc screwdriver: 6X100mm, PH2X100mm
- 1pc 160mm(6") combination pliers
- 1pc 8oz(225g) curved claw hammer,stubby
- 1pc 3m(12ft.) tape measure
- 1pc 0.18mmx1.9cmx9m insulated tape
- 1pc circuit tester



Model #	Description
WP209001	8PC

HOME REPAIR TOOL SET

32PC HOUSEHOLD TOOL KIT

- 1pc 6" long nose pliers, carbon steel, double injection handle
- 1pc 6" diagonal pliers, carbon steel,double injection handle
- 1pc 6" adjustable wrench, carbon steel with chrome-plated
- 1pc 5-1/2" scissors, stainless steel blade
- 1pc 18mm snap-off knife
- 3pcs 18mm snap-off knife handles in plastic box
- 1pc 8oz fibreglass handle claw hammer
- 1pc 3m tape measure
- 2pcs srewdrivers, CR-V blade, chrome-plated: PH1x100, 3x75
- 1pc magnetic bit driver
- 20pcs 1" CR-V bits, size: PH0,PH1,PH2X3,PH3,H3,H4,H5,H6; SL3,4,5,6,7,T10,T15,T20,T25,AD
- 1pc 9" torpedo level
- 1pc blow mold case



Model #	Description
WP209023	32pcs

170PC TOOL SET

- 1pc 160mm long nose pliers, carbon steel
- 1pc 160mm diagonal pliers, carbon steel
- 1pc 160mm combination pliers , carbon steel
- 1pc 8OZ(225G) tubular handle claw hammer
- 1pc 3m(10ft) tape measure
- 1pc magnetic screwdriver handle
- 40pcs bits, chrome-vanadium
- 1pc 18mm knife
- 3 pc 18mm knife blades in plastic box
- 1pc 9" torpedo level
- 8pc hex set
- 50 plugs and 50 screws (6mm)
- 6pcs precision screwdrivers
- 5pcs open-end wrench :8X9,10X11, 12X13, 14X15, 16X17mm



Model #	Description
WP209000	170pcs

100PC TOOL SET

- 9pcs socket with holder:5,6,7,8,9,10,11,12 and13mm
- 1pc 6"(150mm) combination pliers
- 1pc 6"(150mm) long nose pliers
- 1pc 8"(200mm) adjustable wrench
- 1pc 227g(8oz) claw hammer
- 4pc precision screwdrivers
- 1pc 3m tape measure(MID)
- 1pc utility knife
- 10pcs spare utility knife blades
- 1pc torpedo level 228mm
- 8pcs hex key set
- 1pc bit driver handle
- 20pcs bit set with adaptor(metric)
- 40pcs cable ties
- 1pc tool bag



Model #	Description
WP209066	100pcs

18PC TOOL SET

- 1pc 6" combination pliers, carbon steel, double injection handle
- 1pc 8" adjustable wrench, carbon steel with chrome-plated
- 1pc 5-1/2" scissors, stainless steel blade
- 1pc 9 mm snap-off knife
- 1pc 8oz(227g) curved claw hammer,stubby
- 1pc 3m/10FT tape measure
- 1pc:magnetic bit driver
- 10pcs 1" CR-V bits, size: SL3,5,6,PH1,PH2,PH3,T15,T20, H5,H6
- 1pc circuit tester
- 1pc zipper bag



Model #	Description
WP209059	18pcs

125PC 3-DRAWER HOME TOOL SET

- 8PC metric hex keys
- 8PC SAE hex keys
- 1PC 3/8"DR. ratchet handle
- 1PC 3/8"DR. x3" extension bar
- 1PC 3/8"DR. x 5/8" spark plug socket
- 1PC 3/8"female x 1/4" male adapter
- 9PC 1/4"DR. 6 pt. SAE sockets
- 12PC 3/8"DR. 6 pt. sockets (SAE and mm)
- 1pc 160mm(6") adjustable wrench
- 1pc 160mm(6") long nose pliers
- 1pc 160mm(6") diagonal pliers
- 1pc 160mm(6") slip joint pliers
- 1PC magnetic bit driver
- 19PC 1"bits
- 1PC retractable utility knife
- 10PC knife blades with plastic case
- 1PC 8 oz. claw hammer
- 1PC 12 Ft. tape measure
- 1pc 225mm(9") magnetic torpedo level (3 vials)
- 2pc stubby screwdrivers:6.5x38, PH2 x 38mm
- 1pc 140mm(5-1/2") scissors
- 1pc 19mm (3/4")x 30Ft. electrical tape
- 1PC 9mm snap-off knife
- 40PC cable ties









Model #	Description
WP209028	125PC

165PC HOME REPAIRING TOOL SET

- 13PC 1/4"DR. Socket Metric 6PT: 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13mm
- 13PC 1/4"DR. Socket SAE 6PT: 5/32",3/16"7/32",1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2", 17/32"
- 3PC 1/4" DR. Socket SAE Octagon: 1/4",5/16", 3/8"
- 2PC 3/8" DR. Socket Metric 6PT: 14,16mm
- 2PC 3/8 DR. Socket SAE 6PT: 9/16",5/8"
- 1PC 3/8x75mm extension bar
- 1PC 3/8"X1/4" adaptor
- 33PC Bits: 4x3,5,6,7,PH0,PH1,PZ1,PZ2,PZ3; S1,S2X2,S3,T10,T15,T20,T25,T27,T30,T40; 2.5,3,4,5,5.5,6mm, PH2x4, PH3
- 22PC Hex key: Metric:1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 0.05; SAE: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
- 1PC magnetic bit holder
- 5BPC hardwares
- 1PC measuring tape 3M/10FT
- 1PC 7oz claw hammer with wooden handle
- 1PC 160mm(6") Long Nose Pliers
- 1PC 160mm(6") Adjustable Wrench
- 5PC Combination Wrench:6,8,10,11,12mm
- 6PC precision screwdriver: SL1.4, 2.0, 2.4, 3.0; PH0, PH1
- 1PC 3/8"DR. ratchet handle
- 1PC BMC

MM SAE



Model #	Description
WP209022	165PC

129PC HOME REPAIRING TOOL SET

- 1pc 16" zip-top tool bag
- 1pc 9" plastic torpedo level
- 9pcs metric hex key set
- 1pc magnetic bit holder
- 40pcs 1" CR-V bits
- 6pcs nut drivers
- 1pc 3m tape measure
- 1pc 6" mini saw
- 1pc 7" curved jaw locking pliers
- 1pc 16oz claw hammer
- 1pc 7" diagonal pliers
- 1pc 8" long nose pliers
- 1pc 8" adjustable wrench
- 1pc 8" groove-joint pliers
- 6pcs combination wrench: 6, 8, 10, 11, 13, 14mm
- 6pcs precision screwdriver: PH000, PH00, PH0, SL1.5, 2, 3mm
- 1pc aluminum quick-change utility knife
- 10pcs SK5 utility knife blades with heavy duty box
- 40pcs cable ties

129 PIECES

PRO



Model #	Description
WP209061	129pcs

156PC HOME REPAIRING TOOL SET

- 1PC 16" zip-top tool bag
- 1PC 9" plastic torpedo level
- 8PC metric hex key set
- 8PC SAE hex key set
- 1PC magnetic bit holder
- 60pc 25mm(1") CR-V bits
- 6PC nut drivers
- 1PC 3 metre tape measure
- 1pc 150mm(6") mini saw
- 1pc 180mm(7") curved jaw locking pliers
- 1pc 190mm(7-1/2") diagonal pliers
- 1pc 200mm(8") long nose pliers
- 1pc 200mm(8") adjustable wrench
- 1pc 200mm(8") groove-joint pliers
- 6PC combination wernch with clip
- 6PC precision screwdriver set
- 1PC utility knife
- 10PC utility knife blade set in plastic box
- 40PC cable ties
- 1PC 16oz tubular claw hammer

156 PIECE | CR-V STEEL | MM SAE



Model #	Description
WP209010	156PC

297PC TOOL KIT WITH ALUMINUM CASE

- 1PC utility knife
- 1PC 18mm snap off knife
- 3PC 18mm snap off knife blade
- 1PC 180mm combination pliers
- 1PC diagonal cutting pliers
- 1PC long nose pliers
- 1PC adjustable wrench
- 1PC 240mm box joint pliers
- 1PC steel flat file 200mm
- 1PC 200mm crimping tool
- 1PC voltage tester 100-250V
- 1PC 3/8"ratchet handle
- 1PC 1/4"110mm sliding T bar
- 1PC 3/8"150mm ectension bar
- 1PC sliding adaptor
- 1PC 3/8" spark Socket 21mm
- 1PC 3/8" to 1/4" socket adaptor
- 1PC 1/4" bit adaptor CR-V
- 8PC 1/4" DR.Socket CR-V: 4, 4.5, 5, 5.5, 6, 7, 8, 9mm
- 9PC 3/8" DR.Socket CR-V: 10, 11, 12, 13, 14, 15, 17, 18, 19mm
- 6PC screwdriver: 6x150mm, 5x100mm, 1.5x50mm, PH1x100mm, PH2x150mm, PH0x50mm
- 1PC 1/4"bit driver, CR-V
- 31PC bits with case
- 1PC hacksaw
- 1PC 250mm hacksaw blade. 24TTPI.
- 9PC hex key set: 1.5, 2. 2.5, 3, 4.5, 6, 8, 10mm
- 1PC 225mm plastic torpedo level
- 8PC combination wrench: 8, 10 , 11, 12, 13, 14, 17, 19 mm
- 100PC Hardware assortment
- 1PC Insulation tape
- 60PC 3.6x200mm cable ties
- 40PC 3.6x200mm cable ties
- 1PC 300g mechanic hammer
- 1PC 5m tape measure
- 1PC aluminium tool box

PRO

297 PIECE | CR-V STEEL | MM



Model #	Description
WP209031	297PC

HOME REPAIR TOOL SET

101PC 12V CORDLESS DRILL AND HOME TOOL SET

- 1pc 12V cordless lithium-ion drill driver
- Lithium-ion battery: 12V 1.5Ah.Torque: 20NM.Speed:0-400/0-1500RPM.
- Charging time: 3-5Hrs
- 10pcs HSS4241 drill bits: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 1/4
- 32pcs screwdriver bits set
- 1pc 12oz Fiberglass handle hammer
- 1pc 225mm(9") torpedo level
- 2pcs 160mm(6") Adjustable wrench
- 1pc 6" long nose pliers
- 1pc Screwdriver holder
- 1pc 3M/10FT tape measure
- 1pc 18 mm snap off knife
- 10pcs Knife blades
- 32pcs Hardware kit
- 8pcs hex key set: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16,7/32, 1/4
- 1 pc 13" Storage bag





Model #	Description
WP209069	101pcs

29PC 3.7V PIVOTING SCREWDRIVER AND TOOL SET

- 1pc 3.7v Li-ion Rechargeable Screwdriver with Adjustable two-position handle
- Lithium-ion battery: 3.7V 1500mAh.TORQUE: 4NM. Speed:235RPM.
- Charging time: 2-3Hrs
- 9pcs CR-V bits: PH 0-1-2,PZ 1-2,T 15- 20,SL 5,H 4+ 1pcs 50mm extension bar
- 1pc 8oz Fiberglass Claw Hammer
- 1pc 225mm(9") Torpedo level
- 1pc 160mm(6") Adjustable wrench
- 1pc 3M/10FT tape measure
- 1pc 18 mm snap off knife
- 10pcs Knife blades
- 1pc 8-1/2" scissors
- 8pcs 6" long nose pliers





Model #	Description
WP209070	29pcs

26PC MOTORCYCLE REPAIR TOOL SET

- 9pcs Extension Bar: 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 9pcs 1/4" Bits Socket: H4, H5, H6, SL4, SL5, SL7, PH1, PH2, PH3
- 1pc double function screwdriver handle
- 1pc extra long 10mm 1/4" extension bar
- 5pcs L-shaped wrench: 8, 10, 12, 13, 14mm

MM



Model #	Description
WP204003	26pcs

10PC MOTORCYCLE REPAIR TOOL SET

- 9pcs extension bar: 8, 9, 10, 11, 12, 13, 14, 17, 19mm
- 1pc 1/4" slide T bar

MM







Model #	Description
WP204004	10pcs

13PC MOTORCYCLE REPAIR TOOL SET

- 11pcs 1/2" sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19mm
- 1pc 200mm spinner handle
- 1pc 254mm 1/2" hole joint

MM







Model #	Description
WP202563	13pcs



14PC 1/4" DRIVE SOCKET SET

- CR-V socket set
- 12PC 1/4" DR. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11,12,13mm
- 1PC 1/4" Dr. x75mm(3") extension bar
- 1PC 1/4" DR. ratchet handle

MM 1/4" CR-V



Model #	Description
WP202556	14PC

12PC 3/8" DRIVE SOCKET SET

- CR-V socket set
- 10PC 3/8" DR. sockets: 10, 11, 12, 13, 14, 15, 17, 19, 21, 22mm
- 1PC 3/8" Dr. x 75mm extension bar
- 1PC 3/8" DR. ratchet handle

MM 3/8" CR-V



Model #	Description
WP202557	12PC

12PC 1/2" DRIVE SOCKET SET

- CR-V socket set
- 10PC 1/2" DR. sockets: 10, 11, 12, 13, 14, 15, 17, 19, 21, 22mm
- 1PC 1/2" Dr. x125mm(5") extension bar
- 1PC 1/2" DR. ratchet handle

MM 1/2" CR-V



Model #	Description
WP202558	12PC

19PC SOCKET SET

- 1PC 3/8"DR. quick release ratchet handle 72T
- 9PC 3/8"DR. SAE socket, 6PT: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 3/4", 11/16", 5/8"
- 9PC 3/8"DR. Metric socket, 6PT: 8, 9, 10, 11, 13, 14, 16, 17, 18mm

MM SAE 3/8" CR-V



Model #	Description
WP202552	19PC

10PC DUAL-DRIVE RATCHET SET WITH CR-V SOCKET

- Ergonomic handle with slip-resistant rubber grip
- Patented Dual-drive technology 2x faster than standard ratcheting
- Hold the ratchet ring to engage Dual-drive
- Rotate the handle only to work as standard ratchet
- At the starting point, directly rotate the ratchet ring can faster work
- 9PC 3/8" Dr.sockets:8,10,11,12,14,16,17,19,20mm

MM | 3/8" | CR-V



Model #	Description
WP202559	10PC

24PC 3/8" DR. SPEED DRIVER WRENCH & SOCKET SET

- CR-V Steel
- Chrome plated, Mirror polished
- 1PC 3/8"DR. Quick release ratchet handle 72T
- 1PC 3/8"DR. Speed spin T-handle
- 11PC 3/8"DR. 6PT Metric Sockets: 8, 9, 10, 11, 12, 13, 14, 15,17, 19, 21mm
- 11PC 3/8"DR. 6PT SAE Socket: 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

MM SAE | 3/8" | CR-V







SPEED SPIN



EXTENSION BAR



HIGH TORQUE



Model #	Description
WP202553	24PC

20PC 3/8" DRIVE TOOL SET WITH ROTATING PLASTIC RACK

- 1PC 3/8"DR. 72T quick release ratchet handle
- 9PC 3/8"DR. SAE socket, 6PT: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 3/4", 11/16", 5/8"
- 9PC 3/8"DR. METRIC socket, 6PT: 8, 9, 10, 11, 13, 14, 16, 17, 18mm
- 1PC 3/8"×75mm(3") extension bar

MM SAE | 3/8" | CR-V







Model #	Description
WP202554	20PC

23PC 1/4"+ 3/8"DR. SOCKET SET WITH ROTATABLE RACK

- CR-V steel
- Chrome plated, mirror polished
- 1PC 3/8"DR. Quick release ratchet handle 72T
- 11PC 1/4"DR. 6PT Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 9PC 3/8"DR. 6PT Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 19mm
- 1PC 3/8"×1/4" adaptor
- 1PC 3/8"×75mm(3") extension bar

MM | CR-V



Model #	Description
WP202555	23PC

70PC 1/4" DR. 6 POINT SOCKET SET

- 1/4 Drive: 10PC 6pt SAE socket: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 1/4 Drive: 10PC 6pt Metric socket: 5, 5.5, 6, 7, 8, 9, 10, 11, 12 13mm
- 1/4 Drive: 6PC 6pt SAE deep socket: 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"
- 1/4 Drive: 6PC 6pt Metric deep socket: 6, 7, 8, 9, 10, 11mm
- 1PC 1/4" universal joint
- 12PC nut driver
- 1PC 1/4"DR. coupler
- 1PC 1/4"×75mm(3") extension bar
- 1PC 1/4"×150mm(6")" extension bar
- 1PC 1/4" DR. quick release ratchet handle 45T
- 1PC 1/4"DR. spinner handle
- 20PC bits with holder

MM SAE | 1/4" | CR-V



Model #	Description
WP202522	70PC

MECHANICS TOOL SET

47PC 3/8" DR. 6 POINT SOCKET SET

- 3/8 Drive: 10PC 6pt SAE socket: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 3/8 Drive: 10PC 6pt Metric socket: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18mm
- 1PC 3/8"DR.universal joint
- 12PC nut driver
- 1PC 3/8"x75mm(3")extension bar
- 1PC 3/8"x150mm(6")extension bar
- 1PC 3/8"DR. quick release ratchet handle 45T
- 1PC magnetic bit holder
- 10PC bits with holder



Model #	Description
WP202523	47PC

75PC METRIC SOCKET SET

- 1PC 3/8" DR. quick release ratchet handle 72T
- 5PC ¼" 6PT deep sockets: 6, 7, 8, 9, 10mm
- 5PC 3/8" 6PT deep sockets: 11, 12, 13, 14, 15mm
- 10PC ¼" 6PT standard sockets:5, 5.5, 6, 7, 8, 9, 10, 11,12,13mm
- 8PC 3/8" 6PT standard sockets: 8, 10, 11, 12, 13, 14, 15, 16mm
- 1PC Magnet bit holder
- 40PC Bits with holder
- 2PC Extension bar: 3/8"x75mm(3") & 1/4"x75mm(3")
- 1PC Adaptor: 3/8Fx1/4M
- 2PC Universal Joint: 3/8" & 1/4"



Model #	Description
WP202524	75PC

30PC 1/2" DR. 6 POINT SOCKET SET

- 1/2 Drive: 12PC 6pt SAE socket: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
- 1/2 Drive: 14PC 6pt Metric socket: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm
- 1PC 1/2" Dr. universal joint
- 1PC 1/2"x75mm(3") extension bar
- 1PC 1/2"x125mm(5") extension bar
- 1PC 1/2"Dr. quick release ratchet handle 45T



Model #	Description
WP202525	30PC

39PC 1/4" +3/8"DR. SOCKET SET

- 15PC SAE Socket (1/4 inch Drive)
- 6 Point: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2"
- 8 Point: 1/4", 5/16", 3/8"
- 13PC Metric Socket (1/4 inch Drive)
- 6 Point: 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13 mm
- 3PC SAE Socket (3/8 inch Drive)
- 6 Point: 7/16", 1/2", 9/16"
- 3PC Metric Socket (3/8 inch Drive)
- 6 Point: 11, 12, 13 mm
- 1PC 1/4 inch Drive spinner handle
- 1PC 3/8 inch Ratchet handles with quick release mechanism
- 1PC 1/4 inch (M) x 3/8 inch (F) adapter
- 1PC 1/4 inch Drive extension bar of 3 inch Long
- 1PC Spin disk
- 1PC Molded case



Model #	Description
WP202536	39PC

24PC SOCKET SET

- 10PC 3/8"DR. SAE sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
- 11PC 3/8" metric sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 1PC 75mm(3") extension bar
- 1PC 5/8"(16mm) spark plug
- 1PC 3/8" ratcheting handle
- 1PC durable blow molded case



Model #	Description
WP202541	24PC

32PC SOCKET SET

- CR-V sockets
- 10PC 3/8"DR. SAE sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
- 11PC 3/8" metric sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7PC CR-V combination wrenches: 3/8",7/16",1/2",9/16",5/8",11/16",3/4"
- 1PC 3" extension bar
- 2PC spark plug: 13/16"(21mm), 5/8"(16mm)
- 1PC 3/8" DR. ratchet handle
- 1PC durable blow molded case



Model #	Description
WP202528	32PC

37PC 1/4" DR. SOCKET SET

- 1PC 1/4" DR. Quick release ratchet handle,72T
- 1PC Universal Joints
- 1PC 75mm extension bar
- 1PC plug socket
- 1PC 1/4" spinner handle
- 12PC 1/4"DR. Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 20PC Bit set

MM 1/4" CR-V



Model #	Description
WP202547	37PC

24PC 1/2" DR. SOCKET SET

- 17pcs 1/2"Dr, CRV 6PT Socket: 8,10,12,13,14,15,16 ,17,18,19,21,22,23,24,27,30,32mm
- 2pcs extension bar: 3" & 5"
- 2pcs spark plug socket: 16mm & 21mm
- 1pc universal joint: Dr. 1/2"
- 1pc F bar: 15"
- 1pc 1/2" ratchet handle
- 1pc tool box 45x19x5.5cm

MM 1/2" CR-V



Model #	Description
WP202564	24pcs

46PC 1/4" DR. SOCKET SET

- 1PC 1/4" Dr. ratchet handle,72T
- 1PC 1/4" spinner handle
- 1PC 1/4" universal joint
- 1PC bit adapter
- 1PC T-shaped slide handle 110mm
- 1PC flexible extension bar
- 2PC extension bar 2",4"
- 3PC hex key:1.5, 2, 2.5mm
- 13PC 1/4" Sockets: 4, 4.5, 5,5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm21PC x S2 alloy steel bits socket: PH1, PH2, PH3, PZ1, PZ2, PZ3; H3, H4 , H5 , H6 , H7 ,H8; SL4 SL5.5 SL7;T10 T15 T20 T25 T30 T40

MM 1/4" CR-V



Model #	Description
WP202540	46PC

MECHANICS TOOL SET


123PC SOCKET SET

- 3PC CR-V quick-release ratchet handle: 1/4", 3/8", 1/2"
- 10PC 1/4" drive CR-V sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 4PC 1/4" drive CR-V deep sockets: 8, 9, 10, 12mm
- 11PC 3/8" drive CR-V sockets: 9, 10, 12, 13, 14, 15, 16, 17, 18, 19mm
- 4PC 3/8" drive CR-V deep sockets:13, 14, 15, 17mm
- 8PC 3/8" drive CR-V sockets:8, 10, 11, 12, 14, 16, 18, 20mm
- 7PC 1/2" drive CR-V sockets: 20, 21, 22, 24, 27, 30, 32mm
- 3PC CR-V universal joints: 1/4", 3/8", 1/2" drive
- 2PC CR-V adaptors: 1/2" drive M X 3/8" Drive F, 1/4" Drive M X 3/8" Drive F
- 1PC 1/4" drive CR-V coupler
- 1PC 1/4" drive CR-V spinner handle
- 17PC 3/8" drive CR-V bits sockets: T20, T30, T40, T45, T50, T55, T60, FD5.5, FD6.5, PH1, PH2, PZ1,. PZ2, H3, H4, H5, H6
- 18PC 25mm S2 screwdriver bits with holder
- 3PC 3/8" drive CR-V spark plug sockets: 14mm, 16mm, 21mm
- 11PC CR-V Combination spanners: 8, 9, 10, 11, 12, 13, 14, 16, 17, 18 19mm
- 5PC CR-V extension bars: 1/4" DR.x50mm, 3/8"DR. x75mm, 3/8"DR.x150mm, 1/2" DR.x125mm, 1/2"DR.x250mm
- 1PC 1/2" drivex250mm CR-V flex handle
- 2PC chrome molybdenum screwdrivers: 6X100mm, PH2X100mm
- 1PC 1/2" drive oil filter wrench
- 1PC voltage tester
- 1PC CR-V 12.5mm socket for cover of cylinder: T52X100L
- 9PC CR-V long hex key set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 1PC blow mould case

MM CR-V



Model #	Description
WP202532	123PC



164PC MECHANICS TOOL KIT

- 11 PC 1/4 in. DR. SAE (6-Point) Sockets: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 12 PC 1/4 in. DR. Metric (6-Point) Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 5 PC 1/4 in. DR. SAE (6-Point) Deep Sockets: 3/16, 7/32, 1/4, 9/32, 5/16 in.
- 5 PC 1/4 in. DR. Metric (6-Point) Deep Sockets: 7, 8, 9, 10, 11 mm
- 1 PC 1/4 in. DR. 75mm(3"). Extension Bar
- 1 PC 1/4 in. DR. Quick Release Ratchet Handle
- 1PC 1/4 Universal Joint
- 10 PC 3/8 in. DR. SAE (6-Point) Sockets: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 in.
- 13PC 3/8 in. DR. Metric (6-Point) Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18mm
- 6PC 3/8 in. DR. SAE (12-Point) Sockets: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 6PC 3/8 in. DR. Metric (12-Point) Sockets: 10, 12, 13, 14, 15, 17mm
- 6PC 3/8 in. DR. SAE (6-Point) Deep Sockets: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 6PC 3/8 in. DR. Metric (6-Point) Deep Sockets: 10, 12, 13, 14, 15, 18mm
- 1PC 3/8 in. DR. Spark Plug Socket: 13/16 in.
- 1PC 3/8 in. DR. 75mm(3") Extension Bar
- 1PC 3/8 in. DR. Quick Release Ratchet Handle
- 1PC 3/8 Universal Joint
- 7PC 1/2 in. DR. SAE (6-Point) Sockets: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 1 in.
- 6PC 1/2 in. DR. Metric (6-Point) Sockets: 14, 15, 16, 17, 18, 19mm
- 1PC 1/2 in. DR. 75mm(3") Extension Bar
- 1PC 1/2 in. DR. Quick Release Ratchet Handle
- 1 PC 1/2 Universal Joint
- 6PC SAE Combo Wrenches: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 6PC Metric Combo Wrenches: 10, 12, 13, 14, 15, 17 mm
- 1PC Magnetic Bit Driver
- 19PC 25mm screwdriver bits
- 1PC Adaptor
- 7PC SAE Hex Key Wrenches: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4 in.
- 7PC Metric Hex Key Wrenches: 1.5, 2, 2.5, 3, 4, 5, 6 mm
- 7PC SAE Nut Driver Bits: 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 7PC Metric Nut Driver Bits: 5, 6, 7, 8, 9, 10, 11 mm

PRO

164 PIECE | MM SAE | CR-V STEEL



Model #	Description
WP202530	164PC

145PC MECHANICS TOOL KIT

- 11PC 1/4 in. Drive SAE sockets: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in
- 12PC 1/4 in. Drive Metric sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1PC 1/4 in. Drive 3 in. Extension bar
- 1PC 1/4 in. Drive quick release ratchet handle
- 1PC 1/4 in. Driver universal joint
- 6PC 3/8 in. Drive SAE sockets: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 in.
- 8PC 3/8 in. Drive Metric sockets: 12, 13, 14, 15, 16, 17, 19, 21 mm
- 1PC 3/8 in. Drive spark plug socket: 13/16 in.
- 1PC 3/8 in. Drive 3 in. extension bar
- 1PC 3/8 in. Drive quick release ratchet handle
- 1PC 3/8 in. Driver universal joint
- 5PC SAE combination wrenches: 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 5PC Metric combination wrenches: 10, 11, 13, 14, 16mm 1PC Magnetic bit holder
- 59PC 1" S2 screwdriver bits
- 1PC Adaptor
- 8PC SAE hex key wrenches: 1/16, 5/64, 3/32, 1/8, 5/32 ,3/16, 7/32, 1/4in
- 8PC Metric hex key wrenches: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm
- 7PC SAE nut driver bits: 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 7PC Metric nut driver bits: 5, 6, 7, 8, 9, 10, 11mm

PRO

145 PIECE | CR-V STEEL | MM SAE



Model #	Description
WP202531	145PC

108PC MECHANICS TOOL SET

- 17PC 1/2 in. Drive Metric (6-Point) Short Sockets (CR-V): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
- 5PC 1/2 in. Drive Metric (6-Point) Long Sockets (CR-V): 14, 15, 17, 19, 22mm
- 2PC 1/2 in. Drive Extension Bar: 5", 10"
- 1PC 1/2 in. Driver Universal joint
- 8PC 1/2 in. Drive E Sockets (CR-V): E10, E11, E12, E14, E16, E18, E20, E24
- 1PC 1/2 in. Drive Quick Release Ratchet Handle
- 2PC 1/2 in. Drive Spark Plug Sockets (CR-V): 16mm, 21mm
- 1PC 1/2 in. Driver Adaptor
- 13PC 1/4 in. Drive Metric (6-Point) Short Sockets (CR-V): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 8PC 1/4 in. Drive Metric (6-Point) Long Sockets (CR-V): 6, 7, 8, 9, 10, 11, 12, 13mm
- 2PC 1/4 in. Drive Extension Bar: 2", 3"
- 1PC 1/4 in. Driver Universal joint
- 1PC 1/4 in. Drive Quick Release Ratchet Handle
- 5PC 1/4 in. Drive E Sockets (CR-V): E4, E5, E6, E7, E8
- 1PC 1/4 in. Driver Slider
- 3PC Hex Key (Carbon Steel) : 1.5, 2, 2.5mm
- 1PC 1/4" X 6" Piercing Bar
- 18PC 1/4 in. Drive Bits: SL4, SL5.5, SL6.5, PH1, PH2, PZ1, PZ2, H3, H4, H5, H6, T8, T10, T15, T20, T25, T27, T30
- 17PC 5/16 in. Drive Bits: SL8, SL10, SL12; T40, T45, T50, T55, T60; PH3, PH4; PZ3, PZ4; HEX7, HEX8, HEX10, HEX12, HEX14
- 1PC 1/2" Flexible Sleeve
- Blow mould case

PRO

MM | CR-V STEEL



Model #	Description
WP202535	172PC

123PC MECHANICS TOOL SET

- 7PC 1/2" drive CR-V sockets: 20, 21, 22, 24, 27, 30, 32mm
- 11PC 3/8" drive CR-V sockets: 9, 10, 12, 13, 14, 15, 16, 17, 18, 19mm
- 4PC 3/8" drive CR-V deep sockets:13, 14, 15, 17mm
- 10PC 1/4" drive CR-V sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 4PC 1/4" drive CR-V deep sockets: 8, 9, 10, 12mm
- 4PC 1/2"drive CR-V impact sockets: 17,19,21,23mm
- 2PC 3/8" drive CR-V spark plug sockets: 16mm, 21mm
- 5PC CR-V extension bars: 1/4" DR.x50mm, 3/8"DR. x75mm, 3/8"DR.x150mm, 1/2" DR.x125mm, 1/2"DR.x250mm
- 3PC CR-V universal joints: 1/4", 3/8", 1/2" drive
- 1PC CR-V 3 way adapter 1/2"
- 2PC CR-V adaptors: 1/2" drive m x 3/8" drive f, 1/4" drive m x 3/8" drive f
- 1PC 1/4" drive CR-V coupler
- 1PC 1/4" drive CR-V spinner handle
- 1PC 1/4" ratcheting handle
- 1PC 3/8" ratcheting handle
- 1PC 1/2" ratcheting handle
- 17PC 3/8" drive CR-V/s2 bits sockets: T20, T30, T40, T45, T50, T55, T60, FD5.5, FD6.5, PH1, PH2, PH1, PZ2, H3, H4, H5, H6
- 1PC 175mm(7") linesman plier
- 1PC 160mm(6") long nose plier
- 1PC pin wrench socket
- 1PC oil filter wrench
- 1PC voltage tester
- 1PC CR-V 12.5mm socket for cover of cylinder: T52x100L
- 4PC chrome molybdenum screwdrivers: 6x100mm, 6x38mm, PH2x100mm, PH2x38mm
- 18PC 25mm S2 screwdriver bits with holder
- 11PC CR-V combination spanners: 8, 9, 10, 11, 12, 13, 14, 16, 17, 18 19mm
- 9PC CR-V long hex key set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 1PC blow mould case

MM CR-V



Model #	Description
WP202533	123PC

172PC 1/4"+3/8"+1/2" DRIVE MECHANICS TOOL SET

- 1PC 1/4" reversible quick-release ratchet with 72 teeth
- 1PC 3/8" reversible quick-release ratchet with 72 teeth
- 1PC 1/2" reversible quick-release ratchet with 72 teeth
- 13PC 1/4" DR. socket,6PT,CR-V: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 7PC 1/4" DR. deep socket,6PT,CR-V: 4, 5, 6, 7, 8, 9, 10mm
- 10PC 3/8" DR. socket,6PT,CR-V: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 6PC 3/8" DR. deep socket,6PT,CR-V: 10, 11, 12, 13, 14, 15mm
- 17PC 1/2" DR. socket,6PT,CR-V: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm
- 5PC 1/2" DR. deep socket, 6PT, CR-V: 16, 17, 18, 19, 22mm
- 5PC 1/4" DR. E-style socket,CR-V: E4, E5, E6, E7, E8
- 6PC 3/8" DR. E-style socket,CR-V: E10, E11, E12, E14, E16, E18
- 2PC 1/2" DR. E-style socket,CR-V: E20, E24
- 3PC spark plug socket,,CR-V: 1/2x16mm, 1/2x21mm, 3/8x21mm
- 30PC 1/4" bits socket, CR-V+S2: H3, H4, H5, H6, T8, T9, T10, T15, T20, T25, T27, T30, T8, T9, T10, T15, T20, T25, T27, T30, FD4, FD5.5, FD6.5, FD7, pH0, pH1, pH2, PZ0, PZ1, PZ2
- 20PC 1/4" screwdriver bits with holder, S2: T8, T9, T10, T15, T20, T25, T30, FD4, FD5.5, FD7, Tx8, Tx9, Tx10, Tx15, Tx20, Tx25, Tx30, H3, H4, H5
- 24PC 5/16" screwdriver bits, S2: H7, H8, H10, H12, H14, FD8, FD10, FD12, PH3, PH4, PZ3, PZ4, T40, T45, T50, T55, T60, T70, T40, T45, T50, T55, T60, T70
- 7PC METRIC allen key set: 1.27, 1.5, 2, 2.5, 3, 4, 5
- 5PC extension bar, CR-V: 1/2x5", 1/2x10", 3/8x6", 1/4x2", 1/4x4"
- 3PC universal joint, CR-V: 1/4", 1/2", 3/8"
- 3PC coupler, CR-V: 1/2x8mm, 3/8x8mm, 1/4x1/4"
- 1PC spinner handle
- 1PC 1/4" 110mm sliding bar, CR-V
- 1PC 3-way adaptor: 1/2mx3/8f, CR-V
- Molded case

MM CR-V



Model #	Description
WP202545	172PC

320PC MECHANICS TOOL SET WITH HEAVY DUTY CASE BOX

- 1PC 30x108mm magnetic bit driver handle
- 40PC hex key: (short arm)1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8mm; 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"; (long arm)1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6mm; 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
- 23PC 1/4" Dr. sockets in metric& SAE: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm; 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 6pt
- 10PC 1/4" Dr. SAE sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 12pt
- 21PC 1/4" deep sockets in metric & SAE: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 6pt
- 12PC nut driver: 5, 6, 7, 8, 9, 10mm, 3/16", 1/4", 9/32", 5/16", 11/32", 3/8"
- 26PC 3/8" Dr. sockets in metric and SAE: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm; 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 6pt
- 23PC 3/8" Dr. sockets in metric and SAE: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm; 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 12pt
- 5PC 3/8" Dr. SAE sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 8pt
- 6PC 3/8" deep sockets in metric and SAE: 12, 13, 14mm; 3/8", 7/16",1/2", 6pt
- 13PC 1/2" Dr. sockets in metric and SAE: 9, 10, 12, 13, 14, 15, 16mm; 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 12pt
- 4PC extension bar: 1/4"x1-1/2", 1/4"x3", 3/8"x3", 1/2"X3"
- 3PC adaptor: 1/4"MX3/8"F, 3/8"MX1/4"F, 1/2"MX3/8"F
- 1PC 25mm x1/4" adaptor
- 3PC 3/8" &1/2"& 1/4"quick-release ratchet handle
- 13PC 1/4" Dr. Bit sockets
- 12PC 3/8" Dr. Bit Sockets
- 8PC Combination Wrench
- 96PC 1" S2 bits
- 1PC blow molded case

320 PIECE | CR-V STEEL | MM SAE



Model #	Description
WP202538	320PC

450PC MECHANICS TOOL SET WITH HEAVY DUTY CASE BOX

- 1PC 25mm x1/4" adaptor
- 1PC 30x108mm magnetic bit driver handle
- 175PC 1" S2 bits
- 40PC hex key:(short arm) 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8mm; 0.05", 1/16", 5/64",3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"; (long arm)1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6mm; 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
- 3PC 3/8" &1/2"& 1/4"quick-release ratchet handle
- 12PC Combination Wrench
- 4PC mini Combination Wrench
- 23PC 1/4" Dr. sockets in metric& SAE: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm; 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 6pt;
- 10PC 1/4" Dr. SAE sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 12pt
- 21PC 1/4" deep sockets in metric & SAE: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 6pt
- 12PC nut drivers
- 30PC 3/8" Dr. sockets in metric and SAE: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm; 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1",6pt
- 28PC 3/8" Dr. sockets in metric and SAE: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm; 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 12pt
- 5PC 3/8" SAE Dr. sockets:1/4", 5/16", 3/8", 7/16", 1/2", 8pt
- 19PC 3/8" deep sockets in metric and SAE:12, 13, 14, 15, 16, 17, 18, 19mm; 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
- 4PC 3/8" E-sockets:E10, E12, E14, E16
- 16PC 1/2" Dr.sockets in metric and SAE: 9, 10, 11, 12, 13, 14, 15, 16, 17mm; 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 12pt
- 4PC Dr. spark plug sockets in metric and SAE: 3/8"x5/8", 3/8"x3/4", 3/8"x18mm, 1/2"x5/8"
- 6PC extension bar: 1/4"x1-1/2", 1/4"x3", 3/8"x1-1/2", 3/8"x3", 3/8"x6", 1/2"X3"
- 1PC bit holder: 1/4"x1/4"
- 4PC adaptor:1/4"MX3/8"F, 3/8"MX1/4"F, 3/8"MX1/2"F, 1/2"MX3/8"F
- 16PC 1/4" Dr. Bit sockets
- 15PC 3/8" Dr. Bit sockets
- 1PC blow molded case

450 PIECE | CR-V STEEL | MM SAE



Model #	Description
WP202539	450PC

230PC MECHANICS TOOL KIT IN HARD CASE

- 50PC screwdriver bits
- 1PC magnetic bit driver handle
- 40PC hex key : (short arm)1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8mm,0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"; (long arm)1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6mm, 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
- 3PC 1/4"&3/8"&1/2" quick-release ratchet handle
- 6PC combination wrench
- 23PC 1/4" Dr. sockets in Metric& SAE: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16",6pt
- 10PC 1/4" Dr. 12PT, SAE sockets:3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 21PC 1/4" deep sockets in metric & SAE:4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm,3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16",6pt
- 27PC 3/8" Dr.sockets in metric& SAE:6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm,1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",6pt
- 25PC 3/8" Dr. 12PT, sockets in Metric & SAE: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 10PC 1/2" Dr. 12PT,sockets in metric & SAE:17, 18, 19, 20, 21mm, 11/16", 3/4", 13/16", 7/8", 15/16"
- 12PC nut drivers
- 2PC extension bar: 1/4"×1-1/2", 3/8"×3"
- 1PC blow molded case

230 PIECE | CR-V STEEL | MM SAE



Model #	Description
WP202537	230PC

136PC TOOL SET WITH ROLLER SEAT

- 1PC 6" long nose pliers
- 5PC combination spanners: 8, 10, 11, 13, 15mm
- 9PC SAE hex key
- 1PC magnetic bit holder handle
- 60PC CR-V 25mm bits
- 1PC 3/8"DR. ratchet handle
- 8PC 3/8"DR. metric sockets: 8, 9, 10, 11, 12, 14, 15, 16mm
- 8PC 3/8"DR.SAE sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 1PC 3/8"DR. 75mm extension bar
- 1PC 3/8"DR. spark plug socket:16mm
- 40PC cable ties
- 1PC 2-drawer roller seat









Model #	Description
WP209036	136PC

239PC MECHANICS TOOL KIT

- 1pc 3/8"Dr.ratchet handle
- 13pc 3/8" Dr. sockets: 6, 8, 9, 10, 11, 12. 13 ,14, 16, 17, 19,21,22mm
- 11pc 1/4" Dr. sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 4pc 1/4" deep sockets: 5, 6, 7, 8mm
- 4pc 3/8" deep sockets:, 8, 10, 11, 12mm;
- 1pc 3/8" Dr.F X 1/4", Dr. M adapter
- 1pc 1/4" Dr. X 50mm extension bar
- 1pc 3/8" Dr. X 70mm extension Bar
- 1pc 1/4" Dr. sliding bar
- 11pc metric CRV hex key set: 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6mm
- 11pc SAE CRV hex key set: 0.05,1/16,5/64,3/32,7/64,1/8,9/64,5/32,3/16,7/32,1/4"
- 1pc magnetic bits holder handle
- 60pc 25mm(1") CRV bits
- 6pc nut drivers: 5, 6, 7, 8, 9, 10mm
- 8pc combination spanners: 6, 8, 10, 11, 12, 14, 16, 17mm
- 1pc 200mm adjustable wrench
- 1pc 180mm combination pliers
- 1pc 160mm long nose pliers
- 1pc 250mm groove joint pliers
- 6pc screwdriver: slotted: 5.5x75,6.5x100, Phillips: PH0X75, PH2X100, Square: S1X100, S2X100mm
- 1pc crimping tools
- 55pc terminals
- 1pc 18MM snap off knife
- 20pc cable tie
- 1pc mini hacksaw
- 6pc precision screwdriver:1.4, 2.0, 2.4, 3.0, PH0, PH1
- 10pc 18MM snap off knife blades with plastic box
- 1pc metal box

MM CR-V



Model #	Description
WP209033	239PC

93PC TOOL SET WITH 5-TRAY CANTILEVER TOOl BOX

- 11Pcs Combination spanner:8, 9, 10, 11, 12, 13, 14, 16, 17, 18. 19mm
- 1Pc 8"Combination pliers
- 1Pc 6"Long nose pliers
- 1Pc 7" Diagonal cutting pliers
- 40Pcs CR-V Screwdriver bits with holder;
- 1Pc Magnetic Bit Driver 10x75mm
- 1Pc Flexible extension bar
- 9Pcs Hex key 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 1Pc 10"Adjustable wrench
- 1Pc 10"Curved jaw lock wrench
- 1Pc 8" Half round file
- 1Pc 1/2" Dr. Universal joint
- 1Pc Spark plug socket 1/2" Dr.21mm
- 2Pcs 1/2"Dr. Extension bar:125mm(5"),250mm(10")
- 1Pc 3-Way adaptor 3/8F-1/2M
- 1Pc 1/2" Dr. Flex handle, 380mm
- 1Pc 1/2" Dr. ratchet wrench,72T
- 17Pcs 1/2" Hexagonal Socket: 10, 11, 12, 13, 14,15, 16, 17, 18. 19, 20, 21, 22, 24, 27, 30, 32mm
- 1Pc 5-tray cantilever tool box



Model #	Description
WP209035	93PC



PINK LADY TOOL SET FOR HOME REPAIRING

- 5pcs precision screwdrivers
- 8pcs SAE hex keys
- 1pc magnetic bit holder
- 40pcs 1" screwdriver bits
- 1pc AAA 9LED aluminum flashlight with lanyard
- 32pc hardware
- 1pc 6" long nose pliers
- 1pc 6" slip joint pliers
- 1pc 6" adjustable wrench
- 1pc safety knife
- 10pcs SK5 knife blades
- 1pc 8-1/2" scissors
- 1pc 9" level
- 1pc 12oz claw hammer
- 1pc 10ft auto-lock tape measure with SAE and metric marking blade
- 1pc tool bag





Model #	Description
WP206801	106pcs

LADY TOOL SET

103PC LADY TOOL SET (SAE)

- 1PC 152mm(6") Slip joint pliers
- 1PC 152mm(6") Long nose pliers
- 1PC 152mm(6") adjustable wrench
- 5PC precision screwdriver set (SAE): SL5/64", 3/32", 1/8", PH0, PH00
- 1PC maganetic screwdriver bit holder
- 40PC 1" bits with holder (SAE):PH0, PH1X2, PH2X5, PH3X2, 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, PZ0, PZ1, PZ2, PZ3, S0X2, S1X2, S2X4, S3X2, H1/16, H3/32, H1/8, H5/32, H3/16, H1/4, T10, T15, T20, T25
- 1PC 9" magnetic torpedo level
- 1PC 16 oz. fiberglass claw hammer
- 1PC 16FT.(5m) tape measure
- 1PC utility knife
- 10PC utility knife blades
- 40PC cable ties
- Round pouch



Model #	Description
WP206800	103PC

103PC LADY TOOL SET (METRIC)

- 1PC 152mm(6") Slip joint pliers
- 1PC 152mm(6") Long nose pliers
- 1PC 152mm(6") adjustable wrench
- 5PC precision screwdriver set (METRIC): SL2, SL2.5, SL3, #0, #00
- 1PC maganetic screwdriver bit holder
- 40PC 1" bits with holder (METRIC): PH0, PH1X2, PH2X5, PH3X2; 3, 4, 5, 5.5, 6, 7, PZ0, PZ1, PZ2, PZ3; S0X2, S1X2, S2X4, S3X2; H1.5, H2.5, H3, H4, H5, H6, T10, T15, T20, T25
- 1PC 225mm(9") magnetic torpedo level
- 1PC 16 oz. fiberglass claw hammer
- 1PC 16FT.(5m) tape measure (MID)
- 1PC utility knife
- 10PC utility knife blades
- 40PC cable ties
- Round pouch





Model #	Description
WP206818	103PC



101PC 12V PINK DRILL AND HOME TOOL SET

- 1pc 12V cordless lithium-ion drill driver
- Lithium-ion battery: 12V 1.5Ah.TORQUE: 20NM.Speed:0-400/0-1500RPM.
- Charging time: 3-5Hrs
- 10 pcs HSS4241 drill bits
- 32 pcs screwdriver bits set
- 1pc 12oz fiberglass handle hammer
- 1pc 225mm(9") torpedo level
- 2pcs 160mm(6") Adjustable wrench
- 1pc 6" long nose pliers
- 1pc screwdriver holder
- 1pc 3m/10ft tape measure
- 1pc 18 mm snap off knife
- 10pcs knife blades
- 32pcs hardware kit
- 8pcs hex key set
- 1pc 13" storage bag





Model #	Description
WP209067	101pcs

PINK CORDLESS DRILL DRIVER SET

- 1pc 12V Cordless Lithium-Ion Drill Driver
- Lithium-ion battery: 12V 1.5Ah.TORQUE: 20NM.Speed:0-400/0-1500RPM.
- Charging time: 3-5Hrs
- 1pc 0.4A Charger
- 10pcs 1" Cr-v drill bits: PH1, PH2, PH3, 1/8, 5/32, 3/16, 1/4, T10, T15, T20
- 6pcs Twist Drill Bits
- 1pc bit holder
- 1pc carrying bag
- 1pc 1500 mAh Lithium-ion battery



Model #	Description
WP206802	21pcs

LADY TOOL SET

29PC 3.7V PIVOTING SCREWDRIVER AND TOOL SET

- 1pc 3.7v Li-ion Rechargeable Screwdriver with Adjustable two-position handle
- Lithium-ion battery: 3.7V 1500mAh.TORQUE: 4NM.Speed:235RPM.
- Charging time: 2-3Hrs
- 9pcs CR-V bits: PH 0-1-2,PZ 1-2,T 15- 20,SL 5,H 4+ 1pcs 50mm extension bar
- 1pc 8oz Fiberglass Claw Hammer
- 1pc 225mm(9") Torpedo level
- 1pc 160mm(6") Adjustable wrench
- 1pc 3M/10FT tape measure
- 1pc 18 mm snap off knife
- 10pcs Knife blades
- 1pc 8-1/2" scissors
- 8pcs 6" long nose pliers





Model #	Description
WP209068	29pcs

7PC GARDEN TOOLS SET

- 1pc weeder
- 1pc hand fork
- 1pc hand rake
- 1pc transplanter
- 1pc trowl
- 1pc pruner
- 1 pair of glove
- 1 tool bag



Model #	Description
WP206803	7pcs

5PC GARDEN TOOLS SET

- 1pc trowel
- 1pc transplanter
- 1pc weeder
- 1pc hand rake
- 1pc hand fork
- 1 tool bag



Model #	Description
WP206804	5pcs

3PC+1PC GARDEN TOOL SET

- 1pc trowel
- 1pc pruner
- 1pc cultivator
- 1pair of gloves



BONUS



Model #	Description
WP204505	3pcs+1pcs



LD-1467

KIDS TOOL SET

SUPER FAST HELICOPTER

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer,safety glasses,tape measure(optional)



Model #	Description
WP206806	20.5x10x8.5cm

CLASSIC XYLOPHONE

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer,safety glasses,tape measure(optional)



Model #	Description
WP206807	15x11.5x7cm(Stick:15.2x2x2cm)

MEMORABLE PICTURE FRAME

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer, safety glasses, tape measure(optional)



Model #	Description
WP206812	12.7x2.3x17.5cm

FUNNY TIC TAC TOE

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer, safety glasses, tape measure(optional)



Model #	Description
WP206805	13.5x13.5x3.5cm

CHRISTMAS TREE

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer, safety glasses,tape measure(optional)



Model #	Description
WP206822	23x8.5x19cm

WARM BIRD FEEDER

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer,safety glasses,tape measure(optional)



Model #	Description
WP206810	15x12.3x14cm

PULL BACK SPORTS CAR

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer,safety glasses,tape measure(optional)



Model #	Description
WP206808	16x7x5.5cm

POWERFUL TRAIN

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer, safety glasses, tape measure(optional)



Model #	Description
WP206811	12x7x8cm

MYSTERIOUS PIRATE SHIP

- Kit includes wood and small hardware pieces to complete the project
- Requires additional tools to assemble:hammer, safety glasses, tape measure(optional)



Model #	Description
WP206813	17.5x8.5x14.5cm

DIY CONSTRUCTION KIT

- Includes contractor belt
- 7pcs tool kit
- Front loader & excavator build kit



Model #	Description
WP206819	Crane: 23x8.5x19cm; Tractor:20x9x9.5cm

DIY FIRST RESPONDER KIT

- Includes first responder vest
- 7pcs tool kit
- Helicopter & first truck kit



Model #	Description
WP206820	Ambulance: 15.5x7.5x9cm; Airplane: 20x15x10.5cm

DIY PROJECT KIT

- Includes project belt
- 7pcs tool kit
- Bird feeder & rotary dispenser kit



Model #	Description
WP206821	Candy Machine: 9x13x17cm; Bird House: 13x15x14.5cm



POINT REDEMPTION

REMARK: 1 USD (ORDER VALUE) = 1 POINT

12" CANVAS ZIPPER BAG



Model #	Description
WP289021	Red, 250 POINTS
WP289022	Blue, 250 POINTS

3-IN-1MULTIPURPOSE KEY CHAIN



Model #	Description
WP389004	250 POINTS

PLASTIC BAG



Model #	Description
WP439016	10 POINTS/PC

BALL PEN



Model #	Description
WP439015	15 POINTS

CAP



Model #	Description
WP439004	350 POINTS

CANVAS BAG



Model #	Description
WP281031	380 POINTS

MULTIFUNCTIONAL BALL PEN



Model #	Description
WP439002	180 POINTS/PC

6-IN-1 SPINNER TOOL



Model #	Description
WP221065	230 POINTS

12OZ CAR CUP



Model #	Description
WP439001	500 POINTS

20OZ TUMBLER



Model #	Description
WP389013	680 POINTS

NOTEBOOK



Model #	Description
WP439003	750 POINTS

GOLF UMBRELLA



Model #	Description
WP439009	1000 POINTS

T-SHIRT



Model #	Description
WP439005	1250 POINTS

CATALOG



Model #	Description
WP439006	1500 POINTS

AD FLAG



Model #	Description
WP439011	1800 POINTS

BACKPACK



Model #	Description
WP281028	2850 POINTS

POINT REDEMPTION

POLO SHIRT



Model #	Description
WP439014	2400 POINTS

POLO SHIRT



Model #	Description
WP439013	2450 POINTS

3-IN-1 JACKET



Model #	Description
WP439012	6000 POINTS

BEACH UMBRELLA



Model #	Description
WP439007	4200 POINTS

DISPLAY RACK (1000x2200x450MM)



Model #	Description
WP289008	12000 POINTS

DISPLAY RACK (1480x1000x1200MM)



Model #	Description
WP439008	17500 POINTS

HEAVY-DUTY 1000MM DISPLAY SHELF



Model #	Description
WP289007	21000 POINTS

HAND TOOLS

HAND TOOLS

Screwdrivers
Striking Tools
Finishing Tools
Pliers
Knives & Multi-tools
Hex Keys
Nuts Drivers

LIMITED LIFETIME WARRANTY

We warrant this product for its useful life against deficiencies in material and workmanship.

Warranty does not cover products that are improperly used, abused, excessive wear, damaged from accident, altered or repaired, nor does it cover consumable goods such as knife blades, bits, glue sticks, etc. Excludes all incidental or consequential damages.

MECHANICS TOOLS

Ratchets & Sockets
Wrenches & Wrench Sets
Mechanics Tool Sets
Torque Wrenches

FULL LIFETIME WARRANTY

If any mechanics tool ever fails for any reason, we will replace it.

Warranty does not cover products that are improperly used, abused, excessive wear, damaged from accident, altered or repaired. Excludes all incidental or consequential damages.

*For CRAFTSMAN mechanics tools only.

ELECTRIC MEASURING TOOLS

Torpedo Digital Levels
Standard Digital Levels
Lasers
Lasers Distance Measurers

2 YEAR LIMITED WARRANTY

For TWO YEARS from the date of sale, we warrant this product is warranted against defects in material or workmanship.

Warranty does not cover products that are improperly used, abused, altered, or repaired. Excludes all incidental or consequential damages.

*This warranty does not apply to cordless battery packs or chargers (these products have separate and different warranties).

TAPE MEASURES

General Tape Measures

LIMITED LIFETIME WARRANTY

We warrant this product for its useful life against deficiencies in material and workmanship.

Warranty does not cover products that are improperly used, abused, excessive wear, damaged from accident, altered or repaired. Excludes all incidental or consequential damages. Please refer to the below replacement policy as a guide to determine if a tape measure is defective and should be replaced.

Tape Measure Replacement Policy

CONDITIONS COVERED BY WARRANTY

A tape measure showing defects in material or workmanship like those examples below will be replaced free of charge.

- Missing hook rivets
- Broken spring, blade will not retract
- Defective component: broken slide lock/ lock won't hold
- Missing coating

CONDITIONS NOT COVERED BY WARRANTY

Tape measures indicating excessive wear or showing damage from an accident or misuse will not be replaced free of charge.

- Torn or damaged blade
- Foreign material on blade or in case
- Rusty blade or hook
- Worn out beyond expected life
- Mistreated or abused (cracked or open case)

TOOL STORAGE

Metal Tool Box
Portable Plastic Storage
Polyester Storage Tool Bag
Workbench

2 YEAR LIMITED WARRANTY

For TWO YEARS from the date of sale, we warrant this product is warranted against defects in material or workmanship.

Warranty does not cover products that are improperly used, abused, altered, repaired, or improper storage. Excludes all incidental or consequential damages.

*This warranty does not apply to accessories such as zippers, buttons, and other similar items.

MANUAL GARDEN TOOLS

Hand Cultivator
Hand Fork
Weeder
Trowel
Garden Tool Sets

2 YEAR LIMITED WARRANTY

For TWO YEARS from the date of sale, we warrant this product is warranted against defects in material or workmanship.

Warranty does not cover products that are improperly used, abused, excessive wear, damaged from accident, altered or repaired. Excludes all incidental or consequential damages.

WARRANTY GUIDE

THIS WARRANTY WILL NOT APPLY IF

- The product has not been used or maintained in accordance with the instructions.
- Defects resulting from normal wear and tear.
- Partially or completely dismantled tools.
- Improper installation, failure to follow recommended installation and operational instructions, neglect, willful damage, misuse or vandalism, accidental damage, alteration or tampering.
- Damage incurred in shipping or handling.
- Damage caused by disasters such as fire, flood, wind, earthquake or lightning.
- The tool has been operated on a supply voltage other than specified on the tool.
- The product fault, failure or damage is caused as a result of any repairs to the product which are made or attempted by a service provider other than us, or authorized distributors/ dealers.
- The product has been subjected to incorrect electrical supply or inconsistent electrical supply, or used with inappropriate accessories.
- The product's serial number has been altered or removed from the product; or products which are not identified with the Seller's product label and lot number or serial number.
- Wear and tear parts and accessories, including but not limited to maintenance kits, carbon brushes, bearings, spindles, drill bits, auxiliary handles, suitcases, sand plates, dust bags, dust exhaust pipes, felt washers, pins and springs, piston/driver assemblies, piston stops, driver blades, rubber o-rings, seals, isolators, air filters, and driver belts, slings, gears, saw chains, nozzles, wheels, cutting lines, drill chucks, saw blades, milling cutters, abrasive belts, grinding wheels and other related items and other accessories; electronic components: fuses, rechargeable batteries and chargers, power cords, plugs, switches, and electronic circuit boards; accessories and accessories included with the machine.



18V Brushless Garden Pruner

CPS407-18BL-JHC PROFESSIONAL

·5 inch cordless Lithium-ion handheld chainsaw for multi-purpose cutting.
·Automatic oil pump function can distribute lubricant evenly to each chain.
·Powerful brushless silent copper motor, high efficient,durable and stable.
·Large capacity rechargeable battery with power display&multi-protection.
·High-temperature quenching chain,wear-resistant & tools-free tensioning.
·Double safety switch&Protection baffle,avoid accident start and splashing.
·Ergonomic non-slip handle with armguard baffle,ensure safe and comfort.
·Suitable for gardening pruning,bush pruning,branch pruning,wood cutting.



Model	CPS407-18BL-JHC
Battery	18V/2.0Ah
No-load speed	6000rpm
Chain speed	10m/s
Guide bar length	5"
Chain and sprocket	030.043.28(7teeth)
Max. cutting diameter	≤127mm
Motor	BL4820
Master carton	42×20.5×20cm/2pcs

18V Brushless Chain Saw

CPS401-18BL PROFESSIONAL

·5 inch cordless Lithium-ion handheld chainsaw for multi-purpose cutting.
·Powerful brushless silent copper motor, high efficient,durable and stable.
·Large capacity rechargeable battery with power display&multi-protection.
·High-temperature quenching chain,wear-resistant & with tool tensioning.
·Double safety switch&Protection baffle,avoid accident start and splashing.
·Ergonomic non-slip rubber handle with armguard,ensure safe and comfort.
·Suitable for gardening pruning,bush pruning,branch pruning,wood cutting.





Model	CPS401-18BL
Battery	18V/2.0Ah
No-load speed	3300rpm
Chain speed	5m/s
Guide bar length	5"
Chain and sprocket	030.043.28(6teeth)
Max. cutting diameter	≤127mm
Motor	BL4815
Master carton	40×26×32.5cm/4pcs

Cordless power tools | Professional Power Tools

18V Brushless Dual-purpose Saw — CPS402-18BL PROFESSIONAL

-5" cordless Lithium-ion dual purpose chainsaw for different angel cutting.
-One button quick to release,easy to change from chainsaw to circular saw.
-Powerful brushless silent copper motor,high efficient,durable and stable.
-Large capacity rechargeable battery with power display&multi-protection.
-High-temperature quenching chain,wear-resistant & with tool tensioning.
-Double safety switch&Protection baffle,avoid accident start and splashing.
-Steel bottom plate structure,greatly help to reduce the cutting resistance.
-Ergonomic non-slip auxiliary handle, provide better stability,easy to control.
-Suitable for gardening pruning,bush pruning,branch pruning,wood cutting.





Model	CPS402-18BL
Battery	18V/2.0Ah
No-load speed	3500rpm
Chain speed	6.2m/s
Guide bar length	5"
Chain and sprocket	030.043.28(7teeth)
Max. cutting diameter	≤127mm
Motor	BL4820
Master carton	51×27×36.5cm/4pcs

18V Cordless Chain Saw — CPS704-18-JHC PROFESSIONAL

-5 inch cordless Lithium-ion handheld chainsaw for multi-purpose cutting.
-Strong power pure copper motor,high efficiency and long lasting stability.
-Large capacity rechargeable battery with power display&multi-protection.
-High-temperature quenching chain,wear-resistant & with tool tensioning.
-Double safety switch&Protection baffle,avoid accident start and splashing.
-Ergonomic non-slip handle with armguard baffle,ensure safe and comort.
-Suitable for gardening pruning,bush pruning,branch pruning,wood cutting.









Model	CPS704-18-JHC
Battery	18V/2.0Ah
No-load speed	3700rpm
Chain speed	6.7m/s
Guide bar length	5"
Chain and sprocket	030.043.28(7teeth)
Max. cutting diameter	≤127mm
Motor	RS735
Master carton	58×43×19cm/4pcs

18V Cordless Garden Pruner — CPS707-18-JHC PROFESSIONAL

-5 inch cordless Lithium-ion handheld chainsaw for multi-purpose cutting.
-Strong power pure copper motor, high efficiency and long lasting stability.
-Large capacity rechargeable battery with power display&multi-protection.
-High-temperature quenching chain,wear-resistant & with tool tensioning.
-Double safety switch&Protection baffle,avoid accident start and splashing.
-Ergonomic non-slip handle with armguard baffle,ensure safe and comort.
-Suitable for gardening pruning,bush pruning,branch pruning,wood cutting.



Model	CPS707-18-JHC
Battery	18V/2.0Ah
No-load speed	3100rpm
Chain speed	5.6m/s
Guide bar length	5"
Chain and sprocket	030.043.28(7teeth)
Max. cutting diameter	≤127mm
Motor	RS775
Master carton	42×20.5×20cm/2pcs

18V Cordless Pole Saw & Hedge Trimmer — CGS701-18

-Cordless Pole Saw & Hedge Trimmer 2-in-1 kit for top branches pruning and trimming.
-Comes with one chainsaw head & one hedge trimmer head,quick and easy to convert.
-8'' Pole chainsaw with tools-free chain tension and automatic chain lubrication function.
-16''Pole hedge trimmer with dual function blade and max cutting diameter up to 16mm.
-The extension height of telescopic pole up to 2.7m (chainsaw) and 2.9m (hedge trimmer).
-Comes with high performance large capacity Li-ion battery,assist-handle and carry belt.
-Different cutting angles : Chainsaw head adjustable with 3 positions and the max angle is 90°,trimmer head adjustable with 10-positions adjustable and the max angle is 90 °.



Model	CGS701-18
Battery	18V/2.0Ah
Pole Chainsaw	
Guide bar length	8Inch(240mm)
No-load speed	2600rpm±10%
Chain speed	5m/s±10%
Max. cutting diameter	200mm
Max. extension height	2.7M
Motor	RS775
Rotation gears of chainsaw head	3 gears adjustable
Rotation angles of chainsaw head	0° /15° /30°
Pole Hedge Trimmer	
Max. cutting diameter	16mm
Cutting length of the blade	416mm(16inch)
No-load speed	1200rpm±10%
Max. extension height	2.9M
Motor	RS755
Rotation gears of hedge trimmer head	10 gears adjustable
Rotation angles of hedge trimmer head	-45° /-30° /-15° /0° /15° /30° /45° /60° /75° /90°
Master carton	112×19×24cm/2pcs

18V Cordless Band Saw — CBS701-18-LD

-Portable cordless mini band saw for tight spaces, corners and overhead cutting.
-Robust copper motor with cutting depth up to 2.5 inch and 6-speed adjustment.
-Tool-free blade changing lever loosens blade tension to allow for blade change.
-Rugged aluminum base with lightweight for easy portability and durable to use.
-High hardness metal saw blade with 0.35mm thickness.
-Superior balance and built-in LED working light allows for more accurate cutting.
-Ergonomic nonslip rubber handle&assist-handle,comfortable to use,easy to control.
-Ideal for cutting metal,steel,aluminum,composite cables,angle iron,PVC pipe etc



Model	CBS701-18-LD
Battery	18V/2.0Ah
No-load speed	370-670rpm
Blade speed	1.5-2.7m/s±5%
Max.cutting depth	63.5mm
Blade diameter	733(L)×12.7(W)×0.35&0.4 (T)
Motor	RS785
Master carton	50.5×39.5×30.5cm/2pcs

18V Brushless Cordless Pruning Shears — CPN301-18BL PROFESSIONAL





-Professional Lithium-Ion cordless pruning shears make trimming easier.
-High-strength SK5 carbon steel blades, anti-rustand, sharp and durable.
-Compact and lightweight design,the max cutting diameter up to 35mm.
-Powerful brushless silent copper motor,high-efficient,durable and stable.
-Large capacity rechargeable battery,with power display,long time to use.
-Dual safety switch prevent accident start&Ergonomic anti-slip soft handle.
-Widely used for fruit tree pruning,trim thick branches and trim the bonsai.



Model	CPN301-18BL
Battery	18V/2.0AH
Gears	Gear1 Max.Φ20mm
	Gear2 Max.Φ25mm
	Gear3 Max.Φ30mm
	Gear4 Max.Φ35mm
Blade size	35mm
Switch	Switch reverse & forward &Safty Lock
Motor	BL3150
Master carton	32.9x23.8x30.5cm/4pcs

18V Cordless Circular Saw — CCS404-18BL 120

-Portable handheld mini cordless circular saw for wood and soft metal cutting.
-Powerful brushless silent copper motor has higher efficient & longer stability.
-High hardness and sharp 5 inch steel saw blade, max cutting depth is 1.6 inch.
-Adjustable cutting angel and depth,maximum no-load speed up to 6000r/min.
-Large capacity rechargeable Li-Ion battery has power display and long runtime.
-Configure with double safety switch & LED working light & Spindle-lock button.
-Sturdy metal base plate for precise cutting,unique hook design for easy carring.
-Ergonomic soft rubber handle,comfortable to grip,easy for one-hand operation.



Model	CCS404-18BL 120
Battery	18V/2.0Ah
No-load speed	6000rpm
Saw blade	125mm
Cutting depth 90°	41mm
Cutting depth 45°	29.5mm
Motor	BL5220
Master carton	52.5×40.6×32.8cm/4pcs

18V Cordless Circular Saw — CCS402-18BL 140

Portable handheld mini cordless circular saw for wood and soft metal cutting.
-Powerful brushless silent copper motor has higher efficient & longer stability.
-High hardness and sharp 5.7 inch steel saw blade,max cutting depth is 2.1 inch.
-Adjustable cutting angel and depth,maximum no-load speed up to 6000r/min.
-Large capacity rechargeable Li-Ion battery has power display and long runtime.
-Configure with double safety switch & LED working light & Spindle-lock button.
-Sturdy metal base plate for precise cutting,unique hook design for easy carring.
-Ergonomic soft rubber handle,comfortable to grip,easy for one-hand operation.



Model	CCS402-18BL 140
Battery	18V/2.0Ah
No-load speed	6000rpm
Saw blade	145mm
Cutting depth 90°	54mm
Cutting depth 45°	42mm
Motor	BL5220
Master carton	52.5×40.6×32.8cm/4pcs

18V Cordless Reciprocating Saw — CRS702-18 PROFESSIONAL

-Portable cordless reciprocating saw for cutting wood,pipe,plastic,metal.
-Strong power pure copper motor,high efficiency and long lasting stability.
-0~2900rpm variable speed adjustament,ensure a fast and precise cutting.
-Large capacity rechargeable battery, with power display&multi-protection.
-Tool-Free blades change & Adjustable pivoting foot& LED power indicator.
-Safety switch prevent accident start& Overload protection prolong lifespan.
-Ergonomic design soft rubber handle,shock-absorbing and comfort to use.





Model	CRS702-18
Battery	18V/2.0Ah
No-load speed	0-2900rpm
Stroke length	25.4mm
Saw blade	150mm
Cutting ability	wood 100mm, iron 6mm
Motor model	RS735
Master Carton	44.5×38×18cm/4pcs

18V Brushless Track Saw — CCS506-18BL


-Portable 140mm handheld cordless Plunge cut saw&Track saw for boards cutting.
-Powerful brushless silent copper motor has a higher efficient and longer stability.
-Adjustable plunge cutting depth up to 2 inch,5500 RPM for fast and clean cutting, including with 42 tooth carbide tipped blade and 360 degree dust port adapter.
-The spindle lock design for easy wheel change,the protective hood ensures safety.
-Equipped with soft rubber handle and secondary handle, easy to grip and control.
-Cut through plywood,solid wood,boards,panels and more with ease and precision.





Model	CCS506-18BL
Battery	18V/2.0Ah
No-load speed	2800-5500rpm
Saw blade diameter	140mm (bore dia.20mm)
Max.cutting depth	52mm at 90°
	38mm at 45°(Without guide rail)
	46mm at 90°
	32mm at 45°(With guide rail)
Guide rail length	0.7M×2
Motor model	BL5230
Master carton	73×46×64cm/2pcs

18V Brushless drill with impact function — CDR402-18-BL PROFESSIONAL





-Portable Lithium-ion cordless design multi-function electric impact drills.
-Powerful brushless silent copper motor, high efficient,durable and stable
-21-positions torque setting for various requirements&Max.torque 50N.m.
-With variable speed control &Forward/reverse function &2-speed switch.
-Comes with 3-mode: with impact drill,flat drill pole and screwing function.
-Quick-release metal self-locking chuck,more durability&stronger clamping
-Large capacity rechargeable battery with longer runtime and power display
-Features with LED working light &Ergonomic rubber handle&Metal belt clip.

Strong power, brush-less high efficiency copper motor, drive the system directly, makes more efficiency



Model	CDR402-18-BL
Battery	18V/2.0Ah
No load speed	0-450/0-1700rpm
Max.torque	50N.m
Impact frequency	0-7200/27200bpm
Chuck size	13mm
Gear	21+1+1
Motor	BL4620
Master Carton	42.5x37x30cm/4pcs

18V 2 Speed drill with impact function — CDR701-18 PROFESSIONAL

-Portable Lithium-ion cordless design multi-function electric impact drills.
-Strong power pure copper motor,high efficiency and long lasting stability.
-21-positions torque setting for various requirements & Max.torque is 60N.m.
-Comes with 3-mode: with impact drill,flat drill pole and screwing function.
-With variable speed control &Forward/reverse function &2-Speed switch.
-Quick-release metal self-locking chuck,more durability&stronger clamping.
-Large capacity fast charging battery with longer runtime and power display.
-Features with LED working light &Ergonomic rubber handle&Metal belt clip.



Model	CDR701-18
Battery	18V/2.0Ah
No load speed	0-400/0-1500rpm
Max.torque	60N.m
Impact frequency	0-6400/0-24000bpm
Chuck size	13mm
Gear	21+1+1
Motor	RS735
Master Carton	42.5x37x30cm/4pcs

18V 2 Speed drill — CDR702-18

-Portable Lithium-Ion cordless design multi-function 2-speed power drills.
-Strong power pure copper motor,high efficiency and long lasting stability.
-21-positions torque setting for various requirents&Max.torque is 60N.m.
-With variable speed control &Forward/reverse function &2-Speed switch.
-No-load speed: Low speed range 0-400rpm; High speed range 0-1500rpm.
-Quick-release metal self-locking chuck,more durability&stronger clamping.
-Large capacity rechargeable battery with longer runtime and power display.
-Features with LED working light&Ergonomic rubber handle&Metal belt clip.



Model	CDR702-18
Battery	18V/2.0Ah
No load speed	0-400/0-1500rpm
Max.torque	60N.m
Chuck size	13mm
Gear	21+1
Motor	RS735
Master carton	42.5x37x30cm/4pcs

18V 2 Speed drill — CDR501-18

-Portable Lithium-Ion cordless design multi-function 2-speed power drills.
-Strong power pure copper motor,high efficiency and long lasting stability.
-21-positions torque setting for various requirents & Max.torque is 30N.m.
-With variable speed control &Forward/reverse function &2-Speed switch.
-No-load speed: Low speed range 0-400rpm; High speed range 0-1500rpm.
-Quick-release metal self-locking chuck,more durability&stronger clamping.
-Large capacity rechargeable battery with longer runtime and power display.
-Features with LED working light &Ergonomic rubber handle&Metal belt clip.



Model	CDR501-18
Battery	18V/2.0Ah
No load speed	0-400/0-1500rpm
Max.torque	30N.m
Chuck size	10mm
Gear	21+1
Motor	RS550
Master Carton	42.5x37x30cm/4pcs

18V Speed drill with impact function — CDR502-18 PROFESSIONAL

-Portable Lithium-Ion cordless design multi-function electric impact drills.
-Strong power pure copper motor,high efficiency and long lasting stability.
-18-positions torque setting for various requirents & Max.torque is 25N.m.
-With variable speed control &Forward/reverse function &2-Speed switch.
-No-load speed: Low speed range 0-400rpm; High speed range 0-1500rpm.
-Quick-release metal self-locking chuck,more durability&stronger clamping.
-Large capacity fast charging battery with longer runtime and power display.
-Ergonomic rubber handle with good shock-absorbing,comfortable to hold.



Model	CDR502-18
Battery	18V/2.0Ah
No load speed	0-400/0-1500rpm
Max.torque	25N.m
Chuck size	10mm
Gear	18+1
Motor	RS550
Master carton	42.5x37x30cm/4pcs

18V Impact driver — CIS701-18

-Portable 18V Lithium-Ion cordless impact driver for drilling and screwing.
-Strong power pure copper motor for higher efficiency and longer stability.
-Variable speed switch for accurate works; Max no-load speed is 2900rpm.
-1/4"hex chuck for quick and easy to change the bits,Max torque is 180N.m
-Sturdy aluminum gear struction & One button control forward and reverse.
-Large capacity fast - charge battery,with power display and longer runtime.
-Comes with LED working light &Ergonomic rubber handle & Metal belt clip.



Model	CIS701-18
Battery	18V/2.0Ah
No load speed	0-2900rpm
Impact	0-3000bpm
Max.torque	180N.m
Chuck capacity	1/4" quick-change chuck
Motor	RS735
Master carton	50x30.5x32cm/6pcs

18V Impact Wrench — CIW701-18

-Portable Lithium-ion power cordless design multi-function impact wrench.
-1/2" Square tungsten steel chuck with high hardness and wear resistance.
-Strong power pure copper motor for higher efficiency and longer stability.
-Large capacity fast- charge battery,with power display and longer runtime.
-Variable speed switch&Forwared -reverse function& Max torque is 270N.m.
-Comes with LED working light &Ergonomic rubber handle&Metal belt hook.
-Widely used for tire,shelf and furniture installation ,vehicle repair and more.





Model	CIW701-18
Battery	18V/2.0Ah
No load speed	0-2900rpm
Impact	0-3000bpm
Max.torque	270N.m
Chuck capacity	1/2" with square anvil
Motor	RS735
Master carton	50x30.5x32cm/6pcs

18V Brushless Impact Wrench — CIW501-18BL

-Portable Lithium-ion power cordless design multi-function impact wrench.
-1/2" Square tungsten steel chuck with high hardness and wear resistance.
-Powerful brushless silent copper motor, high efficient,durable and stable.
-Large capacity fast- charge battery,with power display and longer runtime.
-Variable speed switch&Forwared -reverse function& Max.torque is 500N.m.
-Comes with LED working light &Ergonomic rubber handle&Metal belt hook.
-Widely used for tire,shelf and furniture installation ,vehicle repair and more.



Model	CIW501-18BL
Battery	18V/2.0Ah
Max.torque	500N.m
Chuck capacity	1/2" with square anvil
Motor	BL5210
Master carton	50x30.5x32cm/6pcs

18V Cordless Chain Saw Sharpener — CSS702-18



-Portable Lithium-ion cordless electric chainsaw sharpener.
-High speed silent pure copper motor,durable and not burn.
-Multiple angel and depth adjustable for accurate grinding.
-Large capacity battery with power display&longer runtime.
-Transparent protection cover for prevent sparks,safe to use.
-Built-in LED working light,increase visibility in the dark area.
-Compatible all type of chains Oil saw and electric chain saw.



Model	CSS702-18
Battery	18V/2.0Ah
No load speed	6500rpm
Disc	108×23×3.2mm
Motor	RS775
Master Carton	59×46×19cm/4pcs

18V Cordless Chain Saw Sharpener — CSS701-18

-Portable Lithium-ion cordless electric chainsaw sharpener.
-High-speed silent pure copper motor,durable and not burn.
-Multiple angel and depth adjustable for accurate grinding.
-Large capacity battery with power display&longer runtime.
-Compact size and light weight,wireless trouble,easy to carry.
-Compatible all type of chains Oil saw and electric chain saw.







Model	CSS701-18
Battery	18V/2.0Ah
No load speed	6500rpm
Disc	108×23×3.2mm
Motor	RS775
Master carton	59×46×19cm/4pcs

18V Cordless Oscillating Multi-tool — COT501-18



-Portable Lithium-ion cordless oscillating multi tool with LED work light.
-Strong power pure copper motor,higher efficiency,durable and stable.
-Large capacity rechargeable battery,with power display&longer runtime.
-6-speed setting and 3.2° oscillating angle,increase the cutting efficiency.
-Quick release lever design,allows tool-free and fast to change the blades.
-Non-slip rubber handle with good shock-absorbing, comfortable to use.
-Widely used for cutting wood nail,scraping,sanding and grout removing.



Model	COT501-18
Battery	18V/2.0Ah
No load speed	1000-16000rpm
Oscillating angle	3.2°
Speed Gear	1-6
Motor	RS550
Master Carton	41.5×29×28.5cm/4pcs

18V Brushless Cordless Mini Angle Grinder — CAG501-18-BL PROFESSIONAL

-Portable Lithium-ion cordless mini angel grinder for a variety of DIY tasks.
-Powerful brushless silent copper motor, high efficient,durable and stable.
-3-Position side handle& Tool-free guard,for better handling and adjusting.
-Large capacity rechargeable battery,with power display& multi-protection.
-Spindle lock design allows tool-free, quick and easy to change the wheel .
-Dual function lock-on switch,prevents accidental start and ensure safe use.
-Widely used for cutting tile,grinding metal,sanding,polishing,sharpening.





Model	CAG501-18-BL
Battery	18V/2.0Ah
No load speed	0-9000rpm
Disc Diameter	115-125mm
Safeguard assemble	Free dismantle
Motor	BL5225
Master carton	41.5×29×28.5cm/4pcs

18V Cordless Flashlight — CLH02-18







-Compact and portable 18V Lithium-ion cordless multi - function flashlight.
-Multi-angel rotation: 180 degrees for head light,270 degrees for side light.
-Multiple lighting mode: highlight mode,midlight mode and lowlight mode.
-Large capacity rechargeable battery with power indicator,long time lighting.
-Anti-slip soft handle & convenient wrist strap,comfort to use ,easy to carry.
-Widely used in darkness work area,outdoor camping,home power failure etc



Model	CLH02-18
Battery	18V/2.0Ah
Head light	600LM
Side light	Strong:110LM; Middle: 55LM
	Weak: 27LM
Rotation angle	head light 180 °, side light 270°
Master Carton	41.5×29×28.5cm/4pcs

18V Drain Cleaner — CDC501-18









-Portable Lithium-ion cordless drain auger,ideal for household clogged.
-Strong power pure copper motor,high efficiency and last long stability.
-1/4 " x 23 FT reinforced flexible cable,drain 1in to 2in "S" and "L" pipes.
-Large capacity battery with power indicator,long runtime up to 50mins.
-Powered forward/reverse feed system,allows automatic control cables.
-Various speed switch & LED light, increase work efficiency and visibility.
-Ergonomic dual overmolded-rubber handles,comfort and easy to control.



Model	CDC501-18
Battery	18V/2.0Ah
No load speed	0-560rpm
Pipe capacity	3/4" -2"
Cable	length 7m , Dia 7mm
Motor	RS550
Master carton	45x39x51cm/4pcs

Cordless power tools | Professional Power Tools

18V Cordless Transfer Pump — CPP701-18





-Portable cordless self-priming water pump,ideal for home,garden and RV.
-Hybrid power input: 18V Lithium-ion battery pack (DC) + 120V Utility (AC).
-Powerful copper motor moves water at a high-speed,max flow is 325 GPH.
-6Ft long suction hose pulls water up to 65feet,can meet most of daily uses.
-Large capacity rechargeable battery,with power displays& multi-protection.
-The suction filter helps filter out most impurities and prolongs service life.
-Comes with LED working light,increase visibility and safety in the dark area.



Model	CPP701-18
Battery	18V/2.0Ah
Working frequency	<7.5A
Water flow	1300L/h
Lift	14m
Motor	RS775
Master carton	63x41x28cm/4pcs

18V Brushelss Vacuum Pump — CVP801-18BL

-Portable and compact lithium-ion powered single-stage cordless vacuum pump.
-High performance brushless pure copper motor for stable and silent operation.
-Transparent oil window design for clear and quick to check the internal oil level.
-It is convenient to connect different types of tubes with 7/16'' male intake port.
-Large capacity 4.0Ah battery allows constant vacuum pumping for up to 1 hour.
-Durable aluminum alloy body with light-weight and good heat dissipation effect.
-Ideal for air conditioners/refrigerators maintaining,vacuum packing,gas analysis etc.



Model	CVP801-18BL
Battery	18V/4.0Ah
No-load Speed	2300rpm
Flow Rate	3.6m³/h
Ultimate Vacuum	20Pa
Oil Capacity	150ml
Inlet Port	7/16"
Motor model	BL8215
Master carton	25x48x50cm/4pcs

36V Battery Post Driver — JH80GPD-L

-High performance portable cordless lightweight Lithium-ion powered post driver.
-Powerful silent brushless motor with max speed of 10,000rpm and higher efficient.
-Large capacity and easy detachable battery with power display and longer runtime.
-2xInterchangeable driving heads for various tasks and max piling diameter 80mm.
-Sturdy metal structure body for long service life and One button quick start switch.
-Dual shock absorption assistance of grip handle and battery for reliable to operate.
-Ergonomic sponged rubbered frame handle and auxiliary handle,easier to control.
-Suitable for piling fences and railings in farms,orchards,manors and courtyards,etc.



Model	JH80GPD-L
Battery	36V/4.0Ah
Max power	850W
No-load speed	10000RPM
Impact frequency	13608PM
Impact energy	20-45J
Maximum pile diameter	80MM
Brushless Motor	60
Master Carton	54×33×26.5cm

40V Brushless Earth Auger — CEA602-40BL-JHC

-Portable cordless Lithium-ion powered 8 inch earth auger for fast speed digging holes.
-Powerful silent brushless motor provides more power,higher efficiency and longer life.
-It comes with a quick connect bit and allows you fast to change the bits when needed.
-Equipped with forward and reverse function&LED working light&Anti-kickback system.
-2 speeds mode can be freely converted from Earth auger to ice auger as your requires.
-Large capacity interchargeable battery provides battery indicator and a longer runtime.
-Ergonomic steel structure handlebar with soft rubber and integrated with trigger button.
-Widely used for light cultivation, preparing soil, and digging for fences and landscaping.



Model	CEA602-40BL-JHC
Battery	40V/4.0Ah
No-load speed	200RPM(Earth Auger); 230RPM(Ice Auger)
Max.toque	148N.m (Earth Auger) 18N.m(Ice Auger)
Auger bit diameter	200mm
Motor	BL6435
Master carton	97.5×41.5×35cm

Cordless power tools | Professional Power Tools



12V Brushless Mini Chain Saw — CPS301-12BL PROFESSIONAL



-3.5'' Cordless Lithium-Ion handheld mini chainsaw for multi-purpose cutting.
-Powerful brushless silent copper motor,higher efficient,stable and longer life.
-Large capacity rechargeable battery with power indicator&multi-protections.
-High-temperature quenching chain,wear-resistant and tools-free tensioning.
-Double safety switch &Protection baffle,prevent accident start and splashing.
-Ergonomic soft rubber handle&Portable belt,comfort to use and easy to carry.
-Perfect for gardening pruning,bush pruning,branch pruning and wood cutting.





Model	CPS301-12BL
Battery	12V/2.0Ah
No-loads peed	4000rpm
Chain speed	5m/s
Guide bar length	3.5"
Chain and sprocket	020.043.28(7teeth)
Max cutting Diameter	≤80mm
Motor	BL3820
Master carton	52×35×23.5cm/4pcs

12V Multi-function Combination Tool — CPS302-12BL PROFESSIONAL

-Portable Lithium-Ion cordless 3-in-1 multi-function combined power tools.
-One driver can be compatible with belt sander,small blower and chain saw.
-One-button-conversion switch helps users realize fast and easy replacement.
-Powerful brushless silent copper motor,higher efficient,stable and longer life.
-Large capacity rechargeable battery with power indicator & multi-protection.
-Double safety switch design,prevents accidental start-up and increases safety.
-Ergonomic nonslip rubber handle with good shock-absorbing,comfort to grip.
-One machine for multi-purpose,exquisite,compact,lightweight and practical.







Model	CPS302-12BL
Battery	12V/2.0Ah
No-load speed	4000rpm
Chain speed	5m/s
Cutting capacity	80mm
Guide bar length	3.5"
Chain and sprocket	020.043.28(7teeth)
Motor	BL3820
Master carton	48×38×26cm/4pcs

Cordless power tools | Professional Power Tools

12V Cordless Garden Pruner — CPS703-12 PROFESSIONAL

-5 inch cordless Lithium-ion handheld chainsaw for multi-purpose cutting.
-Strong power pure copper motor, high efficiency and long lasting stability.
-Large capacity rechargeable battery with power display&multi-protection.
-High-temperature quenching chain,wear-resistant & tools-free tensioning.
-Double safety switch&Protection baffle,avoid accident start and splashing.
-Ergonomic non-slip handle with armguard baffle,ensure safe and comfort.
-Suitable for gardening pruning,bush pruning,branch pruning,wood cutting.



Model	CPS703-12
Battery	12V/2.0Ah
No-load speed	3700rpm
Chain speed	6.7m/s
Guide bar length	5"
Chain and sprocket	030.043.28(7teeth)
Max cutting Diameter	≤127mm
Motor	RS775
Master carton	43×41×20.5cm/4pcs

12V Cordless Grass Shear and Trimmer — CGS501-12

-Portable Lithium-ion 2 in 1 multi-function cordless mini Grass shear&Hedge trimmer.
-Strong power pure copper motor for high efficiency cutting and long lasting stability.
-High hardness SK5 sharp blades,perfect for small garden hedge,bush, grass trimming.
-Operating with double safety switch & One button to release,tool-free blade change.
-Dual action blade structure reduces the probability of jams and snags during cutting.
-Large capacity rechargeable battery with power indicator and provide longer runtime.
-Ergonomic nonslip soft rubber handle,lightweight and easy to one-handed operation.



Model	CGS501-12
Battery	12V/2.0AH
No-load speed	1200rpm
Grass shear cut width	123mm(4.8inch)
Hedge trimmer cut length	160mm(6.30inch)
Hedge trimmer cut thickness	7.7mm(0.30inch)
Motor	RS540
Master carton	65×39×22cm/8pcs

12V Cordless Reciprocating Saw — CRS501-12



-Portable cordless reciprocating saw for cutting wood,pipe,plastic,metal.
-Strong power pure copper motor for high efficiency, long lasting stability.
-0-2900rpm variable speed adjustament,ensure a fast and precise cutting.
-Large capacity rechargeable battery, with power display&multi-protection.
-Tool-Free blades change & Adjustable pivoting foot&Fast charging charger.
-Safety switch prevent accident start&Overload protection prolong lifespan.
-Ergonomic design soft rubber handle,shock-absorbing and comfort to use.



Model	CRS501-12
Battery	12V/2.0Ah
No-load speed	0-2900rpm
Stroke length	15mm
Saw blade specification	150mm
Cutting ability	Wood:∅40mm Iron:∅4mm
Motor model	RS550
Master carton	39.5×33×35cm/6pcs

12V Cordless Branch Pole Saw — CRS501-12-P



-Portable cordless Lithium-ion branch pole saw for top tree branch pruning.
-Extension pole of reciprocating saw can extend the maximum height is 1.7m.
-The rod with 3 sections height adjustable,which can be increased arbitrarily.
-Strong power pure copper motor for high efficiency and long lasting stability.
-Large capacity rechargeable battery with power display and multi-protection.
-Tool-Free blades change & Adjustable pivoting foot & Variable speed switch.
-Safety switch prevent accident start & Overload protection prolong lifespan.
-Ergonomic nonslip soft rubber handle,shock-absorbing and comfort to hold.



Model	CRS501-12-P
Battery	12V/2.0Ah
No-load speed	0-2900rpm
Max.height	1.7m
Max cutting diameter	∅40mm
Motor	RS550
Master carton	62.5×39×31cm/4pcs

12V Cordless Circular Saw — CCS701-12



-High performance portable Li-Ion cordless design mini electric circular saw.
-Powerful pure copper motor for high efficiency and longer lasting stability.
-1400rpm high-speed cutting plywood,MDF,particleboard,melamine,drywall.
-Large capacity rechargeable battery with power display and longer runtime.
-Adjustable cutting depth,max cutting capacity from 1" at 90° and 5/8" at 45°.
-Spindle lock for tool-free blade replacement&Lock-off switch ensure safety.
-0-45° bevel cutting angle adjustments, meet different cutting requirements.
-Configured with LED working light&Scale ruler&Dust port &Auxiliary handle



Model	CCS701-12
Battery	12V/2.0Ah
No load speed	1400rpm
Saw blade size	⌀85×⌀15×20T
Cut deepth 90°	26.5mm
Cut deepth 45°	17mm
Motor	RS755
Master carton	56.5x46.5x19.5cm/4pcs

12V Cordless Drill — CDR503-12B

-Portable 12V Lithium-ion cordless design multi-function mini electric drills.
-Strong power pure copper motor,high efficiency and long lasting stability.
-18-positions torque setting for various requirents & Max.torque is 25N.m.
-With variable speed control &Forward/reverse function &2-Speed switch.
-No-load speed: Low speed range 0-400rpm; High speed range 0-1500rpm.
-Quick-release metal self-locking chuck,more durable and stronger clamping.
-Large capacity fast charging battery with longer runtime and power display.
-Ergonomic nonslip soft rubber handle&LED working light increase visibility.



Model	CDR503-12B
Battery	12V/2.0Ah
No-load speed	0-400/0-1500rpm
Max.totque	25N.m
Chuck size	10mm
Gear	18+1
Motor	RS550
Master carton	50x30x25.5cm/6pcs

12V Cordless Drill with impact function — CDR503-12A

-Portable Lithium-ion cordless design multi-function electric impact drills.
-Strong power pure copper motor,high efficiency and long lasting stability.
-18-positions torque setting for various requirents & Max.torque is 25N.m.
-Comes with 3 mode: with impact drill,flat drill pole and screwing function.
-With variable speed control &Forward/reverse function &2-Speed switch.
-Quick-release metal self-locking chuck,more durable and stronger clamping.
-Large capacity fast charging battery with longer runtime and power display.
-Ergonomic nonslip soft rubber handle&LED working light increase visibility.



Model	CDR503-12A
Battery	12V/2.0Ah
No-load speed	0-400/0-1500rpm
Max.torque	25N.m
Impact frequency	0-6000/0-22500bpm
Chuck size:10mm	10mm
Gear	18+1+1
Motor	RS550
Master carton	50x30x25.5cm/6pcs

12V Impact Driver — CIS501-12

-Portable 12V Lithium-ion cordless impact driver for drilling and screwing.
-Strong power pure copper motor for higher efficiency and longer stability.
-Variable speed switch for accurate works: Max no-load speed is 2800rpm.
-1/4"hex chuck for quick and easy to change the bits,Max torque is 100N.m.
-Sturdy aluminum gear struction & One button control forward and reverse.
-Large capacity fast charging battery with longer runtime and power display.
-Ergonomic nonslip soft rubber handle&LED working light increase visibility.
-Used for automotiv repairs,major construction projects or product assembly.



Model	CIS501-12
Battery	12V/2.0Ah
No-load speed	0-2800rpm
Max.torque	100N.m
Impact frequency	0-3000bpm
Chuck capacity	1/4"
Motor	RS550
Master carton	62×27×19.5cm/4pcs

Cordless power tools | Professional Power Tools

12V Cordless Car Buffer Polisher — CSD602-12

-Portable 6" cordless multi-function handheld polisher for waxing,polishing and grinding.
-Strong power pure copper motor for high efficiency cutting and has long lasting stability.
-Variable speed trigger switch,provides variable working speed from 2800 to 5500r/min.
-Large-capacity rechargeable battery with power indicator and a longer lasting runtime.
-Velcro design backing plate allows you to stick or remove the polishing pads very easily.
-The machine runs with random orbital action and can leave a smooth,streak-free finish.
-Ergonomic nonslip soft rubber handle &fast heat dissipation vents& One button switch.



Model	CSD602-12
Battery	12V/2.0Ah
No-load speed	2800-5500rpm
Buffing pads size	150mm
No-Load current	≤4.5A
Motor	RS6236
Master carton	39×38×47cm/4pcs

12V Cordless Polisher — CSD501-12-P



-Portable cordless multi-function polisher for waxing,polishing and grinding.
-Strong power pure copper motor with higher efficiency and longer stability.
-Large capacity fast charging battery with longer runtime and power display.
-Variable speed switch & 2-Gears speed setting & Forward / Reverse switch.
-Sturdy aluminum gear struction & One button control forward and reverse.
-Spindle Lock design.Disassemble and assemble the pad without any tools.
-Ergonomic auxiliary Handle .2 side handle positions for different use habits.





Model	CSD501-12-P
Battery	12V/2.0Ah
No-load speed	0-2000,0-6000RPM
Buffing pads size	73mm
Gears	Low gear-High gear
Roation speed	10,3.33
No-load current	≤3.5A
Output shaft thread	M8
Motor	RS550
Master Carton	36×29.5×33.5cm/4pcs

12V Extended Ratchet Wrench — CRW502-12

-Lithium-ion extended cordless ratchet wrench for screw removal and install.
-The steel 3/8" output shaft head profile,easy to access small and deep spaces.
-Powerful pure copper motor provides high efficiency and long lasting stability.
-The variable speed trigger delivers Max.200rpm speed and Max.50N.m torque.
-Large capacity rechargeable batteries with power indicator and longer runtime.
-Forward-Reverse switch allows quick and easy tightening and loosening of bolts.
-Ergonomic soft handle & LED work light & Quick bits change &Lock-off switch.
-Ideal DIY tool for auto mechanics,construction and home maintenance work.etc



Model	CRW502-12
Battery	12V/2.0Ah
No-load speed	0-200rpm
Ratchet connector	3/8"(9.5mm)
Max.torque	50N.m
Motor	RS550
Master carton	42.5×36x17cm/4pcs

12V Ratchet Wrench — CRW501-12



-High torque Lithium-ion cordless ratchet wrench for screw removal and install.
-The steel 3/8" output shaft head profile,easy to access small and deep spaces.
-Powerful pure copper motor provides high efficiency and long lasting stability.
-The variable speed trigger delivers Max.200rpm speed and Max.80N.m torque.
-Large capacity rechargeable batteries with power indicator and longer runtime.
-Forward-Reverse switch allows quick and easy tightening and loosening of bolts.
-Ergonomic soft handle & LED work light & Quick bits change &Lock-off switch.
-Ideal DIY tool for auto mechanics,construction and home maintenance work.etc



Model	CRW501-12
Battery	12V/2.0Ah
No-load speed	0-200rpm
Ratchet connector	3/8"
Max.torque	80N.m
Motor	RS550
Master Carton	36×34×22cm/4pcs

12V Cordless Grinder — CMG501-12

-High performance portable Lithium-ion cordless multi-purpose rotary tools
-There are 5 speed settings,the rotation speed from 7500rpm to 32000rpm.
-Strong power pure copper motor for high efficiency and long lasting stability.
-Large capacity rechargeable batteries with power display and longer runtime.
-Configures with versatile 114pcs accessories,can meet different applications.
-Ergonomic soft handle & LED work light &Spindle lock & Quick parts change.
-Widely used for grinding,cutting,sanding,carving,polishing,drilling and more.





Model	CMG501-12
Battery	12V/2.0Ah
No load speed	7500-32000rpm
Chuck size	1/8"
Motor	RS550
Master carton	39×28×23.5cm/6pcs

12V Drain Cleaner — CDC504-12



-Portable 12V/2.0Ah Lithium-ion cordless design electric drain augers.
-0.275" x 16.4ft flexible steel cable,suitable for 3/4 inch to 2 inch drains.
-Strong power pure copper motor for high efficiency,durable and stable
-Large capacity fast-charge battery with power display&longer runtime.
-Auto power feed system,easily control the cable forward and backward.
-The enclosed drum with hose opening can effectively prevent splashing.
-The all-in-line design ensure good balance and easier self-feed control.
-Widely used for kitchen,bathroom,sinks,showers,floors and sewers etc.



Model	CDC504-12
Battery	12V/2.0Ah
Charge time	Appro.80 mins
No-load speed	0-560rpm
Cable size	0.275" x 16.4ft (7mm x 5m)
Pipe cleaning size	3/4"-2"(20mm~50mm)
Master carton	49x46.5x34cm/4pcs

3.5V Cordless Screwdriver — CSA301-03

-Portable Lithium-Ion cordless screwdriver for everyday needs and DIY projects.
-Strong power pure copper motor for high efficiency and long lasting stability.
-Easy handling with two-finger trigger with 200rpm speed and 2.5N.m torque.
-Large capacity rechargeable batteries with power display&USB charging port.
-Twist to adjust the grip,you will get straight grip and standard grip as requires.
-Ergonomic soft handle & LED work light&Auto-spindle lock&Forward-Reverse.
-Great for tightening cabinet hinges,replacing wall covers,installing shelves etc.



Model	CSA301-03
Battery	3.5V
No load speed	200rpm
Max.Torque	2.5 N.m
Charging	USB Charging
Motor	RS380
Master carton	39×28×23.5cm/6pcs

80V Super Power Impact Wrench — JH1700 PROFESSIONAL





Model		JH1700
Voltage		80V
Power		1500W
Max.RPM		1200
Max.BPM		2400
Weight		6.5kg
Measurement		870x300x120mm
Torque		1700N.m
Bolt Cap		3/4"
Battery type		Li-ion
Battery Cap		7.5A.h
Battery Weight		5.5kg
Battery Carry		Backpack
Battery Measurement		300x250x95mm
Charge		AC220V
Working Temp		-10°C-45°C
Torque adjustable at	Low	800N.m
	Medium	1300N.m
	High	1700N.m



Electric Chain Saw Sharpener — 2002PRO PROFESSIONAL



-Sturdy aluminum body greatly improved strength & performance.
-Multiple angel and depth adjustable for more accurate grinding.
-Sharpens any sizes of 1/4",0.325",3/8",.0.404", or 3/4" pitch chain.
-Comes with Anti-slip handle &LED light for fast and visible grinding.
-Perfect for professional-grade craftsmanship,high-volume use.
-Configrure with 3-grinding wheels,meet different grinding requires.
-Features an interchangeable mount for your bench or wall .

Model	2002PRO
Volt/Frequency	120V/60Hz,230V/50Hz
Input Power	300W
No-Load Speed	3400rpm
Chain pitch	1/4in. to 3/4in.
Master Carton	67.5×40.5×30cm/2pcs



Electric Chain Saw Sharpener — 2002PROH PROFESSIONAL

- Sturdy aluminum body for greatly improved strength&performance.
- Hydraulic-assist for hands-free,automatic vise clamping the chain.
- Sharpens any sizes of 1/4",0.325",3/8",.0.404", or 3/4" pitch chains.
- Comes with Anti-slip handle & LED light for fast and visible grinding.
- Perfect for professional-grade craftsmanship,high-volume use.
- Features an interchangeable mount for your bench or wall.

Model	2002PROH
Volt/Frequency	120V/60Hz,230V/50Hz
Input Power	300W
No-Load Speed	3400rpm
Sherpenging of	1/4" ,3/8"
Low Profile	.325" .3/8" and 404" pith
Master Carton	67.5×40.5×30cm /2pcs



Electric Chain Saw Sharpener | Professional Power Tools

Electric Chain Saw Sharpener 2002H



-Sturdy aluminum base for rust-resistant and scratch-proof.
-High-speed silent pure copper motor,durable and not burn.
-Detachable carbon brush,easy to replace,prolongs service life.
-Multiple angel and depth adjustable for accurate grinding.
-Universal saw chain sharpener, for all chainsaw chains.
-Ideal for small spaces and features a manual chain-clamping vise



Model	2002H
Volt/Frequency	120V/60Hz;220~240V/50Hz
Input Power	85W
No-Load Speed	5600/6300rpm
Arbor	7/8"(22.23mm)
Grinding wheel	4-1/4"x1/8"(108mmx3.2mm)
Master Carton	50×35×34cm/4pcs

Electric Chain Saw Sharpener 2002P

-Sturdy aluminum base for rust-resistant and scratch-proof.
-Multiple angel and depth adjustable for accurate grinding.
-High-speed silent pure copper motor,durable and not burn.
-Anti-slip handle &LED light for more fast and vesible grinding.
-Transparent protection cover for prevent sparks,safe to use.
-Universal saw chain sharpener, for all chainsaw chains.



Model	2002P
Volt/Frequency	120V/60Hz;220~240V/50Hz
Input Power	85W
Max Speed	4500/5000rpm
Arbor	7/8"(22.23mm)
Grinding wheel	4-1/4"x1/8"(104mmx3.2mm)
Master Carton	35.5x27.5x38.5cm/4pcs

Electric Chain Saw Sharpener 2002P-1



-Sturdy aluminum base for rust-resistant and scratch-proof.
-High-speed silent pure copper motor,durable and not burn.
-Semi-automatic self-lock design for fast to clamp the chain.
-Multiple angel & depth adjustable for accurate grinding.
-Assist-handle &LED light for more fast and visible grinding.
-Transparent protection cover for prevent sparks,safe to use.



Model	2002P-1
Volt/Frequency	120V/60Hz;220~240V/50Hz
Input Power	85W
No-Load Speed	4500/5000rpm
Arbor	7/8"(22.23mm)
Grinding wheel	4-1/4"x1/8"(104mmx3.2mm)
Master Carton	50×35×24cm/4pcs

Electric Chain Saw Sharpener 2002F

-Compact design,easy- to -use,high efficiency grinding.
-Sturdy aluminum base for rust-resistant and scratch-proof.
-High-speed silent pure copper motor,durable and not burn.
-Multiple angel & depth adjustable for accurate grinding.
-Universal saw chain sharpener, for all chainsaw chains.



Model	2002F
Volt/Frequency	120V/60Hz;230V/50Hz
Input Power	85W
No-Load Speed	4200/5500rpm
Arbor	7/8"(23.2mm)
Grinding wheel	4-1/4"x1/8"(108mmx3.2mm)
Master Carton	53.5×42.5×22cm/4pcs

Electric Chain Saw Sharpener 2002D



-High-speed silent pure copper motor,durable and not burn.
-Multiple angel & depth adjustable for accurate grinding.
-Brake line design for clamping the chain more convenience.
-LED light &Transparent cover makes grinding more safe &visible.
-Universal saw chain sharpener, for all chainsaw chains.
-One-way motor rotation: Provides greater operator safety.



Model	2002D
Volt/Frequency	120V/60Hz;230V/50Hz
Input Power	85W
No-Load Speed	5000/5300rpm
Arbor	7/8" (22.2mm)
Grinding wheel	4-1/4"x1/8"(108mmx3.2mm)
CM;Master Carton	51×38×38.5cm/4pcs

Electric Chain Saw Sharpener 2002KA

-High-speed silent pure copper motor,durable and not burn.
-Automatic self-lock design for fast to clamp the chain.
-Multiple angel & depth adjustable for accurate grinding.
-Compact design,light weight,durable and easy to use.
-Universal saw chain sharpener, for all chainsaw chains.
-One-way motor rotation: Provides greater operator safety.



Model	2002KA
Volt/Frequency	120V/60Hz;220~240V/50Hz
Input Power	85W
No-Load Speed	5800rpm
Arbor	23.2mm
Grinding wheel	4-1/4"x1/8"(108mmx3.2mm)
Master Carton	53×46×19cm/4pcs

Electric Chain Saw Sharpener 2002K

-Universal saw chain sharpener, for all chainsaw chains.
-High-speed silent pure copper motor,durable and not burn.
-Multiple angel & depth adjustable for accurate grinding.
-Compact bench mounted grinder is great for small spaces.
-One-way motor rotation: Provides greater operator safety.



Model	2002K
Volt/Frequency	120V/60Hz;220~240V/50Hz
Input Power	85W
No-Load Speed	5000/5800rpm
Arbor	23.2mm
Grinding wheel	4-1/4"x1/8"(108mmx3.2mm)
Master Carton:	53×46×36cm/8pcs

Electric Chain Saw Sharpener 2002E

-Universal saw chain sharpener, for all chainsaw chains.
-Compact design grinder with large spark screen.
-Multiple angel & depth adjustable for accurate grinding.
-Specially configures with 2 types grinding wheels.
One way motor rotation: Provides greater operator safety.



Model	2002E
Volt/Frequency	120V/60Hz;220~240V/50Hz
Input Power	220W
No-Load Speed	7500rpm
Arbor	2/5"(10mm)
Grinding wheel	4-1/4"x1/8"(108mmx3.2mm)
Master Carton:	54.5×38×22.5cm/4pcs

Electric Chain Saw Sharpener 2002EA

-Universal economic saw chain sharpener, for all chainsaw chains.
-Multiple angel & depth adjustable for accurate grinding.
-Dual- protection switch meet European standard,safe to use.
-Keep pressing the switch while grinding,release to stop.
-Auto-stop roatating after restarted from a sudden interrupt.



Model	2002EA
Volt/Frequency	120V/60Hz;220~240V/50Hz
Input Power	65W
Max Speed	7100rpm
Arbor	2/5"(10mm)
Grinding wheel	4-1/4"x1/8"(108mmx3.2mm)
Master Carton	49×40×18cm/4pcs

18V Cordless Chain Saw Sharpener CSS702-18

-Portable Lithium-Ion cordless electric chainsaw sharpener.
-High-speed silent pure copper motor,durable and not burn.
-Multiple angel and depth adjustable for accurate grinding.
-Large capacity battery with power display&longer runtime.
-Transparent protection cover for prevent sparks,safe to use.
-Built-in LED working light,increase visibility in the dark area.
-Compatible all type of chains:Oil saw and electric chain saw.



Model	CSS702-18
Battery	18V/2.0Ah
No-Load Speed	6500rpm
Disc	108×23×3.2mm
Motor	RS775
Master Carton	59×46×19cm/4pcs

18V Cordless Chain Saw Sharpener CSS701-18

-Portable Lithium-Ion cordless electric chainsaw sharpener.
-High-speed silent pure copper motor,durable and not burn.
-Multiple angel and depth adjustable for accurate grinding.
-Large capacity battery with power display&longer runtime.
-Compact size and light weight,wireless trouble,easy to carry.
-Compatible all type of chains:Oil saw and electric chain saw.



Model	CSS701-18
Battery	18V/2.0Ah
No-Load Speed	6500rpm
Disc	108×23×3.2mm
Motor	RS775
Master Carton	59×46×19cm/4pcs

Electric Drill Bit Sharpener 2001G

-Heavy duty electric drill bit sharpener,compact size and easy operation.
-Gives your blunt drill bits a razor sharp cutting edge quickly and easily.
-Suitable for carbon steel and HSS spiral bits from 3 to 12mm diameter.
-Built in with drill guide and ensures a correct sharpening angel anytime.





Model	2001G
Volt/Frequency	120V/60Hz;230V/50Hz
Input Power	95W
Max Speed	1600rpm
Sharpening Drill bits	3-12mm
Sharpening Wheel Size	75mm
Master Carton	38x26x22cm/4pcs

Cordless Chain Saw Sharpener | Electric Drill Bit Sharpener | Professional Power Tools

Electric Drill Bit Sharpener 2001B

-Heavy duty electric drill bit sharpener,compact size and easy operation.
-Gives your blunt drill bits a razor sharp cutting edge quickly and easily.
-2 sharpening heads exchangeable,meet your different sharpening needs.
-Suitable for carbon steel and HSS spiral bits from 3 to 10mm or 8 to 16mm.
-Built in with drill guide and ensures a correct sharpening angel every time.





Model	2001B
Volt/Frequency	120V/60Hz;220~240V/50Hz
Input Power	70W
Max Speed	1600rpm
Sharpening Size	3-10mm/8-16mm
Sharpening Wheel Size	58/70mm
Master Carton	57x25.5x28.5cm/6pcs

Electric Drill Bit Sharpener 2008

-Benchtop electric drill bit sharpener,ideal for sharpening your blunt drill bits.
-Quick alignment & depth setting system,grinded peak angle up to 118 degree.
-Diamond grinding wheel,easy-to-replace grinding wheel with a long service life.
-Gives a perfect angle/sharpened head to make drilling with your bit more easier.
-Suitable for use with HSS Titanium,Cobalt and Carbon Steel bits in range ø3-13mm.





Model	2008
Volt/Frequency	120V/60Hz;230V/50Hz
Input Power	80W
Max. Speed	4200rpm
Sharpening size	3mm-13mm
Sharpening wheel size	Dia.78mm
Master Carton	48x40x19cm/4pcs

Multi-task Sharpener

-Electric multi-purpose sharpener for Drill bit,Knife&Scissor,Chisel&Plane sharpening.
-Detacheable 3- grinding attachments special for your different sharpening requires.
-Suitable for sharpening all high speed steel drill bits diameter from 3mm to 13mm.
-Suitable for sharpening all types of straight edged household knives and scissors.
-Suitable for sharpening straight edge chisel &planer blades width from 6 to 51mm.
-Protective shield for added safety&Adjustable grinding angel from 15 to 50 degree.
-Comes with powerful integral magnet adsorption can better keep the blade secure.



Model	2004B1
Volt/Frequency	120V/60Hz;220~240V/50Hz
Rated Input Power:	65W
Max Speed:	4800/7000rpm
Sharpening drill bit sizes	3-13mm
Sharpening planer width	6~51mm
Wheel Arbor	3/8"(10mm)
Master Carton	44x42x16.5cm/4pcs

Electric Knife Sharpener 2004C

-Electric multi-purpose sharpener for Drill bit,Knife&Scissor,Chisel&Plane sharpening.
-Detacheable 3- grinding attachments special for your different sharpening requires.
-Suitable for sharpening all high speed steel drill bits diameter from 3mm to 10mm.
-Suitable for sharpening all types of straight edged household knives and scissors.
-Suitable for sharpening straight edge chisel &planer blades width from 6 to 51mm.
-Protective shield for added safety&Adjustable grinding angel from 20 to 40 degree.
-Flexible soft shaft grinding head,ideal for sharpening chainsaw blade,hedge trimmer and scissors,but also for removing rust,carving crafts and grinding wood and so on.





Model	2004C
Volt/Frequency	120V/60Hz 220~240V/50Hz
Rated Input Power:	65W
Max Speed:	4800/6700rpm
Sharpening drill bit sizes	3-10mm
Sharpening planer width	6~51mm
Wheel Arbor	48mm
Master Carton	45.5x42x19cm/4pcs

Multi-task Sharpener 2004F

-Bench mounting electric multi purpose sharpener for sharpening and polishing.
-Comes with 5 detachesable grinding attachments special for your different tasks.
-Suitable for sharpening all high speed steel drill bits diameter from 3mm to 13mm.
-Suitable for sharpening all types of straight edged household knives and scissors.
-Suitable for sharpening straight edge chisel &plane blades width from 6 to 51mm.
-Suitable for sharpening Axe,and also comes with polishing and descaling functions.
-Flexible soft shaft grinding head,ideal for sharpening chainsaw blade,hedge trimmer and scissors,but also for removing rust,carving crafts and grinding wood and so on.





NEW



Model	2004F
Voltage/Frequency	120V/60Hz;220~240V/50Hz
Rated Input Power	200W
Speed of grinding wheel	0~5600rpm
Speed of flexible shaft	0~21000rpm
Sharpening drill bit sizes	3-13mm
Sharpening planer width	6~51mm
Diamond grinding wheel	Φ50*Φ10*7.5mm
White corundum grinding wheel	Φ50*Φ11*8mm
Master Carton	55x36x35.3cm/4pcs

Electric Knife Sharpener 2010

-Professional electric knife sharpeners for home knives sharpening & polishing.
-Compact size,light weight,convinience storage,simple and automatic operation.
-Adopting high-quality silent pure copper motor provides a longer service life.
-It can be used for fine or coarse grinding of multiple steel and ceramic knives.
-The crude stage can sharpen quickly,the fine stage can polish more smoothly.
-The precision guide grooves ensure your knives efficient and fast sharpening.
-The bottom is made of a non-slip material that allows safe and sturdy sharpen.





Model	2010
Volt/Frequency	120V/60Hz;230V/50Hz
Rated Input Power	45W
Max.Speed	2800rpm
Max.Wheel Diameter	47mm
Arbor Diameter	4.5mm
Master Carton	53x45x17.5cm/10pcs

Circular Saw Blade Sharpener 2003

-Universal bench-mounting electric circular saw blade sharpener.
-Suitable for sharpening TCT saw blades in range from Ø90-400mm.
-Sturdy die-casting aluminum base and indexing arm,durable to use.
-4-inch diamond grinding wheel to optimise TCT blade performance.
-4-inch ceramic grinding wheel specially used for non TCT saw blade.
-Precision 0-25° angle adjustment allow each tip to be equally sharp.
-Quick and easy to use,saving money on constantly buying new blades.



Model	2003
Volt/Frequency	120V/60Hz;230V/50Hz
Input Power	140/110W
Max.Speed	3800/5700rpm
Wheel Diameter	4"(100mm)
Blade Diameter	90-400mm
Master Carton	56.5×38×31.5cm/2pcs

Wall Paper Stripper AWS-03 PROFESSIONAL



Electric wal paper stripper,uses only tap water, no chemical mess
Easy way to remove vinyl, painted, and multiple layers of wallpaper
Lightweight durable plastic



Model	AWS-03
Power	2300W
Voltage	220-240V, 50Hz
Steam time	approx. 80min
Tank volume	5L
Steam hose length	4m
Steam power	60g/min
Size(large steam plate)	200 x 280mm
Size(small steam plate)	80 x180mm
Mains cable	3m
Protection class	IPX4



The Best Drain Cleaner OEM Factory. ...

Electric Drain Cleaner — 68281 PROFESSIONAL



-Professional drain cleaner,good helper for heavy-duty blockages.
-Retractabe handle with grab bar&mini wheel,easy to load on truck.
-3/4in. x 100ft. flexible wire core cable,suit for 4in. to 10in. drains.
-Auto power feed system,easy control the cable forward/backward.
-Built in GFCI and sealed air-activated foot switch for safe operate.
-Corrosion resistant 19" rotational cable drum& 5 shape of cutters.
-Dual wheels design with strong loading capacity and easy to move.
-Ideal used for cleaning main drains, sewer lines and root blockages.



Model	68281
Voltage/Frequency	110V/60Hz 230V/50Hz
Input Power	550W
Working Speed	1700rpm
Cable Size	3/4" x 100 ft (19mm x 30m)
Pipe Cleaning Size	4"-10"(100mm~250mm)
Master Carton	79.5x60x64CM

Electric Drain Cleaner — 68282 PROFESSIONAL



-Professional drain cleaner,good helper for heavy-duty blockages.
-1/2in. x 100ft. flexible wire core cable,suit for 2in. to 6in. drains.
-Automatic feed control system,easily drive and retract the cable.
-Corrosion resistant 15" rotational cable drum& 4 shape of cutters.
-Industrial-grade pneumatic foot switch for hands-free operation.
-Retractable handles with adjustable height,easy to use and store.
-14" Large 2-wheels with strong load-capacity,easy to climb stairs.
-Ideal used for cleaning main drains,sewer lines and root blockages.



Model	68282
Voltage/Frequency	110V/60Hz,230V/50Hz
Input Power	370W
Working Speed	1700rpm
Cable Size	1/2" x 100 ft (13mm x 30m)
Pipe Cleaning Size	2"-4"(50mm--100mm)
Master Carton	79.5x60x64cm

Electric Drain Cleaner — 68286 PROFESSIONAL

-Professional drain cleaner,good helper for heavy-duty blockages.
-Retractable handle with rubber grips,easy to store,comfort to use.
-1/2in. x 73ft. flexible wire core cable,suit for 2inch to 4inch drains.
-Auto power feed system,easy control the cable forward/backward.
-Built in GFCI and sealed air-activated foot switch for safe operate.
-Corrosion resistant 13" rotational cable drum& 6 shape of cutters.
-Dual wheels design with strong loading capacity and easy to move.
-Ideal used for cleaning main drains, sewer lines and root blockages.

Model	68286
Voltage/Frequency	110V/60Hz;230V/50Hz
Input Power	250W
Working Speed	1700rpm
Cable Size	1/2" x 73 ft (13mm x 22.3m)
Pipe Cleaning Size	2"-4"(50mm~100mm)
Master Carton	65x49x55.3cm



Electric Drain Cleaner — 68283 PROFESSIONAL



-Professional drain cleaner,good helper for heavy-duty blockages.
-Retractable handles with center grab bar&rubber grips,easy to use.
-1/2"x 50ft &3/8"x100ft flexible corecable,suit for 2in to 4in drains.
-Built in GFCI (ground fault circuit interrupter) avoids electric shock.
-Air-activated foot switch helps control the cable with fewer efforts.
-Corrosion resistant 13" rotational cable drum & 4 shape of cutters.
-Dual wheels design with strong loading capacity and easy to move.
-Ideal used for cleaning main drains, sewer lines and root blockages.

Model	68283
Voltage/Frequency	110V/60Hz;230V/50Hz
Input Power	250W
Working Speed	1700rpm
Cable Size	1/2" x 50 ft (13mm x15m)
	3/8"x 100ft(10mmx 30m)
Pipe Cleaning Size	2"-4"(50mm~100mm)
Master Carton	77x55x55cm



Electric Drain Cleaner — 68285 PROFESSIONAL



-Professional drain cleaner,good helper for heavy-duty blockages.
-1/2in. x 50ft. flexible wire core cable,suit for 2in. to 4in. drains.
-Automatic feed control system/durable steel drum and frame.
-Built in GFCI & Sealed air-activated foot switch for safe operate.
-With forward-off-reverse switch&4 interchangeable cutter kits.
-Retractable handles with adjustable height,easy to use and store.
-8" solid rubber 2-wheels with strong load capacity,easy to move.
-Ideal used for cleaning main drains,sewer lines and root blockages.

Model	68285
Voltage/Frequency	110V/60Hz;230V/50Hz
Input Power	200W
Working Speed	1700rpm
Cable Size	1/2" x 50ft (13mm x 15.4m)
Pipe Cleaning Size	2"-4"(50mm~100mm)
Master Carton	72×56.5×65cm



Electric Drain Cleaner — 68284 PROFESSIONAL

-Professional drain cleaner,good helper for heavy-duty blockages.
-1/2in. x 50 ft. flexible wire core cable, suit for 2 in. to 4in. drains.
-Built in GFCI (ground fault circuit interrupter) avoids electrical shock.
-Air-activated foot switch helps control the cable with fewer efforts.
-Durable steel struction of frame & drum,anti-rust for long time use.
Compact design ,light weight and comes with 4 shape of cutter kits.
-Ideal used for cleaning main drains, sewer lines and root blockages.

Model	68284
Voltage/Frequency	110V/60Hz;230V/50Hz
Input Power	200W
Working Speed	1700rpm
Cable Size	1/2" x 50 ft (13mm x 15m)
Pipe Cleaning Size	2"-4"(50mm~100mm)
Master Carton	57×39.5×62cm



Electric Drain Cleaner — 68287 PROFESSIONAL

-Professional drain cleaner,good helper for heavy-duty blockages.
-5/16in. x 50ft. flexible wire core cable,suit for 3/4in. to 3in. drains.
-Built in GFCI and Sealed air-activated foot switch for safe operate.
-The steel structure of frame for corrosion resistant,durable to use.
-Powered by a 4Amp high-torque and double-insulated drill motor.
-Compact size and light weight for easy storage and transportation.
-Ideal used for cleaning main drains, sewer lines and root blockages.



Model	68287
Voltage/Frequency	110V/60Hz;230V/50Hz
Input Power	370W
Working Speed	380rpm
Cable Size	5/16" x 50 ft (8mm x 15m)
Pipe Cleaning Size	3/4"-3"(20mm~76mm)
Master Carton	57×32×46.5cm

Drain Cleaner — 6002

-Ideal for clogged lavatory,sink lines,urinals,tub and shower drains.
-9/32in. x 23ft. flexible wire core cable,suit for 3/4in. to 2in. drains.
-Built-in LED work light & GFCI switch,provides visibility and safety.
-There are two way automatic feed mechanism,save time& efforts.
-Forward/Reverse handle,to control the drum and cable roatation.
-The variable speed switch can control the speed from 0 to 560rpm.
-Segmented design &steel screw allows to replace the cable easily.







Model	6002
Voltage/Frequency	110V/60Hz;230V/50z
Input Power	240/260W
Working Speed	0-560rpm
Cable Size	9/32" x 23ft (7mm x7m)
Pipe Cleaning Size	3/4"-2"(19mm~50mm)
Master Carton	52.5×42×30.5cm/2pcs

Drain Cleaner — 6004

-Professional handheld auger,ideal solution for household clogs.
-Manual/electric operation with foldable handle and drill adpter.
-9/32"x16.4ft flexible wire core cable, suit for 1in. to 2in. drains.
-Automatic feed and retracts: fast to reach and remove blockages.
-Enclosed drum with hose opening,to prevent the dirty splashing.
-In-line design provide good balance and easier self-feed control.
-Widely used for kitchen,bathroom,sinks,showers and more drains.









Model	6004
Cable Size	9/32"x16.4 ft (7mm x 5m)
Pipe Cleaning Size	1"-2"(25mm~50mm)
Master Carton	64.5x41.5x38cm/6pcs

Hand Held Auger — 6003



-Professional handheld auger,ideal solution for household clogs .
-Manual/electric operation with foldable handle and drill adpter.
-9/32"x23ft flexible wire core cable,suit for 1/2in. to 2in. drains.
-Automatic feed and retracts: fast to reach and remove blockages.
-The enclosed drum with hose opening,to avoid the dirty splashing.
-Ergonomic non slip rubber handle,easy to grip and comfort to use.
-Widely used for kitchen,bathroom,sinks,showers and more drains.





Drived by electric drill



Model	6003
Cable Size	9/32"x23 ft (7mmx7m)
Pipe Cleaning Size	1"-2"(25mm~50mm)
Master Carton	42x36x42cm/4pcs

3 Foot Toilet Auger 6012

-Ergonomic design auger, ideal solution for your toilet clogged.
-Kink-resistant 3ft long cable,features with integrated bulb head.
-Allow manual/electric drill to drive the cable deep into the pipe.
-The fixed rubber sleeve guard can avoid the porcelain scratched.
-Anti-slip handle for each hand,can be removed for drill attachment.
-The unique clip design for securing the spring wire,easy to store.
-Fast,efficient and safe cleaning of even the toughest blockages.



Model	6011
Cable Size:	1/2" x 3 ft (13mm x 1m)
Pipe Cleaning Size	2"-4"(50mm~75mm)
Master Carton	109×9.5×20.5cm

6 Foot Toilet Auger 6011


-Ergonomic design auger, ideal solution for your toilet clogged.
-Kink-resistant 6ft long cable,features with integrated bulb head.
-Allow manual/electric drill to drive the cable deep into the pipe.
-The fixed rubber sleeve guard can avoid the porcelain scratched.
-Anti-slip handle for each hand,can be removed for drill attachment.
-The unique clip design for securing the spring wire,easy to store.
-Fast,efficient and safe cleaning of even the toughest blockages.



Model	6012
Cable Size	1/2" x 6ft (13mm x 1.8m)
Pipe Cleaning Size	2"-4"(50mm~75mm)
Master Carton	82×8×20cm

Hand Held Auger

-Perfect for unclogging small and medium household drains.
-Galvanized torque-twist steel handle,ease to install and use.
-Multi-sizes cable optional,suit for cleaning 1inch to 2inch lines.
-High quality steel cable,anti-rust,anti-bending,highly durable.
-Widely used for lavatories,sinks,shwers and tub drains cleaning.









Model	10150	20250-4	30500	20500
Cable Dia	1/4"	3/8"	1/2"	3/8"
Cable length	15ft	25ft	50ft	50ft
Pipe Cleaning Size	1"-2"(50mm~75mm)	1"-2"(50mm~75mm)	1"-2"(50mm~75mm)	1"-2"(50mm~75mm)
Outer Carton	28.5×27×25cm/5pcs	27×25×20.7cm/4pcs	37.2×36×19.5cm/3pcs	32×30×16cm/3pcs



Gasoline Post Driver — JH90GPD PROFESSIONAL

-High performance portable handheld gasoline post driver for fast speed piling.
-Powerful 2HP two-stroke engine delivers 9000r/min speed and 2.5N.m torque.
-Adjustable impact energy and frequency,capable of driving posts up to 100mm.
-3xinterchangeable socket sleeves,suitable for different sizes of post,pipe,rebar.
-Rubber-plastic sponge handle with damping spring,reduce recoil and vibration.
-Simple recoil hand pull starter with trigger throttle and integrated stop button.
-Application for highway guardrails, orchard, farm fences, forestry seedlings,etc



No more hard work or backache





Model	JH90GPD
Engine Type	44x33mm, Single cylinder, air cooling, 2 stroke
Displacement	52CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	1L
Max power and speed	1500W/9000r/min
Max torque and speed	2.5N.m/5000/min
Fuel Consumption Rate	≤ 0.6L/h
Impact Frequency	1200±100BPM
Impact Energy	20-55J
Carburetor type	H119-6A-00-210
Spark plug type	BM6A
Starter system	Hand pull start
Pilling socket adaptors	20-100mmm
Master Carton	97.5×41.5×35cm

Gasoline Post Driver — JH95GPD PROFESSIONAL

-High performance portable handheld gasoline post driver for fast speed piling.
-Powerful 2HP two-stroke engine delivers 9000r/min speed and 2.5N.m torque.
-Performs 700 to 1350 blows per minute, capable of driving posts up to 100mm.
interchangeable socket sleeves,suit for different sizes of posts, pipes and rebar.
-Rubber-plastic sponge handle with damping spring,reduce recoil and vibration.
Durable steel body & Easy to start recoil starter & Large capacity 1.3L fuel tank.
-Application for highway guardrails,orchard,farm fences and forestry seedlings,etc





Pilling socket adaptors: 20-100mm

Model	JH95GPD
Engine Type	44x34mm, Single cylinder, air cooling, 2 stroke
Displacement	52CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	1.3L
Max power and speed	1500W(2HP)/9000r/min
Max torque and speed	2.5N.m/5000r/min
Fuel Consumption Rate	≤ 0.6L/h
Impact Frequency	700-1350r/min
Impact Energy	20 – 55J
Carburetor type	H119-6A-00-210
Spark plug type	BM6A
Starter system	Hand pull start
Pilling socket adaptors	20-100mm
Master Carton	97.5×41.5×35cm

Gasoline Post Driver — JH80GPD PROFESSIONAL

-High performance portable handheld gasoline post driver for fast speed piling.
-Simple operation, light-weight, lowest displacement and good heat dissipation.
-Powerful 1.2HP 2-stroke engine delivers 9000r/min speed and 1.45N.m torque.
-Performs up to 1500 blows per minute & Capable of driving posts up to 80mm.
-Rubber-plastic sponge handle with damping spring,reduce recoil and vibration.
-Durable steel body&Easy to start recoil starter&Interchangeable socket sleeves.
-Application for highway guardrails, orchard, farm fences, forestry seedlings,etc



Model	JH80GPD
Engine Type	36x32mm, Single cylinder, air cooling, 2 stroke
Displacement	32.7CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	0.9L
Max power and speed	900W (1.2HP)/9000r/min
Max torque and speed	1.45N.m/5000r/min
Fuel Consumption Rate	≤ 0.5L/h
Impact Frequency	1500±100BPM
Impact Energy	20-45J
Carburetor type	MZ10.7
Spark plug type	L6T
Starter system	Hand pull start
Pilling socket adaptors	20-80mm
Master carton	54×33×26.5cm

Gasoline Post Driver — JH65GPD PROFESSIONAL



-High performance portable handheld gasoline post driver for fast speed piling.
-Simple operation, light-weight, lowest displacement and good heat dissipation.
-Powerful 1.36HP 2- stroke engine delivers 9000r/min speed & 1.45N.m torque.
-Performs 1500 to 2000 blows per minute,capable of driving posts up to 80mm.
-Rubber-plastic sponge handle with damping spring,reduce recoil and vibration.
Durable steel body&Easy to start recoil starter&Interchangeable socket sleeves.
-Application for highway guardrails, orchard, farm fences, forestry seedlings,etc





Pilling socket adaptors: 20-80mm

Model	JH65GPD
Engine Type	36x32mm, Single cylinder, air cooling, 2 stroke
Displacement	32.7CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	0.9L
Max power and speed	1000W(1.36HP)/9000r/min
Max torque and speed	1.45N.m/5000r/min
Fuel Consumption Rate	≤ 0.5L/h
Impact Frequency	1500-2000BPM
Impact Energy	20-45J
Carburetor type	MZ10.7
Spark plug type	L6T
Starter system	Hand pull start
Pilling socket adaptors	20-80mm
Master carton	78×42×35cm

Gasoline Post Driver — JH55GPD-1 PROFESSIONAL

-High performance portable handheld gasoline post driver for fast speed piling.
-Simple operation, light-weight, lowest displacement and good heat dissipation.
-Powerful 1.2HP 2-stroke engine delivers 9000r/min speed and 1.45N.m torque.
-Performs 1500 to 2000 blows per minute,capable of driving posts up to 69mm
-Rubber-plastic sponge handle with damping spring,reduce recoil and vibration.
-Durable steel body&Easy to start recoil starter&interchangeable socket adaptor.
-Application for highway guardrails, orchard, farm fences, forestry seedlings.etc





Pilling socket adaptors: 20-69mm

Model	JH55GPD-1
Engine Type	36x32mm, Single cylinder, air cooling, 2 stroke
Displacement	32.7CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	0.9L
Max power and speed	900W(1.2HP)/9000r/min
Max torque and speed	1.45N.m/5000r/min
Fuel Consumption Rate	≤ 0.9L/h
Impact Frequency	1500-2000BPM
Impact Energy	20～40J
Carburetor type	MZ10.7
Spark plug type	L6T
Starter system	Hand pull start
Pilling socket adaptors	20-69mm
Master carton	64×30.5×38.5cm

Gasoline Post Driver — JH55GPD PROFESSIONAL

High performance portable handheld gasoline post driver for fast speed piling.
-Simple operation, light-weight, lowest displacement and good heat dissipation.
-Powerful 1.2HP 2-stroke engine delivers 7500r/min speed and 1.45N.m torque.
-Performs 1700 to 2230 blows per minute,capable of driving posts up to 69mm.
-Rubber-plastic sponge handle with damping spring,reduce recoil and vibration.
Durable steel body&easy to start recoil starter&interchangeable socket adaptor.
-Application for highway guardrails, orchard, farm fences, forestry seedlings.etc





Pilling socket adaptors: 20-69mm

Model	JH55GPD
Engine Type	36x32mm, Single cylinder, air cooling, 2 stroke
Displacement	32.7CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	1L
Max power and speed	900W(1.2HP)/7500r/min
Max torque and speed	1.45N.m/5000r/min
Fuel Consumption Rate	≤ 0.5L/h
Impact Frequency	1700-2230BPM
Impact Energy	20～45J
Carburetor type	MZ10.7
Spark plug type	L6T
Starter system	Hand pull start
Pilling socket adaptors	20-69mm
Master carton	64×39×30cm

Gasoline Post Driver & Jack Hammer — JH50GPD PROFESSIONAL

-High performance portable 2 in 1 multi-function petro post driver&Jack hammer.
-Simple and silent operation,lightweight,lowest displacement,fast heat dissipation.
-Powerful 1.2HP two stroke engine delivers 7500r/min speed and 1.45N.m torque.
-Thumb throttle control of 1700-2230 blows per minute,driving posts up to 69mm
-2 Exchangeable piling heads and solid iron chisels,suitable for your different tasks.
-Nonslip rubber-plastic sponge handle with good balance control,comfortable grip.
-Sturduy metal construction&Adjustable assist-handle & Easy to start recoil starter.
-Ideal for farm, agriculture piling works or breaking concrete, construction project.





Gasoline pile driver/Gasoline jack hammer



Pilling socket adaptors: 20-69mm

Model	JH50GPD
Engine Type	36x32mm, Single cylinder, air cooling, 2 stroke
Displacement	32.7CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	1L
Max power and speed	900W(1.2HP)/7500r/min
Max torque and speed	1.45N.m/5000r/min
Fuel Consumption Rate	≤ 0.5L/h
Impact Frequency	1700-2230BPM
Impact Energy	20～45J
Carburetor type	M210.7
Spark plug type	L6T
Starter system	Hand pull start
Pilling socket adaptors	20-69mm
Master carton	64×30.5×38.5cm

Gasoline Jack Hammer — JH95B PROFESSIONAL

-High performance portable super power multi-function gas demolition jack hammer.
-Novel design,compact structure,small volume,lightweight and strong maneuverability.
-Sturdy metal construction for long service life&Operating with nonslip double handles.
-Powerful 2.45HP 2 stroke engine with 600-1600 blows per minute and 3.2N.m torque.
-Comes with point chisel &flat chisel for different drilling works and demolition projects.
-Easy to start recoil starter & Quick to change chuck & Accurate thumb throttle control.
-Large capacity 1.6L transparent fuel tank,easy to watch remained oil and longer runtime.
-Perfect for tearing up foundations, demolishing re-enforced concrete floors or walls,etc.



Ergonomic Handles-New ergonomic shock absorbing handles provide additional user comfort in all day applications



Model	JH95B
Engine Type	45.2x34mm, Single cylinder, air cooling, 2 stroke
Displacement	54.5CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	1.6L
Max power and speed	1800W(2.45HP)/9000r/min
Max torque and speed	3.2N.m/5000r/min
Fuel Consumption Rate	≤ 0.8L/h
Impact Frequency	600~1600 BPM
Impact Energy	20-65J
Carburetor type	MP-107
Spark plug type	FC L7T
Starter system	Hand pull start
Master carton	82x55x42cm

Gasoline Jack Hammer — JH95A PROFESSIONAL

-High performance portable multi-function gasoline powered demolation jack hammer.
-Novel design,compact structure,small volume, lightweight and strong manouverability.
-Powerful 1.2HP 2 stroke engine delivers700-1350 blows per minute and 2.5N.m torque.
-Comes with point chisel & flat chisel for different drilling works and demolition projects.
-Large capacity 1.6L transparent fuel tank,easy to watch remained oil and longer runtime.
-Accurate thumb throttle control&Easy start recoil starter & One button flameout switch.
-Sturdy metal construction&Ergonomic dual nonslip rubber handles&Quick change chuck.
-Perfect for tearing up foundations,demolishing re-enforced,concrete floors or walls,etc.







Model	JH95A
Engine Type	44x34mm, Single cylinder, air cooling, 2 stroke
Displacement	52CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	1.3L
Max power and speed	1500w/9000r/min
Max torque and speed	2.5N.m/5000r/min
Fuel Consumption Rate	≤ 0.6L/h
Impact Frequency	700-1350BPM
Impact Energy	20-55J
Carburetor type	H119-6A
Spark plug type	BM6A
Starter system	Hand pull start
Master carton	72.5×39×32.5cm

Gasoline Jack Hammer — JH50 PROFESSIONAL

-High performance portable multi-function gasoline powered demolation jack hammer.
-Easy and silent operation, lightweight,lowest displacement and excellent cooling vents.
-Powerful 1.2HP 2 stroke engine with 1700-2230 blows per minute and 1.45N.m torque.
-Comes with point chisel & flat chisel for different drilling works and demolition projects.
-Thumb throttle control handle & Easy start recoil starter& One button flameout switch.
-Nonslip rubber plastic sponge handle with good balance control and comfortable grip.
-Sturdy metal construction provide a long service life & Quick and easy to change chuck.
-Perfect for tearing up foundations,demolishing re-enforced,concrete floors or walls,etc.



Model	JH50
Engine Type	36x32mm, Single cylinder, air cooling, 2 stroke
Displacement	32.7CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	0.9L
Max power and speed	900W(1.2HP)/6500r/min
Max torque and speed	1.45N.m/5000r/min
Fuel Consumption Rate	≤ 0.5L/h
Impact Frequency	1700-2230BPM
Impact Energy	20～40J
Carburetor type	H119-00
Spark plug type	L6T
Starter system	Hand pull start
Master carton	64×31×38.5cm

Gasoline Hammer Drill — JH58 PROFESSIONAL





-High performance portable 2 in 1 multi-function gasoline demolition hammer and drill.
-Easy and silent operation, lightweight, lowest displacement and good heat dissipation.
-Powerful 1.36HP two stroke engine delivers 7000r/min speed and max. 1.5N.m torque.
-Throttle control handle to regulate the impact frequency up to 3200 blows per minute.
-With exchangeable drill bit and point chisel,suitable for your drilling and breaking tasks.
-Detachable design nonslip rubber side-handle,easier to control and comfortable to grip.
-Sturdy metal construction & One button flameout switch & Easy to start recoil starter.
-Application for wall demolition,road construction,trenching,concrete and stone breaking.



Model	JH58
Engine Type	36x32mm, Single cylinder, air cooling, 2 stroke
Displacement	32.7CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	0.9L
Max power and speed	1000W/7000r/min
Max torque and speed	1.5N.m/5000r/min
Fuel Consumption Rate	≤ 0.5L/h
Impact Frequency	3200BPM
Impact Energy	12J
Starter system	Hand pull start
Master carton	69×28.5×29.5cm

Gasoline Impact Wrench — 96106 PROFESSIONAL

-High performance portable handheld super power gasoline engine impact wrench.
-Novel design,compact structure, small volume,lightweight,strong maneuverability.
-Powerful 2.7HP,single cylinder,air cooling 2stroke engine,high efficiency and stable.
-Strong fastening strength up to 2900N.m for fast screwing or unscrewing the bolts.
-Thumb throttle control handle can regulate the impact frequency up to 1800bpm.
-Rubber support frame handles for safety and provides optimally balanced control.
-Easy to start recoil starter & One-button flameout switch &D-shape auxiliary handle.
-Application for railways,construction sites,oil and mining industries and shiyard,etc.





Model	96106
Engine Type	47.5x35mm, Single cylinder, air cooling, 2 stroke
Displacement	62CC
Fuel	mixed oil(gasoline:engine oil=25:1)
Fuel Tank Capacity	1.0L
Max power and speed	2000W(2.7HP)/7000r/min
Max torque and speed	3.4N.m/5500r/min
Fuel Consumption Rate	≤ 0.8L/h
Impact Frequency	18008PM
Maximum torque	2900N.m
Carburetor type	MP-107
Spark plug type	L8RTC
Starter system	Hand pull start
Master carton	71.5×46.5×36cm



原材料 Raw material



锻造 Forging



金加工 Metal processing



表面处理 Surface treatment



包装 Packing

PROCESS

DISPLAY

01 Professional Team

02 Quality Control

03 Work Efficiency



Automatic Polishing Machine
全自动抛光



检测 Inspection



Automatic Milling Machine
机械臂



电镀 Chrome Plating



研磨 Grinding



热处理 Heat treatment



数控机床 CNC machine



715117

17PCS 1/4"Dr.Socket Set

- 12Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Extension Bar:2"
- 1Pcs 1/4"Dr.Sliding T Handle:115mm
- 1Pcs 1/4"Dr.Spinner Handle 6"
- 1Pcs 1/4"Dr.Ratchet Handle

Quantity	G.W/N.W(KG)	Meas(cm)
20	15.8/14.8	53.8x25.2x25





715125

25Pcs 1/2" Dr.Socket Set

- 18Pcs 1/2"Dr.Sockets:8,9,10,11,12,13,14,15,16,17,18, 19,20,22,24,27,30,32mm
- 1Pcs 1/2"Dr.Ratchet Handle
- 1Pcs T-Bar
- 1Pcs 1/2"Dr.Universal Adaptor
- 2Pcs 1/2"Extension :125,250mm
- 2Pcs Spark Plug Sockets:16,21mm

Quantity	G.W/N.W(KG)	Meas(cm)
4	18.3/17.3	51x34.7x19



715140

40Pcs 1/4" Dr.Socket Set

- 13Pcs 1/4"Dr Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 8Pcs 1/4"Dr.Deep Sockets:5,6,7,8,10,12,13,14mm
- 10Pcs Bit Tore&Hex Bit:TH10,TH15,TH20,TH25,TH30, H4,H5,H6,H8mm
- 1Pcs 1/4"Adaptor
  1Pcs 1/4"Flexible Extention
  1Pcs 1/4"Bit Holder
  1Pcs 1/4"Spinner Handle
  1Pcs 1/4"Universal Joint
  2Pcs 1/4"Extention Bar:50,100mm
  1Pcs 1/4"Dr Ratchet Handle

Quantity	G.W/N.W(KG)	Meas(cm)
10	15.5/14.5	34.4x26.2x30.5



715146

46Pcs 1/4" Dr.Socket Set

- 1Pcs 1/4"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm
- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 2Pcs 1/4"Dr.Extension Bar:2",4"
- 21Pcs 1/4"Dr.Inserted Reg Bit Sockets:
  6Pcs 1/4"Trox Bit Socket:T10,T15,T20,T25,T30,T40;
  6Pcs 1/4"Hex Bit Socket:H3,H4,H5,H6,H7,H8mm;
  3Pcs 1/4"Philips Bit Socket:PH1,PH2,PH3;
  3Pcs 1/4"Pozi Bit Socket:PZ1,PZ2,PZ3;
  3Pcs 1/4"Slotted Bit Socket:4,5.5,7mm
- 1Pcs 1/4"Dr.Sliding T Handle:115mm
- 1Pcs 1/4"Dr.Flexible Extension Bar:6"
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Spinner Handle:6"
- 1Pcs Bit Adaptor
- 1Pcs Blow Case

Quantity	G.W/N.W(KG)	Meas(cm)
8	22.4/21.4	41.4x28x31.5



715153

53Pcs 1/4" Dr. Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 7Pcs 1/4"Dr. Deep Socket:6,7,8,10,11,12,13 mm
- 1Pcs 1/4"Dr.Universal Joint
- 2Pcs 1/4"Dr.Extension Bar:2";4"
- 1Pcs 1/4"Dr.Sliding T Handle:4"
- 1Pcs 1/4"Dr.Flexible Extension Bar:6"
- 1Pcs Bit Adaptor
- 1Pcs1/4"Dr.Spinner Handle:6"
- 21Pcs 1/4"Dr.Inserted Reg Bit Sockets:
  Hex:H3,H4,H5,H6,H7,H8;
  REG:4,5.5,7mm;
  Phillips:PH1,PH2,PH3;
  Poze:PZ1,PZ2,PZ3;
  Trox:T10,T15,T20,T25,T30,T40
- 1Pcs 1/4"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm
- 1Pcs Blow Case

Quantity	G.W/N.W(KG)	Meas(cm)
6	11.5/10.6	34x28.7x22



715333

33Pcs1/2"Dr.Socket Set

- 11Pcs 1/2"Dr.Hexgon Socket:10,12,13,14,15,17,19,22,24,27,30mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2"Spark Plug Socket:16mm;21mm
- 1Pcs 1/2"Extension Bar:5"
- 1Pcs 1/2"L Type Wrench:10"
- 1Pcs1/2"Dr.Ratchet Handle
- 2Pcs Hex Key:6,12mm
- 2Pcs Screwdriver:SL6*100mm;PH2*100mm
- 8Pcs Combination Wrench:7,8,10,12,13,14,17,19mm
- 1Pcs Flare Nut Wrench:8X10mm
- 1Pcs Tube Wrench:8X10mm
- 1Pcs Combination Pliers:7"
- 1Pcs Machinist Hammer:300G

Quantity	G.W/N.W(KG)	Meas(cm)
4	22.2/21.2	39.2x31.2x34.3



715337

37Pcs1/2"Dr.Socket Set

- 19Pcs 1/2"Dr.Hexagon Socket:8,9,10,11,12,13,14,15,16,17,18,19,20,21, 22,24,27,30,32mm
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pcs1/2" Universal Joint
- 1Pcs 1/2" Extension Bar:10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs1/2" Ratchet Wrench
- 12Pcs Combination Wrench 8,9,10,11,12,13,14,15,16,17,18,19MM

Quantity	G.W/N.W(KG)	Meas(cm)
4	21/20	38x30.2x40



715345

45Pcs1/2"Dr.Socket Set

- 18Pcs 1/2"Dr.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Extension Bar:5";10"
- 1Pcs 1/2" T Handle Sliding Bar:10"
- 1Pcs 1/2"Dr.Flex Handle:15"
- 1Pcs 1/2"Dr.Ratchet Handle
- 4Pcs Hex Key:5,6,8,10mm
- 1Pcs 12-24V Voltage Tester:12-24V
- 5Pcs Screwdriver:SL6*38;6*100mm;PH2*38,PH2*100,PH3*200
- 8Pcs Combination Wrench:10,11,12,13,14,15,17,19mm
- 1Pcs Combination Pliers:7"
- 1Pcs Water Pump Pliers:10" ●1Pcs Blow Case

Quantity	G.W/N.W(KG)	Meas(cm)
3	23.5/22.5	48.2x35.2x30.6



715324

24PCS 1/2"Dr.Socket Set

- 18Pcs 1/2"Dr.Hexagon Socket:8,9,10,11,12,13,14,15,16,17,18,19,21,22,24,27,30,32mm
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 2Pcs 1/2" Extension Bar:5";10"
- 1Pcs 1/2" T Handle Sliding Bar:10"
- 1Pcs1/2"Dr.Ratchet Handle

Quantity	G.W/N.W(KG)	Meas(cm)
5	21.2/20.2	37x35.2x29.2



715325

25PCS 1/2"Dr.Socket Set

- 18Pcs 1/2"Dr.Hexagon Socket:8,9,10,11,12,13,14,15,16,17,18,19,21,22,24,27,30,32mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 2Pcs 1/2" Extension Bar:5";10"
- 1Pcs 1/2"T Handle Sliding Bar:10"
- 1Pcs1/2"Dr.Ratchet Handle

Quantity	G.W/N.W(KG)	Meas(cm)
5	22.7/21.7	42x39.2x30.7



715332

32Pcs1/2"Dr.Socket Set

- 19Pcs 1/2"Dr.Hexagon Socket:8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32mm
- 6Pcs 1/2" Dr.Bi-Hexagon Socket:10,12,14,15,17,19mm
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pcs 1/2" Universal Joint
- 2Pcs 1/2" Extension Bar:5";10"
- 1Pcs 1/2" Ratchet Wrench ●1Pcs 1/2"3Way Adaptor

Quantity	G.W/N.W(KG)	Meas(cm)
5	23.7/22.7	42x34.5x26



715354

54Pcs 1/4"&1/2" Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Extension Bar:4"
- 19Pcs 1/4"Dr.Inserted Reg Bit Sockets: Hex:H3,H4,H5;REG:4,5.5,7mm; Phillips:PH1,PH2,PH3; Pozs:PZ1,PZ2,PZ3; Trox:T10,T15,T20,T25,T27,T30,T40
- 9Pcs 1/2"Dr.Hexagon Socket:15,17,19,20,22,24,27,30,32mm
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pcs 1/4"Dr.Ratchet Handle
- 1Pcs Adaptor:3/8*1/2
- 1Pcs 1/2"Dr.Universal Joint ●1Pcs 1/2"Extension Bar:10"
- 1Pcs 1/2" 3Way Adaptor ●1Pcs 1/2"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm ●1Pcs Blow case

Quantity	G.W/N.W(KG)	Meas(cm)
4	17.2/16.2	34.2X27.2X32.3



715356

56Pcs 1/4"&1/2" Dr.Socket Set

- 8Pcs 1/4"Dr.Sockets:8,9,10,11,12,13mm
- 10Pcs 1/2"Dr.Hexagon Socket:10,12,13,14,15,17,19,22,24,27mm
- 5Pcs Screwdriver:5L6*38,6*100mm;PH2*38,PH2*100,PH3*200
- 6Pcs Combination Wrench:11,12,13,14,15,17mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pcs 1/2"Extension Bar:5"
- 14Pcs1/4"Bits:HEX3,4,5,6mm;REG-4,5.5,7mm Phillips-PH1, PH2;Poze:PZ1,PZ2;Trox:T10,T15,T20
- 1Pcs1/2"Dr.Ratchet Handle
- 1Pcs Bit Adaptor
- 4Pcs Hex Key:1.27,1.5,2,2.5mm
- 1Pcs 1/4"Dr.Spinner Handle
- 1Pcs Combination Pliers:7" • 1Pcs Water Pump Pliers:10"
- 1Pcs Machinist Hammer:300G • 1Pcs Blow Case

Quantity	G.W/N.W(KG)	Meas(cm)
3	16.6/15.6	40.7x31.2x27.6



715361

61Pcs1/4"&1/2"Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 1Pcs 1/4"Dr.Universal Joint
- 2Pcs 1/4"Dr.Extension Bar:2",4"
- 1Pcs 1/4"Dr.Sliding T Handle
- 1Pcs 1/4"Dr.Flexible Extension Bar
- 1Pcs 1/4"Dr.Spinner Handle
- 1Pcs 1/4"Dr.Ratchet Handle
- 18Pcs 1/2"Dr.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 2Pcs 1/2"Extension Bar:5",10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 1/2"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm
- 12Pcs Combination Wrench:8,9,10,11,12,13,14,15,16,17,18,19mm
- 1Pcs Blow Case

Quantity	G.W/N.W(KG)	Meas(cm)
3	17.8/16.8	39.2x30.2x27.6





715372

72Pcs1/4"&1/2"Dr.Socket Set

- 10Pcs 1/4"Dr.Sockets:4,5,6,7,8,9,10,11,12,13mm
- 5Pcs 1/4"Dr. Deep Socket:5,6,7,8,9mm
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Extension Bar:3"
- 1Pcs 1/4"Bit Adaptor
- 1Pcs 1/4"Dr.Spinner Handle:6"
- 1Pcs 1/4"Dr Ratchet Handle
- 13Pcs 1/2"Dr.Hexagon Socket:10,11,12,13,14,15,17,19,22,24,27,30,32mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pcs 1/2"Extension Bar:5"
- 14Pcs1/4"Bits:HEX3,4,5,6mm;REG-4,5.5,7mm;Phillips-PH1,PH2; Poze:PZ1,PZ2;Trox:T10,T15,T20
- 1Pcs1/2"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm
- 5Pcs Screwdriver:5L6*38,6*100mm;PH2*38,PH2*100,PH3*200
- 8Pcs Combination Wrench:10,11,12,13,14,15,17,19mm
- 1Pcs Combination Pliers:7"
- 1Pcs Locking Pliers:10"
- 1Pcs Water Pump Pliers:10"
- 1Pcs Machinist Hammer:300G

Quantity	G.W/N.W(KG)	Meas(cm)
3	22.6/21.6	49.2x35.2x31.5



715377

77Pcs1/4"&1/2" Dr.Socket Set

- 9Pcs 1/4"Dr.Sockets:5,6,7,8,9,10,11,12,13mm
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Extension Bar:3"
- 1Pcs 1/4"Dr.Sliding T Handle:4"
- 1Pcs 1/4" Bit Adaptor
- 1Pcs 1/4"Dr.Ratchet Handle
- 13Pcs 1/2"Dr.Hexagon Socket:10,11,12,13,14,15,17,19,22,24,27,30,32mm
- 1Pcs 1/2"Dr.Universal Joint
- 1Pcs 1/2"Spark Plug Socket:21mm
- 2Pcs 1/2"Extension Bar:5",10"
- 22Pcs1/4"Bits:HEX3,4,5,6,7,8mm; REG-4,5.5,7mm; Phillips-PH1,PH2,PH3; Poze:PZ1,PZ2,PZ3; Trox:T10,T15,T20,T25,T27,T30,T40
- 1Pcs 1/2"Dr.Ratchet Handle
- 7Pcs Hex Key:1.5,2,2.5,3,4,5,6mm
- 11Pcs Combination Wrench:8,9,10,11,12,13,1 4,15,16,17,19mm
- 4Pcs Double Socket Wrench:8*9;10*11;12*13;14*15mm
- 1Pcs Blow Case

Quantity	G.W/N.W(KG)	Meas(cm)
3	20.7/19.7	41.5x33.5x29.5



715378

78Pcs1/4"&1/2"Dr.Socket Set

- 14Pcs 1/4"Dr.Sockets:7,8,9,10,11,12,13mm
- 1Pcs 1/4"Dr.Universal Joint
- 2Pcs 1/4"Dr.Extension Bar:2",4"
- 1Pcs 1/4"Dr.Sliding T Handle:4"
- 1Pcs 1/4"Dr.Flexible Extension Bar
- 1Pcs 1/4"Dr.Spinner Handle:6"
- 18Pcs 1/4"Dr.Inserted Rag Bit Sockets:Hex:H3,H4,H5,H6;REG:4,5.5,6.5mm; Phillips:PH1,PH2;Poza:PZ1,PZ2; Trox:T8,T10,T15,T20,T25,T30,T40
- 1Pcs 1/4"Dr.Ratchet Handle
- 12Pcs 1/2"Dr.Hexagon Socket:8,10,12,13,14,15,16,17,18,19,22,24,/mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 2Pcs 1/2"Extension Bar:5",10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 5/16"x1/2"Dr. Coupler
- 15Pcs 5/16" Bit: Hex-H8,H10,H12,H14; REG-8,10,12mm;Philips:PH3,PH4; Pozi-PZ3,PZ4.Torx-T40,T45,T50,T55
- 1Pcs1/2"Dr.Ratchet Handle
- 11Pcs Combination Wrench:8,10,11,12,13,14,15,16,17,18,19mm
- 1Pcs Blow Case

Quantity	G.W/N.W(KG)	Meas(cm)
3	16.9/15.9	39.2x30.7x27



715382

82Pcs 1/4"&1/2"Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 1Pcs 1/4"Dr.Universal Joint
- 2Pcs 1/4"Dr.Extension Bar:2",4"
- 1Pcs 1/4"Dr.Sliding T Handle:115mm
- 1Pcs 1/4"Dr.Flexible Extension Bar:6"
- 1Pcs 1/4" AD
- 1Pcs 1/4"Dr.Spinner Handle:6"
- 17Pcs 1/4" Dr.Inserted Rag Bit Sockets: Torx-T8,T10,T15,T20, T25,T30;Hex-H3,H4,H5,H6; Phillips-PH1,PH2; Pozi-PZ1,PZ2; Slotted-FD4.0,FD5.5,FD6.5
- 1Pcs 1/4"Dr.Ratchet Handle
- 12Pcs 1/2"Dr.Hexagon Socket:14,15,16,17,18,19,20,22,24,27,30,32mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm,21mm
- 2Pcs 1/2" Extension Bar:5",10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 5/16" X 1/2"Dr. Coupler
- 15Pcs 5/16" Bit: Hex-8,10,12,14mm;REG-8,10,12mm; Philips:PH3,PH4;Poz-PZ3,PZ4;Torx-T40,T45,T50,T55
- 1Pcs1/2"Dr.Ratchet Handle
- 9Pcs Combination Wrench:8,10,11,12,13,14,17,19,22mm

Quantity	G.W/N.W(KG)	Meas(cm)
3	19.7/18.7	41.5x33.5x29.5



715184

84 Pcs 1/4"&3/8"&1/2Dr.Socket Set

- 7Pcs 1/4"Long Bit Socket 165mm Torx:T8,T10,T15,T20,T25,T27,T30
- 3Pcs 1/4"Long Bit Socket 165mm Hex:H5,H6,H8
- 6Pcs 1/4"Bit Socket 37mm Hex:H1/8,H9/64,H5/32,H3/16,H7/32,H1/4
- 5Pcs 1/4"Bit Socket 37mm Hex:H2.5,H3,H4,H5,H6
- 6Pcs 1/4"Bit Socket 37mm Torx:T8,T10,T15,T20,T25,T27
- 7Pcs 1/4"Bit Socket 37mm Torx Tamper:TT8,TT10,TT15,TT20,TT25,TT27,TT30
- 13Pcs 3/8"E Torx Sockets:E4,E5,E6,E7,E8,E10,E12,E14,E16,E18,E20,E22,E24
- 4Pcs 3/8"Long Bit Socket 165mm Hex:H7,H8,H9,H10
- 3Pcs 3/8"Long Bit Socket 165mm Torx:T40,T45,T50
- 4Pcs 3/8"Bit Socket 48mm Hex:H7/32,H1/4,H5/16,H3/8
- 5Pcs 3/8"Bit Socket 48mm Hex:H6,H7,H8,H9,H10
- 5Pcs 3/8"Bit Socket 48mm Torx:T30,T40,T45,T50,T55
- 4Pcs 3/8"Bit Socket 48mm Torx Tamper:TT40,TT45,TT50,TT55
- 6Pcs 1/2"Bit Socket 55mm Hex:H7/16,H1/2,H9/16,H5/8,H3/4
- 5Pcs 1/2"Bit Socket 55mm Hex:H10,H12,H14,H17,H19
- 1Pcs 1/2"Bit Socket 55mm Torx:T60
- 1Pcs 1/2"Bit Socket 55mm Torx Tamper:TT60

Quantity	G.W/N.W(KG)	Meas(cm)
3	16.5/15.5	38x29x26.5



715394

94Pcs1/4"&1/2"Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 8Pcs 1/4"Dr. Deep Socket:6,7,8,9,10,11,12,13mm
- 2Pcs 1/4"Dr.Extension Bar:2",4"
- 1Pcs 1/4"Dr.Flexible Extension Bar:6"
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Spinner Handle
- 1Pcs 1/4"Dr.Sliding T Handle:115mm
- 1Pcs AD
- 17Pcs 1/4"Dr.Inserted Rag Bit Sockets: Hex- 3,4,5.6mm , REG- 4,5.5,7mm; Philips-PH1,PH2, Poze: PZ1,PZ2; Trox:T8,T10,T15,T20,T25,T30
- 1Pcs 1/4"Dr.Ratchet Handle
- 18Pcs 1/2"Dr.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 4Pcs 1/2"Dr.Deep Socket:14,15,17,19mm
- 2Pcs 1/2" Extension Bar:5",10"
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 1/2"Universal Joint
- 1Pcs 5/16" X 1/2"Dr. Coupler
- 3Pcs Hex Key:1.5,2,2.5mm
- 15Pcs 5/16" Bit: Hex-8,10,12,14mm;REG-8,10,12mm; Philips:PH3,PH4;Pozi-PZ3,PZ4.Torx-T40,T45,T50,T55
- 1Pcs 1/2" Ratchet Wrench

Quantity	G.W/N.W(KG)	Meas(cm)
3	20.7/19.7	41.5x33.5x29.5



715399

99Pcs 1/4"&1/2"Dr.Socket Set

- 10Pcs 1/4"Dr.Sockets:4,5,6,7,8,9,10,11,12,13mm
- 5Pcs 1/4"Dr.Deep Socket:9,10,11,12,13mm
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Extension Bar:3"
- 1Pcs AD
- 1Pcs Bit Adaptor
- 1Pcs 1/4"Dr.Spinner Handle
- 1Pcs 1/4"Dr.Ratchet Handle
- 13Pcs 1/2"Dr.Hexagon Socket:10,12,13,14,15,17,19,22,24,27,30,32mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pcs 1/2"Extension Bar:5"
- 14Pcs1/4"Bits:HEX3,4,5,6mm;REG-4,5,5,7mm;Philips-PH1,PH2; Poze:PZ1,PZ2;Trox:T10,T15,T20
- 1Pcs1/2"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm
- 1Pcs 12-24V Voltage Tester:12-24V
- 5Pcs Screwdriver:SL6*38,6*100mm;PH2*38,PH2*100,PH3*200
- 8Pcs Combination Wrench:10,11,12,13,14,15,17,19mm
- 1Pcs Combination Pliers:7"
- 1Pcs Water Pump Pliers:10"
- 1Pcs Machinist Hammer:300G
- 1Pcs Wire Stripper:8"
- 25Pcs Wire Clips
- 1Pcs Blow Case

Quantity	G.W/N.W(KG)	Meas(cm)
3	22.4/21.4	48.2x35.2x31.5



716108

108Pcs 1/4"&1/2"Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 8Pcs 1/4"Dr. Deep Socket:6,7,8,9,10,11,12,13mm
- 5Pcs 1/4"E Type Dr.Sockets:E4,E5,E6,E7,E8
- 1Pcs 1/4"Dr.Universal Joint
- 2Pcs 1/4"Dr.Extension Bar:2";4"
- 1Pcs 1/4"Dr.Sliding T Handle:115mm
- 1Pcs 1/4"Dr.Spinner Handle:6"
- 18Pcs 1/4"Insertec Reg Bit Sockets:Torx-T8,T10, T15,T20,T25,T27,T30;Hex-H3,H4,H5,H6;Phillips-PH1,PH2; Pozi-PZ1,PZ2;Slotted-FD4.0,FD5.5,FD6.5
- 1Pcs 1/4"Dr.Ratchet Handle
- 17Pcs 1/2"Dr.Hex Socket:10,11,12,13,14,15,16, 17,18,19,20,21,22,24,27,30,32mm
- 9Pcs 1/2"Deep Dr.Sockets:14,15,17,19,22mm
- 8Pcs 1/2"E Type Dr.Socket:E10,E11,E12,E14,E16,E18,E20,E24
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm,21mm
- 2Pcs 1/2" Extension Bar:5",10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 5/16" X 1/2"Dr. Coupler
- 17Pcs 5/16" Bit:Hex-7,8,10,12,14mm; REG-8,10,12mm; Philips:PH3,PH4;Pozi-PZ3,PZ4; Torx-T40,T45,T50,T55,T60
- 1Pcs1/2"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm

Quantity	G.W/N.W(KG)	Meas(cm)
3	22.5/21.5	41.5x33.5x29.5



716121

121Pcs 1/4"&3/8"&1/2Dr.Socket Set

- 11Pcs 1/4"Dr.Sockets:4,5,5.5,6,7,8,9,10,11,12,13mm
- 4Pcs 1/4"Dr. Deep Socket:8,10,12,13mm
- 1Pc 1/4"Dr.Extension Bar:2"
- 1Pc 1/4"Dr.Universal Joint
- 1Pc 1/4"Dr.Spinner Handle
- 1Pc Bit Adaptor
- 1Pc 1/4"Dr.Ratchet Handle
- 18Pcs Bits:Hex-3,4,5,6mm , REG-4,5,5,7mm; Philips-PH1,PH2, Poze; PZ1,PZ2; Trox: T10,T15,T20,T25,T27,T30,T40
- 11Pcs 3/8"Dr.Sockets:8,9,10,12,13,14,15,16,17,18,19mm
- 4Pcs 3/8"Dr.Deep Sockets:13,14,15,17mm
- 8Pcs 3/8"Dr.E Sockets:E8,E10,E11,E14,E16,E20
- 16Pcs Dr.Inserted Reg Bit Sockets:Hex-4,5,6,8mm; REG-5,5,6.5mm; Phillips-PH1,PH3, Poze: PZ1,PZ3; Trox:T20,T30,T40,T45,T50,T55
- 2Pcs 3/8"Dr.Extension Bar:3",8"
- 1Pc 3/8"Dr.Universal Joint
- 1Pc 3/8"Dr.Ratchet Handle
- 7Pcs 1/2"Dr.Hex Socket:19,21,22,24,27,30,32mm
- 2Pcs 1/2" Extension Bar:5";10"
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pc 1/2" Universal Joint
- 2Pcs Adaptor:3/8"1/2;3/8"1/4
- 1Pc 1/2" Ratchet Wrench
- 1Pc 1/2"Torx Long Bit Socket:T52
- 1Pc Three-Legged Spin-On Style Oile Filter Wrench:63-102mm
- 1Pc Shock Absorber Sleeve For VW
- 1Pc Oil Bottom Screw Hex Socket For VW:H17
- 1Pc Oil Bottom Screw Hexagon Socket For Audi:H18
- 1Pc Voltage Tester
- 2Pcs Screwdriver:6X100mm;PH2X100mm
- 9Pcs Medium Ball Hex Key Wrench:1.5-10mm
- 11Pcs Combination Wrench:8,9,10,11,12,13,14,16,17,18,19mm

Quantity	G.W/N.W(KG)	Meas(cm)
2	20/19	48x35.2x21.7



716127

127Pcs 1/4"&1/2"Dr.Socket Set

- 6Pcs Screwdrivers:PH2x38,PH1x75,PH2x100, SL3x75,SL4x75,SL5x100mm
- 9Pcs Combination Wrenchs:8,10,11,12,13,14,17,19,22mm
- 1Pcs Combination Pliers
- 1Pcs Long nose Pliers
- 1Pcs Water Pump Pliers
- 4Pcs Hex Keys:1.27,1.5,2,2.5mm
- 1Pcs Voltage Tester:6-24V
- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 8Pcs 1/4"Dr.Deep Sockets:6,7,8,9,10,11,12,13mm
- 5Pcs 1/4"Dr.Sockets:E4,E5,E6,E7,E8
- 18Pcs 1/4"Dr.Bit Sockets:H3,H4,H5,H6 SL4,SL5.5,SL8.5 PH1,PH2,PZ1,PZ2 T8,T10,T15,T20,T25 ,T27,T30
- 1Pcs 1/4"Dr.Ratchet Handle With Quick-Release
- 2Pcs 1/4"Dr.Extension Bars:50,100mm
- 1Pcs 1/4"Dr.Spinner Handle
- 1Pcs 1/4"Dr.Sliding T-Bar
- 1Pcs 1/4"Dr.Universal Joint
- 17Pcs 1/2"Dr.Sockets:10,11,12,13,14,15,16,17,18, 19,20,21,22,24,27,30,32mm
- 9Pcs 1/2"Dr.Deep Sockets:14,15,17,19,22mm
- 8Pcs 1/2"Dr.Sockets:E10,E11,E12,E14,E16,E18,E20,E24
- 2Pcs 1/2"Spark Plug Sockets:16,20mm
- 1Pcs 1/2"Dr.Ratchet Handle With Quick-Release
- 2Pcs 1/2"Dr.Extension Bars:125,250mm
- 1Pcs 1/2"Dr.TM-Head 1Pcs 1/2"Dr.Universal Joint 1Pcs 1/2"x5/16" Adapter 16Pcs 5/16" Bits:H7,H8,H10,H12,H14 SL8,SL10,SL12 PH3,PH4, PZ3,PZ4 T40,T45,T50,T55

Quantity	G.W/N.W(KG)	Meas(cm)
2	20/19	48x37x21.5



716130

130Pcs 1/4"&1/2"Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 8Pcs 1/4"Dr. Deep Socket:6,7,8,9,10,11,12,13mm
- 5Pcs 1/4"E Type Dr.Sockets:E4,E5,E6,E7,E8
- 1Pcs 1/4"Dr.Universal Joint
- 2Pcs 1/4"Dr.Extension Bar:2",4"
- 1Pcs 1/4"Dr.Sliding T Handle:115mm
- 1Pcs Bit Adaptor
- 1Pcs1/4"Dr.Spinner Handle:6"
- 17Pcs 1/4"Dr.Inserted Reg Bit Sockets:Hex:H3,H4,H5,H6;REG:4,5,5.7mm;Phillips:PH1,PH2; Poze:PZ1,PZ2;Trox:T10,T15,T20,T25,T27,T30
- 1Pcs 1/4"Dr.Ratchet Handle
- 16Pcs 1/2"Dr Hexagon Socket:10,11,12,13,14,15,16,17,18,19,21,22,24,27,30,32mm
- 5Pcs 1/2"Deep Dr.Sockets:14,15,17,19,22mm
- 9Pcs 1/2"E Type Dr.Socket:E10,E11,E12,E14,E16,E18,E20,E22,E24
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 2Pcs 1/2"Extension Bar:5",10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 5/16" x 1/2"Dr. Coupler
- 22Pcs 5/16"Bit:Hex-H7,H8,H10,H12,H14;REC-8,10,12mm; Philips:PH3,PH4;Poze-PZ3,PZ4.Torx-T40,T45,T50,T55,T60; Torxh-M6,M8,M8,M10,M12
- 7Pcs1/4"Bits:REC-4,5.5,7mm;Phillips-PH1,PH2;Poze:PZ1,PZ2
- 1Pcs1/2"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm
- 10Pcs Combination Wrench:8,10,11,12,13,14,16,17,18,19mm

Quantity	G.W/N.W(KG)	Meas(cm)
3	19.7/18.7	42x33x30





716143

143Pcs 1/4"&3/8"&1/2"Dr.Socket Set

- 9Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10mm
- 5Pcs 1/4"Dr. Deep Socket:4,5,6,7,8mm
- 1Pcs 1/4"Dr.Universal Joint
- 3Pcs 1/4"Dr.Extension Bar:2",4",6"
- 1Pcs 1/4"Dr.Sliding T Handle
- 1Pcs 1/4"Dr.Flexible Extension Bar:6"
- 1Pcs Bit Adaptor
- 1Pcs 1/4"Dr.Spinner Handle
- 26Pcs 1/4"Dr.Inserted Reg Bit Sockets:Trox:T10,T15,T20,T25,T27,T30,T40;Hex:H2,H3,H4,H5,H6,H7, H8,H10;REG:4,5.5,7mm;Phillips:PH0,PH1,PH2,PH3;Poze:PZ0,PZ1,PZ2,PZ3
- 1Pcs 1/4"Dr.Ratchet Handle
- 15Pcs 3/8"Dr.Hex Socket:6,7,8,9,10,11,12,13,14,15,17,18,19,21,22mm
- 1Pcs 3/8"Dr.Universal Joint
- 2Pcs 3/8"Dr.Extension Bar:3",6"
- 1Pcs 3/8"Dr.Ratchet Handle
- 19Pcs 1/2"Dr.6h Hexagon Socket:8,10,12,13,14,15,16,17,18,19,20,21,22,23,24,25,27,30,32mm
- 5Pcs 1/2"E Type Dr.Socket:E10,E12,E14,E16,E20
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 2Pcs 1/2" Extension Bar:3",10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 1/2"X3/8" Adaptor
- 1Pcs 1/2"L Type Wrench:10"
- 1Pcs 1/2"Dr.Flex handle:17"
- 1Pcs1/2"Dr.Ratchet Handle
- 10Pcs Hex Key:2.5,3,4,5,6,7,8,10,12,14mm
- 6Pcs Screwdriver:SL6*38,8*100,6*150mm;PH2*38,PH2*100,PH2*150
- 17Pcs Combination Wrench:6,7,8,9,10,11,12,13,14,15,16,17,18,19,21,22,24mm
- 5Pcs Flare Nut Wrench:8*10;10*12;11*13;12*14;17*19mm
- 1Pcs Combination Pliers:7"
- 1Pcs Locking Pliers:10"
- 1Pcs Machinist Hammer:300G

Quantity	G.W/N.W(KG)	Meas(cm)
2	29.2/28.2	58.2x40.2x19



716166

160Pcs 1/4"&3/8"&1/2"Dr.Socket Set

- 11Pcs 1/4"Dr.Sockets:4,5,5.5,6,7,8,9,10,11,12,13mm
- 11Pcs 1/4"Dr.Sockets SAE:5/32";3/16";7/32";1/4";9/32";5/16";11/32";3/8";7/16";1/2";9/16"
- 7Pcs 1/4"Dr. Deep Socket:4,5,5.5,6,7,8,9mm
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Extension Bar:4"
- 1Pcs Bit Adaptor
- 1Pcs 1/4"Dr.Spinner Handle
- 1Pcs 1/4"Dr.Ratchet Handle
- 11Pcs 3/8"Dr.Sockets:9,10,11,12,13,14,15,16,17,18,19mm
- 9Pcs 3/8"Dr.Sockets SAE:3/8";7/16";1/2";9/16";5/8";11/16";3/4";13/16";7/8
- 6Pcs 3/8"Dr.Deep Socket:10,11,12,13,14,15mm
- 8Pcs 3/8"E Type Dr.Sockets:E6,E10,E11,E12,E14,E16,E18,E20
- 22Pcs 3/8"Dr.Inserted Reg Bit Sockets:Trox:T10,T15,T20,T25,T30,T40,T45,T50;Hex:H3,H4,H5,H6,H8;REG:4,5.5,6.5mm;Phillips:PH1,PH2,PH3;Poze:PZ1,PZ2,PZ3
- 1Pcs 3/8"Dr.Universal Joint
- 2Pcs 3/8"Dr.Extension Bar:3",8"
- 1Pcs 3/8"Dr.Ratchet Handle
- 7Pcs 1/2"Dr.Hex Socket:20,21,22,24,27,30,32mm
- 4Pcs 1/2"Dr.Sockets SAE:15/16";1";1-1/16";1-1/4"
- 6Pcs 1/2"Deep Dr.Sockets:10,12,13,14,17,19mm
- 4Pcs 1/2"Dr.Impact Socket:17,19,21,23mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2"Spark Plug Socket:16mm;21mm
- 2Pcs 1/2"Extension Bar:5";10"
- 1Pcs 12.5mm 3Way Adaptor
- 1Pcs1/2"Dr.Ratchet Handle
- 20Pcs 1/4"Bit:HEX3,4,5,6,7mm;REG-4,5.5,7mm;Phillips-PH1,PH2,PH3; Poze:PZ1,PZ2,PZ3;Trox:T10,T15,T20,T25,T30,T40
- 9Pcs Medium Ball Hex Key Wrench:1.5-10mm
- 12Pcs Combination Wrench:8,9,10,11,12,13,14,15,16,17,18,19mm
- 3Pcs Double Ring Offset Gear Wrench:8*10;12*13;17*19mm

Quantity	G.W/N.W(KG)	Meas(cm)
2	21.4/20.4	49.2x37.2x21.7



716172

172Pcs 1/4"&3/8"&1/2"Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 7Pcs 1/4"Dr. Deep Socket:4,5,6,7,8,9,10mm
- 5Pcs 1/4"E Type Dr.Sockets:E4,E5,E6,E7,E8
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Extension Bar:2",4"
- 1Pcs 1/4"Dr.Sliding T Handle:115mm
- 1Pcs Bit Adaptor
- 1Pcs 1/4"Dr Spinner Handle:6"
- 30Pcs 1/4"Dr.Inserted Reg Bit Sockets:Trox:T8,T9,T10,T15,T20,T25,T27,T30;TTrox:TT8,TT9,TT10, TT15,TT20,TT25,TT27,TT30;Hex:H3,H4,H5,H6;REG:4,5.5,6.5,7mm; Phillips:PH0,PH1,PH2;Poze:PZ0,PZ1,PZ2
- 1Pcs 1/4"Dr.Ratchet Handle
- 10Pcs 3/8"Dr.Sockets:10,11,12,13,14,15,16,17,18,19mm
- 6Pcs 3/8"Dr.Deep Socket:10,11,12,13,14,15mm
- 6Pcs 3/8"E Type Dr. Sockets:E10,E11,E12,E14,E16,E18
- 1Pcs 3/8"Dr.Universal Joint
- 1Pcs 3/8"Spark Plug Socket:18mm
- 1Pcs 3/8"Dr.Extension Bar:8"
- 1Pcs Adaptor:3/8" 1/4
- 1Pcs 3/8"Dr.Ratchet Handle
- 17Pcs 1/2"Dr.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32mm
- 5Pcs 1/2"Deep Dr.Sockets:16,17,18,19,22mm
- 2Pcs 1/2"E Type Dr.Socket:E20,E24
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 2Pcs 1/2" Extension Bar:5";10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 1/2"x3/16"Hex Dr.Coupler
- 24Pcs 5/16"Bits:HEX:H7,H8,H10,H12,H14;FD:8,10,12mm; Trox:T40,T45,T50,T55,T60,T70;TT:TT40,TT45,TT50,TT55,TT60,TT70; Phillips:PH3,PH4;Poze:PZ3,PZ4
- 1Pcs1/2"Dr.Ratchet Handle
- 20Pcs1/4"Bits:HEX3,4,5,6,7mm;REG-4,5.5,7mm;Phillips-PH1,PH2, PH3;Poze:PZ1,PZ2,PZ3;Trox:T10,T15,T20,T25,T30,T40
- 7Pcs Hex Key:1.27,1.5,2,2.5,3,4,5mm

Quantity	G.W/N.W(KG)	Meas(cm)
2	19.4/18.4	48x35.2x21.7

1/4" Din
3/8" CrV
1/2"



716173

173Pcs 1/4"&3/8"&1/2"Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 8Pcs 1/4"Dr. Deep Socket:6,7,8,9,10,11,12,13mm
- 5Pcs 1/4"E Type Dr.Sockets:E4,E5,E6,E7,E8
- 1Pcs 1/4"Dr.Universal Joint
- 2Pcs 1/4"Dr.Extension Bar:2";4"
- 1Pcs 1/4"Dr.Sliding T Handle
- 1Pcs 1/4"Dr.Spinner Handle
- 16Pcs 1/4"Dr.Inserted Reg Bit Sockets:Trox:T8,T10,T15,T20,T25,T27,T30:Hex:H3,H4,H5,H6:REG: 4.5,5,7mm;Phillips:PH1,PH2;Poze:PZ1,PZ2
- 1Pcs 1/4"Dr.Ratchet Handle
- 17Pcs 1/2"Dr.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32mm
- 5Pcs 1/2"Deep Dr.Sockets:14,15,17,19,22mm
- 8Pcs 1/2"E Type Dr.Socket:E10,E11,E12,E14,E16,E18,E20,E24
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 2Pcs 1/2" Extension Bar:5";10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 1/2"x5/16"Dr.Coupler
- 17Pcs 5/16"Bits:HEX:H7,H8,H10,H12,H14;FD:8,10,12mm; Trox:T40,T45,T50,T55,T60Phillips:PH3,PH4:Poze:PZ3,PZ4
- 1Pcs1/2"Dr.Ratchet Handle
- 3Pcs Hex Key:1.5,2,2.5mm
- 1Pcs 12-24V Voltage Tester
- 6Pcs Screwdriver:SL6*38,6*100,6*150mm;PH2*38,PH2*100,PH2*150
- 9Pcs Combination Wrench:8,10,11,12,13,14,17,19,22mm
- 1Pcs Adjustable Wrench:10"
- 1Pcs Long Nosa Pliers:6"
- 1Pcs Diagonal Cutting Pliers:6"
- 1Pcs Combination Pliers:7"
- 1Pcs Water Pump Pliers:10"
- 1Pcs Multi-Purpose Scissors:7"
- 1Pcs Aluminum Knife
- 1Pcs Wire Stripper:8"
- 40Pcs Accessories
- 1Pcs Blow case

Quantity	G.W/N.W(KG)	Meas(cm)
2	23.6/22.6	57.2x40.2x21



1/4" Din
3/8" CrV
1/2"



716216

216Pcs 1/4"&3/8"&1/2"Dr.Socket Set

- 16Pcs 1/2" Socket:10,11,12,13,14,15,17,19,20,21,22,24,27,30,32mm
- 5Pcs 1/2" Deep Socket:16,17,18,19,22mm
- 3Pcs 1/2" E Socket:E20,E22,E24
- 2Pcs 1/2" Spark Plug Socket:16&21mm
- 2Pcs 1/2" Extension Bar:125mm&250mm
- 1Pcs 1/2" Universal Joint
- 1Pcs 1/2" 3 way Adaptor
- 2Pcs 1/2" Bits Socket:T55,T80
- 1Pcs 1/2" Ratchet Handle 72T
- 12Pcs Combination Wrench:8,9,10,11,12,13,14,15,16,17,18,19mm
- 1Pcs 1/2" bits holder 5/16"
- 1Pcs 3/8" Spark Plug Socket 18mm
- 10Pcs 3/8" Socket:10,11,12,13,14,15,16,17,18,19mm
- 8Pcs 3/8" Deep Socket:10,11,12,13,14,15mm
- 5Pcs 3/8" E Socket E10,E12,E14,E16,E18
- 1Pcs 3/8" Extension Bar 150mm
- 1Pcs Universal Joint
- 1Pcs 3/8" bits holder 5/16"
- 1Pcs 3/8" Ratchet Handle 72T
- 13Pcs 1/4" Socket:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 7Pcs 1/4" Deep Socket:4,5,6,7,8,9,10mm
- 2Pcs 1/4" Extension Bar 100mm&50mm
- 5Pcs 1/4" E Socket:E4,E5,E6,E7,E8
- 1Pcs Universal Joint
- 1Pcs Sliding Bar 115mm
- 1Pcs 1/4" Ratchet Handle 72T
- 7Pcs Hex Key Wrench:1.27,1.5,2,2.5,3,4,5mm
- 1Pcs 1/4" Bits holder
- 1Pcs Screwdriver Handle 1/4" CR-V, Chrome Plated
- 1Pcs Spinner Handle 1/4" Dr.*65mm
- 30Pcs 1/4" Socket Bits
  4Pcs SL:4,5,5.5,6.5,7mm
  3Pcs PZ:1,2,3
  8Pcs T:8,9,10,15,20,25,27,30
  8Pcs TT:8,9,10,15,20,25,27,30
  4Pcs H:3,4,5,6
  3Pcs PG:1,2,3
- 30Pcs Bits 30mm
  14Pcs TX:25,27x2pcs,30x2pcs,35x2pcs,40x3pcs,45x2pcs,50x2pcs
  6Pcs:H5.5,6,6.7,8
  3Pcs:SL6,6.5,8
  2Pcs:PH3,4
  2Pcs:PZ3,4
  4Pcs:M5,6,8,10
- 44Pcs Bits 25mm
  4Pcs:H3,4,5,6
  4Pcs:H3,4,5,6 (with hold)
  2Pcs:PH1,2
  2Pcs:PZ1,2
  5Pcs:T8,10,15,20,25
  10Pcs:TT8,10x2pcs,15,20x3pcs,25x2pcs,40
  3Pcs M5,6,8
  3Pcs SL4.5,5,6
  3Pcs TRI-WING 1,2,3
  3Pcs TORQ 6,8,10
  2Pcs S1,2
  3Pcs SLU4,6,8

Quantity	G.W/N.W(KG)	Meas(cm)
2	21.8/20.8	51.5x39.8x22.5



1/2" CrV Din

717010

10PCS 1/2"Dr.Socket Set

- 9Pcs 1/2"DR.Hexagon Socket:10,11,12,13,14,17,19,22,24mm
- 1Pcs1/2" L Handle:12"

Quantity	G.W/N.W(KG)	Meas(cm)
12	19/18	36x30.2x22.3



1/2" CrV Din

717017

17PCS 1/2"Dr.Socket Set

- 12Pcs1/2"DR.Hexagon Socket:8,10,11,12,13,14,15,17,19,21,22,24mm
- 1Pcs 1/2" Extention Bar:5"
- 1Pcs 1/2" Spark Plug Socket:21mm
- 1Pcs 1/2" Flex Handle:15"
- 1Pcs 1/2" Ratchet Wrench
- 1Pcs Metal Box

Quantity	G.W/N.W(KG)	Meas(cm)
6	20/19	44.2x29.4x17



1/2" CrV Din

717024

24PCS 1/2"Dr.Socket Set

- 18Pcs 1/2"DR.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 1Pcs 1/2" Universal Joint
- 2Pcs 1/2" Extention Bar:5";10"
- 1Pcs 1/2" 3Way Adaptor
- 1Pcs 1/2" Flex Handle:15"
- 1Pcs 1/2" Ratchet Wrench

Quantity	G.W/N.W(KG)	Meas(cm)
4	19/18	45.7x40.6x12.4



1/2" CrV Din

717324

24PCS 1/2"Dr.Socket Set

- 18Pcs 1/2"DR.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 1Pcs1/2" Universal Joint
- 2Pcs1/2" Extention Bar:5";10"
- 1Pcs1/2" Speeder Handle:420mm
- 1Pcs 1/2" Ratchet Wrench
- 1Pcs 1/2"T Handle Sliding Bar:10"

Quantity	G.W/N.W(KG)	Meas(cm)
4	21.6/20.6	45.7x40.6x12.4



1/2" CrV Din

717012

12PCS 1/2"Dr.Socket Set

- 10Pcs 1/2"DR.Hexagon Socket:10,11,12,13,14,17,19,22,24mm
- 1Pcs1/2" Extention Bar:5"
- 1Pcs 1/2" Ratchet Wrench

Quantity	G.W/N.W(KG)	Meas(cm)
12	23.3/22.3	36x30.2x22.3



1/2" CrV Din

717124

24PCS 1/2"Dr.Socket Set

- 18Pcs 1/2"DR.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 1Pcs 1/2" Universal Joint
- 2Pcs 1/2" Extention Bar:5";10"
- 1Pcs 1/2"Spark Plug Socket:21mm
- 1Pcs 1/2" T Handle Sliding Bar:10"
- 1Pcs 1/2" Ratchet Wrench

Quantity	G.W/N.W(KG)	Meas(cm)
4	19.4/18.4	45.7x40.6x12.4



1/2" CrV Din

717224

24PCS 1/2"Dr.Socket Set

- 18Pcs 1/2"DR.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 1Pcs1/2" Universal Joint
- 2Pcs 1/2" Extention Bar:5";10"
- 1Pcs 1/2" L Handle:12"
- 1Pcs 1/2" T Handle Sliding Bar:10"
- 1Pcs 1/2" Ratchet Wrench

Quantity	G.W/N.W(KG)	Meas(cm)
4	21.8/20.8	45.7x40.6x12.4



1/2" CrV Din

717424

24PCS 1/2"Dr.Socket Set

- 18Pcs 1/2"DR.Hexagon Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 1Pcs1/2" Universal Joint
- 2Pcs 1/2" Extention Bar:5";10"
- 1Pcs 1/2" T Handle Sliding Bar:10"
- 1Pcs 1/2" Ratchet Wrench
- 1Pcs1/2" Flex Handle:15"

Quantity	G.W/N.W(KG)	Meas(cm)
4	21.9/20.9	45.7x40.6x12.4



715150

50PCS 1/4"Dr.Socket Set

- 12Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
- 1Pcs 1/4"Dr.Universal Joint
- 1Pcs 1/4"Dr.Extension Bar:4"
- 1Pcs Bit Adaptor
- 1Pcs 1/4"Dr.Spinner Handle
- 3Pcs Hex Key:1.5/2/2.5mm
- 30Pcs1/4"Bits:Hex-2,2.5,3,4,5,5.5,6mm;REG-3,4,4.5,5,5.5,6, 7mm;Phillips-PH0,PH1,PH2,PH3 Pozie:PZ0,PZ1,PZ2,PZ3; Trox:T8,T10,T15,T20,T25,T27,T30,T40
- 1Pcs 1/4"Dr.Ratchet Handle

Quantity	G.W/N.W(KG)	Meas(cm)
12	16.6/15.6	29.2x28.2x33



715225

25PCS 3/8"Dr.Socket Set

- 16Pcs 3/8"Dr. Sockets:8,7,8,9,10,11,12,13,14,15,16,17, 18,19,20,22mm
- 4Pcs 3/8"Dr.Deep Socket:14,15,17,19mm
- 1Pcs 3/8"Dr.Universal Joint
- 1Pcs 3/8"Dr.Extension Bar:3"
- 1Pcs 3/8"Dr.Extension Bar:10"
- 1Pcs 3/8" 3Way Adaptor
- 1Pcs 3/8"Dr.Ratchet Handle

Quantity	G.W/N.W(KG)	Meas(cm)
6	19.2/18.2	39.2x18.4x18



715329

29PCS 1/2"Dr.Socket Set

- 19Pcs 1/2"Dr.Hex Socket:8,9,10,11,12,13,14,15,16,17, 18,19,20,21,22,24,27,30,32mm
- 3Pcs 1/2"Deep Dr.Sockets:17,19,22mm
- 1Pcs 1/2"Dr.Universal Joint
- 1Pcs 1/2"Extension Bar:5"
- 1Pcs 1/2"Extension Bar:10"
- 1Pcs 1/2" 3Way Adaptor
- 2Pcs 1/2" Spark Plug Socket:16mm;21mm
- 1Pcs 1/2"Dr.Ratchet Handle

Quantity	G.W/N.W(KG)	Meas(cm)
4	22/21	38.2x21.5x22.5



718018

18Pcs Bit Socket Set

- 6Pcs 1/4"Hex Bit Socket:H3,H4,H5,H6,H7,H8*37L
- 6Pcs 1/2"Hex Bit Socket:H6,H7,H8,H10,H12,H14*55L
- 6Pcs 1/2"Hex Bit Socket:H5,H6,H7,H8,H10,H12*100L

Quantity	G.W/N.W(KG)	Meas(cm)
12	21.4/20.4	30.2x27.4x32



718029

29Pcs Bit Socket&E Socket Set

- 5Pcs 1/4"Dr.E Sockets:E4,E5,E6,E7,E8
- 6Pcs 3/8"Dr.E Sockets:E10,E12,E14,E16,E18,E20
- 10Pcs 3/8" Socket Bit:T10,T15,T20,T25,T27,T30,T40,T45,T50,T55
- 7Pcs 1/4"Bit:TT10,15,20,25,27,30,40
- 1Pcs 1/4"Adaptor

Quantity	G.W/N.W(KG)	Meas(cm)
12	15.4/14.4	31x26.2x39.4



718009

9Pcs Bit Socket Set

- 9Pcs Torx Key Bit Socket: T20,T25,T30,T40,T45,T50,T55,T60

Quantity	G.W/N.W(KG)	Meas(cm)
20	20/19	50x22.5x25



718309

9Pcs Bit Socket Set

- 9Pcs Hex Bit Socket:H4,H5,H6,H8,H10,H12,H14,H17,H19

Quantity	G.W/N.W(KG)	Meas(cm)
20	23.5/22.5	50x22.5x25



718114

14Pcs E Type Socket Set

- 5Pcs 1/4"E Type Socket:E4,E5,E6,E7,E8
- 5Pcs 3/8"E Type Socket:E8,E10,E12,E14,E16
- 4Pcs 1/2"E Type Socket:E18,E20,E22,E24

Quantity	G.W/N.W(KG)	Meas(cm)
20	15/14	50x24x27.5



718115

15Pcs Bit Socket Set

- 7Pcs Bit Socket: T20,T25,T30,T40,T45,T50,T55 75L
- 7Pcs Bit Socket: T20,T25,T30,T40,T45,T50,T55 30L
- 1Pcs 1/2" Bit Holder

Quantity	G.W/N.W(KG)	Meas(cm)
20	13/12	50x24x27.5



718119

19Pcs Bit Socket Set

- 9Pcs 1/2"E Type Socket:E8,E10,E12,E14,E16,E18,E20,E22,E24
- 10Pcs 1/2"Torx Bit:T20,T25,T27,T30,T40,T45,T50,T55,T60,T70

Quantity	G.W/N.W(KG)	Meas(cm)
10	17/16	53.5x36x19.5



719003

3Pcs Impact Bit Socket

- 17,19,21mm



718011

19PCS 1/4"Dr.Socket Set

- 13Pcs 1/4"Dr.Sockets:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 1Pcs 1/4"Dr.Universal Joint
- 2Pcs 1/4"Dr.Extension Bar:2";4"
- 1Pcs 1/4"Dr.Sliding T Handle:115mm
- 1Pcs 1/4"Dr.Spinner Handle
- 1Pcs 1/4"Dr.Ratchet Handle



718012

41PCS 1/4"Dr.Socket Set

- 9Pcs1/4"Dr.Deep Sockets:5,6,7,8,9,10,11,12,13mm
- 23Pcs 1/4"Socket Bits:T8,T10,T15,T20,T25,T27,T30,T40;H3,H4,H5,H6,H7,H8; PH1,PH2,PH3,PZ1,PZ2,PZ3;FD4,FD5.5,FD7
- 9Pcs Medium Ball Hex Key Wrench:1.5-10mm



718021

29PCS 3/8"Dr.Socket Set

- 17Pcs 3/8"Dr.Sockets:6,7,8,9,10,11,12,13,14,15,16,17, 18,19,20,21,22mm
- 7Pcs 3/8"E Type Dr.Sockets:E10,E11,E12,E14,E16,E18,E20
- 1Pcs 3/8"Dr.Universal Joint
- 2Pcs 3/8"Dr.Extension Bar:3";6"
- 1Pcs 3/8"Dr.Sliding T Handle:160mm
- 1Pcs 3/8"Dr.Ratchet Handle



718031

22PCS 1/2"Dr.Socket Set

- 17Pcs 1/2"Dr.Sockets:10,11,12,13,14,15,16,17,18,19,21,22, 23,24,27,30,32mm
- 1Pcs 1/2"Dr.Universal Joint
- 2Pcs 1/2"Dr.Extension Bar:5";10"
- 1Pcs 1/2"Dr.Sliding T Handle:10"
- 1Pcs 1/2"Dr.Ratchet Handle



718022

17Pcs 3/8"Dr.Deep Socket Set

- 17Pcs 3/8"Dr.Deep Socket:8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24mm



718032

17Pcs 1/2"Dr.Deep Socket Set

- 16Pcs 1/2"Dr.Deep Socket:10,11,12,13,14,15,16,17,18,19,20,21,22,23,24mm
- 2Pcs 1/2"Spark Plug Socket: 16,21mm



718051

16pcs Combination Wrench

- 16Pcs Combination Wrench:6,7,8,9,10,11,12,13,14,15,16,17,18,19,21,22mm



718052

8pcs Double Ring Spanner

- 8Pcs Ring Spanners:8x10,10x12,11x13,13x15,16x18, 17x19,19x21,22x24mm



718053

12Pcs Flexible Ratchet Combination Wrench Set

- 12Pcs Flexible Ratchet Combination Wrench:8,9,10,11,12,13,14,15,16,17,18,19mm



718054

6Pcs Aviation Wrench Set

- 6Pcs Aviation Wrench:10x11,12x14,13x15,16x18,17x19,22x24mm



718055

6Pcs Two Side Flexible Head Socket Wrench Set

- 6Pcs Two Side Flexible Head Socket Wrench:8x9,10x11,12x13,14x15,16x17,18x19mm



718056

7Pcs Extra Long Double Ring Ratchet Wrench Set


- 7Pcs Extra Long Double Ring Ratchet Wrench:8,10,12,13,14,17,19mm



718057

8Pcs Double Ring Offset Wrench Set

- 8Pcs Double Ring Offset Wrench:6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22mm



718058

10Pcs Extra Long Double Ring Ratchet Wrench Set


- 10Pcs Extra Long Double Ring Ratchet Wrench:8,10,12,13,14,15,16,17,18,19mm



718059

17Pcs Combination Ratchet Wrench Set


- 17Pcs Combination Ratchet Wrench:8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24mm



718060

20Pcs Combination&Gear Wrench Set

- 13Pcs Combination Wrench:8,7,8,10,11,12,13,14,15,17,19,22,24mm
- 7Pcs Gear Wrench:8,10,12,13,14,17,19mm



718061

4Pcs 7" Circlip Pliers Set

- 4Pcs 7" Circlip Pliers:
  - Circlip Plier External Straight Jaw
  - Circlip Plier External Bent Jaw
  - Circlip Plier Internal Straight Jaw
  - Circlip Plier Internal Bent Jaw



718062

16Pcs E Type Wrench&Socket Set

- 4Pcs 1/4"E Type Socket:E4,E5,E6,E7
- 8Pcs 3/8"E Type Socket:E8,E10,E11,E12,E14,E16,E18,E20
- 4Pcs E Type Wrench:E6xE8,E10xE12,E14xE18,E20xE24



718063

2Pcs Pliers Set

- 2Pcs Pliers set:
  Locking Plier:10"
  Waterpump Plier:10"



718072

7Pcs Impact Screwdriver Set

- 7Pcs Impact Screwdriver:SL5X100;6X100;8X150;8X200mm;
  PH1X100;PH2X100;PH2X150mm



718073

5Pcs 8" File Set

- 5Pcs 8" File set
- Flat Second Cut File :8" Half Round Second Cut File:8"
- Square Second Cut File:8" Round Second Cut File:8"
- Triangular Second Cut File:8"



718075

2Pcs Hammer Set

- 2Pcs Hammer set:
  Machinist Hammer:300G
- Claw Hammer:8OZ





12pcs

1/4" Cr-V Din

12Pcs 1/4"Dr.Socket Set

- 1Pcs 1/4"Ratchet Wrench
- 1Pcs 1/4" Extention Bar:3"
- 10Pcs 1/4"Dr.Hexagon Socket:5,6,7,8,9,10,11,12, 13,14mm

715012



12pcs

3/8" Cr-V Din

12Pcs 3/8"Dr.Socket Set

- 10Pcs 3/8"Dr.Hexagon Socket:8,9,10,11,12,13,14,15, 17,19mm
- 1Pcs 3/8" Extension Bar:5"
- 1Pcs 3/8" Ratchet Wrench

715112



12pcs

1/2" Cr-V Din

12Pcs 1/2"Dr.Socket Set

- 1Pcs 1/2"Ratchet Wrench
- 1Pcs 1/2"Extention Bar:5"
- 10Pcs 1/2"Dr.Hexagon Socket:10,11,12,13,14,15,17, 19,22,24mm

715212



22pcs

1/4" Cr-V Din

22Pcs 1/4"Dr.Socket &Bits Set

- 1Pcs 1/4"Ratchet Wrench
- 1Pcs 1/4" Extention Bar:3"
- 10Pcs 1/4"Dr.Hexagon Socket :5,6,7,8,9,10,11,12,13,14mm
- 10Pcs 1/4"Dr.Inserted Rvg Bit Sockets: Trox:T10,T15,T20,T25; PhiIps:PH1,PH2; Pozi:PZ1,PZ2; Slotted:4.5.5mm

715022



19pcs

1/2" Cr-V Din

19Pcs 1/2"Dr.Socket Set

- 1Pcs 1/2"Ratchet Wrench
- 1Pcs 1/2" Extention Bar:5"
- 17Pcs 1/2"Dr.Hexagon Socket :8,9,10,11,12,13,14,15,17,18,19,20, 21,22,24,27,30mm

715219



8pcs

1/4" Cr-V Din

8Pcs 1/4"Dr.Deep Socket Set

- 8Pcs 1/4"Dr.Deep Socket Set:6,7,8,9,10,11,12,13mm

715008



9pcs

3/8" Cr-V Din

9Pcs 3/8"Dr.Deep Socket Set

- 9Pcs 3/8"Dr.Deep Socket Set:8,9,10,11,12,13,14, 15,17mm

715009



10pcs

1/2" Cr-V Din

10Pcs 1/2"Dr.Deep Socket Set

- 10Pcs 1/2"Dr.Deep Socket Set:10,12,.13,14,15,17,19,20, 22,24mm

715010



1/4" C-V Din

1/4"Bit Socket Set 718051



1/4" 3/8" 1/2" C-V Din

Adaptor Set 718601



1/4" C-V Din

1/4"Dr. Socket Set 718701



3/8" C-V Din

3/8"Dr. Socket Set 718702



1/2" C-V Din

1/2"Dr. Socket Set 718703



1/4" C-V Din

1/4"Dr. Socket Set 718801



3/8" C-V Din

3/8"Dr. Socket Set 718802




1/2" C-V Din

1/2"Dr. Socket Set 718803

1/4"Dr.6pt Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




1/4 CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
610201	4	25	12	7	40
610202	4.5	25	12	7.5	40
610203	5	25	12	8	40
610204	5.5	25	12	9	40
610205	6	25	12	9.5	40
610206	6.5	25	12	9.8	40
610207	7	25	12	10.5	40
610208	8	25	12	11	40
610209	9	25	13	12	32
610210	10	25	15	13	24
610211	11	25	16	14	22
610212	12	25	17	15	20
610213	13	25	18	16	15
610214	14	25	20	17	15

1/4"Dr.6pt Deep Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



1/4 CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
610301	4	50	12	7	40
610303	5	50	12	8	40
610305	6	50	12	9.5	40
610307	7	50	12	10.5	40
610308	8	50	12	11	40
610309	9	50	13	12	32
610310	10	50	15	13	24
610311	11	50	16	14	22
610312	12	50	17	15	20
610313	13	50	18	16	15
610314	14	50	20	17	15

1/4"Dr.Gear Lock Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



1/4 CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
610801	4	25	12	7	40
610802	4.5	25	12	7.5	40
610803	5	25	12	8	40
610804	5.5	25	12	9	40
610805	6	25	12	9.5	40
610806	6.5	25	12	9.8	40
610807	7	25	12	10.5	40
610808	8	25	12	11	40
610809	9	25	13	12	32
610810	10	25	15	13	24
610811	11	25	16	14	22
610812	12	25	17	15	20
610813	13	25	18	16	15
610814	14	25	20	17	15

1/4"Dr. E Type Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



1/4 CR-V


Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
610804	E4	25	12	7	40
610805	E5	25	12	8	40
610806	E6	25	12	8.5	40
610807	E7	25	12	9	40
610808	E8	25	12	9.5	40
610809	E9	25	13.5	13.5	40
610810	E10	25	13	10	40
610811	E11	25	18	16	40



1/4" Dr.Socket With Slotted Bit



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




Item no.	Size(mm)	L(mm)	A(mm)	
662101	4	37	12	40
662102	5.5	37	12	40
662103	6.5	37	12	40
662104	7	37	12	40

1/4" Dr.Socket With Philips Bit



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



Item no.	Size	L(mm)	A(mm)	
662201	PH1	37	12	40
662202	PH2	37	12	40
662203	PH3	37	12	40
662204	PH4	37	12	40

1/4" Dr.Socket With Pozi Bit



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




Item no.	Size	L(mm)	A(mm)	
662301	PZ1	37	12	40
662302	PZ2	37	12	40
662303	PZ3	37	12	40
662304	PZ4	37	12	40

1/4" Dr.Socket With Hexagon Bit



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




Item no.	Size	L(mm)	A(mm)	
662403	H3	37	12	40
662404	H4	37	12	40
662405	H5	37	12	40
662406	H6	37	12	40
662407	H7	37	12	40
662408	H8	37	12	40
662410	H10	37	12	40
662412	H12	37	12	40

1/4" Dr.Socket With Internal Torx-Bit



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



Item no.	Size	L(mm)	A(mm)	
662708	T8	37	12	40
662710	T10	37	12	40
662715	T15	37	12	40
662720	T20	37	12	40
662725	T25	37	12	40
662727	T27	37	12	40
662730	T30	37	12	40
662740	T40	37	12	40
662745	T45	37	12	40
662750	T50	37	12	40
662755	T55	37	12	40

3/8"Dr.6pt Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
620206	6	28	17	11	30
620207	7	28	17	12	30
620208	8	28	17	13	30
620209	9	28	17	14	30
620210	10	28	17	15	30
620211	11	28	17	16	30
620212	12	28	18	16	25
620213	13	28	19	17	25
620214	14	28	20	18	20
620215	15	28	22	19	20
620216	16	28	22	19	20
620217	17	30	24	21	20
620218	18	30	26	22	16
620219	19	30	26	22	16
620220	20	32	28	24	12
620221	21	32	28	24	12
620222	22	32	30	26	9
620223	23	32	32	27	8
620224	24	32	32	27	8

3/8"Dr.6pt Deep Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
623306	6	63	20	11	30
623307	7	63	20	11	30
623308	8	63	20	12.2	30
623309	9	63	20	13.5	30
623310	10	63	20	14.7	30
623311	11	63	20	16	30
623312	12	63	20	17.2	25
623313	13	63	20	18.5	25
623314	14	63	24	19.7	20
623315	15	63	24	21	20
623316	16	63	24	22.2	20
623317	17	63	24	23.5	20
623318	18	63	24.7	24.7	16
623319	19	63	26	26	16
623320	20	63	28	26	12
623321	21	63	28.5	28.5	12
623322	22	63	29.7	29.7	9
623323	23	63	32	32	8
623324	24	63	32.5	32.5	8

3/8"Dr.Gear Lock Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
620606	6	28	17	11	30
620607	7	28	17	12	30
620608	8	28	17	13	30
620609	9	28	17	14	30
620610	10	28	17	15	30
620611	11	28	17	16	30
620612	12	28	18	16	25
620613	13	28	19	17	25
620614	14	28	20	18	20
620615	15	28	22	19	20
620616	16	28	22	19	20
620617	17	30	24	21	20
620618	18	30	26	22	16
620619	19	30	26	22	16
620620	20	32	28	24	12
620621	21	32	28	24	12
620622	22	32	30	26	9
620623	23	32	32	27	8
620624	24	32	32	27	8

3/8"Dr. E Type Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



CR-V


Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
623606	E6	28	17	10	30
623607	E7	28	17	11	30
623608	E8	28	17	12	30
623610	E10	28	17	13	30
623611	E11	28	17	14	30
623612	E12	28	17	15	20
623614	E14	28	18	16	20
623616	E16	28	20	18	20
623618	E18	30	22	19	16
623620	E20	30	24	20	12



1/2"Dr.6pt Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
630208	8	38	22	14	200
630209	9	38	22	14.6	200
630210	10	38	22	15.4	200
630211	11	38	22	16.6	200
630212	12	38	22	18	200
630213	13	38	22	19	200
630214	14	38	22	20	200
630215	15	38	22	20.5	200
630216	16	38	22	20.5	200
630217	17	38	24	22	200
630218	18	38	26	23	200
630219	19	38	26	23	200
630220	20	38	28	24	200
630221	21	38	28	24	200
630222	22	38	30	26	200
630223	23	40	32	28	100
630224	24	40	32	28	100
630225	25	42	34	28	100
630226	26	42	34	28	100
630227	27	42	36	30	100
630228	28	42	38	32	80
630229	29	42	38	32	80
630230	30	44	40	34	80
630232	32	44	42	36	80

1/2" Dr.Bi-hexagon Sockets



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
630308	8	38	24	14	200
630309	9	38	24	15	200
630310	10	38	24	16.5	200
630311	11	38	24	16.7	200
630312	12	38	24	18	200
630313	13	38	24	19.2	200
630314	14	38	24	20.5	200
630315	15	38	24	21.7	200
630316	16	38	25.5	23	200
630317	17	38	25.5	24.2	200
630318	18	38	25.5	25.5	200
630319	19	38	26.7	26.7	200
630320	20	38	26.7	26.7	200
630321	21	38	29.2	29.2	200
630322	22	38	29.2	29.2	200
630323	23	38	30.5	30.5	100
630324	24	38	33	33	100
630327	27	44	36.7	36.7	100
630330	30	44	40.5	40.5	80
630332	32	44	43	43	80

1/2"Dr.Gear Lock Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
630608	8	38	22	14	200
630609	9	38	22	14.6	200
630610	10	38	22	15.4	200
630611	11	38	22	16.6	200
630612	12	38	22	18	200
630613	13	38	22	19	200
630614	14	38	22	20	200
630615	15	38	22	20.5	200
630616	16	38	22	20.5	200
630617	17	38	24	22	200
630618	18	38	26	23	200
630619	19	38	26	23	200
630620	20	38	28	24	200
630621	21	38	28	24	200
630622	22	38	30	26	200
630623	23	40	32	28	100
630624	24	40	32	28	100
630627	27	42	36	30	100
630630	30	44	40	34	80
630632	32	44	42	36	80

1/2"Dr. E Type Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



CR-V


Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
630810	E10	38	22	14	250
630811	E11	38	22	14.6	250
630812	E12	38	22	15.4	250
630814	E14	38	22	16.6	250
630816	E16	38	22	18	250
630818	E18	38	24	21	100
630820	E20	38	24	22	100
630822	E22	38	26	23	100
630824	E24	38	28	24	100



1/2"Dr.6pt Deep Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
630506	8	78	22	14	200
630509	9	78	22	14.6	200
630510	10	78	22	15.4	200
630511	11	78	22	16.6	200
630512	12	78	22	18	200
630513	13	78	22	19	200
630514	14	78	22	20	200
630515	15	78	22	20.5	200
630516	16	78	22	20.5	200
630517	17	78	24	22	200
630518	18	78	26	23	200
630519	19	78	26	23	200
630520	20	78	28	24	200
630521	21	78	28	24	200
630522	22	78	30	26	200
630523	23	78	32	28	100
630524	24	78	32	28	100
630525	25	78	34	28	100
630526	26	78	34	28	100
630527	27	78	36	30	100
630528	28	78	38	32	80
630529	29	78	38	32	80
630530	30	78	40	34	80
630532	32	78	42	36	80

1/2"Dr.12pt Deep Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
660706	8	78	22	14	200
660709	9	78	22	14.6	200
660710	10	78	22	15.4	200
660711	11	78	22	16.6	200
660712	12	78	22	18	200
660713	13	78	22	19	200
660714	14	78	22	20	200
660715	15	78	22	20.5	200
660716	16	78	22	20.5	200
660717	17	78	24	22	200
660718	18	78	26	23	200
660719	19	78	26	23	200
660720	20	78	28	24	200
660721	21	78	28	24	200
660722	22	78	30	26	200
660723	23	78	32	28	100
660724	24	78	32	28	100
630625	25	78	34	28	100
630626	26	78	34	28	100
630627	27	78	36	30	100
630628	28	78	38	32	80
630629	29	78	38	32	80
630630	30	78	40	34	80
630632	32	78	42	36	80



1/2"Impact Socket



*Chrome-Vanadium Steel



CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
661208	8	38	14	24	200
661209	9	38	16	24	200
661210	10	38	16	24	200
661211	11	38	16	24	200
661212	12	38	19	24	200
661213	13	38	20	24	200
661214	14	38	22	24	200
661215	15	38	24	24	200
661216	16	38	25	25	200
661217	17	38	16	26	200
661218	18	38	27	27	200
661219	19	38	25	28	200
661220	20	38	30	30	200
661221	21	38	30	30	200
661222	22	38	32	30	200
661223	23	38	32	30	100
661224	24	42	35	30	100
661225	25	42	35	32	100
661226	26	42	36	32	100
661227	27	42	38	32	100
661228	28	42	40	32	80
661229	29	42	40	32	80
661230	30	42	42	32	80
661231	31	46	43	32	80
661232	32	46	44	32	80

1/2"Impact Deep Socket



*Chrome-Vanadium Steel



CR-V

Item no.	Size(mm)	L(mm)	A(mm)	H(mm)	
671208	8	78	15	24	200
671209	9	78	16	24	200
671210	10	78	17.5	24	200
671211	11	78	18.5	24	200
671212	12	78	20	24	200
671213	13	78	21	24	200
671214	14	78	22	24	200
671215	15	78	23	24	200
671216	16	78	24	24	200
671217	17	78	25	25	200
671218	18	78	27	25	200
671219	19	78	28	25	200
671220	20	78	30	28	200
671221	21	78	30	31	200
671222	22	78	31.5	30	200
671223	23	78	32	30	100
671224	24	78	35	32	100
671225	25	78	36	32	100
671226	26	78	37	32	100
671227	27	78	39	32	100
671228	28	78	40	32	80
671229	29	78	40	32	80
671230	30	78	42	32	80
671231	31	78	43	32	80
671232	32	78	44	32	80



Dr.Universal Joint



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



1/4 3/8 1/2

Item no.	Size(in)	L(mm)	A(mm)	
660401	1/4"	40	14	20
660402	3/8"	56	18	20
660403	1/2"	73	24	15

Bit Adaptor



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




1/4

Item no.	Size(in)	L(mm)	A(mm)	
661518	1/4"	25	12	100

Adaptor



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



1/4 3/8 1/2

Item no.	Size(in)	L(mm)	A(mm)	
661101	1/4"X3/8"	32	20	40
661102	3/8"X1/4"	25	18	20
661103	1/4"X1/2"	38	18	20
661105	1/2"X3/8"	38	18	20

Dr.Spark Plug Socket



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




3/8 1/2

Item no.	Size(in)	L(mm)	A(mm)	
660916	3/8"X16mm	65	22	12
660921	3/8"X21mm	65	26	12
661016	1/2"X16mm	65	22	12
661021	1/2"X21mm	65	26	12

1/2" 3 Way Adaptor



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished




1/4

Item no.	Size(in)	L(mm)	A(mm)	
661421	1/2"	40	23.4	12

Bit Holder



*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished



1/2 3/8

Item no.	Size(in)	L(mm)	A(mm)	
661312	3/8"8	28	14	20
661313	3/8"10	28	16.8	20
661322	1/2"8	38	17	20
661323	1/2"10	38	17	20



1/4 3/8 1/2

Dr.T Handle Sliding Bar

*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished

Item no.	Size(in)	L(mm)	A(mm)	
660801	1/4"	115	24	100
660802	3/8"	160	35	10
660803	1/2"	252	35	6

1/4" Spinner Handle

*Chrome-Varadium Steel
*Chrome Plated,Mirror Polished



Item no.	Size(in)	L(mm)	A(mm)	
661516	1/4"	150	64	20

1/4"Dr.Flexible Extension Ba

*Chrome-Varadium Steel
*Chrome Plated,Mirror Polished



Item no.	Size(in)	L(mm)	A(mm)	
661506	1/4"	150	7.8	20

1/2" L Type Wrench

*Chrome-Varadium Steel
*Chrome Plated,Mirror Polished



Item no.	Size(in)	L(mm)	A(mm)	
661212	3/8"X10"	250	50	6
661221	1/2"X10"	250	50	6
661222	1/2"X12"	300	50	6

1/2" Flex Handle

*Chrome-Varadium Steel
*Chrome Plated,Mirror Polished



Item no.	Size(in)	L(mm)	A(mm)	
661710	3/8"x10"	250	18	40
661815	1/2"x15"	380	18	40
661817	1/2"x17"	430	18	40

1/2" Speeder Handle

*Chrome-Varadium Steel
*Chrome Plated,Mirror Polished



Item no.	Size(in)	L(mm)	A(mm)	
661901	1/2"	420	20	6



Extention Bar

*Chrome-Varadium Steel
*Chrome Plated,Mirror Polished



Item no.	Size(in)	L(mm)	A(mm)	
660502	1/4"x2"	50	12.5	40
660503	1/4"x3"	75	12.5	20
660504	1/4"x4"	100	12.5	20
660506	1/4"x6"	150	12.5	10
660603	3/8"x3"	75	20	12
660606	3/8"x6"	150	20	6
660610	3/8"x10"	250	20	6
660705	1/2"x5"	125	22.5	12
660710	1/2"x10"	250	22.5	12

Ratchet Wrench

*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660202	1/4"	155	25	12
660203	3/8"	201	30.5	6
660205	1/2"	260	39	6

Ratchet Wrench

*Chrome-Vanadium Steel
*Chrome Platec,Mirror Polished

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660302	1/4"	155	25	12
660303	3/8"	201	30.5	6
660305	1/2"	260	39	6

Ratchet Wrench

*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660322	1/4"	155	25	12
660323	3/8"	201	30.5	6
660325	1/2"	260	39	6

Ratchet Wrench

*Chrome-Vanadium Steel
*Chrome Platec,Mirror Polished

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660332	1/4"	155	25	12
660333	3/8"	201	30.5	6
660335	1/2"	260	39	6

Ratchet Wrench

*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660342	1/4"	155	25	12
660343	3/8"	201	30.5	6
660345	1/2"	260	39	6

Ratchet Wrench

*Chrome-Vanadium Steel
*Chrome Platec,Mirror Polished

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660312	1/4"	155	25	12
660313	3/8"	201	30.5	6
660315	1/2"	260	39	6

Ratchet Wrench

*Chrome-Vanadium Steel

1/4 3/8 1/2

72 CR-V



Item no.	Size(in)		
660392	1/4"		12
660393	3/8"		6
660395	1/2"		6

Ratchet Wrench

*Chrome-Vanadium Steel

1/4 3/8 1/2

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660372	1/4"	155	25	12
660373	3/8"	201	30.5	6
660375	1/2"	260	39	6

Ratchet Wrench

*Chrome-Vanadium Steel

1/4 3/8 1/2

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660382	1/4"	155	25	12
660383	3/8"	201	30.5	6
660385	1/2"	260	39	6

Ratchet Wrench

*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished

1/4 3/8 1/2

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660002	1/4"	155	25	12
660003	3/8"	201	30.5	6
660005	1/2"	260	39	6



Ratchet Wrench

*Chrome-Vanadium Steel
*Chrome Plated,Mirror Polished

1/4 3/8 1/2

72 CR-V



Item no.	Size(in)	L(mm)	A(mm)	
660102	1/4"	155	25	12
660103	3/8"	201	30.5	6
660105	1/2"	260	39	6





MT8201-90T

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8MM	140	200	13.0/12.0	37.7x17x15.9
9MM	150	200	15.0/14.0	42.9x18.5x17.4
10MM	160	200	18.0/17.0	42.9x19.5x17.4
11MM	165	200	21.0/20.0	42.9x19.5x17.4
12MM	170	200	22.0/21.0	47.7x20.8x18.4
13MM	180	200	31.0/30.0	47.7x20.8x18.4
14MM	190	100	17.0/16.0	32x23.6x17.8
15MM	200	100	19.5/18.5	32x23.6x17.8
16MM	210	100	22.0/21.0	32x23.6x17.8
17MM	225	100	25.0/24.0	34.5x26.4x19.8
18MM	235	100	29.0/28.0	34.5x26.4x19.8
19MM	245	100	31.0/30.0	37x27.5x20.2



TEETH REVERSIBLE RATCHET WRENCH



MT8501-90T

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8MM	140	250	14.8/13.8	42X16.8X13.9
9MM	150	250	17.3/16.3	42X19X15.4
10MM	160	250	21.0/20.0	42X19X15.4
11MM	165	250	24.8/23.8	44.4X20X17.4
12MM	170	250	27.3/26.3	44.4X20X17.4
13MM	180	250	36.0/35.0	48X21X18.4
14MM	190	130	17.0/16.0	30X22.7X16.2
15MM	200	130	19.0/18.0	30X22.7X16.2
16MM	210	130	21.0/20.0	31X25.5X17.4
17MM	225	130	24.0/23.0	31X25.5X17.4
18MM	235	130	27.0/26.0	32.5X26.8X18.2
19MM	245	130	31.0/30.0	32.5X26.8X18.2



COMBINATION RATCHET WRENCH



MT8401-90T

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8MM	140	250	18.5/17.5	44.5X18.5X15.9
9MM	150	250	19.8/18.8	44.5X18.5X15.9
10MM	160	250	24.8/23.8	44.5X18.5X15.9
11MM	165	250	27.3/26.3	47.5X19.4X16.9
12MM	170	250	33.5/32.5	47.5X19.4X16.9
13MM	180	125	22.3/21.3	48X21X18.4
14MM	190	125	24.8/23.8	30X22.7X20.4
15MM	200	125	27.9/26.9	30X22.7X20.4
16MM	210	100	25.5/24.5	31X27.5X18.5
17MM	225	100	28.0/27.0	31X27.5X18.5
18MM	235	100	30.5/29.5	32.5X27.5X18.5
19MM	245	100	35.0/34.0	32.5X26.8X20.2



FLEXIBLE RATCHET WRENCH



MT8402-90T

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8MM	140	250	18.5/17.5	44.5X18.5X15.9
9MM	150	250	19.8/18.8	44.5X18.5X15.9
10MM	160	250	24.8/23.8	44.5X18.5X15.9
11MM	165	250	27.3/26.3	47.5X19.4X16.9
12MM	170	250	33.5/32.5	47.5X19.4X16.9
13MM	180	125	22.3/21.3	48X21X18.4
14MM	190	125	24.8/23.8	30X22.7X20.4
15MM	200	125	27.9/26.9	30X22.7X20.4
16MM	210	100	25.5/24.5	31X27.5X18.5
17MM	225	100	28.0/27.0	31X27.5X18.5
18MM	235	100	30.5/29.5	32.5X27.5X18.5
19MM	245	100	35.0/34.0	32.5X26.8X20.2



FLEXIBLE RATCHET WRENCH

BSCI ISO9001 CE

MT9703-90T



SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8X9	237	250	20.0/19.0	26.8X25.9X14.4
10X11	294	200	20.0/19.0	31.6X24.4X16
12X13	323	150	22.0/21.0	34.5X19.8X17.5
14X15	369	100	20.0/19.0	39.1X17.1X15.7
14x17	374	60	15.0/14.0	39.1X17.1X15.7
16X18	406	60	17.0/16.0	42.8X16.5X13.2
17X19	410	60	19.0/18.0	42.8X16.5X13.2
21x23	474	60	21.0/20.0	50.8X20.5X15.6
22x24	480	60	22.0/21.0	52.8X20.5X15.6



ONE SIDE FLEXIBLE RATCHET WRENCH

MT8001



SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8X9,8X10	200	13.0/12.0	36.5X16.6X14.9
9X11,10X11	200	15.5/14.5	40X17.4X15.4
10X12,11X12	200	18.5/17.5	42X18.4X16.4
11X13,12X13	200	24.0/23.0	47.7X19.9X17.4
12X14,13X14	200	24.0/23.0	47.7X19.9X17.4
14X17,15X17,16X17	100	16.3/15.3	26X21.4X19.9
17X19	100	22.5/21.5	28.9X23.4X21.9
19X21,19X22	100	27.6/26.6	30.5X25.4X25.4
22X24	100	35.5/34.5	44.4X27.3X20.5
24X32	50	22.3/21.3	44.4X32.7X13.7
27X30	50	22.3/21.3	44.4X32.7X13.7



FLARE NUT RATCHET WRENCH

MT8002-90T



SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8MM	250	18.5/17.5	44.5X18.5X15.9
9MM	250	19.8/18.8	44.5X18.5X15.9
10MM	250	24.8/23.8	44.5X18.5X15.9
11MM	250	27.3/26.3	47.5X19.4X16.9
12MM	250	33.5/32.5	47.5X19.4X16.9
13MM	125	22.3/21.3	48X21X18.4
14MM	125	24.8/23.8	30X22.7X20.4
15MM	125	27.9/26.9	30X22.7X20.4
16MM	100	25.5/24.5	31X27.5X18.5
17MM	100	28.0/27.0	31X27.5X18.5
18MM	100	30.5/29.5	32.5X27.5X18.5
19MM	100	35.0/34.0	32.5X26.6X20.2



FLEXIBLE RATCHET WRENCH

MT8701-90T



SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8MM	140	250	18.5/17.5	44.5X18.5X15.9
9MM	150	250	19.8/18.8	44.5X18.5X15.9
10MM	160	250	24.8/23.8	44.5X18.5X15.9
11MM	165	250	27.3/26.3	47.5X19.4X16.9
12MM	170	250	33.5/32.5	47.5X19.4X16.9
13MM	190	125	22.3/21.3	48X21X18.4
14MM	190	125	24.8/23.8	30X22.7X20.4
15MM	200	125	27.9/26.9	30X22.7X20.4
16MM	210	100	25.5/24.5	31X27.5X18.5
17MM	225	100	28.0/27.0	31X27.5X18.5
18MM	235	100	30.5/29.5	32.5X27.5X18.5
19MM	245	100	35.0/34.0	32.5X26.6X20.2



FLEXIBLE RATCHET WRENCH



90TEETH REVERSIBLE DOUBLE RING RATCHET WRENCH

MT8901

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
14X19	201	200	11.0/10.0	35.7x15.5x15.9





DOUBLE FLEXIBLE WITH REVERSIBLE RATCHET WRENCH

MT8804

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8X9	237	250	20.0/19.0	26.6X25.9X14.4
10X11	294	200	20.0/19.0	31.6X24.4X16
12X13	323	150	22.0/21.0	34.5X19.6X17.5
14X15	369	100	20.0/19.0	39.1X17.1X15.7
14x17	374	60	15.0/14.0	39.1X17.1X15.7
16X17	406	60	17.0/16.0	42.8X16.5X13.2
17X19	410	60	19.0/18.0	42.8X16.5X13.2
21x23	474	60	21.0/20.0	50.8X20.5X15.6
22x24	480	60	22.0/21.0	52.8X20.5X15.8



MT8601

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6MM	128	200	11.0/10.0	36.8X16X14.9
7MM	140	200	12.0/11.0	37.0X16X15.2
8MM	140	250	14.8/13.8	42X16.6X13.9
9MM	150	250	17.3/16.3	42X19X15.4
10MM	160	250	21.0/20.0	42X19X15.4
11MM	165	250	24.8/23.8	44.4X20X17.4
12MM	170	250	27.3/26.3	44.4X20X17.4
13MM	180	250	36.0/35.0	48X21X16.4
14MM	190	100	17.0/16.0	30X22.7X16.2
15MM	200	100	19.0/18.0	30X22.7X16.2
16MM	210	100	21.0/20.0	31X25.5X17.4
17MM	225	100	24.0/23.0	31X25.5X17.4
18MM	235	100	27.0/26.0	32.5X26.8X18.2
19MM	245	100	31.0/30.0	32.5X26.8X18.2
20MM	245	100	34.3/33.3	32.5X26.8X18.2
21MM	290	50	23.1/22.1	41.8X21X24.3
22MM	290	50	22.7/21.7	41.8X21X24.3
23MM	290	50	22.4/21.4	41.8X21X24.3
24MM	332	50	31.2/30.2	46X21X24.3
25MM	332	50	31.2/30.2	46X21X24.3
26MM	359	30	26.0/25.0	50X25.6X29.4
27MM	359	30	26.0/25.0	50X25.6X29.4
28MM	359	30	26.0/25.0	50X25.6X29.4
30MM	404	30	31.6/30.6	54X25.6X29.4
32MM	424	30	36.6/35.6	56X25.6X29.4
34MM	454	20	25/24	58X27.6X31.4
36MM	481	20	25/24	60X29.6X33.4

COMBINATION RATCHET WRENCH



MT8201

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6MM	128	200	11.0/10.0	36.8X16X14.9
7MM	143	200	12.0/11.0	37.0X16X16.2
8MM	143	200	13.0/12.0	37.7X17X15.9
9MM	150	200	15.0/14.0	42.9X19.5X17.4
10MM	160	200	18.0/17.0	42.9X19.5X17.4
11MM	165	200	21.0/20.0	42.9X19.5X17.4
12MM	170	200	22.0/21.0	47.7X20.8X18.4
13MM	180	200	31.0/30.0	47.7X20.8X18.4
14MM	190	100	17.0/16.0	32X23.6X17.8
15MM	200	100	19.5/18.5	32X23.6X17.8
16MM	210	100	22.0/21.0	32X23.6X17.8
17MM	225	100	25.0/24.0	34.5X26.4X19.8
18MM	235	100	29.0/28.0	34.5X26.4X19.8
19MM	245	100	31.0/30.0	37X27.5X20.2
20MM	245	100	34.3/33.3	37X27.5X20.2
21MM	290	50	23.9/22.9	41.8X21X24.3
22MM	290	50	23.5/22.5	41.8X21X24.3
23MM	290	50	23.4/22.4	41.8X21X24.3
24MM	332	50	32.3/31.3	46X21X24.3
25MM	332	50	32.3/31.3	46X21X24.3
26MM	359	30	27.0/26.0	50X25.6X29.4
27MM	359	30	27.0/26.0	50X25.6X29.4
28MM	359	30	27.0/26.0	50X25.6X29.4
30MM	404	30	31.0/30.0	54X25.6X29.4
32MM	424	30	36.6/35.6	56X25.6X29.4

REVERSIBLE RATCHET WRENCH



Flex head tilts 180 at any interval to reach into tight places.

Hex head set screw instead of being pinned.

Spring washer for continuous head tension

MT8701

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6MM	126.5	200	11.0/10.0	36.8X16X14.9
7MM	136.5	200	12.0/11.0	37.0X16X15.2
8MM	140	250	18.5/17.5	44.5X18.5X15.9
9MM	150	250	19.8/18.8	44.5X18.5X15.9
10MM	160	250	24.6/23.6	44.5X18.5X15.9
11MM	165	250	27.3/26.3	47.5X19.4X16.9
12MM	170	250	33.5/32.5	47.5X19.4X16.9
13MM	180	125	22.3/21.3	48X21X16.4
14MM	190	125	24.8/23.8	30X22.7X20.4
15MM	200	125	27.9/26.9	30X22.7X20.4
16MM	210	100	25.5/24.5	31X27.5X18.5
17MM	225	100	28.0/27.0	31X27.5X18.5
18MM	235	100	30.5/29.5	32.5X27.5X18.5
19MM	245	100	35.0/34.0	32.5X26.8X20.2
20MM	245	100	36.8/35.8	32.5X26.8X20.2
21MM	290	50	26.9/25.9	41.8X21X24.3
22MM	290	50	26.4/25.4	41.8X21X24.3
23MM	290	50	26.5/25.5	41.8X21X24.3
24MM	332	50	35.4/34.4	46X21X24.3
25MM	332	50	35.4/34.4	46X21X24.3
26MM	359	30	29.0/28.0	50X25.6X29.4
27MM	359	30	29.0/28.0	50X25.6X29.4
28MM	359	30	29.0/28.0	50X25.6X29.4
30MM	404	30	37.2/36.2	54X25.6X29.4
32MM	424	30	43.5/42.5	56X25.6X29.4

FLEXIBLE RATCHET WRENCH



FLEXIBLE DOUBLE RING RATCHET WRENCH

MT8802

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8X9	237	250	20.0/18.0	26.6X25.9X14.4
10X11	294	200	20.0/19.0	31.6X24.4X16
12X13	323	150	22.0/21.0	34.5X19.6X17.5
14X15	369	100	20.0/18.0	39.1X17.1X15.7
14x17	374	60	15.0/14.0	39.1X17.1X15.7
16X18	406	60	17.0/16.0	42.8X16.5X13.2
17X19	413	60	19.0/18.0	42.8X16.5X13.2
21x23	474	60	21.0/20.0	50.8X20.5X15.6
22x24	493	60	22.0/21.0	52.8X20.5X15.6



E TYPE FLEXIBLE DOUBLE RING RATCHET WRENCH

MT8803

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
E6XE8	185	200	11.0/10.0	35.7X15.5X15.9
E10XE12	260	200	20.8/19.8	41.3X20.4X16.9
E14XE18	238	100	14.5/13.5	31X22X16.2
E20XE24	275	100	23.0/22.0	32.5X27.5X18.6





MT8801

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8X9	125	200	11.0/10.0	35.7X15.5X15.9
8X10	130	200	11.0/10.0	35.7X15.5X15.9
10X11	150	200	15.2/14.2	36.1X19.4X16.9
12X13	170	200	20.8/19.8	41.3X20.4X16.9
14X15	190	100	14.5/13.5	31X22X16.2
14X17	210	100	19.5/18.5	33.5X23.4X17
16X17	210	100	19.5/18.5	33.5X23.4X17
18X19	235	100	23.0/22.0	32.5X27.5X18.6
22X24	290	100	256/24.6	35X24X20

DOUBLE RING OFFSET RATCHET WRENCH



4 IN 1 RATCHET WRENCH

MT9201B

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8X10X12X13	160	50	12/11	45X29X19
9X11X14X15	180	50	13/12	48X26X26.5
10X13X17X18	201	50	14/13	51.2X32.5X19
16X17X18X19	220	50	15/14	51.2X32.5X19



COMBINATION RATCHET WRENCH

MT8901

SIZE
8,9,10,11,12,13,14,15,16,17,18,19mm





STUBBY RATCHET WRENCH

MT8101

SIZE	L(mm)	PCS/CTN
8MM	90	500
9MM	93	500
10MM	96	500
11MM	100	500
12MM	104	200
13MM	108	200
14MM	115	200
15MM	118	100
16MM	122	100
17MM	128	100
18MM	132	100
19MM	138	100



FLEXIBLE STUBBY RATCHET WRENCH

MT8102

SIZE	L(mm)	PCS/CTN
8MM	88	500
9MM	94	500
10MM	96	500
11MM	100	500
12MM	104	200
13MM	108	200
14MM	114	200
15MM	118	100
16MM	122	100
17MM	128	100
18MM	132	100
19MM	138	100



EXTRA LONG FLEXIBLE DOUBLE RING RATCHET WRENCH

MT9701

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8X9	237	200	20.0/19.0	26.8X25.9X14.4
10X11	294	200	20.0/19.0	31.6X24.4X16
12X13	323	150	22.0/21.0	34.5X19.6X17.5
14X15	369	100	20.0/19.0	39.1X17.1X15.7
14x17	374	60	20.0/19.0	39.1X17.1X15.7
16X18	436	60	22.0/21.0	42.8X16.5X13.2
17X19	413	60	15.0/14.0	42.8X16.5X13.2
21x23	474	60	21.0/20.0	50.8X20.5X15.6
22x24	490	60	22.0/21.0	52.8X20.5X15.6



EXTRA LONG-DOUBLE RING RATCHET WRENCH

MT9701B

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8MM	237	250	20.0/19.0	26.8X25.9X14.4
10MM	295	200	20.0/19.0	31.6X24.4X16
12MM	331	150	22.0/21.0	34.5X19.6X17.5
13MM	351	100	20.0/19.0	39.1X17.1X15.7
14MM	371	100	22.0/21.0	39.1X17.1X15.7
15MM	378	100	22.0/21.0	39.1X17.1X15.7
16MM	393	60	22.0/21.0	39.1X17.1X15.7
17MM	412	60	15.0/14.0	42.8X16.5X13.2
18MM	417	60	15.0/14.0	42.8X16.5X13.2
19MM	423	60	15.0/14.0	42.8X16.5X13.2



ONE SIDE RATCHET SOCKET WRENCH

MT9201

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
10X12	242	100	20.0/19.0	50.8X21.7X19.3
10X13	242	100	20.0/19.0	50.8X21.7X19.3
13X14	242	100	22.0/21.0	50.8X21.7X19.3
11X13	242	100	20.0/19.0	50.8X21.7X19.3
12X14	242	100	22.0/21.0	50.8X21.7X19.3
13X17	281	50	15.0/14.0	29X24X19.6
14X15	281	50	15.0/14.0	29X24X19.6
14X17	281	50	15.0/14.0	29X24X19.6
16X18	316	50	19.5/18.5	33.5X28.2X24.3
17X19	316	50	19.5/18.5	33.5X28.2X24.3
19X21	316	50	20.5/19.5	33.5X28.2X24.3
19X22	316	50	20.5/19.5	33.5X28.2X24.3
17X21	316	50	21.0/20.0	33.5X28.2X24.3
21X23	365	30	21.5/20.5	38.5X33.5X22.5
24X27	365	30	22.0/21.0	38.5X33.5X22.5
30X32	451	30	31.0/30.0	46.8X29.38



MT8202-90T

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6MM	128	200	11.0/10.0	36.8X16X14.9
7MM	140	200	12.0/11.0	37.0X16X15.2
8MM	140	200	13.0/12.0	37.7X17X15.9
9MM	150	200	15.0/14.0	42.9X19.5X17.4
10MM	160	200	18.0/17.0	42.9X19.5X17.4
11MM	165	200	21.0/20.0	42.9X19.5X17.4
12MM	170	200	22.0/21.0	47.7X20.8X18.4
13MM	180	200	31.0/30.0	47.7X20.8X18.4
14MM	190	100	17.0/16.0	32X23.6X17.8
15MM	200	100	19.5/18.5	32X23.6X17.8
16MM	210	100	22.0/21.0	32X23.6X17.8
17MM	225	100	25.0/24.0	34.5X26.4X19.8
18MM	235	100	29.0/28.0	34.5X26.4X19.8
19MM	245	100	31.0/30.0	37X27.5X20.2



REVERSIBLE RATCHET WRENCH WITH RING BUCKLE



TD15002

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6	108	600	16.0/15.0	37X24.7X12.5
7	112	600	16.0/15.0	37X24.7X12.5
8	125	600	16.0/15.0	37X24.7X12.5
9	138	600	22.0/21.5	40X28.2X14.9
10	148	600	27.0/26.0	40X28.2X14.9
11	158	600	30.0/29.0	40.3X31.5X14.9
12	168	200	15.0/14.5	42.3X17.4X13.7
13	185	200	18.1/17.1	48X19.2X15.5
14	198	200	20.0/19.0	48X19.2X15.5
15	210	200	23.0/22.0	48X19.2X15.5
16	220	200	29.0/28.0	38.8X21X19.8
17	232	100	17.3/16.3	27.5X22.2X17.5
18	245	100	17.5/16.5	27.5X22.2X17.5
19	258	100	20.8/19.8	28X28X18.7
20	270	100	19.8/18.8	28X28X18.7
21	280	100	24.0/23.0	30.7X26X20.3
22	292	100	30.5/29.5	31X29X20.5
23	305	100	29.3/28.3	31X29X20.5
24	318	50	18.3/17.3	36.5X30.7X12.2
25	328	50	18.1/17.1	36.5X30.7X12.2
26	340	50	24.5/23.5	37.3X33.5X13.4
27	352	50	24.3/23.3	37.3X33.5X13.4
28	370	50	22.6/21.6	37.3X33.5X13.4
29	370	50	30.6/29.6	37.5X37X13.8
30	390	50	29.6/28.6	37.5X37X13.8
32	412	50	37.6/36.6	40.3X39.5X14.7

75° DEEP OFFSET COMBINATION WRENCH



TD1005

SIZE	L(mm)	PCS/CTN	G.WtN.W(kgs)	MEAS(cm)
8(5/16")	146	500	16.0/15.0	37.8X35.7X13.8
9	159	500	22.5/21.5	37.8X35.7X13.8
10(3/8")	167	500	27.0/26.0	37.8X35.7X13.8
11(7/16")	184	500	30.0/29.0	39.4X38.2X14.7
12	205	250	15.5/14.5	45.4X21.3X16.2
13(1/2")	205	250	18.1/17.1	45.4X21.3X16.2
14(9/16")	217	100	20.0/19.0	27X22.7X14.2
15	231	100	23.0/22.0	28.4X24.2X14.6
16(5/8")	231	100	29.0/28.0	28.4X24.2X14.6
17	247	100	17.3/16.3	29.4X25.6X15.7
18(11/16")	247	100	17.5/16.5	29.4X25.6X15.7
19(3/4")	261	100	20.8/19.8	29.8X26.5X16.8
20	264	100	19.8/18.8	29.8X26.5X16.8
21(13/16")	284	100	24.0/23.0	30.4X29.4X18
22	306	100	30.5/29.5	34.2X31X20.9
23(7/8")	306	100	29.3/28.3	34.2X31X20.9
24(15/16")	327	50	18.3/17.3	34.2X33X11
25(1")	349	50	18.1/17.1	36.2X34.5X12
26	349	50	24.5/23.5	36.2X34.5X12
27(1-1/16")	364	50	24.3/23.3	37.8X37.2X12.5
28	401	50	22.6/21.6	42.7X41.2X12.3
29(1-1/8")	401	50	30.6/29.6	42.7X41.2X12.3
30(1-3/16")	401	50	29.6/28.6	42.7X41.2X12.3
32(1-1/4")	439	50	37.6/36.6	44.6X44.6X13.4

EXTRA LONG V TYPE COMBINATION WRENCH



STUBBY COMBINATION WRENCH

TD1003

SIZE	L(mm)	PCS/CTN	G.WtN.W(kgs)	MEAS(cm)
8(5/16")	88.5	500	16.0/15.0	37.8x35.7x13.8
9	92.5	500	22.5/21.5	37.8x35.7x13.8
10(3/8")	101	500	27.0/26.0	37.8x35.7x13.8
11(7/16")	107	500	30.0/29.0	39.4x38.2x14.7
12	110	500	15.5/14.5	45.4x21.3x16.2
13(1/2")	115	500	18.1/17.1	45.4x21.3x16.2
14(9/16")	119	500	20.0/19.0	27x22.7x14.2
15	124	500	23.0/22.0	28.4x24.2x14.6
16(5/8")	127	500	29.0/28.0	28.4x24.2x14.6
17	135	500	17.3/16.3	29.4x25.6x15.7
18(11/16")	138	500	17.5/16.5	29.4x25.6x15.7
19(3/4")	141	500	20.8/19.8	29.8x26.5x16.8



E TYPE WRENCH SET

MT1001ES

SIZE	L(mm)	PCS/CTN	G.WtN.W(kgs)	MEAS(cm)
E6XE8	112	500	18.1/17.1	45.4x21.3x16.2
E10XE12	140	250	14.8/13.8	42x19x15.4
E14XE18	178	250	36.0/35.0	48x21x18.4
E20XE24	226	100	24.0/23.0	31x25.5x17.4



COMBINATION WRENCH

Professional quality
Reduces the risk of fastener rounding
Chrome plated for corrosion protection
And prolonged life.



MIRROR POLISH

TD5101

SIZE	L(mm)	PCS/CTN	G.WtN.W(kgs)	MEAS(cm)
6, 1/4"	127	500	13.5/12.5	33.5X32.7X12.4
7	128	500	13.5/12.5	33.5X32.7X12.4
8, 5/16"	142	500	18.5/17.5	40X19X27.3
9	151	500	22.5/21.5	40X19X27.3
10, 3/8"	161	500	27.5/26.5	40X19X27.3
11, 7/16"	168	200	13.8/12.8	37X20.4X15.9
12	172	200	15.6/14.6	37X20.4X15.9
13, 1/2"	180	200	17.6/16.6	37X20.4X15.9
14,9/16"	192	200	20.4/19.4	45X23.4X19.4
15	200	200	24.0/23.0	45X23.4X19.4
16, 5/8"	210	200	26.5/25.5	45X23.4X19.4
17, 11/16"	226	100	17.8/16.8	31.5X26.2X17.4
18	238	100	19.0/18.0	31.5X26.2X17.4
19, 3/4"	250	100	19.8/18.8	32.5X27.5X18.6
20	250	100	20.3/19.3	32.5X27.5X18.6
21, 13/16	272	100	24.5/23.5	34.5X30X20.2
22, 7/8	295	100	30.3/29.3	37X31.8X21
23	295	100	29.3/28.3	37X31.8X21
24, 15/16	315	50	20.4/19.4	39.5X34.8X12.5
25, 1"	325	50	21.6/20.6	39.5X34.8X12.5
26	325	50	20.8/19.8	39.5X34.8X12.5
27	337	50	24.6/23.6	41X36.3X13.5
28, 1.1/16"	337	50	24.3/23.3	41X36.3X13.5
29	354	50	30.4/29.4	41.5X37.8X14.7
30, 1.1/8"	354	50	29.8/28.8	41.5X37.8X14.7
31	375	50	26.3/25.3	45.5X39.8X15.5
32, 1.1/4"	375	50	35.8/34.8	45.5X39.8X15.5



MATT FINISH

TD5301



BLACK NICKLE

TD5401



RUBBER HANDLE

TD5101R

DOUBLE RING OFFSET WRENCH



MATT FINISH

TD6301



BLACK NICKLE

TD6401



RUBBER HANDLE

TD6101R

Professional quality
Reduces the risk of fastener rounding
Chrome plated for corrosion protection
And prolonged life.



TD6101

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	
6X7	160	500	26.5/25.5	45X20.5X25.3
8X9,8X10	175	500	35.5/34.0	45X20.5X25.3
9X11,10X11,10X12	190	250	25.4/24.4	50X22X13.5
11X13,12X13,12X14	205	250	32.9/31.9	46.1X31X13.9
13X15,14X15,14X17	228	200	34.0/33.0	51.5X29.3X15.5
16X17,16X18	232	200	36.5/35.5	51.5X29.3X15.5
17X19,18X19	246	100	23.3/22.3	30.9X27.8X16.9
18X21,20X22,19X22	268	100	27.3/26.3	32.5X30X18.4
21X23,22X24	315	50	19.4/18.4	34.5X18.1X19.9
24X26,24X27,25X28	360	50	29.4/28.4	40X19.5X23.4
27X30	385	50	31.8/30.8	43.5X21.4X26.5
30X32	405	50	35.3/34.3	4.15X21.4X26.5



DOUBLE OPEN END WRENCH

Professional quality
Reduces the risk of fastener rounding
Chrome plated for corrosion protection
And prolonged life.



MIRROR POLISH

TD7101

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	126	500	26.5/25.5	45X20.5X25.3
8X9,8X10	145	500	35.5/34.0	45X20.5X25.3
9X11,10X11,10X12	162	250	25.4/24.4	50X22X13.5
11X13,12X13,12X14	181	250	32.9/31.9	46.1X31X13.9
13X15,14X15,14X17	199	200	34.0/33.0	51.5X29.3X15.5
16X17,16X18	198	200	36.5/35.5	51.5X29.3X15.5
17X19,18X19	220	100	23.3/22.3	30.9X27.8X16.9
18X21,20X22,19X22	242	100	27.3/26.3	32.5X30X18.4
21X23,22X24	284	50	19.4/18.4	34.5X18.1X19.9
24X26,24X27,25X28	287	50	29.4/28.4	40X19.5X23.4
27X30	298	50	31.8/30.8	43.5X21.4X26.5
30X32	310	50	35.3/34.3	4.15X21.4X26.5





MATT FINISH

TD7301



BLACK NICKLE

TD7401



RUBBER HANDLE

TD7101R

COMBINATION WRENCH





TD401ANTI

TD401AS

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6	110	500	11.0/10.0	37X15.5X30.3
7	118	500	12.5/11.5	37X15.5X30.3
8	128	500	16.5/15.5	37X15.5X30.3
9	137	500	19.1/18.1	43.4X35.4X17.4
10	148	500	24.0/23.0	43.4X35.4X17.4
11	157	500	28.0/27.0	43.4X35.4X17.4
12	169	250	17.5/16.5	44.4X20.7X20.9
13	176	250	21.0/20.0	44.4X20.7X20.9
14	186	100	10.0/9.0	29.4X23.5X19
15	198	100	11.5/10.5	29.4X23.5X19
16	207	100	13.0/12.0	29.4X23.5X19
17	219	100	15.3/14.3	29.4X25.5X20.2
18	228	100	17.1/16.1	29.4X25.5X20.2
19	238	100	18.5/17.5	31.9X27.5X22.2
20	249	100	21.0/20.0	31.9X27.5X22.2
21	260	100	23.0/22.0	34.5X29.5X23.8
22	270	100	25.5/24.5	34.5X32X25
23	279	100	26.8/25.8	34.5X32X25
24	289	100	31.5/30.5	37X34X25
25	300	100	35.3/34.3	37X34X25
26	309	50	18.8/17.8	38.4X35.5X14.3
27	320	50	21.8/20.8	38.4X35.5X14.3
28	330	50	23.0/22.0	39.4X38.5X15.3
29	338	50	24.5/23.5	39.4X38.5X15.3
30	352	50	27.5/26.5	39.4X38.5X15.3
31	370	50	33.8/32.8	47X40X16.3
32	370	50	33.5/32.5	47X40X16.3



TD401A

Professional quality
Reduces the risk of fastener rounding
Chrome plated for corrosion protection
And prolonged life.

DOUBLE RING OFFSET WRENCH





TD4501ANTI



TD4501A

TD4501AS

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	160	500	25.5/25.5	45X20.5X25.3
8X9,8X10	175	500	35.5/34.0	45X20.5X25.3
9X11,10X11,10X12	190	250	28.4/24.4	50X22X13.5
11X13,12X13,12X14	205	250	32.8/31.9	49.1X31X13.9
13X15,14X15,14X17	225	200	34.0/33.0	51.5X29.3X15.5
16X17,16X18	232	200	35.5/35.5	51.5X29.3X15.5
17X19,18X19	246	100	23.3/22.3	30.9X27.8X16.9
18X21,20X22,19X22	268	100	27.3/26.3	32.5X30X16.4
21X23,22X24	315	50	19.4/18.4	34.5X18.1X19.9
24X26,24X27,25X28	360	50	29.4/28.4	40X19.5X23.4
27X30	395	50	31.8/30.8	43.5X21.4X26.5
30X32	405	50	35.3/34.3	4.15X21.4X26.5

DOUBLE OPEN END WRENCH





TD4201ANTI



TD4201A

TD4201AS

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	134	500	17.5/16.5	36.1X36.5X18.4
8X9,8X10	150	500	24.3/23.3	36.1X36.5X18.4
9X11,10X11,10X12	157	500	33.5/32.5	36.1X36.5X18.4
11X13,12X13,12X14	180	200	21.5/20.5	30.9X21X21.4
13X15,14X15,14X17	188	200	26.3/25.3	35.7X24X24.9
16X17,16X18	207	200	34.5/33.5	35.7X24X24.9
17X19,18X19	222	100	20.3/19.3	25X24.4X21
18X21,20X22,19X22	238	100	26.3/25.3	26.5X24.4X23.8
21X23,22X24	256	100	30.5/29.5	27.5X26.9X23.8
24X26,24X27,25X28	288	50	19.3/18.3	31.8X29.2X14.3
27X30	280	50	23.3/22.3	32.5X31.8X16.7
30X32	297	50	29.5/28.5	32.5X31.8X16.7



Professional quality
Reduces the risk of fastener rounding
Chrome plated for corrosion protection
And prolonged life.

SATIN FINISH

TD402AS

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6	110	500	11.0/10.0	37X15.5X30.3
7	121	500	12.5/11.5	37X15.5X30.3
8	131	500	16.5/15.5	37X15.5X30.3
9	141	500	19.1/18.1	43.4X35.4X17.4
10	150	500	24.0/23.0	43.4X35.4X17.4
11	161	500	28.0/27.0	43.4X35.4X17.4
12	171	250	17.5/16.5	44.4X20.7X20.9
13	181	250	21.0/20.0	44.4X20.7X20.9
14	191	100	10.0/9.0	29.4X23.5X19
15	201	100	11.5/10.5	29.4X23.5X19
16	211	100	13.0/12.0	29.4X23.5X19
17	222	100	15.3/14.3	29.4X25.5X20.2
18	231	100	17.1/16.1	29.4X25.5X20.2
19	242	100	18.5/17.5	31.9X27.5X22.2
20	251	100	21.0/20.0	31.9X27.5X22.2
21	262	100	23.0/22.0	34.5X29.5X23.6
22	272	100	25.5/24.5	34.5X32X25
23	282	100	26.8/25.8	34.5X32X25
24	292	100	31.5/30.5	37X34X25
25	302	100	35.3/34.3	37X34X25
26	312	50	18.8/17.8	39.4X35.5X14.3
27	322	50	21.8/20.8	39.4X35.5X14.3
28	332	50	23.0/22.0	39.4X38.5X15.3
29	342	50	24.5/23.5	39.4X38.5X15.3
30	352	50	27.5/26.5	39.4X38.5X15.3
31	370	50	33.8/32.8	47X4CX16.3
32	373	50	33.5/32.5	47X4CX16.3

COMBINATION WRENCH



SATIN FINISH

DOUBLE OPEN END WRENCH

TD4202AS

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	134	500	17.5/16.5	36.1X36.5X18.4
8X9,8X10	160	500	24.0/23.0	36.1X36.5X18.4
9X11,10X11,10X12	167	500	33.5/32.5	36.1X36.5X18.4
11X13,12X13,12X14	180	200	21.6/20.6	30.8X21X21.4
13X15,14X15	189	200	26.0/25.0	35.7X24X24.9
14X17	198	200	25.0/25.0	35.7X24X24.9
16X17,16X18	207	200	34.5/33.5	35.7X24X24.9
17X19,16X19	222	100	20.0/19.0	25X24.4X21
18X21,20X22,18X22	238	100	26.0/25.0	26.5X24.4X23.8
21X23,22X24	258	100	30.5/29.5	27.5X28.9X23.8
24X26,24X27,25X28	285	50	19.3/18.3	31.9X28.2X14.3
27X30	280	50	23.3/22.3	32.5X31.9X16.7
30X32	297	50	29.5/28.5	32.5X31.9X16.7



SATIN FINISH

75° DOUBLE RING OFFSET WRENCH

TD4601AS

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	165	500	26.5/25.5	45X20.5X25.3
8X9,8X10	183	500	35.0/34.0	45X20.5X25.3
9X11,10X11,10X12	195	250	25.4/24.4	50X22X13.5
11X13,12X13,12X14	215	250	32.9/31.9	46.1X31X13.9
13X15,14X15	233	200	34.0/33.0	51.5X29.3X15.5
14X17	253	200	34.0/33.0	51.5X29.3X15.5
16X17,16X18	253	200	35.5/34.5	51.5X29.3X15.5
17X19,16X19	285	100	23.3/22.3	30.8X27.8X16.9
18X21,20X22,18X22	285	100	27.3/26.3	32.5X30X18.4
21X23,22X24	305	50	19.4/18.4	34.5X18.1X19.9
24X26,24X27,	325	50	28.4/26.4	40X19.5X23.4
25X28	343	50	28.4/26.4	40X19.5X23.4
27X30	365	50	31.5/30.5	43.5X21.4X26.5
30X32	376	50	35.3/34.3	43.5X21.4X26.5



MIRROR POLISH

COMBINATION WRENCH

TD5001S

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6	131	500	12.5/11.5	32.8X24.3X12.4
7	150	500	14.5/13.5	32.8X24.3X12.4
8	120	500	17.0/16.0	34.5X27.6X13.6
9	130	500	19.5/18.8	34.5X27.6X13.6
10	140	500	25.5/24.5	38.2X30.7X15.3
11	151	500	31.0/30.0	39.3X34.7X16.6
12	161	500	38.0/36.0	39.3X34.7X16.6
13	171	500	41.0/40.0	43.7X37X17.6
14	182	200	28.0/19.0	40.8X26.1X16.6
16	191	200	23.0/22.0	40.8X26.1X16.6
16	231	200	28.4/26.4	43X27.4X17
17	210	100	15.5/14.8	30.7X22.9X17.4
18	220	100	17.0/16.0	28.9X23.9X16.6
19	231	100	18.5/17.5	30.5X26X20.2



SATIN FINISH

COMBINATION WRENCH

TD5001SF

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
20	241	100	20.5/19.5	30.5X26X20.2
21	252	100	22.8/21.8	33.2X28.1X22
22	261	100	24.5/23.5	33.2X28.1X22
23	274	50	15.8/14.8	36.7X30.3X12.7
24	288	50	16.4/15.4	36.7X30.3X12.7
25	286	50	17.0/16.0	36.7X30.3X12.7
26	320	50	22.4/21.4	36.7X30.3X12.7
27	320	50	22.0/21.0	38.7X33.7X13.5
28	320	50	22.0/21.0	38.7X33.7X13.5
29	336	50	29.5/28.5	38.7X36.7X14.2
30	336	50	28.3/27.3	38.7X36.7X14.2
31	362	50	34.1/33.1	41.8X38.7X16
32	362	50	34.0/33.0	41.8X38.7X16



MIRROR POLISH

DOUBLE RING OFFSET WRENCH

TD6001S

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7,5.5X7	118	500	16.0/15.0	44.5X31X11.3
8X9,8X10	137	500	23.7/22.7	44.5X31X11.3
10X11,10X12	161	250	18.0/17.0	48.3X18.2X13.5
12X13,12X14	186	250	24.8/23.8	55X20.7X14.9
14X15,13X15	213	200	29.2/28.2	34.1X24X26.1
14X17	217	200	29.2/28.2	34.1X24X26.1
16X17,16X18	219	200	32.6/31.6	34.1X24X26.1



SATIN FINISH

DOUBLE RING OFFSET WRENCH

TD6001SF

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
18X19,17X19	251	100	20.8/19.8	40.3X27.7X14.9
20X22,19X22	270	100	28.6/27.6	44X29.3X17
21X23,22X24	296	100	35.0/34.0	34.8X31.8X20.1
24X27,25X28	342	50	24.4/23.4	50.2X36.2X10.9
27X30	396	50	34.8/33.8	43X22.5X27
30X32	401	50	35.3/34.3	43X22.5X27



DOUBLE OPEN END WRENCH

TD7001S

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	106	500	16.3/15.0	32.6X26.7X15.4
8X9,8X10	122	500	24.5/23.5	32.5X26.7X15.4
9X11,10X11,10X12	136	500	29.3/28.0	33.2X29.4X17.3
11X13,12X13,12X14	151	250	23.3/22.0	35X16.7X18.6
13X15,14X15,14X17	159	200	23.3/22.0	33.2X18.2X21.1
16X17,16X18	173	200	25.8/24.8	33.2X20.1X22.6



DOUBLE OPEN END WRENCH

TD7001SF

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
17X19,18X19	186	200	29.5/28.5	33.2X25.1X22.6
18X21,20X22,19X22	207	200	39.5/38.5	44.5X22X20.2
21X23,22X24	229	100	24.5/23.5	27.9X24.8X20.4
24X26,24X27,25X25	244	100	29.9/28.9	31.3X26X24.2
27X30	268	50	22.5/21.5	29.2X28.2X14.1
30X32	286	50	28.3/27.3	35.2X30.5X14.7



FLARE NUT WRENCH

MT3001

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8X9,8X10	141	200	13.0/12.0	38.5X18.6X14.9
9X11,10X11	151	200	15.5/14.5	40X17.4X15.4
10X12,11X12	161	200	18.5/17.5	42X18.4X18.4
11X13,12X13	175	200	24.0/23.0	47.7X19.9X17.4
12X14,13X14	180	200	24.0/23.0	47.7X19.9X17.4
14X17,15X17,16X17	180	100	15.3/15.3	26X21.4X18.9
17X19	210	100	22.5/21.5	28.9X23.4X21.9
18X21,19X22	230	100	27.6/26.6	30.5X25.4X25.4
22X24	250	100	35.5/34.5	44.4X27.3X20.5
24X32	295	50	22.3/21.3	44.4X32.7X13.7



AVIATION WRENCH

MT4002

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8x9MM	233	300	26.5/26.5	50.1X23.5X14.8
8X10MM	233	300	26.5/26.5	50.1X23.5X14.8
10x12MM	328	150	28.5/27.5	38.2X35X15.1
11X13MM	328	150	28.5/27.5	38.2X35X15.1
13x15MM	368	100	23/22	39X26X15.9
14X15MM	368	100	23/22	39X26X15.9
14x17MM	408	60	23/22	43X32X12
16X17MM	408	60	23/22	43X32X12
17x19MM	408	60	22.5/21.5	43X32X12
18X19MM	408	60	22.5/21.5	43X32X12
19x21MM	417	50	21.5/20.5	46X28X14
20x21MM	417	50	21.5/20.5	46X28X14
21x23MM	432	50	19/18	42X35X13
22x24MM	432	50	19/18	42X35X13



- raised panel
- double color
- satin finishing for the wrench body
- mirror polished for the head

COMBINATION WRENCH

TD5001DC

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6	95	500	11.0/10.0	37X15.5X30.3
7	100	500	12.5/11.5	37X15.5X30.3
8	105	500	16.5/15.5	37X15.5X30.3
9	115	500	19.1/18.1	43.4X35.4X17.4
10	123	500	24.0/23.0	43.4X35.4X17.4
11	131	500	28.0/27.0	43.4X35.4X17.4
12	141	250	17.5/16.5	44.4X20.7X20.9
13	151	250	21.0/20.0	44.4X20.7X20.9
14	166	100	10.0/9.0	29.4X23.5X19
15	176	100	11.5/10.5	29.4X23.5X19
16	191	100	13.0/12.0	29.4X23.5X19
17	208	100	15.3/14.3	29.4X25.5X20.2
18	221	100	17.1/16.1	29.4X25.5X20.2
19	231	100	18.5/17.5	31.9X27.5X22.2
20	262	100	21.0/20.0	31.9X27.5X22.2
21	262	100	23.0/22.0	34.5X29.5X23.8
22	282	100	25.5/24.5	34.5X32X25
23	282	100	26.8/25.8	34.5X32X25
24	312	100	31.5/30.5	37X34X25
25	332	100	35.3/34.3	37X34X25
26	332	50	18.8/17.8	38.4X35.5X14.3
27	362	50	21.8/20.8	38.4X35.5X14.3
28	362	50	23.0/22.0	39.4X38.5X15.3
29	383	50	24.5/23.5	39.4X38.5X15.3
30	383	50	27.5/26.5	39.4X38.5X15.3
31	413	50	33.8/32.8	47X40X16.3
32	413	50	33.5/32.5	47X40X16.3



- raised panel
- double color
- satin finishing for the wrench body
- mirror polished for the head

DOUBLE RING OFFSET WRENCH

TD6001DC

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7,5.5X7	160	500	26.0/25.5	45X28.5X25.3
8X9,8X10	175	500	35.0/34.0	45X28.5X25.3
10X11,10X12	191	250	25.4/24.4	50X22X13.6
12X13,12X14	206	250	32.5/31.5	46.1X31X13.9
13X15,14X15,	228	200	34.0/33.0	51.3X29.3X16.5
14X17	232	100	23.3/22.3	30.9X27.8X16.9
16X17,16X18	232	100	23.3/22.3	30.9X27.8X16.9
17X19,18X19	248	100	27.3/26.3	32.5X30X16.4
20X22,19X22	270	50	19.4/18.4	34.5X18.1X19.9
21X23,22X24	317	50	29.4/28.4	40X19.5X23.4
24X27,25X26	361	50	31.3/30.3	43.5X21.4X26.5
30X32	407	50	35.3/34.3	43.5X21.4X26.5



- raised panel
- double color
- satin finishing for the wrench body
- mirror polished for the head

DOUBLE OPEN END WRENCH

TD7001DC

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7,5.5X7	96	500	16.0/15.0	32.6X26.7X15.4
8X9,8X10	111	500	24.5/23.5	32.5X26.7X15.4
10X11,10X12	129	500	29.0/28.0	33.2X29.4X17.3
12X13,12X14	143	250	23.0/22.0	35X16.7X18.6
13X15,14X15,	161	200	23.0/22.0	33.2X18.2X21.1
14X17	159	200	25.8/24.8	33.2X20.1X22.6
16X17,16X18	173	200	29.5/28.5	33.2X20.1X22.6
17X19,18X19	186	200	39.5/38.5	44.5X22X20.2
20X22,19X22	202	100	24.5/23.5	27.9X24.8X20.4
21X23,22X24	227	100	29.9/28.9	31.3X26X24.2
24X27,25X26	262	50	28.3/27.3	35.2X30.5X14.7
30X32	287	50	33.5/29.5	35.2X30.5X14.7



TD5001

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6	108	500	16.0/15.0	37X24.7X12.5
7	108	500	16.0/15.0	37X24.7X12.5
8	115	500	16.0/15.0	37X24.7X12.5
9	125	500	22.5/21.5	43X26.2X14.9
10	133	500	27.0/26.0	49X28.2X14.9
11	146	500	30.0/29.0	46.3X31.5X14.9
12	156	200	15.5/14.5	42.3X17.4X13.7
13	165	200	18.1/17.1	48X19.2X15.5
14	169	200	20.0/19.0	48X19.2X15.5
15	179	200	23.0/22.0	48X19.2X15.5
16	191	200	29.0/28.0	58.8X21.0X19.8
17	204	100	17.3/16.3	27.5X22.2X17.5
18	211	100	17.5/16.5	27.5X22.2X17.5
19	227	100	20.8/19.8	28X28X18.7
20	227	100	19.8/18.8	28X28X18.7
21	250	100	24.0/23.0	33.7X26X20.3
22	272	100	30.5/29.5	31X29X20.5
23	272	100	29.3/28.3	31X29X20.5
24	292	50	18.3/17.3	36.5X30.7X12.2
25	307	50	18.1/17.1	36.5X30.7X12.2
26	307	50	24.5/23.5	37.3X33.5X13.4
27	323	50	24.3/23.3	37.3X33.5X13.4
28	323	50	22.6/21.6	37.3X33.5X13.4
29	353	50	30.6/29.6	37.5X37X13.8
30	353	50	29.6/28.6	37.5X37X13.8
31	383	50	37.6/36.6	46.3X39.5X14.7
32	383	50	37.5/36.5	46.3X39.5X14.7

COMBINATION WRENCH



TD6001

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	118	500	16.5/15.5	44.5X31X11.3
8X9,8X10	138	500	23.5/22.5	44.5X31X11.3
9X11,10X11,10X12	160	250	19.1/18.1	48.3X18.2X13.5
11X13,12X13,12X14	185	250	25.4/24.4	58X20.7X14.9
13X15,14X15,14X17	213	200	27.1/26.1	34.1X24X26.1
16X17,16X18	220	200	30.0/29.5	34.1X24X26.1
17X19,18X19	250	100	21.3/20.3	40.3X27.7X14.9
18X21,20X22,19X22	268	100	27.6/26.8	44X29.3X17
21X23,22X24	295	100	33.8/32.8	34.8X31.8X20.1
24X26,24X27,25X28	341	50	25.1/24.1	50.2X38.2X10.9
27X30	355	50	35.1/34.1	43X22.5X27
30X32	403	50	37.3/36.3	43X22.5X27

DOUBLE RING OFFSET WRENCH



TD7001

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	108	500	17.1/16.1	32.6X26.7X15.4
8X9,8X10	123	500	23.0/22.5	32.6X26.7X15.4
9X11,10X11,10X12	137	500	29.75/28.8	33.2X29.4X17.3
11X13,12X13,12X14	162	250	22.3/21.3	39X16.7X18.6
13X15,14X15,14X17	160	200	22.3/21.3	33.2X18.2X21.1
16X17,16X18	174	200	26.5/25.5	33.2X20.1X22.6
17X19,18X19	187	200	29.5/28.5	33.2X20.1X22.6
18X21,20X22,19X22	208	200	37.5/36.5	44.5X22X26.2
21X23,22X24	230	100	22.75/21.6	27.9X24.8X20.4
24X26,24X27,25X28	245	100	31.2/30.2	31.3X26X24.2
27X30	270	50	22.1/21.1	29.2X28.2X14.1
30X32	280	50	27.6/26.6	35.2X30.5X14.7

DOUBLE OPEN END WRENCH



TD5101

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
33	375	20	21/20	49X21.4X18.9
34	450	20	21/20	49X21.4X18.9
35	450	20	21/20	49X21.4X18.9
36	450	20	21/20	49X21.4X18.9
38	465	20	25/24	49X21.4X18.9
40	465	20	25/24	49X21.4X18.9
41	490	20	30/29	51.5X22X21.5
42	490	20	30/29	51.5X22X21.5
44	490	20	35/34	51.5X22X21.5
46	490	20	35/34	53.5X23X23.6
48	500	20	40/39	53.5X23X23.5
50	503	20	38/37	53.5X23X23.5
55	675	10	37.5/36.5	71.8X35.8X13.7
60	700	10	48/47	71.8X35.8X13.7
65	700	10	47/46	71.8X35.8X13.7
70	760	5	34/33	77X18X15
75	760	5	34/33	77X18X18
80	850	3	28/25	86X15X11
85	850	3	28/25	86X15X11

COMBINATION WRENCH



DOUBLE RING OFFSET WRENCH

TD6101

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
32X34	440	20	18/17	45.5X25.9X12.7
32X36	440	20	18/17	45.5X25.9X12.7
34X36	440	20	18/17	45.5X25.9X12.7
36X41	450	20	21/20	47.7X26.6X14.8
41X46	465	20	26/25	49.5X28.6X15.9
46X50	470	20	31/30	51.8X30X16.4



DOUBLE OPEN END WRENCH

TD7101

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
32X34	315	50	39/38	40.5X33.7X14.8
32X36	315	50	39/38	40.5X33.7X14.8
34X36	315	50	39/38	40.5X33.7X14.8
36X41	335	20	21/20	36X19X15
41X46	370	20	25.5/24.5	39.2X20.3X17.9
46X50	395	20	33/32	41.3X23X18
50X55	445	20	34/33	46.3X24.3X19.7



FLEXIBLE HEAD SOCKET WRENCH

TD15003

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
8MM	162	250	24.8/23.8	44.5x18.5x15.9
9MM	162	250	24.8/23.8	44.5x18.5x15.9
10MM	174	125	22.3/21.3	48x21x18.4
11MM	174	125	22.3/21.3	48x21x18.4
12MM	200	125	27.9/26.9	30x22.7x20.4
13MM	212	100	25.5/24.5	31x27.5x18.5
14MM	222	100	28/27	32x27.5x18.5
15MM	227	100	28.5/27.5	32.8x28x19
16MM	235	100	29/28	34.5x26.4x19.8
17MM	235	100	29/28	34.5x26.4x19.8
18MM	250	100	29.8/28	32.5x27.5x18.6
19MM	250	100	29.8/28	32.5x27.5x18.6





TWO SIDE FLEXIBLE HEAD SOCKET WRENCH

TD15004

SIZE	L(mm)	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
6X7	178	500	35.0/34.0	45x20.5x25.3
8X9	188	200	39.5/38.5	44.5x22x20.2
8X10	191	100	13.0/12.0	29.4x23.5x19
10X11	207	100	15.3/14.3	29.4x23.5x20.2
10X12	211	100	17.5/16.5	27.5x22.2x17.5
11X13	220	200	30.5/29.5	34.1x24x26.1
12X13	224	100	15.3/14.3	29.4x25.5x20.2
12X14	225	100	15.8/14.8	29.9x25.8x20.8
13X17	255	100	16.8/15.8	31.9x27.5x22.2
14X15	249	100	18.5/17.5	27.5x26.9x23.8
14X17	255	100	21.0/20.0	31.9x27.5x22.2
16X17	262	100	23.0/22.0	32.9x27.8x22.2
17X19	278	100	25.5/24.5	33.5x26.8x28
18X19	281	100	26.8/25.8	34.5x32x25
19X22	300	100	35.3/34.3	37x34x25





RATCHET WRENCH SET

MT8601-12P

Material: Chrome-Vanadium

SIZE	PCS/CTN	G.W/N.W (kgs)	MEAS(cm)
12PCS:8,9,10,11,12,13,14,15,16,17,18,19mm	10	16.3/15.3	42.5x29.5x25.5











MT8705PH | MT8702PH | MT8802PH | MT8202PH | MT8602PH

Material:Chrome-Vanadium

SIZE	PCS/CTN	G.W/N.W (kgs)	MEAS(cm)
5PCS:8X9,10X11,12X13,16X17X18X19mm	30	22/21	68.5x31x20.5
5PCS:8,10,12,14,17mm	30	22/21	68.5x31x20.5
6PCS:8,10,13,14,17,19mm	20	16.3/15.3	48.6x31.7x24.5
7PCS:8,10,12,13,14,17,19mm	10	9.5/8.5	38.5x33x21.8
8PCS:8,10,12,13,14,15,16,17mm	10	10.5/9.5	38.5x33x21.8
9PCS:8,9,10,11,12,13,14,17,19mm	10	11/10	38.5x33x21.8









MT8703P | MT8603P | MT8203P | MT8204P

Material:Chrome-Vanadium

SIZE	PCS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,12,13,14,17,19mm	10	14/13	38.5x33x21.8
9PCS:8,9,10,11,12,13,14,17,19mm	10	16/15	38.5x33x21.8



RATCHET WRENCH SET
MT8606PR

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
5PCS:10,12,13,14,15mm	20	11/10	47.5x30.6x21.5
7PCS:8,10,12,13,14,17,19mm	20	14/13	38.5x33x21.8
9PCS:8,9,10,11,12,13,14,17,19mm	10	16/15	38.5x33x21.8



FLEXIBLE RATCHET WRENCH SET
MT8706PR



FLEXIBLE RATCHET WRENCH SET
MT8708

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,12,13,14,17,19mm	20	14/13	38.5x33x21.8
8PCS:8,10,12,13,14,15,17,19mm	10	10.5/9.5	38.5x33x21.8
9PCS:8,9,10,11,12,13,14,17,19mm	10	16/15	38.5x33x21.8



RATCHET WRENCH SET
MT8608



RATCHET WRENCH SET
MT8607P

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
5PCS:10,12,13,14,15mm	20	14/13	48x22x20
6PCS:8,9,10,11,13,17mm	24	14/13	45.5x30x23.5
7PCS:8,10,12,13,14,17,19mm	10	9/8	30.4x23.4x22.5
8PCS:8,10,11,12,13,14,17,19mm	10	11/10	30.4x23.4x22.5



FLEXIBLE RATCHET WRENCH SET
MT8707P



FLEXIBLE RATCHET WRENCH SET
MT8702PO

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,12,14,15,17,19mm	10	14/13	33x36x20
11PCS:8,9,10,11,12,13,14,15,16,17,19mm	10	10.5/9.5	38.5x33x21.8



RATCHET WRENCH SET
MT8602PO



RATCHET WRENCH SET
MT8604P

Material: Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
4PCS:10,13,17,19mm	24	16/15	49.5x34x31.5
5PCS:3/8", 7/16", 1/2", 9/16", 5/8"mm	24	14.8/13.8	41.2x24.8x18.9



RATCHET WRENCH SET
MT8605P



RATCHET WRENCH SET
MT8610P

Material: Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,12,13,14,17,19mm	20	20.3/19.3	55x35.2x22.5
10PCS:8,9,10,11,12,13,14,15,17,19mm	10	17/16	40.5x35x24



FLEXIBLE RATCHET WRENCH SET
MT8710P



REVERSIBLE RATCHET WRENCH SET
MT8202P

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,11,13,14,17,19mm	12	18/17	47.3x33x19.9



RATCHET WRENCH SET
MT8602P



FLEXIBLE RATCHET WRENCH SET
MT8702P



FLEXIBLE RATCHET WRENCH SET
MT8702PF

Material: Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,11,13,14,17,19mm	10	22/21	54.2x29.5x18



RATCHET WRENCH SET
MT8602PF



RATCHET WRENCH SET
MT8602PB

Material: Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
12PCS:8,9,10,11,12,13,14,15,16,17,18,19mm	10	21/20	49.2x33.3x26.7



FLEXIBLE RATCHET WRENCH SET
MT8702PB



EXTRA LONG FLEXIBLE DOUBLE RING RATCHET WRENCH SET

MT9702

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
6PCS:8X9,10X11,12X13,14X15, 16X18,17X19mm	8	22/21	53.4x50.4x24
4PCS Adaptor : 1/4" Sq Dr x 10mm Hex,3/8" Sq Dr x13mm Hex, 1/2" Sq Dr x 19mm Hex ,1/4" Hex Bit x 10mm			



EXTRA LONG DOUBLE RING SINGLE RATCHET WRENCH SET

MT9704

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
18PCS:8,10,12,13,14,15,16, 17,18,19mm	4	17/16	48.5X27X26.5
4PCS Adaptor : 1/4" Sq Dr x 10mm Hex,3/8" Sq Dr x13mm Hex, 1/2" Sq Dr x 19mm Hex ,1/4" Hex Bit x 10mm			



RATCHET WRENCH SET

MT8807



FLEXIBLE RATCHET WRENCH SET

MT8808

Materia:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
12PCS:8,9,10,11,12,13,14,15, 16,17,18,19mm	10	22/21	59.4x31x32.5



EXTRA LONG DOUBLE RING SINGLE RATCHET WRENCH SET

MT9703

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,12,13,14,17,19mm	8	22/21	53.4x50x24





RATCHET WRENCH SET

MT8602BMC

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
17PCS Socket With 3PCS Adaptor: 8,9,10,12,13,14,15,16,17,18,19,21,22, 24,27,30,32mm	2	14.5/13.5	52.5x33x15
22PCS:6,7,8,9,10,11,12,13,14,15,16,17, 18,19,20,21,22,23,24,27,30,32mm	2	16/15	61.5x32.4x12.4



RATCHET WRENCH SET

MT8601AP



FLEXIBLE RATCHET WRENCH SET

MT8701AP

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
13PCS:8,10,12,13,14, 17,19,21,22,24,27,30,32mm	3	19/18	48x38x23.6



STUBBY RATCHET WRENCH SET

MT8101PR

Material:Chrome Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
8PCS:12,11,12,13,14,15,17,19mm	20	16/15	42x30x20



E TYPE FLEXIBLE DOUBLE RING RATCHET WRENCH SET

MT8803-4P

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
4PCS:E6xE8,E10xE12, E14xE16,E20xE24	20	17.1/16.1	36.2x29.7x18.3



RATCHET WRENCH SET(BLACK NICKLE)

MT8602A

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
10PCS:7,8,10,12,13,14,17, 19,22,24mm	8	20.5/19.5	45.5x37.8x27
12PCS:8,9,10,11,12,13,14, 15,16,17,18,19mm	10	14/13	38.5x33x21.8



RATCHET WRENCH SET

MT8603PR

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,12,13,14,17,19mm	10	14/13	40x28x25



REVERSIBLE RATCHET WRENCH SET

MT8202S



RATCHET WRENCH SET

MT8602S



FLEXIBLE RATCHET WRENCH SET

MT8702S

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
7PCS:8,10,12,13,14,17,19mm	20	29/28	41x36.3x25.4
8PCS:6,8,10,12,14,17,19,22mm	20	33/32	47x26x36.8
10PCS:6,8,10,12,13,14,17,19,22,24mm	10	29/28	51.8x35.8x20.8



Material:Chrome-Vanadium/Carbon Steel

DESCRIPTION	SIZE(METRIC)
COMBINATION WRENCH SET	6PCS:6-17MM 6,8,10,12,14,17MM
	8PCS:6-22MM 6,8,10,12,14,17,19,22MM
	10PCS:6-27MM 6,8,10,12,14,17,19,22,24,27MM
	12PCS:6-32MM 6,8,10,12,14,17,19,22,24,27,30,32MM
	14PCS:6-32MM 6,9,10,12,13,14,15,17,19,22,24,27,30,32MM
	14PCS:6-24MM 6,7,8,9,10,11,12,13,14,15,17,19,22,24MM
	24PCS:6-24MM 6,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25, 26,27,28,29,30,32MM
	26PCS:6-32MM 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24, 25,26,27,28,29,30,32MM
DOUBLE OPEN WRENCH SET	6PCS:6-17MM 6X7,8X9,10X11,12X13,14X15,16X17MM
	8PCS:6-22MM 6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22MM
	10PCS:6-27MM 6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22,21X23,24X27MM
	12PCS:6-32MM 6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22, 21X23,24X27,25X28,30X32MM
DOUBLE RING WRENCH SET	6PCS:6-17MM 6X7,8X9,10X11,12X13,14X15,16X17MM
	8PCS:6-22MM 6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22MM
	10PCS:6-27MM 6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22, 21X23,24X27MM
	12PCS:6-32MM 6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22,21X23, 24X27,25X28,30X32MM

DESCRIPTION	SIZE(INCH)
COMBINATION WRENCH SET	6PCS:1/4",5/16",3/8",7/16",9/16",5/8"
	8PCS:1/4",5/16",3/8",7/16",9/16",5/8",11/16",3/4"
	10PCS:1/4",5/16",7/16",1/2",9/16",5/8",3/4",7/8",15/16",1-1/16"MM
	12PCS:1/4",5/16",7/16",1/2",9/16",5/8",3/4",7/8",15/16",1-1/16",1-1/8",1-1/4"MM
DOUBLE OPEN WRENCH SET	6PCS:1/4"x5/16",3/8"x13/32",7x16"x1/2",9/16"x19/32",5/8"x11/16", 3/4"x13/16"MM
	8PCS:1/4"X5/16",3/8"x13/32",7x16"x1/2",9/16"x19/32",5/8"x11/16",3/4"x13/16", 7/8"x15/16",1"x1-1/16MM
	10PCS:1/4"x5/16",3/8"x13/32",7x16"x1/2",9/16"x19/32",5/8"x11/16",3/4"x13/16", 13/16"x7/8",7/8"x15/16",15/16"x1",1"x1-1/16"MM
	12PCS:1/4"x5/16",3/8"x13/32",7x16"x1/2",9/16"x19/32",5/8"x11/16",3/4"x13/16", 13/16"x7/8",7/8"x15/16",15/16"x1",1"x1-1/16",1-1/16"x1-1/8",1-1/8"x1-1/4"MM
DOUBLE RING WRENCH SET	6PCS:1/4"x5/16",3/8"x13/32",7x16"x1/2",9/16"x19/32",5/8"x11/16", 3/4"x13/16"MM
	8PCS:1/4"x5/16",3/8"x13/32",7x16"x1/2",9/16"x19/32",5/8"X11/16",3/4"x13/16", 7/8"x15/16",1"x1-1/16"MM
	10PCS:1/4"x5/16",3/8"x13/32",7x16"x1/2",9/16"x19/32",5/8"x11/16",3/4"x13/16", 13/16"x7/8",7/8"x15/16",15/16"x1",1"x1-1/16"MM
	12PCS:1/4"x5/16",3/8"x13/32",7x16"x1/2",9/16"x19/32",5/8"x11/16",3/4"13/16", 13/16"x7/8",7/8"x15/16",15/16"x1",1"x1-1/16",1-1/16"x1-1/8"x1-1/4"MM



FLARE NUT WRENCH SET
MT3001POUCH



FLEXIBLE STUBBY RATCHET WRENCH SET
MT8102POUCH

Material:Chrome-Vanadium

DESCRIPTION	SIZE
FLARE NUT WRENCH SET	6PCS:8X9,10X11,12X13,14X15,16X17,19X21,22X24mm
FLEXIBLE STUBBY RATCHET WRENCH SET	12PCS:8,910,11,12,13,14,15,16,17,18,19mm



REVERSIBLE RATCHET WRENCH SET
MT8201POUCH

Material:Chrome-Vanadium

SIZE
8PCS:6-22MM 6,8,10,12,14,17,19,22MM
10PCS:6-27MM 6,8,10,12,14,17,19,22,24,27MM
12PCS:6-27MM 6,8,10,12,14,17,19,22,24,27,30,32MM



AVIATION WRENCH SET
MT4001

Material:Chrome-Vanadium/Carbon Steel

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
5PCS:8X10,11X13,14X15,16X17, 18X19mm	16	21/20	51.7x23.5x21
4PCS:E6XE8,E10XE12,E14XE18 E20XE24	16	21/20	51.7x23.5x21



E TYPE WRENCH SET
MT1001ES



DOUBLE RING OFFSET RATCHET WRENCH SET
MT8801POUCH

Material:Chrome-Vanadium



DOUBLE RING OFFSET WRENCH SET
MT4601ASPOUCH

DESCRIPTION	SIZE
DOUBLE RING OFFSET RATCHET WRENCH SET	6PCS:8X9,10X11,12X13,14X15,16X17,18X19mm
DOUBLE RING OFFSET WRENCH SET	9PCS:6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22,21X23mm



RATCHET WRENCH SET
MT8602PR



FLEXIBLE RATCHET WRENCH SET
MT8702PR



DOUBLE RING RATCHET WRENCH SET
MT8803PR



RATCHET WRENCH SET
MT8602PR



REVERSIBLE RATCHET WRENCH SET
MT8202PR

Material:Chrome-Vanadium

SIZE	PCS/CTN	G.W/N.W (kgs)	MEAS(cm)
5PCS:8x9,10x11,12x13,14x15,16x17mm	10	13/12	27.8x24x21
6PCS:8,10,12,14,17,19mm	20	23/22	47x26x36.8
7PCS:8,9,10,12,13,14,17mm	20	29/28	47x26x36.8
8PCS:8,10,11,12,13,14,17,19mm	20	29/28	47x26x36.8
9PCS:6,8,9,10,12,13,14,17,19mm	10	31/30	51.8x35.8x20.8
10PCS:8,10,11,12,13,14,17,19,22,24mm	10	31.5/30.5	51.8x35.8x20.8
11PCS:6,8,9,10,11,12,13,14,17,19,22,mm	10	32/31	51.8x35.8x20.8
12PCS:6,8,9,10,11,12,13,14,15,17,19,22,mm	10	33/32	51.8x35.8x20.8
13PCS:6,7,8,9,10,12,13,14,15,16,17,18,19mm	12	19/18	47x26.5x28.5
15PCS:1/4",9/32",5/16",11/32",3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8",15/16",1"	5	18/17	41.1x33x29



FLEXIBLE HEAD SOCKET WRENCH SET
MT15003P

Material: Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W(kgs)	MEAS(cm)
8PCS: 8,10,12,13,14,15,17,19mm	20	29/28	47x26x36.8



TWO SIDE FLEXIBLE HEAD SOCKET WRENCH SET
MT15004P

Material: Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W(kgs)	MEAS(cm)
6PCS:6x7,8x9,10x11,12x13,14x15,16x17mm	10	13.8/12.8	28.5x26.7x22.5



Material:Chrome-Vanadium/carbon Steel

DESCRIPTION	SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
COMBINATION WRENCH SET	6PCS:6,8,10,12,14,17MM	30	15.5/14.5	45.9X24.1X29.4
	8PCS:6,8,10,12,13,15,17,19MM	20	16/14	46.6X26X36
	8PCS:6,8,10,12,14,17,19,22MM	20	19/18	40.2X26.9X32.4
	10PCS:6,8,10,12,14,17,19,22,24,27MM	10	19/18	51.8X35.8X20.8
DOUBLE OPEN WRENCH SET	6PCS:6X7,8X9,10X11,12X13,14X15,16X17MM	30	16/15	45.9X24.1X29.4
	8PCS:6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22MM	20	19/18	40.2X26.9X32.4
	10PCS:6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22,21X23,24X27MM	10	17.5/16.5	51.8X35.8X20.8
DOUBLE RING WRENCH SET	6PCS:6X7,8X9,10X11,12X13,14X15,16X17MM	30	22.5/21.5	45.9X24.1X29.4
	8PCS:6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22MM	20	25/24	40.2X26.9X32.4
	10PCS:6X7,8X9,10X11,12X13,14X15,16X17,18X19,20X22,21X23,24X27MM	10	22.5/21.5	51.8X35.8X20.8



DOUBLE RING OFFSET WRENCH SET
MT4601ASP



COMBINATION WRENCH SET
MT5001SP



DOUBLE OPEN END WRENCH SET
MT7001SFP

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
8PCS:6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22mm	20	23/22	61.5x45.5x21.2
8PCS:8,10,12,13,14,17,19,22mm	20	21/20	65.5x45.5x21.2
8PCS:6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22mm	20	22/21	61.5x45.5x21.2



STUBBY COMBINATION WRENCH SET
MT1003-8P



REVERSIBLE RATCHET WRENCH SET
MT8201-8P



DOUBLE RING OFFSET WRENCH SET
MT6101-12P

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
6PCS:10,11,12,13,14,15mm 6PCS:5/16",3/8",7/16",1/2",9/16",5/8"	6	2.2/1.2	19.5x13x8.5
8PCS:8,10,12,13,14,17,19,22mm	20	26.5/25.5	61.5x45.5x21.2
12PCS:8x9,10x11,12x13,14x15,16x17,18x19mm,1/4"x5/16",3/8"x7/16"1/2"x9/16",5/8"x11/16",3/4"x7/8",13/16"x15/16"	4	19.4/18.4	41.2x33.5x12



STUBBY COMBINATION WRENCH SET
TD1003-8P

Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W(kgs)	MESA(CM)
8PCS:10,11,12,13,14,15,17,19mm	20	14.4/13.4	41.2x30.2x19.2



DOUBLE RING OFFSET WRENCH SET
TD6101-8P

Material:Chrome-Vanadium

SIZE	PCS/CTN	G.W/N.W (kgs)	MEAS(cm)
8PCS:6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22mm	10	13.5/12.5	35.3x34x21



FLARE NUT WRENCH SET
TD3001-3P

Material:Chrome-Vanadium

SIZE	PCS/CTN	G.W/N.W (kgs)	MEAS(cm)
3PCS:10x11,12x13,14x17mm	60	23.2/22.2	56x22.5x23



COMBINATION WRENCH SET
MT5103P

Material: Carbon Steel

SIZE	SETS/CTN	G.W/N.W(kgs)	MESA(CM)
7PCS:6,8,10,11,12,14,17mm	24	13.6/12.6	42.3x28.5x29.5
9PCS:6,8,10,11,12,13,14,17,19mm	20	16/15	58x32x21
14PCS:6,7,8,9,10,11,12,13,14,15,16,17,18,19mm	20	26/25	57.5x49.5x29.7



BSCI ISO9001 CE




Material:Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W (kgs)	MESA(CM)
1Pc Double Ring Offset Ratchet Wrench:14x19mm 5Pcs Hexagon Gear Sleeve:8,10,12,13,17	60	16.9/15.9	39.3x37.2x21.3
1Pc Flexible Double Ring Ratchet Wrench:14x19mm 5Pcs Hexagon Gear Sleeve:8,10,12,13,17	60	21.6/20.6	39.3x37.2x21.3

RATCHET WRENCH 4 SET FLEXIBLE RATCHET WRENCH 5 SET

MT8801B **MT8802B**



COMBINATION WRENCH SET

MT5203P

Material: Carbon Steel

SIZE	SETS/CTN	G.W/N.W(kgs)	MESA(CM)
28PCS: 6,7,8,9,10,12,14,17,18,1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4" 10,12,13,14,15,3/8",7/16",1/2",9/16",5/8"	10	21/20	49.2x33.3x26.7



EXTRA LONG V TYPE COMBINATION WRENCH SET

TD1005-20P

Material: Carbon Steel

SIZE	SETS/CTN	G.W/N.W(kgs)	MESA(CM)
20PCS:1/4",5/16",3/8",7/16",1/2",9/16",5/8",11/16", 3/4",7/8",8,9,10,11,12,13,14,15,17,18mm	6	18.5/17.5	37x31.3x39.5



RATCHET WRENCH AND COMBINATION WRENCH SET

MT8601PS

Material:Chrome-Vanadium

	SIZE	SETS/CTN	G.W/N.W (kgs)	MESA(CM)
METRIC	6Pcs Ratchet Wrench:8,10,12,13,14,15mm 6Pcs Combiantion Wrench:8,10,12,13,14,15mm	8	25.3/24.3	50.2x34x14
SAE	6Pcs Ratchet Wrench:5/16",3/8",7/16",1/2",9/16",5/8" 6Pcs Combiantion Wrench:5/16",3/8",7/16",1/2",9/16",5/8"	8	25.3/24.3	50.2x34x14



E TYPE WRENCH SET

MT1001EB

Material: Chrome-Vanadium Material: Carbon Steel

SIZE	SETS/CTN	G.W/N.W(kgs)	MEAS(cm)
4PCS:E6XE8 E10XE12 E14XE18 E20XE24	16	21/20	51.7x23.5x21



FLEXIBLE RATCHET WRENCH SET

MT8702B

Material: Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W(kgs)	MEAS(cm)
5PCS:8,10,13,14,17mm	40	18/17	48x28x28



5PC FLEXIBLE STUBBY RATCHET WRENCH

MT8103

Material: Chrome-Vanadium

SIZE	SETS/CTN	G.W/N.W(kgs)	MEAS(cm)
5PCS:10,12,13,17,19mm	40	18/17	48x28x28



STUBBY COMBINATION WRENCH SET

MT1004

Material: Carbon Steel

SIZE	SETS/CTN	G.W/N.W (kgs)	MEAS(cm)
10PCS:10,11,12,13,14,15,16,17,18,19mm	20	15.5/14.5	45.9x24.1x29.4



LD-1515

BSCI ISO9001 CE



TD3006

SUPERIOR CHROME PLATED FINISH THREE-JAW PULLER

Material:Chrome-Vanadium/Carbon Steel

SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
75MM 3"	50PCS/CTN	24/23	38X38X24.5
100MM 4"	40PCS/CTN	28/27	43X34.7X30.7
150MM 6"	20PCS/CTN	29/28	54.5X44X23.7
200MM 8"	12PCS/CTN	27/26	53X40.2X27.1
250MM 10"	6PCS/CTN	22.5/21.5	49.6X33.6X33.5
300MM 12"	4PCS/CTN	22.5/21.5	37.6X37.6X36.9



TD3016

SUPERIOR CHROME PLATED FINISH TWO-JAW PULLER

Material:Chrome-Vanadium/Carbon Steel

SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
75MM 3"	50PCS/CTN	19/18	52X29.2X15.9
100MM 4"	40PCS/CTN	18/17	41.6X29.2X15.9
150MM 6"	20PCS/CTN	22/21	52.5X22.4X18.8
200MM 8"	12PCS/CTN	24/23	51X29X16.9
250MM 10"	6PCS/CTN	24/23	39X32.8X19
300MM 12"	4PCS/CTN	15/14	38X21X25



TD3004

GENERAL ZINC-WHITE FINISH THREE-JAW PULLER

Material:Chrome-Vanadium/Carbon Steel

SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
75MM 3"	50PCS/CTN	24/23	38X38X24.5
100MM 4"	40PCS/CTN	28/27	43X34.7X30.7
150MM 6"	20PCS/CTN	29/28	54.5X44X23.7
200MM 8"	12PCS/CTN	27/26	53X40.2X27.1
250MM 10"	6PCS/CTN	22.5/21.5	49.6X33.6X33.5
300MM 12"	4PCS/CTN	22.5/21.5	37.6X37.6X36.9
350MM 14"	4PCS/CTN	31/30	45X28X15.8
400MM 16"	4PCS/CTN	38/37	48.7X32X19
500MM 20"	2PCS/CTN	26/25	49.3X24X18
600MM 24"	2PCS/CTN	29/28	51.3X24X18



TD3203

GENERAL ZINC-WHITE FINISH TWO-JAW PULLER

Material:Chrome-Vanadium/Carbon Steel

SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
75MM 3"	50PCS/CTN	19/18	52X29.2X15.9
100MM 4"	40PCS/CTN	18/17	41.6X29.2X15.9
150MM 6"	20PCS/CTN	22/21	52.5X22.4X18.8
200MM 8"	12PCS/CTN	24/23	51X29X16.9
250MM 10"	6PCS/CTN	24/23	39X32.8X19
300MM 12"	4PCS/CTN	15/14	38X21X25



TD3004G

GERMANY TYPE CHROME PLATED FINISH THREE-JAW PULLER

Material:Chrome-Vanadium/Carbon Stee

SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
75MM 3"	50PCS/CTN	24.5/23.5	40X35X23.5
100MM 4"	40PCS/CTN	26.5/25.5	37.5X34.3X28
150MM 6"	20PCS/CTN	30.5/29.5	55.8X49X21
200MM 8"	12PCS/CTN	27.7/26.7	67X45X30
250MM 10"	6PCS/CTN	22.3/21.3	57X43.5X35.5
300MM 12"	4PCS/CTN	21.5/20.5	44.8X41X40



TD3203G

GERMANY TYPE JAW FINISH TWO-JAW PULLER

Material:Chrome-Vanadium/Carbon Steel

SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
75MM 3"	40PCS/CTN	10/9	40.5X28.2X15.1
100MM 4"	40PCS/CTN	17/16	40.5X28.2X15.1
150MM 6"	20PCS/CTN	20/19	52.3X29.3X18.7
200MM 8"	20PCS/CTN	27/26	58.5X29.3X18.7
250MM 10"	12PCS/CTN	39/37	38.5X34X27.8
300MM 12"	8PCS/CTN	32/31	45.2X38.4X22.3



TD3004S

ZINC-YELLOW FINISH THREE-JAW PULLER SET

Material:Chrome-Vanadium/Carbon Steel

SIZE	PCS/CTN	G.W/N.W(kgs)	MEAS(cm)
3"4"6"8"	4	20/19	34X28X28.5





KIMPORT



Lithium Battery 20V
BRUSHLESS MOTOR

LCD787-9SC

Cordless Impact Drill

- Voltage: 20V(LI-Ion)
- Torque setting: 24
- Function setting:3
- Impact rate: 0-7500BPM/0-30000BPM
- Motor: 48# brushless motor
- Max torque: 65Nm
- Chuck: 2-13mm Single sleeve metal chuck
-Spindle lock
-Battery: 1x2000mAh 777# battery pack.
- 1 x Fast charger (2.4A)
Packed in color box

- Other Features:
Spindle lock
LED work light
Forward/reverse,variable speed and electric brake
Battery capacity indicator on battery pack
Packed in color box.

Accessories:

6 x HSS drill bits : 2mm,3mm,4mm,5mm,6mm,8mm
4 x 50mm screwdriver bits :
PH1,PH2,SL5,SL6
10 x 25mm screwdriver bits:
PZ0,PZ1,PZ2,PZ3,SL3,SL4,T10,T15,T20,T25
1 x 60mm magnetic connector
1 x belt clip
1 x user manual

Model
Blow Mould Case
Color box Packaging

Carton quantity: 4 pcs
Carton size: 50.5*41.5*33.7cm
Net weight/Gross weight: 17.34 kgs / 18.13 kgs

LD-1533



20v
LITHIUM-ION
ONE FOR ALL BATTERY

LCD787-1S

Cordless Drill

- Voltage: 20V(LI-Ion)
- No-load Speed: 0-400RPM/0-1500RPM
- Max. Torque: 40NM
- Torque Setting: 25+1
- Chuck: 2-13mm Single sleeve metal chuck
- Motor:775
- 1 x 2000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 1 hour

- Other Features:
Spindle lock
LED work light
Forward/reverse,variable speed and electric brake
Battery capacity indicator on battery pack

Accessories:

6 x HSS drill bits : 2mm,3mm,4mm,5mm,6mm,8mm
4 x 50mm screwdriver bits :
PH1,PH2,SL5,SL6
10 x 25mm screwdriver bits:
PZ0,PZ1,PZ2,PZ3,SL3,SL4,T10,T15,T20,T25
1 x 60mm magnetic connector
1 x belt clip
1 x user manual

Model
Blow Mould Case
+Color box Packaging

Carton quantity: 4 pcs
Carton size: 47*33.5*31cm
Net weight/Gross weight: 12.74 kgs / 13.23 kgs

TK4835

KIMPORT



20v
LITHIUM-ION
ONE FOR ALL
BATTERY

LCW787-1A *Cordless Impact Driver*

-Voltage: 20V
-No-load speed: 0-2600RPM
-Impact rate: 0-3600BPM
-Max.Torque: 180NM
-Shaft: 1/4" hex
- 1 x 2000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 1 hour

- Other Features:
Spindle lock
LED work light
Forward/reverse,variable speed and electric brake
Battery capacity indicator on battery pack

Accessories:

1 x Metal Clip
1 x user manual

Model

Blow Mould Case
+Color box Packaging

Carton quantity: 4 pcs
Carton size: 50.5*31*30cm
Net weight/Gross weight: 12.66 kgs / 13.08 kgs

LD-1533



20v
LITHIUM-ION
ONE FOR ALL
BATTERY

LCW777-1C *Cordless Impact Wrench*

- Voltage: 20V(LI-ion)
- Speed setting: 5
- No-load Speed:0-2300RPM
- Impact Rate:0-3200BPM
- Max. Torque:400NM
- Shaft: 1/2" square head
- Motor:885
- 1 x 4000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 2 hour

- Other Features:
LED work light
Forward/reverse,variable speed and electric brake
LED battery capacity indicator on battery pack
Packed in color box

Accessories:

1 x Metal Clip
1 x User Manual

Model

Blow Mould Case
+Color box Packaging

Carton quantity: 4 pcs
Carton size: 50.5*34*31.5cm
Net weight/Gross weight: 16.56 kgs / 17.30 kgs

1498

KIMPORT



LCD787-1S/LCW787-1A

Cordless Drill Driver Combo Kit

Accessories:

1 x 2000mAh 777 battery pack
1 x Fast charger (2.4A) Charging time: 1 hour
6 x HSS Drill Bits : 3/32",1/8",5/32",3/16",1/4",5/16"
4 x 50mm CRV Screwdriver Bits : PH1,PH2,SL5,SL6
10 x 25mm CRV Screwdriver Bits:
PZ0,PZ1,PZ2,PZ3,SL3,SL4,T10,T15,T20,T25
1 x 60mm Magnetic Connector
1 x Bits Storage Box
7 x 48mm 1/4"Nut Driver: 3/16",1/4",9/32",5/16",
11/32",3/8",7/16"
1 x 245mm Black Extension Connector
2 x Metal Clip
2 x User Manual
1 x Carry Bag

Model

LD-1533

Carry Bag
+Color box Packaging

Carton quantity: 3 pcs
Carton size: 45.5*43.5*35.5 cm
Net weight/Gross weight: 14.70 kgs/ 15.50 kgs

LCD787-1S

- Voltage: 20V(LI-Ion)
- No-load Speed: 0-400RPM/0-1500RPM
- Max. Torque: 40NM
- Torque Setting: 25+1
- Chuck: 2-13mm Single sleeve metal chuck
- Motor:775

- Other Features:
Spindle lock
LED work light
Forward/reverse,variable speed and electric brake
Battery capacity indicator on battery pack

LCW787-1A

-Voltage: 20V
-No-load speed: 0-2800RPM
-Impact rate: 0-3600BPM
-Max.Torque: 180NM
-Shaft: 1/4" hex

- Other Features:
Spindle lock
LED work light
Forward/reverse,variable speed and electric brake
Battery capacity indicator on battery pack



Lithium Battery 20V
BRUSHLESS MOTOR

LCC777-9

Cordless Circular Saw

- Voltage: 20V
- No-load speed: 0-4200RPM
- Blade size: Φ165xΦ20x1.6mm, 24T
- Cutting capacity: 51mm at 90 degree, 35mm at 45 degree
- Motor: 48# brushless motor
- 1 x 4000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 2 hour

Accessories:

1 x parallel guide
1 x 24T Carbide-tipped blades(6-1/2")
1 x hex key
1 x user manual

Model

Color box Packaging

Carton quantity: 2 pcs
Carton size: 41.7*41*31.2cm
Net weight/Gross weight: 9.22 kgs / 9.84 kgs

KIMPORT



20v
LITHIUM-ION
ONE FOR ALL
BATTERY

LCJ777-3 *Cordless Jig Saw*

Voltage: 20V
No-load speed: 0-2700SPM
Cutting capacity: 80mm in wood
12mm in aluminium
5mm in steel
Plate Bevel angle:0-45°
Stroke length: 20mm
Pendulum setting: 4
Motor:785
two-finger longer switch
- 1 x 2000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 1 hour

Accessories:

1 x hex key
1 x parallel guide
2 x wood blade
2 x metal blade
1 x user manual

Model

Color box Packaging

Carton quantity: 5 pcs
Carton size: 48.5*38*25.5cm
Net weight/Gross weight: 14.4 kgs / 14.92 kgs

LD-1533



20v
LITHIUM-ION
ONE FOR ALL
BATTERY

LCG777-3-115 *Cordless Angle Grinder*

Voltage: 20V (LI-ion)
No-load Speed:3000-10000RPM
Variable speed adjustment
More soft grip on machine body
New designed side handle
Disc Diameter: Φ115mm
Motor: 887
Flange nut: M14

Features: Three position side handle
Tool-free disc guard
Aluminium gear box
spindle lock
- 1 x 4000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 2 hour

Accessories:

1 x auxiliary handle
1 x protective hood for grinding
1 x grinding wheel
1 x spanner
1 x user manual

Model

Blow Mould Case
+Color box Packaging

Carton quantity: 3 pcs
Carton size: 44.5*43.5*31cm
Net weight/Gross weight: 14.64 kgs / 15.30 kgs

1498

KIMPORT



Lithium Battery 20V
BRUSHLESS MOTOR

LCH777-9

Cordless Rotary Hammer

- Voltage: 20V
- Function: 4
- No-load speed: 0-1420RPM
- Impact energy: 2.2J
- Chuck: SDS plus
- Drill capacity: Φ28mm for wood
  Φ13mm for metal
  Φ22mm for concrete
- Motor: 48# brushless motor
- 1 x 4000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 2 hour

Accessories:

1 x user manual

Model

BMC Packaging
+Color box Packaging

Carton quantity: 4 pcs
Carton size: 51*41.5*33.5cm
Net weight/Gross weight: 20.50 kgs / 21.06 kgs

LD-1533



12V LITHIUM-ION

LCW699-2CB

Cordless Ratchet Wrench

- Voltage:12V(LI-Ion)
- No-load Speed: 0-250RPM
- Max. Torque: 45NM
- Ratchet Head:3/8"
- Battery Pack: 2 x 2000mAh
- Charging Time: 1 hour

- Other Features:
  LED work light
  LED battery capacity indicator
  Forward/reverse rotation

Accessories:

7 x metric sockets
1 x bit adaptor
1 x user manual

Model

Blow Mould Case
+Color box Packaging

Carton quantity: 4 pcs
Carton size: 42*34*27cm
Net weight/Gross weight: 10.84 kgs / 11.27 kgs

1489

KIMPORT



12V LITHIUM-ION

LCD666-3S

Cordless Drill

- Voltage: 12V (LI-ion)
- Torque Setting: 19+1
- No-load Speed: 0-350RPM/0-1300RPM
- Max.Torque: 25NM
- Chuck: 0.8-10mm
- Motor: 550
- Battery Pack: 2pc, 2000mAh
- Charging Time: 1 hour

- Other features:
LED working light
LED battery capacity indicator
Magnetic strip on drill body
Soft grip handle & switch
Forward/reverse, variable speed and electric brake

Accessories:

6 x HSS Drill Bits :
1.5mm, 2.5mm,3mm,4mm,5mm,6mm
6 x 25mm CRV Screwdriver Bits :
Φ 5 , Φ 6,PZ1,PZ2,PH1 , PH2
1 x 60mm Magnetic Connector
1 x user manual

Model

Blow Mould Case
+Color box Packaging

Carton quantity: 4 pcs
Carton size: 36*31*27cm
Net weight/Gross weight: 9.6 kgs / 9.98 kgs

LD-1533



LCGC777-3

Cordless Brushless Chainsaw

- Voltage: 40V
- Rated power: 1000W
- Bar & chain plate: 350mm (14")
- Chain pitch: 3/8"
-Chain speed: 0-19m/s
- Motor: 64 brushless motor
- 2 x 4000mAh 777 battery pack
- 1 x Dual fast charger (2pc charging port ,each 3A)
- Charging time: 1.5 hour

- Features:
Electronic Chain brake
Tool-less chain tensioning
automatic chain lubrication

Accessories:

1 x user manual

Model

Color box Packaging

Carton quantity: 2 pcs
Carton size: 49.5*49*24.5cm
Net weight/Gross weight: 13.04 kgs / 13.61 kgs

1496

KIMPORT



20v
LITHIUM-ION
ONE FOR ALL BATTERY

LCGS777-1

Cordless Hedge Trimmer

-Voltage:20V
-No-load speed: 1300SPM
-Cutting length: 510mm
-Cutting capacity:15mm
- 1 x 2000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 2 hour

-Feature:
Hand protection shield
90 degree rotating head to provide easy trimming at multiple angles

Accessories:

1 x user manual

Model

Color box Packaging

Carton quantity: 2 pcs
Carton size: 97.5*31.5*22.5cm
Net weight/Gross weight: 7.28 kgs / 8.06 kgs

LD-1533



20v
LITHIUM-ION
ONE FOR ALL BATTERY

ZGT777-1

Cordless Grass trimmer

- Voltage:20V(LI-Ion)
- No-load speed: 9000RPM±10%
- Telescopic handle:1.0-1.36m
- Cutting width:280mm
- Motor: 755
- 1 x 2000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 1 hour

-Other feature:
180° turnable handle
5-position head adjustment
Auto-feed trimming line 1.6mmx3M

Accessories:

1 x user manual

Model

Color box Packaging

Carton quantity: 2 pcs
Carton size: 116.5*27*41cm
Net weight/Gross weight: 7.80 kgs / 8.99 kgs

TH4997

KIMPORT



20v
LITHIUM-ION
ONE FOR ALL
BATTERY

LCGB777-1

Cordless Blower

- Voltage:20V(LI-ion)
- Idle speed:12,000RPM
- Air speed:22km/h
- Noise: ≤95dB
- Motor: 785
- 1 x 2000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 1 hour

Accessories:

1 x user manual

Model

Color box Packaging

Carton quantity: 2 pcs
Carton size: 52*38*19.7cm
Net weight/Gross weight: 5.08 kgs / 5.59 kgs

LD-1533



Lithium Battery 40V
BRUSHLESS MOTOR

ZLM777-2VL

40V Cordless Lawn Mower

- Voltage: 40V
- No-load speed :2800rpm
- With brushless motor
- Cutting width:460mm(18")
- Cutting height:25-75mm central adjustment
6 position height adjustment central adjustment
- Electric brake
- Mulching and grass collection
- Wheel size: 7"/10"
- Dust Bag: 50 L
- 2 x 4000mAh 777 battery pack
- 1x Dual fast charger (2pc charging port ,each 3A)
- Charging time: 1.5 hour

Accessories:

1 x user manual

Model

Color box Packaging

Carton quantity: 1 pcs
Carton size: 88*57*52.5cm
Net weight/Gross weight: 29.80 kgs / 29.80 kgs

1498

KIMPORT



40v
LITHIUM-ION
ONE FOR ALL BATTERY

ZLM777-1V

40V Cordless Lawn Mower

- Voltage: 40V
- No-load speed :2700rpm
- Motor:brushed motor 900W
- Cutting width:400mm/16"
- Cutting height:25-75mm central adjustment
- Electric brake
- Mulching and grass collection
- Wheel size: 6"/8"
- Running time:25 minutes with 4.0Ah battery
- 2 x 4000mAh 777 battery pack
- 1 x Dual fast charger (2pc charging port ,each 3A)
- Charging time: 1.5 hour

Accessories:

1 x user manual

Model

Color box Packaging

Carton quantity: 1 pcs
Carton size: 81*50.5*49cm
Net weight/Gross weight: 21.21 kgs / 21.21 kgs

LD-1533



20v
LITHIUM-ION
ONE FOR ALL BATTERY

ZCS777-2

Cordless Mini Chainsaw

- Voltage: 20V(LI-ion)
- No-load speed: 5400RPM
- Cutting speed: 8m/s
- Chain length: 10cm
- Max.cutting: 10cm
- Motor: 785
- 1 x 2000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 1 hour

Accessories:

1 x user manual

Model

Color box Packagin

Carton quantity: 4 pcs
Carton size: 49.2*47.1*38.5cm
Net weight/Gross weight: 11.76 kgs / 12.67 kgs

1499

KIMPORT



Lithium Battery 20V
BRUSHLESS MOTOR

LCS777-9

Crodless Drywall Screwdriver

- Voltage: 20V(LI-Ion)
- No-load speed: 0-4400RPM
- Chuck: 6.35mm(1/4")
- Screw capacity: 4mm(5/32")screw for drywall
- Motor: 38 brushless motor
- 1 x 2000mAh 777 battery pack
- 1 x Fast charger (2.4A)
- Charging time: 1 hour

Accessories:

10 x 25mm screwdriver bits: PH2
1 x metal clip
1 x user manual

Model

Blow Mould Case
+Color box Packaging

Carton quantity: 4 pcs
Carton size: 50.5*41*33.7cm
Net weight/Gross weight: 14.29 kgs / 14.99 kgs

LD-1533



20V LITHIUM-ION
ONE FOR ALL BATTERY

ZSG777-1

Cordless Spray gun

- Voltage :20V LI-Ion
- No-load speed: 36500RPM±10%
- Nozzle size:2.5mm assembled.
- (1.8mm 1.5mm)
- Flow rate: 950ml/min
- Max pressure:0.1Bar (150psi,10kpa, 0.1kg/cm2)
- Max paint viscosity ≤80din
- Paint Container:1000ml
- Battery Pack 1 x 4000mAh
- Charging Time: 2 hour

Accessories:

1 x 4.0Ah battery pack
1 x 2.4A fast charger
1 x Nozzle cleaning needle
1 x Viscosity cup
1 x 1.5mm Nozzle
1 x 1.8mm Nozzle

Model

Mail box Packaging

Carton quantity: 4 pcs
Carton size: 46*41*26 cm
Net weight/Gross weight: 10.32 kgs / 11.02 kgs

TI5490

KIMPORT



20v
LITHIUM-ION
ONE FOR ALL
BATTERY

ZVC777-1

Cordless Vacuum Cleaner

- Voltage : 20V (Li-ion)
- Dust cup capacity : 135ml (dry use only)
- Vacuum(KPa):≥3.5KPa
- Runtime:17 Minutes@2.0Ah Battery pack
- Filter:Fabric filter bag
- No load speed :32000±10%rpm
- Battery Pack 1 x 2000mAh
- Charging Time: 1 hour

Accessories:

1 x 2.0Ah battery pack
1 x 2.4A fast charger
1 x Extension Wand
1 x Corner Nozzle
1 x Standard Nozzle
1 x Shelf Brush Nozzle
1 x Standard Wand

Model

Mail box Packaging

Carton quantity: 4 pcs
Carton size: 58.5*58.5*20 cm
Net weight/Gross weight: 9.80 kgs / 10.50 kgs

LD-1533





3.6V LITHIUM-ION

LCS101-1

Cordless Screwdriver

- Voltage: 3.6V(LI-Ion)
- No-load Speed260RPM
- Max. Torque5NM
- Chuck: 1/4" hex
- Speed Setting: 6
- Battery Capacity:1500mAh
- Charging Time: 2 hours

- Other Features:
2 LED work lights
Battery capacity indicator

Accessories:

20 x 25mm S2 Screwdriver bits :
S4 S5.5 S6.5 H3 H4 H5 H6
PH1 PH2 PH3 PZ1 PZ2 PZ3
T8 T10 T15 T20 T25 T27 T30
1 x 60mm Magnetic bit holder
8 x Allen wrench :1.5 2 2.5 3 4 5 5.5 6
10 x Utility art blade
1 x Multi-bit screwdriver
1x 6 inch Nipper pliers
1 x Art knife
1 x Tape measure (3 meters)
1 x Claw hammer
1 x Adapter
1 x USB charging cable
1 x User manual 6

Model

Blow mould box
+Color box Packaging

Carton quantity: 4 pcs
Carton size: 42*34*27cm
Net weight/Gross weight: 9.40 kgs / 10.10 kgs

14905

KIMPORT



3.6V LITHIUM-ION



20v
LITHIUM-ION
ONE FOR ALL
BATTERY

LCS106-1

Cordless Screwdriver

-Voltage: 3.6V (LHon)
-No-Load Speed 200RPM
-Max. Torque 4NM
-Torque Setting: 10+1
-Chuck Size: 1/4" quick release hex chuck
- Battery: LI-ION 1500mAh
-Charging time 3-5 hours

- Other Features
-60°swiveling enclosure
-USB charger
-With LED torch
-With LED battery capacity indicator
-Automatic spindle lock function
-Textured rubber grip for maximum comfort in controlling

Accessories:

54 x 25mm CRV screw bits: PH0PH1PH2PH3PZ0PZ1PZ2PZ3
three-jaw1three-jaw2 three-jaw3 three-jaw4 three-jaw6 three-jaw8 three-jaw10
S0S1S2S3H2H2.5H3H4H5H5.5H6M8IP10 IP15 IP20IP25IP30
Φ3 Φ4 Φ5 Φ6 Φ7T10T15T20T25T30T40T10T15T20T25T30T35
T40W4W5W8W10
1 x 60mm magnetic bit holder 1 x Adapter 1 x USB charging cable
1 x User manual Color box Packaging

Model

Plastic box
+mail box Packaging

Carton quantity: 10 pcs
Carton size: 50*24*37 cm
Net weight/Gross weight: 112.70 kgs / 13.40 kgs

LD-1533

LCR777-1

Cordless Reciprocating Saw

- Voltage: 20V LI-ion
- No-load Speed: 0-3000SPM
- Cutting Capacity:115mm in wood,
10mm in soft metal
- Stroke Length: 22mm
- Motor: 785
- Battery Pack 1 x 2000mAh
- Charging Time: 1 hour

- Other Features:
- Quick blade change
- Flexible due to adjustable head
- LED battery capacity indicator on battery pack

Accessories:

4pcs wood blade: 228*19*1.45mm
2pcs metal blade: 150*19*1.2mm

Model

Cloth bag
+ mail box Packaging

Carton quantity: 4 pcs
Carton size: 45.5*42*32 cm
Net weight/Gross weight: 14.36 kgs / 15.06 kgs

1598

KIMPORT



20v
LITHIUM-ION
ONE FOR ALL
BATTERY



Lithium
Battery 20V
BRUSHLESS
MOTOR

ZHT777-1

- Voltage: 20V (LI-ion)
- No-load speed: 1100 rpm
- Maximum cutting diameter: 1/4"
- Grass shear cutting width: 100 mm
- Hedge trimmer cutting width: 70 mm
- Hedge trimmer cutting diameter: Ø8 mm
- Hedge trimmer cutting length: 200 mm
- Raker cutting width: 75 mm

Cordless Grass Shears & hedge trimmer 3 in 1

Accessories:

1 x 4" Grass shear blade
1 x 8" Hedge trimmer blade
1 x Raker
1 x 2.0Ah battery
1 x 2.4A fast charger
1 x User manual

Model

Color box packaging

Carton quantity: 4 pcs
Carton size: 42*34*30cm
Net weight/Gross weight: 8.48 kgs/ 9.28 kgs

LD-1533

LGS777-5

- Voltage:20V (LI-ion)
- Brushless Motor
- Max. Cutting Diameter: 30mm
-SK5 Strength Blades
- Diameter: φ30mm
- Cutting speed: 40 SPM

Cordless Branch Pruner

Accessories:

1 x Machine lubricating oil
1 x Inner hexagon wrench
1 x Shear blade cover
1 x Hex wrench
1 x 2.0Ah battery
1 x 2.4A fast charger
1 x User manual

Model

Color box packaging

Carton quantity: 4 pcs
Carton size: 38.5*37*29.5 cm
Net weight/Gross weight: 6.2 kgs/ 6.7 kgs

1503

KIMPORT



40v
LITHIUM-ION
ONE FOR ALL
BATTERY

ZTC777-1V

LD-1533

40V Cordless Cultivator

- Voltage 40V (LHon)
- Powerful Brushed motor 997
- No Load Speed 140RPM
- Working Width 300mm
- Working depth 200mm

Accessories:

2 x 4.0Ah battery
1 x Dual fast charger
1 x User manual

Model

Color box packaging

Carton quantity: 1 pcs
Carton size: 50*39*50.5cm
Net weight/Gross weight: 13.85 kgs



LY777-2150-2400 *1 Hour Fast Charger*

Charge current : 2.4A
Packed in color box

Carton quantity: 20 pcs
Carton size: 46.5*37.5*21cm
Net weight/Gross weight: 7.30 kgs / 7.79 kgs

1598



LY777S-2150-3000G *Dual Charger*

Charge current : 3.0A
Packed in color box

Carton quantity: 10 pcs
Carton size: 45*26*35cm
Net weight/Gross weight: 8.45 kgs / 8.82 kgs

LD-1533



LY777-Li-20V *20V 2000MAH Battery Pack*

LI-ION 20V,2000MAH
LED battery capacity indicator on battery pack
Packed in color box

Carton quantity: 20 pcs
Carton size: 47.5*28*13.5cm
Net weight/Gross weight: 9.10 kgs / 9.39 kgs

1595



LY777S-Li-20V *20V 4000MAH Battery Pack*

LI-ION 20V,4000MAH
LED battery capacity indicator on battery pack
Packed in color box

Carton quantity: 20 pcs
Carton size: 47.5*28*18cm
Net weight/Gross weight: 14.60 kgs / 14.91 kgs

Glass Drill Bit



圆柄玻璃钻　　Glass Drill Bit

公制 metric size	英制 inch size
3mm	1/8"
4mm	5/32"
5mm	3/16"
6mm	1/4"
8mm	5/16"
10mm	3/8"
12mm	1/2"



六角柄玻璃钻　　Glass drill with hex shank

公制 metric size	英制 inch size
3mm	1/8"
4mm	5/32"
5mm	3/16"
6mm	1/4"
8mm	5/16"
10mm	3/8"
12mm	1/2"

Art.No.:RC-G006A

6 支装玻璃钻　　6pcs Glass Drill Set



Size：3mm，4mm，5mm，6mm，8mm，10mm

Rail & Stile Bits Set

Art.No.:RC-002RS1



2 件套榫合刀　　2pcs Rail & Stile Bits Set

品名 Name	规格 Size
可逆圆角榫合刀 Reversible Cove Rail & Stile Bits	1/2" × 1-5/8"
圆角门板刀 Cove Raised Panel Bits	1/2" × 3"

Art.No.:RC-002RS2



2 件套榫合刀　　2pcs Rail & Stile Bits Set

品名 Name	规格 Size
可逆户西榫合刀 Ogee Rail & Stile Bits	1/2" × 1-5/8"
户西门板刀 Ogee Raised Panel Bits	1/2" × 3"

Art.No.:RC-002RS3



2 件套榫合刀　　2pcs Rail & Stile Bits Set

品名 Name	规格 Size
可逆门斗榫合刀 Reversible Classical Rail & Stile Bits	1/2" × 1-5/8"
户西门板刀 Ogee Raised Panel Bits	1/2" × 3"

Art.No.:RC-002RS4



2 件套扶手刀　　2pcs Handrail & Finger Bits Set

品名 Name	规格 Size
瓶芦型线刀 Handrail Bits	1/2" × 1-1/8"
扶手板刀 Finger Grip Bits	1/2" × 3-1/8"

Rail & Stile Bits Set

Art.No.:RC-003RS1



3 件套榫合刀　　3pcs Rail & Stile Bits Set

品名 Name	规格 Size
圆角榫合刀 Cove Rail & Stile Bits	1/2" × 1–5/8"
圆角门板刀 Cove Raised Panel Bits	1/2" × 3"

Art.No.:RC-003RS2



3 件套榫合刀　　3pcs Rail & Stile Bits Set

品名 Name	规格 Size
跳桌榫合刀 Cove Rail & Stile Bits	1/2" × 1–19/64"
双层圆角门板刀 Cove Raised Panel Bits W/Under Cutter	1/2" × 2–1/2"

Art.No.:RC-003RS3



3 件套榫合刀　　3pcs Rail & Stile Bits Set

品名 Name	规格 Size
户西榫合刀 Roman Ogee Rail &stile Bits	1/2" × 1–5/8"
户西门板刀 Roman Ogee Raised Panel Bits	1/2" × 3"

Art.No.:RC-003RS4



3 件套榫合刀　　3pcs Rail & Stile Bits Set

品名 Name	规格 Size
斜边榫合刀 Beveled Rail & Stile Bits	1/2" × 1–5/8"
15° 清底马鼻刀 15° Face Cut Raised Panel Bits	1/2" × 3–1/8"

Rail & Stile Bits Set

Art.No.:RC-003RS5



3 件套榫合刀　　3pcs Rail & Stile Bits Set

品名 Name	规格 Size
户西榫合刀 Roman Ogee Rail & Stile Bits	1/2" × 1-5/8"
户西板型刀 Roman Ogee Vertical Panel Bits	1/2" × 1-1/2"

Art.No.:RC-004RS1



4 件套榫合刀　　4pcs Rail & Stile Bits Set

品名 Name	规格 Size
户西榫合刀 Roman Ogee Rail & Stile Bits	1/2" × 1-5/8"
户西门板刀 Roman Ogee Raised Panel Bits	1/2" × 3"
榫合刀 Reversible Glue Bits	1/2" × 1-3/16"

Art.No.:RC-005RS1



5 件套榫合刀　　5pcs Rail & Stile Bits Set

品名 Name	规格 Size
户西榫合刀 Roman Ogee Rail & Stile Bits	1/2" × 1-5/8"
户西门板刀 Roman Ogee Raised Panel Bits	1/2" × 3-1/2"
榫合刀 Reversible Glue Bits	1/2" × 1-3/4"
屉锁刀 Draw Lock Bits	1/2" × 2"

Art.No.:RC-005RS2



5 件套扶手刀　　5pcs Rail & Stile Bits Set

品名 Name	规格 Size
户西榫合刀 Roman Ogee Rail & Stile Bits	1/2" × 1-5/8"
双层户西门板刀 Roman Ogee Raised Panel Bits	1/2" × 3-1/2"
榫合刀 Reversible Glue Bits	1/2" × 1-3/4"
屉锁刀 Draw Lock Bits	1/2" × 2"

Rail & Stile Bits Set

Art.No.:RC-005RS3



5 件套榫合刀　　5pcs Rail & Stile Bits Set

品名 Name	规格 Size
圆角榫合刀 Cove Rail & Stile Bits	1/2" × 1-5/8"
圆角门板刀 Cove/Ogee Raised Panel Bits	1/2" × 3"
榫合刀 Reversible Glue Bits	1/2" × 1-3/4"
屉锁刀 Draw Lock Bits	1/2" × 2"

Art.No.:RC-005RS4



5 件套榫合刀　　5pcs Rail & Stile Bits Set

品名 Name	规格 Size
三珠饰刀 Triple Bead	1/2" × 7/8"
正半多弧刀 Small Bead & Radius Bits	1/2" × 1-1/4"
魔术刀 Multiform Bits	1/2" × 2-1/4"
圆角敏仔刀 French Provincial Bits	1/2" × 2
半圆玻线刀 Specialty Molding Bits	1/2" × 1-3/8"

Art.No.:RC-005RS5



5 件套榫合刀　　5pcs Rail & Stile Bits Set

品名 Name	规格 Size
圆角榫合刀 Cove Rail & Stile Bits	1/2" × 1-5/8"
户西门板刀 Roman Ogee Raised Panel Bits	1/2" × 3"
榫合刀 Reversible Glue Bits	1/2" × 1-3/4"
圆角榫刀 Droop Lip Bits	1/2" × 2"

Art.No.:RC-005RS6



5 件套榫合刀　　5pcs Rail & Stile Bits Set

品名 Name	规格 Size
圆角榫合刀 Cove Rail & Stile Bits	1/2" × 1-5/8"
户西门板刀 Roman Ogee Raised Panel Bits	1/2" × 3
榫合刀 Reversible Glue Bits	1/2" × 1-3/4"
魔术刀 Multiform Bits	1/2" × 2-1/4"

Rail & Stile Bits Set

Art.No.:RC-006RS1



6 支装木工铣刀　6pcs Router Bit Set

品名 Name	规格 Size
榫合刀 Ogee Rail & Stile Bit	1/2" ×1-5/8"
门板刀 Ogee Panel Bit W/undercutter	1/2" ×3-1/8"
榫合刀 Glue Joint Bit	1/2" ×1-3/4"
屉锁刀 Draw Lock Bit	1/2" ×2"
钩型清底刀 Door Lip Bit	1/2" ×1-1/4"

Art.No.:RC-010M



10 支装木工铣刀　10pcs Router Bit Set

品名 Name	规格 Size
二弧深圆底刀 Double Round Nose Bit	1/2"×3/16" ×1-3/8"
鱼型扶手刀 Fish Handrail Bit	1/2"×1/4" ×1-5/8"
双叶扶手刀 Interest Moulding Bit	1/2"×3/16" ×1-3/8"
半弧典雅刀 Classical Molding Bit	1/2"×5/16" ×15/16"
海湾线脚刀 Edge Beading Bits	1/2"×1/4" ×7/8"
半圆玻线刀 Special Molding Bit	1/2"×1/2"×1-5/8"
滴珠扶手刀 Handrail Bits	1/2"×3/16" ×1-1/2"
扶手刀 Handrail Bits	1/2"×1/2"×1-1/2"
扶手刀 Handrail Bits	1/2"×3/16" ×1"
鱼尾扶手刀 Handrail Bit	1/2"×1/4" ×1-11/16"

Art.No.:RC-003M



3 支装木工铣刀　3pcs Router Bit Set

品名 Name	规格 Size
6(12) 边刀 6(12)Multi-sides Bit	1/2×1-3/8"
8 边刀 8 Multi-sides Bit	1/2×1-1/8"
16 边刀 16 Multi-sides Bit	1/2×1-1/4"

Router Bit set

Art.No.:RC-004K



4 支装木工铣刀　4pcs Router Bit Set

品名 Name	规格 Size
修边刀 Flush Trim Bit	1/4" ×25.4×12.7mm
直刀 Straight Bit	1/2" ×50×12.7mm
直刀 Straight Bit	1/2" ×50×12.7mm
直刀 Straight Bit	1/2" ×63×12.7mm

Art.No.:RC-004Y



4 支装木工铣刀　4pcs Router Bit Set

品名 Name	规格 Size
圆角刀 Round Over Bit	R1/8"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R3/8"
圆角刀 Round Over Bit	R1/2"

Art.No.:RC-005A



5 支装木工铣刀　5pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	3/4"
子口苟刀 Dovetail bit	1/2"
榫刀 Mortising bit	1/2"
槽口刀 Slot cutter bit	3/8"
倒角刀 Cove bit	R1/2"

Art.No.:RC-005B



5 支装木工铣刀　5pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	1/2"
90° "V" 型刀 90° "V" Grooving bit	3/8"
圆底刀 Core box bit	R1/8"
圆角刀 Round over bit	R1/4"
45° 斜角刀 45° chamfer bit	1/2"

Router Bit set

Art.No.:RC-005D



5 支装木工铣刀　5pcs Router Bit Set

品名 Name	规格 Size
圆底刀 Core Box Bit	R3/16"
子口苟刀 Dovetail Bit	1/2"
修边刀 Flush Trim Bit	1/2"
圆角刀 Round Over Bit	R1/4"
直刀 Straight Bit	1/4"

Art.No.:RC-005G



5 支装木工铣刀　5pcs Router Bit Set(G)

品名 Name	规格 Size
直刀 Straight bit	6mm
直刀 Straight bit	10mm
直刀 Straight bit	10mm
修边刀 Flush trim bit	9mm
圆角刀 Round over bit	R12.7mm

Art.No.:RC-005Z



5 支装木工铣刀　5pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	4mm
直刀 Straight Bit	6mm
直刀 Straight Bit	8mm
直刀 Straight Bit	10mm
直刀 Straight Bit	12mm

Router Bit set

Art.No.:RC-006A





6 支装木工铣刀　6pcs Router Bit Set

品名 Name	规格 Size
倒角刀 Cove Bit	R6.3mm
直刀 Straight Bit	6mm
圆角刀 Round Over Bit	R6.3mm
修边刀 Flush Trim Bit	12.7mm
直刀 Straight Bit	12mm
子口荀刀 Dovetail Bit	12.7mm

Art.No.:RC-006B



6 支装木工铣刀　6pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	1/4"
直刀 Straight bit	1/2"
子口荀刀 Dovetail bit	1/2"
修边刀 Flush trim bit	1/2"
敏仔刀 Beading bit	R3/8"
倒角刀 Cove bit	R1/2"

Art.No.:RC-006E



6 支装木工铣刀　6pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/2"
直刀 Straight Bit	1/4"
子口荀刀 Dovetail Bit	1/2"
户西线刀 Roman Ogee Bit	R5/32"
倒角刀 Cove Bit	R1/4"
圆角刀 Round Over Bit	R1/4"

Router Bit set

Art.No.:RC-006F



6 支装木工铣刀　6pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	6mm
直刀 Straight bit	12mm
圆底刀 Core box bit	R6.3mm
90° "V" 型刀 90° "V" Grooving bit	12.7mm
修边刀 Flush trim bit	12.7mm
圆角刀 Round over bit	R9.5mm

Art.No.:RC-006Z



6 支装木工铣刀　6pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	4mm
直刀 Straight Bit	6mm
直刀 Straight Bit	8mm
直刀 Straight Bit	10mm
直刀 Straight Bit	12mm
直刀 Straight Bit	14mm

Art.No.:RC-006KC



6 支装木工铣刀　6pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	6mm
子口苟刀 Dovetail bit	14.3mm
90° "V" 型刀 90° "V" Grooving bit	16mm
圆角刀 Round over bit	R6.3mm
倒角刀 Cove bit	R6.3mm
户西线刀 Roman ogee bit	R4mm

Art.No.:RC-006CS



6 件套木工铣刀　6pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/4"
直刀 Straight Bit	3/8"
直刀 Straight Bit	1/2"
"V" 型刀 "V"Groove Bit	3/8"
圆角刀 Round Over Bit	R1/4"
户西线刀 Roman Ogee Bit	5/32"

Router Bit set

Art.No.:RC-008A



8 支装木工铣刀　8pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/4"
直刀 Straight Bit	1/2"
修边刀 Flush Trim Bit	1/2"
子口荀刀 Dovetail Bit	1/2"
槽口刀 Slot Cutter Bit	1-1/4"
45° 斜角刀 45° Chamfer Bit	1-3/16"
圆角刀 Round Over Bit	R-3/8"
匙孔刀 Keyhole Bit	3/8"

Art.No.:RC-008RT



8 支装木工铣刀　8pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	1/4"
直刀 Straight Bit	3/8"
直刀 Straight bit	1/2"
圆底刀 Core box bit	R1/4"
修边刀 Flush trim bit	1/2"
圆角刀 Round over bit	R3/8"
倒角刀 Cove bit	R1/4"
户西线刀 Roman ogee bit	R5/32"

Art.No.:RC-010A



10 支装木工铣刀　10pcs Router Bit Set

品名 Name	规格 Size
圆底刀 Cove Box Bit	R6.3mm
倒角刀 Cove Bit	R6.3mm
子口荀刀 Dovetail Bit	12.7mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm
户西线刀 Roman Ogee Bit	R4mm
圆角刀 Round Over Bit	R6.3mm
直刀 Straight Bit	16mm
直刀 Straight Bit	12mm
直刀 Straight Bit	6mm
修边刀 Flush Trim Bit	12.7mm

Router Bit set

Art.No.:RC-010B

10 件套木工铣刀　10pcs Router Bit Set



品名 Name	规格 Size
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
子口荀刀 Dovetail Bit	1/2"
90° "V" 型刀 90° "V"Grooving Bit	90° 5/8"
圆底刀 Cove Box Bit	3/8"
45° 斜角刀 45° Chamfer Bit	45° 1"
户西线刀 Roman Ogee Bit	R1/4"
倒角刀 Cove Bit	R1/2"
圆角刀 Round Over Bit	R1/2"
敏仔刀 Beading Bit	R3/8"

Art.No.:RC-010KC

10 件套木工铣刀　10pcs Router Bit Set(KC)



品名 Name	规格 Size
直刀 Straight bit	6mm
直刀 Straight bit	12mm
直刀 Straight bit	16mm
圆底刀 Core box bit	R6mm
子口荀刀 Dovetail bit	14.3mm
90° "V" 型刀 90° "V" Grooving bit	16mm
修边刀 Flush trim bit	12.7mm
圆角刀 Round over bit	R6.3mm
倒角刀 Cove bit	R6.3mm
户西线刀 Roman ogee bit	R4mm

Art.No.:RC-012A

10 支装木工铣刀　10pcs Router Bit Set



品名 Name	规格 Size
清底刀 Bottom Cleaning Bit	8mm
清底刀 Bottom Cleaning Bit	16mm
圆底刀 Core Box Bit	R6mm
60° "V" 型刀 60° "V" Grooving Bit	15mm
子口荀刀 Dovetail Bit	16mm
修边刀 Flush Trim Bit	19mm
45° 斜角刀 45° Chamfer Bit	27mm
圆角刀 Round Over Bit	R10mm
圆角刀 Round Over Bit	R6mm
倒角刀 Cove Bit	R10mm
倒角刀 Cove Bit	R6mm
户西线刀 Roman Ogee Bit	R6.4mm

Router Bit set

Art.No.:RC-012B

12 支装木工铣刀　12pcs Router Bit Set



品名 Name	规格 Size
直刀 Straight Bit	6mm
直刀 Straight Bit	12mm
直刀 Straight Bit	16mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm
子口荀刀 Dovetail Bit	12.7mm
45° 斜角刀 45° Chamfer Bit	32mm
修边刀 Flush Trim Bit	12.7mm
圆角刀 Round Over Bit	R6.3mm
圆角刀 Round Over Bit	R9.5mm
圆底刀 Core Box Bit	R6.3mm
倒角刀 Cove Bit	R6.3mm
户西线刀 Roman Ogee Bit	R4mm







Router Bit set

Art.No.:RC-012E



12 支装木工铣刀　12pcs Router Bit Set

品名 Name	规格 Size
90° "V" 型刀 90° "V"Grooving Bit	1/2"
子口荀刀 Dovetail Bit	1/2"
直刀 Straight Bit	3/8"
直刀 Straight Bit	1/4"
直刀 Straight Bit	1/2"
敏仔刀 Beading Bit	R1/4"
倒角刀 Cove Bit	R1/4"
修边刀 Flush Trim Bit	1/2"
圆角刀 Round Over Bit	R1/4"
户西线刀 Roman Ogee Bit	R5/32"
45° 斜角刀 45° Chamfer Bit	1/2"
圆角刀 Round Over Bit	R3/8"

Art.No.:RC-012D



12 支装木工铣刀　12pcs Router Bit Set

品名 Name	规格 Size
清底刀 Bottom Cleaning Bit	8mm
清底刀 Bottom Cleaning Bit	16mm
修边刀 Flush Trim Bit	12.7mm
圆底刀 Core Box Bit	R6mm
子口荀刀 Dovetail Bit	14.3mm
60° "V" 型刀 60° "V" Grooving Bit	15mm
45° 斜角刀 45° Chamfer Bit	27mm
圆角刀 Round Over Bit	R6mm
倒角刀 Cove Bit	R6mm
圆角刀 Round Over Bit	R10mm
倒角刀 Cove Bit	R10mm
户西线刀 Roman Ogee Bit	R6.4mm

Art.No.:RC-012U



12 支装木工铣刀　12pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	3.2mm
直刀 Straight Bit	6mm
直刀 Straight Bit	12mm
直刀 Straight Bit	16mm
圆底刀 Core Box Bit	R6.3mm
90° "V" 型刀 90° "V"Grooving Bit	9.5mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm
榫刀 Mortising Bit	12.7mm
子口荀刀 Dovetail Bit	12.7mm
修边刀 Flush Trim Bit	12.7mm
倒角刀 Cove Bit	R6.3mm
圆角刀 Round Over Bit	R6.3mm

Router Bit set

Art.No.:RC-012V



12 支装木工铣刀　12pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	3mm
直刀 Straight Bit	4mm
直刀 Straight Bit	5mm
直刀 Straight Bit	6mm
直刀 Straight Bit	8mm
直刀 Straight Bit	10mm
直刀 Straight Bit	12mm
圆底刀 Core Box Bit	R3.2mm
圆底刀 Core Box Bit	R6.3mm
90° "V" 型刀 90° "V"Grooving Bit	9.5mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm
子口荀刀 Dovetail Bit	12.7mm

Art.No.:RC-012S



12 支装木工铣刀　12pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	8mm
直刀 Straight Bit	14mm
修边刀 Flush Trim Bit	13mm
深圆底刀 Core Box Bit	R6mm
子口荀刀 Dovetail Bit	14.3mm
90° "V" 型刀 90° "V"Grooving Bit	16mm
45° 斜角刀 45° Chamfer Bit	28mm
圆角刀 Round Over Bit	R6mm
圆角刀 Round Over Bit	R10mm
倒角刀 Cove Bit	R6mm
槽口刀 Slot Cutter Bit	32mm
户西线刀 Roman Ogee Bit	R6.5mm

Art.No.:RC-013ST



13 支装木工铣刀　13pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	1/4"
直刀 Straight bit	3/8"
直刀 Straight bit	1/2"
榫刀 Mortising bit	1/2"
子口荀刀 Dovetail bit	1/2"
90° "V" 型刀 90° "V" Grooving bit	1/2"
深圆底刀 Round nose bit	R3/16"
修边刀 Flush trim bit	3/8"
圆角刀 Round over bit	R1/4"
圆角刀 Round over bit	R1/2"
户西线刀 Roman ogee bit	R5/32"
45° 斜角刀 45° chamfer bit	1/2"
槽口刀 Slot cutter bit	3/8"

Router Bit set

Art.No.:RC-014A



14 支装木工铣刀　14pcs Router Bit Set

品名 Name	规格 Size
清底刀 Bottom Cleaning Bit	8mm
清底刀 Bottom Cleaning Bit	16mm
直刀 Straight Bit	20mm
修边刀 Flush Trim Bit	13mm
榫口刀 Rabbeting Bit	32mm
圆底刀 Core Box Bit	R6mm
子口荀刀 Dovetail Bit	14.3mm
60° "V" 型刀 60° "V"Grooving Bit	15mm
45° 斜角刀 45° Chamfer Bit	27mm
圆角刀 Round Over Bit	R6mm
倒角刀 Cove Bit	R6mm
圆角刀 Round Over Bit	R10mm
倒角刀 Cove Bit	R10mm
户西线刀 Roman Ogee Bit	R6.4mm

Art.No.:RC-015A



15 支装木工铣刀　15pcs Router Bit Set

品名 Name	规格 Size
单节刀 Panel Pilot Bit	1/4"
90° "V" 型刀 90° "V"Grooving Bit	3/8"
直刀 Straight Bit	1/4"
榫刀 Mortising Bit	1/2"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
修边刀 Flush Trim Bit	1/2"
子口荀刀 Dovetail Bit	1/2"
槽口刀 Slot Cutter Bit	1-1/4"
45° 斜角刀 45° Chamfer Bit	1-3/16"
圆角刀 Round Over Bit	R3/8"
倒角刀 Cove Bit	R1/2"
户西线刀 Roman Ogee Bit	R5/32"
7° 整体斜角刀 7° Beveled Trim Bit (solide)	13/64"
整体修边刀 Flush Trim Bit (solide)	1/4"

Router Bit set

Art.No.:RC-015B



15 支装木工铣刀　15pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	3mm
直刀 Straight Bit	6mm
直刀 Straight Bit	10mm
直刀 Straight Bit	12mm
直刀 Straight Bit	19mm
修边刀 Flush Trim Bit	9mm
圆底刀 Core Box Bit	R3mm
子口荀刀 Dovetail Bit	12.7mm
"V" 型刀 "V"Grooving Bit	12mm
"V" 型刀 "V"Grooving Bit	25mm
户西线刀 Roman Ogee Bit	R4mm
倒角刀 Cove Bit	R9.5mm
圆角刀 Round Over Bit	R9.5mm
45° 斜角刀 45° Chamfer Bit	30mm
槽口刀 Slot Cutter Bit	9.5mm x 32mm

Art.No.:RC-015D





15 支装木工铣刀　15pcs Router Bit Set

品名 Name	规格 Size
单节刀 Panel Pilot Bit	1/4"
90° "V" 型刀 90° "V"Grooving Bit	3/8"
直刀 Straight Bit	1/4"
榫刀 Mortising Bit	1/2"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
修边刀 Flush Trim Bit	1/2"
子口荀刀 Dovetail Bit	1/2"
槽口刀 Slot Cutter Bit	1-1/4"
45° 斜角刀 45° Chamfer Bit	1-3/16"
圆角刀 Round Over Bit	R3/8"
倒角刀 Cove Bit	R1/2"
户西线刀 Roman Ogee Bit	R5/32"
单刃直刀 Straight Bit	1/8"
圆底刀 Core Box Bit	R1/8"

Router Bit set

Art.No.:RC-015E





15 支装木工铣刀　15pcs Router Bit Set

品名 Name	规格 Size
子口荀刀 Dovetail Bit	1/2"
圆底刀 Core Box Bit	R1/8"
直刀 Straight Bit	1/4"
榫刀 Mortising Bit	1/2"
单刃直刀 Straight Bit	3/16"
90° "V" 型刀 90° "V"Grooving Bit	3/8"
户西线刀 Roman Ogee Bit	R5/32"
直刀 Straight Bit	3/4"
直刀 Straight Bit	1/2"
倒角刀 Cove Bit	R1/4"
单节刀 Panel Pilot Bit	1/4"
圆角刀 Round Over Bit	R3/8"
修边刀 Flush Trim Bit	1/2"
倒角刀 Cove Bit	R1/2"
45° 斜角刀 45° Chamfer Bit	1/2"

Art.No.:RC-015ST



15 支装木工铣刀　15pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	1/4"
直刀 Straight bit	1/2"
直刀 Straight bit	3/4"
子口荀刀 Dovetail bit	3/8"
子口荀刀 Dovetail bit	1/2"
90° "V" 型刀 90° "V" Grooving bit	1/2"
圆底刀 Core box bit	R3/16"
敏仔刀 Beading bit	R3/8"
敏仔刀 Beading bit	R1/2"
圆角刀 Round over bit	R1/4"
圆角刀 Round over bit	R1/2"
倒角刀 Cove bit	R1/2"
户西线刀 Roman ogee bit	R5/32"
户西线刀 Roman ogee bit	R1/4"
45° 斜角刀 45° chamfer bit	1/2"

Router Bit set

Art.No.:RC-015DC

15 件套木工铣刀　15pcs Router Bit Set



品名 Name	规格 Size
单节刀 Panel Pilot Bit	1/4"
90° "V" 型刀 90° "V"Grooving Bit	3/8"
直刀 Straight Bit	1/4"
榫刀 Mortising Bit	1/2"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
修边刀 Flush Trim Bit	1/2"
子口荀刀 Dovetail Bit	1/2"
槽口刀 Slot Cutter Bit	3/8" x 1-1/4"
45° 斜角刀 45° Chamfer Bit	1-3/16"
圆角刀 Round Over Bit	R3/8"
倒角刀 Cove Bit	R12"
圆底刀 Core Box Bit	R1/8"
直刀 Straight Bit	1/8"
户西线刀 Roman Ogee Bit	R5/32"

Art.No.:RC-015X

15 支装木工铣刀　15pcs Router Bit Set



品名 Name	规格 Size
直刀 Straight Bit	3mm
直刀 Straight Bit	6mm
直刀 Straight Bit	12mm
直刀 Straight Bit	16mm
圆底刀 Core Box Bit	R3.2mm
圆底刀 Core Box Bit	R6.3mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm
榫刀 Mortising Bit	12.7mm
子口荀刀 Dovetail Bit	12.7mm
单节刀 Panel Pilot Bit	6.3mm
修边刀 Flush Trim Bit	12.7mm
圆角刀 Round Over Bit	R9.5mm
45° 斜角刀 45° Chamfer Bit	32mm
倒角刀 Cove Bit	R6.3mm
户西线刀 Roman Ogee Bit	R4mm

Router Bit set

Art.No.:RC-018A



18 支装木工铣刀　18pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	6mm
直刀 Straight Bit	10mm
直刀 Straight Bit	12mm
直刀 Straight Bit	16mm
圆角刀 Round Over Bit	R6.3mm
圆角刀 Round Over Bit	R7.9mm
圆角刀 Round Over Bit	R9.5mm
子口荀刀 Dovetail Bit	12.7mm
60° "V" 型刀 60° "V"Grooving Bit	9.5mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm
圆底刀 Core Box Bit	R3.2mm
圆底刀 Core Box Bit	R6.3mm
修边刀 Flush Trim Bit	12.7mm
户西线刀 Roman Ogee Bit	R4mm
25° 斜角刀 25° Chamfer Bit	16mm
45° 斜角刀 45° Chamfer Bit	32mm
倒角刀 Cove Bit	R6.3mm
倒角刀 Cove Bit	R9.5mm

Art.No.:RC-018CHW



18 支装木工铣刀　18pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/4"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
圆底刀 Core Box Bit	R3/16"
深圆底刀 Round nose Bit	R1/4"
90° "V" 型刀 90° "V"Grooving Bit	1/2"
90° "V" 型刀 90° "V"Grooving Bit	5/8"
子口荀刀 Dovetail Bit	3/8"
子口荀刀 Dovetail Bit	1/2"
修边刀 Flush Trim Bit	1/2"
倒角刀 Cove Bit	R1/2"
户西线刀 Roman Ogee Bit	R5/32"
户西线刀 Roman Ogee Bit	R1/4"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R1/2"
敏仔刀 Beading	R3/8"
敏仔刀 Beading	R1/2"
45° 斜角刀 45° Chamfer Bit	1-3/16"

Router Bit set

Art.No.:RC-018DHW



18 支装木工铣刀　18pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	1/4"
直刀 Straight bit	1/2"
直刀 Straight bit	3/4"
子口荀刀 Dovetail bit	3/8"
子口荀刀 Dovetail bit	1/2"
90° "V" 型刀 90° "V" Grooving bit	1/2"
90° "V" 型刀 90° "V" Grooving bit	5/8"
深圆底刀 Round nose bit	R1/4"
圆底刀 Core box bit	R3/16"
修边刀 Flush trim bit	3/8"
圆角刀 Round over bit	R1/4"
圆角刀 Round over bit	R3/8"
圆角刀 Round over bit	R1/2"
敏仔刀 Beading bit	R3/8"
倒角刀 Cove bit	R1/2"
户西线刀 Roman ogee bit	R5/32"
户西线刀 Roman ogee bit	R1/4"
45° 斜角刀 45° chamfer bit	1/2"

Art.No.:RC-018FBW



18 支装木工铣刀　18pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/4"
直刀 Straight Bit	1/2"
直刀 Straight Bit	5/8"
圆底刀 Core Box Bit	R1/4"
90° "V" 型刀 90° "V"Grooving Bit	1/2"
90° "V" 型刀 90° "V"Grooving Bit	5/8"
匙孔刀 Keyhole Bit	3/8"
子口荀刀 Dovetail Bit	3/8"
子口荀刀 Dovetail Bit	1/2"
修边刀 Flush Trim Bit	1/2"
倒角刀 Cove Bit	R1/4"
倒角刀 Cove Bit	R1/2"
户西线刀 Roman Ogee Bit	R1/4"
圆角刀 Round Over Bit	R1/2"
敏仔刀 Beading	R1/2"
45° 斜角刀 45° Chamfer Bit	1-3/16"
槽口刀 Rabbeting Bit	1/4" x 1-1/4"
槽口刀 Rabbeting Bit	3/8" x 1-1/4"

Router Bit set

Art.No.:RC-018GHW



18 支装木工铣刀　18pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/4"
直刀 Straight Bit	3/8"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
圆底刀 Core Box Bit	R1/8"
圆底刀 Core Box Bit	R1/4"
90° "V" 型刀 90° "V"Grooving Bit	1/2"
榫刀 Mortising Bit	1/2"
匙孔刀 Keyhole Bit	3/8"
子口荀刀 Dovetail Bit	1/2"
修边刀 Flush Trim Bit	1/2"
倒角刀 Cove Bit	R3/8"
户西线刀 Roman Ogee Bit	R5/32"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R3/8"
圆角刀 Round Over Bit	R1/2"
45° 斜角刀 45° Chamfer Bit	1-1/4"
槽口刀 Rabbeting Bit	1/2" x 7/8"

Art.No.:RC-020A





20 支装木工铣刀　20pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	5mm x 20mm
直刀 Straight Bit	6mm x 25mm
直刀 Straight Bit	8mm x 20mm
直刀 Straight Bit	10mm x 20mm
直刀 Straight Bit	12mm x 20mm
直刀 Straight Bit	14mm x 20mm
直刀 Straight Bit	16mm x 20mm
直刀 Straight Bit	19mm x 20mm
子口荀刀 Dovetail Bit	14.3mm x 14mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm x 12.7mm
圆底刀 Core Box Bit	R6mm x 12mm
单节刀 Panel Pilot Bit	6.35mm x 19mm
深圆底刀 Round Nose Bit	R6mm x 12mm
修边刀 Flush Trim Bit	12.7mm x 12.7mm
修边刀 Flush Trim Bit	12.7mm x 25mm
槽口刀 Slot Cutter Bit	32mm x 9.5mm
45° 斜角刀 45° Chamfer Bit	37mm x 16mm
圆角刀 Round Over Bit	R9.5mm x 16mm
敏仔刀 Beading	R12.7mm x 19mm
倒角刀 Cove Bit	R9.5mm x 13mm

Router Bit set

Art.No.:RC-020D



20 支装木工铣刀　20pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/4"
直刀 Straight Bit	3/8"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
子口荀刀 Dovetail Bit	1/2"
子口荀刀 Dovetail Bit	3/4"
圆底刀 Core Box Bit	R1/4"
圆底刀 Core Box Bit	R5/16"
单节刀 Panel Pilot Bit	1/2"
90° "V" 型刀 90° "V"Grooving Bit	1/2"
修边刀 Flush Trim Bit	1/2"
户西线刀 Roman Ogee Bit	R1/4"
45° 斜角刀 45° Chamfer Bit	5/8"
圆角刀 Round Over Bit	R1/8"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R3/8"
槽口刀 Slot Cutter Bit	1/4"
槽口刀 Slot Cutter Bit	1/2"
倒角刀 Cove Bit	R5/16"
倒角刀 Cove Bit	R1/2"

Art.No.:RC-020FA



20 支装木工铣刀　20pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	3,6,12,16,20mm
圆底刀 Core Box Bit	R3.2, R6.35mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm
齐头刀 Combination Bit	12.7mm
子口荀刀 Dovetail Bit	12.7mm
单节刀 Panel Pilot Bit	6.35mm
修边刀 Flush Trim Bit	9mm, 12.7mm
深圆底刀 Round Nose Bit	9.5mm
倒角刀 Cove Bit	R6.35mm
圆角刀 Round Over Bit	R6.35mm
敏仔刀 Beading	R6.35mm
45° 斜角刀 45° Chamfer Bit	32mm
户西线刀 Roman Ogee Bit	R4mm
榫口刀 Rabbeting Bit	28.6mm × 12.7mm

Router Bit set

Art.No.:RC-024BP



24 件套木工铣刀　24pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/4"
直刀 Straight Bit	3/8"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
圆底刀 Core Box Bit	R1/2"
榫刀 Mortising Bit	1/2"
"V" 型刀 "V"Grooving Bit	1/2"
匙孔刀 Keyhole Bit	3/8"
深圆底刀 Round Nose Bit	1/4"
单节刀 Panel Pilot Bit	1/4"
户西线刀 Roman Ogee Bit	R5/32"
修边刀 Flush Trim Bit	1/2"
子口荀刀 Dovetail Bit	3/8"
子口荀刀 Dovetail Bit	1/2"
榫口刀 Rabbeting Bit	7/8"
倒角刀 Cove Bit	R1/4"
倒角刀 Cove Bit	R3/8"
斜角刀 45°　Chamfer Bit	1"
圆角刀 Round Over Bit	R1/8"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R3/8"
圆角刀 Round Over Bit	R1/2"
半圆刀 Half Round Bit	3/16"
开口雕刻刀 Ovolo Bit	R1/4"

Router Bit set

Art.No.:RC-024A





24 支装木工铣刀　24pcs Router Bit Set

品名 Name	规格 Size
榫刀 Mortising Bit	1/2"
齐头刀 Combination Bit	1/2"
子口苟刀 Dovetail Bit	3/8"
子口苟刀 Dovetail Bit	1/2"
90° "V" 型刀 90° "V"Grooving Bit	1/2"
深圆底刀 Round Nose Bit	3/8"
深圆底刀 Round Nose Bit	1/2"
斜角修边刀 trimming Bit	3/8"
单节刀 Panel Pilot Bit	1/4"
直刀 Straight Bit	1/4"
直刀 Straight Bit	3/8"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
修边刀 Flush Trim Bit	1/2"
圆角刀 Round Over Bit	R1/8"
圆角刀 Round Over Bit	R3/16"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R3/8"
倒角刀 Cove Bit	R3/8"
倒角刀 Cove Bit	R1/4"
45° 斜角刀 45° Chamfer Bit	1/2"
户西线刀 Roman Ogee Bit	R5/32"
榫口刀 Rabbeting Bit	1/4"
槽口刀 Slot Cutter Bit	1/2"

Router Bit set

Art.No.:RC-026AHW



26 支装木工铣刀　26pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	1/4"
直刀 Straight Bit	1/2"
直刀 Straight Bit	3/4"
榫刀 Mortising Bit	1/2"
匙孔刀 Keyhole Bit	3/8"
深圆底刀 Round Nose Bit	R1/8"
圆底刀 Core Box Bit	R1/4"
90° "V" 型刀 90° "V"Grooving Bit	1/2"
开口雕刻刀 Ovolo Bit	R1/4"
单节刀 Panel Pilot Bit	1/4"
子口荀刀 Dovetail Bit	3/8"
子口荀刀 Dovetail Bit	1/2"
齐头刀 Combination Bit	1/2"
单节刀 Panel Pilot Bit	1/2"
斜边修边刀 Bevel Trim	5/8"
倒角刀 Cove Bit	R1/8"
倒角刀 Cove Bit	R1/4"
倒角刀 Cove Bit	R3/8"
户西线刀 Roman Ogee Bit	R5/32"
圆角刀 Round Over Bit	R1/8"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R3/8"
45° 斜角刀 45° Chamfer Bit	1-1/4"
榫口刀 Rabbeting Bit	1/2" x 1-1/4"
槽口刀 Slot Cutter Bit	1/4" x 1-1/4"
正半元刀 Half round	R3/8"

Router Bit set

Art.No.:RC-030A







30 支装木工铣刀　30pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	5mm
直刀 Straight Bit	6mm
直刀 Straight Bit	8mm
直刀 Straight Bit	10mm
直刀 Straight Bit	12mm
直刀 Straight Bit	14mm
直刀 Straight Bit	16mm
直刀 Straight Bit	18mm
直刀 Straight Bit	20mm
子口荀刀 Dovetail Bit	12.7mm
60° "V" 型刀 60° "V"Grooving Bit	9.5mm
90° "V" 型刀 90° "V"Grooving Bit	12.7mm
圆底刀 Core Box Bit	R3.2mm
圆底刀 Core Box Bit	R6.3mm
双边门斗线条刀 Classical Bit	12.7mm
修边刀 Flush Trim Bit	12.7mm
25° 斜角刀 25° Chamfer Bit	16mm
45° 斜角刀 45° Chamfer Bit	32mm
户西线刀 Roman Ogee Bit	R4mm
榫口刀 Rabbeting Bit	28.6mm
倒角刀 Cove Bit	R6.3mm
倒角刀 Cove Bit	R9.5mm
圆角刀 Round Over Bit	R3.2mm
圆角刀 Round Over Bit	R6.3mm
圆角刀 Round Over Bit	R7.9mm
圆角刀 Round Over Bit	R9.5mm
敏仔刀 Beading Bit	R3.2mm
敏仔刀 Beading Bit	R6.3mm
敏仔刀 Beading Bit	R7.9mm
敏仔刀 Beading Bit	R9.5mm

Router Bit set

Art.No.:RC-030B

30 支装木工铣刀　30pcs Router Bit Set(B)



品名 Name	规格 Size
直刀 Straight bit	1/8"
直刀 Straight bit	1/4"
直刀 Straight bit	5/16"
直刀 Straight bit	3/8"
直刀 Straight bit	1/2"
直刀 Straight bit	3/4"
子口荀刀 Dovetail bit	3/8"
子口荀刀 Dovetail bit	1/2"
90° "V" 型刀 90° "V" Grooving bit	1/4"
90° "V" 型刀 90° "V" Grooving bit	1/2"
单节刀 Panel pilot bit	1/4"
匙孔刀 Keyhole bit	3/8"
深圆底刀 Round nose bit	R1/4"
圆底刀 Core box bit	R1/4"
修边刀 Flush trim bit	1/4"
修边刀 Flush trim bit	3/8"x1/2"
修边刀 Flush trim bit	1/2"x1/2"
修边刀 Flush trim bit	1/2"x1"
榫刀 Mortising bit	1/2"
圆角刀 Round over bit	R1/8"
圆角刀 Round over bit	R1/4"
圆角刀 Round over bit	R3/8"
圆角刀 Round over bit	R1/2"
倒角刀 Cove bit	R1/4"
倒角刀 Cove bit	R1/2"
户西线刀 Roman ogee bit	R1/4"
45° 斜角刀 45° chamfer bit	1/2"
平角弧线刀 Classical bit	R1/4"
敏仔刀 Beading bit	R1/2"
槽口刀 Slot cutter bit	3/8"

Router Bit set

Art.No.:RC-035A



35 支装木工铣刀　35pcs Router Bit Set

品名 Name	规格 Size
修边刀 Flush Trim Bit	3/8" × 1/2"
修边刀 Flush Trim Bit	3/8" × 1"
修边刀 Flush Trim Bit	1/2" × 1/2"
修边刀 Flush Trim Bit	1/2" × 1"
修边刀 Flush Trim Bit	3/4" × 1"
槽口刀 Slot cutter Bit	1-1/4" × 1/4"
槽口刀 Slot cutter Bit	1-1/4" × 5/16"
槽口刀 Slot cutter Bit	1-1/4" × 3/8"
槽口刀 Slot cutter Bit	3/8" × 1"
45° 斜角刀 45° Chamfer Bit	3/8" × 1"
45° 斜角刀 45° Chamfer Bit	1/2" × 1-3/16"
45° 斜角刀 45° Chamfer Bit	5/8" × 1-7/16"
45° 斜角刀 45° Chamfer Bit	3/4" × 1-5/8"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R3/8"
圆角刀 Round Over Bit	R1/2"
敏仔刀 Beading Bit	R1/4"
敏仔刀 Beading Bit	R3/8"
敏仔刀 Beading Bit	R1/2"
倒角刀 Cove Bit	R1/4"
倒角刀 Cove Bit	R3/8"
倒角刀 Cove Bit	R1/2"
户西线刀 Roman Ogee Bit	R5/32"
户西线刀 Roman Ogee Bit	R7/32"
户西线刀 Roman Ogee Bit	R9/32"
跳桌角线刀 Curved Line Bit	R1/4"
跳桌角线刀 Curved Line Bit	R3/8"
平角弧线刀 Classical Bit	R3/16"
凸敏仔刀 Classical Cove Bit	R5/16"
三弧桌刀 Wave Edge Bit	R3/16"
跳桌刀 Classical Ogee Bit	R3/16"
跳桌刀 Classical Ogee Bit	R1/4"
门斗条线刀 Classical Bit	R1/8"
门斗条线刀 Classical Bit	R3/16"
门斗条线刀 Classical Bit	R1/4"

Art.No.:RC-035D



35 支装木工铣刀　35pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	3,4,5,6,8,10,12,14,16,18,20mm
榫刀 Mortising Bit	12.7mm
双边门斗线条刀 Classical Bit	12.7mm
圆底刀 Core Box Bit	R3.2,R6.35mm
90° "V" 型刀 90° "V"Grooving Bit	6.35,12.7mm
子口荀刀 Dovetail Bit	9.5,12.7mm
单节刀 Panel Pilot Bit	6.35mm
修边刀 Flush Trim Bitt	6.35,8,9.5,12.7mm
倒角刀 Cove Bit	R6.3,R9.5mm
圆角刀 Round Over Bit	R3.2,R6.3,R9.5mm
敏仔刀 Beading Bit	R6.3mm
户西线刀 Roman Ogee Bit	R4mm
斜角修边刀 Bevel Bit	12.7mm
45° 斜角刀 45° Chamfer Bit	32mm
槽口刀 Slot cutter Bit	6.35mm
榫口刀 Rabbeting Bit	12.7mm

Router Bit set

Art.No.:RC-035B





35 支装木工铣刀　35pcs Router Bit Set

品名 Name	规格 Size
单刃直刀 Straight Bit	1/8"
直刀 Straight Bit	1/4"
直刀 Straight Bit	1/2" × 1"
直刀 Straight Bit	1/2" × 3/4"
直刀 Straight Bit	3/8"
直刀 Straight Bit	3/4"
圆底刀 Core Box Bit	R1/8"
圆底刀 Core Box Bit	R1/4"
修边刀 Flush Trim Bit	3/8" × 1/2"
修边刀 Flush Trim Bit	3/8" × 1"
修边刀 Flush Trim Bit	1/2" × 1/2"
修边刀 Flush Trim Bit	1/2" × 1"
修边刀 Flush Trim Bit	3/4"
45° 斜角刀 45° Chamfer Bit	1/2"
户西线刀 Roman Ogee Bit	R5/32"
户西线刀 Roman Ogee Bit	R1/4"
倒角刀 Cove Bit	R1/4"
倒角刀 Cove Bit	R3/8"
三弧桌刀 Wave Edge Bit	R3/16"
子口荀刀 Dovetail Bit	1/2"
子口荀刀 Dovetail Bit	9/16"
榫刀 Mortising Bit	1/2"
深圆底刀 Round Nose Bit	1/2"
90° "V" 型刀 90° "V"Grooving Bit	1/2"
单节刀 Panel Pilot Bit	1/4"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R3/8"
圆角刀 Round Over Bit	R1/2"
槽口刀 Slot cutter Bit	1/4"
槽口刀 Slot cutter Bit	5/16"
槽口刀 Slot cutter Bit	3/8"
敏仔刀 Beading Bit	R1/2"
凸敏仔刀 Classical Cove Bit	R5/16"
门斗条线刀 Classical Bit	R3/16"
门斗条线刀 Classical Bit	R1/4"

Router Bit set

Art.No.:RC-036A



36 件套木工铣刀　36pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight bit	1/8"
直刀 Straight bit	1/4"
直刀 Straight bit	5/16"
直刀 Straight bit	3/8"
直刀 Straight bit	1/2"
直刀 Straight bit	3/4"
螺旋直刀 Up SpiraL bit	1/4"
子口苟刀 Dovetail bit	3/8"
子口苟刀 Dovetail bit	1/2"
90° "V" 型刀 90° "V" Grooving bit	1/2"
匙孔刀 Keyhole bit	3/8"
深圆底刀 Round nose bit	R1/4"
圆底刀 Core box bit	R3/16"
圆底刀 Core box bit	R1/4"
修边刀 Flush trim bit	3/8"x1/2"
修边刀 Flush trim bit	3/8"x1"
修边刀 Flush trim bit	1/2"x1/2"
修边刀 Flush trim bit	1/2"x1"
仿型修边刀 Pattern bit	1/2"
榫刀 Mortising bit	1/2"
开口雕刻刀 Olovo bit	R1/4
双边门斗刀 Classical bit	1/2"
圆角刀 Round over bit	R1/8"
圆角刀 Round over bit	R1/4"
敏仔刀 Beading bit	R3/8"
倒角刀 Cove bit	R3/16"
倒角刀 Cove bit	R1/4"
户西线刀 Roman ogee bit	R5/32"
45° 斜角刀 45° chamfer bit	1-1/4"
跳桌刀 Curved Line bit	R3/16"
正半元刀 Half round bit	R3/16"
平角弧线刀 Classical bit	R3/16"
槽口刀 Slot cutter bit	3/8""
榫口刀 Rabbeting bit	1/2" x 3/4"
跳卓角线刀 Ogee bit	R3/16"
凸敏仔刀 Cove Fillet bit	R5/16"

Router Bit set

Art.No.:RC-040A



40 件套木工铣刀　40pcs Router Bit Set(A)

品名 Name	规格 Size
直刀 11pc Straight Bit	3mm,4mm,5mm,6mm,8mm,10mm, 12mm,14mm,16mm,18mm,20mm
子口荀刀 2pc Dovetail Bit	9.5mm, 12.7mm
60° "V" 型刀 1pc 60° "V"Grooving Bit	9.5mm
90° "V" 型刀 1pc 90° "V"Grooving Bit	12.7mm
圆底刀 2pc Core Box Bit	R3.2mm, R6.35mm
跳桌刀 1pc Classical Bit	12.7mm
修边刀 2pc Flush Trim Bit	9.5mm, 12.7mm
25° 斜角刀 1pc 25° Chamfer Bit	16mm
45° 斜边刀 1pc 45° Chamfer Bit	32mm
户西线刀 1pc Roman Ogee Bit	R4mm
榫口刀 1pc Rabbeting Bit	12.7 × 35mm
槽口刀 1pc Slot Cutter Bit	6.35 × 32mm
单节刀 1pc Panel Pilot Bit	6.35mm
榫刀 1pc Mortising Bit	12.7mm
深圆底刀 1pc Round Nose Bit	R6.35mm
齐头刀 1pc Combination Baevel Bit	12.7mm
匙孔刀 1pc Keyhole Bit	9.5mm
倒角刀 2pc Cove Bit	R6.35mm, R9.5mm
圆角刀 4pcs Round Over Bit	R3.2mm, R6.35, R8mm, R9.5mm
敏仔刀 4pcs Beading Bit	R3.2mm, R6.35, R8mm, R9.5mm

Router Bit set

Art.No.:RC-040B



40 件套木工铣刀　40pcs Router Bit Set(B)

品名 Name	规格 Size
直刀 Straight bit	1/8"
直刀 Straight bit	1/4"
直刀 Straight bit	3/8"
直刀 Straight bit	1/2"
直刀 Straight bit	5/8"
直刀 Straight bit	3/4"
子口苟刀 Dovetail bit	3/8"
子口苟刀 Dovetail bit	1/2"
90° "V" 型刀 90° "V" Grooving bit	1/4"
90° "V" 型刀 90° "V" Grooving bit	3/8"
90° "V" 型刀 90° "V" Grooving bit	1/2"
单节刀 Panel pilot bit	1/4"
匙孔刀 Keyhole bit	3/8"
匙孔刀 Keyhole bit	1/2"
深圆底刀 Round nose bit	R1/8"
圆底刀 Core box bit	R1/4"
修边刀 Flush trim bit	1/4"
修边刀 Flush trim bit	3/8"
修边刀 Flush trim bit	1/2"
仿型修边刀 Pattern bit	15/32"
仿型修边刀 Pattern bit	1/2"
斜边修边刀 Trim bit	5/8"
榫刀 Mortising bit	1/2"
圆角刀 Round over bit	R1/8"
圆角刀 Round over bit	R1/4"
圆角刀 Round over bit	R3/8"
圆角刀 Round over bit	R1/2"
倒角刀 Cove bit	R1/8"
倒角刀 Cove bit	R1/4"
倒角刀 Cove bit	R3/8"
倒角刀 Cove bit	R1/2"
户西线刀 Roman ogee bit	R5/32"
25° 斜角刀 25° chamfer bit	3/4"
45° 斜角刀 45° chamfer bit	1/2"
45° 斜角刀 45° chamfer bit	5/8"
跳桌刀 Curved Line bit	R3/16"
正半元刀 Half round bit	R3/16"
榫口刀 Rabbeting bit	1/2 × 7/8"
榫口刀 Rabbeting bit	1/2 × 1-3/8"
异型正半元刀 Edge Beading bit	R3/16"

Router Bit set

Art.No.:RC-050(A)





50 件套木工铣刀　50pcs Router Bit Set

品名 Name	规格 Size
直刀 7pcs Straight Bit	3/16",1/4",5/16",3/8",1/2",5/8",3/4"
90° "V" 型刀 2pcs 90° "V"Groove Bit	3/8",1/2"
子口苟刀 2pcs Dovetail Bit	1/2",9/16"
圆底刀 2pcs Core Box Bit	R1/8",R3/16",R1/4"
单节刀 1pcs Panel Pilot Bit	1/4"
修边刀 5pcs Flush Trim Bit	3/8" x 1/2",3/8" x 1",1/2" x 1/2", 1/2" x 1",3/4" x 1"
槽口刀 4pcs Slot Cutter Bit	1-1/4" x 1/4",1-1/4" x 5/16", 1-1/4" x 3/8",1-1/4" x 1/2"
斜角刀 4pcs Chamfer Bit	3/8" x 1",1/2" x 1-3/16", 5/8" x 1-7/16",3/4" x 1-5/8"
圆角刀 3pcs Round Over Bit	R1/4",R3/8",R1/2"
敏仔刀 3pcs Beading Bit	R1/4",R3/8",R1/2"
倒角刀 3pcs Cove Bit	R1/4",R3/8",R1/2"
户西线刀 3pcs Roman Ogee Bit	R5/32",R7/32",R9/32"
跳桌角线刀 2pcs Ogee Panel Bit	R1/4",R3/8"
平角弧线刀 1pc Ogee Flute Bit	R3/16"
凸敏仔线刀 1pc Classical Cove Bit	R5/16"
三弧桌刀 1pc Wavy Edge Bit	R3/16"
跳桌刀 2pcs Classical Bit	R3/16",R1/4"
斗条线刀 3pcs Double Roman Ogee Bit	R1/8",R3/16",R1/4"

Art.No.:RC-050(B)





50 支装木工铣刀　50pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit	3,4,6,8,10,12,14,16,18,20mm
齐头刀 Combination Bevel Bit	12.7mm
榫刀 Mortising Bit	12.7mm
双边门斗刀 Classical Bit	12.7mm
匙孔刀 Keyhole Bit	9.5mm
圆底刀 Core Box Bit	R3.2,R4.8,R6.35mm
深圆底刀 Round Nose Bit	R4.8,R6.35mm
60° "V" 型刀 60° "V"Grooving Bit	9.5,16mm
90° "V" 型刀 90° "V"Grooving Bit	9.5,12.7mm
子口苟刀 Dovetail Bit	9.5,12.7,14.3,16mm
单节刀 Panel Pilot Bit	6.35mm
修边刀 Flush Trim Bit	9.5 x 12.7,9.5 x 25.4, 12.7 x 12.7,12.7 x 25.4mm
倒角刀 Cove Bit	R6.3,R9.5mm
圆角刀 Round Over Bit	R3.2,R6.3,R7.9,R9.5mm
敏仔刀 Beading Bit	R3.2,R6.3,R7.9,R9.5mm
户西线刀 Roman Ogee Bit	R4,R6.35mm
25° 斜角刀 25° Chamfer Bit	16mm
45° 斜角刀 45° Chamfer Bit	32mm
槽口刀 Slot cutter Bit	6.35,9.5mm
槽口刀 Slot cutter Bit	12.7mm
凸敏仔刀 Classical Cove Bit	R8mm

Router Bit set

Art.No.:RC-066(A)





66 件套木工铣刀　66pcs Router Bit Set

品名 Name	规格 Size
直刀 8pcs Straight Bit	1/4",5/16",3/8",7/16", 1/2",5/8",3/4",1"
倒角刀 6pcs cove Bit	R1/8",R3/16",R1/4", R5/16",3/8",1/2"
子口苟刀 5pcs Dovetall Bit	7.5°　–1/4", 9°　–3/8", 14°　–1/2",5/8",3/4"
斜角刀 4pcs Chamfer Bit	15°　–1",22.5°　–1–1/4", 30°　–1–1/2",45°　–1–3/4"
户西线刀 2pcs Roman Ogee	R5/32",R1/4"
圆底刀 3pcs Core Box	1/4",3/8",1/2"
30°　斜角修边刀 1pc 30°　Bevel	31/2"
滚珠 T 型刀 2pcs Slot Cutter	1/4",3/8"
凸圆门斗刀 1pc Double Cove & Bead	1–1/2"
匙孔刀 1pc Keyhole Bit	3/8"
深圆底刀 3pcs Round Nose	1/4",3/8",1/2"
榫刀 3pcs Mortising	1/2",5/8",3/4"
圆角刀 6pcs Round Over	R1/8",R3/16",R1/4",R5/16", R3/8",R1/2",
异型半圆刀 2pcs Edge Beading Bit	1/4",3/8"
修边刀 2pcs Flush Trim Bit	3/8",1/2"
榫口刀 1pc Rabbeting Bit	3/8"
凸敏仔线刀 1pc Double Fillet & Cove Bit	R5/16"
双边门斗刀 1pc Groove Forming Classical Bit	3/4"
25°　修边刀 1pc 25°　Beveled Trim Bit	1/4"
双弧圆底刀 1pc Dish Cutter	1"
清底弧线刀 1pc Flat Bottom Round Over	R1/4"
平角弧线刀 1pc Ogee Filet Bit	1–3/8"
门斗条线刀 1pc Classical Bit	R3/16"
双珠饰刀 1pc Multi Bead Bit	1/8"
尖嘴雕刻刀 1pc Point Cutting Round Over	1/2"
90°　"V" 型刀 3pcs"V"–Groove Bit	3/8",1/2",5/8"
单节刀 1pc Panel Pilot	3/8"
双 R 线刀 1pc Double Round Over	R5/32"
60°　"V" 型刀 2pcs 60°　Sign Lettering	9/16",11/16"

Router Bit set

Art.No.:RC-100A




100 件套木工铣刀　100pcs Router Bit Set

品名 Name	规格 Size
直刀 Straight Bit (4PCS)	1/8"
直刀 Straight Bit (4PCS)	5/32
直刀 Straight Bit (4PCS)	3/16"
直刀 Straight Bit (4PCS)	1/4"
直刀 Straight Bit (3PCS)	5/16"
直刀 Straight Bit (3PCS)	3/8"
直刀 Straight Bit (3PCS)	7/16"
直刀 Straight Bit (3PCS)	1/2"
直刀 Straight Bit (2PCS)	9/16"
直刀 Straight Bit (2PCS)	5/8"
直刀 Straight Bit (2PCS)	3/4"
齐头刀 Combination Bit （2PCS）	1/2"
榫刀 Mortising Bit (2PCS)	1/2"
双边门斗刀 Classical Bit (2PCS)	1/2"
匙孔刀 Keyhole Bit (3PCS)	3/8"
深圆底刀 Round Nose Bit	R3/16"
深圆底刀 Round Nose Bit	R1/4"
圆底刀 Core Box Bit（2PCS）	R1/8"
圆底刀 Core Box Bit（2PCS）	R3/16"
圆底刀 Core Box Bit（2PCS）	R1/4"
60° "V"型刀 60° "V"Grooving Bit（2PCS）	3/8"
60° "V"型刀 60° "V"Grooving Bit（2PCS）	1/2"
90° "V"型刀 90° "V"Grooving Bit（2PCS）	3/8"
90° "V"型刀 90° "V"Grooving Bit（2PCS）	1/2"
子口荀刀 Dovetail Bit（2PCS）	3/8"
子口荀刀 Dovetail Bit（2PCS）	1/2"
子口荀刀 Dovetail Bit（2PCS）	9/16"
子口荀刀 Dovetail Bit（2PCS）	5/8"

品名 Name	规格 Size
单节刀 Panel Pilot Bit (2PCS)	1/4"
修边刀 Flush Trim Bit (2PCS)	1/4"
修边刀 Flush Trim Bit (2PCS)	5/6"
修边刀 Flush Trim Bit (2PCS)	3/8"
修边刀 Flush Trim Bit (2PCS)	1/2"
倒角刀 Cove Bit	R1/8"
倒角刀 Cove Bit	R1/4"
倒角刀 Cove Bit	R3/8"
户西线刀 Roman Ogee Bit	R5/32"
户西线刀 Roman Ogee Bit	R1/4"
圆角刀 Round Over Bit	R1/8"
圆角刀 Round Over Bit	R3/16"
圆角刀 Round Over Bit	R1/4"
圆角刀 Round Over Bit	R5/16"
圆角刀 Round Over Bit	R3/8"
敬仔刀 Beading Bit	R1/8"
敬仔刀 Beading Bit	R3/16"
敬仔刀 Beading Bit	R1/4"
敬仔刀 Beading Bit	R5/16"
敬仔刀 Beading Bit	R3/8"
25° 斜角刀 25° Chamfer Bit	5/8"
45° 斜角刀 45° Chamfer Bit	1-3/16"
槽口刀 Slot cutter Bit	1/8" x 1-1/4"
槽口刀 Slot cutter Bit	1/4" x 1-1/4"
槽口刀 Slot cutter Bit	3/8" x 1-1/4"
槽口刀 Slot cutter Bit	1/2" x 1-1/4"
门斗条线刀 Classical Bit	R1/4"
凸敬仔刀 Classical cove Bit	R5/16"


单刃直刀



Straight Bits

订单编号 Part No.	规格 Size(inch)	齿数 Z	直径 D(mm)	切削厚度 H(mm)
RC010120075	1/4 × 3/32	1	2.38	10
RC010120100	1/4 × 1/8	1	3.17	10
RC010120125	1/4 × 5/32	1	3.96	15
RC010120150	1/4 × 3/16	1	4.76	15
RC010120200	1/4 × 1/4	1	6.35	20
RC010120250	1/4 × 5/16	1	7.96	25
RC010120300	1/4 × 3/8	1	9.5	25
RC010140125	1/2 × 5/32	1	3.96	15
RC010140150	1/2 × 3/16	1	4.76	15
RC010140200	1/2 × 1/4	1	6.35	20
RC010140250	1/2 × 5/16	1	7.96	25
RC010140300	1/2 × 3/8	1	9.5	25


双刃直刀



Straight Bits

订单编号 Part No.	规格 Size(inch)	齿数 Z	直径 D(mm)	切削厚度 H(mm)
RC010220200	1/4 × 1/4	2	6.35	20
RC010220250	1/4 × 5/16	2	7.96	30
RC010220300	1/4 × 3/8	2	9.52	30
RC010220400	1/4 × 1/2	2	12.7	30
RC010220500	1/4 × 5/8	2	15.9	30
RC010220600	1/4 × 3/4	2	19.05	30
RC010220700	1/4 × 7/8	2	22.2	30
RC010221000	1/4 × 1	2	25.4	30
RC010240200	1/2 × 1/4	2	6.35	30
RC010224025	1/2 × 5/16	2	7.96	30
RC010240300	1/2 × 3/8	2	9.52	30
RC010240400	1/2 × 1/2	2	12.7	30
RC010240500	1/2 × 5/8	2	15.9	30
RC010240600	1/2 × 3/4	2	19.05	30
RC010240700	1/2 × 7/8	2	22.2	30
RC010241000	1/2 × 1	2	25.4	30
RC010241100	1/2 × 1–1/8	2	28.6	30
RC010241200	1/2 × 1–1/4	2	31.75	30
RC010241300	1/2 × 1–3/8	2	34.9	30
RC010241400	1/2 × 1–1/2	2	38.1	30
RC010241600	1/2 × 1–3/4	2	44.5	30
RC010242000	1/2 × 2	2	50.8	30


V 型斜尖刀



"V"Groove Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	锥度 2a
31020400	1/4 × 1/2	12.70	10.90	60°
31020450	1/4 × 9/16	14.28	12.36	60°
31020475	1/4 × 19/32	15.08	18.20	45°
31020500	1/4 × 5/8	15.90	13.76	60°
31020600	1/4 × 3/4	19.05	16.48	60°
31020700	1/4 × 7/8	22.22	26.79	45°
31040400	1/2 × 1/2	12.70	10.90	60°
31040450	1/2 × 9/16	14.28	12.36	60°
31040475	1/2 × 19/32	15.08	18.20	45°
31040500	1/2 × 5/8	15.09	13.76	60°
31040600	1/2 × 3/4	19.05	16.48	60°
31040700	1/4 × 7/8	22.22	26.79	45°


斜角修边刀



Bevel Trim Bits

订单编号 Part No.	规格 Size(inch)	直径 a	切削厚度 H(mm)
RC02062–225– α 8	1/4 × 9/32 × 8	2	20
RC02062–225– α 15	1/4 × 9/32 × 15°	2	30
RC02062–225– α 25	1/4 × 9/32 × 25°	2	30
RC02062–225– α 45	1/4 × 1/4 × 45°	2	30
RC02062–225– α 25	1/4 × 7/16 × 25°	2	30


榫刀



Bevel Trim Bits

订单编号 Part No.	规格 Size(inch)	直径 a	切削厚度 H(mm)
RC010420400	1/4 × 1/2	12.7	19.05
RC010420500	1/4 × 5/8	15.9	19.05
RC010420600	1/4 × 3/4	19.05	19.05
RC010440400	1/2 × 1/2	12.7	19.05
RC010440500	1/2 × 5/8	15.9	19.05
RC010440600	1/2 × 3/4	19.05	19.05
RC010440700	1/2 × 7/8	22.2	19.05
RC010441000	1/2 × 1	25.4	19.05
RC010441100	1/2 × 1–1/8	28.6	19.05
RC010441200	1/2 × 1–1/4	31.75	19.05


单节刀



Panel Pilot Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	齿数 Z
RC010720200	1/4 × 1/4	6.35	20	1
RC010720250	1/4 × 5/16	7.96	24	1
RC010720300	1/4 × 3/8	9.52	24	1
RC010720400	1/4 × 1/2	12.7	30	1
RC010740200	1/2 × 1/4	6.35	20	1
RC010740250	1/2 × 5/16	7.96	24	1
RC010740300	1/2 × 3/8	9.52	24	1
RC010740400	1/2 × 1/2	12.7	30	1

清底刀




Bottom Cleaning Bits

订单编号 Part No.	规格 Size(inch)	齿数 Z	直径 D(mm)	切削厚度 H(mm)
RC011020300	1/4 × 3/8	2	9.52	9
RC011020400	1/4 × 1/2	2	12.7	10
RC011020500	1/4 × 5/8	2	15.9	10
RC011020600	1/4 × 3/4	2	19.05	13
RC011020700	1/4 × 7/8	2	22.2	13
RC011021000	1/4 × 1	2	25.4	13
RC011040300	1/2 × 3/8	2	9.52	9
RC011040400	1/2 × 1/2	2	12.7	10
RC011040500	1/2 × 5/8	2	15.9	10
RC011040600	1/2 × 3/4	2	19.05	13
RC011040700	1/2 × 7/8	2	22.2	13
RC011041000	1/2 × 1	2	25.4	13
RC011041100	1/2 × 1–1/8	2	28.6	17
RC011041200	1/2 × 1–1/4	2	31.75	17
RC011041300	1/2 × 1–3/8	2	34.9	15
RC011041400	1/2 × 1–1/2	2	38.1	15
RC011041600	1/2 × 1–3/4	2	44.5	15
RC011042000	1/2 × 2	2	50.8	15

45°斜角刀


45° Chamfer Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	斜角 a	斜位厚度 B(mm)
RC020920200	1/4 × 1/4	21.98	45°	6.35
RC020920250	1/4 × 5/16	24.25	45°	7.96
RC020920300	1/4 × 3/8	26.50	45°	9.52
RC020920400	1/4 × 1/2	30.96	45°	12.7
RC020920500	1/4 × 5/8	35.50	45°	15.9
RC020920600	1/4 × 3/4	40.00	45°	19.05
RC020920700	1/4 × 7/8	44.40	45°	22.2
RC020921000	1/4 × 1	48.90	45°	25.4
RC020940200	1/2 × 1/4	31.98	45°	6.35
RC020940250	1/2 × 5/16	24.25	45°	7.96
RC020940300	1/2 × 3/8	26.50	45°	9.52
RC020940400	1/2 × 1/2	30.96	45°	12.7
RC020940500	1/2 × 5/8	35.50	45°	15.9
RC020940600	1/2 × 3/4	40.00	45°	19.05
RC020940700	1/2 × 7/8	44.40	45°	22.2
RC020941000	1/2 × 1	48.90	45°	25.4
RC020941100	1/2 × 1–1/8	53.40	45°	28.6
RC020941200	1/2 × 1–1/4	57.90	45°	31.75
RC020941300	1/2 × 1–3/8	62.40	45°	34.9
RC020941400	1/2 × 1–1/2	67.00	45°	38.1
RC020941500	1/2 × 1 × 5/8	71.37	45°	41.27
RC020941600	1/2 × 1 × 3/4	75.86	45°	44.45
RC020942000	1/2 × 2	84.84	45°	50.8

修边刀

Flush Trim Bits




订单编号 Part No.	规格 Size(inch)	直径 D(mm)	修边厚度 H(mm)
RC020120200	1/4 × 1/4	6.00	6.35
RC020120250	1/4 × 5/16	8.00	7.96
RC020120300	1/4 × 3/8	9.00	9.52
RC020120400	1/4 × 1/2	13.00	12.7
RC020140200	1/2 × 1/4	6.00	15.9
RC020140250	1/2 × 5/16	8.00	19.05
RC020140300	1/2 × 3/8	9.00	22.2
RC020140400	1/2 × 1/2	13.00	25.4

Router Bit

"V" 型刀


"V"Groove Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	齿数 Z
RC030420200	1/4 × 1/4	6.35	6.35	90°
RC030420250	1/4 × 5/16	7.96	7.96	90°
RC030420300	1/4 × 3/8	9.52	9.52	90°
RC030420400	1/4 × 1/2	12.7	12.7	90°
RC030420500	1/4 × 5/8	15.9	15.9	90°
RC030420600	1/4 × 3/4	19.05	17.5	90°
RC030420700	1/4 × 7/8	22.2	22.2	90°
RC030421000	1/4 × 1	25.4	25.4	90°
RC030440200	1/2 × 1/4	6.35	6.35	90°
RC030440250	1/2 × 5/16	7.96	7.96	90°
RC030440300	1/2 × 3/8	9.52	9.52	90°
RC030440400	1/2 × 1/2	12.7	12.7	90°
RC030440500	1/2 × 5/8	15.9	15.9	90°
RC030440600	1/2 × 3/4	19.05	17.5	90°
RC030440700	1/2 × 7/8	22.2	22.0	90°
RC030441000	1/2 × 1	25.4	25.4	90°
RC030441100	1/2 × 1–1/8	28.6	26.0	90°
RC030441200	1/2 × 1–1/4	31.75	25.5	90°
RC030441300	1/2 × 1–3/8	34.9	25.0	90°
RC030441400	1/2 × 1–1/2	38.1	25.0	90°
RC030441600	1/2 × 1–3/4	44.5	30.0	90°
RC030442000	1/2 × 2	50.8	30.0	90°

子口荀刀

Dovetail Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	斜角 a	切削厚度 H(mm)
RC030620300	1/4 × 3/8	9.52	8°	10
RC030620400	1/4 × 1/2	12.7	8°	13
RC030620500	1/4 × 5/8	15.9	14°	16
RC030620600	1/4 × 3/4	19.05	14°	20
RC030620700	1/4 × 7/8	22.2	14° 30'	23
RC030621000	1/4 × 1	25.4	14° 30'	26
RC030640300	1/2 × 3/8	9.52	8°	10
RC030640400	1/2 × 1/2	12.7	8°	13
RC030640500	1/2 × 5/8	15.9	14°	16
RC030640600	1/2 × 3/4	19.05	14°	20
RC030640700	1/2 × 7/8	22.2	14° 30'	23
RC030641000	1/2 × 1	25.4	14° 30'	26
RC030641100	1/2 × 1–1/8	28.6	14° 30'	29
RC030641200	1/4 × 1–1/4	31.75	14° 30'	30
RC030641400	1/4 × 1–1/2	38.1	14° 30'	30

侧 V 修边刀


Flush Trim "V" Groove Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	切消宽度 B(mm)
RC021120400	1/4 × 1/2	12.7	30.0	1.85
RC021120500	1/4 × 5/8	16.2	25.4	1.60
RC021120600	1/4 × 3/4	19.05	25.4	2.0
RC021140400	1/2 × 1/2	12.7	30.0	1.85
RC021140500	1/2 × 5/8	16.2	25.4	1.60
RC021140600	1/2 × 3/4	19.05	25.4	2

仿型修边刀


Pattern Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC021320400	1/4 × 1/2	12.7	25.4
RC021320500	1/4 × 5/8	15.9	25.4
RC021320600	1/4 × 3/4	19.05	25.4
RC021340400	1/2 × 3/4	19.05	25.4
RC021340500	1/2 × 5/8	15.9	25.4
RC021340600	1/2 × 1–1/8	28.6	30.2

仿型子口荀刀


Pattern Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	斜角 a
RC021420400	1/4 × 1/2	12.7	12.7	14°

仿型 V 型刀


Pattern Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	斜角 2a
RC041320400	1/4 × 1/2	12.7	12.7	90°

仿型圆底刀


Pattern Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	半径 R(mm)
RC041420400	1/4 × 1/2	12.7	15.8	6.35

仿型圆角刀


Pattern Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	半径 R(mm)
RC061342100	1/2 × 2–1/8	53.97	19.05	9.52

仿型跳桌刀


Pattern Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	半径 R(mm)
RC082220700	1/4 × 7/8	22.2	9.52	2.38
RC082241700	1/2 × 1–3/8	34.9	14.28	5.16

仿型双边门斗刀


Pattern Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	半径 R1(mm)	半径 R2(mm)
RC082320700	1/4 × 7/8	22.2	12.7	5.56	3.96
RC082341700	1/2 × 1–3/8	34.9	14.28	10.32	6.35

圆底刀


Core Box Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削厚度 H(mm)
RC050220100	1/4 × 3/8	3.17	5.0	1.58
RC050220150	1/4 × 3/16	4.76	7.0	2.38
RC050220200	1/4 × 1/4	6.35	6.35	3.17
RC050220250	1/4 × 5/16	7.96	6.5	3.96
RC050220300	1/4 × 3/8	9.52	7.5	4.76
RC050220400	1/4 × 1/2	12.7	9.4	6.35
RC050220500	1/4 × 5/8	15.9	10	7.95
RC050220600	1/4 × 3/4	19.05	12	9.52
RC050220700	1/4 × 7/8	22.2	13.5	11.1
RC050221000	1/4 × 1	25.4	15.0	12.7
RC050240150	1/2 × 3/16	4.76	7.0	2.38
RC050240200	1/2 × 1/4	6.35	6.35	3.17
RC050240250	1/2 × 5/16	7.96	6.5	3.96
RC050240300	1/2 × 3/8	9.52	7.5	4.76
RC050240400	1/2 × 1/2	12.7	9.4	6.35
RC050240500	1/2 × 5/8	15.9	10	7.95
RC050240600	1/2 × 3/4	19.05	12	9.52
RC050240700	1/2 × 7/8	22.2	13.5	11.1
RC050241000	1/2 × 1	25.4	15.0	12.7
RC050241100	1/2 × 1–1/8	28.6	17.5	14.3
RC050241200	1/2 × 1–1/4	31.75	19	15.9
RC050241300	1/2 × 1–3/8	34.9	19.5	17.45
RC050241400	1/2 × 1–1/2	38.1	22.5	19.05
RC050241500	1/2 × 1–5/8	41.28	24.2	20.64
RC050241600	1/2 × 1–3/4	44.45	26.5	22.2
RC050241700	1/2 × 1–7/8	47.63	27.5	23.81
RC050242000	1/2 × 1	50.8	28.5	25.4
RC050242400	1/2 × 2–1/3	63.5	35	31.75
RC050243000	1/2 × 3	76.2	41.5	38.1

深圆底刀


Round Nose Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削厚度 H(mm)
RC050320300	1/4 × 3/8	9.52	19.6	4.76
RC050320400	1/4 × 1/2	12.7	19.6	6.35
RC050320500	1/4 × 5/8	15.9	19.6	7.96
RC050320600	1/4 × 3/4	19.05	19.6	9.52
RC050320700	1/4 × 7/8	22.2	21.5	11.1
RC050321000	1/4 × 1	25.4	22.5	12.7
RC050340300	1/2 × 3/8	9.52	19.6	4.76
RC050340400	1/2 × 1/2	12.7	19.6	6.35
RC050340500	1/2 × 5/8	15.9	19.6	7.96
RC050340600	1/2 × 3/4	19.05	19.6	9.52
RC050340700	1/2 × 7/8	22.2	21.5	11.1
RC050341000	1/2 × 1	25.4	22.5	12.7
RC050341100	1/2 × 1–1/8	28.5	22.5	14.3
RC050341200	1/2 × 1–1/4	31.75	23	15.9
RC050341300	1/2 × 1–3/8	34.9	23	17.45
RC050341400	1/2 × 1–1/2	38.1	23	19.05
RC050341600	1/2 × 1–3/4	44.45	31.75	22.2
RC050342000	1/2 × 2	50.8	31.75	25.4

圆角刀


Round Over Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC060220150	1/4 × 3/16	13.76	2.38	2.38	5.38
RC060220200	1/4 × 1/4	15.35	3.17	3.17	7.00
RC060220250	1/4 × 5/16	20.94	3.97	3.97	8.00
RC060220300	1/4 × 3/8	22.5	4.76	4.76	9.00
RC060220400	1/4 × 1/2	25.7	6.35	6.35	11.0
RC060220500	1/4 × 5/8	28.88	7.96	7.96	12.0
RC060220600	1/4 × 3/4	32.05	9.52	9.52	15.0
RC060220700	1/4 × 7/8	35.2	11.1	11.1	16.0
RC060221000	1/4 × 1	38.4	12.7	12.7	18.0
RC060240150	1/2 × 3/16	13.76	2.38	2.38	5.38
RC060240200	1/2 × 1/4	15.35	3.17	3.17	7.00
RC060240250	1/2 × 5/16	20.94	3.97	3.97	8.00
RC060240300	1/2 × 3/8	22.5	4.76	4.76	9.00
RC060240400	1/2 × 1/2	25.7	6.35	6.35	11.0
RC060240500	1/2 × 5/8	28.88	7.96	7.96	12.0
RC060240600	1/2 × 3/4	32.05	9.52	9.52	15.0
RC060240700	1/2 × 7/8	35.20	11.1	11.1	16.0
RC060241000	1/2 × 1	38.4	12.7	12.7	18.0
RC060241100	1/2 × 1–1/8	43.58	14.29	14.29	20.0
RC060241200	1/2 × 1–1/4	46.75	15.9	15.9	22.0
RC060241300	1/2 × 1–3/8	49.93	17.46	17.46	23.0
RC060241400	1/2 × 1–1/2	53.10	19.05	19.05	25.0
RC060241500	1/2 × 1–5/8	56.26	20.64	20.64	25.95
RC060241600	1/2 × 1–3/4	59.45	22.23	22.23	29.0
RC060241700	1/2 × 1–7/8	62.63	23.81	23.81	29.0
RC060242000	1/2 × 2	65.8	25.4	25.4	32.0
RC060242100	1/2 × 2–1/8	68.97	26.98	26.98	33.4
RC060242200	1/2 × 2–1/4	72.15	28.58	28.58	34.1
RC060242300	1/2 × 2–3/8	75.32	30.16	30.16	36.7
RC060242400	1/2 × 2–1/2	78.5	31.75	31.75	38.0
RC060242500	1/2 × 2–5/8	81.67	33.33	33.33	39.8
RC060242600	1/2 × 2–3/4	84.85	34.93	34.93	41.5
RC060242700	1/2 × 2–7/8	88.02	36.51	36.51	43.1
RC060243000	1/2 × 3	91.2	38.1	38.1	44.97


匙孔刀

Keyhole Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	直径 1 D1(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC160320300	1/4 × 3/8	9.52	6.35	4.76	9.5
RC160320400	1/4 × 1/2	12.70	6.35	6.35	9.5

敏仔刀




Beading Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC060320100	1/4 × 1/8	15.9	1.58	3.45	12.7
RC060320150	1/4 × 3/16	17.46	2.38	4.23	12.7
RC060320200	1/4 × 1/4	19.05	3.17	5.02	12.7
RC060320250	1/4 × 5/16	20.62	3.96	5.81	12.7
RC060320300	1/4 × 3/8	22.22	4.76	6.61	12.7
RC060320400	1/4 × 1/2	25.4	6.35	8.2	12.7
RC060320500	1/4 × 5/8	28.6	7.96	9.8	12.7
RC060320600	1/4 × 3/4	31.7	9.52	11.35	15.9
RC060320700	1/4 × 7/8	34.9	11.1	12.9	17
RC060321000	1/4 × 1	38.1	12.7	14.5	19.05
RC060340200	1/2 × 1/4	19.05	3.17	5.02	12.7
RC060340250	1/2 × 5/16	20.62	3.96	5.81	12.7
RC060340300	1/2 × 3/8	22.22	4.76	6.61	12.7
RC060340400	1/2 × 1/2	25.4	6.35	8.2	12.7
RC060340500	1/2 × 5/8	28.6	7.96	9.8	12.7
RC060340600	1/2 × 3/4	31.7	9.52	11.35	15.9
RC060340700	1/2 × 7/8	34.9	11.1	12.9	17
RC060341000	1/2 × 1	38.1	12.7	14.5	19.05
RC060341100	1/2 × 1–1/8	41.3	14.3	16.15	19.3
RC060341200	1/2 × 1–1/4	44.45	15.9	17.72	22.2
RC060341300	1/2 × 1–3/8	47.60	17.45	19.3	23.85
RC060341400	1/2 × 1–1/2	50.8	19.05	20.9	25.4
RC060341500	1/2 × 1–5/8	53.96	20.63	22.48	27.13
RC060341600	1/2 × 1–3/4	57.15	22.2	24.07	28.5
RC060341700	1/2 × 1–7/8	60.32	23.81	25.66	30.31
RC060342000	1/2 × 2	63.5	25.4	27.25	32
RC060342100	1/2 × 2–1/8	66.66	26.98	28.83	33.48
RC060342200	1/2 × 2–1/4	69.84	28.57	30.42	35.07
RC060342300	1/2 × 2–3/8	73.02	30.16	32.01	36.66
RC060342400	1/2 × 2–1/2	76.2	31.75	33.6	38.25
RC060342500	1/2 × 2–5/8	79.37	33.33	35.18	39.83
RC060342600	1/2 × 2–3/4	82.55	34.92	36.77	41.42
RC060342700	1/2 × 2–7/8	85.72	36.51	38.36	43.01
RC060343000	1/2 × 3	88.9	38.1	39.95	45.1

Router Bit

倒角刀


Cove Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC070220100	1/4 × 1/8	12.7	1.58	1.58	6.35
RC070220150	1/4 × 3/16	13.76	2.38	2.38	6.35
RC070220200	1/4 × 1/4	15.35	3.17	3.17	6.35
RC070220250	1/4 × 5/16	16.92	3.96	3.96	6.35
RC070220300	1/4 × 3/8	22.5	4.76	4.76	7.8
RC070220400	1/4 × 1/2	25.7	6.35	6.35	9.52
RC070220500	1/4 × 5/8	28.9	7.96	7.96	10.3
RC070220600	1/4 × 3/4	32.1	9.52	9.52	12.3
RC070220700	1/4 × 7/8	35.2	11.1	11.1	14.5
RC070221000	1/4 × 1	38.4	12.7	12.7	15.8
RC070240200	1/2 × 1/4	15.35	3.17	3.17	6.35
RC070240250	1/2 × 5/16	16.92	3.96	3.96	6.35
RC070240300	1/2 × 3/8	22.5	4.76	4.76	7.8
RC070240400	1/2 × 1/2	25.7	6.35	6.35	9.52
RC070240500	1/2 × 5/8	28.9	7.96	7.96	10.3
RC070240600	1/2 × 3/4	32.1	9.52	9.52	12.3
RC070240700	1/2 × 7/8	35.2	11.1	11.1	14.5
RC070241000	1/2 × 1	38.4	12.7	12.7	15.8
RC070241100	1/2 × 1–1/8	41.6	14.3	14.3	18
RC070241200	1/2 × 1–1/4	44.8	15.9	15.9	19.4
RC070241300	1/2 × 1–3/8	47.9	17.45	17.45	21.0
RC070241400	1/2 × 1–1/2	51.1	19.05	19.05	22.7
RC070241500	1/2 × 1–5/8	54.27	20.63	20.63	23.8
RC070241600	1/2 × 1–3/4	57.45	22.2	22.2	25.37
RC070241700	1/2 × 1–7/8	60.62	23.81	23.81	26.9
RC070242000	1/2 × 2	63.8	25.4	25.4	28.5
RC070242400	1/2 × 2–1/2	76.5	31.75	31.75	33.5
RC070243000	1/2 × 3	89.2	38.1	38.1	40.1

双 R 线刀


Classical Moulding Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC080220200	1/4 × 1/4	19.35	3.17	1.58	6.16
RC080220250	1/4 × 5/16	20.93	3.96	1.98	7.13
RC080220300	1/4 × 3/8	22.5	4.76	2.38	7.93
RC080220400	1/4 × 1/2	25.7	6.35	3.17	9.52
RC080220500	1/4 × 5/8	28.9	7.95	3.96	12.7
RC080220600	1/4 × 3/4	32.05	9.52	4.76	14.3
RC080220700	1/4 × 7/8	35.2	11.1	5.55	15.76
RC080221000	1/4 × 1	38.4	12.7	6.35	17.5
RC080240200	1/2 × 1/4	19.35	3.17	1.58	6.16
RC080240250	1/2 × 5/16	20.93	3.96	1.98	7.13
RC080240300	1/2 × 3/8	22.5	4.76	2.38	7.93
RC080240400	1/2 × 1/2	25.7	6.35	3.17	9.52
RC080240500	1/2 × 5/8	28.9	7.95	3.96	12.7
RC080240600	1/2 × 3/4	32.05	9.52	4.76	14.3
RC080240700	1/2 × 7/8	35.2	11.1	5.55	15.76
RC080241000	1/2 × 1	38.4	12.7	6.35	17.5
RC080241100	1/2 × 1–1/8	41.6	14.3	7.15	20.65
RC080241200	1/2 × 1–1/4	44.75	15.9	7.93	22.2
RC080241400	1/2 × 1–1/2	51.1	19.05	9.52	25.4

跳卓角线刀


Curved Line Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC080320400	1/4 × 1/2	25.7	3.52	6.35	13
RC080320500	1/4 × 5/8	28.9	4.59	7.95	15.1
RC080320600	1/4 × 3/4	32	5.74	9.5	17.3
RC080320700	1/4 × 7/8	35.2	7.00	11.1	19.7
RC080321000	1/4 × 1	38.4	8.41	12.7	22.3
RC080340400	1/2 × 1/2	25.7	3.52	6.35	13
RC080340500	1/2 × 5/8	28.9	4.59	7.95	15.1
RC080340600	1/2 × 3/4	32	5.74	9.5	17.3
RC080340700	1/2 × 7/8	35.2	7.00	11.1	19.7
RC080341000	1/2 × 1	38.4	8.41	12.7	22.3
RC080341100	1/2 × 1–1/8	41.8	9.89	14.4	25
RC080341200	1/2 × 1–1/4	44.8	11.59	15.9	28
RC080341400	1/2 × 1–1/2	51.1	14.76	19.05	33.6
RC080341600	1/2 × 1–3/4	57.45	16.37	22.2	37.03
RC080342000	1/2 × 2	64	17.98	25.5	40.43


平角弧线刀

Classical Bits



订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC080420400	1/4 × 1/2	25.69	2.38	6.34	9.52
RC080420500	1/4 × 5/8	28.85	3.17	7.92	11.1
RC080420600	1/4 × 3/4	32.02	3.96	9.52	12.9
RC080420700	1/4 × 7/8	35.21	4.76	11.1	14.3
RC080421000	1/4 × 1	38.57	5.60	12.7	15.9
RC080440400	1/2 × 1/2	25.69	2.38	6.34	9.52
RC080440500	1/2 × 5/8	28.85	3.17	7.92	11.1
RC080440600	1/2 × 3/4	32.02	3.96	9.52	12.9
RC080440700	1/2 × 7/8	35.21	4.76	11.1	14.3
RC080441000	1/2 × 1	38.57	5.60	12.7	15.9
RC080441100	1/2 × 1–1/8	41.57	6.35	14.28	17.5
RC080441200	1/2 × 1–1/4	44.73	7.14	15.8	20.63
RC080441400	1/2 × 1–1/2	51.10	8.73	19.05	22.2
RC080441500	1/2 × 1–5/8	54.25	9.52	20.62	24.0
RC080441600	1/2 × 1–3/4	57.45	10.32	22.2	25.4


户西线刀



Roman Ogee Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC080620300	1/4 × 3/8	22.5	4.76	2.38	8.0
RC080620400	1/4 × 1/2	25.7	6.35	3.17	9.7
RC080620500	1/4 × 5/8	28.9	7.95	3.96	11.5
RC080620600	1/4 × 3/4	32	9.52	4.76	14.0
RC080620700	1/4 × 7/8	35.2	11.1	5.6	15.7
RC080621000	1/4 × 1	38.2	12.7	6.35	18.2
RC080640300	1/2 × 3/8	22.5	4.76	2.38	8.0
RC080640400	1/2 × 1/2	25.7	6.35	3.17	9.7
RC080640500	1/2 × 5/8	28.9	7.95	3.96	11.5
RC080640600	1/2 × 3/4	32	9.52	4.76	14.0
RC080640700	1/2 × 7/8	35.2	11.1	5.6	15.7
RC080641000	1/2 × 1	38.2	12.7	6.35	18.2
RC080641100	1/2 × 1–1/8	41.6	14.3	7.14	18.7
RC080641200	1/2 × 1–1/4	44.7	15.9	7.95	22.2
RC080641300	1/2 × 1–3/8	47.92	17.46	8.73	23.46
RC080641400	1/2 × 1–1/2	51.1	19.05	9.52	25.5
RC080641500	1/2 × 1–5/8	54.27	20.63	10.31	27.0
RC080641600	1/2 × 1–3/4	57.48	22.2	11.1	28.3
RC080642000	1/2 × 2	63.8	25.4	12.7	31.8
RC080642400	1/2 × 2–1/2	76.5	31.75	15.8	38
RC080643000	1/2 × 3	89.2	38.1	19.05	44


框架线刀



Double Roman Ogee Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC080520400	1/4 × 1/2	21.68	3.17	12.7	6.35
RC080520250	1/4 × 5/8	24.9	3.96	15.9	7.95
RC080520600	1/4 × 3/4	28.04	4.76	19.0	9.52
RC080520700	1/4 × 7/8	31.2	5.55	20.63	11.1
RC080521000	1/4 × 1	34.4	6.35	22.2	12.70
RC080540400	1/2 × 1/2	21.68	3.17	12.7	6.35
RC080540500	1/2 × 5/8	24.9	3.96	15.9	7.95
RC080540600	1/2 × 3/4	28.04	4.76	19.0	9.52
RC080540700	1/2 × 7/8	31.2	5.55	20.63	11.1
RC080541000	1/2 × 1	34.4	6.35	22.2	12.7
RC080541100	1/2 × 1–1/8	37.56	7.14	22.2	14.28
RC080541200	1/2 × 1–1/4	40.84	7.96	22.2	15.9
RC080541400	1/2 × 1–1/2	47.1	9.52	25.4	19.05
RC080542000	1/2 × 2	29.8	12.7	31.75	25.4


门斗条线刀



Classical Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R1(mm)	半径 R2(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC081220300	1/4 × 3/8	27.51	2.38	3.17	7.25	10
RC081220400	1/4 × 1/2	31.7	3.17	4.79	9.35	12.7
RC081220500	1/4 × 5/8	39.28	4.79	6.35	13.14	15.9
RC081220600	1/4 × 3/4	46.04	6.35	7.9	16.52	19.05
RC081220700	1/4 × 7/8	51.8	7.9	9.5	19.4	22.2
RC081221000	1/4 × 1	60.3	9.5	11.1	23.65	25.6
RC081240300	1/2 × 3/8	27.51	2.38	3.17	7.25	10
RC081240400	1/2 × 1/2	31.7	3.17	4.79	9.35	12.7
RC081240500	1/2 × 5/8	39.28	4.79	6.35	13.14	15.9
RC081240600	1/2 × 3/4	46.04	6.35	7.9	16.52	19.05
RC081240700	1/2 × 7/8	51.8	7.8	9.5	19.4	22.2
RC081241000	1/2 × 1	60.3	9.5	11.1	23.65	25.6
RC081241100	1/2 × 1–1/8	64.6	11.1	12.7	25.8	28.6
RC081241200	1/2 × 1–1/4	74.2	12.7	15.9	30.6	33.8
RC081241400	1/2 × 1–1/2	86.9	15.9	19.05	36.95	40.0
RC081242000	1/2 × 2	113	22.2	25.4	49.0	53.0


三珠饰刀



Mulit-Beading Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削厚度 H(mm)
RC090320700	1/4 × 7/8	20.66	2.38	22.2
RC090321000	1/4 × 1	22.2	3.17	25.4
RC090340700	1/2 × 7/8	20.66	2.38	22.2
RC090341000	1/2 × 1	22.2	3.17	25.4
RC090341100	1/2 × 1–1/8	23.02	3.56	28.6
RC090341200	1/2 × 1–1/4	23.82	3.96	31.75
RC090341300	1/2 × 1–5/8	24.62	4.36	34.9
RC090341350	1/2 × 1–7/16	25.42	4.76	36.51


T 型刀



"T"Type Slotting cutter

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	切削宽度 B(mm)
RC160220075	1/4 × 3/32	31.5	2.38	10.7
RC160220100	1/4 × 1/8	31.5	3.17	10.7
RC160220125	1/4 × 5/32	31.5	3.96	10.7
RC160220150	1/4 × 3/16	31.5	4.76	10.7
RC160220200	1/4 × 1/4	31.5	6.35	10.7
RC160220250	1/4 × 5/16	31.5	7.96	10.7
RC160220300	1/4 × 3/8	31.5	9.52	10.7
RC160220400	1/4 × 1/2	31.5	12.7	10.7
RC160220500	1/2 × 5/8	31.5	15.9	10.7
RC160240075	1/2 × 3/32	31.5	2.38	9.4
RC160240100	1/2 × 1/8	31.5	3.17	9.4
RC160240125	1/2 × 5/32	31.5	3.96	9.4
RC160240150	1/2 × 3/16	31.5	4.76	9.4
RC160240200	1/2 × 1/4	31.5	6.35	9.4
RC160240250	1/2 × 5/16	31.5	7.96	9.4
RC160240300	1/2 × 3/8	31.5	9.52	9.4
RC160240400	1/2 × 1/2	31.5	12.7	9.4
RC160240500	1/2 × 5/8	31.5	15.9	9.4
RC160240600	1/2 × 3/4	31.5	19.1	9.4
RC160240700	1/2 × 7/8	31.5	22.2	9.4
RC160241000	1/2 × 1	31.5	25.4	9.4
RC160241100	1/2 × 1–1/8	31.5	28.6	9.4


滚珠 T 型刀



"T"Type Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	半径 R(mm)	切削厚度 H(mm)
RC160620075	1/4 × 3/32	31.75	2.38	9.37
RC160620100	1/4 × 1/8	31.75	3.17	9.37
RC160620125	1/4 × 5/32	31.75	3.96	9.37
RC160620150	1/4 × 3/16	31.75	4.76	9.37
RC160620200	1/4 × 1/4	31.75	6.35	9.37
RC160620250	1/4 × 5/16	31.75	7.96	9.37
RC160620300	1/4 × 3/8	31.75	9.52	9.37
RC160620400	1/4 × 1/2	31.75	12.7	9.37
RC160640075	1/2 × 3/32	31.75	2.38	9.37
RC160640100	1/2 × 1/8	31.75	3.17	9.37
RC160640125	1/2 × 5/32	31.75	3.96	9.37
RC160640150	1/2 × 3/16	31.75	4.76	9.37
RC160640200	1/2 × 1/4	31.75	6.35	9.37
RC160640250	1/2 × 5/16	31.75	7.96	9.37
RC160640300	1/2 × 3/8	31.75	9.52	9.37
RC160640400	1/2 × 1/2	31.75	12.7	9.37
RC160640500	1/2 × 5/8	31.75	15.9	9.37
RC160640600	1/2 × 3/4	31.75	19.05	9.37
RC160640700	1/2 × 7/8	31.75	22.2	9.37
RC160641000	1/2 × 1	31.75	25.4	9.37


45°榫合刀



45° Lock Miter Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC030821400	1/4×1-1/2	38.10	4.76	7.14
RC030841400	1/2×1-1/2	38.10	4.76	17.14
RC030841600	1/2×1-3/4	44.45	7.96	19.05
RC030842550	1/2×2-11/16	68.26	7.43	30.16
RC030843000	1/2×3	76.20	6.50	25.40
RC030843400	1/2×3-1/2	88.90	11.10	41.26


魔术刀



Classical Multiform Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC081620700	1/4×7/8	31.20	25.40	11.10
RC081621000	1/4×1	38.40	28.57	12.70
RC081640700	1/2×7/8	31.20	25.40	11.10
RC081641000	1/2×1	38.40	28.57	12.70
RC081641100	1/2×1-1/8	41.60	31.75	14.30
RC081641200	1/2×1-1/4	44.75	34.90	15.87
RC081641300	1/2×1-3/8	47.90	38.10	17.45
RC081641400	1/2×1-1/2	51.10	41.25	19.05
RC081641600	1/2×1-3/4	57.20	47.60	22.10


起伏扶手刀



Crown Moulding Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC00440550	1/2×11/16	17.45	25.40	3.17
RC00440600	1/2×3/4	19.10	28.60	3.17
RC00440700	1/2×7/8	22.2	34.90	3.17
RC00441000	1/2×1	25.40	44.43	3.17
RC00441100	1/2×1-1/8	28.60	50.74	3.96
RC00441200	1/2×1-1/4	31.75	57.15	4.76


梯级扶手刀



Crown Moulding Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC100840600	1/2×3/4	19.1	28.60	2.38
RC100840700	1/2×7/8	22.20	34.90	2.93
RC100841000	1/2×1	25.40	44.43	4.01
RC100841100	1/2×1-1/8	28.60	50.74	4.76
RC100841200	1/2×1-1/4	31.75	57.15	5.33


佛肚扶手刀



Crown Moulding Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC100940550	1/2×11/16	17.45	25.40	3.17
RC100940600	1/2×3/4	19.10	28.60	3.17
RC100940700	1/2×7/8	22.20	34.90	3.96
RC100941000	1/2×1	25.40	44.43	4.76
RC100941100	1/2×1-1/8	28.60	50.74	5.55
RC100941200	1/2×1-1/4	31.75	57.15	6.34


流线扶手刀



Crown Moulding Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC101040600	1/2×3/4	19.35	28.60	3.17
RC101040700	1/2×7/8	22.20	34.90	3.17
RC101041000	1/2×1	25.40	44.43	3.17
RC101041100	1/2×1-1/8	28.60	50.74	3.96
RC101041200	1/2×1-1/4	31.75	57.15	4.76

套装扶手刀



Handrail & Finger Grip Bits


Handrail Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC130442600	1/2×2-3/4	69.8	28.6
RC130443100	1/2×3-1/8	79.4	28.6

Finger Grip Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC130441100	1/2×2-1/8	28.6	38.1
RC130441200	1/2×2-1/4	31.8	38.1


屉锁刀



Drawer Lock Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	斜角 a	切削宽度 B(mm)	切削厚度 H(mm)
RC160120500	1/4×5/8	15.90	30°	2.40	11.10
RC160120600	1/4×3/4	19.05	30°	3.17	12.70
RC160120700	1/4×7/8	22.20	30°	4.75	12.70
RC160121000	1/4×1	25.40	30°	6.35	12.70
RC160140600	1/2×3/4	19.05	30°	3.17	12.70
RC160140700	1/2×7/8	22.20	30°	4.75	12.70
RC160141000	1/2×1	25.40	30°	6.35	12.70
RC160141100	1/2×1-1/8	28.60	30°	6.35	15.90
RC160141200	1/2×1-1/4	31.75	30°	7.92	19.05

锥齿榫刀




Joint Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)	切削宽度 B(mm)	齿数 Z(mm)	锥度 2a
RC160820200	1/4×1/4	31.80	38.1	6.35	4	14° 10'
RC160820250	1/4×5/16	34.90	38.1	7.92	4	11° 30'
RC160840200	1/2×1/4	31.80	38.1	6.35	4	14° 10'
RC160840250	1/2×5/16	34.90	38.1	7.92	4	11° 30'
RC160840300	1/2×3/8	38.10	38.1	9.52	4	9° 30'
RC160840350	1/2×7/16	41.30	38.1	11.10	4	8° 11'
RC160840400	1/2×1/2	44.45	38.1	12.70	4	7° 04'

Router Bit


门板刀 Raised Panel Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC122042500	1/2×2-5/8	41.2	12.7	27
RC122043000	1/2×3	76.2	15.9	31.75
RC122043400	1/2×3-1/2	89	14.3	38.1




门板刀 Raised Panel Bits W/Under Cutter

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC122143100	1/2×3-1/8	79.4	12.7	31.75




榫口刀 Rabbeting Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC160520200	1/4×1/4	31.75	6.35	6.35
RC160520250	1/4×5/16	31.75	7.93	6.35
RC160520300	1/4×3/8	31.75	9.52	6.35
RC160520400	1/4×1/2	31.75	12.7	6.35
RC160540200	1/2×1/4	31.75	6.35	6.35
RC160540250	1/2×5/16	31.75	7.93	6.35
RC160540300	1/2×3/8	31.75	9.52	6.35
RC160540400	1/2×1/2	31.75	12.7	6.35
RC160540500	1/2×5/8	31.75	15.9	6.35
RC160540600	1/2×3/4	31.75	19.05	6.35
RC160540700	1/2×7/8	31.75	22.2	6.3




三刃 T 型刀



3Wing Slotting Cutter(Bearing 22mm)

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC161020075	1/4 × 3/32	47.6	2.38
RC161020100	1/4 × 1/8	47.6	3.17
RC161020125	1/4 × 5/32	47.6	3.96
RC161020150	1/4 × 3/16	47.6	4.76
RC161020200	1/4 × 1/4	47.6	6.35
RC161040075	1/2 × 3/32	47.6	2.38
RC161040100	1/2 × 1/8	47.6	3.17
RC161040125	1/2 × 5/32	47.6	3.96
RC161040150	1/2 × 3/16	47.6	4.76
RC161040200	1/2 × 1/4	47.6	6.35


T 型榫合刀



Tongue & Groove Assembly

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削宽度 B(mm)	切削厚度 H(mm)
RC161120300	1/4 × 3/8	41.27	15.9	19.05
RC161140400	1/2 × 1/2	47.6	12.7	19.05


指接刀



Adjustable Finger Joint Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC161240450	1/2 × 9/16	39.7	19.05


榫合刀



Matched Rail & Stile Bits Set

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC17141600	1/2 × 1–3/4	44.45	28.6


可逆榫合刀



Reversible Rail & Stile Bits

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC17151500	1/2 × 1–5/8	41.3	20.63


榫合刀



Matched Rail & Stile Bits Set

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC17161500	1/2 × 1–5/8	41.3	19.05


榫合刀



1pc Stacked Rail & Stile Bit Set

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC17171500	1/2 × 1–5/8	41.3	34.9

长户榫合刀



Window Sash Set

订单编号 Part No.	规格 Size(inch)	直径 D(mm)	切削厚度 H(mm)
RC172140700	1/2 × 7/8	38.1	22.2
RC172141300	1/2 × 1–3/8	38.1	34.9

T.CT.Moulding Cutters

硬质合金整体成型刀具 T.C.T.Moulding Cutter

Art No.:RC-M001
Door Raised Panel Cutter

4wings
Diameter:180mm
Tip width:16.5mm
Bore:35mm




Art No.:RC-M002
Drawer–Handle cutter

4wings
Diameter:160mm
Tip width:16mm
Bore:35mm




Art No.:RC-M003
Multi–profile Cutter

2wings
Diameter:130mm
Tip width:49mm
Bore:30mm




Art No.:RC-M004
Multi–profile Cutter

4wings
Diameter:130mm
Tip width:49mm
Bore:35mm



Art No.:RC-M005
Flooring Tong and Groove Cutter

6wings, 6combination
Diameter:160mm
Tip width:30mm
Bore:40mm




Art No.:RC-M006
Planer Cutter

4wings
Diameter:87mm
Tip width:40mm
Bore:40mm



Art No.:RC-M007
Doorframe Cutter

6wings, 6combination
Diameter:123mm
Tip width:44mm
Bore:40mm




Art No.:RC-M008
Tabletop Cutter

4wings
Diameter:170mm
Tip width:42mm
Bore:35mm



Art No.:RC-M009
Cabinet Doors Cutter

2wings, 2combinations
Diameter:160mm
Tip width:28.5mm
Bore:30mm



Art No.:RC-M010
Profile Cutter

4wings
Diameter:140mm
Tip width:50mm
Bore:35mm



T.CT.Moulding Cutters

硬质合金整体成型刀具 T.C.T.Moulding Cutter

Art No.:RC-M011
Helical Planer Cutter

6wings
Diameter:90mm
Tip width:100mm
Bore:35mm



Art No.:RC-M012
Half Round Cutter

4wings
Diameter:110mm
Tip width:15mm
Bore:35mm




Art No.:RC-M013
Half Round Cutter

4wings
Diameter:145mm
Tip width:25mm
Bore:30mm




Art No.:RC-M014
Half Round Cutter

4wings, 5fingers
Diameter:115mm
Tip width:58mm
Bore:40mm




Art No.:RC-M015
Finger Joint Cutter

4wings, 5fingers
Diameter:115mm
Tip width:58mm
Bore:40mm




Art No.:RC-M016
Cabinet Doors Cutter

4wings, 2combination
Diameter:122mm
Tip width:30mm
Bore:35mm



Art No.:RC-M017
Single-piece Finger Toint Cutter

2wings
Diameter:160mm
Tip width:4mm
Bore:40mm



Art No.:RC-M018
Universal Profile Cutter

4wings
Diameter:114mm
Tip width:71.5mm
Bore:35mm



Art No.:RC-M018
Flooring Groove Cutter

4wings
Diameter:100.5mm
Tip width:80mm
Bore:35mm



SDS Drill Bits

硬质合金电锤钻 Carbide Alloy Electric Hammer Drill Bits

The body of carbide hammer drill employs a high-grade alloy steel. The drill tip is welded with YG carbide alloy.It can be used with various types of electric hammerand it is a widely applicable and highly efficient drilling tool for construction and installation trade.

四坑圆柄电锤钻头 1 SDS-Plus Shank Electric Hammer Drill



直径 Diameter	总长 Length	编号 Code
5	110	RC-A0101
5	160	RC-A0102
5.5	110	RC-A0103
5.5	160	RC-A0104
6	110	RC-A0105
6	160	RC-A0106
6.5	110	RC-A0107
6.5	160	RC-A0108
7	110	RC-A0109
7	160	RC-A0110
7	210	RC-A0111
8	110	RC-A0112
8	160	RC-A0113
8	210	RC-A0114
8	260	RC-A0115
9	160	RC-A0116
9	210	RC-A0117
10	110	RC-A0118
10	160	RC-A0119
10	210	RC-A0120
10	260	RC-A0121
10	310	RC-A0122
11	160	RC-A0123
11	260	RC-A0124
12	160	RC-A0125
12	210	RC-A0126
12	350	RC-A0127
13	160	RC-A0128
13	260	RC-A0129
14	160	RC-A0130
14	210	RC-A0131
14	260	RC-A0132
14	350	RC-A0133
15	260	RC-A0134
16	160	RC-A0135
16	210	RC-A0136
16	350	RC-A0137
16	450	RC-A0138
18	210	RC-A0139
18	350	RC-A0140
18	450	RC-A0141
20	210	RC-A0142
20	350	RC-A0143
20	450	RC-A0144
22	260	RC-A0145
22	350	RC-A0146
22	450	RC-A0147
25	260	RC-A0148
25	350	RC-A0149
25	450	RC-A0150

五坑圆柄电锤钻头 SDS-Max Shank Electric Hammer Drill



直径 Diameter	总长 Length	编号 Code
10	260	RC-A0301
12	260	RC-A0302
14	260	RC-A0303
16	260	RC-A0304
16	400	RC-A0305
16	505	RC-A0306
18	260	RC-A0307
18	400	RC-A0308
18	505	RC-A0309
20	260	RC-A0310
20	400	RC-A0311
20	505	RC-A0312
22	260	RC-A0313
22	400	RC-A0314
22	505	RC-A0315
25	260	RC-A0316
25	400	RC-A0317
25	505	RC-A0318
28	400	RC-A0319
28	505	RC-A0320
30	505	RC-A0321
32	505	RC-A0322
35	505	RC-A0323
38	505	RC-A0324

SDS Drill Bits

Art.No.:RC-D003H **3 件套电锤钻 3pcs SDS Drill Bits Set**



Sizes as 12–16–24mm × 1000mm

Art.No.:RC-D005H **5 件套电锤钻 5pcs SDS Drill Bits Set**



Sizes as 10–12–16–22–25mm × 600mm

SDS Drill Bits

Art.No.:RC-D003P



3 件套电锤钻　　3pcs SDS Drill Bits Set

Size: 5mm,6mm,8mm × 110mm
5mm,6mm,8mm × 160mm
5mm,6mm × 110mm,
8mm × 160mm

Art.No.:RC-D004P



4 件套电锤钻　　4pcs SDS Drill Bits Set

Size:5mm, 6mm, 8mm,10mm × 110
6mm, 8mm,10mm × 110mm,
6mm × 160mm
5mm, 6mm, 8mm, 10mm × 160mm

Art.No.:RC-D005P



5 件套电锤钻　　5pcs SDS Drill Bits Set

Size: 6mm, 8mm × 110,
6mm, 8mm, 10mm × 160

Art.No.:RC-D006P



6 件套电锤钻　　6pcs SDS Drill Bits Set

Size: 5mm, 6mm, 8mm × 110mm,
6mm, 8mm, 10mm × 160mm

SDS Drill Bits

Art.No.:RC-D07P

7 件套电锤钻　7pcs SDS Drill Bits Set



Size: 6mm, 8mm, 10mm, 12mm × 160mm,
钢凿 ϕ 14mm × 250mm 尖,
ϕ 14mm × 250mm × 20mm
ϕ 14mm × 250mm × 40mm

Art.No.:RC-D008P1

8 件套电锤钻　8pcs SDS Drill Bits Set



Size: 5mm, 6mm, 8mm × 110mm,
6mm, 8mm, 10mm,12mm × 160mm,
12mm × 210mm

Art.No.:RC-D010P

10 件套电锤钻　10pcs SDS Drill Bits Set



Size: 5mm, 6mm × 110mm,
8mm, 10mm, 12mm × 160mm,
14mm,16mm × 210mm,
18mm × 250mm,
22mm × 350mm,
Flat Chisel 250mm

Art.No.:RC-D011P

11 件套电锤钻　11pcs SDS Drill Bits Set



Size: 5mm, 6mm × 110mm,
6mm, 8mm, 10mm × 160mm,
10mm,12mm × 210mm,
10mm, 12mm, 16mm, 20mm × 450mm,

SDS Drill Bits

Art.No.:RC-D011AW



11 件套电锤钻　11pcs SDS Drill Bits Set

Size: 5mm, 6mm × 110mm,
6mm, 8mm, 10mm × 160mm,
10mm, 12mm × 210mm,
10mm, 12mm, 16mm, 20mm × 450mm

Art.No.:RC-D012ALW1



12 件套电锤钻　12pcs SDS Drill Bits Set

Size: 5mm, 6mm × 110mm
6mm, 8mm, 10mm × 160mm
10mm, 12mm × 210mm
10mm, 12mm, 16mm × 450mm
Point Chinel 250mm
Flat Chisel 20 × 250mm

Art.No.:RC-D012ALW2



12 件套电锤钻　12pcs SDS Drill Bits Set

Size: 5mm, 6mm × 110mm
8mm, 10mm, 12mm × 160mm
14mm × 200mm
16mm × 210mm
18 × 300mm
20mm × 450mm
Point Chinel 250mm
Flat Chisel 20 × 250mm, 40mm × 250mm

Art.No.:RC-D011P1



11 件套电锤钻　11pcs SDS Drill Bits Set

Size: 5mm, 6mm × 110mm,
8mm, 10mm, 12mm × 160mm,
14mm,16mm × 210mm,
18mm × 250mm,
22mm × 350mm
Point Chisel 250mm,
Flat Chisel 20 × 250mm

SDS Drill Bits

Art.No.:RC-D012P

12 件套电锤钻　12pcs SDS Drill Bits Set



Size: 5mm, 6mm × 110mm,
8mm 10mm, 12mm × 160mm,
14mm, 16mm × 210mm,
18mm × 300mm,
20mm × 450mm,
Flat Chisel 20mm × 250mm,
Point Chisel 250mm,
U Groove Chisel 250mm

Art.No.:RC-D013P

13 件套电锤钻　13pcs SDS Drill Bits Set



Size: 6mm, 8mm, 10mm, 12mm × 160mm,
8mm,10mm × 210mm,
10mm, 12mm, 14mm × 260mm,
Flat Chisel 20mm × 250mm, 40mm × 250mm,
Point Chisel 250mm,
U Groove Chisel 250mm

Art.No.:RC-D014M

14 件套电锤钻　14pcs SDS Drill Bits Set



Size: 5mm × 110mm,
6mm, 8mm, 10mm × 160mm,
8mm, 10mm,12mm × 210mm,
10mm, 12mm, 14mm × 260mm,
Flat Chisel 20mm × 250mm, 40mm × 250mm,
Point Chisel 250mm,
U Groove Chisel 250mm

Art.No.:RC-D015P

15 件套电锤钻　15pcs SDS Drill Bits Set



Size: 6mm, 8mm, 10mm, 12mm × 160mm,
8mm, 10mm, 12mm,14mm × 210mm,
10mm,12mm, 14mm × 260mm,
Point Chisel 250mm,
Flat Chisel 20mm × 250mm, 40mm × 250mm
U Groove Chisel 250mm

SDS Drill Bits

Art.No.:RC-D017A



17 件套电锤钻　17pcs SDS Drill Bits Set

Size: 5.5, 6mm × 110mm
5.5, 6, 6.5 7, 8, 10mm × 160mm
14mm × 210mm
10, 12, 16mm × 260mm
Point chisel 14mm × 250mm,
Plat chisel 14mm × 250mm × 20mm
14mm × 250mm × 40mm,
U groove chisel 14mm × 250mm

Art.No.:RC-D017P



17 件套电锤钻　17pcs SDS Drill Bits Set

Size: 5.5, 6mm × 110mm
5.5, 6, 6.5 7, 8, 10mm × 160mm
14mm × 210mm
10, 12, 16mm × 260mm
Point chisel 14mm × 250mm,
Plat chisel 14mm × 250mm × 20mm
14mm × 250mm × 40mm,
U groove chisel 14mm × 250mm

Art.No.:RC-D017M



17 件套电锤钻　17pcs SDS Drill Bits Set

Size: 5.5, 6mm × 110mm
5.5, 6, 6.5 7, 8, 10mm × 160mm
14mm × 210mm
10, 12, 16mm × 260mm
Point chisel 14mm × 250mm,
Plat chisel 14mm × 250mm × 20mm
14mm × 250mm × 40mm,
U groove chisel 14mm × 250mm

Art.No.:RC-D020P



20 件套电锤钻　20pcs SDS Drill Bits Set

Size: 5, 6, 8mm × 110mm
6, 6, 8, 8, 10,10, 12mm × 160mm
8, 10 12, 14mm × 210mm
14mm × 260mm,
16mm × 250mm,
10, 12, 18, 20mm × 450mm

Core drill Bits

空心电锤钻 Hollow Electric Hammer Drills

Hollow Electric Hammer Drill is composed of guided drill and connecting rod.It can be fitted to various electric hammers as a boring tools for processing large holes.It is a anovel tool for installation and decoration trade. The connecting rod of Hollow Electric Hammer Drill can be selected according to the following ist of shank strcture and the length according to customer's requirements.

Art.No.:RC-D001

单支空心电锤钻 Single Hollow Electric Hammer Drill/Core Opener



O.D.d	35mm	40mm	50mm	55mm	60mm
外 径	65mm	70mm	80mm	90mm	100mm

Art.No.:RC-D002

2 件套开孔器 2pcs Hollow Electric Hammer Drills Set

Size: Dia 60mm, 80mm





Chisels

Art.No.:RC-C003P

3 件套钢凿　　3pcs Chisels Set



Size: Flat Chisel 20 × 250mm
Point Chisel 250mm
U Groove Chisel 250mm

Art.No.:RC-C003P

3 件套钢凿　　3pcs Chisels Set



Size: Flat Chisel 20 × 250mm
Flat Chisel 40 × 250mm
U Groove Chisel 250mm

Art.No.:RC-C004D

4 件套钢凿　　4pcs Chisels Set



Size: Flat Chisel 20mm × 250mm, 40mm × 250mm
Point Chisel 250mm
U Groove Chisel 250mm

Chisels

钢凿 Chisels


The chisel can be used with electric hammer and it is a widely applicable and highly efficient chiselling hole and groove tool for concrete and brick wall. Our chisel products include pointed chisels, small flat chisels, gouge and groove chisels. The chisel length can be selected according to the custmer's requirements. The shank types can be selected according to the following list of shank structure.


RC-B01


RC-B02


RC-B03


RC-B04


RC-B05


RC-B06


RC-B07


RC-B08


RC-B09


RC-B10


RC-B11


RC-B12


RC-B13


RC-B14


RC-B15


RC-B16

Chisels



RC-B17



RC-B20



RC-B18




RC-B21



RC-B19

尖凿 Pointed Chisel



小平凿 Small Flat Chisel



大平凿 Big Flat Chisel



注：A 型身部为圆柱体 B 型身部为六角体
NOTE:The body of Type A is cylinder. The body of Type B is hexagon

六角柄冲击钻头 Masonry Drill Bit with hex shank



直径 Diameter	总长 Length	编号 Code
3	60	RC-A0501
4	60	RC-A0502
5	85	RC-A0503
6	100	RC-A0504
6.5	100	RC-A0505
7	100	RC-A0506
8	120	RC-A0507
10	120	RC-A0508
10	350	RC-A0509

直径 Diameter	总长 Length	编号 Code
12	120	RC-A0510
12	350	RC-A0511
14	150	RC-A0512
14	350	RC-A0513
16	150	RC-A0514
16	350	RC-A0515
18	350	RC-A0516
20	350	RC-A0517
20	350	RC-A0518

Forstner Bits











订货编号 Part No.	规格 Matric	Inch
RC5006	6mm	1/4"
RC5008	8mm	5/16"
RC5010	10mm	3/8"
RC5011	11mm	7/16"
RC5012	12mm	15/32"
RC5013	13mm	1/2"
RC5014	14mm	9/16"
RC5015	15mm	19/32"
RC5016	16mm	5/8"
RC5018	18mm	11/16"
RC5019	19mm	3/4"
RC5020	20mm	25/32"
RC5021	21mm	13/16"
RC5022	22mm	7/8"
RC5024	24mm	15/16"
RC5025	25mm	1"
RC5026	26mm	1-1/32"
RC5027	27mm	1-1/16"
RC5028	28mm	1-1/8"
RC5030	30mm	1-3/16"
RC5032	32mm	1-1/4"
RC5034	34mm	1-5/16"
RC5035	35mm	1-3/8"
RC5036	36mm	1-7/16"
RC5038	38mm	1-1/2"
RC5040	40mm	1-9/16"
RC5041	41mm	1-5/8"
RC5043	43mm	1-11/16"
RC5044	44mm	1-3/4"
RC5045	45mm	1-25/32"
RC5046	46mm	1-13/16"
RC5048	48mm	1-7/8"
RC5049	49mm	1-15/16"
RC5050	50mm	1-31/32"
RC5051	51mm	2"
RC5052	52mm	2-1/16"
RC5054	54mm	2-1/8"
RC5057	57mm	2-1/4"
RC5060	60mm	2-3/8"
RC5063	63mm	2-1/2"
RC5066	66mm	2-5/8"
RC5070	70mm	2-3/4"
RC5073	73mm	2-7/8"
RC5076	76mm	3"
RC5079	79mm	3-1/8"
RC5083	83mm	3-1/4"
RC5086	86mm	3-3/8"
RC5089	89mm	3-1/2"

Forstner Bits

Art.No.:RC-F005W



5 支装平翼钻　5pcs Forstner Bits Set

Size: 15mm, 20mm, 25mm, 30mm, 35mm or
9/32", 25/32", 1-3/16, 1-3/8"

Art.No.:RC-F005P



5 支装平翼钻　5pcs Forstner Bits Set

Size: 15mm, 20mm, 25mm, 30mm, 35mm or
9/32", 25/32", 1", 1-3/16", 1-3/8"

Art.No.:RC-F007P



支装平翼钻　7pcs Forstner Bits Set

Size: 6mm, 10mm, 16mm, 18mm, 19mm, 22mm, 25mm or
1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1"

Art.No.:RC-F016W1



16 支装平翼钻　16pcs Forstner Bits Set

Size: 6, 10, 13, 16, 19, 22, 25, 28, 32, 35, 38 ,41mm or
1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4"
1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8"

Art.No.:RC-F016P



16 支装平翼钻　16pcs Forstner Bits Set

Size: 6, 10, 13, 16, 19, 22, 25, 28, 32, 35, 38 ,41mm or
1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4"
1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8"

激光焊 锋利型混凝土钻头
Laser welding Sharp type reinforced cocnrete drill bit

混凝土湿式钻头具有很大的通用性，我们的钻头尺寸范围从8mm-600mm，以满足您在使用钢筋混凝土钻孔的所有需求。

The concrete wet drill bit has great versatility. Our drill bit size ranges from 8mm to 600mm,
To meet all your needs for drilling with reinforced concrete.



*钻头刀齿形状、总长度、颜色、钢管壁厚、螺纹可进行定制。


*The shape, total length, color, wall thickness of steel pipe and thread of drill bit can be customized.



高刀齿

*刀齿高12毫米 增加了金刚石密度 增加产品钻孔速度和使用寿命

*The segment height of 12mm increases the diamond density, increases the drilling speed and service life of the product



高同心度

*同心轴才钻得快 钻头在转动中不偏离中心

*The concentric shaft can drill fast, and the drill bit does not deviate from the center during rotation



高品质金刚石

*采用高品质金刚石原料 多重检验工序确保原材料品质

*Use high-quality diamond raw materials to ensure the quality of raw materials through multiple inspection procedures



真空烧结

*使用飞羽真空烧结机，烧结温度，压力，行程，时间精准控制，刀齿性能稳定性高

*Using the Dr. Fritsch vacuum sintering machine, the sintering temperature, pressure, travel and time are accurately controlled, and the cutter tooth performance is stable



激光焊接

*使用进口的飞羽激光焊接机，焊接精度高，超高韧性激光底粉，熔深大，焊接强度高，不易掉齿。

*The imported Dr. Fritsch laser welding machine is used, with high welding accuracy, ultra-high toughness laser base powder and large penetration, High welding strength, not easy to lose teeth



无缝钢管

*一体无缝钢管 高强度合金钢 同心度高 不易变形

*One-piece seamless steel pipe, high-strength alloy steel, high concentricity, not easy to deform

优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。
高硬度齿形，金都专利配方，切削快寿命长。
一体无缝钢管，高强度合金钢，同心度高，不易变形。

The laser welding process of German Feiyu is adopted, which has high welding strength and is not easy to lose teeth.

High hardness tooth shape, Jindu patented formula, fast cutting and long service life.

One piece seamless steel pipe, high-strength alloy steel, high concentricity, not easy to deform

使用设备 Use equipment

手持水钻机，台式工程钻机。

Portable core drill, core drill machines with rig





加长杆 Extention drill rod

在钻头长度不够的情况下使用，我们的加长杆有两种尺寸
范围：200x30mm，260x30mm，可以叠加使用。

When the drill length is not enough, our extention drill rod has two sizes Range: 30*200mm, 30*260mm, which can be stacked.

使用设备 Use equipment

手持水钻机，台式工程钻机。

Portable core drill, core drill machines with rig



激光焊 耐用型混凝土钻头
Laser weldina Durable type reinforced concrete drill bit

适用于中度到重度的钢筋混凝土
Suitable for moderate to heavy reinforced concrete







钻头外径 Drill OD mm	钻孔内径 Diameter mm	齿数 Number segment	钢管壁厚 Tube thickness mm	钻头总长 Total length mm
18	18	2	2.00	370/450
20	20	2	2.00	370/450
22	22	2	2.00	370/450
26	26	3	2.00	370/450
28	28	3	2.00	370/450
30	30	3	2.00	370/450
32	32	3	2.00	370/450
36	36	4	2.00	370/450
38	38	4	2.00	370/450
40	40	4	2.00	370/450
44	44	4	2.00	370/450
50	50	5	2.00	370/450
53	53	5	2.00	370/450
57	57	6	2.00	370/450
63	63	6	2.00	370/450
66	66	7	2.00	370/450
71	71	7	2.00	370/450
76	76	8	2.00	370/450
83	83	8	2.00	370/450
89	89	8	2.00	370/450
95	95	9	2.10	370/450
102	102	9	2.10	370/450
107	107	10	2.10	370/450
110	110	10	2.10	370/450
112	112	10	2.10	370/450
114	114	11	2.10	370/450
120	120	11	2.10	370/450
127	127	11	2.10	370/450
132	132	12	2.15	370/450
150	150	12	2.15	370/450
159	159	13	2.25	370/450
166	166	13	2.30	370/450
180	180	13	2.40	370/450
202	202	15	2.40	370/450
220	220	16	2.60	350/450
244	244	17	2.60	350/450
254	254	17	2.60	350/450
274	274	18	2.80	350/450
300	300	20	2.80	350/450

刀齿高度: 10mm
Segment height 10mm

优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。
高硬度齿形，金都专利配方，适用于高标号水泥和钢筋密集的工况。
一体无缝钢管，高强度合金钢，同心度高，不易变形。

The laser welding process of German Dr. Fritsch is adopted, which has high welding strength and is not easy to lose teeth.

High hardness tooth shape, Jindu patented formula, fast cutting and long service life.

One piece seamless steel pipe, high-strength alloy steel, high concentricity, not easy to deform

使用设备 Use equipment

手持水钻机，台式工程钻机。


Portable core drill, core drill machines with rig



激光焊 经济型混凝土钻头
Laser welding Economic type reinforced concrete drill bit

适用于轻度到中度的钢筋混凝土
Suitable for light to moderate reinforced concrete







钻头外径 Drill OD mm	钻孔内径 Diameter mm	齿数 Number segment	钢管壁厚 Tube thickness mm	钻头总长 Total length mm	产品用途 Product use
18	18	2	2.00	370/450	穿给管道防老鼠钻洞
20	20	2	2.00	370/450	穿线管插插老鼠钻洞
22	22	2	2.00	370/450	穿给管地铁老鼠钻洞
26	26	3	2.00	370/450	4分管一般用作自来水管
28	28	3	2.00	370/450	4分管一般用作自来水管
30	30	3	2.00	370/450	6分管一般用作自来水管
32	32	3	2.00	370/450	6分管一般用作自来水管
36	36	4	2.00	370/450	地暖连通
38	38	4	2.00	370/450	地暖连通
40	40	4	2.00	370/450	1寸管自来水管或暖气管道
44	44	4	2.00	370/450	一般工程
50	50	5	2.00	370/450	1-1.5P空调或卫生间预留
53	53	5	2.00	370/450	1-2P空调或卫生间管道
57	57	6	2.00	370/450	1-2P空调或卫生间管道
63	63	6	2.00	370/450	1-2P空调或卫生间管道
66	66	7	2.00	370/450	热水器排风管道
71	71	7	2.00	370/450	热水器排风管道
76	76	8	2.00	370/450	2-3P空调机管道
83	83	8	2.00	370/450	卫生间75管马桶排漏
89	89	8	2.00	370/450	一般工程
95	95	9	2.10	370/450	一般工程或独立安装
102	102	9	2.10	370/450	排污水管道
107	107	10	2.10	370/450	排污水管道
110	110	10	2.10	370/450	排污水管道或厨盆安装
112	112	10	2.10	370/450	排污水管道
114	114	11	2.10	370/450	排污排防水管道或楼盘安装
120	120	11	2.10	370/450	排水管道
127	127	11	2.10	370/450	排水管道
132	132	12	2.15	370/450	一般工程或风扇排风安装
150	150	12	2.15	370/450	一般工程
159	159	13	2.25	370/450	穿160PP管
166	166	13	2.30	370/450	穿进油烟机管道
180	180	13	2.40	370/450	进口油烟机管道
202	202	15	2.40	370/450	穿195的管道
220	220	16	2.60	350/450	穿200的PVC管道
244	244	17	2.60	350/450	通风管道
254	254	17	2.60	350/450	通风管道或斜冷却灯
274	274	18	2.80	350/450	穿230的管道
300	300	20	2.80	350/450	穿300的管道

刀齿高度: 10mm
Segment height 10mm

优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。
高硬度齿形，金都专利配方，切削快寿命长。
一体无缝钢管，高强度合金钢，同心度高，不易变形。

The laser welding process of German Dr. Fritsch is adopted, which has high welding strength and is not easy to lose teeth.

High hardness tooth shape, Jindu patented formula, fast cutting and long service life.

One piece seamless steel pipe, high-strength alloy steel, high concentricity, not easy to deform

使用设备 Use equipment

手持水钻机，台式工程钻机。

Portable core drill, core drill machines with rig



激光焊 干湿两用钻头
Laser welding Wet and dry drill bit



专利螺旋纹设计
干打效率高于同行50%
Patented spiral desian
Dry drill efficiency 50% higher



钢筋混凝土 reinforced concrete　红砖 Red core brick　混凝土 concrete　泡沫砖 Foam brick

适用于红心砖、空心砖、泡沫砖等
Suitable for red core brick, hollow brick, foam brick, etc.

直径 diameter mm	刀齿尺寸 Cutter tooth size mm	齿数 Number segment	总长度 Total length mm	接口 Interface
63	24×3.8×10.2	5	370	M22
76	24×3.8×10.2	6	370	M22
83	24×3.8×10.2	7	370	M22

刀齿高度: 10毫米　seament height: 10mm

优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。
侧排屑槽，排灰顺畅，不易卡钻，持续降温。
采用激光焊接高强度基体，不易变形，切割稳定。

The laser welding process of German Dr. Fritsch is adopted, which has high welding strength and is not easy to lose teeth.

The side chip discharge groove can discharge ash smoothly, and it is not easy to get stuck, so it can keep cooling.

Laser welding is used for high strength substrate, which is not easy to deform and is stable in drilling.

使用设备 Use equipment

手持水钻机，台式工程钻机。

Portable core drill, core drill machines with rig



激光焊 镂空干打钻头
Laser welding Hollow out Bit





钢筋混凝土 reinforced concrete　红砖 Red core brick　混凝土 concrete

Foam brick

适用于红心砖、空心砖、泡沫砖等
It is suitable for red core brick, hollow brick, foam brick, etc.

直径 diameter mm	刀齿尺寸 Cutter tooth size mm	齿数 Number segment	总长度 Total length mm	接口 Interface
32	22/17×3.8×10.2	3	370	M22
40	22.5/17.5×3.8×10.2	4	370	M22
50	20×3.8×10.2	5	370	M22
57	20×3.8×10.2	6	370	M22
63	24×3.8×10.2	6	370	M22
76	24×3.8×10.2	7	370	M22
83	24×3.8×10.2	8	370	M22

刀齿高度: 10毫米　seament height: 10mm



优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。
镂空排屑槽，排灰顺畅，不易卡钻，持续降温。
采用激光焊接高强度基体，不易变形，切割稳定。

The laser welding process of German Dr. Fritsch is adopted, which has high welding strength and is not easy to lose teeth.

The side chip discharge groove can discharge ash smoothly, and it is not easy to get stuck, so it can keep cooling.

Laser welding is used for high strength substrate, which is not easy to deform and is stable in drilling.

使用设备 Use equipment

手持水钻机，台式工程钻机。

Portable core drill, core drill machines with rig



激光焊 干打套钻
Laser welding Dry drill bit kit

11件套 11pcs

带5种最常用尺寸套筒钻头的电工岩心钻头套件，带铝制手提箱-适配器，先导钻和其他配件也包括在套件中，完整和方便专业电工使用。

Electrician core drill kit with 5 most commonly used size sleeve drills, aluminum suitcase , pilot drill and other ac cessories are also included in the kit, which is complete and convenient for professional electricians to use.





附件accessories

锥度定位钻Taper pilot drill :Φ10×200mm
斜切块Taper :75mm
四坑接头SDS plus adaptor :115mm
四坑接头SDS plus adaptor ： 245mm
六角接头HEX plus adaptor ： 90mm
六角接头HEX plus adaptor ： 245mm

直径 diameter mm	总长度 Total length mm	筒体厚度 Barrel thickness mm	刀齿尺寸 segment size mm	刀齿数量 Number of segment	接口 Interface
38	170	2.00	24×3.8×10.2	4	M16/ 1/2"
52	170	2.00	24×3.8×10.2	5	M16/ 1/2"
65	170	2.00	24×3.8×10.2	6	M16/ 1/2"
117	170	2.00	24×3.8×10.2	11	M16/ 1/2"
127	170	2.00	24×3.8×10.2	11	M16/ 1/2"

激光焊 干打套钻
Laser welding Dry drill bit kit



11件套 11pcs



9件套 9pcs



11件套 11pcs



7件套 7pcs

多种组合可选 Multiple combinations are available

直径 diameter mm	总长度 Total length mm	筒体厚度 Barrel thickness mm	刀齿尺寸 segment size mm	刀齿数量 Number of segment	接口 Interface
38	170	2.00	24×3.8×10.2	4	M16/ 1/2"
42	170	2.00	24×3.8×10.2	4	M16/ 1/2"
52	170	2.00	24×3.8×10.2	5	M16/ 1/2"
65	170	2.00	24×3.8×10.2	6	M16/ 1/2"
107	170	2.00	24×3.8×10.2	11	M16/ 1/2"
117	170	2.00	24×3.8×10.2	11	M16/ 1/2"
127	170	2.00	24×3.8×10.2	11	M16/ 1/2"

优势 Advantage

多种尺寸钻头搭配多种尺寸变丝接头，满足各种工况需求。
水钻钻头尺寸从32mm-180mm任意选择，变丝接头可选。
集成箱体设计，集中收纳，搬运方便。

Various sizes of drill bits are matched with various sizes of thread changing joints to meet the requirements of various working conditions.

The size of water drill bit can be selected from 32mm-180mm, and the thread changing joint can be selected.

Integrated box design, centralized storage, convenient handling.

使用设备 Use equipment

电锤、手持水钻机、台式工程钻机。


Rotary hammer, Portable core drill, core drill machines with rig



激光焊 石材钻头
Laser welding Stone drill bit

适用石材钻孔
Suitable for stone drilling







钻头外径 O.D of core bits inch	mm	刀齿尺寸 Segment size LxWxH	齿数 No. ofsegment	钢管长度 Barrel lenght mm
1-1/4''	32	22/17.5x3.8x10.2*	3	350-1000
1-1/2''	38	22.5/17.5x3.8x10.2	4	350-1000
1-5/8''	40	22.5/17.5x3.8x10.2	4	350-1000
1-3/4''	4	25.5/20.5x3.8x10.2	4	350-700
2''	50	20x3.8x10.2	5	350-700
2-1/8''	53	20x3.8x10.2	5	350-700
2-1/4''	57	20x3.8x10.2	6	350-700
2-1/2''	63	24x3.8x10.2	6	350-700
	66	24x3.8x10.2	6	350-700
2-3/4''	71	24x3.8x10.2	7	350-700
3''	76	24x3.8x10.2	7	350-700
3-1/4''	83	24x3.8x10.2	8	350-700
3-1/2''	89	24x3.8x10.2	8	350-700
	95	24x3.8x10.2	8	350-700
4''	102	24x4.0x10.2	9	350-700
4-1/4''	107	24x4.0x10.2	9	350-700
	112	24x4.0x10.2	10	350-700
4-1/2''	114	24x4.0x10.2	10	350-700
	120	24x4.3x10.2	11	350-700
5''	127	24x4.3x10.2	11	350-700
5-1/5''	132	24x4.3x10.2	11	350-700
6''	152	24x4.3x10.2	12	350-700
6-1/4''	159	24x4.3x10.2	12	350-700
6-1/2''	166	24x4.3x10.2	13	350-700
7''	178	24x4.3x10.2	13	350-700
8''	202	24x5.0x10.2	15	350-700
8-1/2''	220	24x5.0x10.2	16	350-600
	244	24x5.0x10.2	17	350-600
10''	254	24x5.0x10.2	17	350-600
	274	24x5.0x10.2	18	350-600
12''	300	24x5.0x10.2	20	350-600
	320	24x5.5x10.2	21	350-600
14''	350	24x5.5x10.2	23	350-600
16''	400	24x5.5x10.2	24	350-600
18''	450	24x5.5x10.2	26	350-600
20''	500	24x5.5x10.2	28	350-600
22''	550	24x5.5x10.2	30	350-600
24''	600	24x5.5x10.2	32	350-600

刀齿高度: 10毫米 | seament height: 10mm



优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。
锋利度高，切割省力，寿命长，可根据客户要求定制不同规格的齿形。
采用激光焊接高强度基体，不易变形，切割稳定。

The laser welding process of German Feiyu is adopted, which has high welding strength and is not easy to lose teeth.

High sharpness, labor-saving cutting, long service life. Different specifications of tooth shapes can be customized according to customer requirements.

Laser welding is used for high strength substrate, which is not easy to deform and is stable in cutting.

使用设备 Use equipment

手持水钻机，台式工程钻机。

Portable core drill, core drill machines with rig



激光焊 植筋专用钻头
Laser welding Planting drill bit

适用于高铁、地铁、桥梁植筋加固
Suitable for planting reinforcement for high-speed railway, subway and bridge.



钻头外径 Drill OD mm	齿数 Number segment	总长度 Total length mm	接口 Interface
28	3	370	M22
28	3	370	M22
30	3	370	M22
32	3	370	M22
36	4	370	M22
40	4	370	M22
46	4	370	M22

*按客户要求订制
*Customized according to customer requirements

刀齿高度: 12毫米 | seament height: 12mm



优势 Advantage

钻粉金刚石含量高，钻孔打洞游刃有余，锋利如初。
采用激光焊接，牢固不掉齿。高强度基体，不易变形，切割稳定。

The laser welding process of German Feiyu is adopted, which has high welding strength and is not easy to lose teeth.

Laser welding shell be adopted to ensure that the teeth will not fall off. High strength matrix, not easy to deform, stable cutting

使用设备 Use equipment

高转速水钻机
Portable core drill



高频焊 多晶硅专用钻头
High frequency welding Polysilicon drill bit

适用于单晶硅、多晶硅开孔
Suitable for the opening of monocrystalline silicon and polycrystalline silicon



钻头外径 Drill OD mm	齿数 Number segment	总长度 Total length mm	接口 Interface

*按客户要求订制
*Customized according to customer requirements

刀齿高度: 10毫米 | seament height: 12mm



优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。
锋利度高，切割省力，寿命长，可根据客户要求定制不同规格的齿形。

The laser welding process of German Dr. Fritsch is adopted, which has high welding strength and is not easy to lose teeth.

High sharpness, labor-saving cutting, long service life. Different specifications of tooth shapes can be customized according to customer requirements.

使用设备 Use equipment

摇臂钻、数控机床
Rocker drill,
CNC machine tool



高频焊 玉石钻头
Jade drill Bit



适用玉石、翡翠钻孔

Suitable for jade and jadeite drilling

钻头外径 Drill OD mm	刀齿尺寸 segment size mm	齿数 Number segment	总长度 Total length mm	接口 Interface
				*按客户要求订制 *Customized according to customer requirements

高频焊 蓝宝石钻头
Sapphire drill Bit



适用手机表面、摄像头等

Suitable for mobile phone surface and camera

钻头外径 Drill OD mm	刀齿尺寸 segment size mm	齿数 Number segment	总长度 Total length mm	接口 Interface
8-600mm				直柱/法兰盘 Straight shank/flange
				*按客户要求订制 *Customized according to customer requirements

优势 Advantage

采用银焊焊接工艺，焊接强度高，流动性更好，不易掉齿。
金刚砂紧密饱满、锋利耐磨、不易堵塞。
高强度基体，不易变形，切割稳定。

The silver welding process is adopted, with high welding strength, better fluidity and less tooth loss.

The carborundum is compact, full, sharp, wear-resistant and not easy to block.

High strength matrix, not easy to deform, stable cutting.

使用设备 Use equipment

台式工程钻机、摇臂钻、数控机床等。

Core drill machines with rig, radial drill, CNC machine tool, etc.



高频焊 核电专用钻头
nuclear power drill Bit

适用核电基建建设等

Applicable to nuclear power infrastructure construction, etc



钻头外径 Drill OD mm	刀齿尺寸 segment size mm	齿数 Number segment	总长度 Total length mm	接口 Interface
				*按客户要求订制 *Customized according to customer requirements





优势 Advantage

高精度高频焊接，高度整齐，焊接强度高，不易掉齿。
金刚砂紧密饱满，钻粉金刚石含量高，金都核电钻头高频焊接，精度更高。
高强度基体，不易变形，钻孔稳定。

High precision high-frequency welding, high order, high welding strength, not easy to lose teeth.

The emery is compact and full, and the cobalt powder and diamond content are high. The Jindu nuclear power drill bit is welded with high frequency, with higher precision.

High strength matrix, not easy to deform, stable drilling.

使用设备 Use equipment


台式工程钻机、地质勘探设备

core drill machines with rig, and geological exploration equipment



通用切割片

General purpose blade



适用于混凝土砌块、建材、石材、砖等各类材料的切割。

Suitable for cutting concrete blocks, building materials, stones, bricks and other materials.

规格 Specifications	外径 external diameter mm	齿高 Tooth height mm	齿厚 Tooth thickness mm	中间孔径 Mid hole diameter mm
通用切割片General purpose blade 105	105	10/12/15	2.3	22.23
通用切割片General purpose blade 115	115	10/12/15	2.3	22.23
通用切割片General purpose blade 125	125	10/12/15	2.3	22.23
通用切割片General purpose blade 150	150	10/12/15	2.6	22.23
通用切割片General purpose blade 180	180	10/12/15	2.6	22.23
通用切割片General purpose blade 230	230	10/12/15	2.6	22.23
通用切割片General purpose blade 250	250	10/12/15	2.6	22.23
通用切割片General purpose blade 300	300	10/12/15	3.0	22.23
通用切割片General purpose blade 350	350	10/12/15	3.2	22.23
通用切割片General purpose blade 400	400	10/12/15	3.5	22.23
通用切割片General purpose blade 450	450	10/12/15	4.0	22.23
通用切割片General purpose blade 500	500	10/12/15	4.0	22.23

使用设备
Use equipment

角磨机、云石机等。

Desktop infrared cutting machine, wet cutting.



加厚型刀齿，耐用度超常规3倍


Thickened cutter teeth, durability 3 times higher than normal

高强度基本，切割不变形

High strength, cutting without deformation




大理石 Marble　花岗岩 Granite　石英岩 Quartzite　鹅卵石 cobblestone



消音切割片

Silencing cutting blade



基体采用特殊消音缝 也可基体采用三明治结构
有效降低切割噪音

The base adopts special silencing seams, or the base can adopt sandwich structure to effectively reduce cutting noise,

规格 Specifications	外径 external diameter mm	齿高 Tooth height mm	齿厚 Tooth thickness mm	中间孔径 Mid hole diameter mm
消音切割片Silencing cutting blade 105	105	10/12	2.3	15.88/20/22.23
消音切割片Silencing cutting blade 115	115	10/12	2.3	15.88/20/22.23
消音切割片Silencing cutting blade 125	125	10/12	2.3	15.88/20/22.23
消音切割片Silencing cutting blade 150	150	10/12	2.6	15.88/20/22.23
消音切割片Silencing cutting blade 180	180	10/12	2.6	15.88/20/22.23
消音切割片Silencing cutting blade 230	230	10/12	2.6	22.23/25.4/27
消音切割片Silencing cutting blade 250	250	10/12	2.6	25.4/27/30/50/60
消音切割片Silencing cutting blade 300	300	10/12	3.0/3.2	25.4/27/30/50/60
消音切割片Silencing cutting blade 350	350	10/12	3.2/3.5	25.4/27/30/50/60
消音切割片Silencing cutting blade 400	400	10/12	3.2/3.5	25.4/27/30/50/60
消音切割片Silencing cutting blade 450	450	10/12	3.5/4.0	25.4/27/30/50/60
消音切割片Silencing cutting blade 500	500	10/12	4.0/4.5	25.4/27/30/50/60
消音切割片Silencing cutting blade 600	600	10/12	4.5/4.7	25.4/27/30/50/60
消音切割片Silencing cutting blade 650	650	10/12	4.5/4.7	25.4/27/30/50/60
消音切割片Silencing cutting blade 700	700	10/12	4.5/4.7	25.4/27/30/50/60
消音切割片Silencing cutting blade 750	750	10/12	4.5/4.7	25.4/27/30/50/60
消音切割片Silencing cutting blade 800	800	10/12	4.5/4.7	25.4/27/30/50/60

优势 Advantage

采用德国飞玛的激光焊接工艺，焊接强度高，不易掉齿；
齿形有平齿、波纹齿、V型齿、波纹和平齿交替等，锋利度高，切割省力，寿命长；
采用激光焊接高强度基体，强度高，不易变形，切割稳定。

Adopting the laser welding process of German Dr. Fritsch, the welding strength is high and it is not easy to lose teeth;

The tooth shape includes flat teeth, corrugated teeth, V-shaped teeth, corrugated and flat teeth alternately, with high sharpness, labor-saving cutting, and long service life

Adopt laser welding for high-strength substrate, with high strength, not easy to deform, and stable cutting.

使用设备 Use equipment

红外桥切机、石材锯等。

Infrared bridge cutting machine, stone saw, etc.



沥青切割片
Asphalt cutting blade





适用于不同种类沥青路面的快速稳定加工切割

Suitable for rapid cutting of different types of asphalt pavement

规格 Specifications	外径 external diameter mm	齿高 Tooth height mm	齿厚 Tooth thickness mm	中间孔径 Mid hole diameter mm
沥青切割片 Asphalt cutting blade 230	230	8/10/12	2.6/3.0	25.4/27
沥青切割片 Asphalt cutting blade 300	300	8/10/12	3.0/3.2	25.4/27
沥青切割片 Asphalt cutting blade 350	350	8/10/12	3.0/3.2/3.5	25.4/27
沥青切割片 Asphalt cutting blade 400	400	8/10/12	3.2/3.5/3.8/4.0	25.4/27
沥青切割片 Asphalt cutting blade 450	450	8/10/12	3.5/3.8/4.0/4.2	25.4/27
沥青切割片 Asphalt cutting blade 500	500	8/10/12	3.5/3.8/4.0/4.2	25.4/27
沥青切割片 Asphalt cutting blade 600	600	8/10/12	3.8/4.0/4.2/4.5	25.4/27



优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿；
齿形有平齿、波纹齿、波纹和平齿交替等，锋利度高，切割省力，寿命长，
可根据客户要求定制不同高度的锯片；
采用特殊保护齿结构，有效防止基体根切；
采用激光焊接高强度基体，强度高，不易变形，切割稳定；

Adopting the laser welding process of German Dr. Fritsch, the welding strength is high, and it is not easy to lose teeth;

The tooth shape includes flat teeth, corrugated teeth, alternating corrugated and flat teeth, etc., with high sharpness, labor-saving cutting, and long service life Saw blades of different heights can be customized according to customer requirements;


Adopt a special protective tooth structure to effectively prevent undercutting of the substrate;


使用设备 Use equipment

台式红外切割机，湿切。

Desktop infrared cutting machine, wet cutting.

马路切割片
Road cutting blade





适用于鹅卵石马路、普通混凝土路面、沥青路面等

Suitable for cobblestone road, ordinary concrete pavement, asphalt pavement, etc

规格 Specifications	外径 external diameter mm	齿高 Tooth height mm	齿厚 Tooth thickness mm	中间孔径 Mid hole diameter mm
马路切片 Road cutting blade 350	368	15/20	3.2/3.5	50/60
马路切片 Road cutting blade 400	418	15/20	3.2/3.5	50/60
马路切片 Road cutting blade 500	518	15/20	3.2/3.5	50/60

保护齿设计
有效防止锯片基体被破坏

Protective tooth design
Effectively prevent the damage of saw blade substrate

升级波纹齿设计 提升30%性能 超强锋利耐磨 快切4000米
采用金刚砂为原材料,锋利度高，切割省力，寿命长

Upgrade the corrugated tooth design to improve the performance by 30%. Super sharp, wear-resistant and fast cutting 4000 meters


It uses emery as raw material, with high sharpness, labor-saving cutting and long service life



切机包括小马力(20-35HP)、
中马力(40-60HP)和大马力(65HP以上)

Cutting machine includes small horsepower (20-35HP)Medium horsepower (40-60HP) and high horsepower (above 65HP)





采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。

The laser welding process of German Dr. Fritsch is adopted, which has high welding strength and is not easy to lose teeth.

墙锯切割片
Wall saw blade





切割砖墙、钢筋混凝土墙面等

Cutting brick wall, reinforced concrete wall, etc

规格 Specifications	外径 external diameter mm	齿高 Tooth height mm	齿厚 Tooth thickness mm	中间孔径 Mid hole diameter mm
墙锯切割片Wall saw blade 600	600	10/12	4.5/4.8/5.0	35/50/60
墙锯切割片Wall saw blade 700	700	10/12	4.5/4.8/5.0	35/50/60
墙锯切割片Wall saw blade 800	800	10/12	4.5/4.8/5.0	35/50/60
墙锯切割片Wall saw blade 900	900	10/12	4.5/4.8/5.0	35/50/60
墙锯切割片Wall saw blade 1000	1000	10/12	4.5/4.8/5.0	35/50/60
墙锯切割片Wall saw blade 1100	1100	10/12	4.5/4.8/5.0	35/50/60
墙锯切割片Wall saw blade 1200	1200	10/12	4.5/4.8/5.0	35/50/60

优势 Advantage

采用德国飞羽的激光焊接工艺，焊接强度高，不易掉齿。
高锋利型配方，切割省力，寿命长，可根据客户要求定制。
高强度基体，不易变形，切割稳定。

The laser welding process of German Dr. Fritsch is adopted, which has high welding strength and is not easy to lose teeth.


High sharpness, labor-saving cutting, long service life, can be customized according to customer requirements.

High strength matrix, not easy to deform, stable cutting.


使用设备 Use equipment

切墙机。

Wall cutting machine.



岩板切割片
Dekton blade



适用于各种厚度和材质的岩板切割，也可用于砂岩、石灰石、陶瓷等石材切割

Suitable for cutting rock slabs of various thicknesses and materials, and also for cutting sandstone, limestone, ceramics and other stones

规格 Specifications	外径 external diameter mm	齿高 Tooth height mm	齿厚 Tooth thickness mm	中间孔径 Mid hole diameter mm
岩板切割片 Dekton blade 300	304	8/10	2.5	50/60
岩板切割片 Dekton blade 350	350	8/10	2.8	50/60
岩板切割片 Dekton blade 400	404	8/10	3.2	50/60

优势 Advantage

性价比高，切割效率高，满足不同加工要求。
刀头多层结构防止切割崩边、掉角、拖尾等问题。
锯片走刀平稳，切割精度高。

High cost performance, high cutting efficiency, meet different processing requirements.

The multi-layer structure of the cutter head can prevent cutting edge collapse, corner drop, tailing and other problems.


The saw blade moves steadily with high cutting accuracy.

使用设备 Use equipment

红外桥切机、石材锯等。

Infrared bridge cutting machine, stone saw, etc.

石材切割片
Stone cutting blade



平齿设计
采用金刚砂为原材料,齿形更薄，锋利度更高
Flat tooth design
Thinner tooth profile and higher sharpness

消音基体 有效降低切割噪音 保护人工听力
Silencing substrate effectively reduces cutting noise and protects artificial hearing



适用于大理石、花岗岩、石英石等石材类切割
Suitable for cutting marble, granite, quartz stone and other stones

规格 Specifications	外径 external diameter mm	齿高 Tooth height mm	齿厚 Tooth thickness mm	中间孔径 Mid hole diameter mm
大理石切割片Marble cutting blade 350	350	8/10	2.8	50/60
花岗岩切割片Granite cutting blade 350	350	15	2.2	50/60
花岗岩切割片Granite cutting blade 400	410	15	2.5	50/60

优势 Advantage

高精度高频焊接，高度整齐，焊接强度高，不易掉齿。
齿形有平齿、涡轮齿、U槽齿，锋利度高，切割平稳，速度快，
寿命长，可根据客户要求定制不同高度和中孔的锯片的锯片。

High precision high-frequency welding, high order, high welding strength, not easy to lose teeth.
The tooth shape includes flat teeth, turbine teeth and U-groove teeth, with high sharpness, stable cutting and fast speed.
Long service life. Saw blades with different heights and middle holes can be customized according to customer requirements.

使用设备 Use equipment

台式红外切割机，湿切。


Desktop infrared cutting machine, wet cutting.

金属切割片
Metal cutting blade

波纹齿,采用金刚砂为原材料,,锋利度高，切割省力，寿命长
Corrugated teeth, high sharpness, labor-saving cutting, long service life

散热、消音孔设计
Design of heat dissipation and noise reduction holes





Applicable to metal cutting
适用于金属类切割

规格 Specifications	外径 external diameter mm	齿高 Tooth height mm	齿厚 Tooth thickness mm	中间孔径 Mid hole diameter mm
金属切割片Metal cutting blade 414	414	12	1.5	12



优势 Advantage

采用进口设备高精度焊接工艺，切割精度高，不崩边、不拖尾。

High precision welding process with imported equipment, high cutting precision, no edge collapse and tailing.

使用设备 Use equipment

专业切板机，台锯

Professional pile cutter, bench saw

钻头专用刀齿

Drill bit segment

各种形状的刀齿满足客户的不同需求

Different types of segments to achieve the satisfactions from different customers



平齿
Flat



屋顶齿
Roof



鼓型齿
Drum



锯齿
Zigzag



波纹齿
Turbo



尖顶波纹齿
Roof turbo



环形齿
Annular Ring



斜长城齿
Diagona Great Wa



浅V齿
V shape



U槽齿
U-groove



超薄刀齿，蓝宝石
Ultra thin blade, sapphire



顶部U槽环齿
Top U-ring gear

钻头八种成型工艺 Eight forming processes of drill bit



进料
Feed



冷压
Cold pressing



烧结
sinter



焊接
welding



打磨
polish



效验
Validation



同心度检测
Concentricity



喷漆
Painting

排锯专用刀齿

Row saw segment

各种形状的刀齿满足客户的不同需求

Different types of segments to achieve the satisfactions from different customers







齿厚 Tooth thickness mm	齿高 Tooth height mm	齿长 Tooth length mm
2.8/3.4	8/10	20
3.0/3.5	8/10	20
3.5/4.0	8/10	20
4.0/4.5	8/10	20



产品分类：普通大理石（米黄类）排锯、咖网类排锯、砂岩排锯、人造岗石排锯等。
加工对象：专用于各类砂岩切割，如贵洲砂岩、云南砂岩、奶油砂岩
产品应用：适用于石材。
产品说明：可以根据不同厂家设备的特点、加工对象的类型，加工精度的要求来设计符合客户实际需求的个性化产品

Product classification: ordinary marble (beige) row saw, coffee net row saw, sandstone row saw, artificial granite row saw, etc.

Product application: applicable to stone materials.

Product description: according to the characteristics of equipment from different manufacturers, the type of processing objects, and the requir ements for processing accuracy

Design personalized products that meet the actual needs of customers

Z1Z-CF02-80

APPLICATIONS and Advantages:

- For core drilling in walls, floors, roofs and road surface, up to ø 80 mm.
- Suitable for various materials such as reinforced concrete, brick and other construction materials.
- Different drilling speed version for appropriate situations.
- Electric leakage protection.
- Low noise, vibration, power consumption.
- Available for dry bit drilling.



Z1Z-CF02-80		
最大钻孔直径	Maximum diameter	Φ80mm（for concrete）
		Φ200mm（for brick）
额定输入功率	Input power	1500W
额定电压	Rated voltage	110/220/240V
额定频率	Frequency	50Hz
空载转速	No load speed	2100/950 r/min
包装尺寸	Package Size	49.5X29X38cm
台/箱	Pcs/Carton	2台PCS
净重/毛重	N.W/G.W	18/19.2KG



Z1Z-CF03-80		
最大钻孔直径	Maximum diameter	Φ80mm（for concrete）
		Φ200mm（for brick）
额定输入功率	Input power	1500W
额定电压	Rated voltage	110/220/240V
额定频率	Frequency	50Hz
空载转速	No load speed	2100/950 r/min
包装尺寸	Package Size	87.1X37.1X25.6
台/箱	Pcs/Carton	1台PC
净重/毛重	N.W/G.W	19/22KG



Z1Z-CF16		
最大钻孔直径	Maximum diameter	Φ150mm（for concrete）
		Φ200mm（for brick）
额定输入功率	Input power	2000W
额定电压	Rated voltage	110/220/240V
额定频率	Frequency	50Hz
空载转速	No load speed	1100/1500/2150 r/min
包装尺寸	Package Size	49.5X29X38cm
台/箱	Pcs/Carton	2台PCS
净重/毛重	N.W/G.W	19/20KG



Z1Z-CF06-80		
最大钻孔直径	Maximum diameter	Φ80mm（for concrete）
		Φ200mm（for brick）
额定输入功率	Input power	1500W
额定电压	Rated voltage	110/220/240V
额定频率	Frequency	50Hz
空载转速	No load speed	3450/1800/950 r/min
包装尺寸	Package Size	49.5X29X38cm
台/箱	Pcs/Carton	2台PCS
净重/毛重	N.W/G.W	19/20KG



Z1Z-CF02-205

APPLICATIONS and Advantages:

- For core drilling in walls, floors, roofs and road surface, up to ø 205 mm.
- Suitable for various materials such as reinforced concrete, brick and other construction materials.
- For deep pole drilling, plumbing, electrical installation etc.
- Different drilling speed version for appropriate situations.
- Electric leakage protection.
- Replaceable Stand options can provide further functions such as angle and stitch drilling



Z1Z-CF02-205



Z1Z-CF02-205B2



Z1Z-CF02-205C

Z1Z-CF02-205D2



		Z1Z-CF02-205	Z1Z-CF02-205B2	Z1Z-CF02-205C	Z1Z-CF02-205D2
最大钻孔直径	Maximum diameter	Φ205mm（for concrete）	Φ205mm（for concrete）	Φ205mm（for concrete）	Φ205mm（for concrete）
额定输入功率	Input power	2400W	2400W	2400W	2400W
额定电压抑	Rated voltage	110/220/240V	110/220/240V	110/220/240V	110/220/240V
额定频率	Frequency	50Hz	50Hz	50Hz	50Hz
空载转速	No load speed	750 r/min	750 r/min	750 r/min	750 r/min
包装尺寸	Package Size	87.1X37.1X25.6	107.1X37.1X37.8cm	100.1X31.5X43.8 cm	104.1X36.1X39.8
台/箱	Pcs/Carton	1台PC	1台PC	1台PC	1台PC
净重/毛重	N.W/G.W	21/26 KG	31/35 KG	25/31 KG	32/37 KG

Z1Z-CF02-255

APPLICATIONS and Advantages:

- For core drilling in walls, floors, roofs and road surface, up to ø 255 mm.
- Suitable for various materials such as reinforced concrete, brick and other construction materials.
- For deep hole drilling, plumbing, electrical installation etc.
- Different drilling speed version for appropriate situations.
- Electric leakage protection.
- Replaceable Stand options can provide further functions such as angle and stitch drilling



Z1Z-CF02-255



Z1Z-CF02-255A



Z1Z-CF02-255B2



Z1Z-CF02-255C



Z1Z-CF02-255D2



Z1Z-CF02-255D3



Z1Z-CF02-255D4

		Z1Z-CF02-255	Z1Z-CF02-255C	Z1Z-CF02-255A	Z1Z-CF02-255B2	Z1Z-CF02-255D2	Z1Z-CF02-255D3	Z1Z-CF02-255D4
最大钻孔直径	Maximum diameter	Φ255mm（for concrete）	Φ255mm（for concrete）	Φ255mm（for concrete）	Φ255mm（for concrete）	Φ255mm（for concrete）	Φ255mm（for concrete）	Φ255mm（for concrete）
额定输入功率	Input power	2800W	2800W	2800W	2800W	2800W	2800W	2800W
额定电压	Rated voltage	110/220/240V	110/220/240V	110/220/240V	110/220/240V	110/220/240V	110/220/240V	110/220/240V
额定频率	Frequency	50Hz	50Hz	50Hz	50Hz	50Hz	50Hz	50Hz
空载转速	No load speed	500/920r/min	500/920r/min	500/920r/min	500/920r/min	500/920r/min	500/920r/min	500/920r/min
包装尺寸	Package Size	97.1X37.1X25.6cm 1	100.1X31.5X43.8cm	107.1X39.6X52.3	108.1X37.1X37.8	106.1X36.1X37.8	107.1X41.6X43.8	114.1X41.6X47.8
台/箱	Pcs/Carton	1台PC	1台PC	1台PC	1台PC	1台PC	1台PC	1台PC
净重/毛重	N.W/G.W	25.3/30.5 KG	30/36KG	45/50KG	35/39KG	37/41KG	38/43KG	40/46KG

Z1Z-CF-9220		
最大钻孔直径	Maximum diameter	Φ230mm（for concrete）
额定输入功率	Input power	3200W
额定电压频	Rated voltage	110/220/240V
额定频率	Frequency	50Hz
空载转速	No load speed	900 r/min
包装尺寸	Package Size	80X31X20
台/箱	Pcs/Carton	1台PC
净重/毛重	N.W/G.W	17/20KG



Z1Z-CF-8260		
最大钻孔直径	Maximum diameter	Φ260mm（for concrete）
额定输入功率	Input power	4000W
额定电压频	Rated voltage	110/220/240V
额定频率	Frequency	50Hz
空载转速	No load speed	750 r/min
包装尺寸	Package Size	97.1X42.1X25.6
台/箱	Pcs/Carton	1台PC
净重/毛重	N.W/G.W	27.3/32.3KG



Z1Z-CF-300		
最大钻孔直径	Maximum diameter	Φ300mm（for concrete）
额定输入功率	Input power	2800W
额定电压频	Rated voltage	110/220/240V
额定频率	Frequency	50Hz
空载转速	No load speed	920/500 r/min
包装尺寸	Package Size	97.1X42.1X25.6
台/箱	Pcs/Carton	1台PC
净重/毛重	N.W/G.W	27.3/32.3KG



Z1Z-CF-500		
最大钻孔直径	Maximum diameter	Φ500mm（for concrete）
额定输入功率	Input power	3500W
额定电压	Rated voltage	110/220/240V
额定频率	Frequency	50Hz
空载转速	No load speed	360/750/1000 r/min
包装尺寸	Package Size	114.1X41.6X47.8
台/箱	Pcs/Carton	1台PC
净重/毛重	N.W/G.W	42.2/45KG





ADT stand(s)





A type Adjustable bracket

A型可调式支架



Z1Z-CF03-80 支架

Bracket of Z1Z-CF03-80



B2 type Adjustable bracket

B2型可调式支架



D1 type Adjustable bracket

D1型可调式支架



D2 type Adjustable bracket

D2 型可调式支架



D3 type Adjustable bracket

D3 型可调式支架



D4 type Adjustable bracket

D4 型可调式支架

Welded Core Bit

More Than Better
更快，更久，更多，更好

Exclusive Formulas With Comprehensive Upgrades
多种的全新配方，多样的全面升级

Higher Drilling Speed With Longer Life Time
更快的切削速度和更长的寿命



Main technical parameters
主要技术参数

焊齿型钻头WELDING

钻头外径		刀齿尺寸	齿数	钢管长度
O.D. of core bits		Segment size	Quantity of segment	Barrel lenght
inch	mm	LxWxH		mm
1-1/4"	32	22/17x3.8x10.2*	3	350-1000
1-1/2"	38	22.5/17.5x3.8x10.2	4	350-1000
1-5/8"	40	22.5/17.5x3.8x10.2	4	350-1000
1-3/4"	44	25.5/20.5x3.8x10.2	4	350-700
2"	50	20x3.8x10.2	5	350-700
2-1/8"	53	20x3.8x10.2	5	350-700
2-1/4"	57	20x3.8x10.2	6	350-700
2-1/2"	63	24x3.8x10.2	6	350-700
	66	24x3.8x10.2	6	350-700
2-3/4"	71	24x3.8x10.2	7	350-700
3"	76	24x3.8x10.2	7	350-700
3-1/4"	83	24x3.8x10.2	8	350-700
3-1/2"	89	24x3.8x10.2	8	350-700
	95	24x3.8x10.2	8	350-700
4"	102	24x4.0x10.2	9	350-700
4-1/4"	107	24x4.0x10.2	9	350-700
	112	24x4.0x10.2	10	350-700
4-1/2"	114	24x4.0x10.2	10	350-700
	120	24x4.3x10.2	11	350-700

焊齿型钻头WELDING

钻头外径		刀齿尺寸	齿数	钢管长度
O.D. of core bits		Segment size	Quantity of segment	Barrel lenght
inch	mm	LxWxH		mm
5"	127	24x4.3x10.2	11	350-700
5-1/5"	132	24x4.3x10.2	11	350-700
6"	152	24x4.3x10.2	12	350-700
6-1/4"	159	24x4.3x10.2	12	350-700
6-1/2"	166	24x4.3x10.2	13	350-700
7"	178	24x4.3x10.2	13	350-700
8"	202	24x5.0x10.2	15	350-700
8-1/2"	220	24x5.0x10.2	16	350-600
	244	24x5.0x10.2	17	350-600
10"	254	24x5.0x10.2	17	350-600
	274	24x5.0x10.2	18	350-600
12"	300	24x5.0x10.2	20	350-600
	320	24x5.5x10.2	21	350-600
14"	350	24x5.5x10.2	22	350-600
16"	400	24x5.5x10.2	24	350-600
18"	450	24x5.5x10.2	26	350-600
20"	500	24x5.5x10.2	28	350-600
22"	550	24x5.5x10.2	30	350-600
24"	600	24x5.5x10.2	32	350-600

*：屋顶齿高度为12.2mm
the height of roof type segment is 12.2mm



Sintered Core Bit

CF-1S Model (Type CF-1S)

它是整体烧结式钻头，直径8~300mm，尤其适用于高标号粗密钢筋混凝土、花岗岩、大理石等石材上钻孔或取样。

SINTERED

Long working life,High drilling efficiency,Sharper than start after some apply.

Medium-hard to hard concrete with heavy steel.



Main technical parameters
主要技术参数

烧结型钻头SINTERED

钻头外径	钢管长度	齿数
O.D. of core bits	Barrel lenght	Quantity of segment
Φ8	80	1
Φ10	80	2
Φ12	80	2
Φ14	80	2
Φ16	210	3
Φ18	210（350）	3
Φ20	210（350）	3
Φ22	210（350）	3
Φ24	210（350）	3
Φ25	350（400）	3
Φ26.5	400-420-450	3
Φ28	400-420-450	3
Φ30	400-420-450	3
Φ32	400-420-450	4
Φ38	400-420-450	5
Φ40	400-420-450	5
Φ44.5	400-420-450	6
Φ60	400-420-450-500	6
Φ63.2	400-420-450-500	6
Φ67.2	400-420-450-500	7
Φ63	400-420-450-500	8
Φ68	400-420-450-500	8

烧结型钻头SINTERED

钻头外径	钢管长度	齿数
Segment thickness	Barrel lenght	Quantity of segment
Φ71	400-420-450-500	8
Φ75.6	400-420-450-500	9
Φ82.5	400-420-450-500	9
Φ88.5	400-420-450-500	10
Φ95	400-420-450-500	10
Φ101.5	400-420-450-500	12
Φ110	400-420-450-500	12
Φ112	400-420-450-500	12
Φ114.3	400-420-450-500	12
Φ120.3	400-420-450-500	13
Φ126.8	400-420-450-500	14
Φ132.7	400-420-450-500	14
Φ151.3	400-420-450-500	16
Φ158.5	400-420-450-500	16
Φ166	400-420-450-500	18
Φ178	400-420-450-500	18
Φ201.9	400-420-450-500	20
Φ218	400-420-450-500	22
Φ244	400-420-450-500	24
Φ253.5	400-420-450-500	26
Φ273.5	400-420-450-500	26
Φ298	400-420-450-500	32



沥青路面钻头 斜齿
特点：适应于野外沥青公路钻孔，具有速度快不粘齿特点

L1:super-high drilling efficiency
Asphalt and concrete with soft abrasive aggregate.
Inclined segment.

Different types of core bits cover various drilling materials

各种类型的钻头适用于不同的钻切材料

(reinforced concrete, bricks, asphalt, mansory material, crystal and monocrystalline silicon coring etc.)

(钢筋混凝土，砖墙，沥青，石材，宝石、单晶硅体等高精度取芯)



钻头外径		刀齿尺寸	齿数	钢管长度
O.D. of core bits		Segment size	Quantity of segment	Barrel lenght
inch	mm	LxWxH		mm
1/3"	Φ8		皇冠齿crown shape segment	80~110
	Φ10		皇冠齿crown shape segment	80~110
1/2"	Φ12		皇冠齿crown shape segment	80~110
	Φ14		皇冠齿crown shape segment	80~150
5/8"	Φ16		皇冠齿crown shape segment	210
	Φ18		皇冠齿crown shape segment	210/350
3/4"	Φ20		皇冠齿crown shape segment	210/400
7/8"	Φ22		皇冠齿crown shape segment	210/450
	Φ24		皇冠齿crown shape segment	210/450
1"	Φ26	20×3.8×10.2	3	350/400---1000
1-1/8"	Φ28	20×3.8×10.2	3	350/400---1000
	Φ30	22×3.8×10.2	3	350/400---1000

Dry bit set 3 pcs

38mm	52mm	107mm



Dry bit set 5 pcs


38mm	52mm	65mm	117mm	127mm



Different types of segements achieve the satisfactions from different customers

各种形状的刀齿满足客户的不同需求

Flat 平齿



Zigzag 锯型齿



Drum 鼓型齿



Roof 屋顶齿



Wave 波纹齿



V type V型齿



石材钻头
Stones Core Bit

规格 specification	钢管长 working length	齿数 quantity	齿厚 thickness	接头 connection thread
Φ26	100	3	2.5	G¼"
Φ28	100	3	2.5	三角柄式Triangular shank type
Φ30	100	3	2.5	直柄式 straight shank type
Φ32	100	4	2.5	直柄式 straight shank type
Φ38	100	4	2.5	直柄式 straight shank type
Φ40	100	5	2.5	直柄式 straight shank type
Φ44	100	5	2.5	直柄式 straight shank type
Φ50	100	5	2.5	直柄式 straight shank type
Φ53	100	5	2.5	直柄式 straight shank type
Φ57	100	5	2.5	直柄式 straight shank type
Φ63	100	6	2.5	直柄式 straight shank type
Φ66	100	6	2.5	直柄式 straight shank type
Φ71	100	8	2.5	直柄式 straight shank type
Φ76	100	8	2.5	直柄式 straight shank type
Φ83	100	8	2.5	直柄式 straight shank type
Φ89	100	8	2.5	直柄式 straight shank type









CF-4Model (Type CF-4)

This bit is used for drilling hard and fragile materials, Such as decorative granite, marble, ceramic tile and glass, etc.

它用于花岗石、大理石、瓷砖、玻璃等硬脆材料的钻孔加工。

Mining and geological diamond core bits and reaming shell

矿山地质金刚石取芯钻头与扩孔器

Geological diamond core drill bit be used geological drilling, surveyed the foundation works of the building, investigated the geological state of the dam, drilling hole and sample of special project. Our company produces diamond bits, such as foreign standard Q series, T series, etc. too, All these mining and geological diamond drill bits can meet every demand from the customers, is suitable for drilling in medium hard, hard and very hard formation..Also,any type of mining and geological diamond drill bits can be specially designed and manufactured according to the requirement of the customers. Reaming shell and bit can from a complete set and use while needing.

地质金刚石取芯钻头广泛应用于矿山地质钻探和建筑基础工程勘测。水电水利地质状况调查以及特殊工程的钻孔与取样。本公司生产国内各种标准的单管、双管和绳索取芯金刚石钻头，也生产国外标准的如Q系类、T系列等金刚石钻头。各种钻头都可按客户的要求分别提出适应于中硬、硬、坚硬（打滑）岩层钻进性能优良的钻头品种，需要时金刚石扩孔器与钻头配套使用。



Mining and geological diamond core bits and reaming shell Conventional double tube impregnated core bit
普通双管孕镶钻头

According to the hardness and abrasiveness of the rock to be drilled, bits with different abrasive matrixes can be supplied for drilling in medium hard, hard and very hard formation.



Mining and geological diamond core bits and reaming shell Conventional double tube impregnated core bit
普通双管孕镶钻头

According to the hardness and abrasivaness of the rock to be drilled, bits with different abrasive matrixes can be supplied for drilling in medium hard, hard and very hard formation.



Single tube impregnated core bits
单管孕镶取芯钻头

It is suitable for drilling in intact medium hard,hard and very hard rock, especialy for shallow hole drilling, engineering drilling and underground drilling. Also, it can be used when the core is seriously blocked during drilling operation with double tube core barrel.



"Q"series-NQ type impregnated wireline core bit, Staggered teech
"Q"系列—NQ型尖齿交错孕镶绳索取芯钻头

This bit is suitable for wireline core drilling in intact medium hard, hard and very hard rock, also with a satisfactory result in drilling plastic soft and hard interbedded formation.



Single tube impregnated core bits
单管孕镶取芯钻头

It is suitable for drilling in intact medium hard,hard and very hard rock, especialy for shallow hole drilling, engineering drilling and underground drilling. Also, it can be used when the core is seriously blocked during drilling operation with double tube core barrel.



Reming shell, spiral type
螺旋扩孔器

This reaming shell can satisty the need of full hole reaming. According to the properties of the rock, the reaming shell can be set with polycrystaline diamond, atural diamond or mixed set with both.

SPARE PARTS

变丝接头
Adapter



$G\frac{1}{2}$-$1\frac{1}{4}$X7 Teeth　1X3 Teeth　$\frac{5}{8}$ Teeth　$1\frac{1}{4}$X7 Teeth　M22



Extention drill rod
加长杆



CORE
岩心

PORTABLE RESIDUAL CURRENT PROTECTIVE DEVICES
漏电保护器





ARMATURE AND STATOR
定子和转子



VACUUM PUMP
真空泵



CATCHWATER COVER
防水罩

输出轴
output shaft



Male:$1\frac{1}{4}$" -7

Female:$\frac{1}{2}$" X7



$G\frac{1}{2}$"



$1\frac{1}{4}$" -3



$1\frac{1}{4}$" -7





CUT-OFF SAW
Model ECF350



Power cutters
Applications:
Can be used for a variety of cutting applications including landscaping,road working,concrete in building, stones cutting as well as emergency rescue and disaster relief







ECF350	
Engine Type:	Single-cylinder, 2-stroke, air-cooled
Displacement:	65cc
Engine Speed:	8500rpm
Maximum Output:	3.0kw/4HP
Mixed fuel	50:1
Fuel Tank Capacity:	1.5L
NET Weight:	12.5kgs
Carton Size:	70.5X35.5X48cm (carton)
Carton Size:	91.5X46.5X48cm (blow mold case + carton)
Standard Blade Diameter:	12 & 14
Max Cutting Depth:	115mm (4-1/2")

EPA CE



Blade:



Diamond Blade:
It is a general purpose blade made to cut granite,concrete,asphalt and brick.Dry or wet cutting

Diameter:300/350mm
Blade shaft:25.4mm



Resin Abrasive blade:
It is made to cut steel.

Diameter:300/350mm
Blade shaft:25.4mm



Fire rescue Blade:
Specially recommended when free cutting of any material is a critical requirement,including steel.

Hose assembly





Hose assembly connect to waterhead and supply water in wet cutting . Water can be achieved on both sides of the saw blade . Hose assembly reduce the blade temperature, improve service life , and make less cutting dust.



CF-9110

Product features

产品特点


1600瓦大功率电机 钻孔有力 高速搅拌效率高

干湿两用过载安全保护使用安心

全铜电机带来强劲动力稳定输出低功耗



产品尺寸



Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ110mm
额定输入功率	Input power	1600W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~2100 r/min
整机重量	Total weight	4.1KG

CF-9120

Product features

产品特点


1800瓦大功率电机 钻孔有力效率高

双重安全 保护使用安心

无水封设计 无极调速开关配置合理 使用更舒适



产品尺寸



Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ120mm
额定输入功率	Input power	1800W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~2200 r/min
整机重量	Total weight	4.6KG



打孔搅拌 我全在行

LD-1571

建议适用工况范围

连续打空调孔(承重墙)连续打消防管道(承重墙)
连续打油烟机孔(承重墙)/腻子粉搅拌/水泥高速搅拌/道路验收


排水打孔


空调安装


水电施工


消防管道施工

CF-9130

Product features

产品特点

1900瓦大功率电机 钻孔有力 高速搅拌效率高


对称式辅助手柄 打孔搅拌两用

第二代无水封无铜管设计 出水量大 杜绝漏水





产品尺寸



Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ130mm
额定输入功率	Input power	1900W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~2100 r/min
整机重量	Total weight	4.3KG





CF-9150

Product features

产品特点

2000瓦大功率电机 钻孔有力效率高


新式离合寿命长 保护灵敏 使用更安心

2000转高转速对称式辅助手柄 打孔搅拌更高效





产品尺寸



Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ160mm
额定输入功率	Input power	2000W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~2000 r/min
整机重量	Total weight	4.7KG





十大升级 焕新而来

LD-157

钻搅两用
双重防护



建议适用工况范围

排水打孔/空调安装/电锤机安装/连续打孔(承重墙)/打路政排水孔

排水打孔

腻子粉水泥搅拌

承重墙钻孔

消防管道钻孔

LD-1571

CF-9160

Product features

产品特点


2000瓦大功率 扛过载能力强

1900转高转速打孔更高效 搅拌高效更均匀

对称式辅助手柄设计 搅拌作业更舒适







Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ160mm
额定输入功率	Input power	2000W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~1900 r/min
整机重量	Total weight	6.3KG

提升稳定性



减速箱与中盖加销定位避免轴向晃动
提升整机可靠性



CF-9180

Product features

产品特点


2600瓦大功率 扛过载能力强 擅长打深孔

新式离合寿命长 保护灵敏 使用更安心

1600转高转速 对称式辅助手柄 打孔搅拌更高效



产品尺寸



Main technical parameters


主要技术参数

最大钻孔直径	Collet size	Φ180mm
额定输入功率	Input power	2600W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~1600 r/min
整机重量	Total weight	6.8KG





使用安心



新式离合寿命长
保护灵敏 使用更安心

CF-6166

Product features

产品特点


2300瓦大功率 扛过载能力强擅长打深孔

1600转高速输出 打孔速度更快

无水封设计 杜绝漏水



产品尺寸



Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ180mm
额定输入功率	Input power	2300W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~1600 r/min
整机重量	Total weight	6.8KG



建议适用工况范围

连续打空调孔(承重墙)/连续打消防管道穿墙孔(承重墙) 连续打油烟机孔(承重墙)/道路验收取样/专业高速搅拌




连续打消防管道穿墙孔



专业高速搅拌



产品尺寸



Main technical parameters
主要技术参数


最大钻孔直径	Collet size	Φ180mm
额定输入功率	Input power	2300W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~1600 r/min
整机重量	Total weight	13.6KG



CF-6166A
Product features
产品特点

2300瓦大功率 扛过载能力强擅长打深孔
1600转高速输出 打孔速度更快
无水封设计 杜绝漏水






Main technical parameters
主要技术参数

最大钻孔直径	Collet size	Φ200mm
额定输入功率	Input power	3000W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	1100 r/min
整机重量	Total weight	14KG







CF-7166A
Product features
产品特点

高强度底座 底座用料扎实 坚固耐用
高强度立柱 立柱高度680毫米 升降幅度更大
软胶操作把手 防滑 防汗 软胶握持更舒适
人性化手柄设计 搬运方便 提高工作效率

CF-9200
Product features
产品特点

3000W大功率 电机特性更强
传动比加大 扭力大 打孔有力
1100转/分钟 大负载高转速 高效率
创新无水封结构设计 杜绝漏水



更大更稳定
轻松全搞定



建议适用工况范围

连续打穿线孔/连续打消防管道穿墙孔
连续打空调孔/连续打油烟机孔/道路验收取样

LD-1571





CF-9235

Product features

产品特点


3600W大功率电机特性更强
传动比加大 扭力大 打孔有力
结构紧凑设计 更轻 更小 更精干
创新无水封结构设计 杜绝漏水

Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ240mm
额定输入功率	Input power	3600W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	800 r/min
整机重量	Total weight	15.6KG









CF-9220

Product features

产品特点

3200瓦大功率 扛过载能力强 擅长打深孔

52牛米大扭力输出900转高速输出 打孔速度更快

双重安全保护 贴心拎手设计 搬运方便防磕碰

Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ220mm
额定输入功率	Input power	3200W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	900 r/min
整机重量	Total weight	17KG



CF-9260

Product features

产品特点

4000瓦大功率扛过载能力强 擅长打深孔

60牛米大扭力输出 750转高速输出 打孔速度更快

第二代无水封无铜管设计 出水量大 杜绝漏水

Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ260mm
额定输入功率	Input power	4000W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	750 r/min
整机重量	Total weight	22KG

CF-9230

Product features

产品特点

3500瓦大功率 扛过载能力强 擅长打深孔

高精密度齿轮 超强电机 省心又省力 高效散热

多重安全保护动力稳定长时间连续工作 不烧机



Main technical parameters


主要技术参数

最大钻孔直径	Collet size	Φ230mm
额定输入功率	Input power	3500W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	750 r/min
整机重量	Total weight	17/18.5KG

LD-1571

大孔连续打 深孔也不怕







CF-8260

Product features

产品特点

4000瓦大功率扛过载能力强 擅长打深孔

60牛米大扭力输出 750转高速输出 打孔速度更快

双重安全保护 贴心拎手设计 搬运方便防磕碰





建议适用工况范围

连续打空调孔(承重墙)/连续打消防管道穿墙孔

承重墙)连续打油烟机孔(承重墙)/道路验收取样

Main technical parameters

主要技术参数

最大钻孔直径	Collet size	φ260mm
额定输入功率	Input power	4000W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	750 r/min
整机重量	Total weight	22KG





连续打大孔



安装公路护栏



墙面/地面拆除



连续打预留孔

Main technical parameters

主要技术参数

最大钻孔直径	Collet size	φ300mm
额定输入功率	Input power	4200W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	550 r/min
整机重量	Total weight	22KG





CF-8260H

Product features

产品特点

4200瓦大功率扛过载能力强擅长打深孔

78牛米大扭力输出低转速擅长打大孔、深孔

双重安全保护 贴心拎手设计 搬运方便防磕碰





CF-9300

Product features

产品特点

4200瓦大功率打过载能力强擅长打深孔

78牛米大扭力输出低转速擅长打大孔、深孔

第二代无水封无铜管设计 出水量大 杜绝漏水


Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ300mm
额定输入功率	Input power	4200W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	550 r/min
整机重量	Total weight	22KG



产品尺寸



Main technical parameters

主要技术参数

最大钻孔直径	Collet size	Φ300mm
额定输入功率	Input power	3900/3900W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	单600 r/min
空载转速	No load speed	双500/900 r/min
整机重量	Total weight	23KG

单速 双速



CF-300

Product features

产品特点

3900/3900瓦大功率打过载能力强 擅长打大孔

低档速打孔性更强、打孔更深


扭力更大打孔速度更快


双重安全保护 全铝机身更耐用





产品尺寸







CF-9400

Product features

产品特点

5000瓦大功率聚能电机 两倍负载不烧机
创新电控系统 实现高效自适应打孔
加大传动比 扭矩提升20% 打孔有力更高效
第二代机械调速 换挡平顺 稳定耐用


Main technical parameters

主要技术参数

最大钻孔直径	Collet size	承重墙 Φ400mm
额定输入功率	Input power	5000W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	440/760 r/min
整机重量	Total weight	42KG









CF-9500

Product features

产品特点

5000瓦大功率聚能电机 两倍负载不烧机
创新电控系统 实现高效自适应打孔
加大传动比 扭矩提升30% 打孔有力更高效
第二代机械调速 换挡平顺 稳定耐用
机头可分体快拆设计 搬运更方便

Main technical parameters

主要技术参数

最大钻孔直径	Collet size	承重墙 Φ500mm
额定输入功率	Input power	5000W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	320/510 r/min
整机重量	Total weight	42KG







LD-1571

MX2000

Product features


产品特点

2000瓦大功率 扭力更大

2400转高速输出 高效搅拌

开关全面升级 轻松应对连续搅拌





Main technical parameters

主要技术参数

额定输入功率	Input power	2000W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	2400 r/min
整机重量	Total weight	4.1KG

MX2200

Product features


产品特点

2200瓦大功率对称手柄设计

纯铜电机 耐高温

全铝机身坚固耐用高效散热





Main technical parameters

主要技术参数

额定输入功率	Input power	2200W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	2200 r/min
整机重量	Total weight	6.8KG

MX2800

Product features


产品特点

2800瓦大功率超大扭力

2000转高速输出高效搅拌

输出轴内外螺纹 附件匹配性更高





Main technical parameters

主要技术参数

额定输入功率	Input power	2800W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	2000 r/min
整机重量	Total weight	6.8KG



360°

全方位手柄设计，
更方便操作

CF-6166P

Product features

产品特点


2300瓦大功率电机

双重安全保护使用安心

无水封设计

配置合理使用更舒适





Main technical parameters

主要技术参数

额定输入功率	Input power	2300W
额定电压	Rated voltage	220V~
额定频率	Frequency	50Hz
空载转速	No load speed	0~1600 r/min
整机重量	Total weight	7KG



新农村建设的好帮手——高效省力

专业适用于自来水管道、煤气管道、
暖气管道的铺管钻孔

Welded Core Bit



More Than Better
更快，更久，更多，更好

Exclusive Formulas With Comprehensive Upgrades
多种的全新配方，多样的全面升级

Higher Drilling Speed With Longer Life Time
更快的切削速度和更长的寿命

Main technical parameters
主要技术参数

焊齿型钻头WELDING


钻头外径		刀头尺寸	齿数	钢管长度
O.D. of core bits		Segment size	Quantity of segment	Barrel lenght
inch	mm	LxWxH		mm
1-1/4"	32	22/17x3.8x10.2*	3	350-1000
1-1/2"	38	22.5/17.5x3.8x10.2	4	350-1000
1-5/8"	40	22.5/17.5x3.8x10.2	4	350-1000
1-3/4"	44	25.5/20.5x3.8x10.2	4	350-700
2"	50	20x3.8x10.2	5	350-700
2-1/8"	53	20x3.8x10.2	5	350-700
2-1/4"	57	20x3.8x10.2	6	350-700
2-1/2"	63	24x3.8x10.2	6	350-700
	66	24x3.8x10.2	6	350-700
2-3/4"	71	24x3.8x10.2	7	350-700
3"	76	24x3.8x10.2	7	350-700
3-1/4"	83	24x3.8x10.2	8	350-700
3-1/2"	89	24x3.8x10.2	8	350-700
	95	24x3.8x10.2	8	350-700
4"	102	24x4.0x10.2	9	350-700
4-1/4"	107	24x4.0x10.2	9	350-700
	112	24x4.0x10.2	10	350-700
4-1/2"	114	24x4.0x10.2	10	350-700
	120	24x4.3x10.2	11	350-700

焊齿型钻头WELDING

钻头外径		刀头尺寸	齿数	钢管长度
O.D. of core bits		Segment size	Quantity of segment	Barrel lenght
inch	mm	LxWxH		mm
5"	127	24x4.3x10.2	11	350-700
5-1/5"	132	24x4.3x10.2	11	350-700
6"	152	24x4.3x10.2	12	350-700
6-1/4"	159	24x4.3x10.2	12	350-700
6-1/2"	166	24x4.3x10.2	13	350-700
7"	178	24x4.3x10.2	13	350-700
8"	202	24x5.0x10.2	15	350-700
8-1/2"	220	24x5.0x10.2	16	350-600
	244	24x5.0x10.2	17	350-600
10"	254	24x5.0x10.2	17	350-600
	274	24x5.0x10.2	18	350-600
12"	300	24x5.0x10.2	20	350-600
	320	24x5.5x10.2	21	350-600
14"	350	24x5.5x10.2	22	350-600
16"	400	24x5.5x10.2	24	350-600
18"	450	24x5.5x10.2	26	350-600
20"	500	24x5.5x10.2	28	350-600
22"	550	24x5.5x10.2	30	350-600
24"	600	24x5.5x10.2	32	350-600

High Cobalt Co re Bit

齿形选用"屋顶齿"钻含量高 加厚刀头
使用寿命更长



High sharp Core Bit

齿形选用"斜长城齿"高等级金刚石颗粒 打孔速度更快



Main technical parameters
主要技术参数

烧结型钻头SINTERED

钻头外径	钢管长度	齿数
O.D. of core bits	Barrel lenght	Quantity of segment
mm	mm	
Φ8	80	1
Φ10	80	2
Φ12	80	2
Φ14	80	2
Φ16	210	3
Φ18	210（350）	3
Φ20	210（350）	3
Φ22	210（350）	3
Φ24	210（350）	3
Φ25	350（400）	3
Φ26.5	400-420-450	3
Φ28	400-420-450	3
Φ30	400-420-450	3
Φ32	400-420-450	4
Φ38	400-420-450	5
Φ40	400-420-450	5
Φ44.5	400-420-450	6
Φ50	400-420-450-500	6
Φ53.2	400-420-450-500	6
Φ57.2	400-420-450-500	7
Φ63	400-420-450-500	8
Φ66	400-420-450-500	8

烧结型钻头SINTERED

钻头外径	钢管长度	齿数
Segment height	Barrel lenght	Quantity of segment
mm	mm	
Φ71	400-420-450-500	8
Φ75.6	400-420-450-500	9
Φ82.5	400-420-450-500	9
Φ88.5	400-420-450-500	10
Φ95	400-420-450-500	10
Φ101.5	400-420-450-500	12
Φ110	400-420-450-500	12
Φ112	400-420-450-500	12
Φ114.3	400-420-450-500	12
Φ120.3	400-420-450-500	13
Φ126.8	400-420-450-500	14
Φ132.7	400-420-450-500	14
Φ151.3	400-420-450-500	16
Φ158.5	400-420-450-500	16
Φ166	400-420-450-500	18
Φ178	400-420-450-500	18
Φ201.9	400-420-450-500	20
Φ218	400-420-450-500	22
Φ244	400-420-450-500	24
Φ253.5	400-420-450-500	26
Φ273.5	400-420-450-500	26
Φ298	400-420-450-500	32

*：屋顶齿高度为12.2mm
the height of roof type segment is 12.2mm

Different types of core bits cover various drilling materials

各种类型的钻头适用于不同的钻切材料

(reinfoced concrete, bricks, asphalt,mansory material, crystal and monocrystalline silicon coring etc.)

(钢筋混凝土，砖墙，沥青，石材，宝石、单晶硅体等高精度取芯)


钻头外径		刀齿尺寸	块数	钢管长度
OD of core bit		segment size	quantity of segment	steel length
inch	mm	L×W×H		mm
1/3"	Φ8		皇冠齿:crown shape segment	80~110
	Φ10		皇冠齿:crown shape segment	80~110
1/2"	Φ12		皇冠齿:crown shape segment	80~110
	Φ14		皇冠齿:crown shape segment	80~150
5/8"	Φ16		皇冠齿:crown shape segment	210
	Φ18		皇冠齿:crown shape segment	210/350
3/4"	Φ20		皇冠齿:crown shape segment	210/400
7/8"	Φ22		皇冠齿:crown shape segment	210/450
	Φ24		皇冠齿:crown shape segment	210/450
1"	Φ26	20×3.8×10.2	3	350/400~1000
1-1/8"	Φ28	20×3.8×10.2	3	350/400~1000
	Φ30	22×3.8×10.2	3	350/400~1000



核电专用款

Different types of segments achieve the satisfactions from different customers

各种形状的刀齿满足客户的不同需求



Accessories

便捷的辅助套件

Extension drill rod
加长杆



Adapter
变丝接头



输出轴
output shaft





Spare parts

钻机配件



rotor 转子 | stator 定子 | Carbon brush holder 碳刷架 | switch 开关 | Gear set 齿轮组



MITER SAW

CYC-TOOLS
SOLUTION DESTINATION



J1X-KZ36-255



LD-1582

MITER SAW





	J1X-KZ30-210	J1X-KZ41-255
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	1,200W	1,200W
No Load Speed	6,000min⁻¹	6,000min⁻¹
Blade Dia	210mm	254mm
Max Cutting Capacity	/	/
Left Mitre/bevel 0°/0°	80×120mm(height/width)	100×16mm (height/width) 70×140mm(height/width)
Left Mitre/bevel 0°/45°	32×120mm(height/width)	/
Left Mitre/bevel 45°/0°	60×80mm(height/width)	100×16mm (height/width) 70×99mm(height/width)
Left Mitre/bevel 45°/45°	32×80mm(height/width)	/
Right Mitre/bevel 0°/0°	/	/
Right Mitre/bevel 0°/45°	/	/
Right Mitre/bevel 45°/45°	/	/
Accessory	1pc hex key 1pc dust collection bag 1pc clamp 1set extension bar	1pc hex key 1pc dust collection bag 1pc clamp
Packing	Color box	Color box
Qty/Carton	1 pc	1 pc
Carton Size	49×30×29 cm	48×48×38 cm
G.W./N.W	7/6 kg	9/7.8 kg
20GP/40GP/40HQ	700/1,440/1,620 pc	320/660/780 pc
Feature & Other	• Turntable base with precise angle adjustment 45°left&right • Angle positions: 0°/15°/22.5°/30°/45° • Clamping device for holding the work piece securely • Support extension bar on both sides • Laser optional accessory	• Turntable base with precise angle adjustment 45°left&right • Angle positions: 0°/15°/22.5°/30°/45° • Clamping device for holding • The work piece securely

MITER SAW





	J1X-KZ9-305	J1X-KZ42-255
Voltage	220V	220V
Frequency	50Hz	50Hz
Power	2,100W	1,800W
No Load Speed	4,500min⁻¹	6,000min⁻¹
Blade Dia	305mm	254mm
Max Cutting Capacity		/
Left Mitre/bevel 0°/0°	105×105mm(height/width)	100×20mm (height/width) 70×140mm (height/width)
Left	90×140mm(height/width)	/
Left	120x20mm(height/width)	100×20mm (height/width) 70×99mm (height/width)
Left Mitre/bevel 0°/45°	90×99mm(height/width)	/
Left/Right Mitre/bevel 45°/0°	60×140mm(height/width)	/
Left/Right Mitre/bevel 45°/45°	60×99mm(height/width)	/
Accessory	1pc hex key 1pc dust collection bag 1pc clamp 1set extension bar	1pc hex key 1pc dust collection bag 1pc clamp 1set extension bar
Packing	Color box	Color box
Qty/Carton	1 pc	1 pc
Carton Size	61.8x47.4x44 cm	56.3x46.6x42 cm
G.W./N.W	13.5/12.7 kg	14.5/10.9 kg
20GP/40GP/40HQ	217/449/527 pc	254/526/617 pc
Feature & Other	• Turntable base with precise angle adjustment 45°left & right • Angle positions: 0°/15°/22.5°/30°/45° • Clamping device for holding the work piece securely • Support extension bar on both sides as optional accessory	• Turntable base with precise angle adjustment 45°left • Angle positions: 0°/15°/22.5°/30°/45° • Clamping device for holding the work piece securely • Support extension bar on both sides as optional accessory

COMBINED SAW



Miter Saw



Table Saw

J1X-KZ21-210	
Voltage	220～240V
Frequency	50Hz
Power	1,800W
No Load Speed	5,000min⁻¹
Blade Dia	210mm
Table Saw Max Cutting Capacity	70 mm height
Miter/bevel 0°/0°	55×120mm(height/width)
Miter/bevel 0° /45°	30×120mm(height/width)
Miter/bevel 45° /0°	55×80mm(height/width)
Miter/bevel 45° /45°	30×80mm(height/width)
Accessory	1set miter gauge 1pc push pole 2pc hex key 1pc dust collection bag 1pc clamp 1set extension bar
Packing	Color box
Qty/Carton	1 pc
Carton Size	49.5×46.5×33 cm
G.W/N.W	15/12.5 kg
20GP/40GP/40HQ	420/840/960 pc
Feature & Other	▸ Table Saw + Miter Saw 2 modes quick switching ▸ Table Saw Max Cutting Capacity : 70 mm height

FLIP OVER SAW



Miter Saw



Table Saw

J1X-KZ35-210	
Voltage	220～240V
Frequency	50Hz
Power	1,500W
No Load Speed	4,000min⁻¹
Blade Dia	210mm
Table Saw Max Cutting Capacity	50 mm height
Miter/bevel 0°/0°	60×120mm(height/width)
Miter/bevel 45° / 0°	60×80mm(height/width)
Miter/bevel 0° /45°	30×120mm(height/width)
Miter/bevel 45° /45°	30×80mm(height/width)
Accessory	1set miter gauge 1pc push pole 2pc hex key 1pc dust collection bag 1pc clamp 1set extension bar
Packing	Color box
Qty/Carton	1 pc
Carton Size	58.5×52×36.5 cm
G.W/N.W	14.4/13 kg
20GP/40GP/40HQ	258\534\623 pc
Feature & Other	▸ Table Saw + Miter Saw 2 modes quick switching

MITER SAW





		J1X-KZ25-210	J1X-KZ26-210
Voltage		220–240V~	220–240V~
Frequency		50Hz	50Hz
Power		1,400W(S1) 1,800W(S6, 40%)	1,500W(S1) 1,800W(S6, 35%)
No Load Speed		5,000min⁻¹	5,000min⁻¹
Blade Dia		210mm	210mm
Max Cutting Capacity			
Left	Miter/bevel 0° /0°	55x120mm(height/width)	62x310mm(height/width)
	Miter/bevel 0° /45°	55x80mm(height/width)	36x310mm(height/width)
	Miter/bevel 45° /0°	30x120mm(height/width)	62x215mm(height/width)
	Miter/bevel 45° /45°	30x80mm(height/width)	36x215mm(height/width)
Right	Miter/bevel 0° /45°	/	/
	Miter/bevel 45°/45°	/	/
Accessory		1pc hex key 1pc Clamp 1pc dust collection bag 1pcs extension bar	2pc hex key 1pc dust collection bag 1pc clamp 1set extension table
Packing		Color box	Color box
Qty/Carton		1 pc	1 pc
Carton Size		48×33×33 cm	73×45.5×36.5 cm
G.W/N.W		8.5/7.6 kg	13.6/11 kg
20GP/40GP/40HQ		560/1,176/1,300 pc	240/480/560 pc
Feature & Other		▸ Turnable base with precise angle adjustment 45°left&right ▸ Angle positions: 0°/15°/22.5°/30°45° ▸ Clamping device for holding the work piece securely ▸ Laser as optional accessory	▸ Single bevel & sliding ▸ Turable base with precise angle adjustment 45°left&right ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Slot type for solid detent ▸ Extension table ▸ Laser as optional accessory

MITER SAW





		J1X-KZ27-210	J1X-KZ35-255
Voltage		220–240V~	220–240V~
Frequency		50Hz	50Hz
Power		1,500W(S1) 1,800W(S6, 35%)	2,100W(S1)
No Load Speed		5,000min⁻¹	4,200min⁻¹
Blade Dia		210mm	254mm
Max Cutting Capacity			
Left	Miter/bevel 0° / 0°	62x310mm(height/width)	75x340mm(height/width)
	Miter/bevel 45°/0°	62x215mm(height/width)	45x340mm(height/width)
	Miter/bevel 0° /45°	36x310mm(height/width)	75x240mm(height/width)
	Miter/bevel 45°/45°	36x215mm(height/width)	45x240mm(height/width)
Right	Miter/bevel 0° /45°	20x310mm(height/width)	/
	Miter/bevel 45°/45°	20x215mm(height/width)	/
Accessory		2pc hex key 1pc dust collection bag 1pc clamp 1set extension table	2pc hex key 1pc dust collection bag 1pc clamp 1set extension table
Packing		Color box	Color box
Qty/Carton		1 pc	1 pc
Carton Size		73×45.5×36.5 cm	80.5×57.5×43 cm
G.W/N.W		13.6/11 kg	19/15 kg
20GP/40GP/40HQ		240/480/560 pc	140/290/345 pc
Feature & Other		▸ Duable bevel & sliding ▸ Turable base with precise angle adjustment 45°left & right ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Slot type for solid detent ▸ Dual pointer for easy detect ▸ Extension table ▸ Laser as optional accessory	▸ Single bevel & sliding ▸ Turable base with precise angle adjustment 45°left ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Slot type for solid detent ▸ Extension table ▸ Laser as optional accessory

MITER SAW





	J1X-KZ36-255	J1X-KZ8-305
Voltage	220-240V~	230-240V~
Frequency	50Hz	50Hz
Power	2,100W(SI) 2,350W(S6, 25%)	2,100W(SI)
No Load Speed	4,000min⁻¹	4,000min⁻¹
Blade Dia	254mm	305mm
Max Cutting Capacity		
Left Miter/bevel 0° /50°	75x340mm(height/width)	100x330mm(height/width)
Left Miter/bevel 0° /45°	45x340mm(height/width)	100x220mm(height/width)
Left Miter/bevel 45° /0°	75x240mm(height/width)	55x330mm(height/width)
Left Miter/bevel 45° /45°	45x240mm(height/width)	55x220mm(height/width)
Right Miter/bevel 0° /45°	25x340mm(height/width)	30 x330mm(height/width)
Right Miter/bevel 45°/45°	25x240mm(height/width)	30 x220mm(height/width)
Accessory	2pc hex key 1pc dust collection bag 1pc clamp 1set extension table	2pc hex key 1pc dust collection bag 1pc clamp 1set extension table
Packing	Color box	Color box
Qty/Carton	1 pc	1 pc
Carton Size	80.5×57.5×43 cm	80.5×58×47.5 cm
G.W/N.W	19/18 kg	20/18 kg
20GP/40GP/40HQ	140/280/345 pc	135/280/290 pc
Feature & Other	▸ Duable bevel & sliding ▸ Turable base with precise angle adjustment 45°left & right ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Slot type for solid detent ▸ Dual pointer for easy detect ▸ Extension table ▸ Laser as optinnal accessory	▸ Duable bevel & sliding ▸ Turable base with precise angle adjustment 45°left & right ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Slot type for solid detent ▸ Dual pointer for easy detect ▸ Extension table ▸ Laser as optinnal accessory

TILE SAW



	Z1ET-KZ-115
Voltage	230-240V~
Frequency	50Hz
Power	500W
No load speed	5,200min⁻¹
Blade size	ø115 × ø22.2 × 2.2mm
Table size	380x340mm , ABS table
Max cutting capacity	20mm(0°) 17mm(45°)
	Rip up to 14 in. Tile
	Diagonal up to 12 in. Tile
	Depth up to 20mm
	3 position bevel cutting angel (0°/22.5°/ 45°)
Water storage capacity	1.8?L
	Carry handle for easy move
	Cable+plug and fence storage design
	Anti-splash system
	Magnetschalter
	Obvious indicator ensure accurate adjustment
Accessory	1pc spanner 1pc angle adjust 1pc protector 1pc distributor 1pc 115mm Wet-Cutting Diamond Blade
Packing	Color box
Qty/Carton	1 pc
Carton Size	51.5×48.5×16.5 cm
G.W/N.W	6.2/5.2 kg
20GP/40GP/40HQ	716/1,436/1,628 pc
Feature & Other	▸ Water storage capacity: 1.8?L ▸ Carry handle for easy move ▸ Cable+plug and fence storage design ▸ Anti-splash system ▸ Magnetschalter ▸ Obvious indicator ensure accurate adjustment

MITER SAW





		J1X-KZ5-210	J1X-KZ24-210
Voltage		230-240V~	230-240V~
Frequency		50Hz	50Hz
Power		1,400W	1,400W (S1), 1,600W (S6, 40%)
No Load Speed		5,000min⁻¹	5,000min⁻¹
Blade Dia		210mm	210mm
Max Cutting Capacity			
Left	Miter/bevel 0°/0°	50x120mm(height/width)	50x120mm(height/width)
	Miter/bevel 0°/45°	30x120mm(height/width)	30x120mm(height/width)
	Miter/bevel 45°/0°	50x 80mm(height/width)	50x80mm(height/width)
	Miter/bevel 45°/45°	30x 80mm(height/width)	30x80mm(height/width)
Right	Miter/bevel 0°/45°	/	/
	Miter/bevel 45°/45°	/	/
Accessory		1pc spanner 1pc dust collection bag 1pc clamp 1set extension bar	1pc hex key 1pc dust collection bag 1pc clamp 1set extension bar
Packing		Color box	Color box
Qty/Carton		1 pc	1 pc
Carton Size		47.5×29×29 cm	49×30×29 cm
G.W/N.W		7/6 kg	7/6 kg
20GP/40GP/40HQ		750/1,500/1,700 pc	700/1,440/1,620 pc
Feature & Other		▸ Turable base with precise angle adjustment 45°left ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Clamping device for holding the work piece securely ▸ Support extension bar on both sides as optional accessory ▸ Laser as optional accessory	▸ Turable base with precise angle adjustment 45°left ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Clamping device for holding the work piece securely ▸ Support extension bar on both sides as optional accessory

LD-1582

MITER SAW





		J1X-KZ24-255	J1X-KZ34-255
Voltage		230-240V~	230-240V~
Frequency		50Hz	50Hz
Power		1,800W	1,800W
No Load Speed		5,000min⁻¹	5,000min⁻¹
Blade Dia		254mm	254mm
Max Cutting Capacity			
Left	Miter/bevel 0°/0°	72x140mm(height/width)	72x300mm(height/width)
	Miter/bevel 0°/45°	40x140mm(height/width)	40x300mm(height/width)
	Miter/bevel 45°/0°	72x 95mm(height/width)	72x200mm(height/width)
	Miter/bevel 45°/45°	40x 95mm(height/width)	40x200mm(height/width)
Right	Miter/bevel 0°/45°	/	/
	Miter/bevel 45°/45°	/	/
Accessory		1pc hex key 1pc dust collection bag 1pc clamp 1set extension bar	1pc hex key 1pc dust collection bag 1pc clamp 1set extension table
Packing		Color box	Color box
Qty/Carton		1 pc	1 pc
Carton Size		56×39×37 cm	73×46×37.5 cm
G.W/N.W		12/10 kg	15/13 kg
20GP/40GP/40HQ		360/720/840 pc	235/475/550 pc
Feature & Other		▸ Turable base with precise angle adjustment 45°left ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Spring steel plate detent ▸ Clamping device for holding the work piece securely ▸ Support extension bar on both sides as optional accessory ▸ Laser as optional accessory	▸ Single bevel & sliding ▸ Turable base with precise angle adjustment 45°left ▸ Angle positions: 0°/15°/22.5°/30°/45° ▸ Clamping device for holding the work piece securely ▸ Ball and spring detent ▸ Extension table ▸ Laser as optional accessory

TABLE SAW





	M1T-KZ5-255	M1T-KZ4-255
Voltage	220-240V~	230-240V~
Frequency	50Hz	50Hz
Power	1,500W(S1) 1,800W(S6,35%)	1,800W(S1) 2,000W(S6, 25%)
No Load Speed	4,200min⁻¹	4,200min⁻¹
Blade Dia	254mm	254mm
Max cutting capacity	80mm (0°)	80mm (0°)
	55mm (45°)	58mm (45°)
		DADO max thickness 1/2"
Slotting knife diameter		8"
Table size	550x570 mm	560x570 mm
	With Stand	With Stand
Accessory	1pc push pole 1pc hose 12m 1pc dividing knife 3pc extension tables 1pc fence and angle guage 1pc safety cover 2pc spanner 1 set stand	2pc Spanner 1pc Protect guard 1set fence 1pc push rod 1pc stop board 1pc Pilot scale knob
Packing	Color box	Color box
Qty/Carton	1 pc	1 pc
Carton Size	69.5x66.5x37 cm	69.5x66.5x37 cm
GW/NW	28.5/25 kg	22/19 kg
20GP/40GP/40HQ	144/306/357 pc	144/306/357 pc
Feature & Other	▸ 1,800W Brush Motor ▸ Max. Cut Depth: 80mm ▸ Sheet Metal Table ▸ Rip Fence & Miter Guide ▸ Dust Extraction Facility ▸ Electronic Brake ▸ Hard Start	▸ 1,800W Brush Motor ▸ Max. Cut Depth: 80mm ▸ Sheet Metal Table ▸ Rip Fence & Miter Guide ▸ Dust Extraction Facility ▸ Electronic Brake ▸ Hard Start

TABLE SAW





	M1T-KZ3-255	M1T-KZ7-255
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	1,800W(S1) 2,000W(S6, 25%)	2,100W(2,700W S6)
No Load Speed	4,200min⁻¹	4,200min⁻¹
Blade Dia	254mm	254mm
Max cutting capacity	80mm (0°)	80mm (0°)
	55mm (45°)	58mm (45°)
Slotting knife diameter	DADO max thickness 1/2" 8"	DADO max thickness 1/2" 8"
Table size	560x570 mm	560x570 mm
Accessory	2pc Spanner 1pc Protect guard 1set fence 1pc push rod 1pc stop board 1pc Pilot scale knob	2pc Spanner 1pc Protect guard 1set fence 1pc push rod 1pc stop board 1pc Pilot scale knob
Packing	Color box	Color box
Qty/Carton	1 pc	1 pc
Carton Size	72.5x69x37 cm	72.5x68.9x36.5 cm
GW/NW	21/19 kg	22/20 kg
20GP/40GP/40HQ	153/313/367 pc	153/318/373 pc
Feature & Other	▸ 1800W Brush Motor ▸ Max. Cut Depth: 80mm ▸ Sheet Metal Table ▸ Rip Fence & Mitre Guide ▸ Dust Extraction Facility ▸ Electronic Brake ▸ Hard Start	▸ 1800W Brush Motor ▸ Max. Cut Depth: 80mm ▸ Sheet Metal Table ▸ Rip Fence & Mitre Guide ▸ Dust Extraction Facility ▸ Electronic Brake ▸ Hard Start



LD-1582

THICKNESS PLANER





Optional



Stand



Cover Plate

	M1B-KZ3-330	M1B-KZ4-330
Rated Voltage:	220-240V	220-240V
Rated current:	/	/
Rated power:	2,000W	2,000W
No-load speed:	8,500min^{-1}	8,500min^{-1}
Feed rate:	6m/min	6m/min
Electromagnetic switch:	YES	YES
RA Overload protector:	YES	YES
Soft start:	Optional	Optional
Motor insulation class:	Double Insulated Class II	Double Insulated Class II
Blade material:	HSS Two blades	HSS Two blades
Planer width:	330mm(13 inch)	330mm(13 inch)
Max planer depth:	3mm	3mm
Max planer thickness:	160mm	210mm
Min planer thickness:	8mm	6mm
Dust outlet diameter:	Φ35mm	Φ35mm
Accessary	spanner 2pc bolt 2pc	spanner 2pc bolt 2pc
Packing:	Color box 670*365*480mm	Color box 670*365*480mm
Qty/Carton	1 pc	1 pc
Carton Size	57×36.5×43cm	57×36.5×48cm
G.W./N.W	23/21kg	23.2/21.2kg
20GP/40GP/40HQ	310/640/750pc	280/580/680pc
Feature & Other	▸ High precision, both sides of the workpiece error control within 0.2mm ▸ Handle folds for hiding ▸ A toolbox on top ▸ Adopt unidirectional thrust ball bearing and transverse bar bearing structure ▸ Effortless handling by the upper roll bar ▸ Optional machine placement rack	▸ High precision, both sides of the workpiece error control within 0.2mm ▸ Handle folds for hiding ▸ A toolbox on top ▸ Adopt unidirectional thrust ball bearing and transverse bar bearing structure ▸ Effortless handling by the upper roll bar ▸ Optional machine placement rack ▸ The height of the workpiece can be placed



ANGLE GRINDER

CYC-TOOLS
SOLUTION DESTINATION



S1M-KZ31-230

2500W | 230-240V | 6500 | 230mm | M14

ANGLE GRINDER





	S1M-KZ34-115	S1M-KZ34-115G S1M-KZ34-115GH
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	650W	750/850W
No Load Speed	12,000min^{-1}	12,000min^{-1}
Disc Size	ø115/125mm	ø115/125mm
Accessory	1pc auxiliary handle 1pc spanner	1pc auxiliary handle 1pc spanner
Packing	Color box	Color box
Qty/Carton	6 pc	6 pc
Carton Size	41×32×26cm	41×32×26cm
G.W/N.W	13.5/12.5 kg	13.5/12.5 kg
20GP/40GP/40HQ	5,160/10,320/11,000 pc	5,304/10,800/11,200 pc
Feature & Other	▸ With comfortable soft grip rear handle ▸ Spindle lock Sliding On/Off switch	▸ With comfortable soft grip rear handle ▸ Spindle lock Sliding On/Off switch

ANGLE GRINDER







	S1M-KZ54-115/G	S1M-KZ47-115	S1M-KZ33-115
Voltage	230V~	230-240V~	230-240V~
Frequency	50Hz	50Hz	50Hz
Power	720W/800W	710W	550W
No Load Speed	11,000min^{-1}	12,000min^{-1}	11,000min^{-1}
Disc Size	ø115/125mm	ø115/125mm	ø115mm
Accessory	1pc auxiliary handle 1pc spanner	1pc auxiliary handle 1pc spanner 1pc hex wrench	1pc auxiliary handle 1pc spanner
Packing	Color box	Color box	Color box
Qty/Carton	6 pc	6 pc	6 pc
Carton Size	36×33×20 cm	41×33×26 cm	41×32×26 cm
G.W/N.W	13/12 kg	11/10 kg	13/12 kg
20GP/40GP/40HQ	7,200/15,000/17,000 pc	5,202/11,400/12,000 pc	5,304/10,800/11,220 pc
Feature & Other	▸ Side switch ▸ Long life time motor or heavy duty use	▸ Switch on bottom ▸ No need extra switch restart prevention device	▸ With comfortable soft grip rear handle ▸ Spindle lock Sliding On/Off switch

ANGLE GRINDER





	S1M-KZ52-115	S1M-KZ48-115
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	750W	750W
No Load Speed	12,000min^{-1}	11,000min^{-1}
Disc Size	ø115/125mm	ø115/125mm
Accessory	1pc auxiliary handle 1pc spanner 1pc hex wrench	1pc auxiliary handle 1pc spanner 1pc hex wrench
Packing	Color box	Color box
Qty/Carton	6 pc	6 pc
Carton Size	45×41×26 cm	45×41×26 cm
G.W/N.W	12/11 kg	12/11 kg
20GP/40GP/40HQ	3,700/7,500/7,800 pc	3,700/7,500/7,800 pc
Feature & Other	▸ Switch on bottom ▸ No need extra switch restart prevention device	▸ With comfortable soft grip handle ▸ Slide On/Off switch

ANGLE GRINDER





	S1M-KZ49-125	S1M-KZ50-125(-T)
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	900W	1,200W
No Load Speed	12,000min^{-1}	12,000min-1
Disc Size	ø125mm	ø125mm
Accessory	1pc auxiliary handle 1pc spanner 1pc hex wrench	1pc auxiliary handle 1pc spanner 1pc hex wrench
Packing	Color box	Color box
Qty/Carton	6 pc	6 pc
Carton Size	45×45×26 cm	45×41×26 cm
G.W/N.W	15/14 kg	16/15 kg
20GP/40GP/40HQ	3,600/7,200/7,800 pc	3,700/7,500/7,800 pc
Feature & Other	▸ With comfortable soft grip rear handle	▸ With comfortable soft grip rear handle ▸ Quick change carbon brush ▸ Viriable Speed control as optional function. Speed 3,000~12,000min^{-1}

ANGLE GRINDER





	S1M-KZ31-230Z S1M-KZ31-230ZG	S1M-KZ31-230 S1M-KZ31-230G
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	2,000/2,100W	2,000/2,100W
No Load Speed	6,500min^{-1}	6,500min^{-1}
Disc Size	ø230mm	ø230mm
Accessory	1pc auxiliary handle 1pc spanner 1pc 6mm hex wrench	1pc auxiliary handle 1pc spanner 1pc 6mm hex wrench
Packing	Color box	Color box
Qty/Carton	2 pc	2 pc
Carton Size	56×28×19 cm	56×28×19 cm
G.W/N.W	12/11 kg	12/11 kg
20GP/40GP/40HQ	2,000/4,000/4,400 pc	2,000/4,000/4,400 pc
Feature & Other	▸ Soft start ▸ Spindle lock ▸ With comfortable soft grip rear handle ▸ Rotary handle ▸ Quick change carbon brush	▸ Soft start ▸ Spindle lock ▸ With comfortable soft grip rear handle ▸ Rotary handle ▸ Quick change carbon brush

LD-1582

ANGLE GRINDER





	S1M-KZ32-230 S1M-KZ32-230G	S1M-KZ34-230
Voltage	230-240V~	220-240V~
Frequency	50Hz	50Hz
Power	2350/2500W	2000W
No Load Speed	6,500min^{-1}	6,500min^{-1}
Disc Size	ø230mm	ø230mm
Accessory	1pc auxiliary handle 1pc spanner 1pc 6mm hex wrench	1pc auxiliary handle 1pc spanner 1pc 6mm hex wrench
Packing	Color box	Color box
Qty/Carton	2 pc	2 pc
Carton Size	56×28×19 cm	56×28×19 cm
G.W/N.W	12/11 kg	12/11 kg
20GP/40GP/40HQ	2,000/4,000/4,400 pc	2,000/4,000/4,400 pc
Feature & Other	▸ Soft start ▸ Spindle lock ▸ With comfortable soft grip rear handle ▸ Rotary handle ▸ Quick change carbon brush	▸ Soft start ▸ Spindle lock ▸ Rotary handle ▸ Quick change carbon brush

ANGLE GRINDER





	S1M-KZ61-125	S1M-KZ62-125
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	900W	1,200W
No Load Speed	3,000-12,000min^{-1}	3,000-12,000min^{-1}
Disc Size	ø115/125mm	ø115/125mm
Accessory	1pc auxiliary handle 1pc spanner	1pc auxiliary handle 1pc spanner
Packing	Color box	Color box
Qty/Carton	6 pc	6 pc
Carton Size	45×41×26 cm	45×41×26 cm
G.W/N.W	18/17 kg	18/17 kg
20GP/40GP/40HQ	3,700/7,500/7,800 pc	3,700/7,500/7,800 pc
Feature & Other	▸ With comfortable soft grip rear handle ▸ Rear handle ▸ Quick change carbon brush ▸ Variable speed control as optional, Speed 4,000-12,000min^{-1}	▸ With comfortable soft grip rear handle ▸ Rear handle ▸ Quick change carbon brush ▸ Variable speed control as optional, Speed 4,000-12,000min^{-1}

ANGLE GRINDER





	S1M-KZ32-125	S1M-KZ35-125 S1M-KZ35-125G-T
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	900W	1,050W/1,200W
No Load Speed	11,000min^{-1}	12,000min^{-1}
Disc Size	ø115/125mm	ø115/125mm
Accessory	1pc auxiliary handle 1pc spanner	1pc auxiliary handle 1pc spanner
Packing	Color box	Color box
Qty/Carton	6 pc	6 pc
Carton Size	45×41×26 cm	45×41×26 cm
G.W/N.W	17.5/16.5 kg	18/17 kg
20GP/40GP/40HQ	3,700/7,500/7,800 pc	3,700/7,500/7,800 pc
Feature & Other	▸ With comfortable soft grip rear handle ▸ Rear handle ▸ Quick change carbon brush	▸ With comfortable soft grip rear handle ▸ Rear handle ▸ Quick change carbon brush

ANGLE GRINDER





	S1M-KZ37-125-T	S1M-KZ26-230
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	1150W	2,000W
No Load Speed	4,000-12,000min^{-1}	6,000min^{-1}
Disc Size	ø115/125mm	ø230mm
Accessory	1pc auxiliary handle 1pc spanner	1pc auxiliary handle 1pc spanner
Packing	Color box	Color box
Qty/Carton	2 pc	2 pc
Carton Size	56×28×19 cm	54×28×19 cm
G.W/N.W	12/11 kg	11/10.5 kg
20GP/40GP/40HQ	2,000/4,000/4,400 pc	2,000/4,000/4,400 pc
Feature & Other	▸ With comfortable soft grip rear handle ▸ Rear handle ▸ Quick change carbon brush ▸ Variable speed control	▸ Soft start ▸ Spindle lock ▸ With comfortable soft grip rear handle ▸ Rotary handle ▸ Quick change carbon brush

ANGLE GRINDER





	S1M-KZ26-230G	S1M-KZ27-230 S1M-KZ27-230G
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	2,150W	2,350W/2,500W
No Load Speed	6,000min^{-1}	6,500min^{-1}
Disc Size	ø230mm	ø230mm
Accessory	1pc auxiliary handle 1pc spanner	1pc auxiliary handle 1pc spanner
Packing	Color box	Color box
Qty/Carton	2 pc	2 pc
Carton Size	54×28×19 cm	58×28×19 cm
G.W/N.W	11/10.5 kg	13/12 kg
20GP/40GP/40HQ	2,000/4,000/4,400 pc	1,900/3,800/4,000 pc
Feature & Other	▸ Soft start ▸ Spindle lock ▸ With comfortable soft grip D type rear handle ▸ Rotary handle ▸ Quick change carbon brush	▸ Soft start ▸ Spindle lock ▸ With comfortable soft grip D type rear handle ▸ Rotary handle ▸ Quick change carbon brush

IMPACT DRILL

CYC-TOOLS
SOLUTION DESTINATION



Z1JE-KZ7-16

1050W | 230-240V | 0-1000/2800 | 16mm

LD-1582

IMPACT DRILL



	Z1JE-KZ39-13	Z1JE-KZ40-13 Z1JE-KZ40-13G	Z1JE-KZ41-13
Voltage	230-240V~	230-240V~	230-240V~
Frequency	50Hz	50Hz	50Hz
Power	600W	710/810W	910W
No Load Speed	0-2,800min^{-1}	0-2,800min^{-1}	0-2,800min^{-1}
	13mm key chuck	13mm key chuck	13mm key chuck
Working Capacity			
Metal	Max.13mm	Max.13mm	Max.13mm
Wood	Max.25mm	Max.25mm	Max.25mm
Concrete	Max.16mm	Max.16mm	Max.16mm
	Forward/Reverse	Forward/Reverse	Forward/Reverse
Accessory	1pc plastic auxiliary handle 1pc chuck key 1pc plastic rod	1pc plastic auxiliary handle 1pc chuck key 1pc plastic rod	1pc metal auxiliary handle 1pc chuck key 1pc metal rod
Packing	Color box	Color box	Color box
Qty/Carton	10 pc	10 pc	10 pc
Carton Size	54×42×33 cm	54×42×33 cm	54×42×33 cm
G.W/N.W	14/13.2 kg	23/21 kg	28/26 kg
20GP/40GP/40HQ	3,600/7,500/8,100 pc	3,600/7,500/8,100 pc	3,600/7,500/8,100 pc
Feature & Other	▸ Comfortable soft grip handle ▸ Forward and reverse rotation ▸ Variable speed switch	▸ Comfortable soft grip handle ▸ Forward and reverse rotation ▸ Variable speed switch	▸ Comfortable soft grip handle ▸ Forward and reverse rotation ▸ Variable speed switch ▸ Aluminum gear box housing

IMPACT DRILL





	Z1JE-KZ30-13	Z1JE-KZ33-13
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	550W	710W
No Load Speed	0-2,800min^{-1}	0-2,800min^{-1}
	13mm key chuck	13mm key chuck
Working Capacity		
Metal	Max.13mm	Max.13mm
Wood	Max.25mm	Max.25mm
Concrete	Max.16mm	Max.16mm
	Forward/Reverse	Forward/Reverse
Accessory	1pc plastic auxiliary handle 1pc chuck key 1pc plastic rod	1pc plastic auxiliary handle 1pc chuck key 1pc plastic position rod
Packing	Color box	Color box
Qty/Carton	10 pc	10 pc
Carton Size	54×42×33 cm	54×42×33 cm
G.W/N.W	22/20 kg	23/21 kg
20GP/40GP/40HQ	3,600/7,500/8,100 pc	3,600/7,500/8,100 pc
Feature & Other	▸ Comfortable soft grip handle ▸ Forward and reverse rotation ▸ Variable speed switch	▸ Comfortable soft grip handle ▸ Forward and reverse rotation ▸ Variable speed switch

IMPACT DRILL







	Z1JE-KZ29-13	Z1JE-KZ31-13	Z1JE-KZ7-16
Voltage	230-240V~	230-240V~	230-240V~
Frequency	50Hz	50Hz	50Hz
Power	810W	850W	1,050W
No Load Speed	0-2,800min^{-1}	0-2,800min^{-1}	0-1,000/0-2,800min^{-1}
	13mm key chuck	13mm key chuck	16mm key chuck
Working Capacity			
Metal	Max.13mm	Max.13mm	Max.16mm
Wood	Max.25mm	Max.25mm	Max.30mm
Concrete	Max.16mm	Max.16mm	Max.22mm
	Forward/Reverse	Forward/Reverse	Forward/Reverse
Accessory	1pc plastic auxiliary handle 1pc chuck key 1pc plastic position rod	1pc metal auxiliary handle 1pc chuck key 1pc metal position rod	1pc metal auxiliary handle 1pc chuck key 1pc metal position rod
Packing	Color box	Color box	Color box
Qty/Carton	10 pc	10 pc	10 pc
Carton Size	54×42×33 cm	54×42×33 cm	56×41×29.5 cm
G.W/N.W	23/21 kg	29/27 kg	22/21 kg
20GP/40GP/40HQ	3,600/7,500/8,100 pc	3,900/7,800/8,000 pc	2,800/5,600/5,800 pc
Feature & Other	▸ Comfortable soft grip handle ▸ Forward and reverse rotation ▸ Variable speed switch	▸ Comfortable soft grip handle ▸ Forward and reverse rotation ▸ Variable speed switch ▸ Aluminum gear box housing	▸ Comfortable soft grip handle ▸ Forward and reverse rotation ▸ Variable speed switch ▸ Aluminum gear box housing ▸ Two mechanical speed setting

IMPACT DRILL





	J1ZE-KZ13-10A	J1ZE-KZ21-10A
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	240W	300W
No Load Speed	0-800min^{-1}	0-800min^{-1}
Chuck Size	10mm keyless chuck	10mm keyless chuck
Working Capacity		
Metal	Max.10mm	Max.10mm
Wood	Max.20mm	Max.20mm
Max.torque	12.5N.m	16N.m
Packing	Color box	Color box
Qty/Carton	10 pc	10 pc
Carton Size	48×32×23 cm	48×32×23 cm
G.W/N.W	15.1/14.5 kg	16/15 kg
20GP/40GP/40HQ	8,200/16,400/17,200 pc	7,600/15,200/16,000 pc
Feature & Other	▸ 16 Torque setting ▸ Forward and reverse rotation	▸ 16 Torque setting ▸ Forward and reverse rotation



LD-1582



ROUTER



	M1R-KZ18-8
Voltage	220-240V~
Frequency	50HZ
Power	1,200W
No Load Speed	11,000-30,000min^{-1}
Max Working Depth	55mm
	Depth adjustable
	Depth fine adjuster
Accessory	1pc parallel guide 1pc dust collect tube 1pc 6/8mm collet adaptor 1pc profile board 1pc nip needle 1pc spanner
Packing	Color box
Qty/Carton	4 pc
Carton Size	66×31×28 cm
G.W/N.W	17/16 kg
20GP/40GP/40HQ	1,750/3,500/3,500 pc
Feature & Other	▸ Variable speed ▸ Spindle lock ▸ Aluminum base

ROUTER





	M1R-KZ6-12	M1R-KZ7-12
Voltage	230-240V~	230-240V~
Frequency	50HZ	50HZ
Power	1,800W	1,600W
No Load Speed	8,000-22,000min^{-1}	8,000-22,000min^{-1}
Max Working Depth	50mm	50mm
	Depth adjustable	Depth adjustable
	Depth fine adjuster	Depth fine adjuster
Accessory	1pc parallel guide 1pc dust collect tube 1pc 8/12mm collet adaptor 1pc profile board 1pc nip needle 1pc spanner	1pc parallel guide 1pc dust collect tube 1pc 8/12mm collet adaptor 1pc profile board 1pc nip needle 1pc spanner
Packing	Color box	Color box
Qty/Carton	2 pc	2 pc
Carton Size	38×32×33 cm	38×32×33 cm
G.W/N.W	11.5/11 kg	11.5/11 kg
20GP/40GP/40HQ	1,200/2,400/2,500 pc	1,200/2,400/2,500 pc
Feature & Other	▸ Variable speed ▸ Comfortable soft grip handle ▸ Spindle lock ▸ Aluminum base ▸ With constant power and soft start	▸ Variable speed ▸ Comfortable soft grip handle ▸ Spindle lock ▸ Aluminum base ▸ With soft start

LD-1582

ROUTER





	M1R-KZ6-8	M1R-KZ8-8
Voltage	230-240V~	230-240V~
Frequency	50HZ	50HZ
Power	1,200W	1,200W
No Load Speed	11,000-28,000min^{-1}	11,000-30,000min^{-1}
Disc Size	55mm	55mm
	Depth adjustable	Depth adjustable
	Depth fine adjuster	Depth fine adjuster
Accessory	1pc parallel guide 1pc dust collect tube 1pc 6/8mm collet adaptor 1pc profile board 1pc nip needle 1pc spanner	1pc parallel guide 1pc dust collect tube 1pc 6/8mm collet adaptor 1pc profile board 1pc nip needle 1pc spanner
Packing	Color box	Color box
Qty/Carton	4 pc	4 pc
Carton Size	66×31×28 cm	66×31×28 cm
G.W/N.W	17/16 kg	17/16 kg
20GP/40GP/40HQ	1,750/3,500/3,600 pc	1,750/3,500/3,600 pc
Feature & Other	▸ Variable speed ▸ Comfortable soft grip handle ▸ Spindle lock ▸ Aluminum base ▸ With constant power and soft start	▸ Variable speed ▸ Comfortable soft grip handle ▸ Spindle lock ▸ Aluminum base

MULTI-FUNCTION TOOL

CYC-TOOLS
SOLUTION DESTINATION



Q1D-KZ5-80

350W | 230-240V | 15000-22000 | 3.5°


MULTI- FUNCTION TOOL



	Q1D-KZ2-80	Q1D-KZ3-80	Q1D-KZ5-80
Voltage	230-240V~	230-240V~	230-240V~
Frequency	50Hz	50Hz	50Hz
Power	300W	250W	300W
No Load Speed	15,000-22,000min^{-1}	15,000-22,000min^{-1}	12,000-22,000min^{-1}
Oscillating Angle	3.1°	3.1°	3.5°
Accessory	1pc hex key 3 pc sandpaper (60/80/100#) 1pc triangle sand disc 1pc straight saw blade for wood 1pc scraper	1pc hex key 3 pc sandpaper (60/80/100#) 1pc triangle sand disc 1pc straight saw blade for wood 1pc scraper	13 pc sandpaper (60/80/100#) 1pc triangle sand disc 1pc straight saw blade for wood 1pc scraper
Packing	Color box	Color box	Color box
Qty/Carton	10 pc	10 pc	10 pc
Carton Size	47×32×21 cm	47×32×21 cm	47×32×21 cm
G.W/N.W	15/13 kg	15/13 kg	15/13 kg
20GP/40GP/40HQ	9,200/19,250/21,000 pc	9,200/19,250/21,000 pc	9,200/19,250/21,000 pc
Feature & Other	▸ Aluminum gear housing ▸ Comfortable soft grip handle ▸ Compact, ergonomic design	▸ Aluminum gear housing ▸ Comfortable soft grip handle ▸ Compact, ergonomic design	▸ Tool-free accessory change ▸ Aluminum gear housing with plastic cover ▸ LED working light ▸ Comfortable soft grip handle ▸ Variable speed control

CHAIN SAW SHARPENER & CIRCULARSAW & MULTI SAW

CYC-TOOLS
SOLUTION DESTINATION



LD-1582

CHAIN SAW SHARPENER & CIRCULAR SAW & MULTI SAW





	M1Y-KZ2-85	M0J-KZ4-100
Voltage	230-240V~	220-240V~
Frequency	50Hz	50Hz
Power	500W	750W
No Load Speed	7,000min^{-1}	12,000min^{-1}
Blade Size	85mm	100mm
Max Cutting Depth	25mm	20mm
Accessory	1pc hex key 1pc parallel guide 1pc dust tube Blade 1pc 1C1 Blade (85×10×1.5mm; 20 teeth)	1pc hex key 1pc parallel guide 1pc blade
Packing	BMC color sleeve	Color box
Qty/Carton	4 pc	2 pc
Carton Size	54×34×35 cm	42×30×23 cm
GW/NW	13.5/11.5 kg	10/9 kg
20GP/40GP/40HQ	1,700/3,500/4,100 pc	2,064/4,272/4,752 pc
Feature & Other	• With laser • Soft grip • With overload protection • Cutting depth adjustment	• With laser • Soft grip • With overload protection • Cutting depth adjustment

CHAIN SAW SHARPENER & CIRCULAR SAW & MULTI SAW

CHAIN SAW SHARPENER & CIRCULAR SAW & MULTI SAW





	M1Y-KZ-89	M1Y-KZ2-125
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	710W	1,000W
No Load Speed	5,500min⁻¹	5,300min⁻¹
Blade Size	89mm	125mm
Max Cutting Depth	28mm	40mm
Accessory	1pc hex key 1pc parallel guide 1pc dust tube	1pc hex key 1pc parallel guide 1pc blade
Packing	Color box	Color box
Qty/Carton	2 pc	2 pc
Carton Size	45.5×27×28 cm	42×30×23 cm
G.W/N.W	10.5/10 kg	10/9 kg
20GP/40GP/40HQ	1,900/3,800/4,200 pc	2,064/4,272/4,752 pc
Feature & Other	▸ With laser ▸ Soft grip ▸ Cutting depth adjustment	▸ With laser ▸ Soft grip ▸ With overload protection ▸ Cutting depth adjustment





	J1Y-KZ-235	J1Y-KZ-185
Voltage	220V	220V
Frequency	50Hz	50Hz
Power	1,800W	1,800W
No Load Speed	3,500min⁻¹	3,500min⁻¹
Blade Size	235mm	185mm
Max Cutting Depth	65mm	
Accessory		
Packing	Color box	Color box
Qty/Carton	1 pc	1 pc
Carton Size		
G.W/N.W		
20GP/40GP/40HQ		
Feature & Other		

CHAIN SAW SHARPENER & CIRCULAR SAW & MULTI SAW





	J1M-KZ5-100	J1M-KZ4-100/H
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	130W	130W/220W
No Load Speed	6,000min^{-1}	3,000/7,500min^{-1}
Working Table Angle Adjustable	+/-30°	+/-30°
Disc Size	100×10×3.5mm	100×10×3.5mm
Accessory	2 pc hex keys 1pc spanner 1pc wrench 2 pc M8×80mm hex screw 2 pc gasket 2 pc M8 nuts	2 pc hex keys 1pc spanner 1pc wrench 2 pc M8×80mm hex screw 2 pc gasket 2 pc M8 nuts
Packing	Color box	Color box
Qty/Carton	6 pc	6 pc
Carton Size	59×32×42 cm	59×32×42 cm
G.W/N.W	17/16 kg	17/16 kg
20GP/40GP/40HQ	1,950/4,000/4,800 pc	1,950/4,000/4,800 pc

Feature & Other

CHAIN SAW SHARPENER & CIRCULAR SAW & MULTI SAW





	J1M-KZ7-100	J1M-KZ3-145
Voltage	230-240V~	230-240V~
Frequency	50Hz	50Hz
Power	130W	160W
No Load Speed	6,000min^{-1}	3,000min^{-1}
Working Table Angle Adjustable	+/-30°	+/-40° Adjustable bevel angle 40-90°
Disc Size	100×10×3.5mm	145×22.2×3.5mm
Accessory	2 pc hex keys 1pc spanner 1pc wrench 2 pc M8×80mm hex screw 2 pc gasket 2 pc M8 nuts	2 pc hex keys 1pc spanner 2 pc M8 nuts 2 pc M8×100mm hex screw 1pc M8×50mm hex screw 1pc M8×20mm hex screw
Packing	Color box	Color box
Qty/Carton	6 pc	1 pc
Carton Size	59×32×42 cm	47.5×34×21 cm
G.W/N.W	17/16 kg	7.7/6 kg
20GP/40GP/40HQ	1,950/4,000/4,800 pc	870/1,800/1,950 pc

Feature & Other

- Induction motor
- Magnet switch
- Quick clamp saw chain

HAMMER

ANTI-VIBRATION HANDLE WITH SOFT GRIP
Vibration absorption and soft grip
for comfortable operation

CYC-TOOLS
SOLUTION DESTINATION

THREE FUNCTIONS
Select function among drill,
Hammer drill and chisel



SDS BIT CHANGE SYSTEM
For quick bit replacement

ADJUSTABLE 360° SIDE HANDLE
For maximum control and comfort

VARIABLE SPEED CONTROL
Speed regulation to match
different applications

Z1C-KZ6-32T

1500W | 220V-50Hz | 930 | 28mm | 4500mm



	Z1C-KZ9-30	Z1C-KZ8-32T	Z1C-KZ6-32T
Voltage	230-240V~	230-240V~	230-240V~
Frequency	50Hz	50Hz	50Hz
Power	850W	1,500W	1,500W
No Load Speed	1,200min⁻¹	0-930min⁻¹	0-930min⁻¹
Impact Rate	0-4,700bpm	0-4,600bpm	0-4,600bpm
Drilling Capacity			
Steel	Max.13mm	Max.13mm	Max.13mm
Concrete	Max.26mm	Max.32mm	Max.26mm
Wood	Max.40mm	Max.40mm	Max.40mm
	4J	5J	5J
Impact Energy	SDS-Plus	SDS-Plus	SDS-Plus
Accessory	3 pc drills (8×150mm,10×150mm,12×150mm) 2 pc chisels: flat chisel 14×250mm point chisel 14×250mm 1pc dust cover 1pc auxiliary handle 1pc depth gauge	3 pc drills (8×150mm,10×150mm,12×150mm) 2 pc chisels: flat chisel 14×250mm point chisel 14×250mm 1pc dust cover 1pc auxiliary handle 1pc depth gauge	3 pc drills (8×150mm,10×150mm,12×150mm) 2 pc chisels: flat chisel 14×250mm point chisel 14×250mm 1pc dust cover 1pc auxiliary handle 1pc depth gauge
Packing	BMC+Color sleeve	BMC+Color sleeve	BMC+Color sleeve
Qty/Carton	2 pc	2 pc	2 pc
Carton Size	47×36×26 cm	47×36×26 cm	47×36×26 cm
G.W/N.W	14/12 kg	16/14 kg	16/14 kg
20GP/40GP/40HQ	1,280/2,700/3,000 pc	1,280/2,700/3,000 pc	1,280/2,700/3,000 pc
Feature & Other	• Four functions: Drill, Hammer, Chisel, chisel(change position) • Portable compact hammer	• Three functions: Drill, Hammer, Chisel • With Anti-vibration, soft grip handle • Keyed chuck with adaptor as optional accessory • Variable speed control	• Three functions: Drill, Hammer, Chisel • With Anti-vibration, soft grip handle • Keyed chuck with adaptor as optional accessory • Variable speed control

HAMMER





	Z1C-KZ5-30	Z1C-KZ9-26
Voltage	230~240V~	230~240V~
Frequency	50Hz	50Hz
Power	1,200W	900W
No Load Speed	950min^{-1}	930min^{-1}
Impact Rate	4,600bpm	4,450bpm
Drilling Capacity		
Steel	Max.13mm	Max.13mm
Concrete	Max.30mm	Max.26mm
Wood	Max.40mm	Max.40mm
	4J	4J
Impact Energy	SDS-Plus	SDS-Plus
Accessory	3 pc drills (8×150mm,10×150mm,12×150mm) 2 pc chisels: flat chisel 14×250mm, point chisel 14×250mm 1pc dust cover, 1pc auxiliary handle, 1pc depth gauge	3 pc drills (8×150mm,10×150mm,12×150mm) 2 pc chisels: flat chisel 14×250mm, point chisel 14×250mm 1pc dust cover, 1pc auxiliary handle, 1pc depth gauge
Packing	BMC+Color sleeve	BMC+Color sleeve
Qty/Carton	2 pc	2 pc
Carton Size	47×36×26 cm	47×36×26 cm
G.W/N.W	16/14 kg	16/14 kg
20GP/40GP/40HQ	1,280/2,700/3,000 pc	1,280/2,700/3,000 pc
Feature & Other	▸ Three functions: Drill, Hammer, Chisel ▸ Keyed chuck with adaptor as optional accessory	▸ Three functions: Drill, Hammer, Chisel ▸ Keyed chuck with adaptor as optional accessory



SP623(J0Z-KZ6-12)

Voltage	12V
Battery Capacity	1.3/1.5/2.0Ah(Lithium)
No Load Speed	0-350/0-1,300min⁻¹
Chuck Size	10mm
Max Torque	22N.m.

Packing	Color box
Qty/Carton	5 pc
Carton Size	32x27.5x22.5 cm
G.W/N.W	8/7 kg
20GP/40GP/40HQ	7,000/14,000/17,000 pc

Accessory 1pc 3-5hr charger

- LED light
- Comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature
- Brushless motor
- Compact size
- Forward/Reverse



SPB651(J0Z-KZ3-16BL)

Voltage	12V
Battery Capacity	2.0Ah
No Load Speed	0-400/0-1,600min⁻¹
Chuck Size	10mm
Max Torque	40N.m.
	whole metal keyless chuck

Packing	Color box
Qty/Carton	5 pc
Carton Size	32×27.5×22.5 cm
G.W/N.W	8/7 kg
20GP/40GP/40HQ	7,000/14,000/17,000 pc

Accessory 1pc 3-5hr charger

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature



SPB681(J0Z-KZ5-18BL-H)

Battery Voltage	18V
Battery capacity	2.0Ah
No-load speed	0-400/0-1,600min⁻¹
Chuck size	10mm
Max torque	40N.m.
	whole metal keyless chuck

Packing	color box
Qty/Carton	5 pc
Carton Size	39.5×28.5×22.5 cm
G.W/N.W	9/8 kg
20GP/40GP/40HQ	5,500/11,000/13,000 pc

Accessory 1pc 3-5hr charger

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature



CORDLESS
POWER TOOLS

SP623C(J0Z-KZ6-12)

Voltage	16V
Battery Capacity	1.3/1.5/2.0Ah(Lithium)
No Load Speed	0-350/0-1,300min⁻¹
Chuck Size	10mm
Max Torque	22N.m.

Packing	Color box
Qty/Carton	5 pc
Carton Size	32x27.5x22.5 cm
G.W/N.W	8/7 kg
20GP/40GP/40HQ	7,000/14,000/17,000 pc

Accessory 1pc 3-5hr charger

- LED light
- Comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature
- Brushless motor
- Compact size
- Forward/Reverse



SPB651C(Z0J-KZ3-16BL)

Voltage	16V
Battery Capacity	2.0Ah
No Load Speed	0-400/0-1,600min⁻¹
Chuck Size	10mm
Max Torque	41N.m.
	whole metal keyless chuck

Packing	Color box
Qty/Carton	5 pc
Carton Size	32×27.5×22.5 cm
G.W/N.W	8/7 kg
20GP/40GP/40HQ	7,000/14,000/17,000 pc

Accessory 1pc 3-5hr charger

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature



SPB681C(Z0J-KZ5-18BL-H)

Battery Voltage	18V
Battery capacity	2.0Ah
No-load speed	0-400/0-1,600min⁻¹
Chuck size	10mm
Max torque	40N.m.
	whole metal keyless chuck

Packing	color box
Qty/Carton	5 pc
Carton Size	39.5×28.5×22.5 cm
G.W/N.W	9/8 kg
20GP/40GP/40HQ	5,500/11,000/13,000 pc

Accessory 1pc 3-5hr charger

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature



SP691(J0Z-KZ6-18-H)

Battery Voltage	18V
Battery Capacity	1.3/1.5/2Ah
No Load Speed	0-350/0-1,350min⁻¹
Chuck Size	10mm
Max Torque	22N.m

Packing	Color box
Qty/Carton	5 pc
Carton Size	38.5x28.5x22.5 cm
G.W/N.W	9/8 kg
20GP/40GP/40HQ	5,500/11,000/13,000 pc

Accessory 1pc 3-5hr charger

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature



SP696

Voltage	20V
Battery Capacity	1.3/1.5/2.0Ah
No Load Speed	0-2,000min⁻¹
Impact Rate	0-30,000BPM
Chuck Size	1/2" (13mm)
Max Torque	80N.m
Torque Setting	20+1

Packing	Color box
Qty/Carton	5 pc
Carton Size	39.5×28.5×22.5 cm
G.W/N.W	9/8 kg
20GP/40GP/40HQ	5,500/11,000/13,000 pc

Accessory 1pc 3-5hr charger
1pc 50mm screwdriver bit

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature
- Belt buckle as optional accessory



SPB693(P0B-KZ4-18BL)

Battery Voltage	18V
Battery capacity	2.0Ah
No Load Speed	0-1,100/0-2,100/0-3,200min⁻¹
Max Torque	200N.m

Packing	color box
Qty/Carton	5 PC
Carton Size	39.5×28.5×22.5 cm
G.W/N.W	9/8 kg
20GP/40GP/40HQ	5,500/11,000/13,000 pc

Accessory 1pc 3-5hr charger

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature
- Belt buckle as optional accessory



CORDLESS
POWER TOOLS

SP691C(Z0J-KZ6-18-H)

Battery Voltage	18V
Battery Capacity	1.3/1.5/2Ah
No Load Speed	0-350/0-1,350min⁻¹
Chuck Size	10mm
Max Torque	23N.m

Packing	Color box
Qty/Carton	5 pc
Carton Size	38.5x28.5x22.5 cm
G.W/N.W	9/8 kg
20GP/40GP/40HQ	5,500/11,000/13,000 pc

Accessory 1pc 3-5hr charger

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature



SP696C

Voltage	20V
Battery Capacity	1.3/1.5/2.0Ah
No Load Speed	0-2,000min⁻¹
Impact Rate	0-30,000BPM
Chuck Size	1/2" (13mm)
Max Torque	80N.m
Torque Setting	20+1

Packing	Color box
Qty/Carton	5 pc
Carton Size	39.5×28.5×22.5 cm
G.W/N.W	9/8 kg
20GP/40GP/40HQ	5,500/11,000/13,000 pc

Accessory 1pc 3-5hr charger
1pc 50mm screwdriver bit

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature
- Belt buckle as optional accessory



SPB695 (P0B-KZ5-18BL)

Battery Voltage	18V
Max torque	300N.m
Revolution	2,700/1,700RPM
Frequency	2,200/1,800/1,500BPM
Square head	1/2(12.7mm)with M24 sleeve

Packing	color box
Qty/Carton	5 PC
Carton Size	39.5×28.5×22.5 cm
G.W/N.W	9/8 kg
20GP/40GP/40HQ	5,500/11,000/13,000 pc

Accessory 1pc 3-5hr charger

- With LED light
- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature
- Belt buckle as optional accessory



SP901(S0M-KZ4-125-H)

Battery Voltage	18V
Battery Capacity	2.0/4.0Ah
Grinding Disc Size	125mm
No-load speed	0-8,500min⁻¹

Accessory 1pc 3-5hr charger

- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature

Packing	
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	



SP905(S0M-KZ3-125-H)

Voltage	18V
Battery Capacity	2.0/4.0Ah
No Load Speed	0-8,500min⁻¹
Disc Diameter	115/125mm

Accessory 1pc 3-5hr charger

- Soft grip handle
- Power light indicator
- Battery manage system control

Packing	Color box
Qty/Carton	10 pc
Carton Size	47×38×36 cm
G.W/N.W	24/22 kg
20GP/40GP/40HQ	4,500/9,000/10,000 pc



SP906(S0M-KZ6-125-H)

Voltage	18V
Battery Capacity	2.0/4.0Ah
Cutting capacity	0-8,500min⁻¹

Accessory 1pc 3-5hr charger

- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature

Packing	
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	



CORDLESS
POWER TOOLS

SPB901(S0M-KZ7-125BL)

Voltage	18v
Battery Capacity	2.0/4.0Ah
Cutting capacity	8,500min⁻¹

Accessory 1pc 3-5hr charger

Packing	
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	



SPB902(S0M-KZ5-125BL)

Voltage	18v
Battery Capacity	2.0/4.0Ah
Cutting capacity	0-9,000min⁻¹

Accessory 1pc 3-5hr charger

- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature

Packing	
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	



SP571(J0X-KZL-210-H)

Voltage	18V
Battery Capacity	4.0Ah
No Load Speed	4,200min⁻¹
Blade Diameter	210mm*30mm*24t
Miter/bevel 0/0°	55×120mm(height/width)
Miter/bevel 45/0°	55×80mm(height/width)
Miter/bevel 0/45°	30×120mm(height/width)
Miter/bevel 45/45°	30×80mm(height/width)

Accessory
1pc 4.0Ah battery
1pc charger
1pc Clamp
1pc hex key
1pc dust collection bag
1pair extension bar

- Turntable base with precise angle adjustment 45°left &right
- Angle positions: 0°/15°/22.5°/30°45°
- Clamping device for holding the work piece securely
- Laser as optional accessory

Packing	Color box
Qty/Carton	1 pc
Carton Size	48×33×33 cm
G.W/N.W	11.5/7.6 kg
20GP/40GP/40HQ	168/1,176/1,520 pc



SPB201(Z0C-KZ-20BL)

Voltage	18V
Battery Capacity	2.0/4.0Ah
No Load Speed	0-1,400min⁻¹
Impact Rate	4,600bpm

Accessory 1pc 3-5hr charger



- Soft grip handle
- Power light indicator
- Battery manage system control

Packing	Color box
Qty/Carton	4 pc
Carton Size	50x41.5x33.5 mm
G.W/N.W	18.5/18 kg
20GP/40GP/40HQ	1,650/3,300/3,900 pc



SPB202(Z0C-KZ3-20BL-H)

Voltage	20V
Battery Capacity	2.0/4.0Ah
No Load Speed	950min⁻¹
Impact Rate	4,200bpm

Accessory 1pc 3-5hr charger



- Soft grip handle
- Power light indicator
- Battery manage system control

Packing	Color box
Qty/Carton	4 pc
Carton Size	50x41.5x33.5 mm
G.W/N.W	18.5/18 kg
20GP/40GP/40HQ	1,650/3,300/3,900 pc



SPB204(Z0C-KZ-26BL-H)

Voltage	20V
Battery Capacity	2.0/4.0Ah
No load speed	950min⁻¹
Impact Rate	4,200bpm
Chuck Size	13mm

Accessory 1pc 3-5hr charger



- Soft grip handle
- Power light indicator
- Battery manage system control

Packing	Color box
Qty/Carton	4 pc
Carton Size	50x41.5x33.5 mm
G.W/N.W	18.5/18 kg
20GP/40GP/40HQ	1,650/3,300/3,900 pc



CORDLESS
POWER TOOLS

SP201(Z0C-KZ4-20-H)

Voltage	20v
Battery Capacity	2.0Ah
No Load Speed	800min⁻¹
Impact Rate	5,800bpm

Accessory 1pc 3-5hr charger







- Soft grip handle
- Power light indicator
- Battery manage system control

Packing	Color box
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	

SP501(M0Y-KZ-89-H)

Battery Voltage	18V
Battery Capacity	2.0Ah
Cutting depth	26.5mm
Blade size	89mm
No load speed	0-3,500min⁻¹

Accessory 1pc 3-5hr charger







Packing	
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	

SP584(M0J-KZ2-100-H)

Voltage	20V
Battery Capacity	2.0Ah
No Load Speed	6,500min⁻¹
Disc Diameter	100mm

Accessory 1pc 3-5hr charger







Packing	
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	

SPB581

Battery voltage	18V
Reciprocating stroke	20mm
Reciprocating frequency	0-2,500m/min
Cutting capacity	Steel8mm/Wood50mm/PVC190mm

Accessory 1pc 3-5hr charger



Packing
Qty/Carton
Carton Size
G.W/N.W
20GP/40GP/40HQ

SPB583

Adjustable angle	0-350°
Disc speed	Low 1,300min⁻¹ High 2,200min⁻¹
Air volume	Low 2.7m/s 9.8km/h High 4.5m/s 16.5km/h

Accessory 1pc 3-5hr charger



Packing
Qty/Carton
Carton Size
G.W/N.W
20GP/40GP/40HQ

SP6801(Q0F-KZ-18-H)

Rated Voltage	18v
No Load Speed	1,700min⁻¹
Battery capacity	2.0/4.0Ah

Accessory 1pc 3-5hr charger



Packing
Qty/Carton
Carton Size
G.W/N.W
20GP/40GP/40HQ



SP694



SP903



SP695



SP904

CORDLESS
POWER TOOLS

Q0D-KZ2-115

Voltage	18V
Battery Capacity	2.0/4.0Ah

Drill(SP694)

No Load Speed	1,200min⁻¹
Chuck Size	10mm

Angle Grinder(SP903)

No Load Speed	8,500min⁻¹
Disc Diameter	ϕ 115mm

Packing	color box
Qty/Carton	10 pc
Carton Size	47×38×35 cm
G.W/N.W	24/22 kg
20GP/40GP/40HQ	4500/9,000/10,000 pc

Accessory 1pc 3-5hr charger

- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature

Q0D-KZ-115

Voltage	18V
Battery Capacity	2.0/4.0Ah

Drill(SP695)

No Load Speed	1,200min⁻¹
Chuck Size	ϕ 10mm
Max Torque	35-40N·m

Angle Grinder(SP904)

No Load Speed	8,500min⁻¹
Disc Diameter	ϕ 115mm


Packing
Qty/Carton
Carton Size
G.W/N.W
20GP/40GP/40HQ

Accessory 1pc 3-5hr charger

- With comfortable soft grip handle
- Power light indicator
- Spindle lock as optional feature

ELECTRIC SCREWDRIVER

TOOLS
SOLUTION DESTINATION



POL-KZ3-3.7





SP603(POL-KZ3-3.7)

Rated Voltage	3.7V
No Load Speed	200min⁻¹
Max Torque	1N·m
net weight	188g

Accessory: 1pc 3-5hr charger

Packing	
Qty/Carton	
Screwdriver Size	182×35×36.5 mm
G.W/N.W	
20GP/40GP/40HQ	



SP604(POL-KZ4-3.7)

Rated Voltage	3.7V
No Load Speed	300min⁻¹
Max Torque	0.5/1/2N·m

Accessory: 1pc 3-5hr charger

Packing	
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	



SP601(POL-KZ-3.7)

Rated Voltage	3.7V
No Load Speed	200min⁻¹
Max Torque	1Nm

Accessory: 1pc 3-5hr charger

Packing	
Qty/Carton	
Carton Size	
G.W/N.W	
20GP/40GP/40HQ	

PAINT BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506001	1"	60mm	144
506002	1 1/2"	64mm	144
506003	2"	70mm	144
506004	2 1/2"	80mm	144
506005	3"	80mm	144
506006	4"	92mm	72



PAINT BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506007	1"	50mm	300
506008	1 1/2"	60mm	180
506009	2"	63mm	150
506010	2 1/2"	63mm	120
506011	3"	70mm	90



PAINT BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506012	1"	60mm	144
506013	1 1/2"	64mm	144
506014	2"	70mm	144
506015	2 1/2"	80mm	144
506016	3"	80mm	144
506017	4"	92mm	72



PAINT BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506018	25	45mm	720
506019	35	50mm	480
506020	50	56mm	360



PAINT BRUSH

Copper plated ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506021	12	44mm	360
506022	15	51mm	360
506023	18	51mm	240
506024	21	56mm	240
506025	24	57mm	240
506026	27	57mm	144
506027	30	60mm	144
506028	33	62mm	144
506029	36	64mm	72



WALL BRUSH

Ti-plated ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506030	5"	57mm	72
506031	6"	63mm	72
506032	7"	63mm	72



FLAT BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506033	30	51mm	720
506034	40	51mm	600
506035	50	51mm	480
506036	60	57mm	360
506037	70	57mm	144



FLAT BRUSH

Ti-plated ferrule / Plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506038	20	45mm	720
506039	30	45mm	720
506040	40	45mm	600
506041	50	50mm	480
506042	60	55mm	360
506043	70	57mm	144



PAINT BRUSH

Ti-plated ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506044	30	38mm	720
506045	40	38mm	600
506046	50	40mm	480
506047	60	40mm	360



FLAT BRUSH

Stainless ferrule / 2K plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506048	25	51mm	240
506049	35	56mm	240
506050	50	62mm	144
506051	70	66mm	144
506052	100	66mm	72



OVAL BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506053	25	45mm	240
506054	35	50mm	240
506055	45	55mm	120

FSC



OVAL BRUSH

Stainless ferrule / 2K plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506056	25	51mm	240
506057	35	56mm	240
506058	45	62mm	120



PAINT BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506059	2 1/2"	84mm	144
506060	3"	84mm	144

FSC



PAINT BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506061	1"	60mm	240
506062	1 1/2"	65mm	120
506063	2"	70mm	120
506064	2 1/2"	76mm	120
506065	3"	84mm	120

FSC



PAINT BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506066	1"	60mm	240
506067	1 1/2"	65mm	120
506068	2"	70mm	120
506069	2 1/2"	76mm	120
506070	3"	84mm	120

FSC



SASH BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506071	1 1/2"	66mm	144
506072	2"	70mm	144
506073	2 1/2"	75mm	144

FSC



SASH BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506074	2"	63mm	144



SASH BRUSH

Stainless ferrule / Bamboo handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506075	2"	70mm	144



PAINT BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506076	100	44mm	144
506077	120	51mm	144
506078	150	51mm	72
506079	200	57mm	72



FACADE BRUSH

Stainless ferrule / Plastic handle / Soft filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506080	70	62mm	144
506081	100	62mm	144
506082	120	62mm	72
506083	130	64mm	72



BLOCK BRUSH

Plastic ferrule / Plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506084	30x70	67mm	144
506085	30x100	77mm	144
506086	40x120	82mm	72



BLOCK BRUSH

Plastic ferrule / Plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506087	40x140	70mm	72



BLOCK BRUSH

Plastic ferrule / Plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506088	50x150	88mm	72



BLOCK BRUSH

Plastic ferrule / Plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506089	70x170	95mm	36



BLOCK BRUSH

Plastic ferrule / Plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506090	70x170	88mm	36



CEILING BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506091	30x70	56mm	144
506092	30x100	57mm	72
506093	40x120	60mm	72

FSC



CEILING BRUSH

Stainless ferrule / Wooden handle / Soft PET filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506094	30x70	55mm	144
506095	30x100	55mm	72
506096	40x120	60mm	72



CEILING BRUSH

Ti-plated ferrule / Wooden handle / Soft PET filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506097	3"	57mm	144
506098	4"	62mm	144
506099	5"	62mm	72
506100	6"	70mm	72



RADIATOR BRUSH

Ti-plated ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506101	25	44mm	480
506102	35	44mm	360
506103	50	44mm	144



RADIATOR BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506104	25	52mm	480
506105	35	52mm	360
506106	50	60mm	144
506107	60	64mm	144

FSC



RADIATOR BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506108	50	56mm	144
506109	75	60mm	72

FSC



RADIATOR BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506110	1 1/2"	45mm	144
506111	2"	50mm	144
506112	2 1/2"	50mm	72

FSC



RADIATOR BRUSH

Ti-plated ferrule / Wooden handle / Black bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506113	20	38mm	480
506114	25	44mm	480



RADIATOR BRUSH

Ti-plated ferrule / Plastic handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506115	1 "	47mm	480
506116	1 1/2"	47mm	144
506117	2"	47mm	72
506118	2 1/2"	47mm	72



ANGLED FACADE BRUSH

Stainless ferrule / Plastic handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506119	100	62mm	144
506120	130	65mm	72



PAINT BRUSH

Ti-plated ferrule / Wooden handle / Black bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506121	20	38mm	480
506122	25	45mm	480



PAINT BRUSH

Ti-plated ferrule / Wooden handle / Black bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506123	15	29mm	480
506124	25	32mm	480



ROUND BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506125	20	58mm	480
506126	25	62mm	480
506127	30	64mm	360

FSC



ROUND BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506128	11	44mm	480
506129	15	50mm	480
506130	18	57mm	360
506131	21	60mm	360
506132	25	62mm	360

FSC



ROUND BRUSH

Stainless ferrule / Wooden handle / Soft tapered filament

Art.No.	Size	Bristle visible L	Pcs/Ctn
506133	8	46mm	480
506134	10	48mm	480
506135	12	56mm	360
506136	14	63mm	360
506137	16	70mm	360
506138	18	70mm	144
506139	20	70mm	144

FSC



ROUND BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506140	22	64mm	360
506141	26	64mm	360
506142	28	64mm	144



ROUND BRUSH

Stainless ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506143	20	65mm	360
506144	25	65mm	360
506145	30	65mm	144



ARTIST BRUSH



Round aluminium ferrule / Wooden handle / White bristle

Art.No.	Size	Measurements	Pcs/Ctn
506146	2#	63x33x15	1800
506147	4#	63x33x15	1800
506148	6#	39x34x29	1200
506149	8#	39x34x29	1200
506150	10#	66x22x34	1200
506151	12#	66x22x34	1200
506152	14#	36x24x36	600
506153	16#	58x38x43	600
506154	18#	58x38x43	600
506155	20#	58x32x23	300
506156	22#	63x39x23	300
506157	24#	63x39x23	300
506158	26#	73x40x28	300
506159	28#	73x40x28	300

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / White with black bristle

Art.No.	Size	Measurements	Pcs/Ctn
506160	0#	28x27x34	2400
506161	2#	28x27x34	2400
506162	4#	28x27x34	2400
506163	6#	30x28x45	2400
506164	8#	30x29x36	1800
506165	10#	40x28x42	1800
506166	12#	40x28x29	1200
506167	14#	41x28x31	1200
506168	16#	48x31x30	960
506169	18#	54x31x30	960
506170	20#	31x31x46	600
506171	22#	31x31x46	600
506172	24#	56x32x27	480

ARTIST BRUSH



Round aluminium ferrule / Wooden handle / White with black bristle

Art.No.	Size	Measurements	Pcs/Ctn
506173	0#	28x27x34	2400
506174	2#	28x27x34	2400
506175	4#	28x27x34	2400
506176	6#	30x28x45	2400
506177	8#	30x29x36	1800
506178	10#	40x28x42	1800
506179	12#	40x28x29	1200
506180	14#	41x28x31	1200
506181	16#	48x31x30	960
506182	18#	54x31x30	960
506183	20#	31x31x46	600
506184	22#	31x31x46	600
506185	24#	56x32x27	480

ARTIST BRUSH



Round aluminium ferrule / Wooden handle / Soft PBT filament

Art.No.	Size	Measurements	Pcs/Ctn
506186	000#	33x26x24	1200
506187	00#	33x26x24	1200
506188	0#	33x26x24	1200
506189	1#	33x26x24	1200
506190	2#	33x26x24	1200
506191	3#	33x26x24	1200
506192	4#	33x38x29	1200
506193	5#	33x38x29	1200
506194	6#	34x41x18	600
506195	7#	34x41x18	600
506196	8#	45x35x19	600
506197	9#	45x35x19	600
506198	10#	56x38x23	600
506199	11#	56x38x23	600
506200	12#	38x35x32	360

ARTIST BRUSH

Flat aluminium ferrule / Wooden handle / Black bristle

Art.No.	Size	Measurements	Pcs/Ctn
506201	12#	47x44x20	2000



ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / Horse hair

Art.No.	Size	Measurements	Pcs/Ctn
506202	1/8"	42x32x36	1800
506203	1/4"	42x32x36	1800
506204	3/8"	42x32x36	1800
506205	1/2"	45x26x32	600
506206	5/8"	45x26x32	600
506207	3/4"	45x26x32	600
506208	7/8"	45x26x32	600
506209	1"	45x26x32	600

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / White with black bristle

Art.No.	Size	Measurements	Pcs/Ctn
506210	00#	39x30x52	1800
506211	0#	48x31x56	1800
506212	2#	61x37x33	1200
506213	4#	61x42x30	960
506214	6#	49x33x54	720
506215	8#	49x34x38	480
506216	10#	50x34x38	480
506217	12#	60x34x30	360

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / White bristle

Art.No.	Size	Measurements	Pcs/Ctn
506218	1#	47x29x24	1800
506219	2#	47x29x24	1800
506220	3#	47x29x24	1800
506221	4#	47x29x24	1800
506222	5#	31x30x38	1200
506223	6#	31x30x38	1200
506224	7#	35x31x28	600
506225	8#	35x31x28	600
506226	9#	45x32x30	600
506227	10#	45x32x30	600

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / Horse hair

Art.No.	Size	Measurements	Pcs/Ctn
506228	1#	33x26x24	1200
506229	2#	33x26x24	1200
506230	3#	33x26x24	1200
506231	4#	33x38x29	1200
506232	5#	33x38x29	1200
506233	6#	34x41x18	600
506234	7#	34x41x18	600
506235	8#	45x35x19	600
506236	9#	42x35x19	600
506237	10#	56x38x23	600
506238	11#	56x38x23	600
506239	12#	38x35x32	360

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / White bristle

Art.No.	Size	Measurements	Pcs/Ctn
506240	0#	28x27x34	2400
506241	2#	28x27x34	2400
506242	4#	28x27x34	2400
506243	6#	30x28x45	2400
506244	8#	30x29x36	1800
506245	10#	40x28x42	1800
506246	12#	40x28x29	1200
506247	14#	41x28x31	1200
506248	16#	48x31x30	960
506249	18#	54x31x30	960
506250	20#	31x31x46	600
506251	22#	31x31x46	600
506252	24#	56x32x27	480

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / White bristle

Art.No.	Size	Measurements	Pcs/Ctn
506253	0#	28x27x34	2400
506254	2#	28x27x34	2400
506255	4#	28x27x34	2400
506256	6#	30x28x45	2400
506257	8#	30x29x36	1800
506258	10#	40x28x42	1800
506259	12#	40x28x29	1200
506260	14#	41x28x31	1200
506261	16#	48x31x30	960
506262	18#	54x31x30	960
506263	20#	31x31x46	600
506264	22#	31x31x46	600
506265	24#	56x32x27	480

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / White bristle

Art.No.	Size	Measurements	Pcs/Ctn
506266	1#	33x26x24	1200
506267	2#	33x26x24	1200
506268	3#	33x26x24	1200
506269	4#	33x38x29	1200
506270	5#	33x38x29	1200
506271	6#	34x41x18	600
506272	7#	34x41x18	600
506273	8#	45x35x19	600
506274	9#	45x35x19	600
506275	10#	56x38x23	600
506276	11#	56x38x23	600
506277	12#	38x35x32	360

ARTIST BRUSH



Round aluminium ferrule / Wooden handle / White bristle

Art.No.	Size	Measurements	Pcs/Ctn
506278	1#	33x26x24	1200
506279	2#	33x26x24	1200
506280	3#	33x26x24	1200
506281	4#	33x38x29	1200
506282	5#	33x38x29	1200
506283	6#	34x41x18	600
506284	7#	34x41x18	600
506285	8#	45x35x19	600
506286	9#	45x35x19	600
506287	10#	56x38x23	600
506288	11#	56x38x23	600
506289	12#	38x35x32	360

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / Soft PBT filament

Art.No.	Size	Measurements	Pcs/Ctn
506290	0#	42x27x23	2400
506291	2#	42x27x23	2400
506292	4#	42x27x23	2400
506293	6#	43x32x26	2400
506294	8#	45x36x29	2400
506295	10#	40x25x30	1200
506296	12#	47x25x36	1200
506297	14#	47x25x26	960
506298	16#	52x26x21	600
506299	18#	52x26x21	600
506300	20#	33x26x41	480

ARTIST BRUSH



Round aluminium ferrule / Wooden handle / Soft PBT filament

Art.No.	Size	Measurements	Pcs/Ctn
506301	000#	42x27x23	2400
506302	00#	42x27x23	2400
506303	0#	42x27x23	2400
506304	1#	42x27x23	2400
506305	2#	42x27x23	2400
506306	3#	42x27x23	2400
506307	4#	42x27x23	2400
506308	6#	43x32x26	2400
506309	8#	45x36x29	2400
506310	10#	40x25x30	1200
506311	12#	47x25x36	1200
506312	14#	47x25x26	960
506313	16#	52x26x21	600
506314	18#	52x26x21	600
506315	20#	33x26x41	480

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / White bristle

Art.No.	Size	Measurements	Pcs/Ctn
506316	0#	28x37x34	2400
506317	2#	28x37x34	2400
506318	4#	28x37x34	2400
506319	6#	30x28x45	2400
506320	8#	30x29x36	1800
506321	10#	40x28x42	1800
506322	12#	40x28x29	1200
506323	14#	41x28x31	1200
506324	16#	48x31x30	960
506325	18#	54x31x30	960
506326	20#	31x31x46	600
506327	22#	31x31x46	600
506328	24#	56x32x27	480

ARTIST BRUSH



Round aluminium ferrule / Wooden handle / Horse hair

Art.No.	Size	Measurements	Pcs/Ctn
506329	00#	42x19x24	1800
506330	0#	42x19x24	1800
506331	1#	42x19x24	1800
506332	2#	42x19x24	1800
506333	3#	42x19x24	1800
506334	4#	38x28x24	1800
506335	5#	38x28x17	1200
506336	6#	41x28x22	1200
506337	7#	27x20x22	600
506338	8#	27x20x22	600
506339	9#	35x21x24	600

ARTIST BRUSH



Flat aluminium ferrule / Wooden handle / Horse hair

Art.No.	Size	Measurements	Pcs/Ctn
506340	00#	42x19x24	1800
506341	0#	42x19x24	1800
506342	1#	42x19x24	1800
506343	2#	42x19x24	1800
506344	3#	42x19x24	1800
506345	4#	38x28x24	1800
506346	5#	38x28x17	1200
506347	6#	41x28x22	1200
506348	7#	27x20x22	600
506349	8#	27x20x22	600
506350	9#	35x21x24	600

ARTIST BRUSH

Aluminium ferrule / Wooden handle / Soft pure wool

Art.No.	Size	Bristle visible L	Pcs/Ctn
506351	24pcs-set	60x34x26	100





ARTIST BRUSH

Aluminium ferrule / Wooden handle / White bristle

Art.No.	Size	Bristle visible L	Pcs/Ctn
506352	24pcs-set	52x50x26	100

ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506353	4"	6	100
506354	7"	6	50
506355	9"	6	50



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506356	2"	6	100
506357	4"	6	100



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506358	2"	6	100
506359	4"	6	100



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506360	4"	6	100
506361	7"	6	50
506362	9"	6	50



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506363	4"	6	100
506364	7"	6	50
506365	9"	6	50



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506366	4"	6	100
506367	7"	6	50
506368	9"	6	50



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506369	4"	6	100
506370	7"	6	50
506371	9"	6	50



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506372	2"	6	100
506373	4"	6	100



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506374	2"	6	100
506375	4"	6	100



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506376	7"	8	50
506377	10"	8	50



ROLLER FRAME

Zinc-plated / Plastic handle

Art.No.	Size	φ	Pcs/Ctn
506378	7"	8	50
506379	10"	8	50



PAINT ROLLER

Zinc-plated / Plastic handle

Art.No.	Size	Pile hight	Pcs/Ctn
506380	4"	18mm	100
506381	7"	18mm	50
506382	9"	18mm	50



PAINT ROLLER

Zinc-plated / Plastic handle

Art.No.	Size	Pile hight	Pcs/Ctn
506383	7"	20mm	50
506384	10"	20mm	50



ROLLER SLEEVE

Synthetic fiber

Art.No.	Size	Pile hight
506385	4"	18mm
506386	7"	18mm
506387	9"	18mm



Mix synthetic fiber

Art.No.	Size	Pile hight
506388	7"	18mm
506389	10"	18mm



Nylon fiber

Art.No.	Size	Pile hight
506390	7"	12mm
506391	10"	12mm



Polyamide fibre

Art.No.	Size	Pile hight
506392	7"	12mm
506393	10"	12mm



Microfiber

Art.No.	Size	Pile hight
506394	7"	12mm
506395	10"	12mm



Mix synthetic fiber

Art.No.	Size	Pile hight
506396	7"	18mm
506397	10"	18mm



ROLLER SLEEVE

Mix synthetic fiber



506398
Size:4"



506399
Size:4"



506400
Size:4"



506401
Size:4"



506402
Size:4"



506403
Size:4"

Ajánlatkéréshez szíveskedjen elküldeni KIMPORT-os kapcsolattartója részére (vagy az arajanlat@kimport.hu-ra) kitöltve az ajánlatkérő excel fájlt.

[Ajánlatkérő excel]



Kimport Purchasing Kft.
1112 Budapest, Tippan utca 2.
HU23490495
Tel.: +36-1-249-46-22
arajanlat@kimport.hu